

**DEVELOPMENT OF METHOD FOR SIMULTANEOUS DETERMINATION
OF PLASTICIZERS IN PLASTIC FOOD PACKAGING BY GAS
CHROMATOGRAPHY**

ZALILAH NASIR

UNIVERSITI TEKNOLOGI MALAYSIA

BAHAGIAN A – Pengesahan Kerjasama *

Adalah disahkan bahawa projek penyelidikan tesis ini telah dilaksanakan melalui kerjasama antara _____ dengan _____

Disahkan oleh:

Tandatangan : Tarikh :

Nama :

Jawatan :

(Cop rasmi)

** Jika penyediaan tesis/projek melibatkan kerjasama.*

BAHAGIAN B – Untuk Kegunaan Pejabat Sekolah Pengajian Siswazah

Tesis ini telah diperiksa dan diakui oleh:

Nama dan Alamat : **Prof. Madya Dr. Zaini Asim**

Pemeriksa Luar **Jabatan Kimia**
Fakulti Sains dan Teknologi Sumber
Universiti Malaysia Sarawak
Sarawak

Nama dan Alamat : **Prof. Madya Dr. Mohd Shahru Bahari**

Pemeriksa Dalam I **Jabatan Kimia**
Fakulti Sains
Universiti Teknologi Malaysia
81310 UTM Skudai

Disahkan oleh Timbalan Dekan (Pembangunan) :

Tandatangan : 
Nama : **PROF. MADYA DR. MUSTAFFA SHAMSUDDIN**

Tarikh : **25/1/08**

DEVELOPMENT OF METHOD FOR SIMULTANEOUS DETERMINATION OF
PLASTICIZERS IN PLASTIC FOOD PACKAGING BY GAS CHROMATOGRAPHY

ZALILAH NASIR

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Master of Science (Chemistry)

Faculty of Science
Universiti Teknologi Malaysia

JANUARY 2008

ACKNOWLEDGEMENT

All praises are due to Allah, the Almighty God. We praise Him, and seek His Help, and ask for His forgiveness. Without His mercy and grace, I wouldn't have the strength and time to complete this work.

Firstly, I am fully grateful to my project supervisor, Prof. Dr. Mohd Marsin Sanagi for his time and patience in supervising, his commentary and encouragement towards the completion of this research. I am also very thankful to my co-supervisors, Assoc. Prof. Dr. Wan Aini Wan Ibrahim and Assoc. Prof. Dr. Ahmedy Abu Naim for their advice and motivation. Their continuing enthusiasm and guidance have made this thesis possible.

I thank my colleague cum friend Susie for sharing the journey of developing this work where ideas, creativities, fruitful discussions as well as difficult situations were exchanged with. I thank my colleagues at Public Health Laboratory Johor Bahru especially to all the staff at Food Packaging Unit and Administration Unit for providing me necessary supplies, information, conducive working environment and friendship throughout my two years of doing laboratory works. I thank the Ministry of Health and the Public Service Department on opportunity given for the study leave and scholarship. I also thank my true friends Zawiyah, Tosiah, Abdullah, and Zahaitun for their long distant enduring opinion, motivation, and kindness throughout my study.

Finally, I would like to express my gratitude to my beloved mother Rahmah and all my family members for their lifelong love, caring and understanding.

ABSTRACT

An analytical method has been developed for the simultaneous determination of plasticizers belonging to the classes of phthalates, adipates, sebacates, azelates, phosphates, glycolate, citrates, and trimellitates which are often present in plastic food packaging. Sample extraction consists of solvent dissolution, precipitation, centrifugation, and concentration steps before analysis by gas chromatography with flame ionization detector (GC-FID). The developed analytical procedure makes possible the simultaneous determination of 20 compounds in common plastic materials for food packaging industry, namely dimethyl phthalate, diethyl phthalate, diisopropyl phthalate, di-*n*-propyl phthalate, diisobutyl phthalate, di-*n*-butyl phthalate, dipentyl phthalate, di-*n*-butyl sebacate, acetyl-tri-*n*-butyl citrate, butylphthalyl butyl glycolate, butylbenzyl phthalate, dihexyl phthalate, di-2-ethylhexyl adipate, tri-2-ethylhexyl phosphate, dichlorohexyl phthalate, di-2-ethylhexyl phthalate, tri-*n*-butyl trimellitate, di-2-ethylhexyl azelate, di-*n*-octyl phthalate and tri-2-ethylhexyl trimellitate within 35 minutes of gas chromatographic separation. Performance characteristics of the method such as linearity range, detection and quantification limit, specificity, trueness and precision were studied and were found to be within the acceptable limit for each plasticizer type. With the limit of detection between 0.61 to 2.88 mg/kg, the method was successfully applied to the determination of plasticizers in plastic food packaging made of polyvinyl chloride, polyvinylidene chloride, polystyrene and polycarbonate. The method was found to be reliable, not labor intensive, suitable for general use and offer considerable time savings over the individual methods available to date. Thus, the proposed method could be used by many agencies including industries' own quality control laboratories and enforcement authorities in charge with ensuring plastic food packaging meet applicable regulations.

ABSTRAK

Suatu kaedah analisis telah dibangunkan untuk menganalisis secara serentak bahan pemplastik dari kumpulan ftalat, adipat, fosfat, trimellitat, azelat, sitrat dan sebakat yang biasa digunakan dalam pembuatan plastik pembungkus makanan. Pengekstrakan sampel terdiri dari proses pemelarutan menggunakan bahan pelarut, pemendakan, pengemparan dan pemekatan sebelum analisis dijalankan menggunakan kromatografi gas dengan pengesan pengionan nyala (GC-FID). Kaedah analisis yang dibangunkan ini membolehkan pengenalpastian secara serentak sebanyak 20 sebatian pemplastik bagi jenis plastik biasa yang digunakan dalam industri pembungkusan makanan iaitu dimetil ftalat, dietil ftalat, diisopropil ftalat, di-*n*-propil ftalat, diisobutil ftalat, di-*n*-butil ftalat, dipentil ftalat, di-*n*-butil sebakat, asetil-tri-*n*-butil sitrat, butiltalilbutil glikolat, butilbenzil ftalat, diheksil ftalat, di-2-etilheksil adipat, tri-2-etilheksil fosfat, dikloroheksil ftalat, di-2-etilheksil ftalat, tri-*n*-butil trimellitat, di-2-etilheksil azelat, di-*n*-oktil ftalat, dan tri-2-etilheksil trimellitat dalam tempoh 35 minit pemisahan kromatografi. Ciri-ciri prestasi kaedah seperti julat linear, had pengesanan dan kuantifikasi, kespesifikan, kejituan, dan kepresisan telah dikaji dan didapati berada dalam julat yang boleh diterima bagi setiap jenis bahan pemplastik. Dengan had pengesanan di antara 0.61 hingga 2.88 mg/kg, kaedah ini telah berjaya digunapakai untuk penentuan bahan pemplastik di dalam bahan plastik pembungkus makanan yang dibuat dari polivinil klorida, polivinilidin klorida, polistirena dan polikarbonat. Kaedah ini didapati boleh dipercayai, memberi beban kerja yang sedikit, mudah untuk digunakan dan menjimatkan masa berbanding kaedah individu yang digunakan pada masa ini. Justeru, kaedah ini boleh digunapakai oleh pelbagai agensi termasuk makmal kawalan mutu industri dan pihak penguatkuasaan tertentu untuk memastikan bahan pembungkus makanan plastik menepati peraturan yang berkenaan.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	ACKNOWLEDGEMENT	iii
	ABSTRACT	iv
	ABSTRAK	v
	TABLE OF CONTENTS	vi
	LIST OF TABLES	ix
	LIST OF FIGURES	xi
	LIST OF ABBREVIATIONS	xiii
	LIST OF APPENDICES	xvi
1	INTRODUCTION	
	1.1 Research Background	1
	1.2 Statement of Hypothesis	2
	1.3 Research Aim	2
	1.4 Research Objectives	2
	1.5 Scope of Study	3
	1.6 Outline of The Thesis	3
2	LITERATURE REVIEW	
	2.1 Food Packaging	5
	2.2 Plasticizers in Plastic Food Packaging	6

2.2.1	Characteristics, Usage and Trends of Plasticizers	6
2.2.2	Health and Environmental Effects of Plasticizers	11
2.2.3	Regulatory Consideration	12
2.3	Determination of Plasticizers in Plastic	14
2.4	Analytical Method Validation	16
2.4.1	Introduction	16
2.4.2	Performance Characteristics for Method Validation	18
2.4.2.1	Selectivity/Specificity	18
2.4.2.2	Limit of Detection and Limit of Quantification	19
2.4.2.3	Calibration and Linearity	22
2.4.2.4	Trueness	23
2.4.2.5	Precision	24
2.4.2.6	Robustness and Ruggedness	26
2.4.2.7	Measurement Uncertainty	26

3 EXPERIMENTAL

3.1	Materials and Test Compounds	28
3.2	Glassware	29
3.3	Standard Solution Preparation	30
3.4	Extraction of Plasticizers from Food Packaging Plastics	30
3.5	Instrumental Analysis	31
3.5.1	FT-IR	31
3.5.2	Gas Chromatography/Flame Ionization Detector	31
3.5.3	Gas Chromatography/Mass Spectrometer	32
3.6	Quantitative Analysis of Plasticizers in Food Packaging Plastics	32
3.7	Method Validation	33
3.7.1	Specificity/Selectivity	34

3.7.2	Limit of Detection (LOD) and Limit of Quantification (LOQ)	34
3.7.3	Calibration and Linearity	35
3.7.4	Trueness	43
3.7.5	Precision	44
4	RESULTS AND DISCUSSION	
4.1	Method Development	47
4.1.1	Instrument Optimization	47
4.1.2	Sample Preparation Procedure	48
4.1.3	Final Method of Analysis	49
4.2	Method Validation	56
4.2.1	Limit of Detection (LOD) and Limit of Quantification (LOQ)	56
4.2.2	Calibration and Linearity	61
4.2.3	Trueness	76
4.2.4	Precision	77
4.2.5	Application on the Real Sample	79
5	CONCLUSIONS AND SUGGESTIONS FOR FURTHER STUDY	
5.1	Conclusions	85
5.2	Suggestions for Further Study	87
	REFERENCES	89
	APPENDICES	103

LIST OF TABLES

Table No.	Title	Page
1.1	List of 20 plasticizers studied	4
2.1	Properties and applications of several commercial plasticizers (Rahman & Brazel, 2004; Radian Corporation, 1987)	10
2.2	Various limit of plasticizers in food packaging in the USA (CFR, 1998)	13
3.1	Description of chemicals and analytical reference materials	29
3.2	ANOVA test used to determine the linearity domain	41
4.1	Parameters of linear regression for the twenty plasticizers at five different levels of concentration, $n = 3$	57
4.2	Results of the statistical evaluation of the linear regression curve	58
4.3	Results of ANOVA statistics on significance test for regression model for ten plasticizers namely DEP, DiPP, DnPP, DiBP, DBS, BPBG, DHxP, DCHP, TBTM and DEHA8.	67
4.4	Results of ANOVA statistics on significance test for regression model for ten plasticizers namely DMP, DnBP, DPeP, ATBC, BBP, DEHA, TOP, DEHP, DnOP and TOTM.	68

4.5	Results for significant test on y-intercept for twenty plasticizers compound	71
4.6	Results for significance test on matrix effect studies on twenty plasticizers.	73
4.7	Summary of findings for linearity testing and calibration function based on the IUPAC Guidelines (Thompson <i>et al.</i> , 2002) for simultaneous determination of ten plasticizers in plastic food packaging using GC-FID	75
4.8	Method trueness by recovery studies at 100 mg/kg spiking concentration using polystyrene matrix.	76
4.9	Calculation of precision value, r for DMP compound with 5 samples at random days, where each sample was tested twice in a same day.	77
4.10	Results of precision value in repeatability for twenty plasticizers using the proposed method	79
4.11	Occurrence of plasticizers in different kinds of samples (mg/kg) by GC-FID method. Results shown are an average of triplicate analysis for PS, PVC & PVdC sample while duplicate analysis for PC sample	83

LIST OF FIGURES

Figure No.	Title	Page
2.1	Structures of several commercial plasticizers	9
3.1	Schematic diagram for linear range testing	37
3.2	Schematic diagram for general matrix effect study	38
4.1	GC-FID chromatograms of (a) acetone blank, (b) standard solution of 20 plasticizers in acetone (10 mg/L each). Peak identification: (1) DMP; (2) DEP; (3) DiPP; (4) DnPP; (5) DiBP; (6) DnBP; (7) DPeP; (8) DBS; (9) ATBC; (10) BPBG; (11) BBP; (12) DHxP; (13) DEHA; (14) TOP; (15) DCHP; (16) DEHP; (17) TBTM; (18) DEHA8; (19) DnOP; (20) TOTM.	50
4.2	Total ion chromatogram of GC-MS analysis for standard solution of 20 plasticizers in acetone, (10 mg/L each). Peak identification: (1) DMP; (2) DEP; (3) DiPP; (4) DnPP; (5) DiBP; (6) DnBP; (7) DPeP; (8) DBS; (9) ATBC; (10) BPBG; (11) DHxP; (12) BBP; (13) DEHA; (14) TOP; (15) DCHP; (16) DEHP; (17) TBTM; (18) DEHA8; (19) DnOP; (20) TOTM.	51
4.3	Mass spectra of synthetic plasticizers namely ATBC, BBP, BPBG, DBS and DCHP.	52
4.4	Mass spectra of synthetic plasticizers namely DEHA8, DEHA, DEHP, DEP And DHxP	53

4.5	Mass spectra of synthetic plasticizers namely DiBP, DiPP, DMP, DnBP and DnOP	54
4.6	Mass spectra of synthetic plasticizers namely DnPP, DPeP, TBTM, TOP, and TOTM.	55
4.7	LOD and LOQ estimated using linear regression approach for simultaneous determination of 20 plasticizers by GC-FID.	59
4.8	y-residual plots of ϵ_{ij} versus concentration for ten plasticizers namely DEP, DiPP, DnPP, DiBP, DBS, BPBG, DHxP, DCHP, TBTM and DEHA8.	64
4.9	y-residual plots of ϵ_{ij} versus concentration for ten plasticizers namely DMP, DnBP, DPeP, ATBC, BBP, DEHA, TOP, DEHP, DnOP and TOTM.	65
4.10	Calibration curves of peak area of GC-FID versus concentration for ten plasticizers (DEP, DiPP, DnPP, DiBP, DBS, BPBG, DHxP, DCHP, TBTM and DEHA8) after discarding outliers with respective Ordinary Least Squares method statistics.	69
4.11	Calibration curves of peak area of GC-FID versus concentration for ten plasticizers (DMP, DnBP, DPeP, ATBC, BBP, DEHA, TOP, DEHP, DnOP and TOTM) after discarding outliers with respective Ordinary Least Squares method statistics.	70
4.12	Gas chromatogram of GC-FID for real plastic food packaging sample made of (a) polyvinyl chloride, (b) polyvinylidene chloride.	80
4.13	Gas chromatogram of GC-FID for real plastic food packaging sample made of (a) polystyrene, (b) polycarbonate.	81

LIST OF ABBREVIATIONS

AOAC	-	Association Officials of Analytical Chemistry
ATBC	-	Acetyl-tri-n-butyl citrate
BBP	-	Benzylbutyl phthalate
BPBG	-	Butyl phthalyl butyl glycolate
CRM	-	Certified reference materials
CV	-	Coefficient of variation
DBA	-	Dibutyl adipate
DBS	-	Dibutyl sebacate
DCHP	-	Dicyclohexyl phthalate
DEHA	-	Di-2-ethylhexyl adipate
DEHA8	-	Di-2-ethylhexyl azelate
DEHP	-	Di-2-ethylhexyl phthalate
DEP	-	Diethyl phthalate
DHpP	-	Di- <i>n</i> -heptyl phthalate
DHxP	-	Di- <i>n</i> -hexyl phthalate
DiBP	-	Diisobutyl phthalate
DiDP	-	Diisodecyl phthalate
DiNP	-	Diisononyl phthalate
DiPP	-	Diisopropyl phthalate
DMP	-	Dimethyl phthalate

DnBP	-	Di- <i>n</i> -butyl phthalate
DnOP	-	Di- <i>n</i> -octyl phthalate
DnPP	-	Di- <i>n</i> -propyl phthalate
DOS	-	Di-2-ethylhexyl sebacate
DPeP	-	Di- <i>n</i> -pentyl phthalate
FID	-	Flame Ionization Detector
FT-IR	-	Fourier Transform Infrared Spectroscopy
GC	-	Gas Chromatography
HDPE	-	High density polyethylene
HPLC	-	High Performance Liquid Chromatography
ICH	-	International Conference of Harmonization of Technical Requirements for Registration of Pharmaceutical for Human Use
ISO	-	The International Organization for Standardization
IUPAC	-	International Union of Pure and Applied Chemistry
LLPE	-	Linear low polyethylene
LOD	-	Limit of detection
LOQ	-	Limit of quantification
MAFF	-	Ministry of Agriculture, Fisheries and Food United Kingdom
MS	-	Mass spectrometry
PC	-	Polycarbonate
PE	-	Polyethylene
PET	-	Polyethylene tetraphthalate
PP	-	Polypropylene
PS	-	Polystyrene
PVA	-	Polyvinyl acetate
PVC	-	Polyvinyl chloride
PVdC	-	Polyvinylidene chloride
SD	-	Standard deviation
TBTM	-	Tri- <i>n</i> -butyl trimellitate
TCP	-	Tricresyl phosphate
TDI	-	Tolerable dietary intake

TOP	-	Tri-(2-ethylhexyl) phosphate
TOTM	-	Tri-(2-ethylhexyl) trimellitate
TPhP	-	Triphenyl phosphate
TTDI	-	Total tolerable dietary intake
UV	-	Ultra Violet

LIST OF APPENDICES

Appendix	Title	Page
A	Overview of Laws and Regulations in food packaging materials at different countries	103
B	FT-IR spectra of the (a) milk bottle made of PC, (b) disposable bowl made of PS, (c) general food wrapper film made of PVC, (d) microwave wrapping film made of PVdC	107
C	Data collected for estimation of LOD and LOQ on nineteen plasticizers using linear regression approach.	108
D	Data collected for estimation of linearity parameters and constructing y-residual plots on nineteen plasticizers.	109
E	Data collected for the determination of sample matrix effect on nineteen plasticizers.	110
F	List of papers presented/contributed	111

CHAPTER 1

INTRODUCTION

1.1 Research Background

Plasticizer is a plastic additive that is not bound chemically in the plastics and can consequently penetrate these materials, and migrate into food that comes into contact. The presence of phthalates, a common plasticizer in packaging materials and their migration into packaged foods have been confirmed by a number of researchers (Balafas *et al.*, 1999; MAFF, 1996; Nerin *et al.*, 1993; Peterson & Breindahl, 2000; Tsumura *et al.*, 2001a & b). The amount of plasticizers in packaged food depends on many factors including the concentration of plasticizers in the packaging material or printing ink, the storage period, the storage temperature, the fat content in the food and the contact area (Balafas *et al.*, 1999).

Several methods have been reported for the determination of phthalate ester plasticizers such as gas chromatography (Castillo *et al.*, 1999; Marin *et al.*, 1996; Yasuhara *et al.*, 1997) and high performance liquid chromatography (Castillo & Barcelo *et al.*, 2001; Jara *et al.*, 2001; Kelly & Larroque, 1999). Different pre-concentration methods have been used on different matrices such as solvent extraction for solid samples including foods (Tsumura *et al.*, 2001a; Summerfield & Cooper, 2001; Peterson & Breindahl, 2000), and food packaging materials (Balafas *et al.*, 1999; Song *et al.*, 2000; Aurela *et al.*, 1999). Other common extraction methods were also developed such as solid-phase extraction (Jara *et al.*, 2001; Davis *et al.*, 1999; Jonsson & Born, 2002), and solid-phase microextraction (Cai *et al.*,

2003a; Penalver *et al.*, 2000; Prokupkova *et al.*, 2002). It was found that thus far, there are only limited numbers of proposed analytical method for the simultaneous determination of all synthetic plasticizers group in any possible media.

1.2 Statement of Hypothesis

Since some plasticizers could pose a risk to public health, there is a need to have an analytical method to identify and quantify residues of concern in polymeric materials intended for food packaging. This work develops a single in-house method that can be used for simultaneous determination of twenty types of synthetic plasticizers included phthalates, phosphates, trimellitates, citrates, adipates and sebacates used in plastic food packaging. It is expected that such method is feasible using gas chromatography with flame ionization detector (GC-FID) or mass spectrometry (GC-MS).

1.3 Research Aim

The aim of this study was to develop a method for determination of plasticizers in plastic food packaging using gas chromatography. The method would be evaluated by investigating several performance criteria including its application to real samples.

1.4 Research Objectives

- i. To develop a method for simultaneous determination of twenty types of synthetic plasticizers such as phthalates, phosphates, trimellitates, citrates, adipates and sebacates in plastic food packaging.

- ii. To validate performance criteria of the established method including limit of detection and limit of quantification, calibration and linear range, specificity/selectivity, trueness and precision.

1.5 Scope of Study

The twenty types of synthetic plasticizers as listed in Table 1.1 were studied. The table also presents their corresponding abbreviations, general name, Chemical Abstract Service Registration Number (CASRN) and molecular mass. The established method was validated to ensure that it fits the purpose before being used in routine laboratory works.

1.6 Outline of the Thesis

This thesis consists of six chapters. Chapter 1 presents general background of this study, research aim, research objectives and scope. Chapter 2 compiles the literature review and theoretical background on method validation protocols for determination of plasticizers in plastic food packaging. The procedures for assessing performance criteria of the established method are presented in Chapter 3. Chapter 4 reports the results and discusses the performance criteria for determination of plasticizers in plastic food packaging by gas chromatography coupled with flame ionisation detector and mass spectrometry for confirmation. It also elaborates the applicability of the method to determine plasticizers in commercial plastic food packaging made of polystyrene, polyvinyl chloride, polyvinylidene chloride and polycarbonate. The concluding Chapter 5 summarizes this thesis by presenting the overall conclusions and suggestions for future study.

Table 1.1. List of 20 plasticizers studied

No.	Plasticizer name	Abbreviation	CASRN*	Molecular mass (g/mol)
1	Diethyl phthalate	DEP ^{a,b}	84-66-2	222.2
2	Di-iso-propyl phthalate	DiPP	605-45-8	250.3
3	Di- <i>n</i> -propyl phthalate	DnPP ^a	131-16-8	250.3
4	Di-iso-butyl phthalate	DiBP	84-69-5	278.3
5	Di- <i>n</i> -butyl sebacate	DBS	109-43-3	314.5
6	Butylphthalyl butylglycolate	BPBG	85-70-1	336.4
7	Dihexyl phthalate	DHxP ^a	84-75-3	334.4
8	Dicyclo hexyl phthalate	DCHP ^a	84-61-7	330.4
9	Tri- <i>n</i> -butyl trimellitate	TBTM	1726-23-4	378.5
10	Di-2-ethylhexyl azelate	DEHA8	103-24-2	412.6
11	Dimethyl phthalate	DMP	131-11-3	194.2
12	Di- <i>n</i> -butyl phthalate	DnBP ^{a,b,c}	84-74-2	278.3
13	Dipentyl phthalate	DPeP ^a	131-18-0	306.4
14	Acetyl-tri- <i>n</i> -butyl citrate	ATBC	77-90-7	402.5
15	Butylbenzyl phthalate	BBP ^{a,b,c}	85-68-7	312.4
16	Di-2-ethylhexyl adipate	DEHA ^a	103-23-1	370.6
17	Tri-2-ethylhexyl phosphate	TOP	78-42-2	434.6
18	Di-2-ethylhexyl phthalate	DEHP ^{a,b,c}	117-81-7	390.6
19	Di- <i>n</i> -octyl phthalate	DnOP	117-84-0	390.6
20	Tri-2-ethylhexyl trimellitate	TOTM	3319-31-1	546.8

Note:

^a Suspected endocrine disruptor chemicals by Japan Environmental Agency (1998)

^b Priority toxic pollutants by United States EPA (1999)

^c Suspected endocrine disruptor chemicals by European Parliament (2001)

*CASRN (ACS, 2007)

REFERENCES

- American Chemical Society (ACS) (2007). Online service of CAS databases.
<http://www.cas.org/expertise/cascontent/index.html>
- American Plastic Council (APC) (2003). APC Plastic Industry Producers' Statistics Group; October 20, 2003, VERIS Consulting LLC.
<http://www.americanplasticscouncil.com/benefits/economic/economic.html>
- Analytical Methods Committee Royal Society of Chemistry (RSC) (1987). Recommendations for the definition, estimation and use of the detection limit, *Analyst*, **112**: 199-204
- Asaoka, K., Hagihara, K., Kabaya, H., Sakamoto, Y., Katayama, H., and Yano, K. (2000). Uptake of phthalate esters, di(n-butyl) phthalate and di(2-ethyl hexyl) phthalate, as environmental chemicals in monkeys in Japan. *Bull. Environ. Contam. Toxicol.*, **64**: 679-685
- Association Official of Analytical Chemist (AOAC) (1998). *Peer-Verified Methods Program Manual on Policies and Procedure*, Arlington: AOAC International
- Aurela, B., Kulmala, H., and Soderhjelm, L. (1999). Phthalates in paper and board packaging and their migration into Tenax and sugar, *Food Addit. Contam.*, **16**: 571-577
- Balafas, D., Shaw, K.J., and Whitfield, F.B. (1999). Phthalate and adipate esters in Australian packaging materials. *Food Chem.*, **65**: 279-287
- Ballesteros, O., Zafra, A., Navalon, A., and Vilchez, J.L. (2006). Sensitive gas chromatographic-mass spectrometric method for the determination of phthalates esters, alkylphenols, bisphenols A and their chlorinated derivatives

in wastewater samples, *J. Chromatogr. A* , **1121**: 154-162

- Barwick, V. J., and Ellison, S. L. R. (2000). The evaluation of measurement uncertainty from method validation studies Part 1: Description of a laboratory protocol, *Accred. Qual. Assur.*, **5**:47–53
- Blount, B.C, Milgram, K.E., Silva, M.J., Malek, N.A., and Reidy, J.A. (2000). Quantitative detection of eight phthalate metabolites in human urine using HPLC-APCI-MS/MS, *Anal. Chem.*, **72**: 4127-4134
- Bouma, K., and Schakel, D.J. (2002). Migration of phthalates from PVC toys into saliva simulant by dynamic extraction, *Food Addit. Contam.*, **19(6)**: 602-610
- Bradbury, J. (1996). UK panics over phthalates in babymilk formulae. *Lancet*, **347**: 1541
- Cai, Y., Jiang, G., and Liu, J. (2003a). Solid-phase microextraction coupled with High Performance Liquid Chromatography-UV detection for the determination of Di-n-propyl phthalate, Di-iso-butyl phthalate, and Di-cyclohexyl phthalate in environmental sample, *Anal. Lett.*, **36(2)**: 389-404
- Cai, Y., Jiang, G., Liu, J., and Zhou, Q. (2003b). Multi-walled carbon nanotubes packed cartridge for the solid-phase extraction of several phthalate esters from water samples and their determination by high performance liquid chromatography, *Anal. Chim. Acta* , **494**: 149-156
- Cano, J.M, Marin, M.L, Sanchez, A., and Hernandez, V. (2002). Determination of adipate plasticizers in polyvinyl chloride by microwave-assisted extraction, *J. Chromatogr. A*, **962**: 401-409
- Casajuana, N., and Lacorte, S. (2004). New methodology for the determination of phthalate esters, Bisphenol A diglycidyl ether, and nonylphenol in commercial whole milk samples, *J. Agric. Food Chem.*, **52**: 3702-3707
- Castillo, M., and Barcelo, D. (2001). Characterization of organic pollutants in textile wastewater and landfill leachate by using toxicity-based fractionation methods followed by liquid, *Anal. Chim. Acta*, **426**: 253-264

- Castillo, M., Barcelo, D., Pereira, A.S., and Aquino Neto, F.R. (1999). Characterization of organic pollutants in industrial effluents by high-temperature gas-chromatography mass spectrometry, *Trends Anal. Chem.*, **18**: 26-36
- Castle, I., Mercer, A. J., Startin, J. R., and Gilbert, J.(1988). Migration from plasticized films into foods 3. Migration of phthalate, sebacate, and citrate and phosphate esters from film used for retail food packaging. *Food Addit. Contam.*, **5**: 9-20
- Castle, L., Jickells, S.M, Nichol, J., Johns, S.M, and Gramshaw, J.W. (1994). Determination of high and low molecular mass plasticizers in stretch-type packaging films, *J. Chromatogr. A*, **675**: 261-266
- Chaler, R., Canton, L., Vaquero, M, and Grimalt, J.O. (2004). Identification and quantification of n-octyl esters of alkanolic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas, *J. Chromatogr. A*, **1046**: 203-210
- Code of Federal Regulations (CFR) (1998). Title 21-Food and Drugs, Part 178, §178.3740 *Plasticizers in Polymeric Substances*, Washington, DC: US Government Printing Office
- Codex Alimentarius Commission (CODEX) (1997). *Procedural Manual of the Codex Alimentarius Commission*, 10th Ed., Rome: FAO
- Codex Alimentarius Commission (CODEX) (2005). *CODEX STAN 1: General standard for the labelling of prepackaged foods*, Rev. 4: 1-7, Rome: Codex Alimentarius Commission
- Cortazar, E., Zuloaga, O., Sanz, J., Raposo, J.C., Etxebarria, N., and Fernandez, L.A. (2002). Multisimplex optimisation of the solid-phase microextraction-gas-chromatographic-mass spectrometric determination of polycyclic aromatic hydrocarbons, polychlorinated biphenyls and phthalates from water samples, *J. Chromatogr. A*, **978**: 166-175
- Curie, L.A (1999). Nomenclature in evaluation of analytical methods including

detection and quantification capabilities (IUPAC Recommendations 1995), *Anal. Chim. Acta*, **391**: 105-126

Davis, B.J., Maronpot, R.R., and Heindel, J.J. (1999). Di-(2-ethyl hexyl phthalate suppresses estradiol and ovulation in cycling rats. *Toxicol. Appl. Pharm.*, **128**: 216-223

de Souza, S. V. C., and Junqueira, R. G. (2005). A procedure to assess linearity by ordinary least squares method, *Anal. Chim. Acta*, **552**: 25-35

Draper, N. R., and Smith, H. (1998). *Applied Regression Analysis*, New York: Wiley, p.706.

Ema, M., Miyawake, E., and Kawashima, K. (2000). Effects of dibutyl phthalate on reproductive function in pregnant and pseudopregnant rat. *Reprod. Toxicol.*, **14**: 13-19

EURACHEM (1995) Quantifying uncertainty in analytical measurement. Laboratory of the Government Chemist (LGC), London

EURACHEM (1998). *The Fitness for Purpose of Analytical Methods : A Laboratory Guide to Method Validation and Related Topics*. United Kingdom: LGC (Teddington) Ltd.

European Parliament (2001). Communication from the commission to the Council and the on the implementation of the community strategy for endocrine disrupters – a range of substances suspected of interfering with the hormone systems of humans and wildlife, COM (1999) 706; COM (2001) 262 final, Brussels, 2001

Fatoki, O.S, and Noma, A. (2001). Determination of phthalic esters in the aquatic environment, *S. Afr. J. Chem.*, **54**: 4-19

Feinberg, M., and Raguene, N. (1999). Development and application of a standardized validation procedure for Food Chem. laboratories, *Anal. Chim. Acta*, **391**: 239-252

Filho, I.N., Muhlen, C., Schossler, P., and Caramao, E.B. (2003). Identification of

some plasticizers compounds in landfill leachate, *Chemosphere*, **50**: 657-663

Food Act 1983 (Act 281) and Regulations. (2006). Petaling Jaya: International Law Book Services

Frados, J. (1996). *Plastic Engineering Handbook*, 4th ed., New York: Van Nostrand Reinhold

Garcia, I., Ortiz, M.C., Sarabia, L., Vilches, C., and Gredilla, E. (2003). Advances in methodology for the validation of methods according to the International Organization for Standardization Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography, *J. Chromatogr. A*, **992**: 11-27

Hao, Y.S. (2005). Simultaneous screening and determination eight phthalates in plastic products for food use by sonication-assisted extraction/GC-MS methods, *Talanta*, **66**: 734-739

Herring, R., and Bering, C.L. (1988). Effects of phthalate esters on plant seedlings and reversal by a soil microorganism. *Bull. Environ. Contam. Toxicol.*, **40**: 626-632

Hirayama, K., Tanaka, H., Kawana, K., Tani, T., and Nakazawa, H. (2001). Analysis of plasticizers in cap-sealing resins for bottled foods, *Food Addit. Contam.*, **17(2)**: 133-141

Hoppin, J.A., Brock, J.W., Davies, B.J., and Bard, D.D. (2002). Reproducibility of urinary phthalate metabolites in first morning urine samples. *Environ. Health Perspect.*, **110**: 515-518

Horn, O. Nalli, S., Cooper, D., and Nicell, J. (2004). Plasticizer metabolites in the environment, *Water Res.*, **38**: 3693-3698

Horwitz, W. (1995). Protocol for the design, conduct and interpretation of method performance studies. *Pure Appl. Chem.*, **67**: 331-343

Huber, L. (1998). Equipment Qualification in Practice, *LC/GC*, February, **16**: 96.

- International Conference of Harmonisation of Technical Requirements for Registration of Pharmaceutical for Human Use (ICH) (1995). *Text on Validation of Analytical Procedures, Q2A*: Recommended for adoption at Step 4 of the ICH Process, UK
- International Conference of Harmonisation of Technical Requirements for Registration of Pharmaceutical for Human Use (ICH) (1996). *Validation of analytical procedures: Methodology Q2B*, Recommended for adoption at Step 4 of the ICH Process, UK
- International Conference of Harmonisation of Technical Requirements for Registration of Pharmaceutical for Human Use (ICH) (2005). *Validation of analytical procedures: Text and methodology Q2(R1)* Recommended for adoption at Step 4 of the ICH Process, UK
- Japan Environmental Agency. (1998). *Strategic Program for Environmental Endocrine Disruptors Report (SPEED)*. Tokyo: Japan Environmental Agency
- Jara, S., Lysebo, C., Greibrokk, T., and Lundanes, E. (2001). Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification, *Anal. Chim. Acta* , **407**: 165-171
- Jenke, D. R. (1996). Chromatographic method validation: a review of current practices and procedures. II. Guidelines for primary validation parameters, *J. Liq. Chromatogr. Rel. Technol.*, **19(5)**: 737-757
- Jonsson, S., and Born, H. (2002). Analysis of mono- and diester of o.phthalic acid by solid-phase extraction with polystyrene divinylbenzene based polymers, *J. Chromatogr. A* , **963**: 393-400
- Kelly, M. T., and Larroque, M. (1999). Trace determination of diethyl phthalate in aqueous media by solid-phase microextraction liquid chromatography. *J. Chromatogr. A* , **841**: 177-185
- Kiser, M. M., and Dolan, J. W. (2004). Selecting the best curve fit, *LCGC Europe*, March: 138-143

- Krauskopf, L.G. (1993). Monomeric plasticizers, In: Wickson E. J., editor. *Handbook of PVC Formulating*, New York: John Wiley, p. 86.
- Li, X., Zeng, Z., Chen, Y., and Xu, Y. (2004). Determination of phthalate acid esters plasticizers in plastic by ultrasonic solvent extraction combined with solid-phase microextraction using calix[4] arene fiber, *Talanta*, **63**: 1013-1019
- Lin, Z.P., Ikononou, M.G., Jing, H. Mackintosh, C., and Gobas, F.A.P.C. (2003). Determination of phthalate ester congeners and mixtures by LC/ESI-MS in sediments and biota of an urbanized marine inlet, *Environ. Sci. Technol.*, **37**: 2100-2108
- Ma, L.L, Chu, S.G., and Xu, X.B. (2003). Phthalate residues in greenhouse soil from Beijing suburbs, People's Republic of China, *Bull. Environ. Contam. Toxicol.*, **71**: 394-399
- Mackintosh, C.E., Maldonado, J., Hongwu, J., Hoover, N., Chong, A., Ikononou, M.G., and Gobas, F.A.P.C. (2004). Distribution of phthalate esters in a marine aquatic food web: comparison to polychlorinated biphenyls, *Environ. Sci. Technol.*, **38**: 2011-2020
- Marin, M. L., Jimenez, A., Lopez, J., and Vilaplana, J. (1996). Analysis of poly(vinyl chloride) additives by super critical fluid extraction and gas-chromatography, *J. Chromatogr. A*, **750**:183-190
- Marin, M. L., Lopez, J., Sanchez, A., Vilaplana, J., and Jimenez, A. (1998). Analysis of potentially toxic phthalate plasticizers used in toy manufacturing, *Bull. Environ. Contam. Toxicol.*, **60**: 68-73
- Mark, H. (2003). Application of an improved procedure for testing the linearity of analytical methods to pharmaceutical analysis, *J. Pharm. Biomed. Anal.*, **33**: 7-20
- Mathews, G. (1996). *PVC: Production, Properties and Uses*, London, England: Institute of Metals, p. 141.
- Meyer, P.C., and Zund, R.R. (1993). *Statistical Methods in Analytical Chemistry*,

N.Y., John Wiley & Sons, 1993, p. 81.

Miller, J.N and Miller, J.N (2000). *Statistics and Chemometrics for Anal. Chem.*. Fourth Edition. England: Prentice Hall.

Ministry of Agriculture, Fisheries and Food (MAFF) (1995). Phthalates in paper and board packaging. *Food Surveillance* Paper No.60. London:HMSO

Ministry of Agriculture, Fisheries and Food (MAFF) (1996). Phthalates in infant formulae. *Food Surveillance* Paper No.83. London:HMSO

Ministry of Health, Labour and Welfare (MHLW) (2003). *Japan Food Sanitation Law*, Tokyo: Ministry of Health, Labour and Welfare

Montgomery, D.C., and Runger, G. C. (2003). *Applied Statistics and Probability for Engineers*, New York: John Wiley and Sons Inc., p. 293.

Morita, M., Nakamura, H., and Mimura, S. (1973). Phthalic acid esters in foods. *Annual Report of Tokyo Metropolitan Research Laboratory of Public Health*, **24**: 357-362

Mulholland, M. (1988). Ruggedness testing in Anal. Chem., *Trends in Anal. Chem.*, **7** :383-389

Murphy, J. (2001). *Additives for Plastics Handbook*, 2nd ed., New York: Elsevier, p. 25

Mylechreest, E., Cattley, R. C., and Foster, P. M. D. (1998). Male reproductive tracts malfunctions in rats following gestational and lactational exposure to di(n-butyl) phthalate: An anti androgenic mechanism? *Toxicol. Sci.*, **43**: 47-60

Nerin, C. Gancedo, P., and Cacho, J. (1992). Determination of Bis(2-ethylhexyl) adipate in food products, *J. Agric. Food Chem.*, **40**: 1833-1835

Nerin, C., Cacho, J., and Gancedo, P. (1993). Plasticizers from printing ink in a selection of food packaging and their migration to food. *Food Addit. Contam.*, **10**: 453-460

Nerin, C., Fernandez, C., Domeno, C., and Salafranca, J. (2003). Determination of

potential migrants in polycarbonate containers used for microwave ovens by High-Performance Liquid Chromatography with ultraviolet and fluorescence detection, *J. Agric. Food Chem.*, **51**: 5647-5653

Niino, T., Ishibashi, T., Itho, T., Sakai, S., Ishiwata, H., Yamada, T., and Onodera, S. (2002). Simultaneous determination of phthalate di- and monoesters in polyvinyl chloride products and human saliva by gas chromatography-mass chromatography, *J. Chromatogr. B*, **780**: 35-44

Oi, W.L. and Siu, K.W. (2000). Contamination in food from packaging material, *J. Chromatogr. A*, **882**: 225-270.

Penalver, A., Pocurull, E., Borrul, F., and Marce, R. M (2000). Determination of phthalate esters in water samples by solid-phase microextraction and gas-chromatography mass spectrometry, *J. Chromatogr. A*, **872**: 191-201

Penalver, A., Pocurull, E., Borrul, F., and Marce, R. M. (2001). Comparison of different fibers for the solid-phase microextraction of phthalate esters from water, *J. Chromatogr. A*, **922**: 377-384

Petersen, J.H., Naamansen, E. T., and Nielsen, P.A. (1995). PVC cling film in contact with cheese: health related to global migration and specific migration of DEHA *Food Addit. Contam.*, **12**: 245-253

Petersen, J.H, and Breindahl, T. (2000). Plasticizers in total diet samples, baby food and infant formula. *Food Addit. Contam.*, **17(2)**: 133-141

Polo, M., Llompart, M., Jare, C.G., and Cela, R. (2005). Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters, *J. Chromatogr. A*, **1072**: 63-72

Prokupkova, G., Holadova, K., Poutska, J., and Hajslova, J. (2002). Development of a solid-phase microextraction method for the determination of phthalate acid esters in water, *Anal. Chim. Acta*, **457**: 211-223

Radian Corporation (1987). *Chemical additives for the plastics industry : properties, applications, toxicologies*, Park Ridge, NJ : Noyes Data

- Rahman, M., and Brazel, C.S. (2004). The plasticizer market: an assessment of traditional plasticizers and research trends to meet new challenges. *Prog. Polym. Sci.*, **29**: 1223-1248
- Rastogi, S.C. (1998) Gas chromatographic analysis of phthalate esters in plastic toys. *Chromatographia*, **47**: 724-726
- Robertson, G.L. (1993). *Food Packaging: Principle and Practice*, New York: Marcell Dekker, p. 65
- Rosen, S. L. (1993). *Fundamental principals of polymeric materials*, 2nd ed. New York: Wiley, p. 97
- Sablaylor, C., Vignoles, M. M., Benanou, D., Patria, L., and Treihou, M. (2005), Development and validation of methods for the trace determination of phthalates in sludges and vegetables, *J. Chromatogr. A*, **1072**: 233-242
- Sanz, M. B., Sarabia, L. A., Herrero, A., and Ortiz, M. C. (2002). A study of robustness with multivariate calibration. Application to the polarographic determination of benzaldehyde, *Talanta*, **56**: 1039-1048
- Sendra, J. M. B., Nechar, M., and Rodríguez, L. C. (1999). Decision protocol for checking robustness with previous outlier detection in the validation of analytical methods, *Fresenius J. Anal. Chem.*, **365**: 480-488
- Silva, M. J., Reidy, J. A., Herbert, A. R., Preau Jr, J. L., Needham, L., and Calafat, A. M. (2004). Detection of phthalate metabolites in human amniotic fluid. *Bull. Environ. Contam. Toxicol.*, **72**: 1226-1231
- Song, Y.S., Park, H.J., and Komolprasert, V. (2000). Analytical procedure for quantifying five compounds suspected possible contaminants in recycled paper/paperboard for food packaging, *J. Agric. Food Chem.*, **48**: 5856-5859
- Staples, C.A, Peterson, D.R., Paterton, T.F., and Adam, W.J. (1997). The environmental fate of phthalate esters: a literature review. *Chemosphere*, **35**: 667-749

- Stevens, M. P. (1999). *Polymer Chemistry: An Introduction*, 3rd Ed., New York: Oxford University Press, p. 157
- Summerfield, W., and Cooper, I. (2001). Investigation of migration from paper and board into food-development of food for rapid testing, *Food Addit. Contam.*, **18**: 77-88
- The International Organization for Standardization (ISO) (1993) *Guide to the expression of uncertainty in measurement*, International Organization for Standardization, Geneva
- The International Organization for Standardization (ISO) (1994a). ISO 5725 *Accuracy (trueness and precision) of measurement methods and results*, International Organization for Standardization, Geneva
- The International Organization for Standardization (ISO) (1994b). ISO 5725-1 *Accuracy (trueness and precision) of measurement methods and results—General Principles and definitions*, International Organization for Standardization, Geneva
- The International Organization for Standardization (ISO) (1994c). ISO 5725-2 *Accuracy (trueness and precision) of measurement methods and results—Basic methods for the determination of the repeatability and reproducibility of a standard measurement method*, International Organization for Standardization, Geneva
- The International Organization for Standardization (ISO) (1994d). ISO 5725-3 *Accuracy (trueness and precision) of measurement methods and results—Intermediate measures of the precision of a standard measurement method*, International Organization for Standardization, Geneva
- The International Organization for Standardization (ISO) (1996). ISO 11095 *Linear calibration using reference materials*, International Organization for Standardization, Geneva
- The International Organization for Standardization (ISO) (1999). ISO/IEC 17025

General Requirements for the Competence of Testing and Calibration Laboratories, International Organization for Standardization, Geneva

The International Organization for Standardization (ISO) (2003). ISO 11843 *Capability of detection - Part 4: Methodology for comparing the minimum detectable value with a given value*, International Organization for Standardization, Geneva

Thompson, M., Ellison, S. L. R., and Wood, R. (2002). Harmonized Guidelines for Single-Laboratory Validations of Methods of Analysis (IUPAC Technical Report), *Pure Appl. Chem.*, **74(5)**: 835-855

Thomsen, V., Schatzlein, D., and Mercurio, D. (2003). Limits of Detection in Spectroscopy, *Spectroscopy*, **18(12)**: 112-114

Tickener, J.A., Schettler, T., Gudotti, T., McCally, M., and Rossi, M. (2001). Health risks posed by use of DEHP in PVC medical devices: a critical review. *Am. J. Ind. Med.*, **39**: 100-111

Tsumura, Y., Ishimitsu, S., Saito, I., Kobayashi, Y., and Tonogai, Y. (2001a). Eleven phthalate esters and di(2-ethylhexyl) adipate in one-week duplicate diet samples obtained from hospitals and their estimated daily intake. *Food Addit. Contam.*, **18**: 449-460

Tsumura, Y., Ishimitsu, S., Kaihara, A., Yoshii, A., and Tonogai, Y. (2001b). Di(2-ethylhexyl) phthalate contamination in retail packed lunches after prohibition of DEHP-containing PVC gloves for cooking purposes. *Food Addit. Contam.*, **18**: 569-579

Tsumura, Y., Ishimitsu, S., Saito, I., Sakai, H., Kobayashi, Y., and Tonogai, Y. (2003). Eleven phthalate esters and di(2-ethylhexyl) adipate in one week duplicate diet samples obtained from hospitals and their estimated daily intake. *Food Addit. Contam.*, **18(5)**: 449-460

United States Environmental Protection Agency (USEPA) (1999). *Introduction to Water Policy Standards*, Office of Water, Washington, DC

- United States Food and Drug Administration (USFDA). (1993). Technical Review Guide: Validation of Chromatographic Methods, Center for Drug Evaluation and Research (CDER), Rockville, MD
- Vessman, J. (1996). Selectivity or specificity ? Validation of analytical methods from the perspective of an analytical chemist in the pharmaceutical industry, *J. Pharm. Biomed. Anal.*, **14**: 867-869
- Vial, J., and Jardy, A. (1999). Experimental Comparison of the Different Approaches To Estimate LOD and LOQ of an HPLC Method, *Anal. Chem.*, **71(14)**: 2672-2677
- Virgin, H.I, Holst, A.M., and Morner, J. (1981). Effects of di-n-butyl phthalate on the carotenoid synthesis in green plants. *Physiol. Plant*, **53**: 58-163
- Wahl, H.G., Hoffman, A., Haring, H.U., and Liebich, H.M. (1999). Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry, *J. Chromatogr. A*, **847**: 1-7
- Wang, Q., and Storm, B.K. (2005). Separation and analysis of low molecular weight plasticizers in polyvinyl chloride tubes, *Polym. Test.*, **24**: 290-300
- Weisberg, S. (2005). *Applied Linear Regression*, **3rd** ed., Hoboken NJ: John Wiley, p. 269
- Yano, K., Hirosawa, N., Sakamoto, Y., Katayama, H., Moriguchi, T., Joung, K.E., Sheen, Y.Y., and Asaoka, K. (2002). Phthalate levels in beverages in Japan and Korea. *Bull. Environ. Contam. Toxicol.*, **68**: 463-469
- Yasuhara, A., Shiraishi, H., Nishikawa, M., Yamamoto, T., Uchiro, T., Nakasugi, O., Okumara, T., Kenmotsu, K., Fukui, H., Nagase, M., Ono, Y., Kawagoshi, Y., Baba, K., and Noma, Y. (1997). Determination of organic components in leachates from hazardous waste disposal sites in Japan by gas-chromatography mass spectrometry, *J. Chromatogr. A*, **774**: 321-332

Zygoura, P.D., Paleologos, E.K., Riganakos, K.A., and Koyominas, M.G. (2005). Determination of diethylhexyladipate and acetyltributylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation, *J. Chromatogr. A*, **1093**: 29-35.