

Elsevier Editorial System(tm) for  
International Journal of Production Economics  
Manuscript Draft

Manuscript Number: IJPE-D-17-01465R2

Title: The Effect of Lean Methods and Tools on the Environmental Performance of Manufacturing Organisations

Article Type: Research paper

Keywords: Autonomation; JIT; Kaizen/CI; Green Lean; TPM; VSM

Corresponding Author: Professor Jose Arturo Garza-Reyes, BSc, PgCert, MSc, MBA, PhD

Corresponding Author's Institution: The University of Derby

First Author: Jose Arturo Garza-Reyes, BSc, PgCert, MSc, MBA, PhD

Order of Authors: Jose Arturo Garza-Reyes, BSc, PgCert, MSc, MBA, PhD; Vikas Kumar; Sariya Chaikittisilp; Kim Hua Tan

**Abstract:** Evidence suggests that lean methods and tools have helped manufacturing organisations to achieve operational excellence, and in this way meet both traditional and contemporary organisational objectives such as profitability, efficiency, responsiveness, quality, and customer satisfaction. However, the effect of these methods and tools on environmental performance is still unclear, as limited empirical research has been conducted in this field. This paper therefore investigates the impact of five essential lean methods, i.e. JIT, autonomation, kaizen/continuous improvement, total productive maintenance (TPM) and value stream mapping (VSM), on four commonly utilised measures for the compliance of environmental performance, i.e. material use, energy consumption, non-product output, and pollutant releases. A correlation analysis modelled the relationship and effect of these lean methods on the environmental performance of 250 manufacturing organisations around the world. Structural equation modelling (SEM) was used as a second pronged verification approach to ensure the validity of the results. The results indicate that TPM and JIT have the strongest significance on environmental performance, whereas kaizen/continuous improvement only showed an effect on the use of materials and release of pollutants. Autonomation and VSM did not show any impact on environmental performance. The research holds important implications for industrialists, who can develop a richer knowledge on the relationship between lean and green. This will help them formulate more effective strategies for their simultaneous or sequential implementation. The paper extends our knowledge in the lean and green field by helping us to establish and explain the given relationships between five of the most important and commonly used lean methods and the environmental performance of manufacturing organisations. No previous research had considered the studied lean methods and environmental measures of performance.

**Prof. Ou Tang**  
Linköping Universitet,  
Linköping, Sweden

26/03/2018

**RE: Submission of a revised version of our article IJPE-D-17-01465.R1**

Dear Prof. Ou Tang

Please, find attached a copy of a second revised version of our article entitled “**The Effect of Lean Methods and Tools on the Environmental Performance of Manufacturing Organisations**”. We are very satisfied with the very positive comments we have now received from the reviewers, and have accordingly addressed the very last issue they have raised. We sincerely hope that now our article is fully ready for acceptance and publication in IJPE. We are very sure that IJPE readers will find our article interesting and useful to advance their own research and the present field. We are also sure that this will become a highly cited article.

We thank you all your support to improve and publish this article in IJPE. Please, if you require further information about the article or anything else, do not hesitate in contact me as soon as possible.

Yours thankfully



**Prof. Jose Arturo Garza-Reyes**  
Professor of Operations Management  
Head of the Centre for Supply Chain Improvement  
Derby Business School  
The University of Derby  
Tel. +44(0)1332593281  
E-mail: J.Reyes@derby.ac.uk

## Responses to Reviewers

### Reviewer: 1

**Query 1:** The authors have done a nice job with their revision. They have satisfied all but one of my concerns. Both reviewers requested that the authors assess the measurement scales for validity and reliability. The authors have provided Cronbach's alpha values as evidence of reliability and validity. Cronbach's alpha values do provide evidence of reliability but not of validity. I recommend that the authors do a formal assessment of validity (content, convergent, and discriminant). With this final addition, I am prepared to recommend acceptance.

**Response:** We are thankful to the learned reviewer for his/her useful comments to enhance the quality of this paper. We agree with the reviewer that the Cronbach's Alpha value just provides evidence of reliability. We have therefore now taken your suggestions on board and performed a test for validity. Since the construct items were developed based on an extensive review of the literature, which was further validated through a pilot study with five experts from industry and academia, they thus meet the content validity requirement. We have now calculated the Average Variance Explained (AVE), Composite Reliability (CR), Maximum Shared Variance (MSV) and Average Shared Variance (ASV). For convergent validity, AVE should be  $>.50$  and CR should be  $>.70$ . The analysis shows that our constructs meet the convergent validity (see Table 3). For discriminant validity MSV and ASV should be  $<AVE$ . The analysis also shows that the constructs meet the discriminant validity (Table 3). Additions can be seen in Section 3, paragraph in red colour. We sincerely hope that with the inclusion of this analysis we have now addressed all your concerns to your satisfaction. Once more, we truly appreciate all the recommendations you have made through the review cycle of our article. These have contributed for our article be greatly improved in various aspects.

### Reviewer 2:

**Query 2:** I thank the authors for their work. They have incorporated my comments and addressed successfully my suggestions in the revised manuscript. I still believe that their contribution is minor, but given the early understanding of the relationship between lean and sustainability, and the state of evolution in the area, this work is important and reinforces prior work.

**Response:** Similarly as with Reviewer 1, we are deeply thankful to the anonymous reviewer for having had a look at our article for the second time. We are also thankful for the positive comments made in regards to the fact that the reviewer considers that all his/her comments have been successfully addressed in our revised manuscript and for considering that our work is important and reinforces previous work in regards to the relationship between lean and sustainability. We sincerely appreciate the anonymous reviewer's support to publish this work, which we are very sure that IJPE readers will find interesting and useful to advance their own research and the present field. We are also sure that this will become a highly cited article.

# **The Effect of Lean Methods and Tools on the Environmental Performance of Manufacturing Organisations**

**Jose Arturo Garza-Reyes\***

Centre for Supply Chain Improvement  
The University of Derby  
Kedleston Road Campus, Derby, UK, DE22 1GB  
E-mail: J.Reyes@derby.ac.uk  
Tel. +44(0)1332593281

**Vikas Kumar**

Bristol Business School  
University of the West of England  
Coldharbour Ln, Bristol, UK, BS16 1QY  
E-mail: Vikas.Kumar@uwe.ac.uk  
Tel. +44(0)1173283466

**Sariya Chaikittisilp**

Warwick Manufacturing Group, The University of Warwick  
International Manufacturing Centre, University of Warwick  
Coventry, UK, CV4 7AL  
E-mail: S.Chaikittisilp@warwick.ac.uk

**Kim Hua Tan**

Nottingham University Business School, The University of Nottingham  
Jubilee Campus, Nottingham, UK, NG8 1BB  
E-mail: Kim.Tan@nottingham.ac.uk

\* *Corresponding Author*

## Highlights

- The effect of specific lean methods and tools on environmental performance is still unclear
- The impact of five essential lean methods on four commonly utilised measures for the compliance of environmental performance is investigated
- Correlation and structural equation modelling analyses from 250 companies were conducted
- TMP and JIT have the strongest significance on environmental performance
- Kaizen/continuous improvement only showed an effect on the use of materials and release of pollutants
- Autonomation and VSM did not show any impact on environmental performance.

# The Effect of Lean Methods and Tools on the Environmental Performance of Manufacturing Organisations

## Abstract

Evidence suggests that lean methods and tools have helped manufacturing organisations to achieve operational excellence, and in this way meet both traditional and contemporary organisational objectives such as profitability, efficiency, responsiveness, quality, and customer satisfaction. However, the effect of these methods and tools on environmental performance is still unclear, as limited empirical research has been conducted in this field. This paper therefore investigates the impact of five essential lean methods, i.e. JIT, automation, kaizen/continuous improvement, total productive maintenance (TPM) and value stream mapping (VSM), on four commonly utilised measures for the compliance of environmental performance, i.e. material use, energy consumption, non-product output, and pollutant releases. A correlation analysis modelled the relationship and effect of these lean methods on the environmental performance of 250 manufacturing organisations around the world. Structural equation modelling (SEM) was used as a second pronged verification approach to ensure the validity of the results. The results indicate that TPM and JIT have the strongest significance on environmental performance, whereas kaizen/continuous improvement only showed an effect on the use of materials and release of pollutants. Automation and VSM did not show any impact on environmental performance. The research holds important implications for industrialists, who can develop a richer knowledge on the relationship between lean and green. This

1 will help them formulate more effective strategies for their simultaneous or  
2 sequential implementation. The paper extends our knowledge in the lean and  
3 green field by helping us to establish and explain the given relationships between  
4 five of the most important and commonly used lean methods and the  
5 environmental performance of manufacturing organisations. No previous research  
6 had considered the studied lean methods and environmental measures of  
7 performance.  
8  
9

10  
11  
12  
13  
14  
15  
16  
17 **Keywords:** autonomation; JIT; kaizen/continuous improvement; green lean;  
18 environmental performance; SEM; TPM; VSM.  
19  
20  
21  
22  
23

## 24 **1. Introduction**

25  
26  
27 Lean manufacturing has been widely implemented by manufacturing organisations to achieve  
28 operational excellence, and in this way meet both traditional and contemporary organisational  
29 objectives such as profitability, efficiency, responsiveness, quality and customer satisfaction  
30 (Garza-Reyes, 2015a). Lean methods that enable the achievement of these objectives include  
31 just-in-time (JIT), total productive maintenance (TPM), autonomation, value stream mapping  
32 (VSM) and kaizen/continuous improvement (CI). Belekoukias et al. (2014) and Rocha-Lona  
33 et al. (2013) consider these as the most essential methods of the lean approach. Additionally,  
34 Shah and Ward (2003; 2007) recognise JIT, TPM, autonomation and kaizen/CI as lean  
35 practices that are frequently perceived in the scholarly literature as describing high  
36 performance lean manufacturers while Andreadis et al. (2017) and Womack (2006)  
37 contemplate VSM as one of the most significant lean methods.  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52

53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000

JIT is based on producing the right goods at the right time (Womack and Jones 2003).  
This contributes in reducing space utilisation, inventory and wastes associated to the  
overproduction of goods. Commonly linked tools to JIT include pull systems, takt time, one

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

piece flow, levelled production, cell manufacturing, visual control, kanban, JIT purchasing and multifunctional employees (Belekoukias et al., 2014; Rocha-Lona et al., 2014; Kumar, 2010). On the other hand, TPM helps to optimise predictive, preventive and corrective maintenance activities to achieve efficient and proficient production equipment (Konecny and Thun, 2011). TPM relies on tools such as single minute exchange of die (SMED), overall equipment effectiveness (OEE), planned maintenance, 5S, quality maintenance, autonomous maintenance, initial control before starting production, and a safety and hygiene environment (Rocha-Lona et al., 2013; Konecny and Thun, 2011). Furthermore, autonotation, also called jidoka, uses tools such as visual control systems (i.e. andons), a full working system and mistake proofing devices (i.e. poka-yokes) to reduce quality defects (Shingo, 1989). Additionally, VSM is a lean and visual-based method, which illustrates, identifies and measures waste that results from the incapability, inefficiencies and unreliability of money, machines, people, information, space, time, tools and material during a production process (Abdulmalek et al., 2007). This is supported by VSM tools that include flow diagrams and current and future state maps. Finally, CI, or kaizen, is one of the key processes in a lean organisation. The aim of kaizen is to remove waste through the incremental and continuous improvement of operations. Kaizen acts as a platform for the sustainment of lean once that it has been embedded as part of the culture of an organisation. Tools which are commonly associated to the kaizen strategy include 5S, continuous flow, run charts, 5whys, brainstorming, data check sheet, kanban, Pareto chart, Gantt chart, mistake proofing, process maps and VSM (Belekoukias et al., 2014; Rocha-Lona et al., 2013; Bhuiyan and Baghel, 2005).

Since its conception several decades ago, lean manufacturing has become the most influential paradigm in manufacturing (Forrester et al., 2010), with strong evidence suggesting it as an effective method to improve the competitiveness of organisations (Hines



1 et al., 2004). However, the rise of concerns for the environment has forced manufacturing  
2 organisations to not only aim at achieving operational excellence but also to rethink how their  
3 operations and processes can become more environmentally sustainable. To this end, and  
4 despite some studies (e.g. Zhu et al., 2005), have suggested a relatively weak relationship  
5 between green practices/performance and operational practices, where lean methods and tools  
6 can be considered part of, the study of the simultaneous, or sequential, deployment of lean  
7 manufacturing and green operations (hereinafter green) has emerged as a major part of the  
8 environmental improvement agenda (Cherrafi et al., 2017; Cherrafi et al. 2016; Garza-Reyes,  
9 2015a; Garza-Reyes, 2015b). For example, Garza-Reyes (2015a) identified and defined,  
10 through a systematic literature review, six main research streams in the field of lean and  
11 green. These included (1) compatibility between lean and green, (2) their integration, (3) the  
12 integration of green lean with other approaches (e.g. six sigma, resilience, agile, etc.), (4) the  
13 proposal of measurement methods for green lean, (5) the impact of green lean on various  
14 measures of performance (e.g. financial, sustainability, operations, etc.), and (6) the  
15 application of green lean in various industrial sectors and organisational functions.  
16 Additionally, some limited research has been dedicated to investigate the impact of lean  
17 methods and tools on various measures of environmental performance, see Section 2.  
18 Nevertheless, the overall effect of lean methods and tools on environmental performance may  
19 still be considered inconclusive due to the nature of the research conducted. For instance, the  
20 research discussed in Section 2 has been mainly concentrated on very specific lean methods  
21 and tools; that is, it has not involved all those which nowadays are recognised as essential  
22 components of the lean approach (i.e. JIT, TPM, autonomation, VSM and kaizen/CI)  
23 (Belekoukias et al., 2014; Rocha-Lona et al., 2013). In the same way, the measures of  
24 environmental performance selected to investigate the effects of lean practices vary  
25 considerably from some researches to others.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33

Therefore, to complement and expand the limited body of knowledge on the effects that lean manufacturing has on the environmental performance of organisations, this paper investigates the impact of the main methods and tools of lean manufacturing (i.e. JIT, TPM, automation, VSM and kaizen/CI) on four commonly utilised measures for the compliance of environmental performance, i.e. material use, energy consumption, non-product output and pollutant releases (National Academy of Engineering, 1999; Ditz and Ranganathan, 1997). These environmental measures are also comparable to some of those employed by Zhu et al. (2008), i.e. reduction of air emission, waste water, solid waste and consumption for hazardous/harmful/toxic materials, to assess the effect of Green Supply Chain Management Practices on the environmental performance of Chinese manufacturers. Considering this, the research question addressed through this research is:

34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50

- *What is the effect of essential lean tools such as JIT, TPM, automation, VSM and kaizen/CI on the environmental performance of manufacturing organisations as measured by the use of material, energy consumption, non-product output and pollutant releases?*

51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

The rest of the paper is structured as follows: Section 2 discusses previous works conducted in the field and highlights the gap in the academic literature that this investigation fills; Section 3 presents the research methodology followed to answer the formulated research question; the results of the correlations and structural equation modelling analyses are outlined in Section 4; whereas these are discussed in Section 5; finally, Section 6 provides the concluding remarks, limitations of the research and future research directions derived from it.

## 51 52 53 54 55 56 57 58 59 60 61 62 63 64

## **2. Lean manufacturing and its impact on environmental performance**

65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

Climate change, environmental degradation, and natural resources scarcity are some of the major challenges that humankind are currently facing. As major contributors to the conception of such challenges, manufacturing organisation have been forced to develop

1 cleaner operations and production processes. One normal starting point for developing better  
2 strategies to support environmental sustainability is to explore the opportunities that currently  
3 used best practices, e.g. lean, may offer to tackle environmental challenges and how they can  
4 be adapted and implemented to meet sustainability requirements. In this context, various  
5 authors have conceptually discussed the effects that lean manufacturing methods and tools  
6 may have on the environment.  
7  
8  
9  
10  
11  
12

13  
14 For instance, Vinodh et al. (2011) suggest that lean initiatives stimulate substantial  
15 environmental benefits and that, for this reason, companies ought to ponder the  
16 environmental impact and quantify sustainable gains associated with lean initiatives.  
17 Mollenkopf et al. (2010) advocate that lean companies are more likely to accept  
18 environmental innovations. Garza-Reyes (2015b) supports this argument by indicating that  
19 the lean's emphasis on waste reduction provides a better atmosphere to implement green  
20 initiatives to reduce environmental wastes such excessive consumption of water, energy or  
21 any natural resource. In addition, Garza-Reyes (2015b), Garza-Reyes et al. (2014) and  
22 Carvalho et al. (2011) mention that some of the waste reduction objectives of lean are  
23 'naturally' aligned to good environmental practices. For example, unnecessary or excessive  
24 transportation of products and/or raw materials is one of the seven wastes tackled by lean  
25 manufacturing. In this case, when this waste is reduced/eliminated it does not only minimise  
26 operational costs but also the unnecessary consumption of natural resources (e.g. oil) and  
27 CO<sub>2</sub> emissions (Carvalho et al., 2011). This has been empirically shown by Garza-Reyes et  
28 al. (2016), who successfully adapted lean manufacturing principles and tools to improve the  
29 operational efficiency and environmental performance of the transport operations of a world  
30 leader logistics organisation in Mexico. On the other hand, excessive inventory is also  
31 considered a waste fiercely tackled by lean as it averts the rapid identification of problems,  
32 discourages communication and increases lead time (Hines and Rich, 1997). Inventory  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1 requires storage, lighting, and in some cases, it also needs to be heated or chilled, all of which  
2 have negative environmental implications (Franchetti et al., 2009). Thus, reducing or  
3 eliminating inventory as suggested by lean will not only benefit an organisation financially  
4 but also environmentally. All this indicates that lean can act as a catalyst for better  
5 environmental performance, facilitating companies the deployment of environmental  
6 practices and policies.  
7  
8  
9  
10  
11  
12  
13

14 In contrast to the positive effects of lean on the environment argued by various authors,  
15 some contradicting arguments can also be found in the scholarly literature. For example,  
16 Cusumano (1994) argues that more frequent deliveries, as advocated by JIT, create traffic  
17 congestions and hence more CO<sub>2</sub> emissions. Lean also facilitates product variety through  
18 more rapid kanban and setup exchanges, as well as more frequent deliveries of smaller lots of  
19 components. This is positive from a marketing viewpoint as product variety generates higher  
20 demand for goods, the problem is that this crafts the need to dispose replaced products  
21 (Cusumano, 1994). This phenomenon may indicate that lean methods and tools may not  
22 always, or in all dimensions, have a positive effect on the performance of organisations,  
23 and/or that these need to be integrated with contemporary sustainability approaches, e.g.  
24 Circular Economy, to offset some of its negative effects on the environment. Finally, other  
25 aspects that may contribute to lean not having a positive effect on the environmental  
26 performance of organisations may be related to the divergences between lean and green  
27 initiatives argued in the scholarly literature. These include how waste is defined and customer  
28 expectations (Garza-Reyes, 2015b; Garza-Reyes et al., 2014).  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50

51 Besides the conceptual discussions presented above regarding the potential effects of the  
52 implementation of lean methods and tools on environmental performance, a limited number  
53 of scholars have also focused on empirically investigating this phenomenon. For example,  
54 King and Lenox (2001) analysed 17,499 U.S. manufacturing establishments between 1991  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1 and 1996, and found strong evidence that lean, as measured by ISO 9000 adoption and low  
2 chemical inventories, is complementary to waste reduction and pollution reduction.  
3  
4 Hajmohamad et al. (2013) conducted a study in Canadian manufacturing plants to understand  
5 the roles of lean and supply management in regards to improving organisation's  
6 environmental performance. The result indicated that the know-how and skills gained when  
7 applying lean principles are favourable to the adoption of environmental practices and that  
8 those make such practices more effective. Chiarini (2014) studied the environmental impacts  
9 of VSM, 5S, cellular manufacturing, SMED and TPM on the production processes of five  
10 European companies. The results of the study showed that VSM can identify the  
11 environmental impacts of production processes, 5S improve waste management and reduces  
12 oil leakage, cellular manufacturing can decrease electricity consumption, whereas TPM can  
13 reduce oil leakages, and emissions of dusts and chemical fumes into the atmosphere. By  
14 contrast, no significant improvements in environmental impacts were observed from  
15 implementing SMED. Bandehnezhad et al. (2012) investigated the effect of lean practices in  
16 different functional areas of manufacturing firms on environmental performance. Based on a  
17 survey of 101 manufacturing organisation in Malaysia, they found that lean practices related  
18 to functional areas of process and equipment, human resource, product design and customer  
19 satisfaction have positive effects on environmental outcomes. Yang et al. (2011) explored the  
20 relationships between lean manufacturing practices, environmental management (e.g.  
21 environmental management practices and environmental performance) and business  
22 performance outcomes (e.g. market and financial performance). In general, the results of their  
23 study suggested that prior lean manufacturing experiences are positively related to  
24 environmental management practices. Rothenberg et al. (2001) examined the relationship  
25 between lean manufacturing practices and environmental performance, as measured in terms  
26 of air emissions and resource use, in 31 automobile assembly plants in North America and  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1 Japan. The results of the study indicate that lean and the reduction of air emissions of volatile  
2 organic compounds are associated negatively. Also, Rothenberg et al. (2001) found that lean  
3 practices contribute to the cleaning of solvents and paints, but it was also revealed that these  
4 are not sufficient to meet the most stringent air regulations. Evidence to support the link  
5 between lean and resources efficiency was also found. Finally, through empirical  
6 observations and a survey study Klassen (2000) observed links between investment in JIT  
7 and improved environmental performance.  
8  
9

10 Unlike these studies, this research investigates the effect of essential lean methods and  
11 tools such as JIT, TPM, automation, VSM and kaizen/CI on four commonly utilised  
12 measures for environmental compliance, i.e. material use, energy consumption, non-product  
13 output and pollutant releases. Thus, the aim of this study is not only to complement the  
14 previous research but also expand its reach and scope. In this way, this research fills a gap in  
15 the knowledge as current research in this field is still limited. Figure 1 illustrates the  
16 conceptual framework derived from the literature review and in which this study centres  
17 around. Therefore, the overriding hypothesis formulated and tested through this study is:  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38

39 *H: Essential lean methods and tools such as JIT, TPM, automation, VSM and kaizen/CI*  
40 *have a significant impact on the environmental performance of manufacturing organisations*  
41 *as measured by commonly employed indicators including material use, energy consumption,*  
42 *non-product output and pollutant releases.*  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64




Figure 1. Conceptual Framework

### 3. Research methodology

To assess the effect of lean manufacturing on environmental performance, the association between the environmental measures of performance studied (i.e. dependent variable) was determined as an accrual of a number of explanatory independent variables (i.e. lean methods).

A survey questionnaire was designed using Qualtrics software to collect data for performing subsequent statistical analyses. The questionnaire consisted of 9 questions divided into two sections, see Table 1. Section 1 comprised a set of general profile and

demographic questions, whereas Section 2 focused on investigating which of the lean tools, see Table 2, the respondent's organisations had implemented for every one of the lean methods studied. If a company had, for example, deployed five out of the nine JIT tools, then the extent of implementation of JIT was considered to be .555. This contributed in measuring the extent of deployment of every lean method. In addition, Section 2 of the questionnaire considered the perception of the respondents to investigate whether their companies had experienced any degree of improvement in the environmental measures of performance studied (i.e. material use, energy consumption, non-product output and pollutant releases) from the implementation of lean. For this, the respondents estimated the percentage of improvement achieved in every one of these environmental measures by using a Likert scale from 0 to 100%, with increments of 5% (i.e. 0, 5, 10, etc.).

**Table 1. Questionnaire overview and structure**

	<b>Question</b>	<b>Reasons for Inclusions</b>
<b>Section 1</b>	1. Select the size of your company	These questions were asked to understand the profile and demographics of the respondents.
	2. Select the continent where you are supporting the operations of your company	
	3. Select the manufacturing sector where your company operates	
<b>Section 2</b>	4. Which of the following lean manufacturing tools related to JIT has your company implemented? ( <i>see Table 2</i> )	These questions investigated the degree of 'leanness' of the organisations that took part in the study. The results of these questions were correlated with question 9 to determine the effect of lean manufacturing methods and tools on environmental performance.
	5. Which of the following lean manufacturing tools related to TPM has your company implemented?( <i>see Table 2</i> )	
	6. Which of the following lean manufacturing tools related to Autonomation has your company implemented? ( <i>see Table 2</i> )	
	7. Which of the following lean manufacturing tools related to VSM has your company implemented? ( <i>see Table 2</i> )	
	8. Which of the following lean manufacturing tools related to Kaizen/CI has your company implemented? ( <i>see Table 2</i> )	
	9. Estimate the percentage of the improvement achieved in the following performance indicators due to the implementation of lean. <ul style="list-style-type: none"> <li>• <b>Material use</b> - quantities and types of materials used (Ditz and Ranganathan, 1997) - e.g. <i>less material used per unit of product; less water consumption per unit of product; less packing material discharged per unit of product; less hazardous material used in the production process; increase water reused; increase processed, recycled or reused materials, etc.</i></li> <li>• <b>Energy consumption</b> - quantities and types of energy used or generated (Ditz and Ranganathan, 1997) - e.g. <i>less energy used per unit of product; less energy used per service or customer; increase in energy saved due to energy conservation, etc.</i></li> <li>• <b>Non-product output</b> - quantities and types of waste created</li> </ul>	This question intended to examine the level of improvement on environmental performance from implementing lean. This question was correlated with questions 4 to 8 to determine the effect of lean on environmental performance.



	<p>before recycling treatment, or disposal (Ditz and Ranganathan, 1997) - e.g. <i>less waste per unit of product; less total waste for disposal, increase hazardous waste recycled; increase hazardous waste eliminated due to material substitution, etc.</i></p> <ul style="list-style-type: none"> <li>• <b>Pollutant releases</b> – quantities and types of pollutants released to air, water and/or land (Ditz and Ranganathan, 1997) - e.g. <i>less specific emissions per unit of product; less wasted energy, less air emissions having ozone depletion and global climate potential, less material disposed to land fields, etc.</i></li> </ul>	
--	--	--

**Table 2. Essential lean manufacturing methods and tools (adapted from Belekoukias et al., 2014 and Rocha-Lona et al. 2013)**

	Lean Methods				
	JIT	TPM	Autonomation	VSM	Kaizen/CI
<b>Lean Tools</b>	One piece flow	OEE	Mistake proofing/Poka-yoke	Current state map	5S
	Pull system	SMED	Andon/visual control system	Future state map	Brainstorming
	Takt time	5S	Full work system	Flow diagrams	Continuous flows
	Levelled production	Autonomous maintenance			Kanbans
	Cellular manufacturing	Planned maintenance			Data checks
	Visual control	Quality maintenance			5whys
	Kanban/Pull production	Initial control before starting production			Pareto chart
	Multifunctional employees	Safety, hygiene and the environment			Run chart
	JIT purchasing				Gantt chart
					VSM
				Process map	
				Mistake proofing/Poka-yoke	

This study replicated the methodological approach followed by Belekoukias et al. (2014) for filling and distributing the questionnaire. Thus, the survey targeted operation related executives (e.g. Chief Operating Officers – COOs), operations/production/quality directors/managers, operations/process improvement managers/engineers and lean six sigma black belts who had knowledge on the subject and were familiar with the production processes of their organisations. According to Belekoukias et al. (2014), this type of respondents have both technical expertise on the subject matter and an accurate understanding of the company’s performance before and after the deployment of lean. This

1 also contributed in reducing the subjectivity of the study as these respondents had a deep and  
2 accurate understanding of their company's environmental performance before and after the  
3 lean implementation. In order to obtain less subjective and more uniform answers, the  
4 respondents were also briefed about various aspects of the questionnaire, including the Likert  
5 scale. Following the recommendations of Saunders et al. (2012) and Robson and McCartan  
6 (2016) to avoid/minimise any potential biased answers and protect the own personal privacy,  
7 interest and integrity of the respondents, the questionnaires were anonymous. Due to the  
8 complexity of adding an extra variable like 'time' to the analysis, the time taken by the  
9 surveyed organisations to sustain and/or reach the improvements achieved was not  
10 considered within the scope of the study. This 'extra-variable' can, however, be considered  
11 part of the future research agenda proposed from this study.  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

26 Besides the strategies employed to avoid biased answers, the questionnaire was validated,  
27 as suggested by Robson and McCartan (2016) and Groves et al. (1999), through a small-scale  
28 pilot study with experts. In this case, five experts from industry and academia were  
29 requested to check the questionnaire for reliability threats such as subject or participant error,  
30 subject or participant bias, observer error and observer bias (Robson and McCartan, 2016).  
31 Participant error and bias were further addressed by eliminating ambiguous and irrelevant  
32 questions (Binti Aminuddin et al., 2015). Experts also provided feedback on structural,  
33 presentation and linguistic aspects of the questionnaire and whether additional questions were  
34 needed to meet the objectives of the research. Observer error and bias were irrelevant to the  
35 questionnaire as fixed-alternative questions that did not require interpretation were used  
36 (Binti Aminuddin et al., 2015). Some questions were rectified and clarified further as a  
37 results of the pilot study.  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54

55 Since this was an explanatory study, the questionnaires were distributed to respondents  
56 working in the manufacturing industry worldwide. The questionnaires were distributed via  
57  
58  
59  
60  
61  
62  
63  
64

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
LinkedIn as a primary channel. In this line, 618 questionnaires were distributed directly through personal messages to lean experts (i.e. Chief Operating Officers – COOs), operations/production/quality directors/managers, operations/process improvement managers/engineers and lean six sigma black belts, along with a cover letter introducing the research and indicating its purpose. Additionally, the questionnaires were forwarded via e-mails to personal contacts of the authors. To broaden the pool of respondents, personal contacts were also requested to push forward the questionnaire to their own networks, producing in this way a ‘snowballing sampling technique’ (Horwitz et al., 2006). When initially contacted, the potential respondents were asked whether their organisations had implemented lean and whether they considered it as the main operations improvement strategy deployed by their companies. If the answer was positive to both of these questions, then the questionnaire was administered to the respondent. Otherwise, the organisation was considered not suitable for the study. Out of the more than 618 questionnaires distributed, 250 responses were obtained. This sample size was considered acceptable, based on comparative studies in similar fields (e.g. Kirkham et al. 2014; Binti Aminuddin et al., 2015; Tachizawa and Gimenez, 2010; Kumar et al. 2014), to meet the objectives of this research and address the research question previously formulated.

41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
To test the validity and reliability of the measurement scales used in this paper, firstly a Cronbach’s Alpha test was conducted to test the reliability of the constructs. The test findings are shown in Table 3, which shows that all values are within the acceptable ranges ( $\geq 0.70$ ). To test the constructs for convergent validity, the Average Variance Explained (AVE) factor was calculated. This AVE factor should be  $> 0.5$  to ensure such validity of the constructs. Additionally, the Composite Reliability (CR) was also computed. In this case, to ensure the Composite Reliability of the constructs CR should be  $> .70$ . As indicated by Table 3, AVE values for all the constructs were  $> 0.5$  and CR values were  $> 0.70$ . This confirmed both the

convergent validity and the composite reliability of the constructs under study. To test the discriminant validity of the constructs, Maximum Shared Variance (MSV) and Average Shared Variance (ASV) were computed. For discriminant validity, MSV should be  $< AVE$  and  $ASV < AVE$ . As evidenced from Table 3, all the values were within the acceptable ranges, thus also confirming the discriminant validity of the constructs.

To test for the non-response bias, an independent t-test was conducted and compared with the early and late survey responses. The analysis showed that the t-test values were not significant, hence suggesting that there was not a significant difference between the early and late respondents. We also tested the data for common method bias. To do this, a Harman's single factor score test, shown in Table 4, was conducted. It showed that the data did not suffer from common methods bias issues as the variance explained by the single factor was  $< 50\%$  (no single variable accounted for more than 36% of the variance).

**Table 3. Reliability, Convergent Validity and Discriminant Validity**

Constructs	No. of Items	AVE	Composite Reliability (CR)	Cronbach's Alpha	MSV	ASV
VSM	3	0.69	0.74	0.71	.429	.280
Kaizen	12	0.55	0.86	0.82	.452	.362
Autonomation	3	0.59	0.74	0.70	.279	.233
TPM	8	0.53	0.79	0.74	.311	.246
JIT	9	0.54	0.79	0.81	.452	.332

AVE  $> .50$ ; CR  $> .70$ ; Cronbach's Alpha  $> .70$ ; MSV  $< AVE$ ; and ASV  $< AVE$ .

**Table 4. Harman's single factor score test (Total Variance Explained)**

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	3.274	36.372	36.372	3.274	36.372	36.372
2	2.801	31.125	67.498			
3	.617	6.850	74.348			
4	.586	6.513	80.861			
5	.526	5.840	86.701			
6	.384	4.266	90.967			
7	.342	3.796	94.763			
8	.268	2.983	97.746			

9	.203	2.254	100.000		
---	------	-------	---------	--	--

Extraction Method: Principal Component Analysis.

The collected data was then subjected to a correlation analysis, which was performed using the IBM SPSS Statistics software version 23, to investigate the effect of lean methods on environmental performance. To verify the findings of the correlation analysis, a structural equation modelling (SEM) analysis was subsequently performed using the AMOS 22 software. SEM has emerged as a powerful statistical analysis technique that combines the factor analysis and multiple regression analysis, to analyse the structural relationship between measured variables (Kumar et al., 2011; Kumart et al., 2008; Shah and Goldstein, 2006; Koufteros, 1999). SEM has been previously used in similar lean studies, e.g. Belekoukias et al. (2014), to ensure the validity of regression and correlation analyses. Thus, the SEM analysis conducted in this study was considered of paramount importance to provide a strong validation for the previous statistical analysis carried out in this study.

#### 4. Results

The findings presented in this section are based on the 250 valid responses obtained from the survey. The first section of the survey provided a profile and demographics' overview of the respondents and their organisations. In this line, over 73% of the respondents were employed by large organisations (i.e. >250 employees), whereas over 17% and 9% worked for medium side (i.e. between 50 and 250 employees) and small organisations (i.e. <50 employees) respectively.

In terms of their locations, 54.40% of the respondents' companies were operating in Europe, 20.40% in Asia, 20% in North America, 8.80% in South America, 4.40% in Africa, and 3.20% in Australia. Respondents were allowed to select more than one continent if their companies operated in various continental locations. The respondents' organisations competed in various manufacturing sectors such as transportation equipment (10.80%),

primary metals (7.60%), machinery (7.20%), furniture and related products (2%), apparel (1.60%), printing and related support activities (1.20%), leather and allied products (.40%) and wood products (.40%). The rest of the organisations (68.80%) were classified as ‘other’, which included manufacturing sectors such as aeronautics, electronics, food, pharmaceutical, metal-mechanic, hydraulic components, among others. Although all of the 250 organisations that participated in the study had implemented all of the lean methods studied (i.e. JIT, TPM, automation, VSM and kaizen/CI), not all of them had implemented all of the lean tools shown in Table 2. With this, a level of application of the methods in the studied organisations was calculated as previously indicated in Section 3. In this context, VSM was the most extensively applied method with 74.93%, followed by kaizen/CI with 69.50%, TPM with 60.25%, JIT with 54.71% and autonomation with 50.67%.

Table 5 shows the results of the correlation analysis, i.e. correlation between the lean manufacturing methods JIT, TPM, autonomation, VSM and kaizen/CI, and the environmental performance measures studied, i.e. use of material, energy consumption, non-product output and pollutant releases.

**Table 5. Correlation results**

	<b>Materials use</b>	<b>Energy consumption</b>	<b>Non-product output</b>	<b>Pollutant releases</b>
<b>Kaizen/CI</b>	.198**	.095	.117	.163*
<b>VSM</b>	-.008	-.031	.053	.013
<b>Autonomation</b>	.069	.073	.051	.097
<b>TPM</b>	.254**	.226**	.253**	.227**
<b>JIT</b>	.225**	.177**	.218**	.209**

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

In terms of *material use*, the correlation analysis, see Table 5, showed a statistically significant relationship between JIT (0.254\*\*), kaizen/CI (0.225\*\*) and TPM (0.198\*\*) with this measure of environmental performance at a 0.01 level (2-tailed) of significance. The analysis also indicated that material use is not affected by the autonomation and VSM lean

1 methods. For *energy consumption*, the correlation analysis suggested that only TPM  
2 (0.226\*\*) and JIT (0.177\*\*) have a statistically significant effect on this measure of  
3 environmental performance at a significant level of 0.01 level (2-tailed), whereas kaizen,  
4  
5  
6  
7  
8  
9

10 When focusing on *non-product output*, see Table 5, the correlation analysis showed that  
11 similar to energy consumption, this environmental performance measure is strongly and  
12 positively affected by the TPM (0.253\*\*) and JIT (0.218\*\*) methods at a 0.01 level (2-tailed)  
13 of significance. In this case, the rest of the lean methods studied (i.e. kaizen/CI, automation  
14 and VSM) do not have any major effect on non-product output according to the results of the  
15 correlation analysis. Finally, the correlation analysis indicated that in reference to *pollutant*  
16 *releases*, the TPM (0.227\*) and JIT (0.209\*\*) lean methods have a strong effect on this  
17 environmental measure of performance at a significant level of 0.01 level (2-tailed) while  
18 kaizen/CI (0.163\*) presents the same level of impact but at 0.05 level (2-tailed) level of  
19 significance.  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33

34 Table 6 illustrates and summarises the results of the correlation analysis and the strength  
35 of the impact of the lean methods studied on the four measures of environmental  
36 performance. For instance, Table 6 indicates that although all three TPM, JIT and kaizen/CI  
37 have a statistically significant impact on the use of materials, the strongest effect is that of  
38 TPM, followed JIT and kaizen/CI. For the same example, Table 6 also specifies that  
39 automation and VSM do not have any effect on materials use as the correlation analysis  
40 did not show any statistical significance between these variables. From Table 6, and the  
41 correlation analysis presented in Table 5, it is evident that TPM and JIT are the lean methods  
42 that have the strongest effect on environmental performance, followed by kaizen/CI. On the  
43 other hand, VSM and automation do not seem to have any impact on these environmental  
44 performance measures. Therefore, the result of the correlation analysis suggest that actions to  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

improve the OEE of production equipment through the TPM method will have the strongest positive effect on the environmental performance of manufacturing organisations, followed by the implementation of a JIT delivery strategy, and the adoption of a kaizen/CI culture and use of its tools. In contrast, the results of this study, see Tables 5 and 6, indicate that no improvement in environmental performance will be achieved through the implementation/use of automation and VSM.

**Table 6. Illustration and summary of correlation results**


	Materials use	Energy consumption	Non-product output	Pollutant releases
<b>Kaizen/CI</b>	+	0	0	+
<b>VSM</b>	0	0	0	0
<b>Automation</b>	0	0	0	0
<b>TPM</b>	+++	+++	+++	+++
<b>JIT</b>	++	++	++	++

Notes: +++: strongest effect; ++: second strongest effect; +: third strongest effect – all of them statistically significant  
0: Non-statistically significant effect


To cross verify the findings of the correlation analysis, the SEM technique was applied. The structural equation model focused on analysing the impact of each of the five lean methods studied on the four environmental performance measures. Therefore, four SEM models, see Figures 2(a), 2(b), 2(c) and 2(d), were constructed. The fitness indices of the best-fit model, for each environmental performance measure are shown in Table 7, which shows that all of them are within acceptable ranges. It is evident that the SEM models verify the correlation findings, for example, for material use, the best-fit model confirms a positive relationship with TPM, JIT and kaizen/CI and the absence of a significant relationship of this environmental measure with automation and VSM, see Figure 2(a). Thus, the SEM model corroborates the overall findings of the correlation analysis by showing that TPM and JIT affect all the four environmental performance measures, whereas kaizen/CI only have an impact on materials use and pollutant releases while VSM and automation do not show any impact on any of the performance measures.



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65




(a)




(b)

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65



(c)



(d)

Figure 2. Best-fit model for (a) Material use, (b) Energy consumption, (c) Non-product output, and (d) Pollutant releases

Table 7. Fitness indices for best-fit path models

Best Fit Model/Fitness Indices	NFI (>.90)	RFI (>.90)	IFI (≈1)	CFI (≈1)	RMSEA	CMIN/DF
Non-product output	.994	.961	1.000	1.000	.005	1.007
Pollutant releases	.992	.921	.996	.996	.064	2.017
Materials use	.985	.845	.989	.989	.110	3.997
Energy Consumption	.987	.912	.993	.993	.070	2.231

## 5. Discussion of results

### 5.1 Material use measure

The correlation and SEM analyses suggested that TPM, JIT and kaizen/CI have a positive effect on the use of materials while automation and VSM do not, see Tables 5-7.

In the case of TPM, it intends to improve the performance and conditions of production equipment (Konecny and Thun, 2011). Thus, it is understandable to assume that TPM will have a positive effect on the use of material as production equipment that runs at an optimum condition will process raw material more efficiently and with less waste (Eti et al., 2004). Jasiulewicz-Kaczmarek (2014) comments that TPM provides a strict control on the functioning of production equipment, which reduces unplanned failures and human errors that in many cases result in raw material being wasted. Also, the material/resources used to run production equipment are reduced by TPM. For example, Chiarini (2014) empirically found that TPM helps to reduce oil leakages. Fliedner (2008) suggests that TPM's 5S achieves a well-organised, cleaned, developed and sustained work place. Thus, this tool assists in a faster identification of spills and leaks, contributing in this way to the reduction of unnecessary material consumption. Furthermore, it can reduce materials and chemicals' usage due to well-organised equipment, materials and parts. Keeping the floor clean to clearly expose any leak in a system is also one of the 5S characteristics that have a positive impact on reducing waste of material (Torielli et al., 2011).

The positive effect of JIT on the use of material was found to be the second most significant, see Table 6. It is well established in the academic literature that JIT has a

1 significant and positive effect on quality by reducing inventory and consequently exposing  
2 problems (Belekoukias et al., 2014; Cua et al., 2006). Subsequently, it is also well established  
3 that quality reduces the consumption of material by eliminating/reducing scrap and rework  
4 (Shingo, 1989). This indicates that JIT can have a positive effect on the consumption of  
5 material through quality. In addition, as previously discussed, by reducing inventory, the use  
6 of other resources/materials needed to safely store inventory, e.g. electricity or gas, can be  
7 reduced (Franchetti et al., 2009). Garza-Reyes et al. (2016) also suggest that by following the  
8 JIT's advice of having smaller deliveries, smaller vehicles can be utilised, resulting in less  
9 fuel consumption.

10  
11  
12 In the case of kaizen, the results obtained from this study are in line with what it has been  
13 strongly stated in the academic literature regarding the positive effects of this lean method on  
14 the use of material. Farish (2009) comments that Toyota has actively adopted kaizen to  
15 minimize environmental effects like disposals to landfill, use of energy and water.  
16 Additionally, Vais et al. (2006) empirically demonstrated that the implementation of lean  
17 techniques such as 5S, kaizen and autonomous maintenance can enhance environmental  
18 performance by optimising ecological resources consumption and production output. Other  
19 authors such as Pampanelli et al. (2011) and Ross and Associates (2000) have also suggested  
20 that kaizen/CI can be used to enhance sustainability, especially through the reduction of  
21 material consumption. Therefore, the positive effect of TPM, JIT and kaizen/CI on material  
22 use found in this study seems to be aligned to these conceptual and empirical evidence  
23 presented.

24  
25  
26 In contrast, the correlation and SEM analyses did not only indicate a non-effect of  
27 automation and VSM on the use of material but also on all the other measures of  
28 environmental performance, i.e. energy consumption, non-product output and pollutant  
29 releases. Automation's main objective is to improve quality by preventing quality defects

1 (Shingo, 1989). Following the same reasoning for JIT regarding the positive effect of quality  
2 on the use of material, a positive effect of automation on this measure would have been  
3 expected. However, the results of this study contradict this reasoning, and the notion that  
4 some automation tools such as visual control systems can contribute in reducing material  
5 consumption and improving sustainability (Bandehnezhad et al., 2012; Vinodh et al., 2011).  
6 However, Biggs (2009) considers that visual control tends to have more side-effects on  
7 environmental performance than direct interventions. This may be one of the reasons as to  
8 why this study did not find a positive effect of this lean method on material use, or any of the  
9 other measures of environmental performance, see Tables 5-7. To have an effect on  
10 environmental performance, Tice et al. (2005) suggest that standard work and visual controls  
11 should be integrated with energy management systems (EMS) responsibilities and processes.  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

26 In the case of VSM, Abdulmalek et al. (2007) state that its main objective is to identify  
27 waste in manufacturing systems. The current state VSM identifies value-added and non-value  
28 added activities in transformational processes. Since some environmental wastes are  
29 embedded in the seven lean wastes (Garza-Reyes, 2015a; Garza-Reyes et al., 2014; Carvalho  
30 et al., 2011), it can be implied that identifying wastes in a manufacturing system through a  
31 VSM can have a positive impact on environmental performance. Fliedner (2008) agrees that  
32 VSM magnifies the benefits of environmental performance through less scrap and energy  
33 consumption. Chiarini (2014) found that VSM can be applied to investigate the  
34 environmental effects of manufacturing processes. Kurdve et al. (2011) successfully adapted  
35 the traditional VSM into an environmental-VSM to focus, particularly, on identifying  
36 environmental wastes. However, the results of this study contradict these notions but support  
37 those from Venkat and Wakeland (2006) and Brown et al. (2014), who suggest various  
38 limitations of this lean method when used for the improvement of environmental  
39 performance. Based on the practical and research experience of the authors, we are convinced  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1 of the potential value and effectiveness of kaizen/CI, autonomation and VSM to not only  
2 reduce material consumption but also reduce energy consumption, non-product output and  
3  
4 pollutant releases. Since the results of this study contradict some of the literature and our  
5  
6 experience, further studies in relation to the effect of these lean methods on environmental  
7  
8 performance are suggested as part of the future research agenda.  
9  
10

## 11 **5.2 Energy consumption**

12  
13  
14 TPM was found to have the strongest effect on the reduction of energy consumption,  
15  
16 followed by JIT, see Table 6. Equipment operating at an optimum condition will be more  
17  
18 efficient and hence will consume less energy (Eti et al., 2004). Also, TPM can reduce non-  
19  
20 value adding energy use from lighting, heating and cooling during a machine's standby as  
21  
22 well as reducing the non-value adding energy which in some cases is needed to re-start some  
23  
24 equipment after a breakdown. In an empirical study, Chiarini (2014) found that TPM helps to  
25  
26 turn off the use of energy in a cell and in equipment in general, which lowers non-value  
27  
28 adding standby energy use. Thorough the same study, Chiarini (2014) also found that the  
29  
30 TPM's tool SMED contributed in reducing electricity consumption in some manufacturing  
31  
32 equipment, although this was not significant. Torielli et al. (2011) suggest that the TPM's  
33  
34 tool 5S can promote energy efficiency by taking care of the machines and items' standard  
35  
36 operating procedures as well as developing indicators to show the correct status of a system.  
37  
38 In the case of JIT, since it reduces inventory's volume (Shingo, 1989), it can help to reduce  
39  
40 the energy required to safely store it (Franchetti et al., 2009). In addition, Chiarini (2014)  
41  
42 found that by grouping machines, staff and workplaces dedicated to similar products in a  
43  
44 single cell (i.e. JIT's cellular manufacturing) the transportation of material is greatly reduced,  
45  
46 resulting in a significant reduction of energy consumption of electric trucks used to move  
47  
48 material within a factory. In summary, all this evidence suggests that both TPM and JIT can  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1 have a positive effect on the reduction of energy in manufacturing environments. This is  
2 aligned to the results obtained in this study.  
3

4 In reference to kaizen/CI, autonomation and VSM, the results of the correlation and SEM  
5 analyses on energy consumption are the same as for that of materials use, except for  
6 kaizen/CI, which showed some moderate effect on material use. The possible reasons for  
7 these three lean methods not having an effect on energy consumption, see Tables 5-7, may be  
8 similar to those highlighted in the aforementioned discussion in the material use section.  
9

### 16 **5.3 Non-product output**

17 Similarly as in the case of energy consumption, TPM and JIT were found to have a positive  
18 effect on non-product output while kaizen/CI, autonomation and VSM were not, see Tables  
19 5-7. Fliedner (2008) comments that TPM is primarily responsible for enhancing the reliability  
20 and durability of equipment and, at the same time, reducing spillages and leakages. This  
21 results in the reduction of solid and hazardous waste (Fliedner, 2008). Eti et al. (2004) also  
22 mention that equipment failures can adversely affect the quality of the end-product, not only  
23 contributing in this way to wasting materials, see Section 5.1, but also producing scrap.  
24 These views are in line with the results obtained from this study. However, TPM may still  
25 have some adverse environmental effects in this category as King and Lenox (2001) argue  
26 that the TPM's tool SMED increases the number of cleaning products, which leads to raising  
27 disposal of unwanted materials. This, however, is not reflected through the results of this  
28 study. In the case of JIT, a case study carried out by Ross and Associates (2004) revealed that  
29 JIT can reduce the disposal of out-of-date products that result from excessive inventory and  
30 the introduction of new product versions or lack of demand. Additionally, Fliedner (2008)  
31 suggests that the JIT's pull system can cut down inventory during and post process, reducing  
32 in this way the damage and deterioration of products and hence improving green  
33 performance.  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1 Although the nature of kaizen/CI, autonomation and VSM may suggest that all of these  
2 lean methods would contribute in reducing non-product output through the identification and  
3 elimination of waste as well as the improvement of quality and efficiency (Abdulmalek et al.,  
4 2007; Bhuiyan and Baghel, 2005; Shingo, 1989), their effective implementation, management  
5 and sustainment may also play a critical role in their contribution to enhance environmental  
6 performance. This may have acted as a barrier for the studied organisations to experience the  
7 theoretical environmental benefits that these approaches may contribute with.  
8  
9

#### 10 ***5.4 Pollutant releases***

11 Pollutant releases have been widely used as a measure of green performance (King and  
12 Lenox, 2001). In this case, the study found that TPM, JIT and kaizen/CI have a positive effect  
13 on pollutant releases, whereas autonomation and VSM do not, see Tables 5-7. Through an  
14 empirical investigation, Chiriani (2014) found that TPM strongly contributed in reducing  
15 dusts and fumes in five manufacturing organisations. This came as a result of a more  
16 effective maintenance of the filters, piping and chimney of production equipment (Chiriani,  
17 2014). Torielli et al. (2011) comment that the TPM's 5S tool pays attention to uncontrolled  
18 waste or emissions due to the fact that they do not fit within the standard. Despite the lack of  
19 further research on the effect of maintenance, and TPM, on environmental performance, and  
20 specifically on pollutant releases, it is not difficult to assume that well maintained production  
21 equipment will operate at an optimum level, reducing the emissions of harmful gases to the  
22 atmosphere, including CO<sub>2</sub>. In the case of JIT, there seems to be some contraction regarding  
23 its effect on the reduction of pollutant releases. For instance, Venkat and Wakeland (2006)  
24 comment that delivering smaller batches increases the frequency of transportation, which  
25 generates a greater amount of CO<sub>2</sub> emissions. Also, using larger batches, for example, when  
26 painting cars with the same colour can diminish the emissions of air pollutant, but this  
27 approach contradicts the JIT's principle (Rothenberg et al., 2001). In this case, the results of  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64



1 this study contradict these views, but support that of Sarkis (2001), who suggests that JIT  
2 may reduce transportation time and hence emissions. The results also contradict the notion  
3 that VSM does not contribute to reduce pollutant releases as Garza-Reyes et al. (2016) and  
4  
5 Simons and Mason (2003) have successfully used this approach to this end. This, and the fact  
6  
7 that automation may not have been shown any effect on pollutant releases, and on any  
8  
9 other environmental measure, may be the result of the lack of an effective implementation,  
10  
11 management and sustainment of these methods as previously discussed.  
12  
13  
14  
15  
16  
17  
18

## 19 **6. Concluding remarks, limitations and future research directions**

20  
21 This paper investigates the relationship and impact that some of the most essential lean  
22 methods (i.e. JIT, TPM, automation, VSM and kaizen/CI) have on four commonly utilised  
23  
24 measures for the compliance of environmental performance (i.e. material use, energy  
25  
26 consumption, non-product output and pollutant releases). The study uses a two pronged  
27  
28 verification approach by using the correlation and SEM methods to ensure the validity of the  
29  
30 results. Therefore, this study fills a research gap as previously established in Sections 1 and 2,  
31  
32 and extends our knowledge in the lean and green field by:  
33  
34  
35  
36  
37  
38  
39  
40

- 41 • Exploring and helping us to better understand the effect that the implementation of lean  
42 manufacturing has on the environmental performance of manufacturing organisations;  
43  
44
- 45 • Defining the degree of strength of the effect of the lean methods JIT, TPM, automation,  
46  
47 VSM and kaizen/CI on the use of material, consumption of energy, production of non-  
48  
49 product output, and release of pollutants. No previous studies had considered all the same  
50  
51 lean methods and environmental measures of performance investigated in this study; and  
52  
53
- 54 • Explaining the given relationships and effects.  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
These contributions are beneficial for manufacturing managers who aim to gain a better understanding of the relationship and effect that some of the most essential lean methods have on the environmental performance of their operations. Therefore, our study provides a good insight of these relationships that can assist managers to take better decisions and formulate more effective strategies for the simultaneous, or sequential, implementation of lean, and environmental practices. This will help them to aim at not only improving profitability, efficiency, responsiveness, quality, and customer satisfaction, but also comply with environmental regulations and contribute to tackle some of the major challenges currently faced by humankind such as climate change, environmental degradation, and natural resources scarcity. Due to the need of organisations in other sectors, besides manufacturing, such as logistics and transport, healthcare, services, among others, to achieve these objectives, and the wider applicability of lean and green, other industries can also benefit from this study. Like the manufacturing industry, all these sectors are under intense pressure to operate competitively while at the same time making sure that their operations meet the environmental sustainability needs of the wider society. The effective implementation of green lean can provide them with an opportunity to achieve this endeavour.

41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
Overall, the paper provides some interesting insight into the effects of lean manufacturing on environmental performance. This may encourage organisations not currently embarked or fully committed to sustainability to contemplate the business benefits that green lean may bring to their operations. Therefore, the paper provides trustworthy evidence for practitioners of the relationship between lean and environmental performance and can guide them to prioritise the deployment of lean methods based on the environmental performance measures they consider more strategically important to improve.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

Various constraint factors which limited the extent and scope of the research, and its results, were encountered. These are important to be highlighted in order for future studies to consider them and to define the agenda for future research. Firstly, the study was carried out within the boundaries of the manufacturing sector only. Thus, further research is needed to provide added insights of the effect of lean manufacturing, and its methods, on the environmental performance of organisations operating in other industrial sectors. This will shed further light on the role that industry characteristics may have on the effect of lean manufacturing impact on environmental performance. Secondly, the study excluded academic experts as it was only focused on industrial experts. In future research, similar work can also be underpinned by academic and research experts in the field and not only by pragmatic sources. Thirdly, due to the strategy and structure followed in this paper to collect data, this study also suffers from the fact that the Likert-style rating scale for the survey limits the ability of respondents to express opinions other than the pre-set answers. To overcome this limitation, future research can be coupled with qualitative interviews with selected companies. This will also contribute in validating the results further. Finally, in this research, the effect of lean methods was investigated in reference to one of the pillars of sustainability, i.e. environment. Plenty of research has also been carried out in relation to the effect of lean on the profit pillar of sustainability. However, very limited research has investigated the effect of lean implementation on the societal dimension of sustainability. This is part of the future research agenda derived from this research and we encourage researchers to take steps in this direction.

## References

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64
- Abdulmalek, F.A., Rajgopal, J. (2007), “Analyzing the benefits of lean manufacturing and value stream mapping via simulation: A process sector case study”, *International Journal of Production Economics*, 107(1), 223-236.
- Andreadis, L., Garza-Reyes, J.A., Kumar, V. (2017), “Towards a conceptual framework for Value Stream Mapping (VSM) implementation: An investigation of managerial factors”, *International Journal of Production Research*, 55(23), 7073-7095.
- Bandehnezhad, M., Zailani, S., Fernando, Y. (2012), “An empirical study on the contribution of lean practices to environmental performance of the manufacturing firms in northern region of Malaysia”, *International Journal of Value Chain Management*, 6(2), 144-168.
- Belekoukias, I., Garza-Reyes, J.A., Kumar, V. (2014), “The impact of lean methods and tools on the operational performance of manufacturing organisations”, *International Journal of Production Research*, 52(18), 5346-5366.
- Bhuiyan, N., A. Baghel (2005), “An Overview of Continuous Improvement: From the past to the Present”, *Management Decision*, 43(5), 761–771.
- Biggs, C. (2009), *Exploration of the integration of lean and environmental improvement*, PhD Thesis, Cranfield University, UK.
- Binti Aminuddin, N.A., Garza-Reyes, J.A., Kumar, V., Antony, J. (2016), “An analysis of managerial factors affecting the implementation and use of Overall Equipment Effectiveness”, *International Journal of Production Research*, 54(15), 4430-4447.
- Brown, A., Amundson, J., Badurdeen, F. (2014), “Sustainable value stream mapping (Sus-VSM) in different manufacturing system configurations: application case studies”, *Journal of Cleaner Production*, 85, 164-179.
- Carvalho, H., Duarte, S. and Cruz-Machado, V. (2011), “Lean, agile, resilient and green: divergences and synergies”, *International Journal of Lean Six Sigma*, 2(2), 151-179.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64
- Cherrafi, A., Elfezazi, S., Chiarini, A., Mokhlis, A., Benhida, K. (2016), “The integration of lean manufacturing, Six Sigma and sustainability: a literature review and future research directions for developing a specific model”, *Journal of Cleaner Production*, 139, 828–846.
- Cherrafi, A., El Fezazi, S., Govindan, K., Garza-Reyes, J.A., Mokhlis, A., Benhida, K. (2017), “A framework for the integration of Green and Lean Six Sigma for superior sustainability performance”, *International Journal of Production Research*, 55, 15, 4481-4515.
- Chiarini, A. (2014), “Sustainable manufacturing-greening processes using specific lean production tools: an empirical observation from European motorcycle component manufacturers”, *Journal of Cleaner Production*, 85, 226–233.
- Cua, K.O., McKone-Sweet, K.E., Schroeder, R.G. (2006), “Improving Performance through an Integrated Manufacturing Program”, *Quality Management Journal*, 13(3), 45–60.
- Cusumano, M.A. (1994), “The limits of lean”, *Sloan Management Review*, 35(4), 27-32.
- Ditz, D., Ranganathan, J. (1997), *Measuring up: toward a common framework for tracking corporate environmental performance*, World Resources Institute, Washington, D.C.
- Eti, M.C., Ogaji, S.O.T., Probert, S.D. (2004), “Implementing total productive maintenance in Nigerian manufacturing industries”, *Applied Energy*, 79(4), 385-401.
- Farish, M. (2009), “Plants that are green [Toyota’s lean manufacturing]”, *Engineering & Technology*, 4(3), 68-69.
- Fliedner, G. (2008), “Sustainability: a new lean principle”, Proceedings of the 39th annual meeting of the decision sciences institute, Baltimore, Maryland, 3321-3326.
- Forrester, P., Shimizu, U., Soriano-Meier, H., Garza-Reyes, J.A., Basso, L. (2010), “Lean Production, Market Share and Value Creation in the Agricultural Machinery Sector in Brazil”, *Journal of Manufacturing Technology Management*, 21(7), 853–871.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64
- Franchetti, M., Bedal, K., Ulloa, J. and Grodek, S. (2009), “Lean and green: industrial engineering methods are natural stepping stones to green Engineering”, *Industrial Engineer*, 41(9), 24-29.
- Garza-Reyes, J.A., Winck Jacques, G., Lim, M.K., Kumar, V., Rocha-Lona, L. (2014), “Lean and green – synergies, differences, limitations, and the need for Six Sigma”, in *B. Grabot et al. (Eds.): International Conference on Advances in Production Management Systems (APMS) 2014, Part II, IFIP AICT 439*, Ajaccio, France, 20-24 September, Springer.
- Garza-Reyes, J.A. (2015a), “Lean and Green – A systematic review of the state of the art literature”, *Journal of Cleaner Production*, 102, 18-29.
- Garza-Reyes, J.A. (2015b). “Green Lean and the need for Six Sigma”, *International Journal of Lean Six Sigma*, 6(3), 226–248.
- Garza-Reyes, J.A., Villarreal, B., Kumar, V., Molina Ruiz, P. (2016), “Lean and Green in the Transport and Logistics Sector – A Case Study of Simultaneous Deployment”, *Production Planning & Control*, 27(15), 1221-1232.
- Groves, R.M., Fultz, N., Martin, E. (1991), “Direct questioning About Comprehension in a survey setting”, *Public Opinion Quarterly*, 56, 475-495.
- Hajmohamad, S., Vachon, S, Klassen, R.D., Gavronski, I. (2013), “Lean management and supply management: their role in green practices and performance”, *Journal of Cleaner Production*, 39, 312-20.
- Hines, P., Rich, N. (1997), “The seven value stream mapping tools”, *International Journal of Operations and Production Management*, 17(1), 46-64.
- Hines, P., Holweg, M., Rich, N. (2004), “Learning to evolve: a review of contemporary lean thinking”, *International Journal of Operations & Production Management*, 24(10), 994–1011.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65
- Horwitz, F.M., Bravington, D., Silvis, U. (2006), “The promise of virtual teams: identifying key factors in effectiveness and failure”, *Journal of European Industrial Training*, 30(6), 472-494.
- Jasiulewicz-Kaczmarek, M. (2014) “Integrating lean and green paradigms in maintenance management”, *IFAC Proceedings Volumes*, 47(3), 4471-4476.
- King, A.A., Lenox, M.J. (2001), “Lean and green? An empirical examination of the relationship between lean production and environmental performance”, *Production Operations Management*, 10(3), 244-256.
- Kirkham, L., Garza-Reyes, J.A., Kumar, V., Antony, J. (2014), “Prioritisation of operations improvement projects in the European manufacturing industry”, *International Journal of Production Research*, 52(18), 5323-5345.
- Klassen, R.D. (2000), “Just-in-Time manufacturing and pollution prevention generate mutual benefits in the furniture industry”, *Journal Interfaces*, 30(3), 95-106.
- Konecny, P.A., Thun, J.H. (2011), “Do it separately or simultaneously—An empirical analysis of a conjoint implementation of TQM and TPM on plant performance”, *International Journal of Production Economics*, 133(2), 496-507.
- Koufteros, X. A. 1999. “Testing a Model of Pull Production: A Paradigm for Manufacturing Research Using Structural Equation Modeling”, *Journal of Operations Management*, 17(4), 467–488.
- Kumar, V. (2010), “JIT Based Quality Management: Concepts and Implications in Indian Context”, *International Journal of Engineering Science and Technology*, 2(1), 40–50.
- Kumar, M., Khurshid, K.K., Waddell, D. (2014), “Status of quality management practices in manufacturing SMEs: a comparative study between Australia and the UK”, *International Journal of Production Research*, 52(21), 6482–6495.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64
- Kumar, V., Smart, P.A., Maddern, H. Maull, R.S, (2008), “Alternative perspectives on service quality and customer satisfaction: the role of BPM”, *International Journal of Service Industry Management*, 19(2), 176 – 187
- Kumar, V., Batista, L., Maull, R. (2011), “The impact of operations performance on customer loyalty”, *Service Science*, 3(2), 158-171.
- Kurdve, M., Hanarp, P., Chen, X., Qiu, X., Yan, Z., John, S., Jonas, L. (2011), “Use of environmental value stream mapping and environmental loss analysis in lean manufacturing work at Volvo”, *In: Proceedings of the 4th Swedish Production Symposium (SPS11)*, Lund, Sweden, May 3-5.
- Mollenkopf, D., Stolze, H., Tate, W. Ueltschy, M. (2010), “Green, lean, and global supply chains”, *International Journal of Physical Distribution & Logistics Management*, 40(1/2), 14-41.
- National Academy of Engineering (1999), *Industrial environmental performance metrics challenges and opportunities*, National Academy Press, Washington, D.C.
- Pampanelli, A.B., Found, P., Bernardes, A.M. (2011), “A lean and green kaizen model”, *POMS annual conference*, Nevada, April 29–May 2.
- Robson, C., McCartan, K. (2016), *Real world research*. 4<sup>th</sup> edition, John Wiley & Sons, Chichester.
- Rocha-Lona, L., Garza-Reyes J.A., Kumar, V. (2013), *Building quality management systems: selecting the right methods and tools*, Productivity Press, CRC Press, Taylor & Francis, Boca Raton, FL.
- Ross and Associates (2000), “*Pursuing perfection: case studies examining lean manufacturing strategies, pollution prevention, and environmental regulatory management implications*”, US Environmental Protection Agency.



- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65
- Rothenberg, S., Pil, F., Maxwell, J. (2001), “Lean, green, and the quest for superior environmental performance”, *Production and Operations Management*, 10(3), 228–243.
- Shah, R., Goldstein, S. M. (2006), Use of structural equation modeling in operations management research: Looking back and forward, *Journal of Operations Management*, 24(2), 148-169.
- Sarkis, J. (2001), “Manufacturing's role in corporate environmental sustainability: concerns for the new millennium”, *International Journal of Operations and Production Management*, 21(5/6), 666-686.
- Saunders, M., Lewis, P., Thornhill, A. (2012), *Research Methods for Business Students*, 6th ed. Person Education Ltd, Essex.
- Shah, R., Ward, P. (2003), “Lean Manufacturing: Context, Practice Bundles, and Performance”, *Journal of Operations Management*, 21(2), 129-149.
- Shah, R., Ward, P. (2007), “Defining and Developing Measures of Lean Production”, *Journal of Operations Management*, 25(4), 785-805.
- Shingo, S. (1989), *A Study of Toyota Production System: from an Industrial Engineering Viewpoint*, Productivity Press, NY.
- Simons, D., Mason, R. (2003), “Lean and green: doing more with less”, *International Commerce Review: ECR Journal*, 3(1), 84-91.
- Tice, J., Ahouse, L., Larson, T. (2005), “Lean production and EMSs: aligning environmental management with business priorities”, *Environmental Quality Management*, 15(2), 1-12.
- Torielli, R.M., Abrahams, R.A., Smillie, R.W., Voigt, R.C. (2011), “Using lean methodologies for economically and environmentally sustainable foundries”, *China Foundry*, 8(1), pp. 74-88.

- 1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64
- Tachizawa, E.M., Gimenez, C. (2010), “Supply flexibility strategies in Spanish firms: Results from a survey”, *International Journal of Production Economics*, 124, 214-224.
- Vais, A., Miron, V., Pederson, M., Folke, J. (2006), “Lean and green at a Romanian secondary tissue paper and board mill – putting theory into practice”, *Resources, Conservation and Recycling*, 46(1), 44-74.
- Venkat, K., Wakeland, W. (2006), *Is lean necessarily green?* Available at: <http://www.cleanmetrics.com/pages/ISSS06-IsLeanNecessarilyGreen.pdf>. (Accessed on 08 November 2016).
- Vinodh, S., Arvind, K., Somanaathan, M. (2011), “Tools and techniques for enabling sustainability through lean initiatives”, *Clean Technologies and Environmental Policy*, 13(3), 469–479.
- Womack, J., Jones, D. (2003), *Lean Thinking: Banish Waste and Create Wealth in Your Corporation*, Free Press, NY.
- Womack, J. P. (2006), “Value Stream Mapping”, *Manufacturing Engineering*, 136(5), 145–156.
- Yang, M.G., Hong, P., Modi, S.B. (2011), “Impact of lean manufacturing and environmental management on business performance: An empirical study of manufacturing firms”, *International Journal of Production Economics*, 129(2), 251-261.
- Zhu, Q., Sarkis, J. and Geng, Y. (2005). 'Green supply chain management in China: pressures, practices and performance'. *International Journal of Operations and Production Management*, 25, 449-68.
- Zhu, Q., Sarkis, J., Lai, K. (2008), “Confirmation of a Measurement Model for Green Supply Chain Management Practices”, *International Journal of Production Economics*, 111(2), 261-273.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65