# CHEMISTRY AND PHOTOCHEMISTRY OF NOVEL AROMATIC SPIROKETALS DERIVED FROM 2,6-BIS(5-BROMO-2HYDROXYBENZYLIDENE)CYCLOHEXANONE

## Livia Deveseleanu-Corîci<sup>1</sup>, Sergiu Şova<sup>2</sup>, Valentin Badea<sup>3</sup>, Otilia Costișor<sup>1</sup>, Liliana Cseh<sup>1\*</sup>

<sup>1</sup>Institute of Chemistry Timisoara of Romanian Academy, 24 Mihai Viteazul Bvd, 300223 Timisoara, Romania


<sup>2</sup>Inorganic Polymers Group, Petru Poni Institute of Macromolecular Chemistry, Iasi, Romania

<sup>3</sup>Politehnica University of Timisoara, Faculty of Industrial Chemistry and Environment Engineering, 6 Vasile Pârvan Bvd, 300223 Timisoara, Romania e-mail:lili\_cseh@yahoo.com

#### **Abstract**

Natural colorants such as flavylium and xanthylium derivatives have attracted considerable interest in the last decades due to their potential health effects and replacement of synthetic pigments. In addition, these type of compounds exhibit versatile photochromic properties by switching from a variety of colourswhen submitted to different external stimuli[1-3].

The aim of the present work was to design novel photochromic systems based on xanthylium derivatives. Therefore, we have synthesized and characterized 2,6-bis(5-bromo-2-hydroxybenzylidene)cyclohexanone. The network of chemical reactions when submitted to light and different pH values has been investigated. A new colorless compound 3,11-dibromo-7,8-dihydro-6H-chromeno[3,2-d]xanthenes(Scheme 1) isolated from the equilibrated solution of *trans*-chalcone specie in methanolhave been isolated and fully characterized by NMR and X-ray diffraction. The rate of the reaction increased when the solution of *trans*-chalcone was exposed to sunlight. The spiroketal form was stable at in neutral and basic conditions, while at low pH values it converts into xantylium cationic form.



**Scheme 1.**Crystal structure of 3,11-dibromo-7,8-dihydro-6H-chromeno[3,2-d]xanthenes

### Acknowledgements

The authors acknowledge the support of the Romanian Academy, Project 4.1. t

#### References

- [1]. X. Guo, J. Zhou, M. A. Siegler, A. E. Bragg and H. E. Katz, Angew. Chem., 54 (2015) 1. [2]. F. Pina, M. J. Melo, C. A. T. Laia, A. J. Parola, J. C. Lima, Chem. Soc. Rev., 41(2012) 869
- [3]. A. M. Diniz, C. Pinheiro, V. Petrov, A. J. Parola, F. Pina, Chem. Eur. J., 17 (2011) 6359.