

Correlations in weighted networks

M. Ángeles Serrano,^{1,2} Marián Boguñá,³ and Romualdo Pastor-Satorras⁴

¹*School of Informatics, Indiana University, Eigenmann Hall,
1900 East Tenth Street, Bloomington, IN 47406, USA*

²*Complex Network Lagrange Laboratory (CNLL),
Institute for Scientific Interchange (ISI), Torino, Italy*

³*Departament de Física Fonamental, Universitat de Barcelona,
Martí i Franquès 1, 08028 Barcelona, Spain*

⁴*Departament de Física i Enginyeria Nuclear, Universitat Politècnica de Catalunya,
Campus Nord, Mòdul B4, 08034 Barcelona, Spain*

(Dated: October 3, 2018)

We develop a statistical theory to characterize correlations in weighted networks. We define the appropriate metrics quantifying correlations and show that strictly uncorrelated weighted networks do not exist due to the presence of structural constraints. We also introduce an algorithm for generating maximally random weighted networks with arbitrary $P(k, s)$ to be used as null models. The application of our measures to real networks reveals the importance of weights in a correct understanding and modeling of these heterogeneous systems.

PACS numbers: 89.75.-k, 87.23.Ge, 05.70.Ln

In the current era of fast technological progress, heterogeneous transport systems appear at the core of the last revolutionary advances. The information technology revolution represents maybe one of the most outstanding examples, with the Internet [1] factually reshaping the ways of social and economic interactions. The success of this revolution is, at the same time, intimately linked to the development of other infrastructures also involving transference. This is the case of the globalized transportation systems and, in particular, of the worldwide airport network [2, 3], which serves as a ground for the transport of people, goods, and even diseases [4] throughout the world in a very short time scale. Due to their profound and far-reaching impact, it is crucial to develop theoretical tools to increase our understanding of the large scale properties of these systems, which can help to take actions in their engineering against possible malfunction or jamming.

Both the Internet and the worldwide air transportation system, and in general most heterogeneous transport systems, can be represented as weighted complex networks (WCNs) [5], in which vertices stand for the elementary units composing the system and edges represent the interactions or relations between pairs of units. The latter are further characterized by a weight measuring the capacity or the amount of traffic in a particular connection [6]. Although the theory of unweighted complex networks, where edges are exclusively modulated as present or absent, is today well established [5, 7, 8], there is not yet available an equivalent formalism for the weighted case and the present knowledge comes from particular models of growing WCNs [9, 10]. This makes difficult to define suitable observables to characterize these systems properly. For instance, several definitions of the basic correlation functions [8] have been suggested [2, 11, 12], but it

is not clear which of those provide the correct measures. And what is worse, no proper null model for the presence of correlations has been proposed in order to compare with empirical data. Null models are particularly relevant in this context because heterogeneous networks usually display unavoidable structural correlations which can lead to a mistaken understanding of the principles that shape the system and its functionality [13, 14].

In this paper, we fill this gap by introducing a rigorous framework for the characterization of correlations in WCNs that allows to define proper measures. We shall see that, at the weighted level, strictly uncorrelated networks do not exist due to structural constraints. Yet, our formalism enables to define an algorithm that generates maximally random WCNs with arbitrary local properties to be used as a null model with respect to non-structural correlations. This algorithm corresponds to a weighted version of the random graph ensemble proposed by Chung and Lu [15]. We also define correlation measures that filter out the structural constraints. As an example, we apply our formalism to the US airport system [16] (USAN), the scientific collaboration network [17] (SCN), and the world trade web [18] (WTW). The information obtained reveals that weights, rather than the bare topology, rule the architecture of some of them.

Unweighted networks can be fully characterized by means of a binary variable a_{ij} , taking the values $a_{ij} = 1$ when the edge between vertices i and j is present and 0 otherwise. Relevant statistical topological properties can then be derived from this adjacency matrix, more specifically, the degree distribution $P(k)$, defined as the probability that a vertex is connected to k other vertices, or degree correlations measured by the average degree of the nearest neighbors as a function of the vertex degree, $\bar{k}_{nn}(k)$ [19], and the degree-dependent clustering coeffi-

cient $\bar{c}(k)$ [20, 21]. In the case of WCNs, edges have assigned a real or natural number w_{ij} , representing the weight or intensity of the connection between i and j . Thus, apart from the vertex degree k_i , the presence of weights allows to define other significant properties, such as the vertex strength s_i [2, 9], given by $s_i = \sum_j w_{ij}$, and statistical distributions such as the strength distribution $P(s)$, the average strength of vertices of degree k , $\bar{s}(k)$, or, in a more general way, the joint probability $P(k, s)$ that a vertex has degree k and strength s , simultaneously. However, the strength alone is not enough to capture the weighted structure of vertices since the ratio s/k gives only the average weight per connection but says nothing about fluctuations around this average. Therefore, we need to introduce some measure of the *fluctuations* of weights of a given vertex. To this end, we use the *disparity* Y , defined as $Y_i = \sum_j (w_{ij}/s_i)^2$ [22]. Now, our main hypothesis is that all vertices with the same degree, strength, and disparity, that is, characterized by the same vector variable $\alpha = (k, s, Y)$, are statistically equivalent, so that we can define $P(\alpha) \equiv P(k, s, Y)$ as the probability that a given vertex has degree k , strength s , and disparity Y . Without lack of generality, we will also assume that the strength is a discrete variable so that the equivalence classes form a numerable set.

To quantify two-point correlations for weighted networks, we start by defining two matrices [8]. Let $E_{\alpha, \alpha'}$ be the matrix accounting for the number of connections between the class of vertices α and the class of vertices α' (two times this number if the two classes are the same). Analogously, let $W_{\alpha, \alpha'}$ be the matrix that accounts for the weight between the same pair of classes. Let N , E , and W be the number of vertices, edges, and total weight of the network, respectively. Then, the *fundamental functions* characterizing the two-point correlation structure in WCNs are

$$P(\alpha, \alpha') \equiv \frac{E_{\alpha, \alpha'}}{\langle k \rangle N} \quad \text{and} \quad Q(\alpha, \alpha') \equiv \frac{W_{\alpha, \alpha'}}{\langle s \rangle N}. \quad (1)$$

Both functions have a clear interpretation [8]. Indeed, $(2 - \delta_{\alpha, \alpha'})P(\alpha, \alpha')$ is the probability that a randomly chosen edge of the network connects two vertices of the classes α and α' . Analogously, $(2 - \delta_{\alpha, \alpha'})Q(\alpha, \alpha')$ gives the probability that, when choosing an edge of the network with a probability proportional to its weight, this edge connects two vertices of the classes α and α' . These fundamental functions satisfy the summation rules $\sum_{\alpha'} P(\alpha, \alpha') = kP(\alpha)/\langle k \rangle$ and $\sum_{\alpha'} Q(\alpha, \alpha') = sP(\alpha)/\langle s \rangle$. This allow to define the relevant conditional probabilities

$$P(\alpha'|\alpha) = \frac{\langle k \rangle P(\alpha, \alpha')}{kP(\alpha)}, \quad Q(\alpha'|\alpha) = \frac{\langle s \rangle Q(\alpha, \alpha')}{sP(\alpha)}. \quad (2)$$

As usual, $P(\alpha'|\alpha)$ measures the probability that a randomly chosen edge from a vertex in the class α points to

a vertex in the class α' . It is the equivalent for WCNs to the conditional probability $P(k'|k)$ measuring the *topological* correlations between nearest neighbors [19], but now with the extra information provided by the dependence on strength and disparity. The conditional probability $Q(\alpha'|\alpha)$ measures the probability that, when randomly choosing a vertex in the class α and following one of its edges with probability proportional to its weight, the vertex at the other end belongs to the class α' . It is a pure measure for WCNs, relating the effect of the weights to the strength of the correlations. In a similar fashion as it is done in the case of unweighted networks, we can define as a more practical correlation function, the average degree of the neighbors of vertices of degree α , but now weighted by the conditional probability $Q(\alpha'|\alpha)$, that is, $\bar{k}_{nn}^w(\alpha) = \sum_{\alpha'} k'Q(\alpha'|\alpha)$. This is still a three variables function which is difficult to analyze. Therefore, we coarse grain the degrees of freedom corresponding to s and Y in the following way:

$$\bar{k}_{nn}^w(k) = \sum_{s, Y} \frac{P(\alpha)}{P(k)} \bar{k}_{nn}^w(\alpha) = \frac{1}{N_k} \sum_{i \in \mathcal{V}(k)} \frac{1}{s_i} \sum_j w_{ij} k_j, \quad (3)$$

where the last term defines the numerical implementation of this function. The summation over i involves all vertices with degree k , $\mathcal{V}(k)$, and N_k is the number of vertices with that degree. We note that this measure coincides with the one proposed in Ref. [2].

Turning now to three-vertex correlations, they are fully characterized by the three vertex conditional probability $Q(\alpha', \alpha''|\alpha)$, which measures the likelihood that a vertex α is simultaneously connected to vertices α' and α'' when the weights of both connections are considered. In unweighted networks, the information about three-vertex correlations can be conveniently compacted in the degree-dependent clustering coefficient $\bar{c}(k)$. Similarly, for WCNs we can generalize a weighted clustering coefficient as $\bar{c}^w(\alpha) = \sum_{\alpha', \alpha''} Q(\alpha', \alpha''|\alpha) r_{\alpha' \alpha''}^\alpha$, where $r_{\alpha' \alpha''}^\alpha$ is the probability that two vertices in the classes α' and α'' are joined, provided that they have a common neighbor in the class α . Once again, we can integrate out the strength and disparity to obtain

$$\bar{c}^w(k) = \sum_{s, Y} \frac{P(\alpha)}{P(k)} \bar{c}^w(\alpha), \quad (4)$$

which represents the natural generalization for WCNs of the clustering coefficient $\bar{c}(k)$. Numerically, this function is given by

$$\bar{c}^w(k) = \frac{1}{N_k} \sum_{i \in \mathcal{V}(k)} \frac{1}{s_i^2 (1 - Y_i)} \sum_{jl} w_{ij} w_{il} a_{jl}. \quad (5)$$

Notice that this is different from the definition given in Ref. [2].

The zero measure of correlations is given by the so-called uncorrelated network ensemble, defined as the en-

semble for which the joint distributions Eqs. (1) factorize as $P(\alpha, \alpha') = kk'P(\alpha)P(\alpha')/\langle k \rangle^2$ and $Q(\alpha, \alpha') = ss'P(\alpha)P(\alpha')/\langle s \rangle^2$. In this case, one can easily prove that the measures defined above become

$$\bar{k}_{nn}^w(k) = \frac{\langle k\bar{s}(k) \rangle}{\langle s \rangle} \quad \text{and} \quad \bar{c}^w(k) = \frac{\langle (k-1)\bar{s}(k) \rangle^2}{\langle k \rangle^2 \langle s \rangle N}, \quad (6)$$

where $\bar{s}(k) = \sum_{s,Y} sP(\alpha)/P(k)$. We have also assumed that, for randomly assembled networks, $Q(\alpha', \alpha''|\alpha) = Q(\alpha'|\alpha)Q(\alpha''|\alpha)$. As one can see, all these functions become independent of the degree, so that any non-trivial dependence on k will signal the presence of two- and three-vertex correlations, respectively.

In fact, one can realize that, for any WCN, the joint distributions $P(\alpha, \alpha')$ and $Q(\alpha, \alpha')$ cannot factorize except for large degrees. Consider, for instance, vertices of degree $k = 1$ and strength s . The neighbors of such vertices must have a strength that is, at least, s , meaning that the properties of the neighbor depends on the properties of the first vertex. Vertices of degree $k = 2$ and strength s , have weights in their connections that are a fraction of s and, then, the strength of their neighbors should be, at least, the same fraction of s . The same effect is present, although in a weaker form, for vertices of higher degrees. Therefore, *purely uncorrelated WCNs cannot exist*. Just in the case of large degrees, this structural correlations become very weak.

The highest level of randomness attainable in WCN does not correspond to the factorization of Eqs. (1)—which is impossible—but of their marginal distributions, $P(k, k') = \sum_{s,Y,s',Y'} P(\alpha, \alpha')$ and $Q(k, k') = \sum_{s,Y,s',Y'} Q(\alpha, \alpha')$. We can then define the corresponding conditional probability $Q(k'|k) = \langle s \rangle Q(k, k')/\bar{s}(k)P(k)$ and the two-vertex correlation function $\bar{k}_{nn}^{w,ns}(k) = \sum_{k'} k' Q(k'|k)$, which filters out the structural correlations. It is numerically computed as

$$\bar{k}_{nn}^{w,ns}(k) \equiv \frac{1}{N_k} \sum_{i \in \mathcal{V}(k)} \frac{1}{\bar{s}(k)} \sum_j w_{ij} k_j. \quad (7)$$

In this function, the contribution of every vertex i depends on the average strength of all the vertices with the same degree k . This implies an averaging that cancels out the effect of weight induced correlations and yields a constant behavior when the marginal distributions factorize. The same line of reasoning also applies to clustering. The non-structural weighted clustering coefficient reads

$$\bar{c}^{w,ns}(k) = \frac{1}{N_k} \sum_{i \in k} \frac{1}{s^2(1-Y)(k)} \sum_{jl} w_{ij} w_{il} a_{jl}, \quad (8)$$

$\overline{s^2(1-Y)}(k)$ being an average over vertices of degree k .

To check the accuracy of this approach, we need a null model as a gauge for the presence or absence of non-structural correlations. This will imply the construction of maximally random WCNs, which can be easily inferred




FIG. 1: Correlation measures for a random WCN generated with the algorithm defined in the text with $P(k) \sim k^{-2.5}$ and $\bar{s}(k) \propto k^{1.5}$.

from the proposed formalism. The strategy consists in defining an ensemble at the hidden level where the local properties are fixed and where we can assume that the fundamental functions factorize [8]. Instead of working with the joint distributions, it is more convenient to define the new quantities $r_{\alpha, \alpha'}$ and $\bar{w}_{\alpha, \alpha'}$,

$$r_{\alpha, \alpha'} = \frac{\langle k \rangle P(\alpha, \alpha')}{NP(\alpha)P(\alpha')}, \quad \bar{w}_{\alpha, \alpha'} = \frac{\langle s \rangle Q(\alpha, \alpha')}{\langle k \rangle P(\alpha, \alpha')}. \quad (9)$$

The first specifies the ratio between the number of connections among two classes and its maximum possible number. The second corresponds to the average weight of an edge connecting two equivalence classes. Now, assuming the factorization of the fundamental functions, $r_{\alpha, \alpha'}$ and $\bar{w}_{\alpha, \alpha'}$ take the simple forms

$$r_{\alpha, \alpha'} = \frac{kk'}{\langle k \rangle N}, \quad \bar{w}_{\alpha, \alpha'} = \frac{\langle s \rangle ss'}{\langle s \rangle kk'}, \quad (10)$$

a result implying that the topology of the network at the hidden level is decoupled from the weights and, more importantly, independent of the disparity. Using this result, we can generate a WCN without two-point correlations (other than the structural ones) in the following way: we first construct an uncorrelated network with a given degree distribution $P(k)$ using any of the algorithms available in the literature [8, 23]. After the network has been assembled, we assign an expected strength to each vertex according to the distribution $g(s|k)$, under the constraint that $P(k, s) = P(k)g(s|k)$. Finally, each edge is assigned a weight according to Eq. (10). In this way, we can generate WCNs with any non-trivial correlation between strength and degree and any form of the degree distribution. It is important to notice that, in principle, the expected and final strength of a vertex are not equal. However, one can prove that both quantities converge on average.

In Fig.1, we compare the weighted correlation functions with their unweighted counterparts for a WCN constructed with the algorithm explained above. We observe that the weighted correlation functions are not flat, as they should be for an uncorrelated network, but show a degree dependence for small k , saturating to a constant plateau for large k . In contrast, the non-structural




FIG. 2: Correlation measures for real networks. From top to bottom, the US airport network (USAN) for the year 2005, the world trade web (WTW) for the year 2000, and the scientific collaboration network (SCN).

functions recover the expected uncorrelated behavior independent of k .

Correlation measures for three different real networks are shown in Fig.2. The first observation is that, in general, weighted measures greatly disagree with the unweighted ones, offering a completely different picture with respect to the bare topology. For the USAN and the WTW, the almost flat behavior proves that weighted two- and three-point correlations are extremely weak, in contrast to the unweighted measures which show important dependencies on k . This suggests that the understanding of their formation processes or their modeling can be simplified by avoiding correlations at the weighted level. Besides, the noticeable difference between the weighted measures and its non-structural counterparts in the USAN graphs manifests that structural correlations are more important for this network. On the other hand, all measures follow a similar behavior in the SCN. However, whereas the weighted two-point measure tells that the network is more assortative than the unweighted estimation, the non-structural measure indicates that this is due to an structural effect since, except for very high degrees, $\bar{k}_{nn}^{w,ns}(k) < \bar{k}_{nn}(k) < \bar{k}_{nn}^w(k)$. This effect is even

more evident in the case of clustering. The weighted measure proves that the tendency to form triangles is more important when weights are considered. However, the non-structural measure is significantly smaller than the unweighted one, which means that, when discounting structural effects, the tendency to form triangles is in fact less pronounced.

Summarizing, we have shown that strict uncorrelated WCNs at the local level do not exist due to the presence of structural constraints. From a rigorous formal framework, we have defined the appropriate weighted correlation measures that quantify the overall level of correlations. We also propose complementary non-structural measures that filter out the structural component and quantify the level of correlations in the network as compared with the maximum randomness attainable. At this respect, we have introduced an algorithm that generates maximally random WCNs with an arbitrary $P(k, s)$ to be used as null models. We have applied our formalism to analyze three different heterogeneous networks. The results make evident the importance of taking into account weights to properly describe this class of systems.

We thank M. Barthélemy for assistance with the USAN data and helpful discussions, M.E.J. Newman for providing the SCN data, and A. Vespignani for useful comments. M. B. acknowledges financial support from DGES, Grant No. FIS2004-05923-CO2-02 and Generalitat de Catalunya Grant No. SGR00889. R.P.-S. acknowledges financial support from the Spanish MEC (FEDER), under project No. FIS2004-05923-CO2-01 and additional support from the DURSI (Generalitat de Catalunya, Spain).

-
- [1] R. Pastor-Satorras and A. Vespignani, *Evolution and Structure of the Internet. A Statistical Physics Approach* (Cambridge University Press, Cambridge, 2004).
 - [2] A. Barrat, M. Barthélemy, R. Pastor-Satorras, and A. Vespignani, Proc. Natl. Acad. Sci. USA **101**, 3747 (2004).
 - [3] R. Guimera, S. Mossa, A. Turtschi, and L. A. N. Amaral, Proc. Natl. Acad. Sci. USA **10**, 7794 (2005).
 - [4] V. Colizza, A. Barrat, M. Barthélemy, and A. Vespignani, Proc. Natl. Acad. Sci. USA **103**, 2015 (2006).
 - [5] S. N. Dorogovtsev and J. F. F. Mendes, *Evolution of networks: From biological nets to the Internet and WWW* (Oxford University Press, Oxford, 2003).
 - [6] J. Clark and D. A. Holton, *A first look at graph theory* (World Scientific, Singapore, 1990).
 - [7] R. Albert and A.-L. Barabási, Rev. Mod. Phys. **74**, 47 (2002).
 - [8] M. Boguñá and R. Pastor-Satorras, Phys. Rev. E **68**, 036112 (2003).
 - [9] S. Yook, H. Jeong, A.-L. Barabási, and Y. Tu, Phys. Rev. Lett. **86**, 5835 (2001).
 - [10] A. Barrat, M. Barthélemy, and A. Vespignani, Phys. Rev. Lett. **92**, 228701 (2004).

- [11] J. Onnela, J. Saramäki, J. Kertész, and K. Kaski, *Phys. Rev. E* **71**, 065103 (2005).
- [12] S. Ahnert, D. Garlaschelli, T. Fink, and G. Caldarelli, *cond-mat/0604409* (2006).
- [13] M. Boguñá, R. Pastor-Satorras, and A. Vespignani, *European Physical Journal B* **38**, 205 (2004).
- [14] V. Colizza, A. Flammini, M. A. Serrano, and A. Vespignani, *Nature Physics* **2**, 110 (2006).
- [15] F. Chung and L. Lu, *Ann. Combinatorics* **6**, 125 (2002).
- [16] Data available at <http://www.transtats.bts.gov/>.
- [17] M. E. J. Newman, *Phys. Rev. E* **64**, 016131 (2001).
- [18] M. A. Serrano and M. Boguñá, *Phys. Rev. E* **68**, 015101(R) (2003).
- [19] R. Pastor-Satorras, A. Vázquez, and A. Vespignani, *Phys. Rev. Lett.* **87**, 258701 (2001).
- [20] D. J. Watts and S. H. Strogatz, *Nature* **393**, 440 (1998).
- [21] A. Vázquez, R. Pastor-Satorras, and A. Vespignani, *Physical Review E* **65**, 066130 (2002).
- [22] M. Barthélemy, A. Barrat, R. Pastor-Satorras, and A. Vespignani, *Physica A* **346**, 34 (2005).
- [23] M. Catanzaro, M. Boguñá, and R. Pastor-Satorras, *Phys. Rev. E* **71**, 027103 (2005).