University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Nebraska Department of Transportation Research Reports

Nebraska LTAP

8-22-2016

Midwest Guardrail System (MGS) Placed Adjacent to a 1V:2H Fill Slope with 6-ft Posts

Austin J. Haase University of Nebraska - Lincoln

Justine E. Kohtz University of Nebraska - Lincoln

Karla A. Lechtenberg University of Nebraska-Lincoln, kpolivka2@unl.edu

John D. Reid University of Nebraska - Lincoln, jreid@unl.edu

Ronald K. Faller University of Nebraska - Lincoln, rfaller1@unl.edu

Follow this and additional works at: http://digitalcommons.unl.edu/ndor Part of the <u>Transportation Engineering Commons</u>

Haase, Austin J.; Kohtz, Justine E.; Lechtenberg, Karla A.; Reid, John D.; and Faller, Ronald K., "Midwest Guardrail System (MGS) Placed Adjacent to a 1V:2H Fill Slope with 6-ft Posts" (2016). *Nebraska Department of Transportation Research Reports*. 145. http://digitalcommons.unl.edu/ndor/145

This Article is brought to you for free and open access by the Nebraska LTAP at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Department of Transportation Research Reports by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.







Midwest States Regional Pooled Fund Research Program Fiscal Year 2013 (Year 24) Research Project Number TPF-5(193) Supplemental #68 NDOR Sponsoring Agency Code RPFP-14-MGS-8

MIDWEST GUARDRAIL SYSTEM (MGS)

WITH 6-FT POSTS PLACED ADJACENT TO

A 1V:2H FILL SLOPE

Submitted by

Austin J. Haase Former Undergraduate Research Assistant Justine E. Kohtz Research Assistant

Karla A. Lechtenberg, M.S.M.E., E.I.T. Research Associate Engineer

> John D. Reid, Ph.D., P.E. Professor

Robert W. Bielenberg, M.S.M.E., E.I.T. Research Associate Engineer

> Ronald K. Faller, Ph.D., P.E. Research Associate Professor MwRSF Director

MIDWEST ROADSIDE SAFETY FACILITY

Nebraska Transportation Center University of Nebraska-Lincoln 130 Whittier Research Center 2200 Vine Street Lincoln, Nebraska 68583-0853 (402) 472-0965

Submitted to

MIDWEST STATES REGIONAL POOLED FUND PROGRAM

Nebraska Department of Roads 1500 Nebraska Highway 2 Lincoln, Nebraska 68502

MwRSF Research Report No. TRP-03-320-16

August 22, 2016

TECHNICAL REPORT DOCUMENTATION PAGE

1. Report No. TRP-03-320-16	2.	3. Recipient's Accession No.		
 4. Title and Subtitle Midwest Guardrail System (N 1V:2H Fill Slope with 6-ft Po 	, .	5. Report Date August 22, 2016		
TV.2111111 Stope with 0-1110	515	6.		
^{7.} Author(s) Haase, A.J., Kohtz, J.E., Lech R.W., Reid, J.D., and Faller, I	<u> </u>	8. Performing Organization Report No. TRP-03-320-16		
9. Performing Organization Name and Addr Midwest Roadside Safety Fac		10. Project/Task/Work Unit No.		
Nebraska Transportation Cen University of Nebraska-Linco 130 Whittier Research Center 2200 Vine Street Lincoln, Nebraska 68583-085	oln	11. Contract © or Grant (G) No. TPF-5(193) Supplemental #68		
12. Sponsoring Organization Name and Add Midwest States Regional Poo	led Fund Program	13. Type of Report and Period Covered Final Report: 2013-2016		
Nebraska Department of Road 1500 Nebraska Highway 2 Lincoln, Nebraska 68502	ds	14. Sponsoring Agency Code RPFP-14-MGS-8		
	U.S. Department of Transpo	ortation, Federal Highway Administration.		
16 Abstract				

The Midwest Guardrail System (MGS) has previously been approved for placement on the slope break point of a 1V:2H fill slope if 9-ft (2.7-m) steel posts are used. In order to reduce hardware inventories, states have chosen in some cases to install the standard MGS system at a lateral offset away from the slope break point. Current guidance requires minimum offsets ranging between 1 ft (0.3 m) and 2 ft (0.6 m) from the back of the post to the slope break point for the standard MGS system with 6-ft (1.8-m) long posts, depending on the slope grade. The goal of this research was to evaluate if standard length posts could be placed adjacent to a 1V:2H fill slope while maintaining satisfactory safety performance under the *Manual for Assessing Safety Hardware* (MASH) TL-3 conditions.

The MGS was crash tested with W6x8.5 (W152x12.6) steel posts measuring 72 in. (1,829 mm) long. This system used a 6-in. wide x 12-in. deep x 14¹/₂-in. long (152-mm x 305-mm x 368-mm) Southern Yellow Pine wood blockout as well as 12-gauge (2.66-mm) guardrail sections. The design was evaluated using a 5,158-lb (2,340-kg) Dodge Ram 1500 quad-cab pickup truck impacting at 61.6 mph (99.1 km/hr) and 26.3 degrees. The MGS placed adjacent to a 1V:2H fill slope met the MASH safety requirements for the full-scale crash test. Following the full-scale crash testing, recommendations were given regarding the use of standard-length steel posts when MGS systems are installed at the slope break point of a 1V:2H slope.

17. Document Analysis/Descriptors Highway Safety, Crash Test, Compliance Test, MASH, MC	GS, Guardrail, 1V:2H Fill	18. Availability StatementNo restrictions. Document available from:National Technical Information Services,		
Slope, Non-Proprietary, Steel	Posts	Springfield, Virginia	22161	
19. Security Class (this report)20. Security Class (this page)UnclassifiedUnclassified		21. No. of Pages 135	22. Price	

DISCLAIMER STATEMENT

This report was completed with funding from the Federal Highway Administration, U.S. Department of Transportation as well as the Midwest States Pooled Fund Program. The contents of this report reflect the views and opinions of the authors who are responsible for the facts and the accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the state highway departments participating in the Midwest States Regional Pooled Fund Program nor the Federal Highway Administration, U.S. Department of Transportation. This report does not constitute a standard, specification, regulation, product endorsement, or an endorsement of manufacturers.

UNCERTAINTY OF MEASUREMENT STATEMENT

The Midwest Roadside Safety Facility (MwRSF) has determined the uncertainty of measurements for several parameters involved in standard full-scale crash testing and non-standard testing of roadside safety features. Information regarding the uncertainty of measurements for critical parameters is available upon request by the sponsor and the Federal Highway Administration.

INDEPENDENT APPROVING AUTHORITY

The Independent Approving Authority (IAA) for the data contained herein was Mr. Cody Stolle, Research Associate Engineer.

ACKNOWLEDGEMENTS

The authors wish to acknowledge several sources that made a contribution to this project: (1) the Midwest States Regional Pooled Fund Program funded by the Illinois Department of Transportation, Indiana Department of Transportation, Iowa Department of Transportation, Kansas Department of Transportation, Minnesota Department of Transportation, Missouri Department of Transportation, Nebraska Department of Roads, New Jersey Department of Transportation, Ohio Department of Transportation, South Dakota Department of Transportation, Wisconsin Department of Transportation, and Wyoming Department of Transportation for sponsoring this project; and (2) MwRSF personnel for constructing the barrier and conducting the crash test.

Acknowledgement is also given to the following individuals who made a contribution to the completion of this research project.

Midwest Roadside Safety Facility

J.C. Holloway, M.S.C.E., E.I.T., Test Site Manager
S.K. Rosenbaugh, M.S.C.E., E.I.T., Research Associate Engineer
J.D. Schmidt, Ph.D., P.E., Post-Doctoral Research Associate
C.S. Stolle, Ph.D., Post-Doctoral Research Associate
A.T. Russell, B.S.B.A., Shop Manager
K.L. Krenk, B.S.M.A., Maintenance Mechanic (retired)
S.M. Tighe, Laboratory Mechanic
D.S. Charroin, Laboratory Mechanic
M.A. Rasmussen, Laboratory Mechanic
E.W. Krier, Laboratory Mechanic
Undergraduate and Graduate Research Assistants

Illinois Department of Transportation

Priscilla A. Tobias, P.E., State Safety Engineer/Bureau Chief Tim Sheehan, P.E., Safety Design Engineer Paul L. Lorton, P.E., Safety Programs Unit Chief

Indiana Department of Transportation

Todd Shields, P.E., Maintenance Field Support Manager

Iowa Department of Transportation

Chris Poole, P.E., Roadside Safety Engineer Brian Smith, P.E., Methods Engineer

Kansas Department of Transportation

Ron Seitz, P.E., Bureau Chief Scott King, P.E., Road Design Bureau Chief Kelly Keele, P.E., Road Design Leader Thomas Rhoads, P.E., Engineering Associate III, Bureau of Road Design

Minnesota Department of Transportation

Michael Elle, P.E., Design Standards Engineer

Missouri Department of Transportation

Ronald Effland, P.E., ACTAR, LCI, Non-Motorized Transportation Engineer Joseph G. Jones, P.E., former Engineering Policy Administrator

Nebraska Department of Roads

Phil TenHulzen, P.E., Design Standards Engineer Jim Knott, P.E., State Roadway Design Engineer Jodi Gibson, Research Coordinator

New Jersey Department of Transportation

Dave Bizuga, Manager 2, Roadway Design Group 1

Ohio Department of Transportation

Don Fisher, P.E., Roadway Standards Engineer Maria E. Ruppe, P.E., former Roadway Standards Engineer

South Dakota Department of Transportation

David Huft, P.E., Research Engineer Bernie Clocksin, P.E., Lead Project Engineer

Wisconsin Department of Transportation

Jerry Zogg, P.E., Chief Roadway Standards Engineer Erik Emerson, P.E., Standards Development Engineer Rodney Taylor, P.E., Roadway Design Standards Unit Supervisor

Wyoming Department of Transportation

William Wilson, P.E., Architectural and Highway Standards Engineer

Federal Highway Administration

John Perry, P.E., Nebraska Division Office Danny Briggs, Nebraska Division Office

TABLE OF CONTENTS

TECHNICAL REPORT DOCUMENTATION PAGE	i
DISCLAIMER STATEMENT	ii
UNCERTAINTY OF MEASUREMENT STATEMENT	ii
INDEPENDENT APPROVING AUTHORITY	ii
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENTS	vi
LIST OF FIGURES	viii
LIST OF TABLES	X
1 INTRODUCTION	1
1.1 Background	1
1.2 Objective	2
1.3 Scope	2
2 DESIGN DETAILS	
3 TEST REQUIREMENTS AND EVALUATION CRITERIA	
3.1 Test Requirements	
3.2 Evaluation Criteria	
3.3 Soil Strength Requirements	
4 TEST CONDITIONS	
4.1 Test Facility	
4.2 Vehicle Tow and Guidance System	
4.3 Test Vehicles	
4.4 Simulated Occupant	
4.5 Data Acquisition Systems	
4.5.1 Accelerometers	
4.5.2 Rate Transducers	
4.5.3 Retroreflective Optic Speed Trap	
4.5.4 Load Cells	
4.5.5 Digital Photography	
5 FULL-SCALE CRASH TEST NO. MGSS-1	
5.1 Static Soil Test	
5.2 Weather Conditions	
5.3 Test No. MGSS-1	
5.4 Test Description	
5.5 Barrier Damage	
5.6 Vehicle Damage	

5.7 Occupant Risk	38
5.8 Load Cells	
5.9 Discussion	39
6 SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS	53
7 IMPLEMENTATION GUIDANCE	56
7.1 Soil Foundation	56
7.2 Minimum Installation Height	59
7.3 MGS Long-Span Guardrail	60
7.4 MGS with an Omitted Post	
7.5 MGS on 8:1 Approach Slopes	62
7.6 MGS Adjacent to Curb	63
7.7 MGS Stiffness Transition to Approach Guardrail Transitions	63
7.8 MGS with Reduced Post Spacing	65
7.9 MGS without Blockouts	65
7.10 MGS with Wood Posts	66
7.11 Guardrail End Terminals	69
8 REFERENCES	71
9 APPENDICES	
Appendix A. Material Specifications, Test No. MGSS-1	77
Appendix B. Vehicle Center of Gravity Determination, Test No. MGSS-1	103
Appendix C. Static Soil Tests, Test No. MGSS-1	
Appendix D. Vehicle Deformation Records, Test No. MGSS-1	108
Appendix E. Accelerometer and Rate Transducer Data Plots, Test No. MGSS-1	115
Appendix F. Load Cell Data, Test No. MGSS-1	132

LIST OF FIGURES

	_
Figure 1. Test Installation Layout, Test No. MGSS-1	
Figure 2. Post Details, Test No. MGSS-1	
Figure 3. End Section and Splice Detail, Test No. MGSS-1	
Figure 4. BCT Anchor Details, Test No. MGSS-1	8
Figure 5. Line Post and Blockout Details, Test No. MGSS-1	9
Figure 6. BCT Timber Post and Foundation Tube Details, Test No. MGSS-1	
Figure 7. BCT Post Components and Anchor Bracket, Test No. MGSS-1	
Figure 8. Ground Strut Details, Test No. MGSS-1	
Figure 9. BCT Anchor Cable, Test No. MGSS-1	13
Figure 10. Fasteners, Test No. MGSS-1	
Figure 11. Rail Section Details, Test No. MGSS-1	15
Figure 12. Bill of Materials, Test No. MGSS-1	16
Figure 13. Test Installation Photographs, Test No. MGSS-1	17
Figure 14. Test Installation Photographs, Test No. MGSS-1	
Figure 15. Test Vehicle, Test No. MGSS-1	
Figure 16. Vehicle Dimensions, Test No. MGSS-1	25
Figure 17. Target Geometry, Test No. MGSS-1	
Figure 18. Load Cell Placement, Test No. MGSS-1	
Figure 19. Camera Locations, Speeds, and Lens Settings, Test No. MGSS-1	
Figure 20. Summary of Test Results and Sequential Photographs, Test No. MGSS-1	
Figure 21. Additional Sequential Photographs, Test No. MGSS-1	
Figure 22. Additional Sequential Photographs, Test No. MGSS-1	
Figure 23. Additional Sequential Photographs, Test No. MGSS-1	
Figure 24. Impact Location, Test No. MGSS-1	
Figure 25. Vehicle Final Position and Trajectory Marks, Test No. MGSS-1	
Figure 27. System Damage, Test No. MGSS-1	
Figure 28. System Damage Between Post Nos. 12 and 17, Test No. MGSS-1	
Figure 29. Post Damage Between Post Nos. 12 and 17, Test No. MGSS-1	
Figure 30. Post Damage Between Post Nos. 15 and 18, Test No. MGSS-1	
Figure 31. Upstream and Downstream Anchor Damage, Test No. MGSS-1	
Figure 32. Vehicle Damage, Test No. MGSS-1	
Figure 33. MGS Adjacent to a 1V:2H Slope Offset from W-to-Thrie Beam Transition	
Figure 34. MGS Adjacent to a 1V:2H Slope without Blockouts	
Figure 35. MGS Adjacent to a 1V:2H Slope with SYP Rectangular Posts	
Figure A-1. Bill of Materials, Test No. MGSS-1	
Figure A-2. Steel Posts, Test No. MGSS-1	
Figure A-3. Wood Blockouts, Test No. MGSS-1	
Figure A-4. 16D Double Head Nail, Test No. MGSS-1	
Figure A-5. MGS W-Beam 12-ft – 6-in. (3.8-m) Section, Test No. MGSS-1	
Figure A-6. MGS W-Beam 12-ft – 6-in. (3.8-m) Section, Test No. MGSS-1	
Figure A-7. MGS W-Beam 6-ft – 3-in. (1.9-m) Section, Test No. MGSS-1	
Figure A-8. MGS W-Beam End Section, Test No. MGSS-1	
Figure A-9. BCT Timber Posts, Test No. MGSS-1	
Figure A-10. Foundation Tubes, Test No. MGSS-1	87

Figure A-11. Strut and Yoke Assembly, Test No. MGSS-1	88
Figure A-12. Anchor Bracket Assembly, Test No. MGSS-1	89
Figure A-13. Anchor Bearing Plate, Test No. MGSS-1	90
Figure A-14. BCT Post Sleeve, Test No. MGSS-1	91
Figure A-15. ⁵ / ₈ in. Dia. UNC, 14 in. Long Guardrail Bolt, Test No. MGSS-1	
Figure A-16. ⁵ / ₈ in. Dia. UNC, 14 in. Long Guardrail Bolt, Test No. MGSS-1	
Figure A-17. ⁵ / ₈ in. Dia. UNC, 1 ¹ / ₄ in. Guardrail Bolt, Test No. MGSS-1	94
Figure A-18. 5/8 in. Dia. UNC, Guardrail Nut, Test No. MGSS-1	95
Figure A-19. 5/8 in. Dia. UNC, 10 in. Long Guardrail Bolt, Test No. MGSS-1	96
Figure A-20. ⁵ / ₈ in. Dia. UNC, 10 in. Long Hex Head Bolt, Test No. MGSS-1	97
Figure A-21. 5/8 in. Dia. UNC, 11/4 in. Long Hex Head Bolt, Test No. MGSS-1	98
Figure A-22. 7/8 in. Dia. UNC, 8 in. Long Hex Head Bolt, Test No. MGSS-1	99
Figure A-23. 7/8 in. Dia. UNC, Hex Head Nut, Test No. MGSS-1	
Figure A-24. 5/8 in. Dia. Plain Round Washer, Test No. MGSS-1	
Figure A-25. 7/8 in. Dia. Plain Round Washer, Test No. MGSS-1	102
Figure B-1. Vehicle Mass Distribution, Test No. MGSS-1	
Figure C-1. Soil Strength, Initial Calibration Tests, Test No. MGSS-1	
Figure C-2. Static Soil Test S2, Test No. MGSS-1	
Figure D-1. Floorpan Deformation Data – Set 1, Test No. MGSS-1	
Figure D-2. Floorpan Deformation Data – Set 2, Test No. MGSS-1	110
Figure D-3. Occupant Compartment Deformation Data – Set 1, Test No. MGSS-1	
Figure D-4. Occupant Compartment Deformation Data – Set 2, Test No. MGSS-1	112
Figure D-5. Exterior Vehicle Crush (NASS) - Front, Test No. MGSS-1	
Figure D-6. Exterior Vehicle Crush (NASS) - Side, Test No. MGSS-1	114
Figure E-1. 10-ms Average Longitudinal Deceleration (SLICE-1), Test No. MGSS-1	
Figure E-2. Longitudinal Occupant Impact Velocity (SLICE-1), Test No. MGSS-1	
Figure E-3. Longitudinal Occupant Displacement (SLICE-1), Test No. MGSS-1	
Figure E-4. 10-ms Average Lateral Deceleration (SLICE-1), Test No. MGSS-1	
Figure E-5. Lateral Occupant Impact Velocity (SLICE-1), Test No. MGSS-1	
Figure E-6. Lateral Occupant Displacement (SLICE-1), Test No. MGSS-1	
Figure E-7. Vehicle Angular Displacements (SLICE-1), Test No. MGSS-1	
Figure E-8. Acceleration Severity Index (SLICE-1), Test No. MGSS-1	123
Figure E-9. 10-ms Average Longitudinal Deceleration (SLICE-2), Test No. MGSS-1	
Figure E-10. Longitudinal Occupant Impact Velocity (SLICE-2), Test No. MGSS-1	
Figure E-11. Longitudinal Occupant Displacement (SLICE-2), Test No. MGSS-1	
Figure E-12. 10-ms Average Lateral Deceleration (SLICE-2), Test No. MGSS-1	
Figure E-13. Lateral Occupant Impact Velocity (SLICE-2), Test No. MGSS-1	
Figure E-14. Lateral Occupant Displacement (SLICE-2), Test No. MGSS-1	
Figure E-15. Vehicle Angular Displacements (SLICE-2), Test No. MGSS-1	
Figure E-16. Acceleration Severity Index (SLICE-2), Test No. MGSS-1	
Figure F-1. Upstream Load Cell Data, Test No. MGSS-1	
Figure F-2. Upstream Inline Load Cell Data, Test No. MGSS-1	134

LIST OF TABLES

Table 1. MASH TL-3 Crash Test Conditions	20
Table 2. MASH Evaluation Criteria for Longitudinal Barrier	22
Table 3. Weather Conditions, Test No. MGSS-1	33
Table 4. Sequential Description of Impact Events, Test No. MGSS-1	34
Table 5. Maximum Occupant Compartment Deformations by Location	
Table 6. Summary of OIV, ORA, THIV, PHD, and ASI Values, Test No. MGSS-1	
Table 7. Summary of Safety Performance Evaluation Results	54
Table 8. Comparison of MGS with 9-ft (2.7 m) and 6-ft (1.8 m) Long Posts	

1 INTRODUCTION

1.1 Background

W-beam guardrail may be used to protect motorists from steep roadside slopes adjacent to high-speed roadways. A roadside slope placed immediately behind a guardrail system greatly reduces the soil resistance associated with lateral deflection of the barrier. This reduction in the post-soil forces greatly reduces a system's energy-absorption capability, significantly increases dynamic rail deflections, and can potentially induce issues with vehicle capture or vehicle override. Further, when the guardrail extends over the embankment, the gap between the bottom of the rail and the ground will be greatly magnified and thereby increase the risk of severe wheel snag and potential small car underride.

The Midwest Guardrail System (MGS) has greatly improved the safety performance and stability of guardrail installed at the slope break point of slopes as steep as 1V:2H. However, current MGS installations adjacent to 1V:2H fill slopes utilize increased-length posts in order to provide sufficient embedment to generate the proper soil resistive forces[1-5]. This requirement creates hardware inventory and maintenance issues within state departments of transportation, due to the need to stock and maintain non-standard length posts. In order to reduce hardware inventories, states have chosen in some cases to install the standard MGS system at an offset from the slope. Current guidance requires minimum offsets of between 1 ft (0.3 m) and 2 ft (0.6 m) from the back of the post to the slope break point for the standard MGS system with 6-ft (1.8-m) long posts, depending on the slope grade. This large offset maintains the safety performance of the system but creates a great deal of additional expense in terms of earthwork. Thus, a need exists to evaluate a minimum offset for the standard MGS guardrail system adjacent to a 1V:2H fill slope in order to reduce current issues with state hardware inventories and maintenance costs.

1.2 Objective

The objective of this research was to determine the crashworthiness of the standard MGS, installed at the slope break point of a 1V:2H slope. The system was to meet the Test Level 3 (TL-3) safety performance criteria set forth in American Association of State Highway and Transportation Officials' *Manual for Assessing Safety Hardware* (MASH) [6].

1.3 Scope

The research objective was completed by accomplishing several tasks. First, a full-scale crash test was conducted on the MGS placed at the slope break point of a 1V:2H fill slope. The crash test consisted of a pickup truck weighing approximately 5,000 lb (2,268 kg) impacting at a target of 62 mph (100 km/h) and 25 degrees. Next, the test results were analyzed, evaluated, and documented. Finally, conclusions and recommendations were made that pertain to the safety performance of the standard MGS placed at the slope break point of a 1V:2H fill slope.

2 DESIGN DETAILS

The MGS installed at the slope break point of a 1V:2H slope consisted of 175 ft (53.3 m) of standard 12-gauge (2.7-mm thick) W-beam guardrail with a top rail mounting height of 31 in. (787 mm) supported by steel posts, as shown in Figure 2. Non-proprietary MGS trailing end anchorage systems [7-9] were utilized on both the upstream and downstream ends of the guardrail system. Design details are shown in Figures 1 through 12. Photographs of the test installation are shown in Figure 13. Material specifications, mill certifications, and certificates of conformity for the system materials are shown in Appendix A.

The system was constructed with 29 posts. Post nos. 3 through 27 were galvanized ASTM A992, W6x8.5 (W152x12.6) steel sections measuring 72 in. (1,829 mm) long. Post nos. 1, 2, 28, and 29 were 5½-in. wide x 7½-in. deep x 46-in. long (140-mm x 191-mm x 1,168-mm) BCT timber posts. The anchor posts were placed into 6-in. x 8-in. x 72-in. long (152-mm x 203-mm x 1,829-mm), ASTM A53 Grade B, steel foundation tubes, as shown in Figures 3 and 6. All posts were spaced 75 in. (1,905 mm) on center and placed in a compacted, coarse, crushed limestone material, as recommended by MASH [6]. Post nos. 3 through 27 had an embedment depth of 40 in. (1,016 mm). A 6-in. x 12-in. x 14½-in. long (152-mm x 305-mm x 368-mm) Southern Yellow Pine wood blockout was used to block the rail away from the front face of each steel post, as shown in Figure 5.

Standard 12-gauge (2.7-mm thick) W-beam rails with additional post bolt slots at halfpost spacing intervals were mounted on post nos. 1 through 29. The W-beam had a 24⁷/₈-in. (632mm) center mounting height. Rail splices were located at midspans between posts, as shown in Figure 3. The lap splice connections between the rail sections were configured to reduce vehicle snag potential at the splice during the crash test. A load cell assembly was spliced into the upstream anchorage anchor cables to measure the loads experienced during full-scale crash testing. The use of these load cell assemblies was purely research orientated, with the purpose of analyzing the anchors' performance.

A 1V:2H fill slope pit was dug behind post nos. 9 through 20, as shown in Figures 1, 2, and 13. The pit was 120 in. (3,048 mm) wide and 60 in. (1,524 mm) deep. The length of the pit was 75 ft (22.9 m), spanning from the midspan between post nos. 8 and 9 to the midspan between post nos. 20 and 21.




Figure 1. Test Installation Layout, Test No. MGSS-1




Figure 2. Post Details, Test No. MGSS-1




Figure 3. End Section and Splice Detail, Test No. MGSS-1




Figure 4. BCT Anchor Details, Test No. MGSS-1

 ∞




Figure 5. Line Post and Blockout Details, Test No. MGSS-1




Figure 6. BCT Timber Post and Foundation Tube Details, Test No. MGSS-1




Figure 7. BCT Post Components and Anchor Bracket, Test No. MGSS-1




Figure 8. Ground Strut Details, Test No. MGSS-1





Figure 9. BCT Anchor Cable, Test No. MGSS-1






Figure 11. Rail Section Details, Test No. MGSS-1

ltem No.	QTY.	Description			Material Specification			e Guide ation
a1	25	W6x8.5 [W152x12.6], 72" Long [1829] Steel Post			ASTM A992 Min. 50 ksi [345 MPa] Steel Galv. or W6x9 [W152x13.4] ASTM A36 Min. 36 ksi [248 MPa] Steel Galv.			06
a2	25	6x12x14 1/4" [152x305x362] Timber Blockout for Steel Posts			SYP Grade	No.1 or better	PDB10)a-b
a3	25	16D Double Head Nail				-	-	8
a4	12	12'-6" [3810] W-Beam MGS Section		12 g	gauge [2.7]	AASHTO M180 Galv.	RWM)4a
a5	1	6'-3" [1905] W-Beam MGS Section		12 g	gauge [2.7]	AASHTO M180 Galv.	RWMC)4a
a6	2	12'-6" [3810] W-Beam MGS End Section		6-62-6		AASHTO M180 Galv.	RWM1	14a
ь1	4	BCT Timber Post – MGS Height	s	SYP 0 18" [45	Frade No. 1 7] above o f	or better (No knots, r below ground tension ace)	PDF	D1
b2	4	72" [1829] Long Foundation Tube			ASTM A500	Grade B Galv.	PTE	06
b3	b3 2 Strut and Yoke Assembly ASTM A36 Steel Galv.					-	2	
ь4	4 BCT Cable Anchor Assembly Ø3/4" [19] 6x19 IWRC IPS Galvanized Wire Rope				IWRC IPS Galvanized Rope	FCA	01	
b5	2	Anchor Bracket Assembly ASTM A36 Steel Galv.					FPA	01
b6	2	2 8"x8"x5/8" [203x203x16] Anchor Bearing Plate ASTM A36 Steel Galv.					FPB	01
ь7	7 2 3/8" [60] O.D. x 6" Long [152] BCT Post Sleeve ASTM A53 Grade B Schedule 40 Galv.				FMM	02		
c1	25	5/8" [16] Dia. UNC, 14" [356] Long Guardrail Bolt and Nut			(alv., Nut ASTM A563 A Galv.	FBB	06
c2	112	5/8" [16] Dia. UNC, 1 1/4" [32] Guardrail Bolt and Nut		Bolt AS	STM A307 G	alv., Nut ASTM A563 A Galv.	FBB	01
c3	4	5/8" [16] Dia. UNC, 10" [254] Long Guardrail Bolt and Nut		Bolt AS	STM A307 G	alv., Nut ASTM A563 A Galv.	FBB	03
c4	16	5/8" [16] Dia. UNC, 1 1/2" [38] Long Hex Head Bolt and Nut		Bolt AS		alv., Nut ASTM A563 A Galv.	FBX1	6a
c5	4	5/8" [16] Dia. UNC, 10" [254] Long Hex Head Bolt and Nut		Bolt AS		alv., Nut ASTM A563 A Galv.	FBX1	6a
c6	4	7/8" [22] Dia. UNC, 8" [203] Long Hex Head Bolt and Nut	2	Bolt AS	TM A307 Gr A563	ade A Galv., Nut ASTM A Galv.	-	1
c7	44 5/8" [16] Dia. Plain Round Washer ASTM F844 Galv.				FWC1	4a		
c8	8	7/8" [22] Dia. Plain Round Washer			ASTM	-844 Galv.	-	8
			11		PSF	Standard MGS on Fill Slope	a 2:1	SHEET: 12 of 12 DATE: 7/13/201
		-	Midw	est F	Roadside	Bill of Materials		DRAWN B SDB/JEK
			Saf	ety F	acility	DWG. NAME. MGS_Standard_2to1Slope_R8	SCALE: None UNITS: Inches	REV. BY: KAL/RKF

Figure 12. Bill of Materials, Test No. MGSS-1



Figure 13. Test Installation Photographs, Test No. MGSS-1





August 22, 2016 MwRSF Report No. TRP-03-320-16



Figure 14. Test Installation Photographs, Test No. MGSS-1





August 22, 2016 MwRSF Report No. TRP-03-320-16

3 TEST REQUIREMENTS AND EVALUATION CRITERIA

3.1 Test Requirements

Longitudinal barriers, such as W-beam guardrails, must satisfy impact safety standards in order to be declared eligible for federal reimbursement by the Federal Highway Administration (FHWA) for use on the National Highway System (NHS). For new hardware, these safety standards consist of the guidelines and procedures published in MASH [6]. According to TL-3 of MASH, longitudinal barrier systems must be subjected to two full-scale vehicle crash tests, as summarized in Table 1.

W-beam barriers, specifically the MGS, struck by small cars have been shown to meet the MASH safety performance standards with little lateral deflection and with no significant potential for occupant risk problems. In test no. 2214MG-3, the standard MGS was successfully crash tested with a 2,588-lb (1,174-kg) small car impacting at a speed of 60.8 mph (97.8 km/h) and an angle of 25.4 degrees according to the safety performance criteria set forth in MASH [10-11]. In test no. MGSSYP-2, the standard MGS with Southern Yellow Pine (SYP) posts was also successfully impacted by a 2,612-lb (1,185-kg) small car at a speed of 61.5 mph (99.0 km/h) and at an angle of 25.3 degrees according to the MASH TL-3 safety performance criteria [12-13]. Further, the MGS was successfully crash tested according to the MASH TL-3 safety performance criteria with maximum rail heights of 34-in. (864-mm) and 36-in. (914-mm). In test no. MGSMRH-1, the MGS with a maximum rail height of 34-in. (864-mm), was impacted a 2,599-lb (1,174-kg) small car at 63.6 mph (102.4 km/h) and 25.0 degrees and in test no. MGSMRH-2, the MGS with a maximum height tolerance of 36-in. (914-mm), was impacted by a 2,583-lb (1,172-kg) small car at 64.1 mph (103.2 km/h) and 25.6 degrees [14]. These tests showed that a taller rail mounting height did not exhibit significant potential for occupant risk concerns for the small car. In test no. MGSNB-2, the non-blocked MGS was successfully

impacted by a 2,578-lb (1,169-kg) small car at 63.0 mph (101.4 km/h) and 25.5 degrees according to the MASH TL-3 safety performance criteria [15-16]. In test no. MGSGW-1, the non-blocked MGS was placed at the slope break point of a 3H:1V fill slope of a wire-faced MSE wall was successfully impacted by a 2,596-lb (1,178-kg) small car at a speed of 61.0 mph (98.2 km/h) and 25.3 degrees according to the MASH TL-3 safety performance criteria [17-18]. The two tests of the non-blocked MGS further show that even without blockouts the MGS performs satisfactorily when impacted by the MASH small car. Therefore, based on the success of prior small car testing on the MGS, the 2,425-lb (1,100-kg) passenger car crash test was deemed unnecessary for this project. Therefore, only test designation no. 3-11 with the 5,000-lb (2,268-kg) pickup truck was conducted for the system described herein.

Table 1.	MASH	TL-3	Crash	Test	Conditions
----------	------	------	-------	------	------------

	Test		Imp	act Condit	Evaluation Criteria ¹	
Test Article	Designation	Test Vehicle	Speed			Angle
Anticic	No.		mph	km/h	(deg)	Cincila
Longitudinal	3-10	1100C	62	100	25	A,D,F,H,I
Barrier	3-11	2270P	62	100	25	A,D,F,H,I

¹ Evaluation criteria explained in Table 2.

3.2 Evaluation Criteria

Evaluation criteria for full-scale vehicle crash testing are based on three appraisal areas: (1) structural adequacy; (2) occupant risk; and (3) vehicle trajectory after collision. Criteria for structural adequacy are intended to evaluate the ability of the longitudinal barrier to contain and redirect impacting vehicles. in addition, controlled lateral deflection of the test article is acceptable. Occupant risk evaluates the degree of hazard to occupants in the impacting vehicle. Post-impact vehicle trajectory is a measure of the potential of the vehicle to result in a secondary collision with other vehicles and/or fixed objects, thereby increasing the risk of injury to the occupants of the impacting vehicle and/or other vehicles. These evaluation criteria are summarized in Table 2 and defined in greater detail in MASH. The full-scale vehicle crash test was conducted and reported in accordance with the procedures provided in MASH.

In addition to the standard occupant risk measures, the Post-Impact Head Deceleration (PHD), the Theoretical Head Impact Velocity (THIV), and the Acceleration Severity Index (ASI) were determined and reported on the test summary sheet. Additional discussion on PHD, THIV and ASI is provided in MASH.

3.3 Soil Strength Requirements

In accordance with Chapter 3 and Appendix B of MASH, foundation soil strength must be verified before any full-scale crash testing can occur. During the installation of a soildependent system, additional W6x16 (W152x23.8) posts are to be installed near the impact region utilizing the same installation procedures as the system itself. Prior to full-scale testing, a dynamic impact test must be conducted to verify a minimum dynamic soil resistance of 7.5 kips (33.4 kN) at post deflections between 5 and 20 in. (127 and 508 mm) measured at a height of 25 in. (635 mm). If dynamic testing near the system is not desired, MASH permits a static test to be conducted instead and compared against the results of a previously established baseline test. In this situation, the soil must provide a resistance of at least 90% of the static baseline test at deflections of 5, 10, and 15 in. (127, 254, and 381 mm). Further details can be found in Appendix B of MASH.

Table 2. Ma	ASH Evaluat	ion Criteri	a for Longi	tudinal Barrier
1 4010 2.1011	IDII L'uluuu		a for Longi	tuumui Duimei

Structural Adequacy	А.	Test article should contain and redirect the vehicle or bring the vehicle to a controlled stop; the vehicle should not penetrate, underride, or override the installation although controlled lateral deflection of the test article is acceptable.					
	D. Detached elements, fragments or other debris from the test article should not penetrate or show potential for penetrating the occupant compartment, or present an undue hazard to other traffic, pedestrians, or personnel in a work zone. Deformations of, or intrusions into, the occupant compartment should not exceed limits set forth in Section 5.3 and Appendix E of MASH.						
	F.	The vehicle should remain upright during and after collision. The maximum roll and pitch angles are not to exceed 75 degrees.					
Occupant	H.	Occupant Impact Velocity (OIV) (see Appendix A, Section A5.3 of MASH for calculation procedure) should satisfy the following limits:					
Risk		Occupant In	npact Velocity Limit	S			
		Component	Preferred	Maximum			
		Longitudinal and Lateral	30 ft/s (9.1 m/s)	40 ft/s (12.2 m/s)			
	I.	The Occupant Ridedown Acceleration (ORA) (see Appendix A, Section A5.3 of MASH for calculation procedure) should satisfy the following limits:					
		Occupant Rideo	down Acceleration L	imits			
		Component	Preferred	Maximum			
		Longitudinal and Lateral	15.0 g's	20.49 g's			

4 TEST CONDITIONS

4.1 Test Facility

The testing facility is located at the Lincoln Air Park on the northwest side of the Lincoln Municipal Airport and is approximately 5 miles (8.0 km) northwest of the University of Nebraska-Lincoln city campus.

4.2 Vehicle Tow and Guidance System

A reverse cable tow system with a 1:2 mechanical advantage was used to propel the test vehicle. The distance traveled and the speed of the tow vehicle were one-half those of the test vehicle. The test vehicle was released from the tow cable before impact with the barrier system. A digital speedometer on the tow vehicle increased the accuracy of the test vehicle impact speed.

A vehicle guidance system developed by Hinch [19] was used to steer the test vehicle. A guide flag, attached to the right-front wheel and the guide cable, was sheared off before impact with the barrier system. The ³/₈-in. (9.5-mm) diameter guide cable was tensioned to approximately 3,500 lb (15.6 kN) and supported both laterally and vertically every 100 ft (30.5 m) by hinged stanchions. The hinged stanchions stood upright while holding up the guide cable, but as the vehicle was towed down the line, the guide flag struck and knocked each stanchion to the ground.

4.3 Test Vehicles

For test no. MGSS-1, a 2007 Dodge Ram 1500 pickup truck was used as the test vehicle. The curb, test inertial, and gross static vehicle weights were 5,024 lb (2,279 kg), 4,992 lb (2,264 kg), and 5,158 lb (2,340 kg), respectively. The test vehicle is shown in Figure 15, and vehicle dimensions are shown in Figure 16.







Figure 15. Test Vehicle, Test No. MGSS-1

Date:	8/14/20	14		Test Number	:N	AGSS-1		Model:	Ram150	0
Make:	Dodg	e		Vehicle I.D.#	:1	D7HA18K.	37J598039			
Tire Size:	265/70 H	R17		Year	:20	07	C	Odometer:	150188	3
*(All Measurem	Tire Inflation ents Refer to In)	35psi						
1 1						1	Veh	icle Geome	etry in. (mm)	
t When			ø		M Whee Trac		a 77 3/4	(1975)	b <u>747/8</u>	(1902)
]			c 228 1/4 e 140 1/2	(5798)	d <u>47 1/2</u> f 40 1/4	(1207)
	Test Inerti	al C.M.—					g28	(711)	h 64 1/2	(1638)
			\backslash	q	TIRE DIA		i 16	(406)	j_29	(737)
		I.		+ r ++	- VHEEL DIA		k 20 1/4	(514)	1 28 1/2	(724)
b	h				1	T	m <u>67 1/2</u>	(1715)	n <u>67 3/4</u>	(1721)
11	The C					0	o <u>44 1/4</u>	(1124)	p <u>31/2</u>	(89)
<u> </u>	* (y st		Ý	1 1	•	q32	(813)	r <u>18 1/2</u>	(470)
			h -		1		s <u>151/4</u>	(387)	t <u>75 1/4</u>	(1911)
	ol		—— e ———	f -	-			0	Front <u>14 7/8</u>	(378)
		Wrear	W	front				0	Rear 15 1/8	(384)
Mass Distribu	tion lb (kg)		- L		-1		Wheel We		e(F) 353/4	(908)
Gross Static	LF 1467	(665)	RF 1334	(605)						(965)
Gross static	LF 1467 LR 1157	(525)	RF 1354 RR 1200						t (F) <u>183/4</u> t (R) <u>247/8</u>	(632)
	<u></u>	(323)	RR <u>1200</u>	(34)			11		Type Gas	
Weights										
lb (kg)	Curb		Test Inertia		Gross Stati				Size 3.	7L
W-front	2759	(1251)		(1225)		(1271)		Transmitio		
W-rear	2265	(1027)		(1039)		(1069)			Automatic	Manual
W-total	5024	(2279)	4992	(2264)	5158	(2340)			FWD (RWD)	4WD
GVWR Ratings Dummy Data										
			3700				Type: Hybrid II			
	Rear		3900				Mass: 166 lb			
	Total		6700				sition: Driver			
	-		Landon a Land							
Note any damage prior to test: Dent in Driver's side fender behind wheel.										

Figure 16. Vehicle Dimensions, Test No. MGSS-1

The longitudinal component of the center of gravity (c.g.) was determined using the measured axle weights. The Suspension Method [20] was used to determine the vertical component of the c.g. for the pickup truck. This method is based on the principle that the c.g. of any freely suspended body is in the vertical plane through the point of suspension. The vehicle was suspended successively in three positions, and the respective planes containing the c.g. were established. The intersection of these planes pinpointed the final c.g. location for the test inertial condition. The location of the final c.g. is shown in Figures 16 and 17. Data used to calculate the location of the c.g. and ballast information are shown in Appendix B.

Square, black- and white-checkered targets were placed on the vehicle for reference to be viewed from the high-speed digital video cameras and aid in the video analysis, as shown in Figure 17. Round, checkered targets were placed on the center of gravity on the left-side door, the right-side door, and the roof of the vehicle.

The front wheels of the test vehicle were aligned to vehicle standards except the toe-in value was adjusted to zero so that the vehicles would track properly along the guide cable. A 5B flash bulb was mounted on the left side of the vehicle's dash and was fired by a pressure tape switch mounted at the impact corner of the bumper. The flash bulb was fired upon initial impact with the test article to create a visual indicator of the precise time of impact on the high-speed videos. A remote-controlled brake system was installed in the test vehicle so the vehicle could be brought safely to a stop after the test.




Figure 17. Target Geometry, Test No. MGSS-1

4.4 Simulated Occupant

For test no MGSS-1, A Hybrid II 50th-Percentile, Adult Male Dummy, equipped with clothing and footwear, was placed in the left-front seat of the test vehicle with the seat belt fastened. The dummy, which had a final weight of 166 lb (75 kg), was model no. 572, serial no. 451, and was manufactured by Android Systems of Carson, California. As recommended by MASH, the dummy was not included in calculating the c.g location.

4.5 Data Acquisition Systems

4.5.1 Accelerometers

Two environmental shock and vibration sensor/recorder systems were used to measure the accelerations in the longitudinal, lateral, and vertical directions. All of the accelerometers were mounted near the center of gravity of the test vehicle. The electronic accelerometer data obtained in dynamic testing was filtered using the SAE Class 60 and the SAE Class 180 Butterworth filters conforming to SAE J211/1 specifications [21].

The two systems, the SLICE-1 and SLICE-2 units, were modular data acquisition systems manufactured by Diversified Technical Systems (DTS) of Seal Beach, California. The acceleration sensors were mounted inside the bodies of custom-built SLICE 6DX event data recorders and recorded data at 10,000 Hz to the onboard microprocessor. Each SLICE 6DX was configured with 7 GB of non-volatile flash memory, a range of ±500 g's, a sample rate of 10,000 Hz, and a 1,650 Hz (CFC 1000) anti-aliasing filter. The "SLICEWare" computer software program and a customized Microsoft Excel worksheet were used to analyze and plot the accelerometer data.

4.5.2 Rate Transducers

Two identical angle rate sensor systems mounted inside the bodies of the SLICE-1 and SLICE-2 event data recorders were used to measure the rates of rotation of the test vehicle. Each

SLICE MICRO Triax ARS had a range of 1,500 degrees/sec in each of the three directions (roll, pitch, and yaw) and recorded data at 10,000 Hz to the onboard microprocessors. The raw data measurements were then downloaded, converted to the proper Euler angles for analysis, and plotted. The "SLICEWare" computer software program and a customized Microsoft Excel worksheet were used to analyze and plot the angular rate sensor data.

4.5.3 Retroreflective Optic Speed Trap

The retroreflective optic speed trap was used to determine the speed of the bogie vehicle before impact. Five retroreflective targets, spaced at approximately 18-in. (457-mm) intervals, were applied to the side of the vehicle. When the emitted beam of light was reflected by the targets and returned to the Emitter/Receiver, a signal was sent to the data acquisition computer, recording at 10,000 Hz, as well as the external LED box activating the LED flashes. The speed was then calculated using the spacing between the retroreflective targets and the time between the signals. LED lights and high-speed digital video analysis are only used as a backup in the event that vehicle speeds cannot be determined from the electronic data.

4.5.4 Load Cells

Load cells, shown in Figure 18, were installed in the upstream anchor cable for test no. MGSS-1. The load cells were Transducer Techniques model nos. PCB 1-1376 and 261278 with a load range up to 80 kips (356 kN). During testing, output voltage signals were sent from the transducers to a National Instruments PCI-6071E data acquisition board, acquired with LabView software, and stored on a personal computer at a sample rate of 10,000 Hz.



Figure 18. Load Cell Placement, Test No. MGSS-1

4.5.5 Digital Photography

Six AOS high-speed digital video cameras, six GoPro digital video cameras, and three JVC digital video cameras were utilized to film test no. MGSS-1. One of the GoPro cameras was on-board the test vehicle. Camera details, camera operating speeds, lens information, and a schematic of the other camera locations relative to the system are shown in Figure 19.

The high-speed videos were analyzed using ImageExpress MotionPlus and RedLake MotionScope software programs. Actual camera speed and camera divergence factors were considered in the analysis of the high-speed videos. A Nikon D50 digital still camera was used to document pre-test and post-test conditions for the test. One of the GoPro cameras was onboard the vehicle during the test.




Figure 19. Camera Locations, Speeds, and Lens Settings, Test No. MGSS-1

5 FULL-SCALE CRASH TEST NO. MGSS-1

5.1 Static Soil Test

Before full-scale crash test no. MGSS-1 was conducted, the strength of the foundation soil was evaluated with a static test, as described in MASH. The static test results, as shown in Appendix C, demonstrated a soil resistance above the baseline test limits. Thus, the soil provided adequate strength, and full-scale crash testing could be conducted on the barrier system.

5.2 Weather Conditions

Test no. MGSS-1 was conducted on August 14, 2014 at approximately 1:30 p.m. The weather conditions, as per the National Oceanic and Atmospheric Administration (station 14939/LNK), were reported as shown in Table 3.

Temperature	88°F
Humidity	40%
Wind Speed	13 mph
Wind Direction	120° from True North
Sky Conditions	Sunny
Visibility	10 Statute Miles
Pavement Surface	Dry
Previous 3-Day Precipitation	0 in.
Previous 7-Day Precipitation	0 in.

Table 3. Weather Conditions, Test No. MGSS-1

5.3 Test No. MGSS-1

The 5,158-lb (2,340-kg) pickup truck impacted the standard MGS placed at the slope break point of a 1V:2H fill slope at a speed of 61.6 mph (99.1 km/h) and an angle of 26.3 degrees. A summary of the test results and sequential photographs are shown in Figure 19. Additional sequential photographs are shown in Figures 20 and 21. Documentary photographs of the crash test are shown in Figure 23.

5.4 Test Description

Initial vehicle impact was to occur 18 ft – 9 in. (5.7 m) upstream from the centerline of post no. 15, as shown in Figure 24, which was selected using the CIP plots found in Section 2.3 of MASH. The actual point of impact was 18 ft – 6 in. (5.6 m) upstream from the centerline of post no. 15. A sequential description of the impact events is contained in

Table 4. The vehicle came to rest 164 ft (50.0 m) downstream from the point of impact and 50 ft – 4 in. (15.3 m) behind the front of the rail. The vehicle trajectory and final position are shown in Figures 20 and 25.

TIME (sec)	EVENT			
0.000	Vehicle left-front bumper contacted the rail between post nos. 12 and 13.			
0.006	Post no. 12 deflected backward.			
0.010	Post no. 13 deflected backward.			
0.014	Vehicle left headlight deformed.			
0.020	Post no. 11 deflected backward.			
0.022	Post no. 14 deflected backward.			
0.024	Vehicle began to yaw away from barrier.			
0.030	Post no. 10 deflected backward, and vehicle's hood and grill deformed.			
0.032	Vehicle left-front door deformed.			
0.046	Post no. 11 rotated backward, and vehicle's left-front tire entered slope.			
0.058	Post no. 15 deflected backward.			
0.062	Post no. 9 deflected backward.			
0.072	Post nos. 8 and 16 deflected backward.			
0.082	Vehicle pitched upward.			
0.122	Vehicle began to roll toward barrier.			
0.128	Post no. 14 disengaged from guardrail, and vehicle's left-front door contacted guardrail between post nos. 13 and 14.			
0.136	Post no. 17 deflected backward.			
0.138	Post no. 19 deflected backward.			

Table 4. Sequential Description of Impact Events, Test No. MGSS-1

0.140	Post no. 18 deflected backward.
0.170	Vehicle left-rear wheel entered slope.
0.190	Post no. 15 disengaged from guardrail.
0.192	Post no. 20 deflected backward.
0.238	Vehicle left quarter panel contacted guardrail between post nos. 12 and 13.
0.274	Post nos. 13 and 16 disengaged from guardrail.
0.280	Vehicle left headlight detached, and vehicle left taillight deformed.
0.402	Post no. 17 disengaged from guardrail.
0.406	Vehicle began to roll away from barrier.
0.432	Vehicle began to yaw toward barrier and pitched downward.
0.534	Post no. 18 disengaged from guardrail.
0.618	Vehicle was parallel to system at a speed of 43.5 mph (70 km/hr).
0.650	Vehicle began to yaw away from barrier.
0.742	Vehicle pitched upward.
0.748	Vehicle began to roll toward barrier.
0.966	Vehicle lost contact with system at a speed of 40.5 mph (65.1 km/hr) and an angle of 16 degrees.
0.986	Vehicle pitched downward.
1.176	Vehicle pitched upward.
1.590	Vehicle pitched downward.

5.5 Barrier Damage

Damage to the barrier was moderate, as shown in Figures 27 through 31. Barrier damage consisted of deformed W-beam rail, disengaged W-beam rail from the posts, and post rotation out of the soil. The length of vehicle contact along the barrier was approximately 49 ft – 6 in. (15.1 m), which spanned from 8¹/₄ in. (210 mm) downstream from the centerline of post no. 12 through $2^{1}/_{2}$ in. (64 mm) downstream from the centerline of post no. 20.

The W-beam rail deformed between post nos. 12 through 21. Contact marks were found on the guardrail between post nos. 12 and 21. An 8-in. (203-mm) tear occurred vertically from the end anchorage rail bolt hole at post no. 1. Post no. 2 split vertically through the bolt hole. Flattening occurred on the bottom corrugation of the rail from post nos. 13 through 16. Partial bolt pullout occurred at post nos. 9 through 12, 19, 20, and 25. The bolt pulled through the rail at post nos. 1, 3 through 8, 13 through 15, 19, and 22 through 24. Post no. 2 split, while post no. 3 twisted downstream. Post nos. 9 through 12 and 17 through 20 rotated backwards and twisted downstream, while post no. 13 twisted upstream. Post nos. 14 through 16 rotated out of the soil. Post nos. 21 through 29 remained unchanged.

The maximum lateral permanent set rail and post deflections were 56 in. (1,422 mm) at post no. 17 and 52 ³/₄ in. (1,340 mm) at post no. 17, as measured in the field. Post nos. 14 through 16 were removed from the system and were not considered for deflections. The maximum lateral dynamic rail and barrier deflections was 72.9 in. (1,852 mm) at the midspan of post nos. 14 and 15, and 69.9 in. (1775 mm) at post no. 14, as determined from high-speed digital video analysis. The working width of the system was found to be 77.4 in. (1,966 mm), also determined from high-speed digital video analysis.

5.6 Vehicle Damage

The damage to the vehicle was minor, as shown in Figure 32. The maximum occupant compartment deformations are listed in Table 5 along with the deformation limits established in MASH for various areas of the occupant compartment. Note that none of the MASH established deformation limits were violated. Complete occupant compartment and vehicle deformations and the corresponding locations are provided in Appendix D.

LOCATION	MAXIMUM DEFORMATION in. (mm)	MASH ALLOWABLE DEFORMATION in. (mm)	
Wheel Well & Toepan	1/2 in. (13 mm)	≤9 (229)	
Floorpan & Transmission Tunnel	1/2 in. (13 mm)	≤ 12 (305)	
Side Front Panel (in Front of A-Pillar)	¹ /4 in. (6 mm)	≤ 12 (305)	
Side Door (Above Seat)	¹ /4 in. (6 mm)	≤ 9 (229)	
Side Door (Below Seat)	¹ /4 in. (6 mm)	≤ 12 (305)	
Roof	0 in. (0 mm)	≤4 (102)	
Windshield	0 in. (0 mm)	≤3 (76)	

Table 5. Maximum Occupant Compartment Deformations by Location

The majority of the damage was concentrated on the left-front corner and left side of the vehicle. Contact marks were found along the entire length of the left side of the vehicle and from the right-front bumper to the right-front wheel well. Dents were found on the front bumper and fenders and kinks were found on the bottom of the left-front fender. The left and right headlights disengaged. The left-front wheel assembly disengaged from the control arms and the lower portion of the spindle cracked. Tears 2 in. (51 mm) in length and contact marks were found on the left-front wheel extending from the rim, and contact marks appeared along the outer wall of the tire. Tearing occurred on the back of the left-front wheel well. A 1½-in. (38-mm) deep dent was found on the left-front fender at the back of the wheel. A 34-in. (19-mm) separation formed between the roof and the left-front door. A small dent was found 14 in. (356 mm) from the bottom of the C-pillar. Denting appeared along the entire length of the left quarter panel. The left taillight partially disengaged, and a 1-in. (25-mm) deep dent was found on the left side of the rear bumper.

5.7 Occupant Risk

The calculated occupant impact velocities (OIVs) and maximum 0.010-sec occupant ridedown accelerations (ORAs) in both the longitudinal and lateral directions are shown in Table 6. Note that the OIVs and ORAs were within the suggested limits provided in MASH. The calculated THIV, PHD, and ASI values are also shown in Table 6. The results of the occupant risk analysis, as determined from the accelerometer data, are summarized in Figure 20. The recorded data from the accelerometers and the rate transducers are shown graphically in Appendix E. Note, the SLICE-1 unit was designated as the primary unit during the test, as it was closer to the CG of the vehicle.

		Trans	MASH		
Evaluation	Criteria	SLICE-1 (Primary)	SLICE-2	Limits	
OIV	Longitudinal	-3.83 (-1.17)	-3.69 (-1.12)	±40 (12.2)	
ft/s (m/s)	Lateral	3.87 (1.18)	4.12 (1.26)	±40 (12.2)	
ORA	Longitudinal	-6.96	-7.14	±20.49	
g's	Lateral	5.19	5.41	±20.49	
MAXIMUM	Roll	-13.10	-10.85	±75	
ANGULAR DISPLACEMENT	Pitch	-4.62	-3.86	±75	
deg.	Yaw	36.95	36.40	not required	
THIV ft/s (m		16.93 (5.16)	17.49 (5.33)	not required	
PHE g's)	7.67	7.39	not required	
ASI		0.49	0.48	not required	

Table 6. Summary of OIV, ORA, THIV, PHD, and ASI Values, Test No. MGSS-1

5.8 Load Cells

The pertinent data from the load cells was extracted from the bulk signal and analyzed using the transducer's calibration factor. The recorded data and analyzed results are detailed in Appendix F. The exact moment of impact could not be determined from the transducer data as impact may have occurred a few milliseconds prior to a measurable signal increase in the data. Thus, the extracted data curves should not be taken as precise time after impact, but rather a general time line between events within the data curve itself.

5.9 Discussion

The analysis of the test results for test no. MGSS-1 showed that the standard MGS placed at the slope break point of a 1V:2H slope adequately contained and redirected the 2270P vehicle with controlled lateral displacements of the barrier. Detached elements or fragments did not show potential for penetrating the occupant compartment or present undue hazard to other traffic. Deformations of, or intrusions into, the occupant compartment that could have caused serious injury did not occur. The test vehicle did not penetrate or ride over the barrier and remained upright during and after the collision. Vehicle roll, pitch, and yaw angular displacements, as shown in Appendix E, were deemed acceptable, because they did not adversely influence occupant risk safety criteria or cause rollover. After impact, the vehicle exited the barrier at an angle of 16 degrees, and its trajectory did not violate the bounds of the exit box. Therefore, test no. MGSS-1, conducted on the standard MGS placed at the slope break point of a 1V:2H fill slope with 6-ft posts, was determined to be acceptable according to the MASH safety performance criteria for test designation no. 3-11.




Figure 20. Summary of Test Results and Sequential Photographs, Test No. MGSS-1





0.108 sec



0.198




0.280 sec



0.452 sec



0.966 sec



0.000 sec

0.052 sec

0.108 sec

0.248 sec

Figure 21. Additional Sequential Photographs, Test No. MGSS-1




Figure 22. Additional Sequential Photographs, Test No. MGSS-1




Figure 23. Additional Sequential Photographs, Test No. MGSS-1








Figure 24. Impact Location, Test No. MGSS-1



Figure 25. Vehicle Final Position and Trajectory Marks, Test No. MGSS-1



Figure 26. System Damage, Test No. MGSS-1



Figure 27. System Damage, Test No. MGSS-1



Figure 28. System Damage Between Post Nos. 12 and 17, Test No. MGSS-1



Figure 29. Post Damage Between Post Nos. 12 and 15, Test No. MGSS-1



Figure 30. Post Damage Between Post Nos. 15 and 18, Test No. MGSS-1



Figure 31. Upstream and Downstream Anchor Damage, Test No. MGSS-1



Figure 32. Vehicle Damage, Test No. MGSS-1

August 22, 2016 MwRSF Report No. TRP-03-320-16

6 SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS

The standard MGS that was placed at the slope break point of a 1V:2H slope was crash tested and evaluated according to MASH. The MGS utilized 6-ft (1,829-mm) long W6x8.5 (W152x12.6) steel posts spaced at 75 in. (1905 mm). One full-scale crash test was performed according to the TL-3 safety performance criteria, as defined in MASH. Test no. MGSS-1 (test designation no. 3-11) consisted of a 4,992-lb (2,264-kg) pickup truck impacting the MGS at a speed of 61.6 mph (99.1 km/h) and an angle of 26.3 degrees for an impact severity of 123.7 kip-ft (167.7 kJ). The vehicle was contained and smoothly redirected. Thus, the standard MGS placed at the slope break point of a 1V:2H slope was acceptable according to the safety performance criteria presented in MASH. A summary of the safety performance evaluation is provided in Table 7.

The successful evaluation of the standard MGS placed at the slope break point of a 1V:2H slope prevents the need to offset the system laterally away from the slope break point when using standard length steel posts. Full-scale crash testing of the standard MGS installed at the slope break point of a 1V:2H fill slope resulted in a working width of 77.4 in. (1,966 mm). Thus, a minimum lateral distance of approximately 78 in. (1,981 mm) should be provided between the front face of any fixed object and the front face of the MGS system.

The MGS placed at the slope break point of a 1V:2H slope has been successfully crash tested according to the safety performance criteria presented in MASH with two different post lengths, 9-ft (2,743-mm) and 6-ft (1,829-mm) long W6x8.5 (W152x12.6) steel posts. Results of test designation no. 3-11 for the two MGS systems placed as the slope break point of a 1V:2H slope are summarized in Table 8.

Evaluation Factors		Eva	Test No. MGSS-1				
Structural Adequacy	A.	Test article should conta vehicle to a controlled underride, or override the deflection of the test artic	S				
	D.	Detached elements, frag should not penetrate or s compartment, or prese pedestrians, or personne intrusions into, the occup set forth in Section 5.3 an	S				
	F.	The vehicle should rema maximum roll and pitch a	S				
Occupant Risk	H.	H. Occupant Impact Velocity (OIV) (see Appendix A, Section A5.3 of MASH for calculation procedure) should satisfy the following limits:					
				*	t Impact Velocity Lim		S
		Component	Preferred	Maximum			
		Longitudinal and Lateral	30 ft/s (9.1 m/s)	40 ft/s (12.2 m/s)			
	I.	The Occupant Ridedown Section A5.3 of MASH for following limits:					
		Occupant Ri	S				
		Component	Preferred	Maximum			
		Longitudinal and Lateral	15.0 g's	20.49 g's			
MASH Test Designation Number					3-11		
		Pass/	Fail		Pass		
S – Satisfactory U – Unsatisfactory NA - Not Applicable							

Table 7. Summary of Safety Performance Evaluation Results

S – Satisfactory U – Unsatisfactory NA - Not Applicable

		Test No. 3-11			
Comparison	n of Results	MGS with 9-ft (2.7 m) Long Posts	MGS with 6-ft (1.8 m) Long Posts		
Reference	e Number	[3]	[this report]		
Speed, m	ph (km/h)	63.1 (101.5)	61.6 (99.2)		
Angle	e, deg	25.5	26.3		
Impact Sever	ty, kip-ft (kJ)	122.5 (166.0)	123.7 (167.7)		
Test Article	Dynamic	57.6 (1,463)	72.9 (1,852)		
Deflections,	Permanent Set	42 (1,067)	56 (1,422)		
in. (mm)	Working Width	64.2 (1,631)	77.4 (1,966)		
OW ft/s (m/s)	Longitudinal	-13.90 (-4.24)	-3.83 (-1.17)		
OIV, ft/s (m/s)	Lateral	13.61 (4.15)	3.87 (1.18)		
$OPA \alpha^{2}\alpha$	Longitudinal	-5.36	-6.96		
ORA, g's	Lateral	5.28	5.19		
Maximum Occup Deformatio	ant Compartment n, in. (mm)	0.5 (13)	0.5 (13)		
	Roll	Est. 6	-13.10		
Maximum Angular Displacement, deg.	Pitch	Est. 5	-4.62		
	Yaw	Est. 45	36.95		

Table 8. Comparison of MGS with 9-ft (2.7 m) and 6-ft (1.8 m) Long Posts

7 IMPLEMENTATION GUIDANCE

As previously noted, the research detailed herein demonstrated that a standard MGS with 6-ft (1,829-mm) long, W6x8.5 (w152x12.6) steel posts performed in an acceptable manner when installed at the slope break point of a 1V:2H slope according to test designation no. 3-11 of the MASH impact safety standards. Several variations of the MGS system have been developed for special applications, which may be more sensitive to this type of installation adjacent to slopes. These special applications would include the MGS long-span system [24-25], MGS with various wood posts [10-13, 26], MGS on 8H:1V approach slopes [27], MGS adjacent to a curb [28-30], MGS stiffness transition to approach guardrail transitions [31-34], MGS with reduced post spacing [28-30], and MGS without blockouts [15-16]. Since several MGS variations are available, recommendations regarding the use of the MGS adjacent to a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts will likely vary depending on the nature and behavior of the special applications listed above.

The following sections provide suggested implementation guidance and/or recommendations regarding the tested system and use with other MGS special applications. These recommendations are intended to ensure comparable safety performance of the guardrail systems and are based on the full-scale testing and any associated research available at the conclusion of this project. Although some installation sites will require systems outside the bounds of these recommendations, the reasoning behind these recommendations should be considered along with other roadside treatments when selecting the final site specific design.

7.1 Soil Foundation

The soil foundation of the posts affects post-soil resistive forces, thus the strength of the soil is critical for the MGS placed adjacent to a 1V:2H slope. For typical longitudinal barrier designs, it has generally been assumed that the use of strong soils is more critical for full-scale

crash testing and evaluation as strong soils tend to produce higher post-soil resistive forces which tend to create higher rail forces, increased snag on barrier support posts, and higher occupant risk values. However, in the case of the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts, the soil resistive forces of the standard system are being reduced by a combination of shallow post embedment and slope effects. Insufficient soil support can lead to excessive guardrail post movements and guardrail lateral deflection during vehicle collision, potentially resulting in a lower capacity to contain and redirect errant vehicles on slopes. Thus, the use of a strong soil in this situation may not be critical, as it may actually improve system capacity in this sloped configuration with shallow post embedment.

MASH accounts for the use of weak or reduced strength soils in the evaluation of certain barrier systems. MASH provides the following guidance with respect to the use of alternative soils. Quoting directly from MASH:

3.3 Soil

Impact performance of some soil-mounted features depends on dynamic soil structure interaction. Longitudinal barriers with soil embedded posts and soil-embedded support structures for signs and luminaires are such features. When feasible, these features should be tested with soil conditions that replicate typical in-service conditions. Soil conditions are known to vary with time, location, and environmental factors, even within relatively small geographical areas. Therefore, except for special test conditions, it is necessary to standardize soil conditions for testing. In the absence of a specific soil, it is recommended that all features whose impact performance is sensitive to soil-structure interaction be tested in a soil that conforms to the performance specification as described in Section 3.3.1. However, product developers and user agencies should assess the potential sensitivity of a feature to foundation conditions. If the feature is likely to be installed in a soil that could be expected to degrade its performance, testing in one or more of the special soils described in Section 3.3.3 may be appropriate.

A3.3.1 Standard Soil

Unless the test article is limited to areas of weak soils, the standard soil should be used with any feature whose impact performance is sensitive to soilfoundation or soil-structure interaction. A large percentage of previous testing has been performed in similar soil and a historical tie is needed. Although it is probably stronger than the average condition found along the roadside, it is still representative of a considerable amount of existing installations.

A3.3.3 Special Soils

The weak soil should be used, in addition to the standard soil, for any feature whose impact performance is sensitive to soil-foundation or soil-structure interaction if: (a) identifiable areas of the state or local jurisdiction in which the feature will be installed contain soil with similar properties, and (b) there is a reasonable uncertainty regarding performance of the feature in the weak soil. Tests have shown that some base-bending or yielding small sign supports readily pull out of the weak soil upon impact. For features of this type, the strong soil is generally more critical and tests in the weak soil may not be necessary.

MASH recommends that the system be tested in the standard soil unless the hardware installations are expected to be placed in generally weak soils, and weak soil is expected to degrade performance. Otherwise, it recommends that the standard soil be used as it is believed to be representative of typical soil foundation conditions and provides a historical tie to previous testing. While there was an argument that weak soils may be more critical with respect to the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long posts, it was believed that evaluation of such a system should follow the guidance provided in MASH. The system should be evaluated with standard soil based on the fact the general soil condition for a given installation would not be assumed to be weak, and it provides a link to previous testing of guardrails on slope.

However, the concerns noted previously with respect to reduced barrier resistive forces and increased barrier deflection should still be considered when installing this type of system in real-world applications. Installation of the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts in soils weaker than those tested may increase barrier deflections. The increased deflections may become excessive and lead to a failure of the system to capture and redirect an impacting vehicle. As such, users may elect to limit installation of the MGS installed at the slope break point of a 1V:2H slope with standard, 6ft (1,829-mm) long steel posts to areas with similar soil strength to the as-tested system.

Previous testing of the MGS long span system [23] exhibited a dynamic barrier deflection of 92¼ in. (2,343 mm), which is significantly higher than the 72⁷/₈ in. (1,851 mm) observed in test no. MGSS-1. This fact would seem to suggest that the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts can accommodate higher deflections than the as-tested system, but the extent of that additional deflection is unknown. End users would also need to compensate for the additional deflection by using more conservative working widths for the system when using lower strength soils.

7.2 Minimum Installation Height

Previous testing of the MGS and the original G4(1S) system under the MASH criteria has suggested that the MGS has a minimum acceptable rail height below its nominal mounting height of 31 in. (787-mm) [14]. The MGS was not actually crash tested at its minimum top rail height of 27³/₄ in.(706 mm) using the impact conditions published in MASH. However, the modified G4(1S) W-beam guardrail system was shown to meet the TL-3 criteria found in the MASH with the completion of test no. 2214WB-2 [35]. Previously, it has been demonstrated that the MGS provides improved barrier performance over that observed with the modified G4(1S) barrier system [11, 28-30]. Therefore, it was believed that the MGS will also meet the TL-3 requirements found in the MASH when installed at a top rail height of 27³/₄ in. (706 mm) when used on level terrain.

Previously, the 31-in. (787-mm) tall MGS with 9-ft (2.74-m) long W6x8.5 (W152x12.6) steel posts was successfully crash tested under the MASH TL-3 criteria when installed at the slope break point of a 1V:2H fill slope using standard post spacing and blockouts [3,5]. However, similar crash testing was not successful for the minimum recommended MGS mounting height of 27³/₄ in. (706 mm). As such, the minimum recommended top mounting height is unknown for the MGS adjacent to 1V:2H fill slopes.

It should be noted that no crash tests have been performed on the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts with reduced rail height. It is believed that the minimum recommended top mounting height would likely be affected, similar to the blocked version of the MGS adjacent to 1V:2H fill slopes. As such, it is highly recommended that the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts utilize a minimum top mounting height of 31 in. (787 mm) until further investigation is performed.

7.3 MGS Long-Span Guardrail

The MGS long-span guardrail system was successfully full-scale crash tested using an unsupported length of 25 ft (7.62 m) and three CRT posts with 12-in. (305-mm) deep blockouts adjacent to each end of the unsupported span [24]. These CRT posts were incorporated into the

system in order to mitigate concerns for wheel snag on posts adjacent to the unsupported span when traversing from the unsupported span to the downstream standard guardrail. Adjacent to the CRT posts, the standard MGS utilized 12-in. (305-mm) deep blockouts. The MGS long-span guardrail system was installed with the back of the CRT posts positioned flush with the front face of the culvert headwall. The posts upstream and downstream from the culvert were installed 2 ft (610 mm) away from the slope break point of a 3:1 fill slope.

It may be desirable to apply the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts to the MGS long-span guardrail system. There is concern that the use of this type of installation adjacent to a steep slope with the MGS long span may allow for dynamic barrier deflections that are too large for safe vehicle redirection. The MGS long span already has the largest dynamic deflection of any previously-tested MGS application. Combining that system with the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts would likely result in even greater barrier deflections. Additionally, the CRT posts used in the MGS long span adjacent to the unsupported rail would behave differently when installed at the slope break point of a 1V:2H slope. The expected increase in barrier deflection could affect vehicle capture and stability to level that is difficult to predict without further research. As such, it is not recommended to apply the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts in conjunction with the MGS long span without further analysis and crash testing.

7.4 MGS with an Omitted Post

Recent research at MwRSF consisted of the evaluation of the standard MGS with an omitted post [25]. The omitted post created an unsupported span of 12.5 ft (3.8 m). No other modifications were made to the MGS. One full-scale crash test was performed according to the

TL-3 safety performance criteria defined in MASH, test designation no. 3-11, and the MGS with an omitted post performed in an acceptable and safe manner.

Concerns for the use of the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts in combination with an omitted post are similar to those noted previously for the MGS long span. Omission of a post in this type of system would tend to increase rail deflections over the system tested herein, and this increase in deflection could adversely affect the barrier's performance in terms of vehicle capture and stability. As such, it is not recommended to apply the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts in combination with a single omitted post without further analysis and crash testing.

7.5 MGS on 8:1 Approach Slopes

Previously, full-scale crash testing was successfully performed on the steel-post version of the MGS installed on an 8:1 approach slope with the W-beam positioned 5 ft (1.52 m) laterally behind the slope break point [27]. This testing program was conducted according to the NCHRP Report No. 350 impact safety standards using both an 820C small car and a 2000P pickup truck. From the crash testing program, the mounting height of the blocked MGS relative to the airborne trajectory of the front bumper and impact-side wheels was deemed critical for satisfactorily containing the 2000P pickup truck. Arguably, the test results may have also demonstrated that the 31-in. (787-mm) top railing height greatly contributed to adequate vehicle containment and stable redirection.

Because the MGS on 8:1 approach slopes has not been evaluated under the MASH criteria, there is uncertainty on how this type of installation would be affected when installed near a 1V:2H slope. It is possible that placement of the 1V:2H slope adjacent to this installation may lead to increased barrier deflection and increased propensity for vehicle instability. As such,

it is not recommended to apply the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts in conjunction with the MGS on 8:1 approach slopes without further analysis and crash testing.

7.6 MGS Adjacent to Curb

The standard MGS was successfully crash tested and evaluated with the front face of the W-beam rail placed 6 in. (152 mm) behind the front face of a 6-in. (152-mm) tall concrete curb according to the NCHRP Report No. 350 TL-3 criteria using a 2000P pickup truck [28-29]. The use of the MGS installed at the slope break point of a 1V:2H slope with a concrete curb causes potential concerns with respect to barrier performance. The MGS adjacent to curb was not evaluated under the MASH criteria, so it is unknown for certain how the MGS adjacent to curb performs with respect to the small car and pickup truck impacts required in MASH. Additionally, the effect of the additional barrier deflection expected for an installation at the slope break point of a 1V:2H slope in combination with the impacting vehicle's traversal of the curb during impact and exit with the barrier may pose additional difficulties for safe vehicle redirection that were not evaluated during the NCHRP Report No. 350 testing on level terrain. As such, it is not recommended to apply the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts adjacent to curbs without further analysis and crash testing.

7.7 MGS Stiffness Transition to Approach Guardrail Transitions

Several options for approach guardrail transitions for the MGS system have been developed [31-34]. As part of those efforts, a steel-post MGS stiffness transition was found to satisfy all of the TL-3 safety performance criteria of MASH through a full-scale crash testing program. This transition design utilized standard, 6-ft (1,829-mm) long W6x8.5 (W152x12.6) posts for a majority of the upstream stiffness transition. Subsequent bogie testing and BARRIER

VII analysis developed a wood-post transition system that behaved similarly and without increases in deflections, pocketing, or snag. Thus, it was believed that the wood-post transition system would also satisfy the MASH performance criteria, and the wood-post MGS stiffness transition was recommended for use as a TL-3 safety barrier.

The performance of approach guardrail transitions is directly related to the effectiveness of the system in providing a gradual transition in stiffness between the approach guardrail and the bridge parapet or bridge rail. The previously-described MGS transitions were designed to rely on post-soil resistive forces to develop the proper stiffness transition. Installation of this type of transition or portions of the approach guardrail upstream of the transition on 1V:2H slopes could alter the stiffness of the transition system in such a way to compromise the performance of the barrier system. Previous research at MwRSF related to investigation of transition systems installed in a manner which deviated from the as-tested design found that installation of approach guardrail transitions on slopes resulted in increased propensity for increased barrier deflection, rail pocketing, and vehicle snag. As such, it is not recommended to apply the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts in any region inside the MGS approach guardrail transition without further analysis and crash testing.

Additionally, previous guidance developed for the MGS approach guardrail transition has noted that a minimum of 25 ft (7.62m) of standard MGS must is required upstream of the asymmetric W-to-thrie beam transition piece prior to deviating to some an MGS special application. Thus, it is recommended that the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts be should be placed no closer to the MGS approach guardrail transition than a minimum of 25 ft (7.62m) from the asymmetric W-to-thrie beam transition section, as shown in Figure 33.




Figure 33. MGS Adjacent to a 1V:2H Slope Offset from W-to-Thrie Beam Transition

7.8 MGS with Reduced Post Spacing

A steel-post version of the MGS with quarter-post spacing was successfully full-scale crash tested and evaluated using a 2000P pickup truck according to the TL-3 criteria found in NCHRP Report No. 350 [28-30]. Subsequent analysis of the barrier system with BARRIER VII was used to develop details for a half-post spacing version of the MGS as well. The use of reduced post spacing for W-beam guardrail adjacent to steep slopes has previously been evaluated under NCHRP Report No. 350 and was found to improve performance over the standard guardrail adjacent to slope due to the increased post-soil resistive forces provides by the more closely spaced support posts [1-2]. Thus, it is reasonable to assume that reduced post spacing would provide similar performance benefits to the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts. Reduced post spacing may provide a good alternative for installations where the soil strength is in question and users wish to manage the barrier deflection while still using standard length posts.

7.9 MGS without Blockouts

As noted previously, the 31-in. (787-mm) tall MGS with 9-ft (2.74-m) long W6x8.5 (W152x12.6) steel posts was successfully crash tested under the MASH TL-3 criteria when installed at the slope break point of a 1V:2H fill slope using standard post spacing and blockouts. Additionally, full-scale crash testing was successful on a non-blocked MGS system when installed both on level terrain and adjacent to slopes. A non-blocked MGS installed at the slope break point of a 3:1 fill slope positioned on top of an MSE wall was tested under the MASH TL-

3 safety criteria for both the 1100C and 2270P vehicles [17-18]. Subsequent MASH testing was also successfully performed on a non-blocked MGS installed on level terrain with both the 1100C and 2270P vehicles [15-16]. Comparison of the non-blocked and blocked versions of the MGS found the performance of the standard MGS with 12-in. (305-mm) deep blockouts improved as compared the non-blocked system, and the safety performance of the non-blocked system was acceptable under the MASH criteria.

Using the results from these successful crash testing programs, it is believed that satisfactory performance would also be provided by a non-blocked version of the MGS when installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts, as shown in Figure 34.




Figure 34. MGS Adjacent to a 1V:2H Slope without Blockouts

7.10 MGS with Wood Posts

Over the years, MwRSF has crash tested several wood-post MGS systems, including rectangular, Southern Yellow Pine (SYP) wood posts and alternative wood species round and rectangular posts [12-13,26]. Comparison of MASH crash testing with both steel and rectangular

wood posts found that the performance of the MGS system with steel and rectangular SYP wood posts was found to correlate very well [12-13]. Dynamic deflections, working widths, occupant risk values, and vehicle stability measures were generally unaffected by the change in the post type. Only minor differences in the system behavior were found, and no concerns were identified that suggested that one system had a safety performance advantage over the other. Thus, it was concluded that the 6-in. wide x 8-in. deep x 72-in. long (152-mm wide x 203-mm deep x 1829-mm long) wood-post and W6x8.5 x 72-in. (W152x12.6 x 1829-mm long) long steel-post MGS systems provide equivalent safety performance. Based on the similar performance observed for the wood- and steel-post MGS systems, there may be a desire for end users to install a wood post MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long posts.

The 31-in. (787-mm) tall MGS with 9-ft (2.74-m) long W6x8.5 (W152x12.6) steel posts was successfully crash tested under the MASH TL-3 criteria when installed at the slope break point of a 1V:2H fill slope using standard post spacing and blockouts and was also approved with 8-ft (2.44-m) long W6x8.5 (W152x12.6) steel posts [3]. Later and based on dynamic component testing, a wood post version of the MGS system was configured with 7.5-ft (2,286-mm) long, SYP posts and for use in shielding a 1V:2H fill slope [4]. For the SYP wood post variation, the embedment depth was 58 in. (1,473 mm).

Based on this previous research, it would seem reasonable that a rectangular, SYP wood post MGS installed at the slope break point of a 1V:2H slope that utilized standard, 6-ft (1,829-mm) long posts would perform similarly to the steel post version tested herein. Thus, it is recommended that the MGS with 6-in. wide x 8-in. deep x 72-in. long (152-mm wide x 203-mm deep x 1829-mm long) SYP posts may be installed at the slope break point of a 1V:2H slope, as shown in Figure 35.

Similarly, the MGS was successfully evaluated under the MASH criteria when installed with 6-in. wide x 8-in. deep x 72-in. long (152-mm wide x 203-mm deep x 1829-mm long) white pine posts [26]. At the time of that research, MwRSF recommended that a white pine MGS system located adjacent to a 1V:2H fill slope should utilize 6.5-ft (1,981-mm) long, 6-in. x 8-in. (152-mm x 203-mm) wood posts at half-post spacing, or on 37½ in. (953 mm) centers. This post length was shorter when compared to the SYP posts adjacent to slope in order to prevent post fracture of the lower strength white pine while still providing adequate post soil resistive forces. The testing of the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts detailed herein suggests that further reduction in post embedment is acceptable. Thus, it is believed that the MGS with 6-in. wide x 8-in. deep x 72-in. long (152-mm wide x 203-mm deep x 1829-mm long) white pine posts may be installed at the slope break point of a 1V:2H slope break point of a 1V:2H slope break point of a 1V:2H slope as well.

As noted above, other testing and evaluation of wood posts has been conducted with the MGS. Several alternative species of round, wood posts have been evaluated with the MGS based on NCHRP Report No. 350 testing. Because these posts have different strengths, embedment, and geometry from the standard 6-in. wide x 8-in. deep x 72-in. long (152-mm wide x 203-mm deep x 1829-mm long) SYP post, and they have not been evaluated with the MGS under the MASH criteria, it is not recommended to use the standard length, alternative species, round wood posts adjacent to a 1V:2H slope without further analysis.




Figure 35. MGS Adjacent to a 1V:2H Slope with SYP Rectangular Posts

7.11 Guardrail End Terminals

Finally, there may be a desire to implement the MGS installed at the slope break point of a 1V:2H slope with standard, 6-ft (1,829-mm) long steel posts near the ends of guardrail systems, which are typically anchored with some form of crashworthy end terminal or end anchorage. Installation of anchorage systems, such as generic, trailing end anchorages, directly adjacent to a 1V:2H slope is not recommended as the reduction in soil near the anchorage may adversely affect its ability to develop the necessary tensile loads to restrain the barrier system and redirect impacting vehicles. Additionally, 1V:2H slopes are not considered to be safely traversable, thus any guardrail system shielding this type of slope should provide anchorage outside the sloped area.

Crashworthy end terminals require specific grading requirements to function properly in the area surrounding the end terminal. As such, it is recommended that guidance from the individual end terminal manufacturer be followed with respect to placement of these systems adjacent to slopes.

8 REFERENCES

- Polivka, K.A., Faller, R.K., Sicking, D.L., Rohde, J.R., Holloway, J.C., and Keller, E.A., Development of a W-Beam Guardrail System for Use on a 2:1 Slope, Final Report to the Midwest States Regional Pooled Fund Program, Research Report no. TRP-03-99-00, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, October 16, 2000.
- Polivka, K.A., Sicking, D.L., Faller, R.K., and Rohde, J.R., A W-Beam Guardrail Adjacent to a Slope, Paper No. 01-0343, Transportation Research Record No. 1743, Journal of the <u>Transportation Research Board</u>, Transportation Research Board, Washington, D.C., January 2001.
- Wiebelhaus, M.J., Lechtenberg, K.A., Faller, R.K., Sicking, D.L., Bielenberg, R.W., Reid, J.D., Rohde, J.R., and Dey, G., *Development and Evaluation of the Midwest Guardrail System (MGS) Placed Adjacent to a 2:1 Fill Slope*, Research Report No. TRP-03-185-10, Final Report to the Midwest States Regional Pooled Fund Program, Project No. SPR-3(017)-Year 15, Project Code: RPFP-05-09, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, February 24, 2010.
- 4. McGhee, M.D., Lechtenberg, K.A., Bielenberg, R.W., Faller, R.K., Sicking, D.L., and Reid, J.D., Dynamic Impact Testing of Wood Posts for the Midwest Guardrail System (MGS) Placed Adjacent to a 2H:1V Fill Slope, Research Report No. TRP-03-234-10, Final Report to the Midwest Regional Pooled Fund Program, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, December 16, 2010.
- Polivka, K.A., Faller, R.K., Sicking, D.L., and Bielenberg, R.W., *Midwest Guardrail* System Adjacent to a 2:1 Slope, Paper No. 08-3076, Transportation Research Record No. 2060, Journal of the Transportation Research Board, Transportation Research Board, Washington D.C., January 2008.
- 6. *Manual for Assessing Safety Hardware (MASH)*, American Association of State Highway and Transportation Officials (AASHTO), Washington, D.C., 2009.
- Mongiardini, M., Faller, R.K., Reid, J.D., Sicking, D.L., Stolle, C.S., and Lechtenberg, K.A., *Downstream Anchoring Requirements for the Midwest Guardrail System*, Final Report to Wisconsin Department of Transportation, Research Report No. TRP-03-279-13, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, October 28, 2013.
- Mongiardini, M., Faller, R.K., Reid, J.D., and Sicking, D.L., *Dynamic Evaluation and Implementation Guidelines for a Non-Proprietary W-Beam Guardrail Trailing End Terminal*, Transportation Research Record No. 2377, <u>Journal of the Transportation Research Board</u>, Transportation Research Board, National Research Council, Washington, D.C., November 2013.

- 9. Stolle, C.S., Reid, J.D., Faller, R.K., and Mongiardini, M., *Dynamic Strength of a Modified W-beam BCT Trailing-End Termination System*, <u>International Journal of Crashworthiness</u>, DOI: 10.10980/13588265.2015.1009308, February 2015.
- Polivka, K.A., Faller, R.K., Sicking, D.L., Rohde, J.R., Bielenberg, R.W., and Reid, J.D., *Performance Evaluation of the Midwest Guardrail System – Updated to NCHRP 350 Test No. 3-10 (2214MG-3)*, Final Report to the National Cooperative Highway Research Program, Project No. NCHRP 22-14(2), Research Report No. TRP-03-172-06, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, October 11, 2006.
- Faller, R.K., Sicking, D.L., Bielenberg, R.W., Rohde, J.R., Polivka, K.A., and Reid, J.D., *Performance of Steel-Post W-Beam Guardrail Systems*, Paper No. 07-2642, Transportation Research Record No. 2025, <u>Journal of the Transportation Research Board</u>, Transportation Research Board, Washington D.C., January 2007.
- 12. Gutierrez, D.A., Lechtenberg, K.A., Bielenberg, R.W., Faller, R.K., Reid, J.D., and Sicking, D.L., *Midwest Guardrail System (MGS) with Southern Yellow Pine Posts*, Final Report to Midwest States Pooled Fund Program, Research Report No. TRP-03-272-13, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, September 4, 2013.
- Bielenberg, R.W., Faller, R.K., Reid, J.D., Rosenbaugh, S.K., and Lechtenberg, K.A., *Performance of Midwest Guardrail System with Rectangular Wood Posts*, Paper No. 14-2991, Transportation Research Record No. 2437, <u>Journal of the Transportation Research</u> <u>Board</u>, Transportation Research Board, Washington D.C., January 2014.
- Stolle, C.J., Lechtenberg, K.A., Reid, J.D., Faller, R.K., Bielenberg, R.W., Rosenbaugh, S.K., Sicking, D.L., and Johnson, E.A., *Determination of the Maximum MGS Mounting Height – Phase I Crash Testing*, Final Report to Midwest States Pooled Fund Program, Research Report No. TRP-03-255-12, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, March 9, 2012.
- Schrum, K.D., Lechtenberg, K.A., Bielenberg, R.W., Rosenbaugh, S.K., Faller, R.K., Reid, J.D., and Sicking, D.L., *Safety Performance Evaluation of the Non-Blocked Midwest Guardrail System (MGS)*, Final Report to Midwest States Pooled Fund Program, Research Report No. TRP-03-262-12, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, January 24, 2013.
- Reid, J.D., Faller, R.K., Bielenberg, R.W., and Lechtenberg, K.A., *Midwest Guardrail* System without Blockouts, Paper No. 13-0418, Transportation Research Record No. 2377, <u>Journal of the Transportation Research Board</u>, Transportation Research Board, Washington D.C., January 2013.
- 17. McGhee, M.D., Faller, R.K., Rohde, J.R., Lechtenberg, K.A., Sicking, D.L., and Reid, J.D., *Development of an Economical Guardrail System for Use on Wire-Faced, MSE Walls*, Draft Final Report to the Federal Highway Administration, Central Federal Lands Highway

Division, Research Report No. TRP-03-235-11, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, February 2012.

- Lechtenberg, K.A., Faller, R.K., Sicking, D.L., Rohde, J.R., and Reid, J.D., *Non-blocked, Midwest Guardrail System for Wire-Faced Walls of Mechanically Stabilized Earth*, Paper No. 11-2684, Transportation Research Record No. 2262, <u>Journal of the Transportation</u> <u>Research Board</u>, Transportation Research Board, Washington D.C., January 2011.
- 19. Hinch, J., Yang, T.L., and Owings, R., *Guidance Systems for Vehicle Testing*, ENSCO, Inc., Springfield, Virginia, 1986.
- 20. Center of Gravity Test Code SAE J874 March 1981, SAE Handbook Vol. 4, Society of Automotive Engineers, Inc., Warrendale, Pennsylvania, 1986.
- 21. Society of Automotive Engineers (SAE), *Instrumentation for Impact Test Part 1 Electronic Instrumentation*, SAE J211/1 MAR95, New York City, NY, July, 2007.
- 22. Vehicle Damage Scale for Traffic Investigators, Second Edition, Technical Bulletin No. 1, Traffic Accident Data (TAD) Project, National Safety Council, Chicago, Illinois, 1971.
- 23. Collision Deformation Classification Recommended Practice J224 March 1980, Handbook Volume 4, Society of Automotive Engineers (SAE), Warrendale, Pennsylvania, 1985.
- 24. Bielenberg, R.W., Faller, R.K., Rohde, J.R., Reid, J.D., Sicking, D.L., Holloway, J.C., Allison, E.M., and Polivka, K.A., *Midwest Guardrail System for Long-Span Culvert Applications*, Research Report No. TRP-03-187-07, Final Report to the Midwest States Regional Pooled Fund Program, Project No. SRP-3(017)-Year 15, Project Code RPFP-05-04, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, November 16, 2007.
- 25. Lingenfelter, J.L., Rosenbaugh, S.K., Bielenberg, R.W., Lechtenberg, K.A., Faller, R.K., and Reid, J.D., *Midwest Guardrail System (MGS) with an Omitted Post*, Research Report No. 03-326-16, Report to the Midwest States Regional Pooled Fund Program, Project No. TPF-5(193)-Year25, Project Code RPFP-15-MGS-5, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, January 21, 2016.
- 26. Stolle, C.J., Lechtenberg, K.A., Faller, R.K., Rosenbaugh, S.K., Sicking, D.L., and Reid, J.D., *Evaluation of the Midwest Guardrail System (MGS) with White Pine Wood Posts*, Research Report No. TRP-03-241-11, Final Report to the Wisconsin Department of Transportation, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, March 28, 2011.
- Lechtenberg, K.A., Reid, J.D., Sicking, D.L., Faller, R.K., Bielenberg, R.W., and Rohde, J.R., *Approach Slope for Midwest Guardrail System*, Research Report No. TRP-03-188-08, Final Report to the Midwest States Regional Pooled Fund Program, Project No. SPR-3(017)-Years 14 and 15, Project Code RPFP-04-04 and 05-06, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, December 4, 2008.

- 28. Polivka, K.A., Faller, R.K., Sicking, D.L., Reid, J.D., Rohde, J.R., Holloway, J.C., Bielenberg, R.W., and Kuipers, B.D., *Development of the Midwest Guardrail System (MGS) for Standard and Reduced Post Spacing and in Combination with Curbs*, Research Report No. TRP-03-139-04, Final Report to the Midwest States Regional Pooled Fund Program, Project No. SRP-3(017)-Years 10, and 12-13, Project Code: RPFP-00-02-01 and 03-05, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, September 1, 2004.
- Faller, R.K., Polivka, K.A., Kuipers, B.D., Bielenberg, B.W., Reid, J.D., Rohde, J.R., and Sicking, D.L., *Midwest Guardrail System for Standard and Special Applications*, Transportation Research Record No. 1890, Journal of the Transportation Research Board, TRB AFB20 Committee on Roadside Safety Design, Transportation Research Board, Washington, D.C., January 2004.
- Sicking, D.L., Reid, J.D., and Rohde, J.R., *Development of the Midwest Guardrail System*, Paper No. 02-3157, Transportation Research Record No. 1797, Journal of the Transportation Research Board, TRB AFB20 Committee on Roadside Safety Design, Transportation Research Board, Washington, D.C., January 2004.
- 31. Eller, C.M., Polivka, K.A., Faller, R.K., Sicking, D.L., Rohde, J.R., Reid, J.D., Bielenberg, R.W., and Allison, E.M., *Development of the Midwest Guardrail System (MGS) W-Beam to Thrie Beam Transition Element*, Research Report No. TRP-03-167-07, Final Report to the Midwest States Regional Pooled Fund Program, Project No. SPR-3(017)-Years 11-12 and 16, Project Code RPFP-01-04, 02-05 and 06-04, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, November 26, 2007.
- 32. Rosenbaugh, S.K., Lechtenberg, K.A., Faller, R.K., Sicking, D.L., Bielenberg, R.W., and Reid, J.D., *Development of the MGS Approach Guardrail Transition Using Standardized Steel Posts*, Research Report No. TRP-03-210-10, Final Report to the Midwest States Regional Pooled Fund Program, Project No. SPR-3(017) and TPF-5(193)-Years 18 and 19, Project Code RPFP-08-05 and 09-03, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, December 21, 2010.
- 33. Rosenbaugh, S.K., Schrum, K.D., Faller, R.K., Lechtenberg, K.A., Sicking, D.L., and Reid, J.D., *Development of Alternative Wood-Post MGS Approach Guardrail Transition*, Research Report No. TRP-03-243-11, Final Report to the Midwest States Regional Pooled Fund Program, Project No. TPF-5(193)-Year 19, Project Code RPFP-09-03, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, November 28, 2011.
- 34. Winkelbauer, B.J., Putjenter, J.G., Rosenbaugh, S.K., Lechtenberg, K.A., Bielenberg, R.W., and Faller, R.K., *Dynamic Evaluation of MGS Stiffness Transition with Curb*, Research Report No. TRP-03-291-14, Final Report to the Midwest States Regional Pooled Fund Program, Project No. TPF-5(193)-Years 23 and 24, Project Code RPFP-13-AGT-1 and 14-AGT-1, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, June 30, 2014.

35. Polivka, K.A., Faller, R.K., Sicking, D.L., Rohde, J.R., Bielenberg, R.W., and Reid, J.D., *Performance Evaluation of the Modified G4(1S) Guardrail – Updated to NCHRP 350 Test No. 3-11 with 28" C.G. Height (2214WB-2)*, Final Report to the National Cooperative Highway Research Program, Project No. NCHRP 22-14(2), Research Report No. TRP-03-169-06, Midwest Roadside Safety Facility, University of Nebraska-Lincoln, Lincoln, Nebraska, October 9, 2006.

9 APPENDICES

Appendix A. Material Specifications, Test No. MGSS-1

	Description	Material Specification	Reference
	W6x8.5 [W152x12.6], 72" Long [1829] Steel Post	ASTM A992 Min. 50 ksi [345 MPa] Steel Galv. or W6x9 [W152x13.4] ASTM A36 Min. 36 ksi [248 MPa] Steel Galv.	H#55028671 R#14-0097 Red Paint
	6x12x14 1/4" [152x305x362] Timber Blockout for Steel Posts	SYP Grade No.1 or better	CWNP Invoice: 43270 Charge# 335 Blue Paint
	16D Double Head Nail	-	n/a
	12'-6" [3810] W-Beam MGS Section	12 gauge [2.7] AASHTO M180 Galv.	H#4614 AND H#3390
	6'-3" [1905] W-Beam MGS Section	12 gauge [2.7] AASHTO M180 Galv.	Red Paint R# 12-0368 ''WB2'' H# 515691
	12'-6" [3810] W-Beam MGS End Section	12 gauge [2.7] AASHTO M180 Galv.	H# 4614
	BCT Timber Post - MGS Height	SYP Grade No. 1 or better (No knots, 18" [457] above or below ground tension face)	Green Paint
	72" [1829] Long Foundation Tube	ASTM A500 Grade B Galv.	H# Y85912 R# 090453-7
	Strut and Yoke Assembly	ASTM A36 Steel Galv.	Req# 090453-8
	BCT Cable Anchor Assembly	3/4" [19] 6x19 IWRC IPS Galvanized Wire Rope	Green Paint
	Anchor Bracket Assembly	ASTM A36 Steel Galv.	H# V911470 "A2" Black Paint
	8"x8"x5/8" [203x203x16] Anchor Bearing Plate	ASTM A36 Steel Galv.	H#6106195 R#090453-9
78	2 3/8" [60] O.D. x 6" Long [152] BCT Post Sleeve	ASTM A53 Grade B Schedule 40 Galv.	H# 280636 R# 09-0458
	5/8" [16] Dia. UNC, 14" [356] Long Guardrail Bolt and Nut Bolt	ASTM A307 Galv., Nut ASTM A563 A Galv.	H# 6600679 Yellow Paint/ L# 22191 R# 12-0368 Red Paint/ L# 22191 R# 12-0348 Blue Paint
	5/8" [16] Dia. UNC, 1 1/4" [32] Guardrail Bolt and Nut Bolt	ASTM A307 Galv., Nut ASTM A563 A Galv.	BOLT: H#20206310 R#13-0029 NUT: H#20207480_R#13-0029
	5/8" [16] Dia. UNC, 10" [254] Long Guardrail Bolt and Nut Bolt	ASTM A307 Galv., Nut ASTM A563 A Galv.	L#130809L R#14-0207 Green Paint
	5/8" [16] Dia. UNC, 1 1/4" [38] Long Hex Head Bolt and Nut Bolt	ASTM A307 Galv., Nut ASTM A563 A Galv.	H#C1007000023 LOT#JW1101045 Rollform Supply
	5/8" [16] Dia. UNC, 10" [254] Long Hex Head Bolt and Nut Bolt	ASTM A307 Galv., Nut ASTM A563 A Galv.	Blue Paint R#12-0098 H#780337
	7/8" [22] Dia. UNC, 8" [203] Long Hex Head Bolt and Nut Bolt	ASTM A307 Grade A Galv., Nut ASTM A563 A Galv.	R# 12-0037 BOLT: H# 04-3280n NUT: L# 1N1030101 H# 10100058-3
	5/8" [16] Dia. Plain Round Washer	ASTM F844 Galv.	Yellow Paint H# 09420734
	7/8" [22] Dia. Plain Round Washer	ASTM F844 Galv.	R# 12-0037 H#82800072 L#HO1788740 (HILLMAN COC)

Figure A-1. Bill of Materials, Test No. MGSS-1

		CUSTOMER SH	IP TO	CUS	OMER BILL TO			GRADE		APE / SIZE	
GÐ GER	DAU	HIGHWAY SA 473 W FAIRG		HIG	HWAY SAFETY	CORP	2	A992/A709-36	Wid	e Flange Beam /6 X	C 8.5#
JS-ML-CARTERSVILLE		MARION,OH		GLA USA	STONBURY,CT	06033-0358		LENGTH 42'00"		WEIGHT 37,485 LB	HEAT / BATCH 55028671/02
34 OLD GRASSDALE ROA ARTERSVILLE, GA 30121 SA		SALES ORDE 448220/00002		c				SPECIFICATION / DA 1-ASTM A6/A6M-11 2-A992/A992M-11	TE or REVIS	HON	B
CUSTOMER PURCHASE ORDER NUMBER 01562143 IB-B0600800			BILL OF LA 1323-000000		DATE 07/17/2013			3-A709/A709M-11 4-A36/A36M-08			
CHEMICAL COMPOSITION C Ma % % 0.14 0.90	P % 0.015	S % 0.020	Si %	Cu % 0.29	Ni % 0.10	Cr %	Mo % 0.034	V % 0.016	Nb % 0.002	N 94 0.0090	126 56 0.0080
CHEMICAL COMPOSITION Sn % 0.012											
MECHANICAL PROPERTIES Blong. % 20.20 22.10	8	97L ach 000 000	74	TS SI 300	UI MB 51 51	2		YS 0.2% PSI 50900 54800		YS MPa 351 378	
COMMENTS / NOTES											

The above figures are certified chemical and physical test records as contained in the permanent records of company. This material, including the billets, was melted and manufactured in the USA. CMTR complies with EN 10204 3.1.

 What was a set of the USA and the USA are contained in the permanent records of company. This material, including the billets, was melted and manufactured in the USA and the USA and the USA and the USA and the USA are complete with EN 10204 3.1.

 What was a material of the USA and the USA and the USA are complete with the USA and the USA are complete with the USA and the USA are complete with the USA are

Figure A-2. Steel Posts, Test No. MGSS-1

-			CENTRAL NEBRASKA WOOD PRESERVER P. O. Box 630 • SI	utton, NE 689	179					
			Pone 402-7 FAX 402-7							
					C	WNP II	ivoice <u>4</u> .	3270		
						Shipp	ed To MIA	west Meth	indy	
					c	Custom	er PO _2	589-2		
			entral Nebraska V Certification			s, In	с.			
	Date:	5/	8/12	-						
Specific	ations:	Highw	av Construction Use	_						
Preservative: <u>CCA - C 0.60 pcf</u>										
Prese	rvative: _	<u>C</u> (CA - C 0.60 pcf	-						
Preser Charge #	Date Treated	<u>C</u> (Grade	CA – C 0.60 pcf Material Size, Length & Dressing	# Pieces	White Moisture Readings	≓of	netration Borings & onforming	Actual Retentio % Conform	11.5	
Charge	Date		Material Size,	# Pieces	Moisture	≓of	Borings &	Retentio	ns ning	
Charge #	Date Treated	Grade	Material Size, Length & Dressing		Moisture Readings	# of % C	Borings & onforming NUC	Retentio % Conform .657 pcf	ns ning	
^{Charge} # 335	Date Treated	Grade M€A*1	Material Size, Length & Dressing GXIA - 14" RgH	732	Moisture Readings /8 G	# of % C %0	Borings & onforming 90% 95%	Retentio % Conform .657 pcf	ns ning	
^{Charge} # 335 <i>334</i>	Date Treated 5/3/12- 4/20(12-	Grade MGA#1 MGA #1	Material Size, Length & Dressing GXIA - 14" Roff GXIA - 19" Adopt. Roff	-732 36	Moisture Readings 18%	# of % C %0	Borings & onforming 90% 95%	Retentio % Conform .657 pcf	ns ning	
^{Charge} # 335 <i>334</i>	Date Treated 5/3/12- 4/20(12-	Grade MGA#1 MGA #1	Material Size, Length & Dressing GXIA - 14" Roff GXIA - 19" Adopt. Roff	-732 36	Moisture Readings 18%	# of % C %0	Borings & onforming 90% 95%	Retentio % Conform .657 pcf	ns ning	
Charge # 335 334 332	Date Treated 5/3/12- 4/20(12- 4/19/12-	Grade M&A #1 M&A #1 M&A #1	Material Size, Length & Dressing GXIA - 14" Roff GXIA - 19" Adopt. Roff	732 36 176	Moisture Readings 18%	# of % C %0	Borings & onforming 90% 95%	Retentio % Conform .657 pcf	ns ning	

Figure A-3. Wood Blockouts, Test No. MGSS-1



Figure A-4. 16D Double Head Nail, Test No. MGSS-1

Customer:	UNIVERS 401 CANF P O BOX (LINCOLN)	IELD AD! 880439	IN BLOG			4	ORY HIGHW/ 100 13th St. I anton, Ohio 4 Test Report B.O.L.# Customer P.O.: Shipped to: Project :	P.O. Box 8 4708 15808 VERBAL JC UNIVERSIT STOCK			HIPPED: ¹	09/27/05		RECEIVED OCT 0 5 2005 UNL FMP	83/89/2889 14:21
HEAT # 3390	с. 0.21	Mn. 0.8	P. 0.013	S. 0.007	5i. 0.01	Tensile 81680	GHP Order No.: Yield 82520	44822 Elong. 20.76	Quantily 180	Class	Type 2		Description 12GA 12FT6IN/3FT1 1/2I	N WB T2	4824722822
															MURDE
•	Nuts comp All other g All steel ut All Guard	by with As alvanized sed in the rall and T nd Nuts a tar deni of Sa	STM A-563 material o manufactu re of Dome	arkeling	ions and a lih ASTM-1 mestic Ori ets A <u>ASH</u> T	e galvanized 23.8 ASTM - 36. Made 40 0 M Tee Alt	in accordance wi in accordance wi sze (Milled in the U structural steel m (N)	Ih ASTM A-1	53, unless othe	o STATE OF C Swom to an Andrew Anar Dawn R. Balt Notary Public	OHIO: COL di subscribe this 28th dan UNL	RE	Notary Public, by 2005 ALTOU	_	PAGE 01

Figure A-5. MGS W-Beam 12-ft – 6-in. (3.8-m) Section, Test No. MGSS-1

82

2009 GREGORY HIGHWAY PRODUCTS, INC. 4100 13th St. P.O. Box 80508 1 Canton, Ohio 44708 -MAY Test Report DATE SHIPPED: 05/07/09 B.O.L.# 39963 Customer: "UNIVERSITY OF NEBRASKA-LINCOLN Customer P.O. 4500204081/ 04/06/2009 401 CANFIELD ADMIN BLDG Shipped to: UNIVERSITY OF NEBRASKA-LINCOLN P O BOX 880439 TEST PANELS LINCOLN, NE. 68588-0439 Project : GHP Order No 105271 Description Yield Elong. Quantity Class HT # code C. Mn. P. S. Si. Tensile Type 12GA 12FT6IN/3FT1 1/2IN WB T2 89432 67993 19.8 160 0.84 0.011 0.003 0.03 A 4614 0.21 Bolts comply with ASTM A-307 specifications and are galvanized in accordance with ASTM A-153, unless otherwise stated. Nuts comply with ASTM A-563 specifications and are galvanized in accordance with ASTM A-153, unless otherwise stated. All other galvanized material conforms with ASTM-123 & ASTM-525 All steel used in the manufacture is of Domestic Origin, "Made and Melted in the United States" All Guardrall and Terminal Sections meets AASHTO N-180, All structural steel meets AASHTO M-183 & M270 All Bolts and Nuts are of Domestic Origin All material fabricated in accertifiance with Nebraska Department of Transportation STATE OF OHIO: COUNTY OF STARK All controlled oxidized/certosion resistant Gueraral and terminal sections meet ASTM A606, Type 4. Sworn to and subscribed before me, a Notary Public, by un Andrew Artar this 8th day of May, 2009. By: Andrew Artar Vice President of Sales & Marketing Gregory Highway Products, Inc. Notary Public, State of Ohio CYNTHIA K. CRAWFORD Notary Public, State of Ohio My Commission Expires 09-16-2012

Figure A-6. MGS W-Beam 12-ft – 6-in. (3.8-m) Section, Test No. MGSS-1

inity Highway Products , LLC Order Number: 1164746 0 East Robb Ave. Order Number: 1164746 na, OH 45801 Customer PO: 2563 stomer: MIDWEST MACH.& SUPPLY CO. BOL Number: 69500 P. O. BOX 703 Document #: 1 Shipped To: NE MILFORD, NE 68405 Oject: RESALE Use State: KS Oject: RESALE Spec CL TY Heat Code/Heat # Yield TS Elg C MILFORD, NE 68405 0.000 0.000 0.740 0.000 0.740 0.000 0.740 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000
na, OH 45801 Customer PO: 2563 As of: 5/16/12 Istomer: MIDWEST MACH.& SUPPLY CO. BOL Number: 69500 P. O. BOX 703 Document #: 1 Shipped To: NE MILFORD, NE 68405 Use State: KS oject: RESALE Qty Part # Description Spec CL TY Heat Code/ Heat # Yield TS Elg C Ma P S Si Cu Cb Cr Va
na, OH 45801 Customer PO: 2563 As of: 5/16/12 Istomer: MIDWEST MACH.& SUPPLY CO. BOL Number: 69500 P. O. BOX 703 Document #: 1 Shipped To: NE MILFORD, NE 68405 Use State: KS oject: RESALE Qty Part # Description Spec CL TY Heat Code/ Heat # Yield TS Elg C Ma P S Si Cu Cb Cr Va
As of: 5/16/12 As of: 5/16/12 Shipped To: NE MILFORD, NE 68405 Oject: RESALE Qty Part # Description Spec CL TY Heat Code/Heat # Yield TS Elg C Ma P S Si Cu Cb Cr Va
P. O. BOX 703 Document #: 1 Shipped To: NE MILFORD, NE 68405 Use State: KS oject: RESALE Qty Part # Description Spec CL TY Heat Code/Heat # Yield TS Elg C Ma P S Si Cu Cb Cr Va
Shipped To: NE MILFORD, NE 68405 oject: RESALE Qty Part# Description Spec CL TY Heat Code/Heat# Yield TS Elg C Ma P S Si Cu Cb Cr Va
MILFORD, NE 68405 Use State: KS oject: RESALE Qty Part# Description Spec CL TY Heat Code/Heat# Yield TS Elg C Ma P S Si Cu Cb Cr Va
MILFORD, NE 68405 Use State: KS oject: RESALE Qty Part# Description Spec CL TY Heat Code/Heat# Yield TS Elg C Ma P S Si Cu Cb Cr Va
oject: RESALE Qty Part# Description Spec CL TY Heat Code/Heat# Yield TS Elg C Ma P S Si Cu Cb Cr Va
Qty Part# Description Spec CL TY Heat Code/Heat# Yield TS Elg C Ma P S Si Cu Cb Cr Vi
M-180 A 2 4111321 63,100 80,200 29.0 0,210 0,710 0,009 0,007 0,010 0,030 0,000 0,030 0,00
M-180 A 2 515659 67,000 75,200 26.0 0.064 0.790 0.012 0.008 0.022 0.000 0.025 0.00
M-180 A 2 515660 66,800 74,300 27.0 0.064 0.740 0.012 0.006 0.009 0.017 0.000 0.025 0.00
M-180 A 2 515662 63,900 72,900 28.0 0.064 0.770 0.010 0.006 0.009 0.016 0.000 0.025 0.00
M-180 A 2 515663 64,900 76,500 21.0 0.064 0.740 0.009 0.007 0.023 0.000 0.026 0.00
M-180 A 2 515668 66,700 75,500 27.0 0.063 0.770 0.014 0.007 0.010 0.024 0.000 0.030 0.00
M-180 Å 2 515668 70,200 80,800 21.0 0.063 0.770 0.014 0.007 0.010 0.024 0.000 0.030 0.00
M-180 A 2 515669 64,500 74,100 26.0 0.063 0.790 0.014 0.007 0.009 0.017 0.000 0.028 0.00
M-180 A 2 515687 63,400 74,100 30.0 0.068 0.750 0.012 0.010 0.008 0.025 0.000 0.060 0.0
M-180 A 2 515687 65,100 74,400 28.0 0.068 0.750 0.012 0.010 0.008 0.025 0.000 0.060 0.01
. M-180 A 2 515690 63,000 71,800 27.0 0.059 0.720 0.010 0.008 0.013 0.024 0.000 0.042 0.00
M-180 A 2 515696 62,900 72,500 28.0 0.058 0.740 0.013 0.008 0.011 0.029 0.000 0.046 0.00
M-180 A 2 515696 63,900 73,400 29.0 0.058 0.740 0.013 0.008 0.011 0.029 0.000 0.046 0.01
M-180 A 2 515700 67,800 77,700 28.0 0.065 0.800 0.013 0.009 0.012 0.036 0.000 0.035 0.00
M-180 A 2 616068 62,900 71,600 27.0 0.061 0.740 0.013 0.010 0.012 0.027 0.000 0.064 0.01
M-180 A 2 616068 66,700 74,200 30.0 0.061 0.740 0.013 0.010 0.012 0.027 0.000 0.064 0.00
M-180 A 2 616071 64,000 74,000 28.0 0.061 0.760 0.016 0.007 0.011 0.021 0.000 0.028 0.0
M-180 A 2 616072 63,800 74,200 29:0 0.066 0.750 0.014 0.009 0.010 0.026 0.000 0.039 0.0
M-180 A 2 616073 63,900 73,300 27.0 0.064 0.760 0.016 0.009 0.012 0.024 0.000 0.041 0.0 M-180 A 2 616073 65.000 74.500 28.0 0.064 0.760 0.016 0.009 0.012 0.024 0.000 0.041 0.0
M-180 A 2 616073 65,000 74,500 28.0 0.064 0.760 0.016 0.009 0.012 0.024 0.000 0.041 0.0 30 60G 12/25/6'3/S M-180 A 2 4111321 63,100 80,200 29.0 0.210 0.710 0.009 0.007 0.010 0.030 0.00 0.030 0.00
M-180 A 2 515656 63,600 73,600 27.0 0.066 0.720 0.012 0.006 0.011 0.021 0.000 0.026 0.0
M-180 A 2 515658 64,800 74,300 26.0 0.069 0.740 0.010 0.006 0.011 0.022 0.000 0.021 0.0
M-130 A 2 515659 67,000 75,200 26.0 0.064 0.790 0.012 0.008 0.022 0.000 0.025 0.0
M-180 A 2 515663 64,900 76,500 21.0 0.064 0.740 0.009 0.007 0.002 0.000 0.026 0.0
l of 4

Figure A-7. MGS W-Beam 6-ft – 3-in. (1.9-m) Section, Test No. MGSS-1

August 22, 2016 MwRSF Report No. TRP-03-320-16

2009 **GREGORY HIGHWAY PRODUCTS, INC.** 4100 13th St. P.O. Box 80508 1 Canton, Ohio 44708 AV Test Report DATE SHIPPED: 05/07/09 UNIVERSITY OF NEBRASKA-LINCOLN B.O.L. # 39963 Customer: Customer P.O. 4500204081/ 04/06/2009 401 CANFIELD ADMIN BLDG Shipped to: UNIVERSITY OF NEBRASKA-LINCOLN P O BOX 880439 TEST PANELS Project : LINCOLN, NE. 68588-0439 GHP Order No 105271 Elong. Description Yield Quantity Class Type HT # code C. Mn. P. S. SI. Tensile 12GA 12FT6IN/3FT1 1/2IN WB T2 160 4614 0.21 0.84 0.011 0.003 0.03 89432 67993 19.8 A 2 Bolts comply with ASTM A-307 specifications and are galvanized in accordance with ASTM A-153, unless otherwise stated. Nuts compty with ASTM A-563 specifications and are galvanized in accordance with ASTM A-153, unless otherwise stated. All other galvanized material conforms with ASTM-123 & ASTM-525 All steel used in the manufacture is of Domestic Origin, "Made and Melted in the United States" All Guardrail and Terminal Sections meets AASHTO M-180, All structural steel meets AASHTO M-183 & M270 All Bolts and Nuts are of Domestic Origin All material fabricated in accordance with Nebraska Department of Transportation All controlled oxidized/corrocion resistant Guardrait and terminal sections meet ASTM A606, Type 4. STATE OF OHIO: COUNTY OF STARK Sworn to and subscribed before me, a Notary Public, by alar. Andrew Artar this 8th day of May, 2009. By:_ Andrew Artar Vice President of Sales & Marketing Gregory Highway Products, Inc. Notary Public, State of Ohio CYNTHIA K. CRAWFORD Notary Public, State of Ohio My Commission Expires 09-16-2012

Figure A-8. MGS W-Beam End Section, Test No. MGSS-1

				Pone 402- FAX 402-		07.0			
						C	VNP In	voice _4	6258
									wat wethin .
						c	ustome	er PO _2	751
		C	entral Neb	raska '	Wood Pr	eserver	s. In	c.	
					n of Insp		,		1000
	Date:	3	5/10/13						Ro.
Specifi	cations:	Highw	vav Constructio	on Use					
12	rvative:		CA - C 0.60 p		_				
					-				
Charge #	Date Treated	Grade	Material Length & I		# Pieces	White Moisture Readings	# of	netration Borings & onforming	Actual Retentions % Conforming
431	4/26/13	MF6) #1	6×8-6.5	SHS	210	18%		90%	-647 pet
USI	4/26/13	MFG #1	6×8-23"	545	96	18%	30	90%	-647 pet
433	5/2/13	MPG	628-14"		75	17%	1/20	95%	.618 pct
433	5/2/13	MO	6,18-46"	545	48	17%	1/20	95%	-618 pcf
433	slaliz	MF67	618-19"	' RgH	60	17%	30	95%	-618 pet
		rejecte	d and reason	for reject	ion:				
Nore									

Figure A-9. BCT Timber Posts, Test No. MGSS-1

Certified Analysis

Order Number: 1108107

Customer PO: 2132

Document #: 1 Shipped To: NE

BOL Number: 48341

Use State: K.S



As of: 5/22/09

Qty	Parts	Description	Spee	CL	TY	Heat Code/ Rest #	Yield	75	Eig	с	Min	P	s	Si	Ca	G	Cr	Va I	ACW
		and a second	M-	183 A	2	C49037	64,680	88,600	21.2	0.210	0.840	0.010	0.000	0.030	0.080	0.000	0.060	0.010	\$
25	736G	SVFURE SL/.188"X5"X8"FLA	A-500) .		¥85912	56,500	72,980	37.0	0.210	0.770 (3.089 ().006	0.016	0.010	0.00	0.020	0.001	4
6	742G	60 TUBE \$1/.188X8X6	A-500	1		Y85912	56,500	72,980	37.0	0.210	0.770 (0.089 (0.006	0.016	0.010	0.08	0.020	0.001	4
26	764G	1/4"X24"X24"SOIL PLATE	A-36			120039	46,660	73,630	26.9	0.190	0.520	0.012	0.003	0.020	0.090	9.00	0.040	0.030	4
12	923G	BRONSTAD 98" W/O	M-180	A	2	F22209	63,590	82,010	26.6	0.190	0.730	0.015 (0.004	0.020	0.110	0.00	0.040	0.000	4
4	927G	10/END SHOE/EXT	M-181) B	2	A814375	59,770	78,641	27.4	0.210	0.750	0.017	0.005	0.030	0.090	0.00	8.036	0.002	4

-3288	Finandalizzation all materials subjects which filters and the TTO General Octo Dation Date TO 000	
761-	Upon delivery, all materials subject to Trinity Highway Products, LLC Storage Stain Policy No. LG-002.	
	ALL STEEL USED WAS MELTED AND MANUFACTURED IN USA AND COMPLIES WITH THE BUY AMERICA ACT.	
462	ALL GUARDRAIL MEETS AASHTO M-180, ALL STRUCTURAL STEEL MEETS ASTM A36 ALL GALVANIZED MATERIAL CONFORMS WITH ASTM-123, UNLESS OTHERWISE STATED.	
98 98	BOLTS COMPLY WITH ASTM A-307 SPECIFICATIONS AND ARE GALVANIZED IN ACCORDANCE WITH ASTM A-153, UNLESS OTHERWISE STATED.	
	NUTS COMPLY WITH ASTM A-563 SPECIFICATIONS AND ARE GALVANIZED IN ACCORDANCE WITH ASTM A-153, UNLESS OTHERWISE STATED.	
15	34" DIA CABLE 6X19 ZINC COATED SWAGED END AISI C-1035 STEEL ANNEALED STUD I" DIA ASTM 449 AASHTO M39, TYPE II BREAKING	
5	STRENGTH - 49100 LB	
28	State of Ohio, County of Allen. Swom and subscribed before me this 22nd day of May, 2009 Tvinity High Way Products, LLC	
36/84/2889	Notary Public: Jun Openline Certified By: MATHINGS	
36/	Commission Expires // 28 17012 Quality Assurance	
-		of 3

Figure A-10. Foundation Tubes, Test No. MGSS-1

46/52

PAGE

MIDWEST MACHINERV

Trinity Highway Products, LLC

STOCK

Customer: MIDWEST MACH & SUPPLY CO.

LINCOLN, NE 68501-1097

P. O. BOX 81097

425 E. O'Connor

Lina, OR

Project;

4 of 7

€25 E. O'C Lima, OH	Opmor							· ·
	MIDWEST MACH.& SUPPLY CO. P. O. BOX 81097	Sales Order: Customer PO: BOL # Document #	2030 43073	Ship	nt Date: Project: ped To: s State:	RESALE		
	LINCOLN, NE 68501-1097							
			nity Highway P					
	Certificate C	-		Inc. ** SLOTTED	RAIL TH	ERMINAL **		
		NC	HRP Report 35	0 Compliant				
Pieces	Description							
64	5/8"X10" GR BOLT A307	- St Williamson and graphers with series with the part	unarð Eftannin anið skirðað fra Stóla Maðina Maðinna sa		, and the distance of the second			
192	5/8"X18" GR BOLT A307							
32	1" ROUND WASHER F844 1" HEX NUT A563							
: 192	WD 60 POST 6X8 CRT					A	IGSBR	
192	WD BLK 6X8X14 DR		*.			1	IGSDK	
64	NAIL 16d SRT							
- 64	WD 3'9 POST 5.5X7.5 BAND							
132	STRUT & YOKE ASSY					-		
128 32	SLOT GUARD '98 3/8 X 3 X 4 PL WASHER					Groun	d Strut	
	JIGAJATEL WASHER							
							090453-	8
Jpon delive	ery, all materials subject to Trinity Highway	Products , LLC Stors	ge Stain Policy No	. LG-002.				
2010	L USED WAS MELTED AND MANUFAG							
5								
-10 0								
arree	LUSED WAS MELTED AND MANUFAC	CTURED IN USA AN	ID COMPLIES W	TH THE BUY AME	RICA AC	T		
LL GUAR	RDRAIL MEETS AASHTO M-180, ALL S	TRUCTURAL STEE	L MEETS ASTM	A36		-		
JL OTHE	R GALVANIZED MATERIAL CONFOR	MS WITH ASTM-12	3.					
MOLTS CO	MPLY WITH ASTM A-307 SPECIFICAT	IONS AND ARE GA	LVANIZED IN A	CCORDANCE WITH	I ASTM	A-153, UNLESS OTH	IERWISE STATED.	
அராs con	APLY WITH ASTM A-563 SPECIFICATE	ONS AND ARE GAL	VANIZED IN AC	CORDANCE WITH	ASTM A-	-153, UNLESS OTHE	RWISE STATED.	
4" DIA CA	BLE 6X19 ZINC COATED SWAGED END	AISI C-1035 STEEL AN	INEALED STUD 1	DIA ASTM 449 AAS	HTO M30	O, TYPE II BREAKING	A '	
TRENOTH	- 49100 LB o, County of Allen. Swom and Subscribed befor	and the second second				11	11 10	
	, councy of Allen. Sworn and Subscribed beion	ome una som day of h	ine, 2008	Trinity Highway P	Inadanata 3	uch at	NO.K	
8	malin ma	(\mathcal{H})		Certified By:	TOTHCES')	m I INUKU	L'UM D	
g ctary Publ				Connes Dy,		K		
ommina sirve	Remirae ELA VALDAL	L						2 of 4

Figure A-11. Strut and Yoke Assembly, Test No. MGSS-1

						2											
						Certifi	ed Analy	sis							They have	ay Produ	35-14
rinity Hi	ghway P	roducts, LLC					8	80 -									
50 East R	lobb Av	. 1				Orde	r Number: 114521:	5									8.
						27	tomer PO: 2441										
ima, OH 4														A	s of: 4/15/1	£.	
Customer:	MIDW	EST MACH.& SUPPLY C	Ο.			BOI	Number: 61905										
	P. O. E	IOX 703				Do	cument #: 1										
						Sh	nipped To: NE										
	MILEC	DRD, NE 68405					Use State: KS										
		200					oso otale, reg										
Project:	RESA	LE						1								diana.	
Qty	Part \$	Description	Spec	CL	TY	Heat Code/ Heat #	Vield	TS	Elg	с	Mn	P S	Si	Cu	Ch Cr	Vn	ACI
10	206G	T12/6'3/S	M-180	A	2	140734	64,240	82,540	26.4 0	- 20	2003	.015 0.006	0808		0.00 0.050		4
			M-180	A	2	139587	64,220	81,750	28.5	0,190	0.720	0.014 0.003	0.020	0.130	0.000 0.060	0.002	4
	82		M-180	A	2	139588	63,850	\$2,080	24.9	0.200	0.730	0.012 0.004	0.020	0.140	0.000 0.050	0.002	4
			M-180	A	2	139589	\$5,670	74,810	27.7	0.190	0.720	0.012 0.003	0.020	0.130	0.000 0.060	0.002	4
			M-180	A	2	140733	59,000	78,200	28.1	0.190	0.740	0.015 0.006	0.010	0,120	0.000 0.070		
55	260G	T12/25/6'3/S	M-180	Á	2	139588	63,850	82,080	24.9 0	.200	0.730 0	0.012 0.004	0.020	0.140	0.00 0.050	0.002	4
			M-180	A	2	139206	61,730	78,580	26.0	0.180	0.710	0.012 0.004	0.020	0.140	0.000 0.05	0.001	4
			M-180	A	2	139587	64,220	81,750	28.5	0.190	0.720	0.014 0.003	0.020	0.130	0.000 0.06	0.002	1 4
			M-180	A	2	140733	59,000	78,200	28.1	0.190	0.740	0.015 0.006	0.010	0.120	0.000 0.07	100.0 0	4
		8	M-180	A	2	140734	64,240	82,640	26.4	0.190	0.740	0.015 0.006	0.010	0.110	0.000 0.06	0.000	1 4
	260G	*	M-180	A	2	140734	64,240	\$2,640	26.4 (0.190	0.740 0	0.015 0.006	0.010	0.110	0.00 0.060	0.000	4
			M-180	Α	2	139587	64,220	81,750	28.5	0.190	0.720	0.014 0.003	0.020	0.130	0.000 0.06	0.002	2 4
			M-180	A	2	139588	63,850	\$2,080	24.9	0.200	0.730	0.012 0.004	0.020	0.140	0.000 0.05	0 0.007	2 4
			M-180	A	2	139589	55,670	74,810	27.7	0.190	0.720	0.012 0.003	0.020	0,130	0.000 0.06	0 0.001	2 4
			M-180	A	2	140733	59,000	78,200	28.1	0.190	0.740	0.015 0.004	0.010	0.120			
26	701A	.25X11.75X16 CAB ANC	A-36			V911470	51,460	71,280	27.5	0.120	0.800	0.015 0.030	0.190	0.300	0.00 0.090	0.023	4
	701A		A-36			N3540A	46,200	65,000	31.0	0.120	0.380	0.010 0.019	0.010	0.180	0.00 0.070	0.001	4
24	729G	TS 8X6X3/16X8'-0" SLEEVE	A-500			N4747	63,548	85,106	27.0	0.150	0.610	0.013 0.001	0.040	0.160	0.00 0.160) 9.004	4
24	749G	TS 8X6X3/16X6'-0" SLEEVE	A-500			N4747	63,548	85,106	27.0	0.150	0.610	0.013 0.001	0.040	0,160	0.00 0.160	0.004	4
22	782G	5/5"X8"X8" BEAR PL/OF	A-36			18486	49,000	78,000	25.1	0.210	0.860	0.021 0.036	0.250	0.260	0.00 0.170) 0.014	4
25	974G	T12/TRANS RAIL/6'3"/3'1.5	M-180	Α	2	140735	61,390	80,240	27.1	0.200	0.740	0.014 0.005	0.010	0.120	0.00 0.070	0.001	4
															1	of 2	

Figure A-12. Anchor Bracket Assembly, Test No. MGSS-1

A A A A A A A A A A A A A A A A A A A
of: 6/20/08
-
Cb Cr Vo ACW
000 0.050 0.000 4
600 0.040 0.052 4
000 0.060 0.021 4
050 0.070 0.006 4
000 0.100 0.000 4
TATED.
nal.a

Figure A-13. Anchor Bearing Plate, Test No. MGSS-1



Figure A-14. BCT Post Sleeve, Test No. MGSS-1

901 STE MILTON	EELES AVENUE I	EAST 5H3	670-2506, TOLL FREE:	REGISTERE	9001 D COMPANY		
FIGAL	. (803) 010-2000			OF CONFORMANC	E		
CUSTO	OMER	: ROLL	FORM GROUP	OUR PACKING SLIP NO:	: 66192		
CUSTO	MER PO NO	: 18329		OUR INVOICE NO:	:		
ITEM SIZE HEAT NO		: GUARD	RAIL BOLT	SUPPLIER INVOICE NO	: HSW07046		
		: 5/8" - 1	1 x 14" H.D.G	BULK LOT NO / PO No.	: 1017		
		: 660067	9	: 12-Jun-07			
No	Test	Item	Specs /	Result			
1	Appearance	9	Per ASTM F 81	2-95	OK		
2	Thread		Go & No Go an	d P.D & M.D	OK		
3	Mark				307 A N		
4	Coating Thi	ickness	CSA-CSAG-164-M Cla	ss 5(Min 65um or 2.54 mills)Avg.	70.8		
5	Mass of Co	ating	CSA-CSAG-164-M Cla	ss 5(Min 460g/m2 or 1.5 oz/R2)Avg.	505.3		
			Head Diameter	(31.80-34.85)	32.36-33.51		
			Head Height(7.)		8.62-9.39		
6	Dimensions		Shoulder Width	O(22.25-23.77)	22.68-23.21		
•	Dimensiona	•	Shoulder Width	V(15.08-16.66)	15.76-16.33		
			Shoulder Depth	5.61-6.01			
			Length(351.03-	359.15)	353.77-355.20		
7	Tensile Stre	ength	Min 60,000 PSI		61,500-64,000 P		
8	and the second se		Per ASTM (A30)7)	OK		

Material Chemical Composition:

С	Si	Mn	P	S
%	%	%	%	%
0.12	0.18	0.46	0.028	0.02

Hot Dip Galvanizing Inspection Certificate: (Tes	t Standard	CSAG-16
--	------------	---------

(Test Standard CSAG-164-M class 5)

Test of No.	Weight of coating test											
1	70	73	70	69	72	72	71.0	506.9				
2	72	68	72	72	68	72	70.7	504.6				
3	69	72	70	68	72	72	70.5	503.4				
4	71	70	71	72	69	71	70.7	504.6				
5	72	70	72	72	71	69	71.0	506.9				
Average of The Average							70.8	505.3				

Muhammad Ashraf

905-670-2503 ext 328 16 Aug 2011

2-0063-11X1400°SGUG (HSW07046) WO# 11165 PPS# 66192 CustPO# 18329 Aug16-2011

Figure A-15. 5% in. Dia. UNC, 14 in. Long Guardrail Bolt, Test No. MGSS-1

							35
			1. 1. 1. 1. T.	70			
		INSPECTIO	ON CERTIFICATE				
		126 N	BOLT & STEEL CO. MLL STREET ORD, IL 61101			1	
		815-968-0514	FAX# 815-968-3111				
CUSTOMER NAM	E: TRINIT	Y INDUSTRIES					
CUSTOMER P.O.	: 1	43227	- 14 - 15 - 14				
INVOICE #:	946256		DATE SHIPPED:	6/20/11			
LOT #:	22191			2.1			
SPECIFICATION:	ASTM	A307, GRADE A M	ILD CARBON STEEL BO	OLTS			
	TENSIL	E RESULTS:	SPECIFICATION 60,000 min.	ACTUAL 81,460 70 81,389 70),642 76,8),341 76,62		
	HARDN	IESS RESULTS:	SPECIFICATION 100 MAX	80.63 8	3.90 84.0 7.90 85.0	0	
COATING: AST	M SPECIFICATI	ON F2329 HOT DI	IP GALVANIZE	10	10		
COATING: AST		ON F2329 HOT DI			-		, 1
	R: NUCO	R, CHARTER, NI	JCOR	s analise discontration			**
STEEL SUPPLIER	to1335, 1013	R, CHARTER, NI 2120, NF111013	JCOR	1 - X - 2			
STEEL SUPPLIER HEAT NO. NF11 QUANTITY AND D	R: NUCO 101335, 1013 DESCRIPTION: 5/6" X 14" GUA	R, CHARTER, NI 2120, NF111013	JCOR		900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900 - 900		**
STEEL SUPPLIEF HEAT NO. NF11 QUANTITY AND E 18,900 PCS P/N 3 WE MEREBY CERTIFY THE AND MANUFACTURED IN BY THE MATERIALS SUPP	R: NUCOI 101335, 1013 DESCRIPTION: 5/6" X 14" GUA 540G ABOVIE BOLTS HAV THE U.S.A. WE FUR LIER, AND THAT OUR	R, CHARTER, NU 2120, NF111013 RD RAIL BOLT E BEEN MANUFACTURE THER CERTIFY THAT TH PROCEDURES FOR TH	JCOR	TATION OF INFORM	ATION PROVIE TALL ITEMS		
STEEL SUPPLIEF HEAT NO. NF11 QUANTITY AND D 18,900 PCS P/N 3 WE HIGRERIY CERTIFY THE AND MANUFACTURED INT BY THE MATERIALS SUPP FURNISHED ON THIS ORD	R: NUCOI 101335, 1013 DESCRIPTION: 5/6" X 14" GUA 540G HABOVE BOLTS HAV DIE U.S.A. WE FUR LIER, AND THAT OUR ER MEET OR EXCEE	R, CHARTER, NU 2120, NF111013 RD RAIL BOLT E BEEN MANUFACTURE THER CERTIFY THAT TH PROCEDURES FOR TH D ALL APPLICABLE TES	JCOR 36 10 BY ROCKFORD BOLT AND ST 115 DATA IS A TRUE REPRESEN 12 CONTROL OF PRODUCT OW TS, PROCEESS, AND INSPECTIO WILL A WILL AUDIDA MIL	TATION OF NEORIAN AUTY ASSURE THAN N REQUIREMENTS	ATION PROVIE TALL ITEMS		
STEEL SUPPLIEF HEAT NO. NF11 QUANTITY AND D 18,900 PCS P/N 3 WE HEREBY CERTIFY THE AND MANUFACTURED INT BY THE MATERIALS SUPP FURNISHED ON THIS ORD SPECIFICATION STATE OF ILLINOIS COUNTY OF WINNEBAGO SIGNED BEFORE ME ON T	R: NUCOI 101335, 1013 DESCRIPTION: 5/6" X 14" GUA 540G HABOVE BOLTS HAV DIE U.S.A. WE FUR LIER, AND THAT OUR ER MEET OR EXCEE	R, CHARTER, NU 2120, NF111013 RD RAIL BOLT E BEEN MANUFACTURE THER CERTIFY THAT TH PROCEDURES FOR TH D ALL APPLICABLE TES	JCOR 36 ID BY ROCKFORD BOLT AND 51 IIS DATA IS A TRUE REPRESEN RE CONTROL OF PRODUCT GUP TS, PROCEES, AND INSPECTIO	TATION OF NEORIAN AUTY ASSURE THAN N REQUIREMENTS	ATION PROVIE TALL ITEMS		
STEEL SUPPLIEF HEAT NO. NF11 QUANTITY AND E 18,900 PCS P/N 3 WE MERCENY CERTIFY THE AND MANUFACTURED IN BY THE MATERIALS SUPP FURNISHED ON THIS ORD SPECIFICATION STATE OF ILLINGIS COUNTY OF WINNEBAGO SIGNED BEFORE ME ON T 21 DAY OF ATAMA PASIAG OFFICIAL SE DIANA RASIAG NOTARY PUBLIC - STATE MY CONVERSION DATE	R: NUCOI 101335, 1013 DESCRIPTION: 5/6" X 14" GUA 540G ABOVI BOLTS HAV THE U.S.A. WE FUR LER, AND THAT OUR ER MEET OR EXCEE STATUS ALL SSEN 107 ELINOIS 107 ELINOIS 107 ELINOIS	R, CHARTER, NU 2120, NF111013 RD RAIL BOLT E BEEN MANUFACTURE THER CERTIFY THAT TH PROCEDURES FOR TH D ALL APPLICABLE TES	JCOR 36 10 BY ROCKFORD BOLT AND ST 115 DATA IS A TRUE REPRESEN 12 CONTROL OF PRODUCT OW TS, PROCEESS, AND INSPECTIO WILL A WILL AUDIDA MIL	TATION OF INFORMALTY ASSURE THAN N REQUIREMENTS	ATION PROVIE TALL ITEMS		
STEEL SUPPLIEF HEAT NO. NF11 QUANTITY AND E 18,900 PCS P/N 3 WE MERCENY CERTIFY THE AND MANUFACTURED IN BY THE MATERIALS SUPP FURNISHED ON THIS ORD SPECIFICATION STATE OF ILLINOIS COUNTY OF WINNEBAGO SIGNED BEFORE ME ON T 22 DAY OF ACANL PL DIANA RASING NOTARY PUBLIC STATE	R: NUCOI 101335, 1013 DESCRIPTION: 5/6" X 14" GUA 540G ABOVI BOLTS HAV THE U.S.A. WE FUR LER, AND THAT OUR ER MEET OR EXCEE STATUS ALL SSEN 107 ELINOIS 107 ELINOIS 107 ELINOIS	R, CHARTER, NU 2120, NF111013 RD RAIL BOLT E BEEN MANUFACTURE THER CERTIFY THAT TH PROCEDURES FOR TH D ALL APPLICABLE TES	JCOR 36 10 BY ROCKFORD BOLT AND ST 115 DATA IS A TRUE REPRESEN 12 CONTROL OF PRODUCT OW TS, PROCEESS, AND INSPECTIO WILL A WILL AUDIDA MIL	TATION OF INFORMALTY ASSURE THAN N REQUIREMENTS	ATION PROVIE TALL ITEMS		

Figure A-16. 5% in. Dia. UNC, 14 in. Long Guardrail Bolt, Test No. MGSS-1

TRINITY HIGHWAY PRODUCTS, LLC 425 East O'Connor Ave. Lima, Ohio 45801 419-227-1296



		MATERIAL CERTIFICA	TION	
Customer:	Stock	Date:	June 27, 2012	
		Invoice Number:		
		Lot Number:	1206228	-
Part Number:	3360G	Quantity:	121,092	
Description:	5/8" x 1 1/4" GR BOLT	Heat Number(s):	20206310	
Description:				

Specification: ASTM A307-A / A153 / F2329

MATERIAL CHEMISTRY

Heat	С	MN	P	S	SI	NI	CR	MO	CU	SN	٧	AL	N	В	TI	NB
20206310	.09	.36	.007	.002	.09	.03	.06	.01	.08	.006	.001	.028	,007	.0003	.001	.001
	_					_					1		-			
-																
2000					1			000-201			1	1				

PLATING OR PROTECTIVE COATING

HOT DIP GALVANIZED (Lot Ave. Thickness / Mils)

2.58 (2.0 Mills Minimum)

****THIS PRODUCT WAS MANUFACTURED IN THE UNITED STATES OF AMERICA****

THE MATERIAL USED IN THIS PRODUCT WAS MELTED AND MANUFACTURED IN THE U.S.A WE HEREBY CERTIFY THAT TO THE BEST OF OUR KNOWLEDGE ALL INFORMATION CONTAINED HEREIN IS CORRECT.

har Seat TRINITY HIGHWAY PRODUCTS LLC

STATE OF OHIO, COUNTY OF ALLEN SWORN AND SUBSCRIBED BEFORE ME THIS 27th DAY OF JUNE, 2012

Braun NOTARY PUBLIC ano to

425 E. O'CONNOR AVENUE

LIMA, OHIO 45801

419-227-1296

Figure A-17. 5% in. Dia. UNC, 11/4 in. Guardrail Bolt, Test No. MGSS-1

TRINITY HIGHWAY PRODUCTS, LLC 425 East O'Connor Ave. Lima, Ohio 45801 419-227-1296



MATERIAL CERTIFICATION

Customer:	Stock	Date:	JULY 7,2012	
		Invoice Number:		
		Lot Number:	120629N2	
Part Number:	3340G	Quantity:	108,000	
Description:	5/8" GUARD	Heat Number(s):	20207480	
Description.	RAIL NUT +,031		20207490	

Specification: ASTM 563-A / A153 / F2329 as described

MATERIAL CHEMISTRY

C	MN	P	S	SI	NI	CR	MO	CU	SN	V	AL	N	В	TI	NB
.10	.34	.007	.002	.04	.04	.07	.01	.08	.004	.002	.027	.008	.0002	.001	.001
,09	.35	.006	.002	.07	.03	.07	.01	.08	.005	.002	.029	.007	.0002	.001	.001
			-						-						
		.10 .34	.10 .34 .007	.10 .34 .007 .002	.10 .34 .007 .002 .04	.10 .34 .007 .002 .04 .04	.10 .34 .007 .002 .04 .04 .07	.10 .34 .007 .002 .04 .04 .07 .01	.10 .34 .007 .002 .04 .04 .07 .01 .08	.10 .34 .007 .002 .04 .04 .07 .01 .08 .004	.10 .34 .007 .002 .04 .04 .07 .01 .08 .004 .002	.10 .34 .007 .002 .04 .04 .07 .01 .08 .004 .002 .027	.10 .34 .007 .002 .04 .04 .07 .01 .08 .004 .002 .027 .008	.10 .34 .007 .002 .04 .04 .07 .01 .08 .004 .002 .027 .008 .0002	.10 .34 .007 .002 .04 .04 .07 .01 .08 .004 .002 .027 .008 .0002 .001

PLATING AND/OR PROTECTIVE COATING

HOT DIP GALVANIZED (Lot Ave. Thickness / Mils)

2.48 (2.0 Mils Minimum)

**** THIS PRODUCT WAS MANUFACTURED IN THE UNITED STATES OF AMERICA****

THE MATERIAL USED IN THIS PRODUCT WAS MELTED AND MANUFACTURED IN THE U.S.A

WE HEREBY CERTIFY THAT TO THE BEST OF OUR KNOWLEDGE ALL INFORMATION CONTAINED HEREIN IS CORRECT

Kelle TRINITY HIGHWAY PRODUCTS LLC STATE OF OHIO, COUNTY OF ALLEN SWORN AND SUBSCRIBED BEFORE ME THIS 7th DAY OF JULY, 2012 Brain 19ch NOTARY PUBLIC 425 E. O'CONNOR AVENUE LIMA, OHIO 45801 419-227-1296

Figure A-18. 5% in. Dia. UNC, Guardrail Nut, Test No. MGSS-1

	odu 24/3		7 Gre											350	206			
		TR	INIT	425	East C Jima, (AY P Conn Dhio 4 227-12	ior Av 5801		, LL(D								
Custo	omer:		Stock		MA				IFIC/ Date: mber:	Aug	The second	2013						
									mber:		30809	9L	-					
Part Nur	nber:	8	35000	3			_	Qua	antity:		16,23;	3	Pcs.					
Description:		5/8"	x 10" Bolt	G.R.		bers:	_		40100 31650		,820 [413]		PASSED & CERTIMED					
Spi	scifica	ition:	ASTM	A A 307		153 / 1 MATE			MISTI	RY		A TH	nity Hid	IG 20 phway I Texas				
Heat	с	MN	р	s	SI	NI	CR	MO	CU	SN	v	AL	N	в	TI	NB		
10240100	.09	.49	.01	.007	.09	.04	.09	.02	.08	.008	.002	.023	.005	.0001	.001	.001		
10231650	,09	.49	.008	.011	.09	.05	.08	.02	.09	.006	.002	.023	.007	.0001	.001	.001		
				p	LATE	NG OF	2 PRO	TECI	IVE C	TAO	NG							
HOT D	aaa THE N	THIS ATER	PROD	t Ave.T UCT W SED IN	hickne 'AS MA THIS P	sa / Mii NUFAC RODU	is) CTURE CT WA DUR KI	d in ti s mel	2.6 HE UNI TED A7 RDGE A	TED ST ND MA. LL INF	(2.0 MBs FATES NUFAS	OF AM	DIN TI	HE U.S.	HEREI	N IS		
STAT SWORN SHULT	AND :	SUBSO		BEFO	RE ME	NOTAF			04580	q,	Acs	200 - F	TE OF South Branch Starrage Stara	State Co				

Figure A-19. 5/8 in. Dia. UNC, 10 in. Long Guardrail Bolt, Test No. MGSS-1

				ingham, AL 205) 595-3				
	1910.000						1550	
Customer	MIDWE	ST MACH			Date Ship			1/2011
Customer On	der Number	2	430		BFM Orde	er Number	100325-00	
			Item	Descrij	otion			
Description		6	/8"-11 x 10"	HEX BOLT	r		Qty	100
Lot #	154572	S	pecification	ASTM A30	7-07b Gr A	Finish	F2	329
			Raw Ma	aterial A	nalysis	8		
Heat#		780337						
Chemical Co C	mposition (v	vt% Heat	Analysis) By S	/ Material Si	Supplier Cu	Ni	Cr	Mo
0.16	0.54	0.009	0.04	0.18	0.36	0.09	0.13	0.020
			Mechan	ical Pro	perties	r.		
Sample #	Hardness		Tensile St	rength (libs)	Tensile Str	rength (ps	i)
1 2	80 HRB 80 HRB			700 600		73,9		
3	00 11112		10,	000		1.47	+00	
4								
customer ord	ion represent ler. The samp ed and manuf	des tested	conform to t				stated	
		\sim						
Authorized Signature:	1	D	1h		Date	3/21/	2011	
- angenerater		rian Hugh					COLL	
	QUA	lity Assur	rance					

Figure A-20. 5/8 in. Dia. UNC, 10 in. Long Hex Head Bolt, Test No. MGSS-1

• •

CERTIF	ICATE OF CONF	ORMANCE	
DESCRIPTION OF MATERIA	L AND SPECIFICATIONS:		
· PURCHASE ORDER NUMBE	ER: 44773 000 OD	· INVOICE NO. GBT11538102	
• QUANTITY (Pcs.)	37,600 SETS	LOT NO. JW1101045	
• THE DATE OF MANUFACTU		HEAT NO. C10070002	
. TENSILE STRENGTH .:	13,800LBF	HARDNESS. HRB77-74	
· ITEM DESCRIPTION:	5/8-11x1,1/4" GUARDRAIL	BOLT CLIP HD W/NUT HDG	
· ITEM NUMBER:	20-2100K		
. TYPE OF STEEL	Q235A(C1010 or C1008)]	
. BOLT SPECIFICATION:	ASTM A307		
. NUTS SPECIFICATION:	ASTM A563 GRADE A		
. COATING	ASTM A153 CLASS C		
· APPEARANCE	ASTM F812-95]	
SUPPLIER CERTIFYING THAT TH	IE PRODUCT MEETS THE MECHAN	MATION PROVIDED BY THE MATERIAL CAL AND MATERIAL REQUIRMENTS OF PRODUCT SHOWN ON THIS DOCUMENT	
	DOUCT SPECIFIED HEREIN, REPRO	NLY FOR CERTIFYING THE SAME OR DUCTION OR ALTERATION OF THIS	
a second second		A DAD ST	
	BY	1 0 º	
1. 1. A.	τπι	* SOE	
Print Dato:2011-5-12		. ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	

Figure A-21. 5% in. Dia. UNC, 1¼ in. Long Hex Head Bolt, Test No. MGSS-1

CERTIFIED MATERIAL TEST REPORT FOR ASTM A307, GRADE A - MACHINE BOLTS

FACTORY:LIANYUNGANGSHI PINGXIN FASTENER CO.,LTD DATE: 9/Nov/07 ADDRESS:No.3 jingsan Road, Biotechnology Park, Haizhou Bay, Haitou Town, Ganyu County, Lianyungang CHINA MFG LOT NUMBER: M-NBPX0339-31 CUSTOMER: PO NUMBER:17071802 SAMPE SIZE: ACC. TO ASME B18. 18. 2M - 93 PART NO:00026-3464-451 SIZE: 7/8-9X8 ZP QNTY: 1440 PCS HEADMARKS: 307A PLUS PX MANU.DATE: STEEL PROPERTIES: Q235 25mm STEEL GRADE: HEAT NUMBER: 04-3280n C %*100 Mn%*100 P %*1000 CHEMISTRY SPEC: S %*1000 0.29max 1.20 max 0.04max 0.05max TEST: 0.15 0.45 0.024 0.033 DIMENSIONAL INSPECTIONS SPECIFICATION: ASME B18.2.1 - 2010 CHARACTERISTICS SPECIFIED ACTUAL RESULT ACC. REJ. ************************ VISUAL ASTM F788/F788M-08 PASSED 100 0 THREAD ASME B1.3 PASSED 32 0 WIDTH FLATS 1.269-1.312 1.279-1.302 8 0 WIDTH A/C 1.447-1.516 8 1.457-1.506 0 HEAD HEIGHT 0.531-0.604 0.541-0.584 8 0 BODY DIA. 0.8660-0.8750 0.8677-0.8741 8 0 THREAD LENGTH 2.25 2.28-2.38 8 0 7.80-8.16 LENGTH 7.82-8.14 8 0 MECHANICAL PROPERTIES: SPECIFICATION: ASTM A307-2010 GR-A CHARACTERISTICS TEST METHOD SPECIFIED ACTUAL RESULT ACC. REJ. CORE HARDNESS : ASTM F606-2010a 69-100 HRB 92-95 HRB 8 0 WEDGE TENSILE: ASTM F606-2010a Min 60 KSI 82-85 KSI 4 0 CHARACTERISTICS TEST METHOD SPECIFIED ACTUAL RESULT ACC. REL ******************* 非非非常非非非非非非非非非非非非 法就会法法法法法 ***** COATINGS OF ZINC ASTM F1941 Min 4 µm 5µm 4 0 ALL TESTS IN ACCORDANCE WITH THE METHODS PRESCRIBED IN THE APPLICABLE ASTM SPECIFICATION. WE CERTIFY THAT THIS DATA IS A TRUE REPRESENTATION OF INFORMATION PROVIDED BY THE MATERIAL SUPPLIER AND OUR TESTING LABORATORY.

> (SIGNATURE OF Q.A. LAB MGR.) (NAME OF MANUFACTURER)

Figure A-22. 7/8 in. Dia. UNC, 8 in. Long Hex Head Bolt, Test No. MGSS-1



Figure A-23. 7/8 in. Dia. UNC, Hex Head Nut, Test No. MGSS-1

N. S. College		- EN	FOR	USS FI	LAT W	ASHER	1 DE 3			
						INVOIC	e no.	DATE (日期) GBT11		1-4-15
		-	1			PO NUM		44773 (00 0D	S. C.A.
SAMPLING PI (根据ASTM I PART NAME: (品名)	8 18.22.1	山样检验	2)			(订单号 MFG LO (工) ^一 生	Contraction of the second second		<u>JW1101</u>	045
SIZE: 5/8"	HDG	10	QNTY:		PCS	PARTN	0:			
(規格) MARKSIMFG (头部标记) STEEL PROP		(倒材	(数录) /			(货马)				
STL GRADE: (钢材级别) CHEMISTRY	Q235		STEEL: (钢材发		4mm*x0	mmx9000	HEAT (炉号)		094	20734
ELEMENT		C%	Ma %	P%	S %	SI %	Cr %	NI %	-	-
SPC: (46	CER	Min. 0.14	Max 0.65	Max 0.045	Max 0.050	Max 0.30	1 5	1 in	20	1. 18
RESULT: (结)	果)	0.15	0.47	0.021	0.016	0.17	-	1.00	-	-
SPEC HIGH LOW AVG				/	-					
			ID MACR					4	MACI	OETCH
SCATTER				ENTRE U	NSOUND	NESS 0.5		S		STING
0.5		.5		1.5	1	-		1913.03	PA	SSED
DIMENSION (尺寸依据 ANS SPEC:		NSI BI		ess(um)			Diameter E) mm			· Diameter 径)mm
(标准) RESULT:			4.00	i-2.74	-		1-17.3	-	45.2	1-42,67
(檢驗结果)			3.25	5-3.07	-	17.94	-17.81	_	44.9	6-44.65
ALL TESTS IN A WE CERTIFY TU SUPPLIER AND G (第44執節與最短 MFG 150900 (生) ²⁶ 前15090	AT THIS DA OUR LESTING LEAST MARK 1 CERTIF	TAISATI FLABOR 現然指定 TCATE	tur prase vrony. 检验方式进行	7、此份服	Prit 41-Julia Prit 41-Julia Prit 42 ROS	IA HON PRO	Store Store	Sonr-	ERIAL	AMPER)

Figure A-24. 5/8 in. Dia. Plain Round Washer, Test No. MGSS-1



Figure A-25. 7/8 in. Dia. Plain Round Washer, Test No. MGSS-1

Appendix B. Vehicle Center of Gravity Determination, Test No. MGSS-1

Test: MGSS-1	Vehicle:	Ram1500					
	Vehicle CG Determination						
		Weight	Vert CG	Vert M			
VEHICLE	Equipment	(lb)	(in.)	(lb-in.)			
+	Unbalasted Truck (Curb)	5024	28.2029	141691.4			
+	Brake receivers/wires	6	51	306			
+	Brake Frame	13	24	312			
+	Brake Cylinder (Nitrogen)	22	26	, 572			
+	Strobe/Brake Battery	6	30	180			
+	Hub	27	15	405			
+	CG Plate (Data Units)	8	30	240			
-	Battery	-41	38	-1558			
	Oil	-9	18	-162			
*	Interior	-75	25	-1875			
¥	Fuel	-130	17	-2210			
*	Coolant	-17	33	-561			
-	Washer fluid	-6	41	-246			
BALLAST	Water	170	17	2890			
	Misc.			0			
	Misc.			0			
			-	139984.4			

Estimated Total Weight (lb) 4998 Vertical CG Location (in.) 28.00808

wheel base (in.)	140.5		
MASH Targets	Targets	Test Inertial	Difference
Test Inertial Weight (lb)	5000 ± 110	4992	-8.0
Long CG (in.)	63 ± 4	64.48	1.48027
Lat CG (in.)	NA	0.094827	NA
Vert CG (in.)≥	28	28.01	0.00808

Note: Long. CG is measured from front axle of test vehicle

Note: Lateral CG measured from centerline - positive to vehicle right (passenger) side

CURB WEIGHT (Ib)			
	Left	Rig	ht
Front		1438	1321
Rear	1	1102	1163
FRONT		2759 lb	
REAR		2265 lb	
TOTAL		5024 lb	

TEST IN	ERTIAL	WEIGH	IT (lb)			
(from scales)						
	Left	R	ight			
Front		1379	1322			
Rear		1110	1181			
FRONT	:	2701 lb				
REAR	2.3	2291 lb	8			
TOTAL	OTAL 4992 lb					

Figure B-1. Vehicle Mass Distribution, Test No. MGSS-1

Appendix C. Static Soil Tests, Test No. MGSS-1




Figure C-1. Soil Strength, Initial Calibration Tests, Test No. MGSS-1




Figure C-2. Static Soil Test S2, Test No. MGSS-1

Appendix D. Vehicle Deformation Records, Test No. MGSS-1




Figure D-1. Floorpan Deformation Data - Set 1, Test No. MGSS-1




Figure D-2. Floorpan Deformation Data - Set 2, Test No. MGSS-1




Figure D-3. Occupant Compartment Deformation Data - Set 1, Test No. MGSS-1




Figure D-4. Occupant Compartment Deformation Data - Set 2, Test No. MGSS-1




Figure D-5. Exterior Vehicle Crush (NASS) - Front, Test No. MGSS-1




Figure D-6. Exterior Vehicle Crush (NASS) - Side, Test No. MGSS-1

Appendix E. Accelerometer and Rate Transducer Data Plots, Test No. MGSS-1




Figure E-1. 10-ms Average Longitudinal Deceleration (SLICE-1), Test No. MGSS-1




Figure E-2. Longitudinal Occupant Impact Velocity (SLICE-1), Test No. MGSS-1




Figure E-3. Longitudinal Occupant Displacement (SLICE-1), Test No. MGSS-1




Figure E-4. 10-ms Average Lateral Deceleration (SLICE-1), Test No. MGSS-1




Figure E-5. Lateral Occupant Impact Velocity (SLICE-1), Test No. MGSS-1




Figure E-6. Lateral Occupant Displacement (SLICE-1), Test No. MGSS-1




Figure E-7. Vehicle Angular Displacements (SLICE-1), Test No. MGSS-1




Figure E-8. Acceleration Severity Index (SLICE-1), Test No. MGSS-1




Figure E-9. 10-ms Average Longitudinal Deceleration (SLICE-2), Test No. MGSS-1




Figure E-10. Longitudinal Occupant Impact Velocity (SLICE-2), Test No. MGSS-1




Figure E-11. Longitudinal Occupant Displacement (SLICE-2), Test No. MGSS-1




Figure E-12. 10-ms Average Lateral Deceleration (SLICE-2), Test No. MGSS-1




Figure E-13. Lateral Occupant Impact Velocity (SLICE-2), Test No. MGSS-1



Figure E-14. Lateral Occupant Displacement (SLICE-2), Test No. MGSS-1




Figure E-15. Vehicle Angular Displacements (SLICE-2), Test No. MGSS-1

August 22, 2016 MwRSF Report No. TRP-03-320-16




Figure E-16. Acceleration Severity Index (SLICE-2), Test No. MGSS-1

Appendix F. Load Cell Data, Test No. MGSS-1




Figure F-1. Upstream Load Cell Data, Test No. MGSS-1




Figure F-2. Upstream Inline Load Cell Data, Test No. MGSS-1

END OF DOCUMENT