



# Toxicology of silica nanoparticles: an update

Sivakumar Murugadoss<sup>1</sup> · Dominique Lison<sup>2</sup> · Lode Godderis<sup>3</sup> ·  
Sybille Van Den Brule<sup>2</sup> · Jan Mast<sup>4</sup> · Frederic Brassinne<sup>4</sup> ·  
Noham Sebaihi<sup>5</sup> · Peter H. Hoet<sup>1</sup> 

Received: 8 May 2017 / Accepted: 18 May 2017 / Published online: 1 June 2017  
© The Author(s) 2017. This article is an open access publication

**Abstract** Large-scale production and use of amorphous silica nanoparticles (SiNPs) have increased the risk of human exposure to SiNPs, while their health effects remain unclear. In this review, scientific papers from 2010 to 2016 were systematically selected and sorted based on in vitro and in vivo studies: to provide an update on SiNPs toxicity and to address the knowledge gaps indicated in the review of Napierska (Part Fibre Toxicol 7:39, 2010). Toxicity of SiNPs in vitro is size, dose, and cell type dependent. SiNPs synthesized by wet route exhibited noticeably different biological effects compared to thermal route-based SiNPs. Amorphous SiNPs (particularly colloidal and stöber) induced toxicity via mechanisms similar to crystalline silica. In vivo, route of administration and physico-chemical properties of SiNPs influences the toxicokinetics. Adverse effects were mainly observed in acutely exposed animals, while no significant signs of toxicity were noted in

chronically dosed animals. The correlation between in vitro and in vivo toxicity remains less well established mainly due to improper—unrealistic—dosing both in vitro and in vivo. In conclusion, notwithstanding the multiple studies published in recent years, unambiguous linking of physico-chemical properties of SiNPs types to toxicity, bioavailability, or human health effects is not yet possible.

**Keywords** Amorphous silica nanoparticles · Pyrogenic · Colloidal · Stöber · Oxidative stress · Toxicity

## Introduction

Nanosilica, also known as the nanoform (<100 nm) of silicon dioxide or silica nanoparticles (SiNPs), possesses distinct physico-chemical characteristics compared to its bulk

✉ Peter H. Hoet  
peter.hoet@kuleuven.be  
  
Sivakumar Murugadoss  
sivakumar.murugadoss@kuleuven.be  
  
Dominique Lison  
dominique.lison@uclouvain.be  
  
Lode Godderis  
lode.godderis@kuleuven.be  
  
Sybille Van Den Brule  
sybille.vandenbrule@uclouvain.be  
  
Jan Mast  
jan.mast@coda-cerva.be  
  
Frederic Brassinne  
Frederic.Bassinne@coda-cerva.be  
  
Noham Sebaihi  
noham.sebaihi@economie.fgov.be

<sup>1</sup> Unit for Lung Toxicology, Katholieke Universiteit Leuven, Herestraat 49, O&N1, Room: 07.702, box 706, 3000 Louvain, Belgium

<sup>2</sup> Louvain Centre for Toxicology and Applied Pharmacology (LTAP), Université Catholique de Louvain, Avenue E. Mounier 52/B1.52.12, 1200 Brussels, Belgium

<sup>3</sup> Department of Occupational, Environmental and Insurance Medicine, Katholieke Universiteit Leuven, Kapucijnenvoer 35 block d, box 7001, 3000 Louvain, Belgium

<sup>4</sup> EM-unit, Center for Veterinary and Agrochemical Studies and Research (CODA-CERVA), Groeselberg 99, Uccle, 1180 Brussels, Belgium

<sup>5</sup> General Quality and Safety, Metrology Department, National Standards, North Gate-Office 2A29, Bd du Roi Albert II, 16, 1000 Brussels, Belgium

form; smaller size materials have an increased surface-to-volume ratio and a higher surface reactivity (Oberdörster 2010; Napierska et al. 2010). Due to their appealing properties, SiNPs are now extensively used in agriculture, food, and consumer products including cosmetics (Napierska et al. 2010; Khot et al. 2012; Kasai 2015; Brinch et al. 2016). Until 2012, nearly 1.5 million tons of SiNPs had already been placed in the global market (Liljenström et al. 2013) and SiNPs became one of the three most produced nanomaterials (NMs) worldwide in 2013. Among the 846 nano-based products listed in a consumer products inventory, approximately 100 claim to contain SiNPs (Vance et al. 2015). Moreover, amorphous SiNPs are being synthesized with highly tunable biocompatibility and stability, and considered as a very promising candidate for various bio-medical applications such as gene carrier, drug delivery, and molecular imaging (Tang and Cheng 2013; Bitar et al. 2012).

In recent years, large-scale industrial production and global commercialization of SiNPs have resulted in increased risk of human exposures at workplaces (Kim et al. 2014a; Oh et al. 2014). Food additive silica (E551) is also in the nano size range (Dekkers et al. 2011), indicating that the general population is probably more exposed than initially anticipated. Moreover, in view of the efforts to use NM in medical applications, SiNPs could also be intentionally introduced into the human body for disease diagnosis and treatments (Croissant et al. 2017). Such growing potentials for exposure raised a global concern regarding the safety and potential adverse health effects of SiNPs.

Human health effects associated with silica exposure, especially crystalline silica (0.5–10  $\mu\text{m}$ ), have widely been studied. Occupational exposure to crystalline silica induces silicosis in workers (a fibrotic lung disease) and is also associated with lung cancer, emphysema, and pulmonary tuberculosis (Leung et al. 2012). Conversely, natural amorphous silica is generally considered as less harmful, since the toxicological potential of silica has so far been linked to its crystallinity. Recent studies have revealed that amorphous SiNPs can be as reactive as crystalline particles (Turci et al. 2016). In vivo, amorphous SiNPs are, however, cleared more rapidly from the lung, which may contribute to explain their lower pathogenic potential (Arts et al. 2007). The human health effects of nanosilica remain to be clarified and toxicologists believe that exposure to SiNPs, due to their small size, may bring different adverse effects compared to micron-sized silica (Napierska et al. 2010).

The comprehensive review of Napierska et al. (2010) suggested that exposure to SiNPs (1–100 nm) induced toxic effects in vitro (immortalized mammalian cell lines) and in vivo (rats and mice). Physico-chemical properties such as size, surface area, and surface features were found to play a key role in the toxicity of SiNPs. Importantly, Napierska concluded that physico-chemical

properties of SiNPs differ based on their production method and, therefore, may cause different biological effects. However, no definite conclusions were made due to insufficient or no data available for,

- Detailed physico-chemical characterization of different types of SiNPs;
- Comparison of the toxicity of different types of SiNPs (based on their production process);
- Comparison of the toxicity mechanisms of amorphous SiNPs and crystalline silica;
- Exposure via different routes and adverse effects of chronic exposure in vivo;
- Correlation of in vitro and in vivo studies and
- Physico-chemical properties for the safer design of SiNPs.

Therefore, the aim of this review is to summarize the toxicity studies of SiNPs published after the Napierska review (2010), critically discuss the outcomes, and to evaluate how these data gaps have been addressed (Fig. 1).

## Methodology

The selection criteria was similar to the method described in Vriens et al. (2017), which was used to construct the MOD-ENP-TOX nanotoxicity database.

### Exclusion criteria

To specifically focus on adverse health effects of SiNPs, papers reporting on other interventions such as ecotoxicity, synergistic effects, SiNPs doped with other materials, and therapy-based outcomes were excluded.

### Inclusion criteria


Papers reporting,

1. physico-chemical characteristics such as primary size, shape, composition, and crystallinity;
2. toxicological endpoints such as cytotoxicity, apoptosis/necrosis, genotoxicity, oxidative stress, immunotoxicity, and autophagy using immortalized cell lines or primary cells (experimental in vitro studies); and
3. toxic effects in laboratory-animals, more specifically in vivo experiments using rats and mice.

### Literature search

We searched two databases for papers published from June 2010 (after Napierska et al. 2010) to December 2016. In

**Fig. 1** Systematic selection of studies



the PubMed “<http://www.ncbi.nlm.nih.gov/PubMed>” and EMBASE “<https://www.embase.com>” databases, the following keyword combinations were used: “silica nanoparticle” OR “silica NP” AND “toxicity” NOT “review”. We

retrieved a list of 859 and 405 articles in English, respectively. In a second step, duplicates were removed and the titles were screened to identify studies that best matched with our search terms, leaving 611 relevant papers. In a

third step, we excluded papers that met the exclusion criteria and left 128 most relevant papers. Finally, 82 papers reporting a minimum set of physico-chemical characterization and toxic effects were selected for the main content of the review. Notably, only one study was found on the toxicity of crystalline nanosilica (Chu et al. 2012), but it was finally excluded due to insufficient data on the size of particles. As a result, the review is dealing only with amorphous SiNPs.

Induction of oxidative stress is considered as the major mechanism involved in SiNPs toxicity (Wang et al. 2009; Ye et al. 2010a, b) and, therefore, the in vitro section of the review was structured according to toxic endpoints and its association with oxidative stress. For in vivo, studies were sorted based on exposure route and modalities, since they can significantly influence the toxicokinetics of SiNPs. Throughout the review, the following abbreviations were used to indicate the different types of silica nanoparticles: SiNPs when it is not clear which type was used, C-SiNPs for colloidal silica; S-SiNP for stöber silica; M-SiNPs for mesoporous silica; Pr-SiNPs for precipitated silica; and Py-SiNPs for pyrogenic silica.

The table summarizing in vitro studies (Table 1) was sorted according to the type of SiNPs (colloidal, stöber, mesoporous, pyrogenic, precipitated, and not specified) and cell types. Table 2 (in vivo studies) was organized according to the type of SiNPs and exposure routes.

## In vitro studies

### Cytotoxicity

Oxidative stress (over production of reactive oxygen species, i.e., ROS) induced by NPs could damage the cellular components and lead to cell death via apoptosis (Fu et al. 2013). Therefore, studies reporting on cytotoxicity and oxidative stress were summarized in this section.

#### Cytotoxicity associated with oxidative stress

Duan et al. (2013a) showed that S-SiNPs (62 nm) induced time- (6, 12, and 24 h) and dose-dependent (25–100 µg/ml) reduction in cell viability (assessed by 3-(4,5-dimethylthiazol-2-Yl)-2,5-diphenyltetrazolium bromide, i.e., MTT), loss of membrane integrity (lactate dehydrogenase (LDH) release) and apoptosis (Annexin V/PI staining) in human umbilical vein endothelial cells (HUVECs). Apoptosis was also induced in lung (A549) and skin epithelial cells (A431) treated with Pr-SiNPs (15 nm). A dose-dependent increase (25–200 µg/ml for 72 h) in cytotoxicity (MTT and LDH), ROS production (assessed by dichlorodihydrofluorescein assay, i.e., DCFH-DA), lipid peroxidation (measurement of

malondialdehyde, i.e., MDA), and apoptosis (caspase 3 and 9 activity) was observed in both cell lines. The lung cells showed, in general, a slightly higher toxic response compared to skin cells (Ahamed 2013).

SiNPs (20 and 80 nm) induced P53-mediated apoptosis in human fetal lung fibroblasts (HFL-1). At the dose of 500 µg/ml, 20 nm SiNPs induced a threefold increase in DCF fluorescence compared to 80 nm. In addition, increased expression of P53, upregulation of cytochrome C (CytC) and caspase 9, and downregulation of anti-apoptotic protein B-cell lymphoma 2 (bcl2) was observed in cells treated with 1000 µg/ml for 48 h (Xu et al. 2012). Another study with lung fibroblasts also showed that SiNPs (20 nm) could reduce cell viability (MTT) by inducing apoptotic cell death (fluorescence microscopy) in a dose-dependent manner (250–1000 µg/ml for 48 h) (Zhang et al. 2011). Athinarayanan et al. (2014) isolated SiNPs (10–50 nm) from commercial food products processed with food additive silica (E551) and exposed human lung fibroblasts (WI-38 cell line) with increasing doses (25–400 µg/ml). After 24 h, they observed cytotoxicity (MTT) in a dose-dependent manner and ROS production (DCFH-DA) at 50 µg/ml.

#### Cytotoxicity not associated with oxidative stress

Py-SiNPs (12 and 40 nm) induced a significant size and dose- (31.3, 93.8, and 156.3 µg/cm<sup>2</sup> culture well) dependent cytotoxicity (LDH, Sulphorodhamine B assay (SRB) and water-soluble tetrazolium-1(WST-1)) in human colon carcinoma cell line (HT29), while no induction of ROS (DCFH-DA) was observed (Gehrke et al. 2013). In the study by Napierska et al. (2012a), 50 µg/ml (24 h) of 16 nm iron-doped S-SiNPs and pure S-SiNPs induced strong cytotoxicity (MTT and LDH) in a human endothelial cell line (EA.hy926), but a significant increase in oxidative stress markers [GSH depletion, malondialdehyde (MDA formation), induction of heme oxygenase-1, glutathione reductase, and NADPH oxidase-1] was observed only for iron-doped SiNPs.

#### Conclusion: cytotoxicity

Cytotoxicity of SiNPs was investigated using different cell lines and incubation times, making the comparison between studies difficult. However, from Table 3, it is clear that all types of SiNPs induced cytotoxicity. Significant (compared to untreated cells) cytotoxic effects were observed only at or above the concentration of 25 µg/ml. Furthermore, it can be clearly seen that SiNPs induced oxidative stress and mediated apoptosis mainly via the *intrinsic or mitochondrial pathway* (caspase-dependent pathway) in a size- and dose-dependent manner. ROS-mediated toxicity is believed to be an important mechanism of NP toxicity

**Table 1** In vitro studies on SiNPs toxicity

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
C-SiNPs	V79	Hamster lung fibroblast	9,15,30, and 55 nm	AkzoNobel AB	10–600 µg/ml	24 h	Cell viability	Tryphan blue exclusion and colony formation assay	Reduction with 15 nm NPs	Maser et al. (2015)
A549	Human type II alveolar epithelial						Genotoxicity	Comet assay	Increase with 15 nm NPs	Kasper et al. (2011)
C-SiNPs	H441	Human distal lung epithelial	30 nm	Sigma-Aldrich	0.6–600 µg/ml	4–20 h	Cell viability	MTS assay	Reduction at 600 µg/ml in monocultures	Kasper et al. (2011)
ISO-HAS-1	Human endothelial						Cytotoxicity	LDH assay	Increase at 600 µg/ml in all cultures	
Co-culture: H441/ISO-HAS-1	Human distal lung epithelial + human endothelial						Cellular barrier integrity	TEER measurement	Reduction at 600 µg/ml in all cultures	
C-SiNPs	A549	Human type II alveolar epithelial	70 nm—with or without lung surfactant	Micromod Partikeltechnologie	100 µg/ml	4–20 h	Apoptosis	Western blot	Increase of apoptotic proteins	Kasper et al. (2015)
Co-culture: A549 and ISO-HAS-1	Human type II alveolar epithelial + human endothelial						Cell viability	MTS and crystal violet assay	Reduction in monocultures	
C-SiNPs	Caco2	Human colon epithelial	15 nm (Levasil H.C. Stark 20/40%) and 55 nm (Levasil 50/50%)	H.C. Stark	0.03–156.3 µg/cm <sup>2</sup>	24, 48 and 72 h	Cytotoxicity	LDH assay	Increase of IL-8 with 15 nm NPs only at 156.3 µg/cm <sup>2</sup>	Tarantini et al. (2015a, b)
							Pro-inflammatory response(s)	ELISA		
							Apoptosis	Caspase-3 assay	Dose-dependent increase with 15 nm NPs	
							Genotoxicity	Micronuclei induction	Dose-dependent increase with 15 nm NPs	
							Genotoxicity	γH2AX fluorescence	Increase with 15 nm NPs	
							NP internalization	TEM	NPs detected in lysosomes and in endocytic compartments	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
C-SiNPs	HepG2	Human liver epithelial	19, 43, 68, and 498 nm	Laboratory synthesis	12–200 µg/ml	24 h	Cell viability Cyotoxicity Oxidative stress	CCK-8 assay LDH assay DCFH-DA assay	Size and dose-dependent reduction Size and dose-dependent increase Size-dependent increase	Li et al. (2011)
C-SiNPs	RAW 264.7	Mouse blood macrophage	20 and 100 nm (uncoated or L-arginine coated)	E&B Nanotech	10–640 µg/ml	24 h	Genotoxicity Apoptosis	Comet assay Apoptosis assay	Size-dependent increase Size-dependent increase	
C-SiNPs and M-SiNPs	J774A.1	Mouse macrophage	100 nm	Laboratory synthesis	0.1–1000 µg/ml	24 and 72 h	Cell viability Apoptosis Pro-inflammatory response(s)	MTT assay Annexin V/PI staining RT PCR and western blot	Size-dependent increase Cellular shrinkage, chromatin condensation and vacuolar degeneration detected Size and surface charge-dependent reduction	Kim et al. (2014b)
C-SiNPs	J744A.1	Mouse macrophage	25, 46, 183, 182, and 188 nm	Sigma-Aldrich	—	24 h	Cell viability Pathway analysis	RT PCR and western blot	Reduction only for C-SiNPs SiNPs Increase of caspase-3 activation Increase of TNF- $\alpha$ , IL-6 and IL-1 $\beta$	Lee et al. (2011)
C-SiNPs	BALB/c3T3	Mouse fibroblast	7 nm	Sigma-Aldrich	0.01–150 µg/ml	4 h	In vitro dosimetry Genotoxicity	WST-1 assay ISDD simulation Lymphoma assay	ED50: 6–9 µg/ml and 15–22 µg/ml in J774 and 3T3, respectively Similar delivered doses for all particle sizes Mutations detected at 100 and 150 µg/ml	Rabolli et al. (2011)
C-SiNPs	L5178Y/TK <sup>+/−</sup>	Mouse lymphoma	10 and 100 nm	Polysciences	50–2000 µg/ml	24 and 48 h	Cell viability Oxidative stress Oxidative stress Pro-inflammatory response(s)	FACS GSH depletion Western-blot Multiplex bead array	Dose, time and size-dependent reduction Size and dose-dependent increase Dose-dependent increase in proteins with free radicals only with 10 nm Size and dose-dependent increase in cytokines	Demir and Castanova (2016)
C-SiNPs	PBMCs	Lymphocytes, monocytes and dendritic cells	—	—	—	—	Cell morphology	Immuno electron microscopy	Size-dependent increase in cell damage	Mendoza et al. (2014)

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
C-SiNPs	HUVEC	Human vein endothelial	10, 50, 150, and 500 nm	Polysciences	10 nm–10 µg/ml 50, 150 nm and 500 nm–50 µg/ml	1 h (10 nm) and 3 h (50–500 nm)	Oxidative stress Pro-inflammatory response(s)	Fluorescent microscopy Cytometric bead array	Free radical increase Size-dependent increase of IL-6 and IL-8	Corbalan et al. (2011)
C-SiNPs	Platelets	Mouse	50 nm	Polysciences	1, 5 and 25 µg/ml	30 min	Oxidative stress Platelet aggregation assay Cyotoxicity	Nanosensors RT-PCR ELISA	Imbalance in [NO]/[ONOO–] Size-dependent increase of ICAM1, VCAM1, SELF, MMP9, COX2 and F3 Increase of NF-κB-binding activity NPs detected in cytoplasm and vesicles	Nemmar et al. (2015)
C-SiNPs	Platelets	Human	10, 50, 150, and 500 nm	Polysciences	1–200 µg/ml	15 min	Oxidative stress Platelet aggregation assay LDH assay	Aggregation assay LPO assay	Dose-dependent increase Dose-dependent increase of MDA formation	Nemmar et al. (2015)
S-SiNPs	A549	Human type II alveolar epithelial	2.1, 16.4, 60.4, and 104 nm	Laboratory synthesis	5 µg/cm <sup>2</sup> of plate surface	12–24 h	Calcium concentration Platelet aggregation assay Oxidative stress SELP and GPIIb/IIIa expression	Fluorimeter Aggregation assay Nanosensors Flow cytometry	Increase in calcium concentration at 25 µg/ml Size-dependent increase Size-dependent increase of NO Increase with 10, 100 and 150 nm	Jose Corbalan et al. (2012)
THP-1 Biculture: A549/ THP-1 Triculture: A549/THP-1/ EA.hy926	Human monocyte Lung co-cultures						Morphology Cell viability	TEM MTT assay	Platelets strongly aggregated Size-dependent reduction	Napierska et al. (2012b)
S-SiNPs	Co-culture: NCI-H441/ISO-HAS-1 with or without THP-1 cells	Lung co-cultures	15, 35, and 80 nm	Laboratory synthesis	50 and 100 µg/ml	72 h	Oxidative stress Pro-inflammatory response(s)	LDH assay Cytometric bead array	Size-dependent increase Increase of all cytokines in the presence of 2 nm and 60 nm (except TNF-α)	Fareal et al. (2012)
							Surfactant protein expression	RT-PCR	Increase of surfactant proteins in the presence of THP-1	
							Cellular barrier integrity	TEER measurement	No effect	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
S-SiNPs	HepG2	Human liver epithelial	43 nm	Laboratory synthesis	25–200 µg/ml	3 and 24 h	Oxidative stress	DCFH-DA assay	Dose-dependent increase	Sun et al. (2011)
S-SiNPs	HepG2	Human liver epithelial	62 nm	Laboratory synthesis	25–100 µg/ml	24 h	Mitochondrial membrane potential	Probe measurements	Dose-dependent increase	Yu et al. (2014)
S-SiNPs	LC-02	Human liver epithelial	50 nm	Laboratory synthesis	50–200 µg/ml	24 h	Apoptosis	Annexin V/PI staining and western blot	Dose-dependent increase	
S-SiNPs	HaCaT	Human keratinocyte	50 nm	Laboratory synthesis	25–500 µg/ml	4 h	Cell morphology	TEM	NPs detected in cytoplasm, mitochondria and lysosomes	
S-SiNPs							Cell viability	MTT assay	Dose-dependent reduction	
							Oxidative stress	DCFH-DA assay	Dose-dependent increase	
							Autophagy	MDC staining	Dose-dependent increase	
							Autophagy	Immunoblot	Dose-dependent increase of LC3-II/LC3-I	
							NP internalization	LSCM	NPs detected in cytoplasm and mitochondria	
							Cell viability	CCK-8 assay	Dose-dependent reduction	
							Oxidative stress	DCFH-DA assay	Dose-dependent increase	
							Apoptosis	Annexin V/PI staining	Dose-dependent increase	
							Mitochondrial damage	Mitotracker/laser confocal microscopy	Dose-dependent increase	
							Cell morphology	Hoechst staining	Dose-dependent increase in cell damage	
							Cell viability	MTT assay	Dose-dependent reduction	
							Cytotoxicity	LDH assay	Dose-dependent increase	
							Oxidative stress	DCFH-DA assay	Dose-dependent increase	
							Oxidative stress	GSH depletion	Increase	
							Apoptosis	Hoechst/PI staining	Increase	
							NP internalization	TEM	Detected in cytoplasm	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
S-SiNPs	EA.hy926	Human endothelial	16 (pure or iron-doped) and 60 nm	Laboratory synthesis	25 and 50 µg/ml	24 h	Cell viability	MTT assay	Reduction at 50 µg/ml with 16 nm NPs	Napierska et al. (2012a)
							Cytotoxicity	LDH assay	Increase at 50 µg/ml with 16 nm NPs	
							Oxidative stress	DCFH-DA assay	Dose-dependent increase only with Fe doped NPs	
							Oxidative stress	GSH depletion	Dose-dependent increase only with Fe doped NPs	
							Oxidative stress	LPO assay	Dose-dependent increase of MDA formation with Fe doped NPs	
							Oxidative stress	RT-PCR	Increase with 16 nm NPs	
							NP internalization	TEM	NPs found in cytoplasm	
S-SiNPs	HUVEC	Human vein endothelial	62 nm	Laboratory synthesis	25–100 µg/ml	6, 12 and 24 h	Cell viability	MTT assay	Dose-dependent reduction	Duan et al. (2013a)
							Cytotoxicity	LDH assay	Dose-dependent increase	
							Oxidative stress	DCFH-DA assay	Dose-dependent increase	
							Oxidative stress	LPO assay	Dose-dependent increase of MDA formation	
							Oxidative stress	SOD assay	Dose-dependent decrease	
							Oxidative stress	GSH Px assay	Dose-dependent decrease	
							Apoptosis	Annexin V/PI staining	Dose-dependent increase	
							Mitochondrial membrane potential	Probe measurements	Dose-dependent increase	
							Genotoxicity	Comet assay	Dose-dependent increase	
							Cell cycle analysis	Western blot	Dose-dependent upregulation of chk 1 and down regulation Cdc25c, Cyclin B1, Cdc2	
S-SiNPs	HUVEC	Human vein endothelial	62 nm	Laboratory synthesis	25–100 µg/ml	24 h	NP internalization	LSCM and TEM	NPs detected in cytoplasm	Duan et al. (2013b)
							Autophagy	LSCM and TEM	Dose-dependent increase in cellular uptake and autophagic vacuoles, autophagosomes and autolysosomes detected	
							Expression of inflammatory factors	ELISA	Dose-dependent increase in the expression of CRP, TNF- $\alpha$ , IL- $\beta$ and IL-6	
							Oxidative stress	NO, NOS, eNOS and iNOS measurements	Dose-dependent increase of iNOS and decrease of NO, NOS and eNOS	
							Pathway analysis	Western blot	Dose-dependent decrease of p-mTOR/mTOR, p-P13 K/P13 K and p-Akt/Akt	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
S-SiNPs	HUVEC	Human vein endothelial	58 nm	Laboratory synthesis	12.5–100 µg/ml	24 h	Cell viability Cytotoxicity Oxidative stress assay	MTT assay LDH assay DCFH-DA assay	Dose-dependent reduction Dose-dependent increase Dose-dependent increase	Guo et al. (2015)
S-SiNPs	HUVEC	Human vein endothelial	62 nm	Laboratory synthesis	25–100 µg/ml	24 h	Oxidative stress Oxidative stress Oxidative stress Oxidative stress Oxidative stress Inflammatory factors Oxidative stress Pathway analysis	GSH depletion LPO assay SOD assay GSH-Px assay ELISA NO, NOS, eNOS, iNOS and ET-1 RT-PCR and western blot analysis	Dose-dependent increase Dose-dependent increase of MDA formation Dose-dependent decrease Dose-dependent decrease Increase of IL-1β, IL-8, TNFα, ICAM-1, VCAM-1, and MCP-1 Differential expression of NO, iNOS and eNOS activity and downregulation of ET-1 Dose-dependent increase of Nrf-2, p-ERK, p-JNK, p-p38 MAPK and NF-κB	Duan et al. (2014b)

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
S-SiNPs	HUVEC	Human vein endothelial	58 nm	Laboratory synthesis	12.5–100 µg/ml	24 h	Cell viability	MTT assay	Size and dose-dependent reduction	Guo et al. (2016)
					Cytotoxicity	LDH assay			Size and dose-dependent increase	
					Oxidative stress	DCFH-DA assay			Increase	
					Oxidative stress	LPO, SOD and GSH assay			Increase	
					Redox relative factors	RT-PCR			Increase in Nrf2 activation	
					Apoptosis	AO/EB staining			Increase	
					Mitochondrial membrane potential	Probe measurements			Decrease	
					Autophagy	TEM			Autophagosomes and autophagic vacuoles detected	
					Cellular uptake	ICP-AES			Increase	
					Pathway analysis	Western blot			Increase of MAPK/Bcl-2 and PI3 K/Akt/mTOR signaling	
					Cell viability	MTT assay			Reduction with non-porous NPs	Maurer-Jones et al. (2010)
S-SiNPs and M-SiNPs	MPMCs	Murine peritoneal mast cells	25 nm	Laboratory synthesis	100 µg/ml	24 h	Hemolysis of RBCs	Hemolysis assay	Increase with non-porous NPs	
	RBCs	Human red blood cells					Cellular uptake	TEM and ICP-AES	M-SiNPs NPs internalized more than non-porous	
		Lung co-cultures					Cell viability	WST-8 assay	Dose-dependent reduction only in RAW 264.7. Amino modified SiNPs were less toxic	Yu et al. (2011)
	Co-culture: MPMC/3T3	Human type II alveolar epithelial	115 nm (with or without amine modification)	Laboratory synthesis	10, 50, 100, 250 and 500 µg/ml	24 h				
S-SiNPs and M-SiNPs	A549	Human red blood cells								
	RBCs	Mouse macrophage								
	RAW 264.7									
M-SiNPs	HT-29	Human colon epithelial	25 and 100 nm	Laboratory synthesis	10–150 µg/ml	24 h	Hemolysis of RBCs	Hemolysis assay	Increase only with M-SiNPs	
					Cytotoxicity	PI staining			Increase with M-SiNPs	
					Cellular uptake	ICP-MS			S-SiNPs internalized more than M-SiNPs	
					Cell viability	SRB			No reduction	
					Cell viability	Impedancemetry			No reduction with 25 nm NPs; higher toxicity at lower doses with 100 nm NPs	Sergent et al. (2012)
					Cell viability	Flow cytometry			Limited toxicity with 25 nm; higher toxicity at lower doses with 100 nm NPs	
					Genotoxicity	γH2AX fluorescence			No effect with 25 nm; greater DNA damage at lower doses with 100 nm NPs	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
M-SiNPs	NRK-52E	Rat kidney epithelial	198 nm	Laboratory synthesis	25–1000 µg/ml	3 and 24 h	Cell viability Cytotoxicity Expression of inflammatory factors	MTT assay LDH assay Western blot	Dose-dependent reduction Dose-dependent increase Dose-dependent increase of FN, TGF-β, and ICAM-1 (50–400 µg/ml)	Chen et al. (2015)
M-SiNPs	HEK293	Human kidney epithelial	100 nm, 2.3 nm pore size	Laboratory synthesis	100 µg/ml	24, 48 and 72 h	Cellular morphology Oxidative stress	Immuno-fluorescence staining TEM Fluorescent dihydroethidium	Dose-dependent increase in the expression of NF-κB p65 (50–400 µg/ml) Cell shrink and nucleus condensed	Zhang et al. (2015)
M-SiNPs	EA.hy926	Human endothelial Human Platelets (activated and non-activated)	48 nm (surface functionalized with PET and TMS)	Laboratory synthesis	20–1000 µg/ml at a flow rate of 30 µl/min using a microfluidic device	—	Cell viability Platelet adhesion Platelet aggregation	RT PCR FISH assay EGFR and KRAS Human mRNA micro array	No effect No effect No effect 579 genes upregulated and 1263 genes downregulated	Kim et al. (2014a)
Py-SiNPs and S-SiNPs	A549	Human type II alveolar epithelial	12 (Py-SiNPs) and 50 nm (S-SiNPs)	Py-SiNPs— Eyonik; S-SiNPs— Landsberg am Lech	52 µg/cm <sup>2</sup> and 117 µg/cm <sup>2</sup> (ALI) 15.6 µg/cm <sup>2</sup> (submerged)	ALI (5 and 7 h) Sub-merged (24 h)	Cytotoxicity Pro-inflammatory response	LDH assay ELISA	Dose-dependent increase Increase in IL-8	Panas et al. (2014)
Pr-SiNPs	A549	Human type II alveolar epithelial	15 nm	Nanoamor	25–200 µg/ml	72 h	Expression of inflammatory factors Cell viability	Western blot MTT assay	Increase in the expression of COX-2 and phosphorylated p38; stronger effects observed in sub-merged culture	Ahammed (2013)
A431	Human skin epithelial						Cytotoxicity Oxidative stress Oxidative stress	LDH assay DCFH-DA assay LPO assay	Dose-dependent increase Dose-dependent increase Dose-dependent reduction	
							Oxidative stress Apoptosis	GSH depletion RT PCR	Dose-dependent increase Dose-dependent increase of caspase 3 and caspase 9	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
Pr-SiNPs (NM-200) and Py-SiNPs (NM-203); NRT-808, NRT-817, NRT-820 and NRT-944	Immortalized ball/3T3	Mouse fibroblast	10–25, 5–30, 15, 35, 80, and 90 nm	NM-JRC repository; NRT-Laboratory synthesis	1–100 µg/ml	72 h	Cell viability	MTT assay	Reduction with 15 nm NPs	Uboldi et al. (2012)
Two Py-SiNPs samples (different sizes) one Pr-SiNPs and two C-SiNPs (different sizes)	V79	Hamster lung fibroblast	20–80 nm	SiNPs	12.5–100 ng/cm <sup>2</sup>	24 h	Cell viability	Colony formation assay	No effect	Guichard et al. (2016)
Py-SiNPs(12 and 40 nm) and S-SiNPs (200 nm)	HT-29	Human colon epithelial	12, 40, and 200 nm	Py-SiNPs—Evonik; S-SiNPs—Angström Sphere	0.03–156.3 µg/cm <sup>2</sup>	24 h	Cell viability	Cell transformation assay	No effect	
Py-SiNPs	C2BBe1	Human colon epithelial	12 nm	Sigma-Aldrich	10 µg/cm <sup>2</sup>	Acute—24 h Chronic—29 passages	Cell viability	MTT assay	No effect	McCracken et al. (2013)
							Cytotoxicity	LDH assay	No effect	
							Apoptosis	Annexin V/PI staining	No effect	
							Necrosis	Sytox red staining	No effect	
							Cellular uptake	TEM	Uptake only by a fraction of cells	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
Py-SiNPs and Pr-SiNPs	GES-1	Human gastric epithelial	10–50 nm	Eyonik and Haihua	10–600 µg/ml	24, 48 and 72 h	Cell viability	CCK-8 assay	Size and dose-dependent reduction	Yang et al. (2014b)
Pr-SiNPs	Caco2	Human colon epithelial					Cytotoxicity	LDH assay	Size and dose-dependent increase	
							Oxidative stress	DCFH-DA assay	No effect	
							Apoptosis	Apoptosis assay	No effect	
							Cell cycle arrest	Cell cycle assay	Increase at S phase for GES cells and G2/M for caco2 cells	
							Cellular uptake	TEM	NPs detected in cytoplasm	
							Cellular morphology	Ultramicrotome and TEM	Increase in cell damage	
							Cellular barrier integrity	TEER measurement	No effect	
							Cytotoxicity	HCSA	Py-SiNPs induced greater reduction than Py-SiNPs	
							Macrophage activation	RT-PCR	Higher for Py-SiNPs	
							Pro-inflammatory cytokines	ELISA	Increase of TNF- $\alpha$ , IL-6 and IL-1 $\beta$	
							Oxidative stress	Fluorescence microscopy and flow cytometry	No ROS induction	
							Cell viability	MTT and NRU assay	Increase of TNF- $\alpha$ , IL-6 and IL-1 $\beta$	
							Oxidative stress	DCFH-DA assay	Dose-dependent increase	
							Oxidative stress	LPO assay	Dose-dependent increase MDA formation	
							Oxidative stress	GSH depletion	Dose-dependent increase	
							Apoptosis	RT PCR and western blot	Up regulation of p53, bax, and caspase 3 and down regulation of bcl 2	
							Apoptosis	Caspase-3 assay	Dose-dependent increase	
							Genotoxicity	Cytokine-block micronuclei induction	No effect	
Pr-SiNPs (NM 203) and Pr-SiNPs (NM 202)	MH-S and RAW 264.7	Mouse macrophages	14 nm	JRC repository	5 or 10 µg/cm <sup>2</sup>	24 h				Tavares et al. (2014)
Pr-SiNPs	HePG2	Human liver epithelial	14 nm	Nanoamor	1–200 µg/ml	72 h				
Pr-SiNPs (NM 200 & 201), Py-SiNPs (NM 202 & 203)	Human peripheral lymphocytes	Human	14–16 nm	JRC repository	200–1250 µg/ml	24 h				

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
S-SiNPs	Primary Microglial cells	Rat macrophage like cells	150–200 nm	Laboratory synthesis	0.0728–7.28 µg/ml	24 h	Cell viability Cytotoxicity Oxidative stress assay	MTS assay LDH assay DCFH-DA assay	No effect No effect No effect	Choi et al. (2010)
							NO production Pro-inflammatory response(s)	DAF-FM assay Luminex	No effect Reduction in TNF- $\alpha$ . A small amount of IL- $\beta$ detected	
							Inflammatory factors	RT-PCR	Increase in COX-2	
Reverse microemulsion	HK-2	Human kidney epithelial	20 and 100 nm	Laboratory synthesis	5–500 µg/ml	24,48 and 72 h	Cell viability	WST-1 and clonogenic assay	Size, dose and time-dependent reduction	Passagne et al. (2012)
	LLC PK-1	Porcine kidney epithelial					Oxidative stress	LPO assay	Dose-dependent increase of MDA formation	
							Oxidative stress	Fluorescent dihydroethidium	Dose-dependent increase	
							Oxidative stress	RT-PCR	Upregulation of anti-oxidant genes	
							Cellular uptake	TEM	Internalization of particles	
SiNPs	A549	Human type II alveolar epithelial	20 nm (with or without amine or carboxyl coated)	Laboratory synthesis	200–1000 µg/ml	12–48 h	Cell viability Autophagy	PI staining MDC staining	Reduction above 250 µg/ml Threefold and fivefold increase at 100 and 1000 µg/ml, respectively	Nowak et al. (2014)
							Autophagy	RT-PCR	ATG-12 and BECN genes upregulated at 1000 µg/ml	
							Cellular uptake	Immunostaining and fluorescent microscopy	Functionalized particles efficiently taken up than bare SiNPs	
							Cellular morphology	TEM	Cell blebbing detected	
							Cell viability	MTT assay, flow cytometry	Reduction in cell viability	Eom and Choi (2011)
							Oxidative stress	DCFH-DA assay	Increase in ROS production	
							Pathway analysis	Western blot	Increase in HO-1, Nrf2 and ERK phosphorylation	
SiNPs	BEAS-2B	Human bronchial epithelial	20–40 nm	Sigma-Aldrich	1 µg/ml	24 h	Cell viability	MTT assay	Size and dose-dependent reduction	Xu et al. (2012)
							Oxidative stress	DCFH-DA assay	Size and dose-dependent increase	
							Apoptosis	Flow cytometry	Size and dose-dependent increase	
							Apoptotic pathway analysis	Western blot	Increase of p53 and differential expression of cytochrome C, Bax, Bcl-2, caspase, $\beta$ -actin and COX IV	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
SiNPs	MRC-5	Human lung fibroblast	4–13 nm	NaBond Technologies	12.5–62.5 µg/ml for 24, 48 and 72 h (cell viability) Other assays—62.5 µg/ml	Cell viability—48 and 72 h Other assays—24, 48 and 72 h	Cell viability Oxidative stress	MTT assay DCFH-DA assay	Time and dose-dependent reduction Time-dependent increase	Voici et al. (2015)
SiNPs	A549	Human type II alveolar epithelial Human bronchial epithelial	30 nm	Nanoamor	0.0–100 µg/ml	24 h	Oxidative stress Advanced oxidation protein products Apoptosis Autophagy	GSH depletion Western blot PI staining MDC staining	Time-dependent increase Time-dependent increase of LC-3 II Vacuolization of cytoplasm detected	Michael Berg et al. (2013)
MeT-5A							Oxidative stress Cell viability	MTT assay	Dose-dependent reduction in A549	
SiNPs	HFL-1	Human lung fibroblast	20 nm	Nanjing High Technology of Nano	250–1500 µg/ml	48 h	Oxidative stress Oxidative stress Oxidative stress Oxidative stress Oxidative stress Oxidative stress Cell viability Apoptosis	DCFH-DA assay GSH depletion Western blot and RT-PCR Nrf 2 Immunofluorescence Catalase assay MTT assay Fluorescence microscopy	Dose-dependent increase in A549 Dose-dependent increase in A549 Differential expression of anti-oxidant proteins Increase of Nrf 2 in A549 Dose-dependent increase Dose-dependent reduction Dose-dependent increase	Zhang et al. (2011)
SiNPs	HaCaT	Human keratinocyte	15, 30, 100, and 5000 nm	Wan Jing New Material Co. Ltd and Sigma-Aldrich (5000 nm)	0.5–100 µg/ml	24 h	Cell viability Oxidative stress Apoptosis	CCK-8 assay DCFH-DA assay Annexin V/PI staining	Size and dose-dependent reduction Size and dose-dependent increase Size and dose-dependent increase	Gong et al. (2012)
SiNPs							Genotoxicity Genotoxicity	8-OH-dG γH2AX fluorescence	Size and dose-dependent increase Size and dose-dependent increase	
							Genotoxicity	Comet assay	Size and dose-dependent increase	
							Cellular morphology	Microscopy	Morphology affected at 10 µg/ml	

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
SiNPs	HaCaT	Human keratinocyte	70, 300, and 1000 nm	Micromod Partikeltechnologie	10–1250 µg/ml	24 h	Cytotoxicity Oxidative stress	LDH assay DCFH-DA assay	Dose-dependent increase Dose-dependent increase	Nabeshi et al. (2011a)
SiNPs	HaCaT	Human keratinocyte	70, 300, and 1000 nm	Micromod Partikeltechnologie	100 µg/ml	24 h	Oxidative stress	Hydroxy fluorescein assay	Dose-dependent increase	Nabeshi et al. (2011b)
SiNPs	HepG2	Human liver epithelial	7, 20, and 50 nm	Shanghai Cabot Chemical	20–640 µg/ml	24, 48 and 72 h	Genotoxicity Cell viability	8-OH-dG Comet assay MTT assay	Increase in tail length and tail moment Internalization of NPs by NADPH oxidase Independent endocytosis	Lu et al. (2011)
SiNPs;	Kupffer cells	Rat liver macrophage	15 nm	Sigma-Aldrich	50–800 µg/ml	24 h	Oxidative stress	DCFH-DA assay	Increase in tail length with 70 nm NPs	Lu et al. (2011)
BRF		Rat liver cells			Supernatant was incubated with BRL cells		Oxidative stress Apoptosis	GSH depletion Annexin V/PI staining	Dose and time-dependent reduction Increase in HepG2	Chen et al. (2013)
SiNPs	RAW 264.7	Mouse macrophage	12 nm	Sigma-Aldrich	200 and 400 µg/ml	24 h	Cytotoxicity Oxidative stress NO production	LDH assay DCFH-DA assay CCK-8 assay	Increase in HepG2 Dose-dependent increase in BRL Dose-dependent reduction in KCs	Chen et al. (2013)
							Oxidative stress Pro-inflammatory response	GSH depletion ELISA	Dose-dependent increase in KCs	Chen et al. (2013)
							Cellular morphology	Phase contrast microscopy	Cell damage observed for BRL	Chen et al. (2013)
							Cell viability	WST-8 assay	Dose-dependent reduction	Hashimoto and Imazato (2015)
							Genotoxicity	Hoechst/PI staining	Deformation of nuclei at both concentrations	Hashimoto and Imazato (2015)
							Genotoxicity	Comet assay	Dose-dependent increase	Hashimoto and Imazato (2015)
							Genotoxicity	Micronuclei induction	Increase	Hashimoto and Imazato (2015)
							Cellular uptake	SEM and TEM	NPs detected in vesicles and in nucleus	Hashimoto and Imazato (2015)

**Table 1** continued

Type of SiNPs	Cell line	Cell type	Particle primary size	Source	Exposure dose	Exposure duration	Endpoint	Assay(s)/method(s)	Results	References
SiNPs	Human peripheral lymphocytes	Human	10–20 nm	Sigma-Aldrich	50–100 µg/ml	24 h	Cell viability	MTT assay	Dose-dependent reduction	Rajiv et al. (2015)
SiNPs	PC12	Primary microglial cells	20 nm	Sigma-Aldrich	250 and 500 mg/ml	24 h	Cell viability	MTT assay	No reduction	Xue et al. (2012)
SiNPs	PC12	Rat brain macrophage like cells	Rat neuron like cells				Pro-inflammatory response	ELISA	Mild increase of cytokines such as IL-6, TNF- $\alpha$ and IL-1 $\beta$	
SiNPs	RAW 264.7	Mouse macrophage	10–50, 300, and 1000 nm (with and without amine modification)	Micromod Partikeltechnologie	6.25–100 µg/m (with LPS and PGN)	24 h	NO production	Griess reagent assay	No effect	
SiNPs							Nuclear binding activity	RT-PCR	No effect	
SiNPs							Inflammatory factors	Western blot	No effect	
SiNPs							$\alpha$ -Synuclein levels	Western blot	Dose-dependent increase	Xie and Wu (2016)
SiNPs							Cellular uptake	TEM	Increase	
SiNPs							Autophagy	Western blot	Dose-dependent increase of LC-II and Beclin 1	
SiNPs							Pathway analysis	Western blot	Dose-dependent decrease of PI3K-Akt-mTOR signaling	
SiNPs							Cell viability	WST-8	Dose and size-dependent reduction (only for bare SiNPs)	Uemura et al. (2016)
SiNPs							Pro-inflammatory responses	ELISA	Dose-dependent increase of TNF- $\alpha$ and decrease of IL-6 (only for bare SiNPs). IL-6 decrease for micro particles	

TEER Transepithelial electrical resistance, RT-PCR Reverse transcription polymerase chain reaction, ISDD In vitro sedimentation, diffusion and dosimetry model, FACS Fluorescence-activated cell sorting, LSCM Laser scanning confocal microscopy, AO/EB Acridine orange/ethidium bromide, FISH Fluorescence in situ hybridization, EGFR Epidermal growth factor receptor, KRAS Ki-ras2 Kirsten rat sarcoma viral oncogene homolog, HPR7 Hypoxanthine phosphoribosyl transferase, HSCA High content screening and analysis, DAM-FIM 4-amino-5-methylamino-2,7-difluorescein, PI Propidium iodide, Nrf2 Nuclear factor erythroid 2-related factor 2

**Table 2** In vivo studies on SiNPs toxicity

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References
C-SiNPs	Oral	20 and 100 nm	E&B Nano-tech	Rat; SD (female and male)	500 and 1000 mg/kg bw	1 h–10 days	Animal	Clinical signs	Observation	No animal death	Lee et al. (2014)
C-SiNPs	Oral	20 and 100 nm (uncoated or L-arginine coated)	E&B Nano-tech	Mice; C57BL/6	750 mg/kg bw	Daily for 14 days	Lungs, liver, brain, kidneys, testis and spleen	Tissue distribution	Molybdenum blue method	NPs detected in lungs, liver, spleen and kidneys	
C-SiNPs	Oral	12 mm	ABC Nano-tech	Rat; SD	Acute–1959 and 2061; Sub-acute–489.8, 979.5, 1959; Sub-chronic: 244.9, 489.8 and 975.9 mg/kg bw	Acute—14 days Sub-acute— daily for 14 days Sub-chronic: daily for 13 w	Blood	WBCs count	Serum analyzer	Most NPs excreted via feces	Kim et al. (2014b)
C-SiNPs	Oral	12 mm	ABC Nano-tech	Rat; SD	Acute–1959 and 2061; Sub-acute–489.8, 979.5, 1959; Sub-chronic: 244.9, 489.8 and 975.9 mg/kg bw	Acute—14 days Sub-acute— daily for 14 days Sub-chronic: daily for 13 w	Urine and feces	Excretion kinetics	Molybdenum blue method	Most NPs excreted via feces	
C-SiNPs	Oral	12 mm	ABC Nano-tech	Rat; SD	Acute–1959 and 2061; Sub-acute–489.8, 979.5, 1959; Sub-chronic: 244.9, 489.8 and 975.9 mg/kg bw	Acute—14 days Sub-acute— daily for 14 days Sub-chronic: daily for 13 w	Eye	Ophthalmology	Ophthalmoscopy	No effect	Yun et al. (2015)
C-SiNPs	Oral	12 mm	ABC Nano-tech	Rat; SD	Acute–1959 and 2061; Sub-acute–489.8, 979.5, 1959; Sub-chronic: 244.9, 489.8 and 975.9 mg/kg bw	Acute—14 days Sub-acute— daily for 14 days Sub-chronic: daily for 13 w	Major organs	Tissue distribution	ICP-MS	NPs not detected	
C-SiNPs	Oral	12 mm	ABC Nano-tech	Rat; SD	Acute–1959 and 2061; Sub-acute–489.8, 979.5, 1959; Sub-chronic: 244.9, 489.8 and 975.9 mg/kg bw	Acute—14 days Sub-acute— daily for 14 days Sub-chronic: daily for 13 w	Urine and feces	Excretion kinetics	ICP-MS	Most NPs excreted via feces	

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay (s)/ method(s)	Results	References
C-SiNPs	Oral gavage	20 and 80 nm, coated with L-arginine	E&B Nanotech	Rats; Crl:CD(SD)	500, 1000 and 2000 mg/kg bw	Daily for 90 days	Animal	Clinical signs	Observation	No animal death	Kim et al. (2014c)
C-SiNPs	Intratracheal	9,15, 30 and 55 nm	AkzoNobel AB	Rat; Wistar (female)	360 µg in 500 ml of saline	3 days	Blood	Blood cell count	Hematoanalyzer	No effect	
C-SiNPs	Dermal	20 nm, coated with L-arginine	E&B Nanotech	Rat; Sprague-Dawley (SD)	500 mg, 1000 mg, and 2000 mg/kg bw	Daily for 90 days	Blood	Organ damage biomarkers	Serum analyzer	No effect	Ryu et al. (2014)
All major organs							Necropsy	Ophthalmology	Observation of ocular fundus	No effect	
All major organs							Necropsy	Weighing organs	Weighing	No effect	
Lungs							Histopathology	H & E staining	H & E staining	No effect	
Bone marrow							Histopathology	H & E staining	H & E staining	Mild increase of granulomatous inflammation	Maser et al. (2015)
Bone marrow							Genotoxicity	Comet assay	No effect		
All major organs							Genotoxicity	Micronucleus test	No effect		
All major organs							Necropsy	Histopathology	Organ weight	No effect	

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References
C-SiINPs	Dermal	20 and 100 nm (uncoated or L-arginine coated)	E&B Nanotech	Rat	2000 (coated) and 1000 mg/kg bw(uncoated)	Daily for 28 d	Brain	Blood-brain barrier damage	Evans blue staining	No effect	Shim et al. (2014)
C-SiINPs	Intraperitoneal	50 nm	Polysciences	Mice; Male tuck ordinary	0.25 mg/kg bw	24 h	Blood	Tissue distribution	TEM-EDX	NPs not detected	Nemmar et al. (2016)
C-SiINPs	Intravenous	64 nm	Laboratory synthesis	Mice; ICR (male and female)	0, 29.5, 103.5, and 177.5 mg/kg bw	14 days	Blood	Blood cell count	Hematoanalyzer	Increase of leukocytes	Yi et al. (2013)
C-SiINPs	Intravenous	64 nm	Laboratory synthesis	Mice; ICR (male and female)	0, 29.5, 103.5, and 177.5 mg/kg bw	14 days	Liver, spleen, kidneys, heart, lungs, and brain	Histopathology	H & E staining	Increase of LDH, ALT and AST	Tissue damages observed
C-SiINPs	Intravenous	64 nm	Laboratory synthesis	Mice; ICR (male and female)	0, 29.5, 103.5, and 177.5 mg/kg bw	14 days	CD-68 positive cells	CD-68 staining	Comet assay	Increase in liver and spleen	NP localization
									Serum analyzer	NP detected in liver	macrophages and in the endothelial cells of lungs and kidneys
									ICP-OES	Tissue distribution	Si detected in liver and lungs

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay (s)/ method(s)	Results	References
S-SiNPs	Intratracheal	50 nm, with or without amine modification	Laboratory synthesis	Mice; C57BL/6 (male)	4 and 20 mg/kg bw	24 h	Lungs	Inflammation	BALF cell count and LDH assay	Dose-dependent increase of total cell number, macrophages, neutrophils and LDH release	Morris et al. (2016)
S-SiNPs	Intratracheal	58 nm	Laboratory synthesis	Mice; C57 (male)	2 mg/kg bw	Once every 3 days for 45 days	Testis	Histopathology	H & E staining	Decrease in mature sperm and primary spermatocytes	Zhang et al. (2016)
								Meiotic regulating factors	Western blot	Cell cycle arrest observed	
								Oxidative stress	DCFH-DA assay	Increase	
							Sperm	Quality evaluation	Microscopy	No effect	

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References
S-SiNPs	Intratracheal	43 nm	Laboratory synthesis	Mice; BALB/c(female)	0, 7, 21, and 35 mg/kg bw	Once every 3 days for 15 days	Lungs, liver and heart	Histopathology	H & E staining	Increase of Inflammation	Yang et al. (2016)
S-SiNPs	Intravenous	62 nm	Laboratory synthesis	Mice; ICR	29.5, 103.5, and 177.5 mg/kg bw	14 days	Heart	Organ damage bio-markers	Serum analyzer	Increase of BUN, CREA, uric acid, and AST	Duan et al. (2014a, b)

Table 2 continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay (s)/ method(s)	Results	References
M-SiNPs	Intragastrical	Spherical 83 nm, short rods (AR 1.75) and long rods (AR 5)	Laboratory synthesis	Mice; ICR (male)	40 mg/kg bw	14 days	Blood	Blood cell count Organ damage biomarkers	Hematoanalyzer Serum analyzer	No effect Increase of LDH release and CREA	Li et al. (2015)
M-SiNPs	Intravenous	1.5 (short rods) and 5 (long rods) aspect ratio; standard or PEGylated	Laboratory synthesis	Mice	20 mg/kg bw	2 h, 24 h and 7 days	Blood	Blood cell count Organ damage biomarkers	Hematoanalyzer Serum analyzer	No effect Increase of TBIL, CREA and BUN	Huang et al. (2011)
M-SiNPs	Intravenous	Urine and feces									PEGylation reduced distribution in liver and spleen Short rods cleared rapidly than long rods

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References
M-SiNPs	Intraperitoneal	~198 nm	Laboratory synthesis	Mice; BALB/C	150, 300, and 600 mg/kg bw	2 and 12 days	Blood	Organ damage biomarkers	Serum analyzer	Increase of AST, ALT BUN and CREA	Chen et al. (2015)
Pr-SiNPs (NM 200 & 201), Py-SiNPs (NM 202 & 203)	Oral gavage	18–24 nm	JRC repository	Rat; SD (male)	5, 10, and 20 mg/kg bw	0, 24, and 45 h	Blood	Oxidative stress	H & E staining	No effect	Tarantini et al. (2015a, b)
Pr-SiNPs (NM 200)	Oral gavage	10–15 nm	JRC repository	Rat; Wistar	100, 300, or 1000 mg/kg bw at a dose volume of 10 mL/kg bw	Daily for 14 days from gestation period (6–19)	Animal	Clinical signs	Observation	No animal death	Hofmann et al. (2015)
							Gravid uterus	Body weight	Observation	No effect	
							Fetus	Necropsy	Cesarean	No effect	
								Fetus gross damage	Morphological examinations	No effect	

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References
Py-SiNPs	Exposure via food	7 nm and NM202 (10–25 nm)	JRC repository	Rat; SD	Sub-acute: 100, 1000, 2500 mg/kg bw Sub-chronic: 2500 mg/kg bw	Sub-acute: daily for 28 days Sub-chronic: daily for 84 days	Blood	Organ damage biomarkers	Serum analyzer	No effect	Zande et al. (2014)
							Plasma	ELISA		No effect	
							IgG and IgM and cytokine analysis				
							Liver	Transcriptional analysis	mRNA quantification kit	No effect	
							Liver, jejunum, kidneys and spleen	Histopathology	H & E staining	Presence of fibrosis in the liver of NM 202 treated rats	
										NM 202 detected in lungs, kidneys and spleen; SAS only in the spleen	Zhuravskii et al. (2016)
							Liver, spleen, lungs, brain and testis	Tissue distribution	ICP-MS		
Py-SiNPs	Intravenous	13 ± 5 nm	Vekton Ltd	Rat; Wistar	7 mg/kg bw	7, 30 and 60 days	Blood	Hemodynamics	Blood pressure measurement and heart rate	No change	
							Blood cell count	Hematoanalyzer			
							Organ damage biomarkers	Serum analyzer		Increase of ALP at 7 d	
							Liver, heart, spleen, lungs and kidneys	Tissue distribution	Atomic absorption spectrometry	Si detected in liver, lungs and spleen	
							NP localization	SEM		NPs detected in hepatocytes	
										H & E staining	Induction of fibrosis

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References
SiNPs	Oral gavage	70 nm, 300 and 1000 nm with or without carboxyl or amine groups	Micromod Partitechnologie	Mice; BALB/c	2.5 mg/mouse	Daily for 28 days	Blood	Blood cell count	Hematoanalyzer	No effect	Yoshida et al. (2014)
SiNPs	Oral gavage	10–15 nm	TECNAN	Rat; Wistar (male)	333.3 mg/kg bw	Daily for 5 days	Animal	Clinical signs	Observation	Symptoms of vomiting and severe lethargy	Hassankhani et al. (2014)
SiNPs	Intratracheal	Three SiNPs (30, 60, and 90 nm) and one fine-sized silica (600 nm)	Laboratory synthesis	Rat; Wistar (male)	2.5 and 10 mg/kg bw	Daily for 16 days	Blood and Heart	Organ damage biomarkers	Serum analyzer	Increase	Du et al. (2013)
SiNPs	Oxidative stress						Kidneys, lungs and testis	Histopathology	H & E staining	Tissue damage observed	&RBCs
SiNPs	Oxidative stress						Blood and Heart	Blood cell count	Hematoanalyzer	Increase of WBCs & platelets and decrease of hemoglobin	WBCs & platelets and decrease of hemoglobin &RBCs
Pro-Inflammatory response(s)	ELISA							LPO, GSH, SOD and GSH-Px assay		Increase of MDA formation	
Tissue distribution	ICP-OES							N/O/NOS		Increase of NO and decrease of NOS	

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay (s)/ method(s)	Results	References
SiNPs in paints	Oropharyngeal	19 nm	SiNPs	Mice; BALB/c mice	20 µg/aspiration	Once a week for 5 w	Lungs	Inflammation	BALF Cell count	Increase of macrophages and neutrophils	Smulders et al. (2014)
SiNPs in paints	Intranasal	10 and 80 nm SiNPs	Nanoamor	Rat; Wistar (male)	150 µg/50 µl PBS/rat	Daily for 30 days	Brain	Oxidative stress	Xylenol orange assay	NP detected in lungs	Parveen et al. (2015)
SiNPs								GSH depletion	Increase of MDA formation		
								SOD, CAT and GPx levels	Increase		
								Pro-Inflammatory response(s)	RT-PCR and ELISA	Increase TNF- $\alpha$ , IL-1 $\beta$ and MCP-1	
								Nuclear binding activity	Immuno blot analysis	Increase	Si detected in frontal cortex, corpus striatum and hippocampus
								Tissue distribution	ICP-OES		

**Table 2** continued

Type of SiNPs	Exposure route	Primary particle size	Source	Species and Strain	Exposure dose	Exposure duration	Organ(s)/ sample(s)	Effect(s)/ endpoint(s)	Assay(s)/ method(s)	Results	References	
SiNPs	Topical	70 nm, 300 and 1,000 nm	Micromod Partikeltech- nologie	Mice; BALB/c	250 mg/ear	Daily for 28 days	Skin	Apoptosis	TUNEL staining	Increase	Nabeshi et al. (2011b)	
	Intravenous				30 mg/kg bw	24 h	Animal	Tissue distribu- tion	In vivo Imag- ing	70 nm SiNPs detected around the liver		
								NP internali- zation	TEM			
										70 nm SiNPs detected in cytoplasm and nucleus of the paren- chymal hepatocytes (liver)		
SiNPs	Intravenous	15 nm	Sigma-Aldrich	Rat; SD (male)	50 mg/kg bw	48 h	Blood	Blood cell count	Hematoana- lyzer	Increase of WBC, lympho- cytes, monocytes and neutro- phils	Chen et al. (2013)	
								Liver	CD-68 posi- tive cells	CD-68 stain- ing		
									Oxidative stress	GSH and SOD assay	Increase	
									Injury bio- markers	Proton-NMR	Increase	

JRC Joint research commission, TEM Transmission electron microscopy, WBCs White blood cells, ICP-MS Inductively coupled plasma mass spectrometry, H & E Hematoxylin and eosin, EDX Energy dispersive X-ray spectroscopy, ELISA Enzyme linked immuno sorbent Assay, CD Cluster of differentiation, ICP-OES Inductively coupled plasma optical emission spectroscopy, BALF Bronchoalveolar lavage fluid, VEGFR Vascular endothelial growth factor receptor, MMP Mitochondrial membrane potential, DAPI-4',6-diamidino-2-phenylindole, dilactate, SEM Scanning electron microscopy, TUNEL Terminal deoxynucleotidyl transferase dUTP nick end labeling, NMR Nuclear magnetic resonance

**Table 3** Comparison of toxic effects induced by different types of SiNPs (in vitro)

SiNP type	Cell type	Cytotoxicity	Apoptosis	Genotoxicity	Oxidative stress	Pro-inflammation	References
Colloidal	Caco2	✓	✓	✓	✓	✓	Tarantini et al. (2015a, b)
Colloidal	HepG2	✓	✓	✓	✓	n/a	Li et al. (2011)
Colloidal	V79 and A549	✓	n/a	✓	n/a	n/a	Maser et al. (2015)
Colloidal	J744.1	✓	✓	n/a	✓	✓	Lee et al. (2011)
Colloidal	PBMC	✓	✓	n/a	✓	✓	Mendoza et al. (2014)
Stöber	Huvecs	✓	✓	✓	✓	✓	Duan et al. (2013a)
Stöber	HepG2	✓	✓	n/a	✓	n/a	Sun et al. (2011)
Stöber	HepG2	✓	✓	n/a	✓	n/a	Wang et al. (2013)
Stöber	HaCaT	✓	✓	n/a	✓	n/a	Liang et al. (2014)
Stöber	EA.hy926	✓	n/a	n/a	✓	n/a	Napierska et al. (2012a, b)
Precipitated	V79	✓	✓	✗	✗	n/a	Guichard et al. (2016)
Precipitated	Mouse fibroblast	✓	n/a	✗	n/a	n/a	Uboldi et al. (2012)
Precipitated	GES-1 and caco2	✓	✓	n/a	✓	n/a	Yang et al. (2014a, b)
Precipitated	HepG2	✓	✓	n/a	✓	n/a	Ahmad et al. (2012)
Precipitated	A549 and A431	✓	✓	n/a	✓	n/a	Ahamed (2013)
Precipitated	M-HS	✓	n/a	n/a	✗	✓	Di Cristo et al. (2016)
Precipitated	RAW.264.7	✓	n/a	n/a	✗	✓	Di Cristo et al. (2016)
Pyrogenic	V79	✓	✓	✓	✗	n/a	Guichard et al. (2016)
Pyrogenic	GES-1 and caco2	✓	✓	n/a	✗	n/a	Yang et al. (2014a, b)
Pyrogenic	HT-9	✓	n/a	n/a	✗	n/a	Gehrke et al. (2013)
Pyrogenic	RAW.264.7	✓	n/a	n/a	✗	✓	Di Cristo et al. (2016)
Pyrogenic	M-HS	✓	n/a	n/a	✓	✓	Di Cristo et al. (2016)

n/a, not investigated; ✓, positive; ✗, negative

including SiNPs (Manke et al. 2013). Nevertheless, Py- and S-SiNPs caused cytotoxicity without measurable levels of ROS production. It was demonstrated that the *disturbance of membrane integrity* due to direct cell-membrane interaction might be another possible mechanism of NP cytotoxicity (Fröhlich et al. 2009; Thomassen et al. 2011). However, neither of these studies did substantiate these observations and, therefore, SiNPs cytotoxic effects in the absence of oxidative stress remain poorly understood.

Furthermore, some authors used very high concentrations that may cause “overloading” of cells and modify the nature of NP-cell interactions (Wittmaack 2011). In these cases, it is difficult to evaluate whether the observed effects are physiologically relevant. Although it is challenging, we consider a dose of 384 µg/cm<sup>2</sup> or higher as irrelevant to human inhalation exposure for amorphous silica, based on the estimation that can be derived from the occupational exposure levels (OELs) (Fig. 2).


## Genotoxicity

In this section, we presented studies on genotoxic effects of SiNPs as it is used as another major endpoint to characterize hazard of NMs. Direct interaction with DNA, oxidative DNA damage, depletion of anti-oxidants, cell cycle arrest, and abnormal expression of genes have been identified as potential mechanisms of NP mediated (geno)toxicity (Donaldson et al. 2010).

### DNA damage associated with oxidative stress

Exposure to SiNPs (15, 30, and 100 nm) resulted in a size- and dose- (2.5–10 µg/ml for 24 h) dependent increase in 8-hydroxy-2'-deoxyguanosine levels (8-OH-dG), phosphorylation of histone on serine-139 (γH2AX), and DNA strand breaks (comet) in human keratinocytes (HaCaT) (Gong et al. 2012). Nabeshi et al. (2011a) also

**Fig. 2** In vitro dose estimation from human tolerable levels (OELs)



demonstrated that exposure to SiNPs (70 nm; 10–90 µg/ml for 24 h) resulted in the increase of oxidative DNA damage (8-OH-dG levels) in HaCaT cells. SiNPs were taken up via actin-mediated endocytosis. Micron-sized particles used in these studies showed no or little effects.

The viability of human Caucasian colon adenocarcinoma (Caco-2) cells dropped to 40% when exposed to 15 nm C-SiNPs (64 µg/ml for 24 h), and, at this same concentration, nearly a threefold increase in micronuclei formation, fivefold increase in histone phosphorylation (γH2AX), and a significant increase in DCF fluorescence were observed. The particles were localized within lysosomes and endocytic compartments, but not in the nucleus. 55 nm C-SiNPs did not induce any of these effects at the same concentration (Tarantini et al. 2015b).

A non-significant increase in % tail DNA (comet assay) and no chromosomal aberrations were induced by 17 nm SiNPs in human peripheral lymphocytes treated with 100 µg/ml, while a dose-dependent (50–100 µg/ml for 24 h) ROS production (DCFH-DA) and GSH depletion were observed (Rajiv et al. 2015).

#### *Cell cycle arrest associated with oxidative stress*

S-SiNPs (62 nm) induced increase in DCF fluorescence and decrease in superoxide dismutase (SOD) and glutathione peroxidase (GSH-Px) in HUVECs in a dose-dependent manner (25–100 µg/ml for 24 h). Oxidative stress was linked to cell cycle arrest at G2/M checkpoint (upregulation of chk 1 and downregulation of Cdc25c, Cyclin B1, and Cdc2) and increase in apoptosis (Duan et al. 2013a). In the study by Li et al. (2011), a size-dependent (19, 43, and 68 nm) increase in oxidative stress (DCF fluorescence) and cell cycle arrest in S and G2/M was observed in HepG2 cells exposed to 100 µg/ml of C-SiNPs. Cell cycle arrest in G2/M phase along with the increase in ROS was also noticed in human hepatic cell line (LC-02) treated with S-SiNPs (50 nm) in a dose-dependent manner (50–200 µg/ml for 24 h) (Wang et al. 2013).

#### *DNA damage not associated with oxidative stress*

Genotoxicity of Py-SNP (20 and 25–70 nm), Pr-SNP (20 nm), and C-SNP (15 and 40–80 nm) SiNPs were studied in Chinese hamster lung fibroblasts. Py-SiNPs (20 nm) induced a significant increase in DNA strand breaks at 66 µg/ml (24 h), while C-SiNPs (15 nm) showed a similar effect only at 252 µg/ml. Neither of these SiNPs did induce ROS. SiNPs in the size range 25–80 nm exerted no or little genotoxicity (Guichard et al. 2016).

#### *Genotoxicity reports without the assessment of oxidative stress*

M-SiNPs (100 nm) induced a significant increase in phosphorylated-γH2AX-foci in HT-29 cells treated with a dose of 10 µg/ml for 24 h (Sargent et al. 2012). In the human embryonic kidney cell line (HEK293), 579 genes were upregulated and 1263 genes were downregulated after 24 h of exposure (100 µg/ml) to 100 nm M-SiNPs (Zhang et al. 2015). In another study, 15-nm C-SiNPs induced a significant increase in DNA strand breaks (comet assay) in Chinese hamster cells (V79) and A549 cells at 100 µg/ml (24 h), but, for 55 nm, this effect was observed only in A549 cells (Maser et al. 2015). A significant increase in DNA tail length (comet assay) was observed in HaCaT cells treated with 30 µg/ml (24 h) of 70 nm SiNPs (Nabeshi et al. 2011b).

Exposure to C-SiNPs (~7 nm) resulted in positive genotoxic effects (Lymphoma assay) in mouse lymphoma cells treated with 100 and 150 µg/ml for 4 h (Demir and Casstranova 2016). SiNPs (12 nm) induced DNA strand breaks in RAW 264.7 at 200 and 400 µg/ml, but the induction of micronuclei was noticed only at 400 µg/ml. The particles were internalized in vesicles and in the nucleus (Hashimoto and Imazato 2015).

At any tested concentrations (1–100 µg/ml for 72 h), SiNPs (10–25, 5–30, 35, 15, 80, and 90 nm) neither induced cytotoxicity nor micronuclei in immortalized Balb/3T3 fibroblasts (Uboldi et al. 2012). In another study, Pr-SiNPs (NM-200 and NM-201) and Py-SiNPs (NM-202 and NM-203) with primary size between 14.5 and 16 nm did not induce any micronuclei (cytokinesis block micronucleus assay) in human peripheral lymphocytes exposed to different concentrations (200–1250 µg/ml) over 24 h (Tavares et al. 2014). It is also worthy to note that, in the latter study, the positive control used did not differ from control conditions.

#### *Conclusion: genotoxicity*

C-SiNPs and S-SiNPs induced genotoxicity in human tumor cell lines (lung, kidney, skin, and gastro-intestinal systems) and the amplitude of the effect negatively correlated with the size of the NPs. DNA strand breaks were observed at low concentrations (2.5–10 µg/ml), particularly in skin-derived cell lines. The genotoxic effects of C- and S-SiNPs were mainly associated with the induction of oxidative stress, while such information is very limited for other types (Py- and Pr-SiNPs). One study indicated that Py-SiNPs induce DNA damage without the generation of ROS, suggesting that other mechanisms such as direct DNA damage might be involved (Magdolenova et al. 2014). However, it is very difficult to judge whether

such genotoxic effect is direct or indirect, since the cellular uptake and subcellular localization of SiNPs are not often reported. Furthermore, several factors such as SiNP properties, cell type, and exposure scenarios (such as concentrations, assays, and endpoints) may influence the outcomes (Magdolenova et al. 2014), making the comparison difficult between studies and indicating an urgent need for the standardization of genotoxicity studies.

## Immunotoxicity

NPs entering the body will most probably interact with immune cells, as they are the first line of defence in human body. In this section, we presented the immune responses induced by SiNPs in different cell lines.

### *Immunotoxicity associated with oxidative stress*

Hara et al. (2014) exposed THP-1-derived macrophages to 100 µg/ml of SiNPs (30 nm) for 6 h and found a significant increase in interleukin-1-beta (IL-1 $\beta$ ), ROS production, and SiNP uptake via phagocytosis. In the study of Choi et al. (2010), larger sized SiNPs (150–200 nm) were effectively phagocytosed by primary rat microglial cells after 24 h of exposure to different concentrations (0.0728–7.28 µg/ml). A significant increase in ROS, reactive nitrogen species (RNS) and IL-1 $\beta$  was detected at all concentrations.

### *Immunotoxicity not associated with oxidative stress*

At 10 and 20 µg/ml, Di Cristo et al. (2016) found that Py-SiNPs (~14 nm) induced a stronger increase of tumor necrosis factor-alpha (TNF- $\alpha$ ), interleukin(IL)-6, and IL-1 $\beta$  in RAW.264.7 macrophages compared to similar sized Pr-SiNPs; Notably, no SiNPs induced ROS in RAW.264.7 macrophages.

### *Immunotoxicity reports without the assessment of oxidative stress*

A significant increase in TNF- $\alpha$ , IL-6, and IL-1 $\alpha$ , mitogen activated protein kinases (MAPKs), and nuclear factor (NF- $\kappa$ B were observed only for C-SiNPs (100 nm) in J774A.1 macrophages exposed to 100 µg/ml of same sized (100 nm) C-SiNPs or M-SiNPs (Lee et al. 2011).

Uemura et al. (2016) showed that SiNPs (10 and 50 nm) caused dose-dependent (6.25–100 µg/ml) increase in the production of TNF- $\alpha$  and decrease of IL-6 in RAW.264.7 macrophages, while their amine surface-modified counterparts did not. Furthermore, 300 and 1000 nm micron-sized particles (both bare and amine modified) also showed a dose-dependent decrease of IL-6. Notably, the effects were stronger for 50 nm compared to other particles. The

same cell line was utilized by Yu et al. (2011) to investigate phagocytosis using inductively coupled plasma mass spectroscopy (ICP-MS), and they found that S-SiNPs (25 nm) were phagocytosed at least ten times more than M-SiNPs of same size and high aspect ratio SiNPs (AR 2, 4, and 8). In the study by Napierska et al. (2012b), THP-1 cells dosed with 5 µg/cm<sup>2</sup> S-SiNPs (2 nm) showed a significant increase of IL-8, TNF- $\alpha$ , and macrophage inflammatory protein (MIP)-1 $\alpha$ , while only a non-significant increase in MIP-1 $\alpha$  expression was observed for 16 and 104 nm S-SiNPs.

### *Conclusion: immunotoxicity*

The main cells used to study immune responses to SiNPs were ‘innate’ cells such as monocytes and macrophages. Therefore, the identified in vitro studies only address a very limited part of the immune system, essentially pro-inflammatory responses and potential phagocytosis. Furthermore, the data on immune responses and oxidative stress are very limited and, therefore, no firm conclusions can be made. SiNPs, not only induced stronger pro-inflammatory responses compared to sub-micron and micron sized particles but also size-specific effects within the nano-range in immune cells are observed. Besides size, shape and porosity seem to influence the phagocytosis of SiNPs.

## Autophagy

Recently, a growing body of evidence identified autophagy as a cellular defence mechanism against NP toxicity, since it plays a key role in removing misfolded proteins and clearing damaged organelles (Glick et al. 2010). Hence, we present here studies that show induction of autophagy upon exposure to SiNPs.

### *Autophagy associated with oxidative stress*

The same S-SiNPs (62 nm) were used in three studies to investigate the induction of autophagy. Along with the dose-dependent (25–100 µg/ml) increase in ROS production, increase in autophagy bio-marker-microtubule-associated protein 1A/1B-light chain 3 (LC3) and monodansylcadaverine (MDC) labelled autophagic vacuoles were detected in HepG2 cells treated with 62 nm S-SiNPs. In addition, transmission electron microscopy (TEM) images revealed that autophagosomes and autolysosomes induced in the presence of SiNPs (Yu et al. 2014). The same S-SiNPs (62 nm) induced increase of LC3-II/LC3-I ratio and decrease of p-mTOR/mTOR, p-P13 K/P13 K and p-Akt/Akt in HUVEC cells in a dose-dependent (25–100 µg/ml) manner (Duan et al. 2013b, 2014a, b). The results of Guo et al. (2016) also suggest that 50 µg/ml

of S-SiNPs (58 nm) could induce autophagy via MAPK/Bcl-2 and PI3K/Akt/mTOR signaling in HUVECs.

After 4 h of exposure to 200 µg/ml of S-SiNPs (50 nm), autophagosomes and ROS production was observed in HaCaT cells. The TEM images revealed that SiNPs were in the cytoplasm and lysosomes, but not in the nucleus. (Liang et al. 2014).

SiNPs (4–13 nm, 62.5 µg/ml) induced a time-dependent (24, 48, and 72 h) reduction in cell viability and increase in oxidative stress (DCF fluorescence and GSH depletion) in the lung fibroblast cell line MRC-5. Compared to control, a significant increase of autophagic vacuoles and LC-3 II/LC3-I ratio was also observed in a time-dependent manner (Voicu et al. 2015). A549 cells, when exposed to 100 and 1000 µg/ml of 20-nm SiNPs, showed threefold and fivefold increase in MDC fluorescence, respectively. In addition, autophagy genes such as ATG-12 and BECN were significantly upregulated (30- and 50-fold, respectively) along with increased production of ROS in cells dosed with 1000 µg/ml (Nowak et al. 2014).

#### Conclusion: autophagy

SiNPs, particularly S-SiNPs induced autophagy mainly via oxidative stress-mediated upregulation of autophagy-related genes and differential regulation of Akt/mTOR signaling. Similar to cytotoxicity, 25 µg/ml appeared to be the lowest exposure concentration at which SiNPs exhibited significant effects. Furthermore, induced autophagy is correlated to cytotoxicity, suggesting that exposure to SiNPs caused irreversible (serious) cellular damage and resulted in autophagic cell death. Besides autophagy induction, lysosomal and autophagy dysfunction could be a potential mechanism of NPs toxicity (Stern et al. 2012), which has, however, not been investigated for SiNPs.

### Toxic effects on blood cells and endothelial dysfunction

Several studies suggest that NPs, when inhaled or ingested, can translocate across barriers (such as air–blood) of the body, enter the circulation, and interact with the cardiovascular system. In this section, we summarized the studies that report the effects of SiNPs on blood and endothelial cells.

#### Toxic effects on blood cells

Nemmar et al. (2015) showed that mouse blood platelets could aggregate after 3 min of incubation with 5 or 25 µg/ml of 50-nm C-SiNPs, while in the study of Jose Corbalan et al. (2012), such aggregation was observed in 15 min

(10 µg/ml of 10 nm C-SiNPs). The latter study also showed fourfold reduction of the nitric oxide (NO)/peroxynitrite (ONOO<sup>-</sup>) ratio compared to non-treated platelets.

Maurer-jones et al. (2010) investigated the role of porosity of SiNPs on blood cell toxicity. M-SiNPs (25 nm) reduced the cell viability of red blood cells (RBCs) to 50% at the concentration of 270 µg/ml, while non-porous S-SiNPs of similar size required only 20 µg/ml to reach this level of cytotoxicity. In another study, 10% hemolysis (LC<sub>10</sub>) of RBCs was observed at 36 µg/ml for S-SiNPs (115 nm), while M-SiNPs required 154 µg/ml to induce the same effects. For amine-coated counterparts, LC<sub>10</sub> were 97 and 30 µg/ml for S- and M-SiNPs, respectively (Yu et al. 2011).

#### Endothelium dysfunction

Exposure to different concentrations (12.5–100 µg/ml) of S-SiNPs (58 nm) resulted in a dose-dependent increase in inflammatory mediators such as IL-1β, IL-8, and TNFα, intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule (VCAM-1), and monocyte chemoattractant protein-1 (MCP-1) in HUVEC cells (Guo et al. 2015). In the study of Corbalan et al. (2011), 10 µg/ml of 10-nm C-SiNPs induced extremely low NO/NOO<sup>-</sup> ratio (~0.1) in HUVEC cells. Furthermore, free radical production, pro-inflammatory cytokines (IL-6 and IL-8), and NF-κB-binding activity were significantly increased in treated cells. In these two studies, increase in ROS was observed at all tested concentrations.

S-SiNPs (62 nm) induced an imbalance in the ratio NO/nitric oxide synthase (NOS) enzyme in HUVEC cells and such imbalance resulted in a significant increase of pro-inflammatory response (c-reactive protein CRP, IL-1β, IL-6, and TNFα) in a dose- (50–100 µg/ml) dependent manner (Duan et al. 2014b).

#### Conclusion: Toxic effects on blood cells and endothelial dysfunction

Endothelial cells and platelets together play a key role in maintaining the vascular homeostasis (Rajendran et al. 2013). C-SiNPs induced oxidative stress and disturbed NO/NOO<sup>-</sup> ratio, which resulted in the aggregation of platelets and endothelial dysfunction. This information is not available for other types of SiNPs. Furthermore, C-SiNPs mediated endothelial dysfunction resulted in pro-inflammatory signals via the secretion of cytokines and adhesion molecules. Together, these results suggest the potential of SiNPs to cause vascular thrombosis and atherosclerosis (Radomski et al. 2005). Furthermore, SiNPs caused hemolysis of RBCs in a size-, charge-, and porosity-dependent manner.

## Neurotoxicity

NPs of very small size are capable of translocating across the blood–brain barrier (Hu and Gao 2010). Therefore, studies investigating effects on cells relevant for neurotoxicity are presented here.

Rat medulla tumor cells (PC12 cell line) incubated with the supernatant of 20 nm SiNPs-treated-microglial cells (250 µg/ml and 500 µg/ml for 24 h) did not show any effects compared to the control. Earlier in this study, no secretion of bio-mediators was observed in SiNPs-treated-microglial cells (Xue et al. 2012). In contrast to this study, PC12 cells exposed directly to SiNPs (25 nm; 25–200 µg/ml for 24 h) showed increased uptake and a dose-dependent increase in the induction of autophagy (increase in LC-II and Beclin 1) and inhibition of PI3 K-Akt-mTOR signaling (Xie and Wu 2016). Yang et al. (2014a) showed that exposure to SiNPs (15 nm; 10 µg/ml for 24 h) induced pathological signs of Alzheimer’s disease such as altered expression of amyloid precursor protein (APP) and neprilysin, enhanced phosphorylation of tau at Ser262 and Ser396, and activation of glycogen syntheses kinase (GSK)-3β in human SK-N-SH and mouse neuro2a neuroblastoma cells.

### Conclusion: neurotoxicity

In vitro studies used cell lines of CNS-based cells, mainly neuron like cells. Although the data on the neurotoxic effects of SiNPs are very limited, studies above suggest that SiNPs can induce adverse effects including the markers of Alzheimer’s disease, when in direct contact with neuroblastoma cells.

## Miscellaneous issues

### Influence of cell lines on SiNPs cytotoxicity

A dose- (80–640 µg/ml) dependent decrease in the viability and increase of apoptosis were observed in HepG2 cells in presence of SiNPs (7 and 20 nm), but a significant reduction was observed in normal human liver cells (LC-02) only at the unrealistic dose level of 640 µg/ml (Lu et al. 2011). In another study, SiNPs (10–50 nm) induced a dose-dependent (100–600 µg/ml) increase in LDH release in Caco-2 cells, but a significant release of LDH was observed only at the unrealistic dose of 600 µg/ml in human gastric epithelial cells (GES-1). Furthermore, exposure to these SiNPs (200 µg/ml for 48 h) also induced cell cycle arrest in S phase for GES cells and G2/M in Caco-2 cells (Yang et al. 2014b). In a porcine kidney cell line (LLC PK1) exposed to 20-nm SiNPs, a dose- (5–50 µg/ml) dependent increase in DCF fluorescence and MDA formation was observed, whereas human

kidney cells (HK-2) showed little effects at 50 µg/ml (Passagne et al. 2012).

### Conclusion: miscellaneous issues

No firm conclusions can be drawn from these cases; however, the cytotoxicity of SiNPs appears to vary with species and cell line.

### Physiologically relevant cultures

**Lung co-culture models** Co-cultures of lung cells are usually made with epithelial cells on the apical and endothelial cells on the basal compartment of a transwell membrane, with or without monocytes on top of the epithelial cells. In a co-culture (A 549 at the apical and ISO-HAS-1 at the basolateral compartment) exposed to 100-µg/ml 30-nm C-SiNPs (coated with or without surfactant), nearly a fivefold increase of IL-8 release for both forms of SiNPs was observed in both compartments (Kasper et al. 2015). When other epithelial cells were used—H441 cells—at the apical together with ISO-HAS-1 cells at the basolateral compartment, these C-SiNPs induced IL-8 were expressed in both compartments, while SiCAM-1 (6–600 µg/ml) and IL-6 (at 6 and 60 µg/ml) were observed only in the apical part (Kasper et al. 2011). The same co-culture model was exposed to 100 µg/ml of S-SiNPs (15, 35, and 80 nm) and the authors noticed an increase of IL-8, TNF-α, and surfactant protein (SP-A1 and SP-A2) expression compared to the control. In addition, less IL-8 and surfactant protein expression, and more TNF-α were observed in the co-culture added with THP-1, notably the effect was the highest for 35 nm (Farcal et al. 2012).

Napierska et al. (2012b) tested SiNPs with primary size 2, 16, 60, and 104 nm (dosed at 10 µg/cm<sup>2</sup>) in a co-culture (A549 at the apical and EA. hy926 at the basolateral compartment) and observed increase in cytokines such as IL-6, IL-8, TNF-α, and MIP-1α only for 60 and 2 nm (except IL-8). When THP-1 were added to the co-culture, a significant increase in IL-8 and decrease in TNF-α were observed only for 2 nm. The expression of cytokines was also differentially regulated for 16 and 104 nm before and after THP-1 added, but the effects were stronger for 60 and 2 nm, particularly 60-nm NPs.

**Air–liquid interface** At the air–liquid interface (ALI), aerosolized and deposited 12-nm Py-SiNPs (52 µg/cm<sup>2</sup>) and 50-nm S-SiNPs (117 µg/cm<sup>2</sup>) induced significantly less biological effects (LDH leakage, IL-8 release, COX-2 expression, and p38 phosphorylation) in A549 cells compared to A549 exposed to 15.6 µg/cm<sup>2</sup> under sub-merged conditions (Panas et al. 2014).

### *Conclusion: physiologically relevant cultures*

Sub-merged (co) cultures and ALI systems (Lenz et al. 2013; Panas et al. 2014) have been claimed to more closely mimicking the *in vivo* exposure scenarios compared to monocultures. In these systems, the toxicity and pro-inflammatory responses are significantly modulated by SiNPs, which represent the complexity of *in vivo* systems and need for the establishment of physiologically relevant *in vitro* cultures. However, at this moment, it is difficult to know whether these biological responses were influenced by SiNPs physico-chemical properties.

### *Chronic *in vitro* studies*

*In vitro* chronic Py-SiNPs (12 nm) exposure of intestinal epithelial cell line (C2BBe1) was examined in a recent study. The cells were exposed to 10- $\mu\text{g}/\text{cm}^2$  SiNPs for 24 h. After 24 h, the medium was replaced (without NPs) and cells were allowed to grow for 4–6 days. At the end of incubation, cells were passaged and again exposed for 24 h and grown for 4–6 days; this cycle was repeated for 29 passages (total life span). The cells and supernatants were collected at the end of each passage for analysis. Though the particles were internalized (only in a fraction of cells), no significant induction of necrosis, apoptosis, and LDH release and decrease in cell viability was observed for any of these conditions (McCracken et al. 2013).

## ***In vivo* studies**

### ***Ingestion exposure***

#### *Single exposure*

Lee et al. (2014) investigated the tissue distribution and excretion profiles in Sprague–Dawley (SD) rats orally administered with a very high dose of 500 or 1000-mg/kg bw of C-SiNPs (20 and 100 nm). Silicon (Si) levels were significantly elevated in liver, kidney, lung, and spleen at 6-h post-administration, while no such increase was noticed in brain, ovaries or testes, esophagus, stomach, and intestine even after 7 days of post-administration. Nearly 75–80% of administered SiNPs were excreted via urine and 7–8% via feces. The author also noticed that 20 nm SiNPs excreted faster than the 100 nm SiNPs. In another study, C-SiNPs (12 nm) did not induce any toxicity after 14 days in SD-rats administered with a single oral dose (1959 or 2061 mg/kg bw) (Yun et al. 2015).

In the study of Li et al. (2015), M-SiNPs with different aspect ratios (AR, spherical 83 nm with AR 1, short rods

with AR 1.75 and long rods with AR 5) were administered in mice (40 mg/kg bw via gavage). After 7 days, a very high amount of Si was detected only in the liver of spherical SiNPs exposed mice. Urinary excretion, intestinal absorption, and organ distribution of SiNPs were decreased with increasing aspect ratio. Furthermore, increase in renal damage such as hemorrhage, vascular congestion, and renal tubular necrosis with increasing aspect ratio was observed after 14 days of administration.

Kim et al. (2014b) exposed C57BL/6 mice (oral gavage; 750 mg/kg bw) to C-SiNPs (20 and 100 nm) that had been modified with or without L-arginine to determine the influence of surface charge on immunotoxicity *in vivo*. After 14 days, the author noticed a size-dependent decrease in WBCs cell count and cytokines (in blood), and reduced proliferation of B cells and T cells (from spleen) only for uncoated SiNPs.

#### *Repeated exposure*

C-SiNPs (12 nm) neither induce abnormal changes in blood biochemical and hematological parameters nor accumulated in any organs of the acutely (489.8, 979.5, or 1959 mg/kg bw/day, during 14 days) or sub-chronically (244.9, 489.8, or 975.9 mg/kg bw/day, during 13 weeks) exposed (via gavage) SD rats (Yun et al. 2015). In the study by Kim et al. (2014c), C-SiNPs (20 and 100 nm) did not induce any significant changes (compared to control) in clinical signs, blood biochemical, hematological, and histopathological analysis in sub-chronically exposed Cr: CD (SD) specific pathogen-free rats (500, 1000, or 2000 mg/kg bw/day for 90 days).

SD rats were administered (via oral gavage) with low doses (5, 10 or 20 mg/kgbw) of Pr-SiNPs (NM 200 and 201) and Py-SiNPs (NM 202 and 203) at 0, 24 and 45 h and sacrificed at 3 h after the last administration. No significant genotoxicity was observed in cells extracted from different organs (duodenum, colon, blood, kidney, liver, and spleen), and no pathological conditions were recorded in any of these organs (Tarantini et al. 2015a).

Hofmann et al. (2015) investigated the prenatal toxicity by exposing pregnant Wistar rats to Pr-SiNPs (NM 200) from gestation day 6–19. At doses of 100, 300, or 1000 mg/kgbw/day, administered SiNPs did not induce malformations in fetuses or death of the rats.

Zande et al. (2014) investigated the sub-acute and sub-chronic toxicity of Py-SiNPs (7 nm) and NM-202 (10–25 nm). In the sub-acute part, male SD rats were orally (via food) exposed to 100, 1000, or 2500 mg Py-SiNPs/kg bw/day for 28 days, while in the sub-chronic part, the rats were exposed only to the highest dose (2500 mg/kg bw/day) repeatedly for 84 days. ICP-MS analysis of target

organs showed that NM-202 was significantly distributed in the lung, kidney, and spleen. Although no Si was detected in the liver, histopathological analysis and gene expression studies revealed that fibrosis was induced in the liver after 84 days of exposure. Si was found in the spleen of Py-SiNPs exposed rats only at the end of chronic exposure. The examined parameters such as blood biochemistry, antibody levels (IgG and IgM), and cytokines indicated no systemic toxicity in any of the Py- or NM-202 treated rats.

Yoshida et al. (2014) found an increased intestinal absorption of carboxyl (twofold) and amine-coated SiNPs (1.5-fold) compared to uncoated SiNPs (70 nm) in orally exposed BALB/c mice (2.5 mg/mouse/day for 28 days). In this study, the whole small intestine was processed using the everted gut sac method and a significant amount of Si was detected by ICP-MS. However, no signs of systemic toxicity were observed for any of these SiNPs.

In male Wistar rats that exposed to 10–15 nm SiNPs (oral gavage; 333.3 mg/kg bw/day for 5 days), histopathological analysis revealed gross tissue damage in kidney (cell swelling and necrosis), lung (interstitial pneumonia and bronchopneumonia), and in the testis (congestion, reduction of spermatogenesis and edema). In addition, blood biochemical parameters such as albumin, cholesterol, triglycerides, total proteins, urea, high-density lipoprotein (HDL), and low-density lipoprotein (LDL), as well as alkaline phosphatase (ALP) and aspartate aminotransferase (AST) activities were significantly increased in treated mice (Hassankhani et al. 2014).

## Inhalation exposure

### Single exposure

In the study of Morris et al. (2016), C57BL/6 mice were intratracheally instilled with 4- or 20-mg S-SiNPs/kg bw and significant effects were observed only at the dose of 20 mg/kg. Twenty hours after instillation, approximately 20- and 10-fold higher cell number was observed in the bronchoalveolar lavage (BAL) of mice treated with the bare and amine-coated SiNPs, respectively, compared to control mice; neutrophils were also increased about 30- and 20-fold, respectively.

In another study, 15- and 55-nm C-SiNPs neither induced DNA damage nor micronuclei in lung and bone marrow (erythrocytes) cells of Wistar rats at 72 h of post-instillation (360 µg) (Maser et al. 2015). However, the distribution of administered SiNPs to these organs was not investigated.

### Repeated exposure

A size- and dose-dependent increase in the distribution of SiNPs was observed in the serum and heart of male

Wistar rats intratracheally instilled (2, 5, or 10 mg/kg bw/day for 16 days) with SiNPs (30, 60, 90, and 300 nm). Blood parameters (WBCs and platelets), inflammatory bio-markers (TNF-α, IL-1β, and IL-6), and oxidative stress bio-markers (ROS and MDA formation) were significantly increased, while NO, NOS, and eNOS were significantly decreased in the serum of the treated mice (Du et al. 2013).

A study compared the toxicity and biodistribution of pristine SiNPs (19 nm) and aged paints containing SiNPs in BALB/c mice. The suspensions (20 µg/aspiration) were oropharyngeally aspirated once a week for 5 weeks, and mice were sacrificed either at 2- or at 28-day post-final aspiration treatment. Pristine SiNPs were significantly distributed in the lungs and liver, while only a low amount of Si was detected in the liver of paint-exposed mice. No signs of toxicity were observed, except a slight inflammation (a slight increase in macrophages and neutrophils together with an increase of IL-1β) with pristine SiNPs (Smulders et al. 2014).

Male Wistar rats were intranasally instilled with 150 µg SiNPs (10 and 80 nm) repeatedly for 30 days. After 30 days, a size-dependent increase in the levels of hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>), MDA formation, TNF-α, IL-1β, MCP-1, and NF-κβ was observed in the frontal cortex, corpus striatum, and hippocampus of the brain. A similar quantity of Si was detected in all these three regions. In addition, a significant decrease in GSH levels was observed in these tissues (Parveen et al. 2015). The latter study shows the potential translocation of (mainly small) SiNP from the nose to the brain, but it has to be noted that the mice received a high dose during 30 days.

Intratracheally administered (2 mg/kg bw; 15 times, once every 3 days) S-SiNPs (58 nm) resulted in reproductive toxicity in C57 mice via enhanced ROS production and cell cycle arrest (G0/G1 phase) in the testicular tissues, and by decreasing the number of mature sperms and primary spermatocytes (Zhang et al. 2016). In another study, repeated intracheal instillation of S-SiNPs (58 nm; 0, 7, 21, and 35 mg/kg bw; 5 times, once every 3 days) induced local (macrophage activation in lung, liver, and spleen) and systemic inflammation (Increase in serum IL-8, TNF-α, and IL-6) in BALB/c mice. In addition, SiNPs were also detected in the lysosomes of macrophages in lung, liver, and heart tissues (Yang et al. 2016).

## Dermal exposure

### Repeated exposure

The skin of SD rats was repeatedly exposed to different doses (500, 1000 mg, or 2000 mg/kg bw) of L-arginine coated C-SiNPs (20 nm) for 90 days (6-h exposure/day). The repeated exposure neither induced gross changes in

the skin nor in any organs. In addition, hematological and blood biochemical parameters did not change in SiNPs-treated mice compared to controls (Ryu et al. 2014). In another study, Shim et al. (2014) showed that C-SINPs (20 and 100 nm) did not induce toxicity in the right and left brain or distribution in the cerebellum, hippocampus, or striatum of the dermally exposed rats (1000 or 2000 mg/kg bw daily for 90 days). In contrast to these studies, a significant increase in apoptosis (TUNEL positive cells) was observed in the skin of the BALB/c mice topically exposed to 70-nm SiNPs (250 mg/ear/day for 28 days). The author reported that the SiNPs were found not only in the skin but also in the regional lymph nodes, cerebral cortex, hippocampus, and in the liver (Nabeshi et al. 2011b).

## Parenteral exposure

### Single exposure

In a 48-h study, exposure to 15-nm SiNPs (dose of 50 mg/kg bw by intravenous injection) resulted in a significant increase of CD68-positive Kupffer cells (KCs), WBCs, lymphocytes, monocytes, neutrophils, and TNF- $\alpha$  in the serum of male SD rats. There was a decrease in GSH activity and elevation in MDA levels in the liver of treated mice. Furthermore, bio-markers of liver dysfunction such as lactate, phosphorylcholine, sn-glycero-3-phosphocholine, tyrosine, phenylalanine, and lysine were increased in blood, while the levels of succinate, glucose, and glycine were significantly decreased in mice exposed to SiNPs (Chen et al. 2013).

In another study, 50 nm C-SiNPs (0.25 mg/kg bw) induced a significant increase in blood parameters such as leukocyte number, creatinine kinase (CK), ALT, AST, and LDH release in male tuck ordinary mice at 24-h post-intraperitoneal injection. Oxidative stress bio-markers such as MDA formation, SOD, and catalase were significantly increased in the lungs, liver, kidney, and brain of SiNPs-treated mice. Cytokines such as IL-6, IL-1 $\beta$ , and TNF- $\alpha$  were significantly increased in the lung and differentially expressed in other organs. Furthermore, all organs showed a significant DNA damage compared to saline treated mice and the extent of damage was in the order heart > kidney > lung > liver > brain (Nemmar et al. 2016).

In the study of Duan et al. (2014a, b), ICR mice were intravenously injected with 29.5, 103.5, or 177.5 mg/kg bw of 62 nm S-SiNPs. After 14 days, induction of autophagic vacuoles and mitochondrial rupturing in the heart tissues was observed using TEM. In addition, increase in LC3 positive staining in the heart tissues was detected at 103.5 and 177.5 mg/kg bw, and the expression of ICAM-1 and VCAM-1 was significantly decreased at 177.5 mg/kg. Huang et al. (2011) injected the mice intravenously with mesoporous rods (pure or PEGylated) at a dose of 20 mg/

kg bw and found a dysfunction in biliary excretion and glomerular filtration. Blood analysis showed that there was a significant increase in total bilirubin (TBIL), blood urea nitrogen (BUN), and creatinine (CREA). The mesoporous rods mainly distributed in the lung, liver, and spleen, but PEGylation significantly reduced their distribution in these organs. In addition, short rods cleared via urine and feces more rapidly than long rods.

Yu et al. (2013) estimated the i.v. median lethal dose ( $LD_{50}$ ) for 64 nm C-SiNPs as 262 mg/kg bw in ICR mice using the Dixon's Up and Down method. After 14-day post-administration, intravenously injected C-SiNPs (64 nm, 177.5 mg/kg bw) induced a significant increase in liver injury bio-markers (LDH, AST, and ALT). Histopathological analysis of target organs showed that the number of megakaryocytes in the spleen was significantly increased, and pulmonary hyperemia and interstitial thickening were observed in the lungs. Nearly 35% of the injected SiNPs were distributed in the spleen, 12.5% in the liver, and 2% in the lung of SNP-treated mice.

At 24 h of post-intravenous administration (30 mg/kg bw), TEM imaging of the BALB/c mice tissues showed that 70-nm SiNPs were localized in the regional lymph nodes, cerebral cortex, hippocampus, and the cytoplasm, and nucleus of hepatocytes (liver). Using in vivo imaging, the authors also found that the SiNPs were distributed near the liver immediately after the administration (20 min) and moved near the intestinal tract over time (6 h). Micron-sized silica particles (300 and 1000 nm) used in these studies were accumulated mainly around the gall bladder (Nabeshi et al. 2011b).

A significant increase in the levels of kidney injury bio-markers such as BUN and CREA and morphological changes associated with renal interstitial fibrosis was noticed in BALB/c mice intraperitoneally treated with 198-nm M-SiNPs (150, 300, or 600 mg/kg bw for 2 or 12 days). There was also a significant increase in the levels of fibronectin (FN), TGF- $\beta$  and ICAM-1, and nuclear translocation of p65 in 300- or 600-mg/kg treated mice (Chen et al. 2015).

Zhuravskii et al. (2016) demonstrated that intravenously injected (70 mg/kg bw) Py-SiNPs ( $13 \pm 5$  nm) distributed and persisted in the liver of Wistar rats at 60-day post-administration. The authors also indicated that the administered SiNPs induced fibrosis and liver tissue remodeling by noticing the increase in blood ALT, and presence of mast cells, connective tissues, and foreign body-type granulomas in the liver.

### Conclusion: *in vivo*

The *in vivo* toxicity studies have been carried out using rats and mice, and exposure through various routes of

administration. In general, short-term exposure to SiNPs induced adverse effects in the lungs, kidneys, liver, and brain. SiNPs administered mainly via inhalation, ingestion, and intravenous routes were majorly distributed in the liver, lungs, spleen, and kidneys, and in the brain of the intranasally exposed rats. Most of the administered SiNPs were excreted via feces and to a lesser extent via urine, in a size- and shape-dependent manner. However, in most cases, the administered doses were very high compared to relevant human inhalation (Barsan 2007) and ingestion (Winkler et al. 2016; Dekkers et al. 2011) exposures to amorphous silica. Some studies showed accumulation of SiNPs in organs such as the liver, but such accumulation was not associated with any major effects. However, long-term effects of accumulated SiNPs were not studied. It is surprising that in contrast to acute studies, no toxicity (local or systemic) was observed in chronic oral and dermal exposure studies, regardless of the size of SiNPs and the high doses used. Moreover, surface-modified SiNPs showed a significant increase in absorption by the GI tract compared to bare SiNPs. Dosing SiNPs via i.v. showed in all studies some sign of damage/toxicity. No clear type- or size-dependent effect can be identified from the set of reviewed studies. Furthermore, where genotoxicity was studied, it was not clear whether SiNPs were taken up by the target cells or were able to reach the tissue examined, which is obviously needed to exert a direct genotoxic effect.

## Discussion

Growing production and use of SiNPs increase the risk of human exposures. Available toxicity studies mainly focused on effects after exposure via inhalation or skin (occupational exposure), ingestion (food additive), or nano-therapeutics (parenteral exposure). In vitro and in vivo studies demonstrated that SiNPs can induce adverse effects, but multiple ‘inconsistencies’ were found in the collected toxicity data set. As small differences in the physico-chemical properties of SiNPs could contribute to significant variation in the toxicity (Napierska et al. 2010), it is critical to discriminate how these variations influence toxicity. It is also worthy to note that the choice of cell type, culture system, assay conditions (Fede et al. 2012; Geys et al. 2010; Hayashi et al. 2017), and exposure route influence the toxic responses to SiNPs. However, the nature of these variations remains unclear, which continues to limit our understanding of SiNPs toxicity and hampers their hazard assessment.

## Physico-chemical characterization

In this review, a basic set of physico-chemical characteristics of primary SiNPs such as primary size, shape, crystallinity, and chemical composition (or) purity was set as inclusion criteria. Most studies associated the toxic endpoints to SiNPs size, while only a few related the toxicity to SiNPs porosity, shape, surface charge, and surface chemistry. Furthermore, hydrodynamic diameter is another widely reported property in these studies and the results suggest that, in most cases, SiNPs are often aggregated/agglomerated (AA) in cell culture media. Conversely, AA formation is also very likely in real-world matrices such as in air (Kim et al. 2014a), water, and in commercial products such as food (Dekkers et al. 2011). Such AA formation not only substantially alters the overall characteristics (such as size, shape and surface topology) but also potentially influences the biological outcomes (Luyts et al. 2013; Drescher et al. 2011). Although some progress has been made in the characterization of SiNPs AA in recent years (De Temmerman et al. 2012), their biological effects remain poorly understood.

## Toxicity of different types of SiNPs

Synthetic amorphous SiNPs are produced via different methods such as thermal (pyrogenic) or wet route (colloidal, precipitated and gel). The physico-chemical characteristics of SiNPs produced by these methods differ (Fruijtier-Pölloth 2012; Napierska et al. 2010) and may influence the biological outcomes. In this review, nearly 70% of the papers clearly reported the synthesis method. Among those 70%, about 80% reported the toxicity of wet method based SiNPs and only approximately 20% on the other types (such as pyrogenic and mesoporous). A general overview of toxic effects induced by different types of SiNPs is presented in Table 3. Cytotoxicity and genotoxicity induced by S- and C-SiNPs are strongly correlated with the induction of oxidative stress. For Pr-SiNPs, oxidative stress was associated with cytotoxicity but not genotoxicity. Interestingly, Py-SiNPs caused cytotoxicity, mostly without the generation of oxidative stress. In addition, recent studies showed that Py-SiNPs are biologically more reactive than C-SiNPs (Zhang et al. 2012) and Pr-SiNPs (Di Cristo et al. 2016) of same composition and size. It is known that C-, S-, and Pr-SiNPs are hydrophilic in nature, while Py-SiNPs are hydrophobic due to the de-hydroxylation of surface OH groups during the production process (Napierska et al. 2010),

and such difference in surface chemistries might contribute to different biological activities. However, more systematic studies are required to verify these differences depending on production processes.

### Toxicity mechanisms of amorphous SiNPs and crystalline silica

A fundamental question was raised by Napierska et al. (2010): do amorphous SiNPs induce biological responses similar to crystalline silica? Oxidative DNA and membrane damage have been reported as the major toxic mechanisms involved in the health effects of micron-sized crystalline silica, which is also observed for C- and Pr-SiNPs. The latter two possess silanols on the surface while Py-SiNPs mostly contain siloxanes (Napierska et al. 2010). In addition, recent studies showed that the presence of surface moieties such as silanols is more correlated with crystalline silica toxicity than crystallinity (Zhang et al. 2012; Turci et al. 2016). Thus, silanols appear to be a common surface feature in C-SiNPs, Pr-SiNPs, and crystalline silica, which might contribute to a similar toxic activity. Furthermore, toxicity elicited by Py-SiNPs appears to be *oxidative stress-independent*, indicating that Py-SiNPs induce adverse effects via other mechanisms (Gehrke et al. 2013; Napierska et al. 2012a). More studies are required to verify these hypotheses.

### Influence of exposure routes in vivo

The exposure route obviously influences the in vivo absorption, biodistribution, and toxicity of SiNPs. For instance, after oropharyngeal aspiration or intratracheal instillation, the lungs are clearly the main target (Smulders et al. 2014), while after ingestion (Zande et al. 2014) or iv injection (Yu et al. 2013), the liver and/or the spleen were the targets. SiNPs accumulated in the brain of intranasally exposed rats (Parveen et al. 2015) but did not after oral exposure (Shim et al. 2014). In addition to the exposure route, physico-chemical properties such as size and shape clearly influence the clearance, distribution, and toxicity (Huang et al. 2011; Li et al. 2015).

### Adverse effects of chronic exposure in vivo

In repeated (oral and dermal) dose studies ( $\geq 28$  days), SiNPs did not induce any local or systemic toxicity even in (very) highly dosed rats. A recent study demonstrated that mild and highly dosed rats excreted most of the orally administered SiNPs via the feces (Yun et al. 2015). In addition, Van der Zande et al. (2014) demonstrated the in vitro gelation of SiNPs with increasing concentrations, which might reduce the gastro-intestinal absorption in highly dosed animals and increase excretion via feces. Therefore,

the use of (low) realistic exposure doses appears more appropriate, since the toxicokinetics may depend on the level of exposure (Paek et al. 2014). Moreover, information on the physico-chemical properties of ingested and digested SiNPs is lacking, representing a huge knowledge gap in the risk assessment of SiNPs in food (Dekkers et al. 2012).

### Correlation between in vitro and in vivo studies

Correlation between in vitro and in vivo effects is an indication that specific cells or tissues are potential targets for SiNPs toxicity. The results of in vitro and in vivo experiments (included within the same study) suggest that exposure to SiNPs could induce Kupffer cell mediated liver injury (Chen et al. 2013), kidney injury via the activation of NF- $\kappa$ B signaling pathways (Chen et al. 2015), and endothelial dysfunction via autophagy (Duan et al. 2014a). Several in vitro studies showed that SiNPs caused DNA double-strand breaks in a wide range of immortalized cell lines at low doses, but no such genotoxic effects were observed, even in animals at high doses. In addition, SiNPs did not induce micronuclei either in vitro or in vivo.

### Dosimetry in vitro

Accurate in vitro dosimetry is an important yet complex aspect of nanotoxicology (Lison et al. 2014). In many studies reviewed here, authors often tested high in vitro exposure doses. Considering the exposure dose as nominal dose may be appropriate only for well dispersed and stable SiNP suspensions (Lison et al. 2008). However, Py-SiNPs, for instance, often re-agglomerate in culture media with an effective density lower than the material density (Deloid et al. 2014), thereby potentially affecting the dose reaching the cells (Cohen et al. 2014). Thus, a realistic estimation of the delivered dose is necessary to compare the biological effects between studies and to establish good in vitro and in vivo correlations (Pal et al. 2015).

### Physico-chemical properties for the safer design of SiNPs

Immune responses after the administration of SiNPs are very crucial, as they can induce cascades of events by the secretion of cytokines, which may be harmful or beneficial. The data collected in this review show that the smaller the size, the stronger the pro-inflammatory effect. In addition to the size, the surface charge appears to play a role, since less negative charges seem to suppress the immune response. Porosity is another crucial factor influencing

blood biocompatibility, i.e., the more porous the SiNPs, the less hemolysis of RBCs (Maurer-jones et al. 2010). Furthermore, SiNPs aspect ratio was shown to closely relate to in vivo organ retention and clearance (Huang et al. 2011). Therefore, the size, surface area, porosity, and geometry (shape) appear to be the key parameters for designing less-toxic and less-inflammagenic SiNPs, for bio-medical applications for instance.

In conclusion, SiNPs generally exhibit acute toxic effects in vitro and in vivo. The data on chronic effects of SiNPs exposure are rather conflicting with the acute effects and are still insufficient to draw firm conclusions. No concrete data were found to conclude whether amorphous SiNPs induce fibrosis like micrometric crystalline silica. Moreover, translation to human health effects is impossible at this moment due to the lack of realistic exposure and epidemiological data. Surface moieties (such as silanols, silanolates, and siloxanes) of SiNPs are found to be production process-specific and seem to be the key determinants of SiNPs toxicity. AA formation for some SiNPs is very dynamic in physiological media, but it is still unclear how it contributes to the hazard characterization. Therefore, the design of safe(r) SiNPs for food, medical, and other applications will only be possible when physico-chemical characteristics can be unambiguously linked to toxicity. Furthermore, detailed investigations on the SNP bioaccumulation/bioavailability and their long-term consequences in vivo are required for a safer use.

**Acknowledgements** This work was funded by Belgian Science Policy (BELSPO) program “Belgian Research Action through Interdisciplinary Network (BRAIN-be)” for the project “Towards a toxicologically relevant definition of nanomaterials (To2DeNano)”.

#### Compliance with ethical standards

**Conflict of interest** The authors declare that they have no conflict of interest.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

## References

- Ahammed M (2013) Silica nanoparticles-induced cytotoxicity, oxidative stress and apoptosis in cultured A431 and A549 cells. *Hum Exp Toxicol* 32:186–195. doi:[10.1177/0960327112459206](https://doi.org/10.1177/0960327112459206)
- Ahmad J, Ahamed M, Akhtar MJ et al (2012) Apoptosis induction by silica nanoparticles mediated through reactive oxygen species in human liver cell line HepG2. *Toxicol Appl Pharmacol* 259:160–168. doi:[10.1016/j.taap.2011.12.020](https://doi.org/10.1016/j.taap.2011.12.020)
- Arts JHE, Muijser H, Duistermaat E et al (2007) Five-day inhalation toxicity study of three types of synthetic amorphous silicas in Wistar rats and post-exposure evaluations for up to 3 months. *Food Chem Toxicol* 45:1856–1867. doi:[10.1016/j.fct.2007.04.001](https://doi.org/10.1016/j.fct.2007.04.001)
- Athinarayanan J, Periasamy VS, Alsaif MA et al (2014) Presence of nanosilica (E551) in commercial food products: TNF-mediated oxidative stress and altered cell cycle progression in human lung fibroblast cells. *Cell Biol Toxicol* 30:89–100. doi:[10.1007/s10565-014-9271-8](https://doi.org/10.1007/s10565-014-9271-8)
- Barsan ME (2007) NIOSH pocket guide to chemical hazards. Department of Health and Human Services, Center for Disease Control and Prevention, DHHS (NIOSH). Publication No. 2005-149. NIOSH Publications, US
- Bitar A, Ahmad NM, Fessi H, Elaissari A (2012) Silica-based nanoparticles for biomedical applications. *Drug Discov Today* 17:1147–1154. doi:[10.1016/j.drudis.2012.06.014](https://doi.org/10.1016/j.drudis.2012.06.014)
- Brinch A, Hansen S, Hartmann N et al (2016) EU regulation of nanobiocides: challenges in implementing the biocidal product regulation (BPR). *Nanomaterials* 6:33. doi:[10.3390/nano6020033](https://doi.org/10.3390/nano6020033)
- Chen Q, Xue Y, Sun J (2013) Kupffer cell-mediated hepatic injury induced by silica nanoparticles in vitro and in vivo. *Int J Nanomed* 8:1129–1140. doi:[10.2147/IJN.S42242](https://doi.org/10.2147/IJN.S42242)
- Chen X, Zhouhua W, Jie Z et al (2015) Renal interstitial fibrosis induced by high-dose mesoporous silica nanoparticles via the NF-kappaB signaling pathway. *Int J Nanomedicine* 10:1–22. doi:[10.2147/IJN.S73538](https://doi.org/10.2147/IJN.S73538)
- Choi J, Zheng Q, Katz HE, Guilarte TR (2010) Silica-based nanoparticle uptake and cellular response by primary microglia. *Environ Health Perspect* 118:589–595. doi:[10.1289/ehp.0901534](https://doi.org/10.1289/ehp.0901534)
- Chu Z, Huang Y, Li L et al (2012) Physiological pathway of human cell damage induced by genotoxic crystalline silica nanoparticles. *Biomaterials* 33:7540–7546. doi:[10.1016/j.biomaterials.2012.06.073](https://doi.org/10.1016/j.biomaterials.2012.06.073)
- Cohen JM, Teeguarden JG, Demokritou P (2014) An integrated approach for the in vitro dosimetry of engineered nanomaterials. Part Fibre Toxicol 11:20. doi:[10.1186/1743-8977-11-20](https://doi.org/10.1186/1743-8977-11-20)
- Corbalan JJ, Medina C, Jacoby A (2011) Amorphous silica nanoparticles trigger nitric oxide/peroxynitrite imbalance in human endothelial cells : inflammatory and cytotoxic effects. *Int J Nanomed*. doi:[10.2147/IJN.S25071](https://doi.org/10.2147/IJN.S25071)
- Croissant JG, Fatieiev Y, Khashab NM (2017) Degradability and clearance of silicon, organosilica, silsesquioxane, silica mixed oxide, and mesoporous silica nanoparticles. *Adv Mater*. doi:[10.1002/adma.201604634](https://doi.org/10.1002/adma.201604634)
- De Temmerman P-J, Van Doren E, Verleysen E et al (2012) Quantitative characterization of agglomerates and aggregates of pyrogenic and precipitated amorphous silica nanomaterials by transmission electron microscopy. *J Nanobiotechnol* 10:24. doi:[10.1186/1477-3155-10-24](https://doi.org/10.1186/1477-3155-10-24)
- Dekkers S, Krystek P, Peters RJB et al (2011) Presence and risks of nanosilica in food products. *Nanotoxicology* 5:393–405. doi:[10.3109/17435390.2010.519836](https://doi.org/10.3109/17435390.2010.519836)
- Dekkers S, Bouwmeester H, Bos PMJ et al (2012) Knowledge gaps in risk assessment of nanosilica in food : evaluation of the dissolution and toxicity of different forms of silica. *Nanotoxicology*. doi:[10.3109/17435390.2012.662250](https://doi.org/10.3109/17435390.2012.662250)
- Deloid G, Cohen JM, Darrah T et al (2014) Estimating the effective density of engineered nanomaterials for in vitro dosimetry. *Nat Commun* 5:3514. doi:[10.1038/ncomms4514](https://doi.org/10.1038/ncomms4514)
- Demir E, Castranova V (2016) Genotoxic effects of synthetic amorphous silica nanoparticles in the mouse lymphoma assay.

- Toxicol Reports Toxicol Rep 3:807–815. doi:[10.1016/j.toxrep.2016.10.006](https://doi.org/10.1016/j.toxrep.2016.10.006)
- Di Cristo L, Movic D, Bianchi MG et al (2016) Proinflammatory effects of pyrogenic and precipitated amorphous silica nanoparticles in innate immunity cells. *Toxicol Sci* 150:40–53. doi:[10.1093/toxsci/kfv258](https://doi.org/10.1093/toxsci/kfv258)
- Donaldson K, Poland CA, Schins RPF (2010) Possible genotoxic mechanisms of nanoparticles: criteria for improved test strategies. *Nanotoxicology* 4:414–420. doi:[10.3109/17435390.2010.482751](https://doi.org/10.3109/17435390.2010.482751)
- Drescher D, Orts-Gil G, Laube G et al (2011) Toxicity of amorphous silica nanoparticles on eukaryotic cell model is determined by particle agglomeration and serum protein adsorption effects. *Anal Bioanal Chem* 400:1367–1373. doi:[10.1007/s00216-011-4893-7](https://doi.org/10.1007/s00216-011-4893-7)
- Du Z, Zhao D, Jing L et al (2013) Cardiovascular toxicity of different sizes amorphous silica nanoparticles in rats after intratracheal instillation. *Cardiovasc Toxicol* 13:194–207. doi:[10.1007/s12012-013-9198-y](https://doi.org/10.1007/s12012-013-9198-y)
- Duan J, Yu Y, Li Y et al (2013a) Toxic effect of silica nanoparticles on endothelial cells through DNA damage response via Chk1-dependent G2/M checkpoint. *PLoS One*. doi:[10.1371/journal.pone.0062087](https://doi.org/10.1371/journal.pone.0062087)
- Duan J, Yu Y, Li Y et al (2013b) Cardiovascular toxicity evaluation of silica nanoparticles in endothelial cells and zebrafish model. *Biomaterials* 34:5853–5862. doi:[10.1016/j.biomaterials.2013.04.032](https://doi.org/10.1016/j.biomaterials.2013.04.032)
- Duan J, Yu Y, Yu Y et al (2014a) Silica nanoparticles enhance autophagic activity, disturb endothelial cell homeostasis and impair angiogenesis. Part Fibre Toxicol 11:50. doi:[10.1186/s12989-014-0050-8](https://doi.org/10.1186/s12989-014-0050-8)
- Duan J, Yu Y, Yu Y et al (2014b) Silica nanoparticles induce autophagy and endothelial dysfunction via the PI3K/Akt/mTOR signaling pathway. *Int J Nanomed*. doi:[10.2147/IJN.S71074](https://doi.org/10.2147/IJN.S71074)
- Eom H-J, Choi J (2011) SiO<sub>2</sub> Nanoparticles induced cytotoxicity by oxidative stress in human bronchial epithelial cell, Beas-2B. *Environ Health Toxicol* 26:e2011013. doi:[10.5620/eht.2011.26.e2011013](https://doi.org/10.5620/eht.2011.26.e2011013)
- Farcal LR, Ubaldi C, Mehn D et al (2012) Mechanisms of toxicity induced by SiO<sub>2</sub> nanoparticles of in vitro human alveolar barrier: effects on cytokine production, oxidative stress induction, surfactant proteins A mRNA expression and nanoparticles uptake. *Nanotoxicology* 7:1095–1110. doi:[10.3109/17435390.2012.710658](https://doi.org/10.3109/17435390.2012.710658)
- Fede C, Selvestrel F, Compagnin C et al (2012) The toxicity outcome of silica nanoparticles (Ludox??) is influenced by testing techniques and treatment modalities. *Anal Bioanal Chem* 404:1789–1802. doi:[10.1007/s00216-012-6246-6](https://doi.org/10.1007/s00216-012-6246-6)
- Fröhlich E, Samberger C, Kueznik T et al (2009) Cytotoxicity of nanoparticles independent from oxidative stress. *J Toxicol Sci* 34:363–375. doi:[10.2131/jts.34.363](https://doi.org/10.2131/jts.34.363)
- Fruijtier-Pöolloth C (2012) The toxicological mode of action and the safety of synthetic amorphous silica-A nanostructured material. *Toxicology* 294:61–79. doi:[10.1016/j.tox.2012.02.001](https://doi.org/10.1016/j.tox.2012.02.001)
- Fu PP, Xia Q, Hwang H-M et al (2013) Mechanisms of nanotoxicity: generation of reactive oxygen species. *J Food Drug Anal*. doi:[10.1016/j.jfda.2014.01.005](https://doi.org/10.1016/j.jfda.2014.01.005)
- Gehrke H, Frühmesser A, Pelka J et al (2013) In vitro toxicity of amorphous silica nanoparticles in human colon carcinoma cells. *Nanotoxicology* 7:274–293. doi:[10.3109/17435390.2011.652207](https://doi.org/10.3109/17435390.2011.652207)
- Geys J, Nemery B, Hoet PHM (2010) Assay conditions can influence the outcome of cytotoxicity tests of nanomaterials: better assay characterization is needed to compare studies. *Toxicol Vitr* 24:620–629. doi:[10.1016/j.tiv.2009.10.007](https://doi.org/10.1016/j.tiv.2009.10.007)
- Glick D, Barth S, Macleod KF (2010) Autophagy: cellular and molecular mechanisms. *J Pathol* 221:3–12. doi:[10.1002/path.2697](https://doi.org/10.1002/path.2697)
- Gong C, Tao G, Yang L et al (2012) The role of reactive oxygen species in silicon dioxide nanoparticle-induced cytotoxicity and DNA damage in HaCaT cells. *Mol Biol Rep* 39:4915–4925. doi:[10.1007/s11033-011-1287-z](https://doi.org/10.1007/s11033-011-1287-z)
- Guichard Y, Fontana C, Chavoinier E et al (2016) Cytotoxic and genotoxic evaluation of different synthetic amorphous silica nanomaterials in the V79 cell line. *Toxicol Ind Health*. doi:[10.1177/0748233715572562](https://doi.org/10.1177/0748233715572562)
- Guo C, Xia Y, Niu P et al (2015) Silica nanoparticles induce oxidative stress, inflammation, and endothelial dysfunction in vitro via activation of the MAPK/Nrf2 pathway and nuclear factor- $\kappa$ B signaling. *Int J Nanomedicine* 10:1463–1477. doi:[10.2147/IJN.S76114](https://doi.org/10.2147/IJN.S76114)
- Guo C, Yang M, Jing L et al (2016) Amorphous silica nanoparticles trigger vascular endothelial cell injury through apoptosis and autophagy via reactive oxygen species-mediated MAPK/Bcl-2 and PI3K/Akt/mTOR signaling. *Int J Nanomed* 11:5257–5276. doi:[10.2147/IJN.S112030](https://doi.org/10.2147/IJN.S112030)
- Hara K, Shirasuna K, Usui F et al (2014) Interferon-tau attenuates uptake of nanoparticles and secretion of interleukin-1 $\beta$  in macrophages. *PLoS One* 9:1–17. doi:[10.1371/journal.pone.0113974](https://doi.org/10.1371/journal.pone.0113974)
- Hashimoto M, Imazato S (2015) Cytotoxic and genotoxic characterization of aluminum and silicon oxide nanoparticles in macrophages. *Dent Mater* 31:556–564. doi:[10.1016/j.dental.2015.02.009](https://doi.org/10.1016/j.dental.2015.02.009)
- Hassankhani R, Esmailou M, Tehrani AA et al (2014) In vivo toxicity of orally administrated silicon dioxide nanoparticles in healthy adult mice. *Environ Sci Pollut Res*. doi:[10.1007/s11356-014-3413-7](https://doi.org/10.1007/s11356-014-3413-7)
- Hayashi Y, Miclaus T, Murugadoss S et al (2017) Female versus male biological identities of nanoparticles determine the interaction with immune cells in fish. *Environ Sci Nano* 4:895–906. doi:[10.1039/C7EN00071E](https://doi.org/10.1039/C7EN00071E)
- Hofmann T, Schneider S, Wolterbeek A et al (2015) Prenatal toxicity of synthetic amorphous silica nanomaterial in rats. *Reprod Toxicol* 56:141–146. doi:[10.1016/j.reprotox.2015.04.006](https://doi.org/10.1016/j.reprotox.2015.04.006)
- Hu YL, Gao JQ (2010) Potential neurotoxicity of nanoparticles. *Int J Pharm* 394:115–121. doi:[10.1016/j.ijpharm.2010.04.026](https://doi.org/10.1016/j.ijpharm.2010.04.026)
- Huang X, Li L, Liu T et al (2011) The shape effect of mesoporous silica nanoparticles on biodistribution. *ACS Nano* 5:5390–5399. doi:[10.1021/nn200365a](https://doi.org/10.1021/nn200365a)
- Jose Corbalan J, Medina C, Jacoby A et al (2012) Amorphous silica nanoparticles aggregate human platelets: potential implications for vascular homeostasis. *Int J Nanomed* 7:631–639. doi:[10.2147/IJN.S28293](https://doi.org/10.2147/IJN.S28293)
- Kasaai MR (2015) Nanosized particles of silica and its derivatives for applications in various branches of food and nutrition sectors. *J Nanotechnol*. doi:[10.1155/2015/852394](https://doi.org/10.1155/2015/852394)
- Kasper J, Hermanns MI, Bantz C et al (2011) Inflammatory and cytotoxic responses of an alveolar-capillary coculture model to silica nanoparticles: comparison with conventional monocultures. Part Fibre Toxicol 8:6. doi:[10.1186/1743-8977-8-6](https://doi.org/10.1186/1743-8977-8-6)
- Kasper JY, Feiden L, Hermanns MI et al (2015) Pulmonary surfactant augments cytotoxicity of silica nanoparticles: studies on an in vitro air-blood barrier model. *Beilstein J Nanotechnol* 6:517–528. doi:[10.3762/bjnano.6.54](https://doi.org/10.3762/bjnano.6.54)
- Khot LR, Sankaran S, Maja JM et al (2012) Applications of nanomaterials in agricultural production and crop protection: a review. *Crop Prot* 35:64–70. doi:[10.1016/j.cropro.2012.01.007](https://doi.org/10.1016/j.cropro.2012.01.007)
- Kim B, Kim H, Yu IJ (2014a) Assessment of nanoparticle exposure in nanosilica handling process: including characteristics

- of nanoparticles leaking from a vacuum cleaner. *Ind Health* 52:152–162. doi:[10.2486/indhealth.2013-0087](https://doi.org/10.2486/indhealth.2013-0087)
- Kim J-H, Kim C-S, Ignacio RMC et al (2014b) Immunotoxicity of silicon dioxide nanoparticles with different sizes and electrostatic charge. *Int J Nanomed* 9(Suppl 2):183–193. doi:[10.2147/IJN.S57934](https://doi.org/10.2147/IJN.S57934)
- Kim YR, Lee SY, Lee EJ et al (2014c) Toxicity of colloidal silica nanoparticles administered orally for 90 days in rats. *Int J Nanomed* 9:67–78. doi:[10.2147/IJN.S57925](https://doi.org/10.2147/IJN.S57925)
- Lee S, Yun HS, Kim SH (2011) The comparative effects of mesoporous silica nanoparticles and colloidal silica on inflammation and apoptosis. *Biomaterials* 32:9434–9443. doi:[10.1016/j.biomaterials.2011.08.042](https://doi.org/10.1016/j.biomaterials.2011.08.042)
- Lee JA, Kim MK, Paek HJ et al (2014) Tissue distribution and excretion kinetics of orally administered silica nanoparticles in rats. *Int J Nanomed* 9:251–260. doi:[10.2147/IJN.S57939](https://doi.org/10.2147/IJN.S57939)
- Lenz A-G, Karg E, Brendel E et al (2013) Inflammatory and oxidative stress responses of an alveolar epithelial cell line to airborne zinc oxide nanoparticles at the air-liquid interface: a comparison with conventional, submerged cell-culture conditions. *Biomed Res Int* 1:12
- Leung CC, Yu ITS, Chen W (2012) Silicosis. *Lancet* 379:2008–2018. doi:[10.1016/S0140-6736\(12\)60235-9](https://doi.org/10.1016/S0140-6736(12)60235-9)
- Li Y, Sun L, Jin M et al (2011) Size-dependent cytotoxicity of amorphous silica nanoparticles in human hepatoma HepG2 cells. *Toxicol Vitr* 25:1343–1352. doi:[10.1016/j.tiv.2011.05.003](https://doi.org/10.1016/j.tiv.2011.05.003)
- Li L, Liu T, Fu C et al (2015) Biodistribution, excretion, and toxicity of mesoporous silica nanoparticles after oral administration depend on their shape. *Nanomed Nanotechnol Biol Med* 11:1915–1924. doi:[10.1016/j.nano.2015.07.004](https://doi.org/10.1016/j.nano.2015.07.004)
- Liang H, Jin C, Tang Y et al (2014) Cytotoxicity of silica nanoparticles on HaCaT cells. *J Appl Toxicol* 34:367–372. doi:[10.1002/jat.2953](https://doi.org/10.1002/jat.2953)
- Liljenström C, Lazarevic D, Finnveden G (2013) Silicon-based nanomaterials in a life-cycle perspective, including a case study on self-cleaning coatings. ISBN 978-91-7501-942-0
- Lison D, Thomassen LCJ, Rabolli V et al (2008) Nominal and effective dosimetry of silica nanoparticles in cytotoxicity assays. *Toxicol Sci* 104:155–162. doi:[10.1093/toxsci/kfn072](https://doi.org/10.1093/toxsci/kfn072)
- Lison D, Vietti G, Van Den Brule S (2014) Paracelsus in nanotoxicology. Part Fibre Toxicol. doi:[10.1186/s12989-014-0035-7](https://doi.org/10.1186/s12989-014-0035-7)
- Lu X, Qian J, Zhou H et al (2011) In vitro cytotoxicity and induction of apoptosis by silica nanoparticles in human HepG2 hepatoma cells. *Int J Nanomed* 6:1889–1901. doi:[10.2147/IJN.S24005](https://doi.org/10.2147/IJN.S24005)
- Luyt K, Napierska D, Nemery B, Hoet PHM (2013) How physico-chemical characteristics of nanoparticles cause their toxicity: complex and unresolved interrelations. *Environ Sci Impacts* 15:23–38. doi:[10.1039/c2em30237c](https://doi.org/10.1039/c2em30237c)
- Magdolenova Z, Collins A, Kumar A et al (2014) Mechanisms of genotoxicity. A review of in vitro and in vivo studies with engineered nanoparticles. *Nanotoxicology* 8:233–278. doi:[10.3109/17435390.2013.773464](https://doi.org/10.3109/17435390.2013.773464)
- Manke A, Wang L, Rojanasakul Y (2013) Mechanisms of nanoparticle-induced oxidative stress and toxicity. *HINDAWI* 2013:1–14. doi:[10.1155/2013/942916](https://doi.org/10.1155/2013/942916)
- Maser E, Schulz M, Sauer UG et al (2015) In vitro and in vivo genotoxicity investigations of differently sized amorphous SiO<sub>2</sub> nanomaterials. *Mutat Res Genet Toxicol Environ Mutagen* 794:57–74. doi:[10.1016/j.mrgentox.2015.10.005](https://doi.org/10.1016/j.mrgentox.2015.10.005)
- Maurer-jones MA, Lin Y, Haynes CL (2010) Functional assessment of metal oxide nanoparticle toxicity in immune cells. *ACS Nano* 4:3363–3373
- McCracken C, Zane A, Knight DA et al (2013) Minimal intestinal epithelial cell toxicity in response to short- and long-term food-relevant inorganic nanoparticle exposure. *Chem Res Toxicol* 26:1514–1525. doi:[10.1021/tx400231u](https://doi.org/10.1021/tx400231u)
- Mendoza A, Torres-Hernandez JA, Ault JG et al (2014) Silica nanoparticles induce oxidative stress and inflammation of human peripheral blood mononuclear cells. *Cell Stress Chaperones* 19:777–790. doi:[10.1007/s12192-014-0502-y](https://doi.org/10.1007/s12192-014-0502-y)
- Michael Berg J, Romoser AA, Figueroa DE et al (2013) Comparative cytological responses of lung epithelial and pleural mesothelial cells following in vitro exposure to nanoscale SiO<sub>2</sub>. *Toxicol Vitr* 27:24–33. doi:[10.1016/j.tiv.2012.09.002](https://doi.org/10.1016/j.tiv.2012.09.002)
- Morris AS, Adamcakova-Dodd A, Lehman SE et al (2016) Amine modification of nonporous silica nanoparticles reduces inflammatory response following intratracheal instillation in murine lungs. *Toxicol Lett* 241:207–215. doi:[10.1016/j.toxlet.2015.11.006](https://doi.org/10.1016/j.toxlet.2015.11.006)
- Nabeshi H, Yoshikawa T, Matsuyama K et al (2011a) Amorphous nanosilica induce endocytosis-dependent ROS generation and DNA damage in human keratinocytes. *Part Fibre Toxicol* 8:1. doi:[10.1186/1743-8977-8-1](https://doi.org/10.1186/1743-8977-8-1)
- Nabeshi H, Yoshikawa T, Matsuyama K et al (2011b) Systemic distribution, nuclear entry and cytotoxicity of amorphous nanosilica following topical application. *Biomaterials* 32:2713–2724. doi:[10.1016/j.biomaterials.2010.12.042](https://doi.org/10.1016/j.biomaterials.2010.12.042)
- Napierska D, Thomassen LCJ, Lison D et al (2010) The nanosilica hazard: another variable entity. *Part Fibre Toxicol* 7:39. doi:[10.1186/1743-8977-7-39](https://doi.org/10.1186/1743-8977-7-39)
- Napierska D, Rabolli V, Thomassen LCJ et al (2012a) Oxidative stress induced by pure and iron-doped amorphous silica nanoparticles in subtoxic conditions. *Chem Res Toxicol* 25:828–837. doi:[10.1021/tx200361v](https://doi.org/10.1021/tx200361v)
- Napierska D, Thomassen LCJ, Vanaudenaerde B et al (2012b) Cytokine production by co-cultures exposed to mono-disperse amorphous silica nanoparticles: the role of size and surface area. *Toxicol Lett* 211:98–104. doi:[10.1016/j.toxlet.2012.03.002](https://doi.org/10.1016/j.toxlet.2012.03.002)
- Nemmar A, Yuvaraju P, Beegam S et al (2015) In vitro platelet aggregation and oxidative stress caused by amorphous silica nanoparticles. *Int J Physiol Pathophysiol Pharmacol* 7:27–33
- Nemmar A, Yuvaraju P, Beegam S et al (2016) Oxidative stress, inflammation, and DNA damage in multiple organs of mice acutely exposed to amorphous silica nanoparticles. *Int J Nanomed*. doi:[10.2147/IJN.S92278](https://doi.org/10.2147/IJN.S92278)
- Nowak JS, Mehn D, Nativo P et al (2014) Silica nanoparticle uptake induces survival mechanism in A549 cells by the activation of autophagy but not apoptosis. *Toxicol Lett* 224:84–92. doi:[10.1016/j.toxlet.2013.10.003](https://doi.org/10.1016/j.toxlet.2013.10.003)
- Oberdörster G (2010) Safety assessment for nanotechnology and nanomedicine: concepts of nanotoxicology. *J Intern Med* 267:89–105. doi:[10.1111/j.1365-2796.2009.02187.x](https://doi.org/10.1111/j.1365-2796.2009.02187.x)
- Oh S, Kim B, Kim H (2014) Comparison of nanoparticle exposures between fumed and sol-gel nano-silica manufacturing facilities. *Ind Health* 52:190–198. doi:[10.2486/indhealth.2013-0117](https://doi.org/10.2486/indhealth.2013-0117)
- Paek H-J, Chung H-E, Lee J-A et al (2014) Quantitative determination of silica nanoparticles in biological matrices and their pharmacokinetics and toxicokinetics in rats. *Sci Adv Mater* 6(6):1605–1610. doi:[10.1166/sam.2014.1817](https://doi.org/10.1166/sam.2014.1817)
- Pal AK, Bello D, Cohen J, Demokritou P (2015) Implications of in vitro dosimetry on toxicological ranking of low aspect ratio engineered nanomaterials. *Nanotoxicology* 9:871–885. doi:[10.3109/17435390.2014.986670](https://doi.org/10.3109/17435390.2014.986670)
- Panas A, Comouth A, Saathoff H et al (2014) Silica nanoparticles are less toxic to human lung cells when deposited at the air-liquid interface compared to conventional submerged exposure. *Beilstein J Nanotechnol* 5:1590–1602. doi:[10.3762/bjnano.5.171](https://doi.org/10.3762/bjnano.5.171)

- Parveen A, Rizvi SHM, Sushma et al (2015) Intranasal exposure to silica nanoparticles induce alterations in pro-inflammatory environment of rat brain: involvement of oxidative stress. *Toxicol Ind Health*. doi:[10.1177/0748233715602985](https://doi.org/10.1177/0748233715602985)
- Passagne I, Morille M, Rousset M et al (2012) Implication of oxidative stress in size-dependent toxicity of silica nanoparticles in kidney cells. *Toxicology* 299:112–124. doi:[10.1016/j.tox.2012.05.010](https://doi.org/10.1016/j.tox.2012.05.010)
- Rabolli V, Thomassen LCJ, Uwambayinema F et al (2011) The cytotoxic activity of amorphous silica nanoparticles is mainly influenced by surface area and not by aggregation. *Toxicol Lett* 206:197–203. doi:[10.1016/j.toxlet.2011.07.013](https://doi.org/10.1016/j.toxlet.2011.07.013)
- Radomski A, Jurasz P, Alonso-Escalona D et al (2005) Nanoparticle-induced platelet aggregation and vascular thrombosis. *Br J Pharmacol* 146:882–893. doi:[10.1038/sj.bjp.0706386](https://doi.org/10.1038/sj.bjp.0706386)
- Rajendran P, Rengarajan T, Thangavel J et al (2013) The vascular endothelium and human diseases. *Int J Biol Sci* 9:1057–1069. doi:[10.7150/ijbs.7502](https://doi.org/10.7150/ijbs.7502)
- Rajiv S, Jerobin J, Saranya V et al (2015) Comparative cytotoxicity and genotoxicity of cobalt (II, III) oxide, iron (III) oxide, silicon dioxide, and aluminum oxide nanoparticles on human lymphocytes in vitro. *Hum Exp Toxicol*. doi:[10.1177/0960327115579208](https://doi.org/10.1177/0960327115579208)
- Ryu HJ, Seong NW, So BJ et al (2014) Evaluation of silica nanoparticle toxicity after topical exposure for 90 days. *Int J Nanomed* 9:127–136. doi:[10.2147/IJN.S57929](https://doi.org/10.2147/IJN.S57929)
- Sargent JA, Paget V, Chevillard S (2012) Toxicity and genotoxicity of nano-SiO<sub>2</sub> on human epithelial intestinal HT-29 cell line. *Ann Occup Hyg* 56:622–630. doi:[10.1093/annhyg/mes005](https://doi.org/10.1093/annhyg/mes005)
- Shim KH, Jeong KH, Bae SO et al (2014) Assessment of ZnO and SiO<sub>2</sub> nanoparticle permeability through and toxicity to the blood–brain barrier using evans blue and tem. *Int J Nanomed* 9:225–233. doi:[10.2147/IJN.S58205](https://doi.org/10.2147/IJN.S58205)
- Smulders S, Luyts K, Brabants G et al (2014) Toxicity of nanoparticles embedded in paints compared with pristine nanoparticles in mice. *Toxicol Sci* 141:132–140. doi:[10.1093/toxsci/kfu112](https://doi.org/10.1093/toxsci/kfu112)
- Stern ST, Adiseshaiyah PP, Crist RM (2012) Autophagy and lysosomal dysfunction as emerging mechanisms of nanomaterial toxicity. *Part Fibre Toxicol* 9:20. doi:[10.1186/1743-8977-9-20](https://doi.org/10.1186/1743-8977-9-20)
- Sun L, Li Y, Liu X et al (2011) Cytotoxicity and mitochondrial damage caused by silica nanoparticles. *Toxicol Vitr* 25:1619–1629. doi:[10.1016/j.tiv.2011.06.012](https://doi.org/10.1016/j.tiv.2011.06.012)
- Tang L, Cheng J (2013) Nonporous silica nanoparticles for nanomedicine application. *Nano Today* 8:290–312. doi:[10.1016/j.nantod.2013.04.007](https://doi.org/10.1016/j.nantod.2013.04.007)
- Tavares AM, Louro H, Antunes S et al (2014) Genotoxicity evaluation of nanosized titanium dioxide, synthetic amorphous silica and multi-walled carbon nanotubes in human lymphocytes. *Toxicol Vitr* 28:60–69. doi:[10.1016/j.tiv.2013.06.009](https://doi.org/10.1016/j.tiv.2013.06.009)
- Tarantini A, Huet S, Jarry G et al (2015a) Genotoxicity of synthetic amorphous silica nanoparticles in rats following short-term exposure. Part 1: Oral route. *Environ Mol Mutagen* 56:218–227. doi:[10.1002/em.21935](https://doi.org/10.1002/em.21935)
- Tarantini A, Lanceleur R, Mourot A et al (2015b) Toxicity, genotoxicity and proinflammatory effects of amorphous nanosilica in the human intestinal Caco-2 cell line. *Toxicol Vitr* 29:398–407. doi:[10.1016/j.tiv.2014.10.023](https://doi.org/10.1016/j.tiv.2014.10.023)
- Thomassen LCJ, Rabolli V, Masschaele K et al (2011) Model system to study the influence of aggregation on the hemolytic potential of silica nanoparticles. *Chem Res Toxicol* 24:1869–1875. doi:[10.1021/tx2002178](https://doi.org/10.1021/tx2002178)
- Turci F, Pavan C, Leinardi R et al (2016) Revisiting the paradigm of silica pathogenicity with synthetic quartz crystals: the role of crystallinity and surface disorder. *Part Fibre Toxicol* 13:32. doi:[10.1186/s12989-016-0136-6](https://doi.org/10.1186/s12989-016-0136-6)
- Uboldi C, Giudetti G, Broggi F et al (2012) Amorphous silica nanoparticles do not induce cytotoxicity, cell transformation or genotoxicity in Balb/3T3 mouse fibroblasts. *Mutat Res Genet Toxicol Environ Mutagen* 745:11–20. doi:[10.1016/j.mrgentox.2011.10.010](https://doi.org/10.1016/j.mrgentox.2011.10.010)
- Uemura E, Yoshioka Y, Hirai T et al (2016) Relationship between size and surface modification of silica particles and enhancement and suppression of inflammatory cytokine production by lipopolysaccharide- or peptidoglycan-stimulated RAW264.7 macrophages. *J Nanoparticle Res* 18:165. doi:[10.1007/s11051-016-3475-1](https://doi.org/10.1007/s11051-016-3475-1)
- Van Der Zande M, Vandebriel RJ, Groot MJ et al (2014) Sub-chronic toxicity study in rats orally exposed to nanostructured silica. *Part Fibre Toxicol* 11:1–19. doi:[10.1186/1743-8977-11-8](https://doi.org/10.1186/1743-8977-11-8)
- Vance ME, Kuiken T, Vejerano EP et al (2015) Nanotechnology in the real world: redeveloping the nanomaterial consumer products inventory. *Beilstein J Nanotechnol* 6:1769–1780. doi:[10.3762/bjnano.6.181](https://doi.org/10.3762/bjnano.6.181)
- Voicu SNP, Dinu D, Sima C et al (2015) Silica nanoparticles induce oxidative stress and autophagy but not apoptosis in the MRC-5 cell line. *Int J Mol Sci* 16:29398–29416. doi:[10.3390/ijms161226171](https://doi.org/10.3390/ijms161226171)
- Vriens H, Mertens D, Regret R et al (2017) Chapter 11 case study III: the construction of a nanotoxicity database—the MOD-ENP-TOX experience. *Adv Exp Med Biol*. doi:[10.1007/978-3-319-47754-1](https://doi.org/10.1007/978-3-319-47754-1)
- Wang F, Gao F, Lan M et al (2009) Oxidative stress contributes to silica nanoparticle-induced cytotoxicity in human embryonic kidney cells. *Toxicol Vitr* 23:808–815. doi:[10.1016/j.tiv.2009.04.009](https://doi.org/10.1016/j.tiv.2009.04.009)
- Wang W, Li Y, Liu X et al (2013) Multinucleation and cell dysfunction induced by amorphous silica nanoparticles in an L-02 human hepatic cell line. *Int J Nanomed* 8:3533–3541. doi:[10.2147/IJN.S46732](https://doi.org/10.2147/IJN.S46732)
- Winkler HC, Suter M, Naegeli H (2016) Critical review of the safety assessment of nano-structured silica additives in food. *J Nanobiotechnol* 14:44. doi:[10.1186/s12951-016-0189-6](https://doi.org/10.1186/s12951-016-0189-6)
- Wittmaack K (2011) Novel dose metric for apparent cytotoxicity effects generated by in vitro cell exposure to silica nanoparticles. *Chem Res Toxicol* 24:150–158. doi:[10.1021/tx100331w](https://doi.org/10.1021/tx100331w)
- Xie H, Wu J (2016) Silica nanoparticles induce alpha-synuclein induction and aggregation in PC12-cells. *Chem Biol Interact* 258:197–204. doi:[10.1016/j.cbi.2016.09.006](https://doi.org/10.1016/j.cbi.2016.09.006)
- Xu Z, Chou L, Sun J (2012) Effects of SiO<sub>2</sub> nanoparticles on HFL-I activating ROS-mediated apoptosis via p53 pathway. *J Appl Toxicol* 32:358–364. doi:[10.1002/jat.1710](https://doi.org/10.1002/jat.1710)
- Xue Y, Wu J, Sun J (2012) Four types of inorganic nanoparticles stimulate the inflammatory reaction in brain microglia and damage neurons in vitro. *Toxicol Lett* 214:91–98. doi:[10.1016/j.toxlet.2012.08.009](https://doi.org/10.1016/j.toxlet.2012.08.009)
- Yang X, He C, Li J et al (2014a) Uptake of silica nanoparticles: neurotoxicity and Alzheimer-like pathology in human SK-N-SH and mouse neuro2a neuroblastoma cells. *Toxicol Lett* 229:240–249. doi:[10.1016/j.toxlet.2014.05.009](https://doi.org/10.1016/j.toxlet.2014.05.009)
- Yang YX, Song ZM, Cheng B et al (2014b) Evaluation of the toxicity of food additive silica nanoparticles on gastrointestinal cells. *J Appl Toxicol* 34:424–435. doi:[10.1002/jat.2962](https://doi.org/10.1002/jat.2962)
- Yang M, Jing L, Wang J et al (2016) Macrophages participate in local and systemic inflammation induced by amorphous silica nanoparticles through intratracheal instillation. *Int J Nanomed* 11:6217–6228
- Ye Y, Liu J, Chen M et al (2010a) In vitro toxicity of silica nanoparticles in myocardial cells. *Environ Toxicol Pharmacol* 29:131–137. doi:[10.1016/j.etap.2009.12.002](https://doi.org/10.1016/j.etap.2009.12.002)
- Ye Y, Liu J, Xu J et al (2010b) Nano-SiO<sub>2</sub> induces apoptosis via activation of p53 and Bax mediated by oxidative stress in human

- hepatic cell line. *Toxicol Vitr* 24:751–758. doi:[10.1016/j.tox.2010.01.001](https://doi.org/10.1016/j.tox.2010.01.001)
- Yoshida T, Yoshioka Y, Takahashi H et al (2014) Intestinal absorption and biological effects of orally administered amorphous silica particles. *Nanoscale Res Lett*. doi:[10.1186/1556-276X-9-532](https://doi.org/10.1186/1556-276X-9-532)
- Yu T, Malugin A, Ghandehari H (2011) Impact of silica nanoparticle design on cellular toxicity and hemolytic activity. *ACS Nano* 5:5717–5728. doi:[10.1021/nn2013904](https://doi.org/10.1021/nn2013904)
- Yu Y, Li Y, Wang W et al (2013) Acute toxicity of amorphous silica nanoparticles in intravenously exposed ICR mice. *PLoS One*. doi:[10.1371/journal.pone.0061346](https://doi.org/10.1371/journal.pone.0061346)
- Yu Y, Duan J, Yu Y et al (2014) Silica nanoparticles induce autophagy and autophagic cell death in HepG2 cells triggered by reactive oxygen species. *J Hazard Mater* 270:176–186. doi:[10.1016/j.jhazmat.2014.01.028](https://doi.org/10.1016/j.jhazmat.2014.01.028)
- Yun J-W, Kim S-H, You J-R et al (2015) Comparative toxicity of silicon dioxide, silver and iron oxide nanoparticles after repeated oral administration to rats. *J Appl Toxicol* 35:681–693. doi:[10.1002/jat.3125](https://doi.org/10.1002/jat.3125)
- Zhang XQ, Yin LH, Tang M, Pu YP (2011) ZnO, TiO(2), SiO(2,) and Al(2)O(3) nanoparticles-induced toxic effects on human fetal lung fibroblasts. *Biomed Env Sci* 24:661–669. doi:[10.3967/0895-3988.2011.06.011](https://doi.org/10.3967/0895-3988.2011.06.011)
- Zhang H, Dunphy DR, Jiang X et al (2012) Processing pathway dependence of amorphous silica nanoparticle toxicity: colloidal vs pyrolytic. *J Am Chem Soc* 134:15790–15804. doi:[10.1021/ja304907c](https://doi.org/10.1021/ja304907c)
- Zhang Q, Xu H, Zheng S et al (2015) Genotoxicity of mesoporous silica nanoparticles in human embryonic kidney 293 cells. *Drug Test Anal* 7:787–796. doi:[10.1002/dta.1773](https://doi.org/10.1002/dta.1773)
- Zhang J, Ren L, Zou Y et al (2016) Silica nanoparticles induce start inhibition of meiosis and cell cycle arrest via down-regulating meiotic relevant factors. *Toxicol Res* 5:1453–1464. doi:[10.1039/C6TX00236F](https://doi.org/10.1039/C6TX00236F)
- Zhuravskii S, Yukina G, Kulikova O et al (2016) Mast cell accumulation precedes tissue fibrosis induced by intravenously administered amorphous silica nanoparticles. *Toxicol Mech Methods* 26:260–269. doi:[10.3109/15376516.2016.1169341](https://doi.org/10.3109/15376516.2016.1169341)