

Scientific Reports, 2017, vol.7, N1

Transport and Association of Ions in Lithium Battery Electrolytes Based on Glycol Ether Mixed with Halogen-Free Orthoborate Ionic Liquid

Shah F., Gnezdilov O., Gusain R., Filippov A.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 The Author(s). Ion transport behaviour of halogen-free hybrid electrolytes for lithium-ion batteries based on phosphonium bis(salicylato)borate [P 4,4,4,8][BScB] ionic liquid mixed with diethylene glycol dibutyl ether (DEGDBE) is investigated. The Li[BScB] salt is dissolved at different concentrations in the range from 0.15 mol kg⁻¹ to 1.0 mol kg⁻¹ in a mixture of [P 4,4,4,8][BScB] and DEGDBE in 1:5 molar ratio. The ion transport properties of the resulting electrolytes are investigated using viscosity, electrical impedance spectroscopy and pulsed-Field Gradient (PFG) NMR. The apparent transfer numbers of ions are calculated from the diffusion coefficients measured by using PFG NMR. PFG NMR data suggested ion association upon addition of Li salt to the [P 4,4,4,8][BScB] in DEGDBE solution. This is further confirmed by liquid state ⁷Li and ¹¹B NMR, and FTIR spectroscopic techniques, which suggest strong interactions between the lithium cation and oxygen atoms of the [BScB] - anion in the hybrid electrolytes.

<http://dx.doi.org/10.1038/s41598-017-16597-7>

References

- [1] Brennecke, J. F. & Gurkan, B. E. Ionic liquids for CO capture and emission reduction. *J. Phys. Chem. Lett.* 1, 3459-3464 (2010).
- [2] Etacheri, V., Marom, R., Elazari, R., Salitra, G. & Aurbach, D. Challenges in the development of advanced Li-ion batteries: a review. *Energy Environ. Sci.* 4, 3243-3262 (2011).
- [3] Xia, L., Yu, L., Hua, D. & Chen, G. Z. Electrolytes for electrochemical energy storage. *Mater. Chem. Front.* 1, 584-618 (2017).
- [4] Shah, F. U. et al. Halogen-free chelated orthoborate ionic liquids and organic ionic plastic crystals. *J. Mater. Chem.* 22, 6928-6938 (2012).
- [5] Shah, F. U., Glavatskih, S. & Antzutkin, O. N. Boron in tribology: from borates to ionic liquids. *Tribol. Lett.* 51, 281-301 (2013).
- [6] Wang, Y. L., Shah, F. U., Glavatskih, S., Antzutkin, O. N. & Laaksonen, A. Atomistic insight into orthoborate-based ionic liquids: force field development and evaluation. *J. Phys. Chem. B* 118, 8711-8723 (2014).
- [7] Giffin, G. A. Ionic liquid-based electrolytes for "beyond lithium" battery technologies. *J. Mater. Chem. A* 4, 13378-13389 (2016).
- [8] Bayley, P. M. et al. Transport properties of ionic liquid electrolytes with organic diluents. *Phys. Chem. Chem. Phys.* 11, 7202-7208 (2009).
- [9] Vogl, T., Menne, S. & Balducci, A. Mixtures of protic ionic liquids and propylene carbonate as advanced electrolytes for lithium-ion batteries. *Phys. Chem. Chem. Phys.* 16, 25014-25023 (2014).

- [10] Aguilera, L., Scheers, J. & Matic, A. Enhanced low-temperature ionic conductivity via different Li⁺ solvated clusters in organic solvent/ionic liquid mixed electrolytes. *Phys. Chem. Chem. Phys.* 18, 25458-25464 (2016).
- [11] Giri, S., Behera, S. & Jena, P. Superhalogens as building blocks of halogen-free electrolytes in lithium-ion batteries. *Angew. Chem.* 126, 14136-14139 (2014).
- [12] Basile, A., Yoon, H., MacFarlane, D. R., Forsyth, M. & Howlett, P. C. Investigating non-fluorinated anions for sodium battery electrolytes based on ionic liquids. *Electrochem. Commun.* 71, 48-51 (2016).
- [13] Lee, D. J., Hassoun, J., Panero, S., Sun, Y. K. & Scrosati, B. A tetraethylene glycol dimethylether-lithium bis(oxalate)borate (TEGDME-LiBOB) electrolyte for advanced lithium ion batteries. *Electrochem. Commun.* 14, 43-46 (2012).
- [14] Zhao, Q. et al. Compatibility between Lithium Bis(oxalate)borate-Based Electrolytes and a LiFeMn_{0.4}PO₄/C Cathode for Lithium-Ion Batteries. *Energy Technol.* 5, 406-413 (2017).
- [15] Barthel, J., Wuhr, M., Buestrich, R. & Gores, H. J. A new class of electrochemically and thermally stable lithium salts for lithium battery electrolytes: I. synthesis and properties of lithium bis[1,2-benzenediolato(2-O,O')]borate. *J. Electrochem. Soc.* 142, 2527-2531 (1995).
- [16] Barthel, J., Buestrich, R., Carl, E. & Gores, H. J. A new class of electrochemically and thermally stable lithium salts for lithium battery electrolytes: III. synthesis and properties of some lithium organoborates. *J. Electrochem. Soc.* 143, 3572-3575 (1996).
- [17] Handa, M., Fukuda, S., Sasaki, Y. & Usami, K. Use of a chelate complex with boron as a lithium salt for lithium battery electrolytes. *J. Electrochem. Soc.* 144, L235-L237 (1997).
- [18] Xue, Z. M., Ding, Y. Z. & Chen, C. H. A DFT study of electronic structures, energies, and molecular properties of lithium bis(croconato)borate and its derivatives. *Electrochim. Acta* 53, 990-997 (2007).
- [19] Sasaki, Y., Handa, M., Kurashima, K., Tonuma, T. & Usami, K. Application of lithium organoborate with salicylic ligand to lithium battery electrolyte. *J. Electrochem. Soc.* 148, A999-A1003 (2001).
- [20] Aurbach, D., Gnanaraj, J. S., Geissler, W. & Schmidt, M. Vinylene carbonate and Li salicylatoborate as additives in LiPF₆(CFCF) solutions for rechargeable Li-ion batteries. *J. Electrochem. Soc.* 151, A23-A30 (2004).
- [21] Swiderska-Mocek, A. & Naparstek, D. Physical and electrochemical properties of lithium bis(oxalate)borate-organic mixed electrolytes in Li-ion batteries. *Electrochimica Acta* 204, 69-77 (2016).
- [22] Li, Y. et al. A Novel Electrolyte Salt Additive for Lithium-Ion Batteries with Voltages Greater than 4.7 V. *Adv. Energy Mater.* 7, 1601397 (2017).
- [23] Xu, K., Zhang, S. S., Lee, U., Allen, J. L. & Jow, T. R. LiBOB: Is it an alternative salt for lithium ion chemistry? *J. Power Sources* 146, 79-85 (2005).
- [24] Xu, K., Zhang, S., Poese, B. A. & Jow, T. R. Lithium bis(oxalato)borate stabilizes graphite anode in propylene carbonate. *Electrochem. Solid-State Lett.* 5, A259-A262 (2002).
- [25] Niedzicki, L. et al. Lithium cation conducting TDI anion-based ionic liquids. *Phys. Chem. Chem. Phys.* 16, 11417-11425 (2014).
- [26] Jankowski, P., Wieczorek, W. & Johansson, P. New boron based salts for lithium-ion batteries using conjugated ligands. *Phys. Chem. Chem. Phys.* 18, 16274-16280 (2016).
- [27] Liu, Z., Chai, J., Xua, G., Wang, Q. & Cui, G. Functional lithium borate salts and their potential application in high performance lithium batteries. *Coordination Chemistry Reviews* 292, 56-73 (2015).
- [28] Ping, P., Wang, Q., Sun, J., Feng, X. & Chen, C. Effect of sulfites on the performance of LiBOB/ γ -butyrolactone electrolytes. *J. Power Sources* 196, 776-783 (2011).
- [29] Carbone, L. et al. Polyethylene glycol dimethyl ether (PEGDME)-based electrolyte for lithium metal battery. *J. Power Sources* 299, 460-464 (2015).
- [30] Fang, S. et al. A novel mixture of diethylene glycol diethylether and non-flammable methyl-nonfluorobutyl ether as a safe electrolyte for lithium ion batteries. *J. Mater. Chem. A* 3, 21159-21166 (2015).
- [31] Ueno, K. et al. Li solvation and ionic transport in lithium solvate ionic liquids diluted by molecular solvents. *J. Phys. Chem. C* 120, 15792-15802 (2016).
- [32] Ueno, K. et al. Li solvation in glyme-Li salt solvate ionic liquids. *Phys. Chem. Chem. Phys.* 17, 8248-8257 (2015).
- [33] Ueno, K., Murai, J., Moon, H., Dokko, K. & Watanabe, M. A Design Approach to Lithium-Ion Battery Electrolyte Based on Diluted Solvate Ionic Liquids. *J. Electrochem. Soc.* 164, A6088-A6094 (2017).
- [34] Elia, G. A., Bernhard, R. & Hassoun, J. A lithium-ion oxygen battery using a polyethylene glyme electrolyte mixed with an ionic liquid. *RSC Adv.* 5, 21360-21365 (2015).
- [35] Karpierz, E. et al. A. Bitner-Michalska, W. Wiecezorek, Ternary mixtures of ionic liquids for better salt solubility, conductivity and cation transference number improvement. *Scientific Reports* 6, 35587 (2016).
- [36] Shah, F. U., Glavatskih, S., MacFarlane, D. R., Forsyth, M. & Antzutkin, O. N. Novel halogen-free chelated orthoborate-phosphonium ionic liquids: synthesis and tribophysical properties. *Phys. Chem. Chem. Phys.* 13, 12865-12873 (2011).

- [37] Shah, F. U., Gnezdilov, O. I. & Filippov, A. Ion dynamics in halogen-free phosphonium bis(salicylato)borate ionic liquid electrolytes for lithium-ion batteries. *Phys. Chem. Chem. Phys.* 19, 16721-16730 (2017).
- [38] P. T. Callaghan, *Principles of nuclear magnetic resonance microscopy*; Clarendon; Oxford (1991).
- [39] Tanner, J. E. Use of the stimulated echo in NMR diffusion studies. *J. Chem. Phys.* 52, 2523-2526 (1970).
- [40] Noda, A., Hayamizu, K. & Watanabe, M. Pulsed-gradient spin-echo H and F ionic diffusion coefficient, viscosity, and ionic conductivity of non-chloroaluminate room-temperature ionic liquids. *J. Phys. Chem. B* 105, 4603-4610 (2001).
- [41] Cohen, M. H. & Turnbull, D. Molecular transport in liquids and gases. *J. Chem. Phys.* 31, 1164-1169 (1959).
- [42] Pylahan, N., Kerner, M., Lim, D., Matic, A. & Johansson, P. Ionic liquid and hybrid ionic liquid/organic electrolytes for high temperature lithium-ion battery application. *Electrochimica Acta* 216, 24-34 (2016).
- [43] Atkins, P. & de Paula, J. *Atkin's Physical Chemistry*. Oxford University Press. Tenth Ed., 1008 p (2014).
- [44] Frömling, T., Kunze, M., Schönhoff, M., Sundermeyer, J. & Roling, B. Enhanced lithium transference numbers in ionic liquid electrolytes. *J. Phys. Chem. B* 112, 12985-12990 (2008).
- [45] Gélinas, B. et al. Electrochemical and transport properties of ions in mixtures of electroactive ionic liquid and propylene carbonate with a lithium salt for lithium-ion batteries. *J. Phys. Chem. C* 120, 5315-5325 (2016).
- [46] Martins, V. L., Sanchez-Ramirez, N., Ribeiro, M. C. C. & Torresi, R. M. Two phosphonium ionic liquids with high Li transport number. *Phys. Chem. Chem. Phys.* 17, 23041-23051 (2015).
- [47] Yoon, H., Best, A. S., Forsyth, M., MacFarlane, D. R. & Howlett, P. C. Physical properties of high Li-ion content N-propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide based ionic liquid electrolytes. *Phys. Chem. Chem. Phys.* 17, 4656-4663 (2015).
- [48] Hilder, M. et al. Effect of mixed anions on the physicochemical properties of a sodium containing alkoxyammonium ionic liquid electrolyte. *Phys. Chem. Chem. Phys.* 19, 17461-17468 (2017).
- [49] Levitt, M. *Spin dynamics. Basics of nuclear magnetic resonance* (2 Ed); Wiley & Sons; New York (2008).
- [50] Forsyth, M. et al. Novel Na ion diffusion mechanism in mixed organic-inorganic ionic liquid electrolyte leading to high Na transference number and stable, high rate electrochemical cycling of sodium cells. *J. Phys. Chem. C* 120, 4276-4286 (2016).