

Preparation and characterisation of water-soluble phytosterol nanodispersions.

ABSTRACT

The purpose of this study was to prepare and characterise water-soluble phytosterol nanodispersions for food formulation. The effects of several factors were examined: four different types of organic phases (hexane, isopropyl alcohol, ethanol and acetone), the organic to aqueous phase ratio and conventional homogenisation vs. high-pressure homogenisation. We demonstrated the feasibility of phytosterol nanodispersions production using an emulsification–evaporation technique. The results showed that hexane was able to produce the smallest particle size at a mean diameter of approximately 50 nm at monomodal distribution. Phytosterol nanodispersions prepared with a higher homogenisation pressure and a higher organic to aqueous phase ratio resulted in significantly larger phytosterol nanoparticles ($P < 0.05$). Phytosterol loss after high-pressure homogenisation ranged from 3% to 28%, and losses increased with increasing homogenisation pressure. Elimination of the organic phase by evaporation resulted in a phytosterol loss of 0.5–9%.

Keyword: Phytosterol; Nanodispersions; Mean particle diameter; Primary homogenisation; High-pressure homogenisation.