

RefinementRefinement on F $R = 0.037$ $wR = 0.042$ $S = 1.34$

1263 reflections

138 parameters

All H-atom parameters refined

 $w = 1$ for $|F_o| < 30$ and $w = 30/|F_o|$ for $|F_o| \geq 30$

$(\Delta/\sigma)_{\text{max}} = 0.02$
 $\Delta\rho_{\text{max}} = 0.28 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.27 \text{ e } \text{\AA}^{-3}$
Extinction correction: none
Atomic scattering factors from *International Tables for X-ray Crystallography* (1974, Vol. IV)

Table 1. Fractional atomic coordinates and equivalent isotropic displacement parameters (\AA^2)

$$B_{\text{eq}} = (4/3)\sum_i \sum_j \beta_{ij} \mathbf{a}_i \cdot \mathbf{a}_j$$

	x	y	z	B_{eq}
S(1)	0.32808 (3)	0.16666 (7)	0.58959 (3)	3.06 (1)
C(2)	0.17734 (11)	0.3144 (2)	0.54967 (9)	2.54 (3)
N(2)	0.14971 (10)	0.4988 (2)	0.60255 (8)	3.36 (3)
N(3)	0.09820 (9)	0.2257 (2)	0.46822 (8)	2.46 (2)
C(4)	0.10550 (11)	-0.1133 (2)	0.34737 (9)	2.62 (3)
C(5)	0.17726 (14)	-0.3044 (3)	0.32142 (10)	3.26 (4)
C(6)	0.30004 (14)	-0.3546 (3)	0.37847 (11)	3.44 (4)
C(7)	0.35356 (12)	-0.2166 (3)	0.46304 (10)	3.07 (3)
C(8)	0.28241 (12)	-0.0288 (3)	0.48793 (9)	2.67 (3)
C(9)	0.15492 (11)	0.0325 (2)	0.43211 (9)	2.33 (3)
N(4)	-0.02310 (10)	-0.0702 (2)	0.28228 (8)	2.90 (3)
O(1)	-0.09683 (9)	0.0703 (2)	0.30805 (8)	4.11 (3)
O(2)	-0.05270 (10)	-0.1783 (2)	0.20156 (7)	4.37 (3)

Table 2. Selected geometric parameters (\AA , $^\circ$)

S(1)—C(2)	1.754 (1)	C(5)—C(6)	1.371 (2)
S(1)—C(8)	1.726 (1)	C(6)—C(7)	1.381 (2)
C(2)—N(2)	1.315 (2)	C(7)—C(8)	1.366 (2)
C(2)—N(3)	1.312 (2)	C(8)—C(9)	1.420 (2)
N(3)—C(9)	1.367 (2)	C(4)—N(4)	1.453 (2)
C(4)—C(9)	1.398 (2)	N(4)—O(1)	1.210 (2)
C(4)—C(5)	1.389 (2)	N(4)—O(2)	1.224 (2)
C(2)—S(1)—C(8)	88.91 (6)	C(6)—C(7)—C(8)	118.77 (13)
S(1)—C(2)—N(2)	119.42 (10)	C(7)—C(8)—S(1)	127.12 (10)
S(1)—C(2)—N(3)	115.95 (9)	C(7)—C(8)—C(9)	123.72 (12)
N(2)—C(2)—N(3)	124.60 (12)	S(1)—C(8)—C(9)	109.16 (9)
C(2)—N(3)—C(9)	110.25 (10)	C(8)—C(9)—N(3)	115.72 (11)
C(5)—C(4)—C(9)	121.57 (12)	C(8)—C(9)—C(4)	115.10 (11)
C(5)—C(4)—N(4)	117.13 (11)	N(3)—C(9)—C(4)	129.18 (11)
C(9)—C(4)—N(4)	121.30 (11)	C(4)—N(4)—O(1)	120.08 (11)
C(4)—C(5)—C(6)	120.57 (13)	C(4)—N(4)—O(2)	117.91 (11)
C(5)—C(6)—C(7)	120.27 (13)	O(1)—N(4)—O(2)	122.00 (12)

Table 3. Hydrogen-bonding geometry (\AA , $^\circ$)

$D—H \cdots A$	$D—H$	$H \cdots A$	$D \cdots A$	$D—H \cdots A$
N(2)—H1N2—O(1 ¹)	0.85 (2)	2.40 (2)	2.774 (2)	107 (1)
N(2)—H2N2—O(1 ¹)	0.84 (2)	2.49 (2)	2.774 (2)	100 (1)
N(2)—H1N2—N(3 ¹)	0.85 (2)	2.12 (2)	2.978 (2)	178 (2)

Symmetry code: (i) $-x, 1-y, 1-z$.

Data collection: Syntex P_2_1 software. Cell refinement: Syntex P_2_1 software. Data reduction: $XP21$ (Pavelčík, 1987). Program(s) used to solve structure: *MULTAN80* (Main *et al.*, 1980). Program(s) used to refine structure: *NRC Crystallographic Programs* (Ahmed & Singh, 1973). Molecular graphics: *ORTEPII* (Johnson, 1971).

Lists of structure factors, anisotropic displacement parameters, H-atom coordinates, complete geometry and least-squares-planes data have been deposited with the IUCr (Reference: CF1034). Copies may be obtained through The Managing Editor, International Union of Crystallography, 5 Abbey Square, Chester CH1 2HU, England.

References

- Ahmed, F. R. & Singh, P. (1973). *NRC Crystallographic Programs for the IBM/360 System*. Accession Nos. 133–147. *J. Appl. Cryst.* **6**, 309–346.
Allen, F. H., Bellard, S., Brice, M. D., Cartwright, B. A., Doubleday, A., Higgs, H., Hummelink, T., Hummelink-Peters, B. G., Kennard, O., Motherwell, B. D. S., Rodgers, J. R. & Watson, D. G. (1979). *Acta Cryst.* **B35**, 2331–2339.
Bak, B., Christensen, D., Hansen-Nygaard, L. & Rastrap-Anderson, J. (1961). *J. Mol. Spectrosc.* **7**, 58–64.
Banerjee, A. & Brown, C. J. (1985). *Acta Cryst.* **C41**, 82–84.
Chan, C., Ma, J. C. N. & Mak, T. C. W. (1977). *J. Chem. Soc. Perkin Trans. 2*, pp. 1070–1073.
Cromer, D. T., Coburn, M. D., Ryan, R. R. & Wasserman, H. J. (1986). *Acta Cryst.* **C42**, 1428–1430.
Jain, P. C. (1987). *Acta Cryst.* **C43**, 2415–2418.
Johnson, C. K. (1971). *ORTEPII*. ORNL-3794, revised. Oak Ridge National Laboratory, Tennessee, USA.
Jones, P. G., Edwards, M. R. & Kirby, A. J. (1986). *Acta Cryst.* **C42**, 1359–1360.
Kettmann, V. & Csöllei, J. (1989). *Acta Cryst.* **C45**, 279–282.
Kettmann, V., Csöllei, J. & Ječný, J. (1992). *Acta Cryst.* **C48**, 292–295.
Khan, M. A., Taylor, R. W., Lehn, J. M. & Dietrich, B. (1988). *Acta Cryst.* **C44**, 1928–1931.
Laurent, G., Durant, F. & Evrard, G. (1981). *Acta Cryst.* **B37**, 972–974.
Main, P., Fiske, S. J., Hull, S. E., Lessinger, L., Germain, G., Declercq, J.-P. & Woolfson, M. M. (1980). *MULTAN80. A System of Computer Programs for the Automatic Solution of Crystal Structures from X-ray Diffraction Data*. Universities of York, England, and Louvain, Belgium.
Pavelčík, F. (1987). *XP21. Program for Syntex P_2_1 Data Reduction*. Faculty of Pharmacy, Comenius University, Bratislava, Slovakia.

Acta Cryst. (1996). **C52**, 1042–1044**Tarapacol 15-Acetate, a New Diterpenoid from *Grindelia tarapacana* Phil.**LIN ZHOU,^a BARBARA N. TIMMERMANN,^a CARINA GRITTINI,^b MICHAEL A. BRUCK^b AND JOHN H. ENEMARK^b^a*Department of Pharmacology and Toxicology, College of Pharmacy, The University of Arizona, Tucson, Arizona 85721, USA*, and ^b*Department of Chemistry, The University of Arizona, Tucson, Arizona 85721, USA*

(Received 2 June 1995; accepted 2 October 1995)


Abstract

In the title compound, 15-acetoxy-14(S)-hydroxy-13-*epi*-manoyl oxide {IUPAC systematic name: 2-(dodecahydro-3,4a,7,7,10a-pentamethyl-1*H*-naphtho[2,1-*b*]pyran-3-yl)-2-hydroxyethyl acetate}, C₂₂H₃₈O₄, rings A and B have chair conformations. Ring C adopts a boat con-

formation with the 16-methyl group in an axial position and the bulky glycol monoacetate group in an equatorial position. Ring systems *A/B* and *B/C* (conventional IUPAC labdane diterpenoid nomenclature) are *trans* fused about the C(5)—C(10) and C(8)—C(9) bonds, respectively. The present study establishes the relative stereochemistry at the C(14) position.

Comment

Seven new diterpenoids, namely tarapacanol *A* and *B*, tarapacanone, tarapacol and their acetate derivatives, as well as two diterpenes, 13-*epi*-manoyl oxide and 12*α*-hydroxy-13-*epi*-manoyl oxide, have been isolated from *Grindelia tarapacana* Phil. (Asteraceae), and their structural characterizations have been carried out by means of spectroscopic data and chemical correlations (Zhou, Fuentes, Hoffmann & Timmermann, 1995). These compounds are a group of 13-*epi*-manoyl oxides with oxygen functions at the C(14) and C(15) positions. Optical-rotation studies favored the 14(*S*) configuration for these compounds. In order to confirm the structure of this group of compounds and to establish the relative stereochemistry at the C(14) position, X-ray analysis of tarapacol 15-acetate (1) was undertaken.



As in normal diterpenes, the junction between the two six-membered carbon rings is *trans*; the junction for the third ring is also *trans*. The six-membered rings *A* and *B* possess slightly flattened chair conformations. The tetrahydropyran ring is in the form of a slightly twisted boat. Since the deacetyl derivative of (1) showed positive optical rotation, the final atomic coordinates of (1) were chosen in accordance with the absolute

configuration of 13-*epi*-manoyl oxide (Bower & Rowe, 1967; Demetzos, Harvala & Philianos, 1990; Zdro, Bohlmann & Niemeyer, 1991). Position 14 has the *S* configuration. The large value of B_{eq} for O(4), together with the less pronounced anisotropy of the other atoms of the group, may indicate disorder of the acetoxy moiety. The molecules form chains parallel to the *b* axis due to hydrogen bonds between O(1) and the H atom on O(2) of a molecule related by the 2_1 axis. This intermolecular O(1)···O(2) distance is 2.878 (3) Å. Atoms O(3) and O(4) of the acetyl group do not participate in the hydrogen-bonding network.

Experimental

Suitable crystals of (1) (m.p. 385–387 K) were grown from acetone by slow evaporation. Specific optical rotation: -15° ($c = 3.00$, chloroform). The IR, MS and NMR data were consistent with the derived structure. The density D_m was measured by flotation in KBr.

Crystal data

$C_{22}H_{38}O_4$	Mo $K\alpha$ radiation
$M_r = 366.55$	$\lambda = 0.71073 \text{ \AA}$
Monoclinic	Cell parameters from 25 reflections
$P2_1$	$\theta = 10\text{--}13^\circ$
$a = 9.720 (4) \text{ \AA}$	$\mu = 0.0715 \text{ mm}^{-1}$
$b = 7.657 (2) \text{ \AA}$	$T = 298 \text{ K}$
$c = 14.708 (7) \text{ \AA}$	Rectangular block
$\beta = 103.63 (4)^\circ$	$0.30 \times 0.15 \times 0.12 \text{ mm}$
$V = 1063.9 \text{ \AA}^3$	Colorless, transparent
$Z = 2$	
$D_x = 1.14 \text{ Mg m}^{-3}$	
$D_m = 1.13 \text{ Mg m}^{-3}$	

Data collection

Enraf–Nonius CAD-4 diffractometer	$R_{int} = 0.036$
$w/2\theta$ scans	$\theta_{\max} = 25^\circ$
Absorption correction:	$h = -11 \rightarrow 0; 0 \rightarrow 11$
none	$k = -9 \rightarrow 0; 0 \rightarrow 9$
4310 measured reflections	$l = -17 \rightarrow 17; -17 \rightarrow 17$
3739 independent reflections	3 standard reflections
2455 observed reflections	frequency: 60 min
$[I > 3\sigma(I)]$	intensity decay: none

Refinement

Refinement on F	$\Delta\rho_{\max} = 0.40 \text{ e \AA}^{-3}$
$R = 0.060$	$\Delta\rho_{\min} = -0.35 \text{ e \AA}^{-3}$
$wR = 0.067$	Extinction correction: none
$S = 1.92$	Atomic scattering factors
2455 reflections	from <i>International Tables for X-ray Crystallography</i> (1974, Vol. IV)
234 parameters	Absolute configuration:
H-atom parameters not refined	assigned to agree with that expected from the studies of optical rotation
$w = 4F_o^2/\sigma^2(F_o^2)$	
$(\Delta/\sigma)_{\max} = 0.01$	




Fig. 1. ORTEPII (Johnson, 1976) perspective view of the title compound with the crystallographic numbering scheme, showing 30% probability ellipsoids.

Table 1. Fractional atomic coordinates and equivalent isotropic displacement parameters (\AA^2)

	x	y	z	B_{eq}
O(1)	0.9917 (2)	0.967	0.6366 (2)	3.20 (5)
O(2)	1.1362 (3)	1.3556 (4)	0.5511 (2)	4.55 (6)
O(3)	1.3264 (3)	1.0818 (5)	0.5296 (2)	5.36 (7)
O(4)	1.5317 (4)	1.0452 (9)	0.6231 (3)	13.7 (2)
C(1)	0.7374 (5)	1.0876 (6)	0.8799 (3)	5.2 (1)
C(2)	0.6417 (5)	1.0214 (7)	0.9395 (3)	6.7 (1)
C(3)	0.5474 (5)	0.8771 (7)	0.8921 (3)	6.1 (1)
C(4)	0.6246 (4)	0.7205 (6)	0.8626 (3)	4.39 (9)
C(5)	0.7275 (4)	0.7932 (5)	0.8051 (2)	3.30 (8)
C(6)	0.8092 (4)	0.6553 (5)	0.7643 (3)	3.96 (9)
C(7)	0.8727 (4)	0.7350 (5)	0.6886 (3)	3.78 (8)
C(8)	0.9699 (4)	0.8872 (5)	0.7222 (3)	3.23 (8)
C(9)	0.8929 (4)	1.0187 (4)	0.7718 (2)	3.00 (8)
C(10)	0.8282 (4)	0.9429 (5)	0.8505 (2)	3.59 (8)
C(11)	0.9788 (5)	1.1864 (5)	0.7970 (3)	4.4 (1)
C(12)	1.0716 (4)	1.2278 (5)	0.7294 (3)	4.11 (9)
C(13)	1.0141 (4)	1.1556 (5)	0.6322 (3)	3.40 (8)
C(14)	1.1170 (4)	1.1748 (5)	0.5679 (3)	3.52 (8)
C(15)	1.2603 (4)	1.0984 (6)	0.6065 (3)	4.8 (1)
C(16)	0.8754 (4)	1.2423 (6)	0.5837 (3)	4.17 (9)
C(17)	1.1130 (4)	0.8210 (6)	0.7788 (3)	4.6 (1)
C(18)	0.5129 (5)	0.6067 (7)	0.8004 (3)	6.4 (1)
C(19)	0.6942 (5)	0.6104 (7)	0.9467 (3)	5.9 (1)
C(20)	0.9425 (5)	0.8834 (6)	0.9358 (3)	5.2 (1)
C(21)	1.4625 (4)	1.0532 (7)	0.5466 (3)	5.7 (1)
C(22)	1.5126 (5)	1.0373 (8)	0.4603 (3)	6.5 (1)

Table 2. Selected geometric parameters (\AA , $^\circ$)

O(1)—C(8)	1.461 (5)	C(5)—C(10)	1.533 (6)
O(1)—C(13)	1.462 (5)	C(6)—C(7)	1.522 (6)
O(2)—C(14)	1.427 (5)	C(7)—C(8)	1.509 (6)
O(3)—C(15)	1.433 (5)	C(8)—C(9)	1.537 (5)
O(3)—C(21)	1.306 (6)	C(8)—C(17)	1.529 (6)
O(4)—C(21)	1.169 (7)	C(9)—C(10)	1.553 (6)
C(1)—C(2)	1.508 (7)	C(9)—C(11)	1.529 (6)
C(1)—C(10)	1.540 (6)	C(10)—C(20)	1.536 (6)
C(2)—C(3)	1.499 (8)	C(11)—C(12)	1.525 (6)
C(3)—C(4)	1.531 (7)	C(12)—C(13)	1.511 (6)
C(4)—C(5)	1.557 (6)	C(13)—C(14)	1.538 (5)
C(4)—C(18)	1.519 (7)	C(13)—C(16)	1.521 (6)
C(4)—C(19)	1.518 (7)	C(14)—C(15)	1.494 (6)
C(5)—C(6)	1.526 (6)	C(21)—C(22)	1.467 (7)
C(8)—O(1)—C(13)	120.4 (3)	C(8)—C(9)—C(11)	111.5 (3)
C(15)—O(3)—C(21)	119.1 (4)	C(10)—C(9)—C(11)	115.3 (3)
C(2)—C(1)—C(10)	113.2 (4)	C(1)—C(10)—C(5)	107.9 (4)
C(1)—C(2)—C(3)	111.8 (5)	C(1)—C(10)—C(9)	107.4 (3)
C(2)—C(3)—C(4)	115.0 (4)	C(1)—C(10)—C(20)	109.6 (4)
C(3)—C(4)—C(5)	107.2 (4)	C(5)—C(10)—C(9)	106.3 (3)
C(3)—C(4)—C(18)	107.0 (4)	C(5)—C(10)—C(20)	113.2 (4)
C(3)—C(4)—C(19)	111.0 (4)	C(9)—C(10)—C(20)	112.2 (3)
C(5)—C(4)—C(18)	109.7 (4)	C(9)—C(11)—C(12)	113.0 (4)
C(5)—C(4)—C(19)	114.9 (4)	C(11)—C(12)—C(13)	113.4 (4)
C(18)—C(4)—C(19)	106.9 (5)	O(1)—C(13)—C(12)	110.2 (3)
C(4)—C(5)—C(6)	115.3 (3)	O(1)—C(13)—C(14)	104.3 (3)
C(4)—C(5)—C(10)	116.8 (4)	O(1)—C(13)—C(16)	109.0 (3)
C(6)—C(5)—C(10)	110.3 (3)	C(12)—C(13)—C(14)	113.4 (3)
C(5)—C(6)—C(7)	110.4 (4)	C(12)—C(13)—C(16)	112.0 (4)
C(6)—C(7)—C(8)	113.6 (3)	C(14)—C(13)—C(16)	107.6 (3)
O(1)—C(8)—C(7)	104.4 (3)	O(2)—C(14)—C(13)	109.2 (3)
O(1)—C(8)—C(9)	108.7 (3)	O(2)—C(14)—C(15)	107.3 (4)
O(1)—C(8)—C(17)	108.0 (3)	C(13)—C(14)—C(15)	114.3 (4)
C(7)—C(8)—C(9)	108.9 (3)	O(3)—C(15)—C(14)	106.6 (4)
C(7)—C(8)—C(17)	109.9 (4)	O(3)—C(21)—O(4)	121.3 (5)
C(9)—C(8)—C(17)	116.2 (4)	O(3)—C(21)—C(22)	112.1 (5)
C(8)—C(9)—C(10)	115.9 (3)	O(4)—C(21)—C(22)	126.6 (5)
C(10)—C(1)—C(2)—C(3)			-55.86
C(1)—C(2)—C(3)—C(4)			56.08
C(2)—C(3)—C(4)—C(5)			-51.67
C(3)—C(4)—C(5)—C(6)			-176.73
C(3)—C(4)—C(5)—C(10)			51.38

C(4)—C(5)—C(6)—C(7)	164.04
C(10)—C(5)—C(6)—C(7)	-61.05
C(4)—C(5)—C(10)—C(1)	-52.41
C(4)—C(5)—C(10)—C(9)	-167.39
C(5)—C(6)—C(7)—C(8)	57.64
C(6)—C(7)—C(8)—O(1)	-167.29
C(6)—C(7)—C(8)—C(9)	-51.33
O(1)—C(8)—C(9)—C(10)	165.66
O(1)—C(8)—C(9)—C(11)	-59.80
C(7)—C(8)—C(9)—C(10)	52.47
C(7)—C(8)—C(9)—C(11)	-173.00
C(8)—C(9)—C(10)—C(1)	-171.32
C(8)—C(9)—C(10)—C(5)	-56.05
C(11)—C(9)—C(10)—C(1)	55.89
C(11)—C(9)—C(10)—C(5)	171.16
C(8)—C(9)—C(11)—C(12)	29.59
C(10)—C(9)—C(11)—C(12)	164.41
C(9)—C(11)—C(12)—C(13)	27.51
C(11)—C(12)—C(13)—O(1)	-55.55
C(8)—O(1)—C(13)—C(12)	24.04
C(13)—O(1)—C(8)—C(7)	148.20
C(13)—O(1)—C(8)—C(9)	32.07

Data collection and cell refinement were performed using *CAD-4 Software* (Enraf–Nonius, 1989). Space group $P2_1$ was determined from systematic absences: $0k0$, $k = 2n + 1$. Lorentz and polarization corrections were applied to the diffractometer data. The structure was solved by direct methods using *SHELXS86* (Sheldrick, 1985) and succeeding difference Fourier syntheses. The positions of the H atoms were generated from assumed geometries, except for those of H15a, H16a, H17a, H18a, H19a, H20a, H22a and HO(2) which were found in succeeding difference electron density maps. Each H atom was included in the refinement but constrained to ride on the atom to which it is bonded. The structure was refined by full-matrix least-squares methods. The figure was prepared using *ORTEPII* (Johnson, 1976). All calculations were performed on a VAX computer using *MolEN* (Fair, 1990).

This work was supported by a grant to the American Association for the Advancement of Science from the John D. and Catherine T. MacArthur Foundation, awarded to BNT. The structure was determined in the Molecular Structure Laboratory of the Department of Chemistry as a special class project in Chemistry 517.

Lists of structure factors, anisotropic displacement parameters, H-atom coordinates and complete geometry have been deposited with the IUCr (Reference: BK1162). Copies may be obtained through The Managing Editor, International Union of Crystallography, 5 Abbey Square, Chester CH1 2HU, England.

References

- Bower, C. L. & Rowe, J. W. (1967). *Phytochemistry*, **6**, 151–153.
- Demetzos, C., Harvala, C. & Philianos, S. M. (1990). *J. Nat. Prod.* **53**, 1365–1368.
- Enraf–Nonius (1989). *CAD-4 Software*. Version 5.0. Enraf–Nonius, Delft, The Netherlands.
- Fair, C. K. (1990). *MolEN. An Interactive Intelligent System for Crystal Structure Analysis*. Enraf–Nonius, Delft, The Netherlands.
- Johnson, C. K. (1976). *ORTEPII*. Report ORNL-5138. Oak Ridge National Laboratory, Tennessee, USA.
- Sheldrick, G. M. (1985). *SHELXS86. Program for the Solution of Crystal Structures*. University of Göttingen, Germany.
- Zdero, C., Bohlmann, F. & Niemeyer, H. M. (1991). *Phytochemistry*, **30**, 3669–3677.
- Zhou, L., Fuentes, E. R., Hoffmann, J. J. & Timmermann, B. N. (1995). *Phytochemistry*, **40**, 1201–1207.