

Author Manuscript

Chem Commun (Camb). Author manuscript; available in PMC 2012 June 14

# Published in final edited form as:

Chem Commun (Camb). 2011 December 14; 47(46): 12524–12526. doi:10.1039/c1cc14807a.

# Intramolecular monomer-on-monomer (MoM) mitsunobu cyclization for the synthesis of benzofused thiadiazepinedioxides<sup>†</sup>

Pradip K. Maity<sup>a</sup>, Quirin M. Kainz<sup>a,b</sup>, Saqib Faisal<sup>a,c</sup>, Alan Rolfe<sup>a</sup>, Thiwanka. B. Samarakoon<sup>a</sup>, Fatima Z. Basha<sup>c</sup>, Oliver Reiser<sup>b</sup>, and Paul R. Hanson<sup>a</sup>

Oliver Reiser: Oliver.Reiser@chemie.uni-regensburg.de; Paul R. Hanson: phanson@ku.edu <sup>a</sup>Department of Chemistry, University of Kansas, 1251 Wescoe Hall Drive, Lawrence, KS, 66045 and The University of Kansas Center for Chemical Methodologies and Library Development (KU-CMLD), 2034 Becker Drive, Delbert M. Shankel Structural Biology Center, Lawrence, KS 66047

<sup>b</sup>Institute for Organic Chemistry, University of Regensburg, Universitätsstr. 31, D-93053 Regensburg, Germany

<sup>c</sup>H. E. J. Research Institute of Chemistry, International Center for Chemical and Biological Science, University of Karachi, Karachi, Pakistan

# Abstract

The utilization of a monomer-on-monomer (MoM) intramolecular Mitsunobu cyclization reaction employing norbornenyl-tagged (Nb-tagged) reagents is reported for the synthesis of benzofused thiadiazepine-dioxides. Facile purification was achieved *via* ring-opening metathesis (ROM) polymerization initiated by one of three metathesis catalyst methods: (i) free metathesis catalyst, (ii) surface-initiated catalyst-armed silica, or (iii) surface-initiated catalyst-armed Co/C magnetic nanoparticles.

The ongoing effort in the search for new pharmacophores and small molecular probes is a key feature of modern drug discovery. The Mitsunobu reaction and its variants<sup>1</sup> represent versatile synthetic methods which are pivotal to accessing small molecules for drug discovery.<sup>2</sup> The Mitsunobu reaction is a mild and effective method for the conversion of alcohols into a variety of functionality through the formation of C-C, C-O, C-N and C-S bonds, including the ability to invert the stereochemistry of stereogenic carbinol-bearing centers. A formal "redox" reaction, the Mitsunobu reaction is promoted under relatively mild conditions by a combination of a tertiary phosphine, usually triphenylphosphine (PPh<sub>3</sub>) and an azodicarboxylate, usually diethyl or diisopropyl ester (DEAD or DIAD). Such is the scope of the Mitsunobu reaction, its application has played a pivotal role in the synthesis of natural products,<sup>3</sup> and bioactive small molecules.<sup>4</sup> Despite these powerful attributes, the Mitsunobu reaction suffers from the need for tedious purifications to isolate the desired product, an operational disadvantage in both high-throughput chemistry and natural product synthesis. Addressing this issue, several variants of the Mitsunobu reaction have been developed which include tagged, immobilized and water-soluble reagents that allow for facile separation of the desired product from unwanted Mitsunobu by-products.<sup>5</sup>

Methods developed within our group for facile purification-free Mitsunobu protocols have focused on the application of a polymer-on-polymer (PoP) Mitsunobu protocol, employing

Correspondence to: Oliver Reiser, Oliver.Reiser@chemie.uni-regensburg.de; Paul R. Hanson, phanson@ku.edu.

<sup>&</sup>lt;sup>†</sup>Electronic supplementary information (ESI) available. See DOI: 10.1039/c1cc14807a

ROMP-derived oligomeric triphenylphosphine (OTPP) and oligomeric benzylethyl azodicarboxylate (OBEAD) reagents,<sup>6</sup> as well as a monomer-on-monomer (MoM)Mitsunobu protocol, employing norborneneyl-tagged (Nb-tagged) PPh<sub>3</sub> and BEAD reagents.<sup>7</sup> In the latter case, facile sequestration of the excess and spent reagents was achieved *via* ring-opening metathesis (ROM) polymerization initiated by any one of three methods utilizing Grubbs catalyst [(IMesH<sub>2</sub>)(PCy<sub>3</sub>)(Cl)<sub>2</sub>Ru=CHPh cat-**B**]:<sup>8</sup> (i) free catalyst in solution, (ii) surface-initiated catalyst-armed silica,<sup>9,10</sup> or (iii) surface-initiated catalyst-armed carbon-coated (Co/C) magnetic nanoparticles (Nps) (Scheme 1).<sup>7,11</sup>

The intramolecular Mitsunobu reaction has been widely utilized as a cyclization protocol for the synthesis of heterocyclic molecules.<sup>12</sup> Building on these reports, we herein report the synthesis of benzofused thiadiazepine-dioxides *via* an intramolecular 7-membered MoM Mitsunobu cyclization reaction, whereby facile purification was achieved utilizing ROMP sequestration initiated by free metathesis catalyst or catalyst-armed particle surfaces (Scheme 2).

The synthesis of benzofused thiadiazepine-dioxides **3a** and **3b** was investigated utilizing the intramolecular MoM Mitsunobu cyclization with the readily prepared Nb-tagged PPh<sub>3</sub> (Nb-TPP) and DEAD (Nb-BEAD) reagents.<sup>6</sup> The corresponding hydroxy-benzylsulfonamide starting materials **2a** and **2b** were rapidly generated *via* a microwave-assisted S<sub>N</sub>Ar protocol (Scheme 3).<sup>13</sup>

With sulfonamides 2a-b in hand, the application of MoM cyclization reaction was investigated utilizing Nb-TPP and Nb-BEAD (Table 1). Initially, purification was achieved by phase switching of all Nb-tagged species in solution (monomeric reagents and spent reagents) by addition of free metathesis catalyst [(IMesH<sub>2</sub>)(PCy<sub>3</sub>)(Cl)<sub>2</sub>Ru=CHPh, cat-**B**] (Method **A**) to induce ROM polymerization. The ROM polymerization event was followed by precipitation to produce the desired benzofused thiadiazepine-dioxides **3a** and **3b** in good yield and excellent crude purity (Table 1, entries 1–2). Purification was followed by TLC analysis, whereby the typical Mitsunobu multispot crude reaction mixture was reduced to a single spot after utilizing this polymerization sequestration protocol. Despite this success, the need for precipitation of the crude reaction mixture to remove the polymerized reagents/ spent reagents was deemed not ideal for a high-throughput appproach. Therefore, alternative syntheses of benzofused thiadiazepine-dioxides **3a** and **3b** were investigated utilizing a catalyst-armed surface generated from either Nb-tagged Co/C magnetic particles, or Nbtagged silica particles.

After polymerization sequestration of excess reagents/spent reagents on the surface of the magnetic Co/C beads [Method B], **3a** and **3b** could be obtained in reasonable crude purity by collecting the nanobeads with an external magnet, decanting the solution and evaporating the solvent (Table 1, entries 3–4). Noteworthy, this work-up procedure is carried out within a few seconds, being an operational advantage to conventional filtration techniques. However, to further improve the product purity the solution was filtered over a silica SPE. As an alternative method, the sequestration by Nb-tagged silica particles [Method C] was applied to generate **3a** and **3b** in comparable yields and purities with simple filtration through Celite<sup>®</sup> SPE to isolate the desired product, avoiding the need for precipitation (Table 1, entries 5–6). Building on these results, substrate scope was evaluated across all three purification sequestration protocols **A**–**C** for the synthesis of **3c–3n** *via* MoM Mitsunobu cyclization (Scheme 4). Thus, benzofused thiadiazepine-dioxides **3c–3f** were generated with free cat-**B** [Method **A**], compounds **3g–3j** *via* Nb-tagged Co/C magnetic particles [Method **B**] and benzofused thiadiazepine-dioxides **3k–3n** utilizing Nb-tagged Silica particles [Method **C**].

In conclusion, we have demonstrated the application of a MoM intramolecular Mitsunobu cyclization for the synthesis of bi- and tri-cyclic benzofused thiadiazepine-dioxides. Facile purification of crude reaction mixtures was achieved *via* ROM polymerization sequestration of excess reagents/spent reagents. This was accomplished initially utilizing free metathesis catalyst Cat-**B**, followed by precipitation. The method was further optimized utilizing catalyst-armed surfaces generated from either Nb-tagged Si-particles or Nb-tagged Co/C magnetic nano-particles.

# **Supplementary Material**

Refer to Web version on PubMed Central for supplementary material.

#### Acknowledgments

We gratefully acknowledge the National Institute of General Medical Science (Center in Chemical Methodologies and Library Development at the University of Kansas, KU-CMLD, NIH P50 GM069663 and NIH-STTR R41 GM076765) with additional funds from the State of Kansas, the International Doktorandenkolleg NANOCAT (Elitenetzwerk Bayern), the Deutsche Forschungsgemeinschaft (Re 948/8-1, "GLOBUCAT"), the Bayer-Science and Education foundation, and the EU-Atlantis program CPTUSA-2006-4560 for funding this research. We thank Materia Inc. for providing metathesis catalyst.

## Notes and references

- For leading reviews on the Mitsunobu reaction, see: (a) Mitsunobu O. Synthesis. 1981:1.(b) Hughes DL. Org Prep Proced Int. 1996; 28:127.(c) Nam NH, Sardari S, Parang K. J Comb Chem. 2003; 5:479. [PubMed: 12959554] (d) Dandapani S, Curran DP. Chem–Eur J. 2004; 10:3130. [PubMed: 15224321] (e) Dembinski R. Eur J Org Chem. 2004:2763.(f) But TYS, Toy PH. Chem–Asian J. 2007; 2:1340. [PubMed: 17890661] (g) Reynolds AJ, Kassiou M. Curr Org Chem. 2009; 13:1610. (h) Swamy KCK, Kumar NNB, Balaraman E, Kumar KVPP. Chem Rev. 2009; 109:2551. [PubMed: 19382806] and references cited therein
- (a) Abero MA, Lin NH, Garvey DS, Gunn DE, Hettinger AM, Wasicak JT, Pavlik PA, Martin YC, Donnelly-Roberts DL, Sullivan JP, Williams M, Arneric SP, Holladay MW. J Med Chem. 1996; 39:817. [PubMed: 8632405] (b) Park AY, Moon HR, Kim KR, Chun MW, Jeong LS. Org Biomol Chem. 2006; 22:4065. [PubMed: 17312958] (c) Zapf CW, Del Valle JR, Goodman M. Bioorg Med Chem Lett. 2005; 15:4033. [PubMed: 16002286]
- (a) Toma T, Kita Y, Fukuyama T. J Am Chem Soc. 2010; 132:10233. [PubMed: 20662499] (b) Bruder M, Smith SJ, Blake AJ, Moody CJ. Org Biomol Chem. 2009; 7:2127. [PubMed: 19421451] (c) Poullennec KG, Romo D. J Am Chem Soc. 2003; 125:6344. [PubMed: 12785755] (d) Venukadasula PKM, Chegondi R, Maitra S, Hanson PR. Org Lett. 2010; 12:1556. [PubMed: 20196547]
- 4. (a) Mishra JK, Panda G. J Comb Chem. 2007; 9:321. [PubMed: 17284080] (b) Samanta K, Chakravarti B, Mishra JK, Dwivedi SKD, Nayak LV, Choudhry P, Bid HK, Konwar R, Chattopadhyay N, Panda G. Bioorg Med Chem Lett. 2010; 20:283. [PubMed: 19932024]
- (a) Chu Q, Henry C, Curran DP. Org Lett. 2008; 10:2453. [PubMed: 18484733] (b) Lan P, Porco JA Jr, South MS, Parlow JJ. J Comb Chem. 2003; 5:660.(c) Starkey GW, Parlow JJ, Flynn DL. Bioorg Med Chem Lett. 1998; 8:2385. [PubMed: 9873546] (d) Danapani S, Newsome JJ, Curran DP. Tetrahedron Lett. 2004; 45:6653.(e) But TYS, Toy PH. J Am Chem Soc. 2006; 128:9636. [PubMed: 16866510] (f) Taft BR, Swift EC, Lipshutz BH. Synthesis. 2009; 2:322.(g) Yang J, Dai L, Wang X, Chen Y. Tetrahedron. 2011; 67:1456.(h) Figlus M, Tarruella AC, Messer A, Sollis SL, Hartley RC. Chem Commun. 2010; 46:4405.(i) Figlus M, Wellaway N, Cooper AWJ, Sollis SL, Hartley RC. ACS Comb Sci. 2011; 13:280. [PubMed: 21438502] (j) Bergbreiter DE, Yang YC, Hobbs CE. J Org Chem. 2011; 76:6912. [PubMed: 21714575]
- (a) Harned AM, Song He HS, Toy PH, Flynn DL, Hanson PR. J Am Chem Soc. 2005; 127:52. [PubMed: 15631444]
   (b) Of notable importance is the seminal advances made by Barrett and co-workers demonstrating the concept of reagent annihilation (norbornenyl-tagged DEAD), see;
   (c) Barrett AGM, Roberts RS, Schröder J. Org Lett. 2000; 2:2999. [PubMed: 10986092] For additional

Chem Commun (Camb). Author manuscript; available in PMC 2012 June 14.

examples of in situ scavenging, see: (d) Moore JD, Harned AM, Henle J, Flynn DL, Hanson PR. Org Lett. 2002; 4:1847. [PubMed: 12027629]

- Maity PK, Rolfe A, Samarakoon TB, Faisal S, Kurtz R, Long TR, Schätz A, Flynn D, Grass RN, Stark WJ, Reiser O, Hanson PR. Org Lett. 2011; 1:8. [PubMed: 21121636]
- Cat-B: (a) Scholl M, Ding S, Lee CW, Grubbs RH. Org Lett. 1999; 1:953. [PubMed: 10823227] It should be noted that the Grubbs first generation catalyst (PCy<sub>3</sub>)<sub>2</sub>(Cl)<sub>2</sub>Ru=CHPh [Cat-A] is deactivated in the presence of Ph<sub>3</sub>P=O; (b) Schwab P, Grubbs RH, Ziller JW. J Am Chem Soc. 1996; 118:100.(c) Schwab P, France MB, Ziller JW, Grubbs RH. Angew Chem, Int Ed Engl. 1995; 34:2039.
- (a) Buchmeiser MR, Sinner F, Mupa M, Wurst K. Macromolecules. 2000; 33:32.(b) Krause JO, Lubbad S, Nuyken O, Buchmeiser MR. Adv Synth Catal. 2003; 345:996–1004.(c) Kim NY, Jeon NL, Choi IS, Takami S, Harada Y, Finnie KR, Girolami GS, Nuzzo RG, Whitesides GS, Laibinis PE. Macromolecules. 2000; 33:2793.

10. Rolfe A, Loh JK, Maity PK, Hanson PR. Org Lett. 2011; 13:4. [PubMed: 21128690]

- (a) Schätz A, Long TR, Grass RN, Stark WJ, Hanson PR, Reiser O. Adv Funct Mater. 2010; 20:4323.(b) Grass RN, Athanassiou EK, Stark WJ. Angew Chem. 2007; 119:4996.(c) Schätz A, Grass RN, Stark WJ, Reiser O. Chem–Eur J. 2008; 14:8262. [PubMed: 18666291] (d) Schätz A, Grass RN, Kainz Q, Stark WJ, Reiser O. Chem Mater. 2010; 22:305.(e) Wittmann S, Schätz A, Grass RN, Stark WJ, Reiser O. Angew Chem, Int Ed. 2010; 49:1867.
- (a) Ottesen LK, Olsen CA, Witt M, Jaroszewski JW, Franzyk H. Chem–Eur J. 2009; 15:2966.
  [PubMed: 19191236] (b) Arya P, Wei CQ, Barnes ML, Daroszewska M. J Comb Chem. 2004;
  6:65. [PubMed: 14714986] (c) Kung PP, Swayze E. Tetrahedron Lett. 1999; 40:5651.(d) Banfi L, Basso A, Giardini L, Riva R, Rocca V, Guanti G. Eur J Org Chem. 2011:100.
- (a) Rolfe A, Samarakoon TB, Hanson PR. Org Lett. 2010; 12:1216. [PubMed: 20178346] (b) Rolfe A, Samarakoon TB, Klimberg SV, Brzozowski M, Neuenswander B, Lushington GH, Hanson PR. J Comb Chem. 2010; 12:850. [PubMed: 20879738] (c) Samarakoon TB, Hur MY, Kurtz RD, Hanson PR. Org Lett. 2010; 12:2182. [PubMed: 20394415] (d) Ullah F, Samarakoon TB, Rolfe A, Kurtz RD, Hanson PR, Organ MG. Chem–Eur J. 2010:10959. [PubMed: 20715214]



Scheme 1. Catalyst-armed Silica- and Co/C magnetic nanoparticles.



#### Scheme 2.

Synthesis of benzofused thiadiazepine-dioxides *via* a intramolecular MoM Mitsunobu c/ yclization.





#### Scheme 3.

Synthesis of hydroxy-benzylsulfonamides **2a–b** via microwave- assisted S<sub>N</sub>Ar.



#### Scheme 4.

Synthesis of benzofused thiadiazepine-dioxides. (**3c–3f**: Method A; **3g–3j**: Method B; **3k–3n**: Method C).

Table 1

Intramolecular MoM Mitsunobu-Sequestration

	HO N	<sup>2</sup> "MoM A i. Nb-BE ii. Seque	AD, Nb-TPP AD, Nb-TPP stration	• $R^{1}\frac{1}{11}$	R <sup>2</sup> = 4-CIBn R <sup>2</sup> = 4-CIBn R <sup>2</sup> = 4-OMeBn
Entry	Sequestration	Comp.	Method	Yield (%)	Crude Purity (%) <sup>a</sup>
$^{1b}$	Cat-B	3а	A	85	>95%
$2^b$	Cat-B	3b	A	88	>95%
3 <i>c</i>	Co/C Nb-tagged	<b>3a</b>	в	87	>95%
$4^{C}$	Co/C Nb-tagged	3b	в	81	>95%
5d	Si Nb-Tagged	За	С	89	>95%
$p^9$	Si Nb-Tagged	3b	С	84	>95%
<sup>a</sup> Purity d	letermined by <sup>1</sup> HNN	R.			
b <sub>Isolated</sub>	l via precipitation in	Et20.			
<sup>c</sup> Isolated	l via magnetic decant	ation and 1	filtration thr	ough Silica S	PE.
d <sub>Isolated</sub>	<i>l via</i> filtration throug	h Celite <sup>®</sup>	SPE.		