



OC30 - 25014 - IN-VITRO BIOACCESSIBILITY OF BETA-CAROTENE IN LIPIDIC SYSTEMS

Catarina Gonçalves¹; Artur Martins³; Ana Isabel Bourbon¹; Isabel Amado²; Miguel A. Cerqueira¹, Lorenzo Pastrana¹

1 - International Iberian Nanotechnology Laboratory; 2 - University of Vigo; 3 - University of Minho

E-mail: lorenzo.pastrana@inl.int

Keywords: Lipophilic, Bioactive, Digestion, Bioaccessibility, Beta-carotene


Abstract

β -carotene's bioactivity is usually compromised by low and highly variable bioaccessibility. This can be dependent of the matrix structure that will be responsible for its delivery. Different systems have been developed and proposed as carriers of lipophilic bioactive compounds but their performance and behavior under gastrointestinal conditions has been scarcely studied. In the present study four different optimized lipidic systems were loaded with the same amount of β -carotene and its *in-vitro* bioaccessibility was studied using static model simulation. Two bio-based nanoemulsions, produced using high-energy homogenization followed by ultrasound-assisted emulsification, one was stabilized with 15 % (w/w) of tween-20 in a 15:85 (O/W) ratio and the other with 3 % (w/w) of whey protein isolate (WPI) dissolved in water in a 5:95 (O/W) ratio. One oleogel (OG) and one hybrid gel were also produced. The first was produced using 6% w/w beeswax as gelator for the sunflower oil and the second was developed under mechanical mixing, combining the OG and a hydrogel (2% w/w aqueous solution of sodium alginate) in a 20:80 ratio.

In-vitro digestion of lipidic systems was performed following the INFOGEST standard protocol. Visual inspection, confocal microscopy and free fatty acids quantification of the digested samples were performed. The amount of β -carotene in the micellar phase, after digestion, was quantified by HPLC, after solvent extraction. The bioaccessibility varied from high in the WPI nanoemulsion > tween nanoemulsion > hybrid gel > oleogel. The degree of lipolysis was higher for oleogel and hybrid gel and lower for the nanoemulsions, irrespective of the surfactant used. Digested samples were visualized under confocal microscopy showing β -carotene (auto-fluorescent) incorporated into mixed micelles (nilered stain). The type of lipidic system proved to be determinant regarding β -carotene bioaccessibility.

Acknowledgements

The authors acknowledge MICRODIGEST project (031716) co-funded by FCT and the ERDF through COMPETE2020 and FODIAC project, an H2020 MSCA-RISE-2017 project. Artur Martins





is recipient of a fellowship supported by a doctoral advanced training (call NORTE-69-2015-15) funded by the European Social Fund under the scope of Norte2020.