

IJAE Vol. 115, n. 1/2 (Supplement), 2010

## Targeted disruption of Smad3 confers resistance to the development of dimethylnitrosamine -induced hepatic fibrosis in mice

Antonella Vetuschi<sup>1</sup>, Roberta Sferra<sup>1</sup>, Giovanni Latella<sup>2</sup>, Simona Pompili<sup>1</sup>, Kathleen C. Flanders<sup>3</sup>, Eugenio Gaudio<sup>4</sup>

- <sup>1</sup> Department of Experimental Medicine, University of L'Aquila, Italy
- <sup>2</sup> Department of Internal Medicine, University of L'Aquila, Italy
- <sup>3</sup> National Cancer Institute, National Instituts of Health, Bethesda, MD, USA
- <sup>4</sup> Dept of Human Anatomy, "Sapienza" University of Rome, Italy

**Background** Hepatic fibrosis is characterized by a progressive accumulation of fibrillar extracellular matrix (ECM) proteins including collagen, which occurs in most types of chronic liver diseases. Transforming growth factor  $\beta$  (TGF $\beta$ )/Smad3 signalling plays a central role [1] in tissue fibrogenesis [2], acting as a potent stimulus of ECM accumulation.

**Aim** to evaluate the potential protective role of Smad3 deficiency in the pathogenesis of liver fibrosis induced by dimethylnitrosamine (DMN) in Smad3 null mice.

**Methods** Chronic hepatitis-associated fibrosis was induced in 13 Smad3 null and 13 wild type (WT) mice by intraperitoneal DMN administration ( $10\mu g/g$  body weight/day) for 3 consecutive days per week for 6 weeks. The liver was excised for macroscopic examination and histological, morphometric and immunohistochemical (IHC) analyses. For IHC,  $\alpha$  smooth muscle actin (SMA), collagen types I-III, TGF $\beta$ 1, connective tissue growth factor (CTGF), Smad3, Smad7 and CD3 antibodies were used.

**Results** At macroscopic examination, the liver of DMN-treated Smad3 WT appeared harder with a dark brown colouring and necrotic areas compared with that from null mice. Histological and morphometric evaluation revealed a significantly higher degree of hepatic fibrosis and accumulation of connective tissue in Smad3 WT compared with null mice. IHC evaluation showed a marked increase in  $\alpha$ SMA, CTGF, collagen I-III, TGF $\beta$  and Smad3 staining in the liver of Smad3 WT compared with that in null mice, whereas Smad7 was increased only in null mice.

**Conclusions** The results indicate that Smad3 loss confers resistance to the development of DMN-induced hepatic fibrosis. The reduced fibrotic response appears to be due to a reduction of fibrogenic miofibroblast activation and ECM production and accumulation. Smad3 could be a novel target for potential treatment of fibrosis complicating chronic hepatitis.

## References

- [1] Weng H et al. (2007) Hepatol 46: 1257-1270.
- [2] Latella G et al. (2009) Eur J Clin Invests 39 (2): 145-156.

Key words

Liver fibrosis, DMN induced hepatitis, Smad proteins