

STARS

University of Central Florida
STARS

UCF Patents

Technology Transfer

6-19-2012

Liquid Crystal Display with Different Twisting Directions of Liquid Crystal Molecules

Shin-Tson Wu

Ju-Hyun Lee

University of Central Florida

Wang-Yang Li

Addgene/Harvard Med School

Chung-Kuang Wei

Addgene/Harvard Med School

Find similar works at: <https://stars.library.ucf.edu/patents>

University of Central Florida Libraries <http://library.ucf.edu>

This Patent is brought to you for free and open access by the Technology Transfer at STARS. It has been accepted for inclusion in UCF Patents by an authorized administrator of STARS. For more information, please contact STARS@ucf.edu.

Recommended Citation

Wu, Shin-Tson; Lee, Ju-Hyun; Li, Wang-Yang; and Wei, Chung-Kuang, "Liquid Crystal Display with Different Twisting Directions of Liquid Crystal Molecules" (2012). *UCF Patents*. 730.

<https://stars.library.ucf.edu/patents/730>





US008203680B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 8,203,680 B2**
(45) **Date of Patent:** ***Jun. 19, 2012**

(54) **LIQUID CRYSTAL DISPLAY WITH DIFFERENT TWISTING DIRECTIONS OF LIQUID CRYSTAL MOLECULES**

(75) Inventors: **Ju-Hyun Lee**, Oviedo, FL (US);
Shin-Tson Wu, Orlando, FL (US);
Wang-Yang Li, Tainan County (TW);
Chung-Kuang Wei, Taipei (TW)

(73) Assignee: **Chimei Innolux Corporation**, Miaoli County (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **13/110,451**

(22) Filed: **May 18, 2011**

(65) **Prior Publication Data**

US 2011/0221986 A1 Sep. 15, 2011

Related U.S. Application Data

(62) Division of application No. 11/645,098, filed on Dec. 22, 2006, now Pat. No. 8,045,115.

(51) **Int. Cl.**

G02F 1/1337 (2006.01)

C09K 19/02 (2006.01)

(52) **U.S. Cl.** **349/133**; 349/179; 349/180; 349/184; 349/185; 349/123; 349/132; 349/171; 349/172; 349/174

(58) **Field of Classification Search** 349/177-180, 349/123, 126, 127, 130-134, 168-172, 174-175, 349/183-183

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,653,865 A 3/1987 Kando et al. 349/101
4,848,877 A * 7/1989 Miller 349/184

5,477,358 A 12/1995 Rosenblatt et al. 359/77
5,488,499 A 1/1996 Tanaka et al. 349/177
5,594,464 A * 1/1997 Tanaka et al. 345/94
5,745,206 A 4/1998 Koike et al. 349/129
6,281,952 B1 8/2001 Okamoto et al. 349/12
6,603,522 B1 8/2003 Kaneko 349/117
2003/0067570 A1 4/2003 Okamoto et al. 349/113
2004/0036821 A1 * 2/2004 Paukshto et al. 349/74
2004/0085508 A1 5/2004 Paukshto et al. 349/179

OTHER PUBLICATIONS

Zhu et al., "Transflective Liquid Crystal Displays", *IEEE / OS A J. Display Tech.*, V. 1, No. 1, pp. 15-29 (2005).

Wu et al., "Chiral-homeotropic liquid crystal cells for high contrast and low voltage displays", *J. Appl. Phys.*, V. 82(10), pp. 4795-4799 (1997).

Schadt and Helfrich, "Voltage-Dependent Optical Activity of a Twisted Nematic Liquid Crystal", *Appl. Phys. Lett.*, V. 18, No. 4, pp. 127-128 (1971).

Suh et al., "Novel electro-optic effect associated with a homeotropic to twisted-planar transition in nematic liquid crystals", *Appl. Phys. Lett.*, V. 68(20), pp. 2819-2821 (1996).

Schiekel and Fahrenschon, "Deformation of Nematic Liquid Crystals with Vertical Orientation in Electrical Fields", *Appl. Phys. Lett.*, V. 19, No. 10, pp. 391-393 (1971).

* cited by examiner


Primary Examiner — Hoan C Nguyen

(74) *Attorney, Agent, or Firm* — Thomas|Kayden

(57) **ABSTRACT**

A liquid crystal display includes a first alignment film having a first alignment direction, a second alignment film having a second alignment direction, and a liquid crystal layer having liquid crystal molecules between the first and second alignment films. The liquid crystal layer is doped with a chiral material that tends to induce a first twist in directors of the liquid crystal molecules when an electric field is applied to the liquid crystal layer. The first and second alignment films have orientations that tends to induce a second twist in the directors when an electric field is applied to the liquid crystal layer, in which the direction of the first twist is different from the direction of the second twist.

10 Claims, 14 Drawing Sheets






FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5B




FIG. 5A




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

LIQUID CRYSTAL DISPLAY WITH DIFFERENT TWISTING DIRECTIONS OF LIQUID CRYSTAL MOLECULES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a divisional of and claims the benefit of priority from U.S. application Ser. No. 11/645,098, filed Dec. 22, 2006 now U.S. Pat. No. 8,045,115. This application is related to U.S. application Ser. No. 11/645,231, filed Dec. 22, 2006, titled "Liquid Crystal Display" which was filed concurrently with U.S. application Ser. No. 11/645,098. The disclosures of the above applications are incorporated by reference in their entirety.

BACKGROUND OF THE INVENTION

The description relates to liquid crystal displays.

Liquid crystal displays (LCDs) can be used in, e.g., portable devices, computers displays, and high definition televisions. A liquid crystal display can have a liquid crystal layer and two crossed linear polarizers for modulating light using an electro-optic effect. An external voltage applied to the liquid crystal layer changes the orientations of the liquid crystal molecules and the optical phase retardation of the liquid crystal layer, thereby changing the amount of light that passes the crossed linear polarizers. Each pixel of the display can show a range of gray scale levels depending on the voltage applied to the liquid crystal layer. Color filters can be used to filter light to generate color.

The optical characteristics of a liquid crystal display are affected by the molecular arrangements of liquid crystal molecules when no voltage is applied (referred to as the "initial state") and when voltages are applied (referred to as the "operation state") to the liquid crystal layer. The initial arrangement of the liquid crystal molecules can be determined by, e.g., surface boundary conditions. The liquid crystal layer is between two substrates, and the surface boundary conditions can be controlled by alignment layers attached to the substrates. Each alignment layer can be, e.g., a thin film of organic (e.g., polymer) or inorganic material(s).

The liquid crystal molecules are initially aligned perpendicular or parallel to the surface of the alignment layer with a small inclination (pretilt) along a certain direction. The direction of inclination or tilt defines the molecular reorientation direction in the operation state. The amount of the inclination is called a pretilt angle. The surface structure of the alignment layer that defines the surface pretilt angle can be obtained by buffing the organic alignment layer, exposing polarized or unpolarized light from an inclined direction on the organic alignment layer, or inclined deposition of an inorganic alignment layer. When a voltage is applied to the liquid crystal layer in the operation state, the applied electric field exerts a torque on the liquid crystal molecules due to dielectric anisotropy of the molecules. The initial structure of the liquid crystal layer together with the molecular reorientation scheme defines a liquid crystal mode. Different liquid crystal modes can be used in different applications.

For example, displays having different sizes can use different liquid crystal modes due to considerations in device fabrication complexity, manufacturing costs, and system performances. For small and mid-sized screens (e.g., those used in mobile phones and computer monitors), a twisted nematic (TN) mode can be used. TN displays are described in "Voltage-Dependent Optical Activity of a Twisted Nematic Liquid Crystal," by M. Schadt et al., *Applied Physics Letters*, Vol. 18,

p. 127 (1971). TN displays can be reliable to operate and simple to manufacture. In a TN display, two substrates are provided with alignment layers that align the liquid crystal molecules parallel to the substrate surfaces in the initial state.

The top and the bottom alignment layers are rubbed along orthogonal directions. Due to this boundary condition, the liquid crystal layer has a twisted structure when no voltage is applied to the liquid crystal layer. This twisted structure changes the polarization state of light that passes the liquid crystal layer due to birefringence and wave guiding effects. The wave guiding effect provides a high transmittance efficiency at the bright state with low color dispersion, compared to other liquid crystal modes that uses only the birefringence effect for the bright state.

The term "twisted structure" refers to a condition of the liquid crystal layer in which the orientations of the directors of the liquid crystal molecules are different at different positions along a vertical direction. The twisted structure can be similar to a helix. A clockwise twist direction means that the liquid crystal molecules have orientations that rotate in the clockwise direction as the liquid crystal molecules move from positions closer to the back side of the display to positions closer to the front side of the display (similar to a left handed helix). A counter clockwise twist direction means that the liquid crystal molecules have orientations that rotate in the counter clockwise direction as the liquid crystal molecules from positions closer to the back side of the display to positions closer to the front side of the display (similar to a right handed helix).

The TN display can be switched to a dark state by applying an operation voltage to the liquid crystal layer, causing the liquid crystal molecules to be oriented perpendicular to the substrate surface. In the dark state, there can be light leakage caused by optical retardation at the surface regions of the liquid crystal layer because the liquid crystal molecules near the surface regions are not switched perpendicular to the substrate due to the binding force of the alignment layers.

In another liquid crystal mode, referred to as the vertical alignment (VA) mode, the liquid crystal molecules are initially aligned in the vertical direction (i.e., perpendicular to the surface of the substrates). There are two types of VA modes. The first type uses a birefringence effect to control brightness, and is referred to as the electrically controlled birefringence (ECB) VA mode. See "Deformation of Nematic Liquid Crystals with Vertical Orientation in Electrical Fields," by M. F. Schiekkel et al., *Applied Physics Letters*, Vol. 19, p. 391 (1971). The ECB VA mode uses alignment layers that align the liquid crystal molecules perpendicular to the substrate surface. The rubbing directions of the top and bottom alignment layers are opposite to each other. To achieve a high brightness, the optic axes of the top and bottom polarizers have transmission axes oriented at 45 degrees relative to the rubbing directions of the alignment layers.

Note that the terms "vertical" and "horizontal" are used to describe the relative orientations of various components of the display. The components can have different orientations.

A second type of VA mode, referred to as a "chiral homeotropic mode" or a "homeotropic-to-twisted planar switching mode," has the advantages of ECB VA mode (e.g., high contrast image) and TN mode (e.g., high brightness and low color dispersion). See "Novel electro-optic effect associated with a homeotropic to twisted-planar transition in nematic liquid crystals," Seong-Woo Suh et al., *Applied Physics Letters*, 68, p. 2819 (1996) and "Chiral-homeotropic liquid crystal cells for high contrast and low voltage displays," by Shin-Tson Wu et al., *Journal of Applied Physics*, 82, p. 4795 (1997). The

chiral homeotropic mode LCD can use a negative dielectric anisotropy liquid crystal material mixed with a small amount of chiral material.

In a chiral homeotropic mode LCD, the liquid crystal layer is sandwiched between two glass substrates that are coated with a thin layer of transparent and conductive electrode (e.g., indium tin oxide) and subsequently over-coated with a thin organic (e.g., polyimide) or inorganic (e.g., SiO₂) alignment layer. The alignment layer can align the liquid crystal molecules perpendicular to the substrate surfaces in the initial state. When a voltage is applied to the liquid crystal layer, the chiral material introduces a twisted structure in the liquid crystal layer.

The tilt direction of the alignment layers on the bottom and top substrates can be different. The angle between the two tilt directions can be, e.g., 90 degrees. The different tilt directions introduce a twisted structure in the liquid crystal layer when a voltage is applied to the liquid crystal layer. The tilt directions of the alignment layers are configured to cause the liquid crystal molecules to form a twisted structure in the liquid crystal layer, in which the twist direction of the twisted structure is the same as the twist direction caused by the chiral material.

For example, if the twisted structure caused by the chiral material has a clockwise twist direction, then the tilt directions of the alignment layers are configured to cause the liquid crystal molecules to form a twisted structure having a clockwise twist direction. Conversely, if the twisted structure caused by the chiral material has a counter clockwise twist direction, then the tilt directions of the alignment layers are configured to cause the liquid crystal molecules to form a twisted structure having a counter clockwise twist direction.

The chiral homeotropic LCD has polarizers that are crossed, i.e., have transmission axes that are oriented orthogonally. The tilt direction of one of the alignment layers is parallel to one of the transmission axes of the crossed polarizers. In the initial state, the liquid crystal molecules are aligned in the vertical direction and light does not pass the crossed polarizers, resulting in a dark image. This is similar to the situation in the ECB VA mode. In the operation state, an electric field in the vertical direction is applied to the liquid crystal layer. Because the liquid crystal molecules have negative dielectric anisotropy, the applied electric field tends to reorient the liquid crystal molecules toward the horizontal direction. Due to the effect from the different tilt directions on the alignment layers and the effect from the chiral material, the liquid crystal molecules in the bulk area form a twisted structure. The twisted structure in the bulk area of the chiral homeotropic mode LCD is similar to that of the TN mode LCD and has optical properties similar to those of the TN mode LCD.

SUMMARY

In one aspect, in general, a liquid crystal display includes a first alignment film having a first alignment direction, a second alignment film having a second alignment direction, and a liquid crystal layer having liquid crystal molecules between the first and second alignment films. The liquid crystal layer is doped with a chiral material that tends to induce a first twist in directors of the liquid crystal molecules when an electric field is applied to the liquid crystal layer. The first and second alignment films have orientations that tend to induce a second twist in the directors when an electric field is applied to the liquid crystal layer, in which the direction of the first twist is different (e.g., opposite) from the direction of the second twist.

Implementations of the apparatus may include one or more of the following features. In some examples, the first and second alignment films tend to induce a counter-clockwise twist in the directors of the liquid crystal molecules, and the chiral material tends to induce a clockwise twist in the directors. In some examples, the orientations of the first and second alignment films tend to induce a clockwise twist in the directors of the liquid crystal molecules, and the chiral material tends to induce a counter-clockwise twist in the directors. When a pixel of the liquid crystal display is in a bright state, at least one-tenth, or at least one-half, or at least two-thirds, of the liquid crystal molecules in the pixel form a twisted structure having a twist direction that is opposite to the twist direction of a portion of the twisted structure formed by liquid crystal molecules adjacent to the first and second alignment films. The liquid crystal molecules are substantially normal to the first and second alignment films when no voltage is applied to the liquid crystal layer, and the liquid crystal molecules tilt away from the substantially normal direction when an electric field is applied to the liquid crystal layer. The first alignment layer is attached to a first substrate and the second alignment layer is attached to a second substrate.

The liquid crystal layer includes negative dielectric anisotropy liquid crystal material. The apparatus includes a backlight to provide light that is modulated by the liquid crystal layer. The apparatus includes electrodes to apply the voltage to the liquid crystal layer. The apparatus includes a first polarizing film having a first transmission axis and a second polarizing film having a second transmission axis, the first transmission axis being at an angle relative to the second transmission axis, the first and second polarizing films being positioned at opposite sides of the liquid crystal layer. In some examples, the bisector of the angle between the first and second alignment layers is substantially parallel to the bisector of the angle between the first and second transmission axes. In some examples, the bisector of the angle between the first and second alignment layers is substantially orthogonal to the bisector of the angle between the first and second transmission axes. The display is at a dark state when no voltage is applied to the liquid crystal layer. The first alignment direction is at an angle of 60 to 120 degrees with respect to the second alignment direction. A pitch of the twist induced by the chiral material ranges from 3 to 6 times the thickness of the liquid crystal layer.

In another aspect, in general, a transmissive type liquid crystal display includes a first substrate having a first electrode and a first alignment film, a second substrate having a second electrode and a second alignment film, a liquid crystal layer having liquid crystal molecules between the first and second substrates, and a backlight to generate light that is modulated by the liquid crystal layer. The liquid crystal layer is doped with a chiral material that tends to induce a twisted structure in the liquid crystal layer when an electric field is applied to the liquid crystal layer using the first and second electrodes. The first alignment film has a first alignment direction, the second alignment film has a second alignment direction, and the first and second alignment films have orientations that tend to induce a twisted structure in the liquid crystal layer when an electric field is applied to the liquid crystal layer. The direction of twist of the twisted structure induced by the first and second alignment films is different (e.g., opposite) from the direction of twist of the twisted structure induced by the chiral material.

Implementations of the display may include one or more of the following features. The liquid crystal molecules are substantially parallel to a direction perpendicular to the first and second substrates when no electric field is applied to the

5

liquid crystal layer. In some examples, the first and second alignment films tend to induce a counter-clockwise twist in the directors of the liquid crystal molecules, and the chiral material tends to induce a clockwise twist in the directors. In some examples, the first and second alignment films tend to induce a clockwise twist in the directors of the liquid crystal molecules, and the chiral material tends to induce a counter-clockwise twist in the directors. When a pixel of the liquid crystal display is in a bright state, the directors of at least one-tenth, or at least one-half, or at least two-thirds, of the liquid crystal molecules in the pixel twist in a direction that is opposite to the twist direction of a portion of the directors of liquid crystal molecules adjacent to the first and second alignment films.

In another aspect, in general, a liquid crystal display includes a lower alignment film having a first alignment direction, an upper alignment film having a second alignment direction, the upper alignment film being closer to a user viewing the display, and a liquid crystal layer having liquid crystal molecules between the first and second alignment films, in which the liquid crystal layer is doped with a chiral material. The chiral material includes substantially right-handed chiral material if the lower and upper alignment films are oriented such that the second alignment direction is at an angle less than 180 degrees relative to the first alignment direction when the angle is measured clockwise from the first alignment direction to the second alignment direction. The chiral material includes substantially left-handed chiral material if the lower and upper alignment films are oriented such that the second alignment direction is at an angle less than 180 degrees relative to the first alignment direction when the angle is measured counter clockwise from the first alignment direction to the second alignment direction.

Implementations of the display may include one or more of the following features. The chiral material includes substantially right-handed chiral material, and the lower and upper alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured clockwise from the first alignment direction to the second alignment direction. The chiral material includes substantially left-handed chiral material, and the lower and upper alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured counter clockwise from the first alignment direction to the second alignment direction.

In another aspect, in general, a liquid crystal display includes a lower alignment film having a first alignment direction, an upper alignment film having a second alignment direction, the upper alignment film being closer to a user when the user views the display, and a liquid crystal layer having liquid crystal molecules between the first and second alignment films. The liquid crystal layer is doped with a chiral material. The chiral material is selected to induce a right-handed twisted structure in the liquid crystal layer when an electric field is applied to the liquid crystal layer if the lower and upper alignment films are oriented such that the second alignment direction is at an angle less than 180 degrees relative to the first alignment direction when the angle is measured clockwise from the first alignment direction to the second alignment direction. The chiral material is selected to induce a left-handed twisted structure in the liquid crystal layer when an electric field is applied to the liquid crystal layer if the lower and upper alignment films are oriented such that the second alignment direction is at an angle less than 180 degrees relative to the first alignment direction when the

6

angle is measured counter clockwise from the first alignment direction to the second alignment direction.

Implementations of the display may include one or more of the following features. The chiral material is selected to induce a right-handed twisted structure in the liquid crystal layer when an electric field is applied to the liquid crystal layer, and the lower and upper alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured clockwise from the first alignment direction to the second alignment direction. The chiral material is selected to induce a left-handed twisted structure in the liquid crystal layer when an electric field is applied to the liquid crystal layer, and the lower and upper alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured counter clockwise from the first alignment direction to the second alignment direction.

In another aspect, in general, a liquid crystal display includes a pixel circuit having a dark state and a bright state, the pixel circuit including a lower alignment film having a first alignment direction, an upper alignment film having a second alignment direction, the upper alignment film being closer to a user when the user views the display. The display includes a liquid crystal layer having liquid crystal molecules between the first and second alignment films, in which the liquid crystal layer is doped with a chiral material. When the pixel circuit is in the bright state, the chiral material induces at least one-tenth, or at least one-half, or at least two-thirds, of the liquid crystal molecules that are farther away from the upper and lower alignment films to form a twisted structure having a twist direction that is opposite to the twist direction of a portion of the twisted structure formed by liquid crystal molecules closer to the upper or lower alignment film.

In another aspect, in general, a liquid crystal display includes a lower alignment film having a first alignment direction, an upper alignment film having a second alignment direction, the upper alignment film being closer to a user when the user views the display, and a liquid crystal layer having liquid crystal molecules between the upper and lower alignment films. During a bright state, the liquid crystal layer has a light polarization rotation structure that rotates polarization of light propagating from the lower alignment film to the upper alignment film in a sequence of counter clockwise direction, clockwise direction, and counter clockwise direction if the first and second alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured counter clockwise from the first alignment direction to the second alignment direction, in which the light propagates from the lower alignment film to the upper alignment film. The liquid crystal layer has a light polarization rotation structure that rotates polarization of light propagating from the lower alignment film to the upper alignment film in a sequence of clockwise direction, counter clockwise direction, and clockwise direction if the first and second alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured clockwise from the first alignment direction to the second alignment direction.

Implementations of the display may include one or more of the following features. The liquid crystal layer is doped with a right-handed chiral material if the first and second alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the

first alignment direction when the angle is measured clockwise from the first alignment direction to the second alignment direction. The liquid crystal layer is doped with a left-handed chiral material if the first and second alignment films are oriented such that the second alignment direction is at an angle between 80 to 100 degrees relative to the first alignment direction when the angle is measured counter clockwise from the first alignment direction to the second alignment direction.

In another aspect, in general, a method includes applying an electric field across a liquid crystal layer between a first alignment film and a second alignment film to tilt liquid crystal molecules in the liquid crystal layer away from a direction perpendicular to the first alignment film, and using a chiral material doped in the liquid crystal layer to induce a twist in directors of the liquid crystal molecules. The direction of twist induced by the chiral material is different (e.g., opposite) from a direction of twist that would have been induced by the first and second alignment films without the chiral material.

Implementations of the method may include one or more of the following features. In some examples, the chiral material is used to induce a counter clockwise twist, in which the direction of twist that would have been induced by the first and second alignment films is clockwise. In some examples, the chiral material is used to induce a clockwise twist, in which the direction of twist that would have been induced by the first and second alignment films is counter clockwise. Applying an electric field includes applying an electric field to cause a pixel of the liquid crystal display to enter a bright state and causing the directors of at least one-tenth, or at least one-half, or at least two-thirds, of the liquid crystal molecules in the pixel to twist in a direction that is opposite to the twist direction of a portion of the directors of liquid crystal molecules adjacent to the first and second alignment films.

The method includes generating light using a backlight and modulating the light using the liquid crystal layer. The method includes applying an electric field to cause a pixel of the liquid crystal display to enter a bright state, and removing the electric field to cause the pixel to enter a dark state. The method includes forming a twisted structure in the liquid crystal layer in which the pitch of the twisted structure ranges from 3 to 6 times the thickness of the liquid crystal layer.

Advantages and features of the apparatuses and methods may include one or more of the following. A transmissive display using a chiral material having a twist different (e.g., opposite) to the twist direction induced by alignment layers can have very little color dispersion. In the bright state, the polarization of light is changed due to the polarization rotating (wave guiding) effect caused by twisted structure of liquid crystal layer and the phase retardation effect caused by the reversely twisted structure in the bulk area.

DESCRIPTION OF DRAWINGS

FIG. 1 is a cross sectional diagram of a liquid crystal display according to an embodiment of the invention.

FIG. 2A is a diagram showing the optical axes of polarizers and alignment films.

FIG. 2B is a diagram showing the tilt direction of a liquid crystal molecule.

FIGS. 3A and 3B are graphs showing the voltage-dependent twist characteristics of liquid crystal layers.

FIG. 4 is a graph comparing the voltage-dependent transmittance characteristics of different types of displays.

FIGS. 5A and 5B are iso-luminance graphs.

FIG. 6 is a schematic diagram of a transmissive liquid crystal display.

FIG. 7 is a graph showing the voltage-dependent transmittance and reflectance characteristics of an ECB VA mode transmissive LCD.

FIG. 8 is a graph showing the transmittance and reflective characteristics of a transmissive display.

FIG. 9 is a graph showing the transmittance and reflectance characteristics of a chiral homeotropic mode LCD.

FIG. 10 is a graph showing the voltage-dependent transmittance characteristics of different types of displays.

FIG. 11 is a diagram of a liquid crystal display that includes an array of pixel circuits.

FIG. 12 is a diagram showing the optical axes of polarizers and alignment films.

FIG. 13 is a cross sectional schematic diagram of a liquid crystal display according to another embodiment of the invention.

DETAILED DESCRIPTION

FIG. 1 is a cross sectional diagram of a vertical alignment mode liquid crystal display 170 using a chiral material that induces a twisted structure in a liquid crystal layer 172 having a twist direction that is opposite to the twist direction induced by alignment layers. The liquid crystal layer 172 is positioned between an upper substrate 174 and a lower substrate 176 that are parallel to each other. Broadband quarter wave retardation films 178a and 178b are attached on the outer side of upper and lower substrates 174 and 176, respectively. Linear polarizers 180a and 180b are attached to the retardation films 178a and 178b, respectively. The retardation films 178a and 178b can be selected to achieve a wide viewing angle. The inner sides of the substrates 174 and 176 have transparent electrodes 182a and 182b coated with alignment layers 184a and 184b, respectively. A backlight module 186 generates light 188 that is modulated by the various layers. A data voltage Vdata is applied to the electrodes 182a and 182b to control the orientation of liquid crystal molecules in the liquid crystal layer 172 so that the light 188 after modulation has a specified gray scale level.

The liquid crystal layer 172 has a liquid crystal material having a negative dielectric anisotropy. The liquid crystal layer 172 is doped with a chiral material, such as CB15 for left-handed twisted structure or S8111 for right-handed twisted structure. The chiral materials CB15 and S8111 are available from Merck, Japan. When the voltage Vdata is below a threshold (e.g., 2.5 V), the liquid crystal molecules are aligned substantially along a direction 188 perpendicular to the surface of the substrates 174 and 176 (shown in FIG. 1). In this example, the surfaces of the substrates 174 and 176 are parallel to the horizontal direction, and the direction 188 is parallel to the vertical direction. When the voltage Vdata exceeds the threshold, the chiral material induces a twisted structure in the liquid crystal layer 172. The alignment layers 184a and 184b each has a surface pretilt angle that determines the tilt direction of the liquid crystal molecules adjacent to the alignment layers 184a and 184b (shown in FIG. 13).

FIG. 2A shows the optical axes of the polarizers 180a, 180b and the alignment films 184a, 184b. The polarizing films 180a and 180b are in crossed configuration, i.e., the lower polarizing film 180b has a transmission axis 201 that is orthogonal to the transmission axis 202 of the upper polarizing film 180a. The lower alignment layer 184b is associated with a tilt direction 203 (also referred to as an alignment direction), and the upper alignment layer 184a is associated with a tilt direction 204. The angle 208 between the tilt

directions **203** and **204** can be, e.g., about 90 degrees. In some examples, the angle **208** is between, e.g., 60 degrees to 120 degrees, or 80 to 100 degrees. In some examples, the bisector **205** of the angle **207** between the axes **201** and **202** can be, e.g., parallel to the bisector **206** of the angle between the tilt directions **203** and **204**.

FIG. 2B shows the tilt direction of a director **192** of a liquid crystal molecule **190** relative to the axes **201**, **202**, and the vertical direction **188**. When the voltage V_{data} is above the threshold, due to the negative anisotropy of the liquid crystal molecules, the liquid crystal molecule **190** tilts away from the vertical direction **188**, such that the liquid crystal molecule **190** has a tilt angle θ with respect to the vertical direction **188** and an azimuth angle ϕ with respect to the axis **201** (i.e., the projection of the director **192** on the horizontal plane has an angle ϕ with respect to the axis **201**).

The azimuth angle ϕ is affected by two factors. The first factor is the effect of the alignment layers **184a** and **184b**. Because the liquid crystal molecules adjacent to the alignment layers **184a** and **184b** have different tilt directions **203** and **204** (FIG. 2A), this tends to induce a twisted structure (similar to a helix) in the liquid crystal layer **172** when the pixel is in the operation state (i.e., when the voltage V_{data} is above the threshold).

The liquid crystal molecules adjacent to the lower alignment film **184b** tilt toward direction **203**, while the liquid crystal molecules adjacent to the upper alignment film **184a** tilt toward direction **204**. If there were no chiral material in the liquid crystal layer **172**, the liquid crystal molecules would have a counter clockwise twisted structure. Considering liquid crystal molecules at different positions along the vertical direction **188**, the tilt directions of the liquid crystal molecules would gradually change from the direction **203** to the direction **204** (the angle ϕ gradually increases from ϕ_1 to ϕ_2) as their positions move from near the lower alignment film **184b** to near the upper alignment film **184a**, forming a counter clockwise twisted structure.

The second factor that affects the angle ϕ is the twist direction induced by the chiral material. The chiral material is selected to induce a twist direction that is opposite to the twist direction induced by the alignment layers **184a** and **184b**. In this example, the chiral material is selected to be a left-handed chiral material that induces a clockwise twist. The amount of chiral material in the liquid crystal layer **172** is sufficiently large so that the twist effect induced by the chiral material affects the twist effect induced by the alignment layers. The amount (or percentage) of chiral material in the liquid crystal layer **172** can be determined using, for example, the relationship $p=1/(HTP \times c)$. Here, p represents a helical pitch induced by the chiral dopant, HTP is a helical twisting power that represents the ability of the chiral dopant to twist the nematic phase of the liquid crystal and is dependent on the chiral material being used, and c represents a concentration ratio (weight %) of the chiral dopant.

The alignment layers **184a**, **184b** exert more influence on the liquid crystal molecules that are closer to the alignment layers, as compared to liquid crystal molecules near the middle of the liquid crystal layer **172** that are further away from the alignment layers **184a**, **184b**. Thus, when a voltage of a certain range is applied across the liquid crystal layer **172**, the liquid crystal molecules near the middle of the liquid crystal layer **172** may have a twist direction that is opposite to the twist direction of liquid crystal molecules that are adjacent to the alignment layers **184a**, **184b**. As a result of the interaction of the opposite twist effects from the chiral material and the alignment films **184a**, **184b**, the liquid crystal layer **172** can have a particular twisted structure to allow the

liquid crystal display **170** to have improved display characteristics and a lower operation voltage compared to an example of a chiral homeotropic mode LCD.

In some examples, the tilt direction **204** (of the upper alignment film **184a**) is at an angle less than 180 degrees relative to the tilt direction **203** (of the lower alignment film **184b**) when the angle is measured clockwise from the tilt direction **203** to the tilt direction **204**, the chiral material is selected to be a right-handed chiral material that induces a counter-clockwise twist.

FIG. 3A is a graph **210** that shows curves (e.g., **212**, **214**, **216**) representing the twisted structure of the liquid crystal layer **172** when a particular voltage V_{data} is applied to the liquid crystal layer **172**. The example of FIG. 3A assumes that the angle between the alignment directions of the upper and lower alignment films **184a**, **184b** are approximately 90 degrees. Each curve in the graph **210** represents the angle ϕ of the liquid crystal molecules at different positions in the liquid crystal layer **172**. The horizontal axis of FIG. 3A represents the normalized positions of the liquid crystal molecules along the direction **188** of FIG. 1, "0" being near the lower alignment film **184b** and "1" being near the upper alignment film **184a**. The vertical axis of FIG. 3A represents the azimuth angle ϕ .

The twisted structure of the liquid crystal layer **172** changes as the voltage V_{data} increases from 0V to 5V. When the voltage V_{data} is below the threshold voltage (e.g., about 2 volts), the azimuthal angle of the molecules adjacent to the bottom and top substrates are 0 and +90, respectively, and the molecules between the bottom and top substrates form a counter clockwise twisted configuration in which the twist angle gradually changes from 0 to +90 degrees. As can be seen from the curve **212**, when $V_{data}=0V$, the azimuth angle ϕ gradually changes from 0 to 90 degrees.

When the voltage V_{data} is higher than the threshold voltage (e.g., $V_{data}=3V$), the azimuthal angle of the molecules adjacent to the bottom and top substrates are 0 and +90, respectively. The molecules near the bottom substrate (e.g., normalized positions 0 to 0.15) form a counter clockwise twisted configuration in which the twist angle changes quickly from 0 to about +45 degrees. The bulk area (e.g., normalized positions 0.15 to 0.85) of the liquid crystal layer **172** has no twist, or is slightly twisted in the opposite direction (clockwise in this example), compared to the twist direction near the alignment films **184a** and **184b**. The molecules near the top substrate (e.g., normalized positions 0.85 to 1) form a counter clockwise twisted configuration in which the twist angle changes quickly from about +45 degrees to +90 degrees.

When the twist angle profile (e.g., **212**, **214**, **216** of FIG. 3A) of the liquid crystal cell is considered as a function of normalized cell gap, the slope or inclination of the function correlates to the twist direction. For example, the twist direction is counter clockwise if the inclination is positive, and the twist direction is clockwise if the inclination is negative.

As can be seen from the curve **214**, when $V_{data}=3V$, for the normalized positions between 0 to about 0.15, the twisted structure has a counter clockwise twist. For the normalized positions between about 0.15 to about 0.85, the twisted structure has a clockwise twist. For the normalized positions between about 0.85 to 1, the twisted structure has a counter clockwise twist.

As can be seen from the curve **216**, when $V_{data}=5V$, for the normalized positions between 0 to about 0.2, the twisted structure has a counter clockwise twist. For the normalized positions between about 0.2 to about 0.8, the twisted structure is almost constant (ϕ is maintained at about +45 degrees). For

the normalized positions between about 0.8 to 1, the twisted structure has a counter clockwise twist.

As a result, the liquid crystal layer **172** has larger twists at regions near the alignment layers **184a**, **184b** and a smaller twist in the bulk area. This is caused by the competition

between the twists induced by the alignment layers and the chiral material. By comparison, FIG. 3B is a graph **260** that shows curves **262** representing the twisted structure of the liquid crystal layer of an example of a conventional chiral homeotropic mode LCD when different voltages are applied across the liquid crystal layer. The liquid crystal layer of the chiral homeotropic mode LCD maintains a twisted structure when the operation voltage varies from 0V to 5V, in which the twist direction remains the same throughout the liquid crystal layer.

The difference in twisted structure between the liquid crystal display **170** (FIG. 1) and the example of the conventional chiral homeotropic mode LCD results in different optical characteristics, as described below. The data used in FIGS. 3A-5B and 7-10 were obtained by simulation.

FIG. 4 is a graph **220** showing curves **222** and **224** representing the transmittance characteristics of an example of a conventional chiral homeotropic mode LCD and the liquid crystal display **170** (FIG. 1), respectively. The simulations used for deriving data for the curves **222** and **224** use the same liquid crystal materials. In the example of the conventional chiral homeotropic mode LCD, the twist direction induced by the chiral material is the same as the twist direction induced by the alignment layers. In the liquid crystal display **170**, the twist direction induced by the chiral material is opposite to the twist direction induced by the alignment layers. The wavelength used in the simulations is 550 nanometers. A comparison of curves **222** and **224** shows that a lower driving voltage can be used for the liquid crystal display **170** to reach a maximum brightness **226**.

FIGS. 5A and 5B show iso-luminance graphs **230** and **232** of the example of the conventional chiral homeotropic mode LCD and the liquid crystal display **170** (FIG. 1), respectively, in the operation state. The iso-luminance graph **230** shows that the maximum transmittance position (within region **234**) of the example of the conventional chiral homeotropic mode LCD is offset from the center position. The iso-luminance graph **232** shows that the maximum transmittance position (within region **236**) of the liquid crystal display **170** is near the center position. The luminance distribution of the liquid crystal display **170** (as shown in the graph **232**) is more symmetric with respect to the center of the display than the luminance distribution of the example of the conventional chiral homeotropic mode LCD.

A transfective liquid crystal display can show an image in a transmissive display mode and a reflective display mode independently or simultaneously, so that the transfective liquid crystal display can be used in either dark or bright ambient conditions. In a transfective liquid crystal display, some amount of incident ambient light is reflected back to the viewer, and some amount of backlight is transmitted through the liquid crystal layer to the viewer. The reflected and transmitted light may be provided to the view independently or simultaneously.

FIG. 6 is a schematic diagram of a transfective liquid crystal display **110**. One pixel **134** is shown in the figure. Similar to the transmissive display **170** (FIG. 1), the transfective liquid crystal display **110** has a liquid crystal layer **116** positioned between a top substrate **118** and a bottom substrate **120**. A broadband quarter wave retardation film **122** is attached on the outer side of each substrate **118** and **120**. A linear polarizing film **124** is attached to each retardation film

122 to form a broadband circular polarizer **136**. The upper and lower polarizing films **124** are crossed so that the upper and lower broadband circular polarizers block out the transmitted and reflected light when the pixel is not activated (i.e., when the pixel is in the dark state). The inner side of the top substrate **118** has a transparent electrode coated with an alignment layer.

Different from the transmissive display **170**, the transfective liquid crystal display **110** includes a transmissive part **112** and a reflective part **114**. In the transmissive part **112**, the bottom substrate **120** has a transparent electrode coated with an alignment layer. In the reflective part **114**, the bottom substrate **120** has a buffer layer **126** coated with a metal reflector **128** that is used to reflect the ambient light or light coming from an external light source **130**. The surface of the buffer layer **126** is uneven or bumpy so that the surface of the metal reflector **128** is also uneven or bumpy, thereby reflecting the incident light in a range of directions. The transmissive part **112** transmits light from a backlight unit **132**. The transmissive part **112** and the reflective part **114** of the same pixel are operated by the same switching device, such as a thin film transistor (see FIG. 11).

The transfective liquid crystal display **110** modulates light to generate images having varying gray scale levels by using the electro-optic effect described above. Light in the transmissive part **112** passes the liquid crystal layer **116** once, whereas light in the reflective part **114** passes the liquid crystal layer **116** twice because the light is reflected from the reflector **128**. By using the buffer layer **126** to form a dual cell gap structure, in which the thickness of the liquid crystal layer **116** in the reflective part **114** is smaller than that of the transmissive part **112**, the optical phase retardation of light in the transmissive part **112** and the reflective part **114** can be substantially the same. See U.S. Pat. No. 6,281,952.

FIG. 7 is a graph **150** showing curves **152** and **154** representing the transmittance characteristic and reflectance characteristic, respectively, of an example of a conventional ECB VA mode transfective LCD, in which the liquid crystal layer is not doped with a chiral material. The vertical axis in graph **150** represents a normalized electro-optic response of the transmissive part and the reflective part of the example of the conventional ECB VA mode transfective LCD. A comparison of curves **152** and **154** shows that, in the example of the conventional ECB VA mode transfective LCD, the transmittance and reflectance characteristics are substantially the same.

FIG. 8 is a graph **250** showing curves **252** and **254** representing the transmittance and reflectance characteristics of the transmissive part **112** and the reflective part **114**, respectively, of the transfective liquid crystal display **110** (FIG. 6). The vertical axis in graph **250** represents an electro-optic response of the transmissive part **112** and the reflective part **114** normalized against the maximum transmittance value of the example of the conventional ECB VA mode display. An electro-optic response of 1 means that the transmittance or the reflectance is the same as that of the example of the ECB VA mode transfective LCD (FIG. 7).

FIG. 8 shows that the maximum transmittance **256** and the maximum reflectance **258** of the transfective liquid crystal display **110** are substantially the same as those of the example of the conventional ECB VA mode transfective LCD. This may be because when an operating voltage of 2.5 V to 5 V is applied to the liquid crystal layer **116** of the display **110**, the bulk of the liquid crystal layer **116** has an azimuth angle ϕ that is substantially the same (about 45 ± 8 degrees). This is similar to the situation in the example of the conventional ECB VA display, in which the bulk of the liquid crystal molecules are

tilted along substantially the same direction (having an azimuth angle of about 45 degrees) when an operating voltage is applied to the liquid crystal layer.

The curves **252** and **254** substantially match each other when the operating voltage is between 0V to about 5V. This indicates that when a data voltage V_{data} is applied to a pixel of the transmissive liquid crystal display **110**, the transmissive part **112** and the reflective part **114** will have substantial the same gray scale level.

FIG. **9** is a graph **160** showing curves **162** and **164** that represent the transmittance and reflectance electro-optic responses, respectively, of an example of a conventional chiral homeotropic mode LCD relative to those of the example of the conventional ECB VA mode LCD. The maximum value **166** of the transmittance **162** and the maximum value **168** of the reflectance **164** are about 60% and 80%, respectively, of the maximum corresponding values of the example of the conventional ECB VA mode LCD (FIG. **7**). The curves **162** and **164** do not substantially match each other when the applied voltage is between 3V to 4V, resulting in distortion of gray scale levels.

A comparison of FIGS. **8** and **9** shows that the transmissive liquid crystal display **110** has better display characteristics than the example of the conventional chiral homeotropic transmissive display.

FIG. **10** is a graph **240** showing curves **242**, **244**, and **246** representing the transmittance characteristics of the transmissive part of the example of the conventional ECB VA mode transmissive LCD, the transmissive LCD **110** (FIG. **6**), and the example of the conventional chiral homeotropic mode LCD, respectively. The transmissive displays use broadband circular polarizers. In the case of the example of the conventional chiral homeotropic mode LCD (curve **246**), the maximum transmittance **247** is less than two-thirds of the maximum transmittance **248** of the example of the conventional ECB VA mode LCD (curve **242**). By comparison, the liquid crystal display **170** (curve **244**) has a maximum transmittance **249** that is close to the maximum transmittance **248** of the example of the conventional ECB VA mode LCD.

In terms of maximum brightness, liquid crystal display **110** or **170** is as good as the example of the conventional ECB VA mode LCD. An advantage of the liquid crystal display **110** or **170** is that, in the bright state, the polarization of light is changed as it passes through the liquid crystal layer due to two effects: (i) the polarization rotating (wave guiding) effect caused by twisted structure of liquid crystal layer and (ii) the phase retardation effect caused by the reversely twisted structure (or structure having substantially no twist) in the bulk area. The LCD **110** or **170** has less color dispersion, as compared to the example of the conventional ECB VA mode LCD that changes the polarization of light by using the retardation effect without the wave guiding effect.

FIG. **11** is a diagram of an example of a liquid crystal display **10** that includes an array **12** of pixel circuits **14** that are controlled by one or more gate drivers **16** and one or more data drivers **18**. Each pixel circuit **14** includes one or more thin film transistors (TFT) **20**, a storage capacitor C_{ST} **22**, and a liquid crystal cell (not shown). The liquid crystal cell can have a configuration similar to those shown in FIG. **1** or **6**. The liquid crystal cell has an effective capacitance, represented by C_{LC} **25**. The capacitors C_{ST} **22** and C_{LC} **25** can be, e.g., connected in parallel to a first node **21** and a second node **23**. The TFT **20** includes a gate **24** that is connected to a gate line **26**, which is connected to the gate driver **16**. When the gate driver **16** drives the gate line **26** to turn on the TFT **20**, the data driver

18 simultaneously drives a data line **28** with a voltage signal (e.g., V_{data}), which is passed to the capacitors C_{ST} **22** and C_{LC} **25**.

In some examples, the first and second nodes **21** and **23** are connected to two transparent electrodes (e.g., **182a** and **182b** of FIG. **1**), respectively, that are positioned on two sides of the liquid crystal cell. The voltage (e.g., V_{data}) held by the capacitors C_{ST} **22** and C_{LC} **25** determines the voltage applied to the liquid crystal cell. The voltage on the data line **28** is sometimes referred to as a "gray scale voltage" because it determines the gray scale level shown by the pixel circuit **14**.

Each pixel on the display **10** includes three sub-pixels for displaying red, green, and blue colors. Each sub-pixel includes a pixel circuit **14**. By controlling the gray scale levels of the three sub-pixels, each pixel can display a wide range of colors and gray scale levels.

Although some examples have been discussed above, other implementations and applications are also within the scope of the following claims. For example, the use of a liquid crystal layer having a chiral material that induces a twisted structure having a twist direction opposite to the twist direction induced by the alignment layers can also be used in a reflective display that does not have a backlight module. The chiral materials can be different from those described above. The dimensions and orientations of various components of the display can be different from those described above.

For example, referring to FIG. **12**, in some examples, the bisector **205** of the angle **207** between the axes **201** and **202** can be orthogonal to the bisector **206** of the angle between the tilt directions **203** and **204** (as compared to FIG. **2A**, in which the bisector **205** of the angle **207** is parallel to the bisector **206** of the angle between the tilt directions **203** and **204**). The pixel circuits can have different arrangements, e.g., a terminal of the storage capacitor C_{ST} can be connected to the node **21** and the other terminal of the storage capacitor can be connected to the gate line of the next row.

In the transmissive display **110** of FIG. **6**, the transmissive part **112** and the reflective part **114** of the same pixel can be controlled by using two separate switching devices. The transmissive part **112** can be part of one pixel, and the reflective part **114** can be part of another pixel. The transmissive display **110** does not have to use a dual cell gap structure. The buffer layer **126** can be removed so that the cell gap is the same for the transmissive part **112** and the reflective part **114**.

The orientations of the liquid crystal molecules described above refer to the directions of directors of the liquid crystal molecules. The molecules do not necessarily all point to the same direction all the time. The molecules may tend to point more in one direction (represented by the director) over time than other directions. For example, the phrase "the liquid crystal molecules are substantially aligned along a direction normal to the substrates" means that the average direction of the directors of the liquid crystal molecules are aligned along the normal direction, but the individual molecules may point to different directions. The chiral material may have impurities. For example, a liquid crystal layer doped with a right-handed (or left-handed) chiral material may include a small percentage of left-handed (or right-handed) chiral material, but the twist direction of the twisted structure in the liquid crystal layer is mainly determined by the right-handed (or left-handed) chiral material.

What is claimed is:

1. A method comprising:

applying an electric field across a liquid crystal layer positioned between a first alignment film and a second alignment film to tilt liquid crystal molecules in the liquid crystal layer away from a direction perpendicular to the

15

first alignment film, the first and second alignment films induce a first twist effect in directors of the liquid crystal molecules; and

using a chiral material doped in the liquid crystal layer to induce a second twist effect in directors of the liquid crystal molecules, a direction of the second twist effect induced by the chiral material being different from a direction of the first twist effect induced by the first and second alignment films.

2. The method of claim 1, wherein the direction of the second twist effect is counter clockwise.

3. The method of claim 2, wherein the direction of the first twist effect induced by the first and second alignment films is clockwise.

4. The method of claim 1, wherein the direction of the second twist effect is clockwise.

5. The method of claim 4, wherein the direction of the first twist effect induced by the first and second alignment films is counter clockwise.

6. The method of claim 1, wherein applying an electric field comprises applying an electric field to cause a pixel of the liquid crystal display to enter a bright state and causing the directors of at least one-tenth of the liquid crystal molecules in the pixel to twist in a twist direction induced by the chiral material, the directors of the liquid crystal molecules adjacent

16

to the first and second alignment films twist in another twist direction opposite to the twist direction induced by the chiral material.

7. The method of claim 1, wherein applying an electric field comprises applying an electric field to cause a pixel of the liquid crystal display to enter a bright state and causing the directors of at least one-half of the liquid crystal molecules in the pixel to twist in a twist direction induced by the chiral material, the directors of the liquid crystal molecules adjacent to the first and second alignment films twist in another direction opposite to the twist direction induced by the chiral material.

8. The method of claim 1, further comprising generating light using a backlight and modulating the light using the liquid crystal layer.

9. The method of claim 1, further comprising applying an electric field to cause a pixel of the liquid crystal display to enter a bright state, and removing the electric field to cause the pixel to enter a dark state.

10. The method of claim 1, further comprising forming a twisted structure in the liquid crystal layer in which the pitch of the twisted structure ranges from 3 to 6 times the thickness of the liquid crystal layer.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,203,680 B2
APPLICATION NO. : 13/110451
DATED : June 19, 2012
INVENTOR(S) : Lee et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (73) Assignee: should be “Chimei Innolux Corporation and University of Central Florida Research Foundation, Inc.”

Signed and Sealed this
Thirty-first Day of July, 2012

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos
Director of the United States Patent and Trademark Office