Relativistic effects in NMR properties of L[RuCPt] complexes: ZORA versus fourcomponent calculations

Glent-Madsen, Iben; Bendix, Jesper; Sauer, Stephan P. A.

Publication date: 2019

Document version Other version

Citation for published version (APA): Glent-Madsen, I., Bendix, J., & Sauer, S. P. A. (2019). *Relativistic effects in NMR properties of* [RuCPt] complexes: ZORA versus four-component calculations. Poster session presented at Grand Challenges for Theoretical Chemistry, Helsingør, Denmark.

Relativistic effects in NMR properties of ^L[RuCPt] complexes: ZORA versus four-component calculations

<u>Iben Glent-Madsen</u>, Jesper Bendix and Stephan P. A. Sauer Department of Chemistry, University of Copenhagen, Denmark

Ruthenium-carbide complexes are of great interest due to the possible bond formation and breakage to the carbide, e.g. as a catalyst in the Fischer-Tropsch synthesis [1,2] or the natural nitrogen fixation at nitrogenase cofactors [3,4]. Hetero-metallic carbide-bridged complexes $(Cy_3P)_2Cl_2Ru\equiv C-PtCl_2L, \ ^L[RuCPt]$, with various ligands L have been synthesized and characterized using NMR spectroscopy by Reinholdt and Bendix [5]. The ligands L differ in their electron donating ability and thereby their *trans*-influence propensity in relation to the {Ru=C} unit in \ ^L[RuCPt].

The experimental NMR studies are supplemented with theoretical studies using two relativistic methods: a four-component fully relativistic approach using the ReSpect program [6] and the Zeroth-order regular approximation (ZORA) [7] two-component method as implemented in the ADF program [8]. NMR chemical shifts of ruthenium, platinum and the carbide in various ^L[RuCPt] complexes were calculated at the DFT level using the PBEO exchange-correlation functional. Basis set dependency, relativistic effects and contributions when calculating NMR properties, and a comparison of calculated results with experimental chemical shifts will be presented with focus on the results from two ^L[RuCPt] complexes.

[5] A. Reinholdt, J. Bendix, Inorganic chemistry, 56(20):12492-12497 (2017).

^[1] H. Schulz, Applied Catalysis A: General, 186(1):3–12 (1999).

^[2] C. K. Rofer-DePoorter, Chemical Reviews, 81(5):447-474 (1981).

^[3] J. A. Wiig, Y. Hu, C. C. Lee, M. W. Ribbe, Science, 337(6102):1672-1675 (2012).

^[4] H. Yilin, M. W. Ribbe, Angewandte Chemie International Edition, 55(29):8216-8226 (2016).

^[6] ReSpect, version 5.0.1 (2018); Relativistic Spectroscopy DFT program of authors Repisky M.; Komorovsky S.; Malkin V. G.; Malkina O. L.; Kaupp M.; Ruud K., with contributions from Bast R.; Ekstrom U.; Knecht S.; Malkin Ondik I.; Malkin E. (see www.respectprogram.org).

^[7] E. van Lenthe, J. G. Snijders, E. J. Baerends, The Journal of Chemical Physics, 105(15):6505–6516 (1996).

^[8] G. te Velde, F. M. Bickelhaupt, E. J. Baerends, C. Fonseca Guerra, S. J. A. van Gisbergen, J. G. Snijders and T. Ziegler, *Journal of Computational Chemistry*, 22, 931 (2001). ADF2017, https://www.scm.com.