



Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

6,7-Dimethoxy-2,4-diphenylquinoline

M. Prabhuswamy,^a S. Madan Kumar,^a T. R. Swaroop,^b
K. S. Rangappa^a and N. K. Lokanath^{a*}

^aDepartment of Studies in Physics, Manasagangotri, University of Mysore, Mysore 570 006, India, and ^bDepartment of Studies in Chemistry, Manasagangotri, University of Mysore, Mysore 570 006, India
Correspondence e-mail: lokanath@physics.uni-mysore.ac.in


Received 1 January 2014; accepted 11 January 2014

Key indicators: single-crystal X-ray study; $T = 296\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.041; wR factor = 0.120; data-to-parameter ratio = 12.4.

In the title structure of the title compound, $C_{23}H_{19}NO_2$, two conformationally similar molecules (*A* and *B*) comprise the asymmetric unit. The dihedral angle between phenyl rings bridged by the quinoline moiety are $76.25(8)^\circ$ in molecule *A* and $70.39(9)^\circ$ in molecule *B*. In the crystal, the independent molecules are connected by $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds and the resulting dimeric aggregates are linked by $\pi-\pi$ [inter-centroid distance = $3.7370(8)\text{ \AA}$] and $\text{C}-\text{H}\cdots\pi$ interactions, forming a three-dimensional architecture.

Related literature

For general background, and the biological and pharmacological properties of quinoline derivatives, see: Michael (2006). For a related structure, see: Prabhuswamy *et al.* (2012).



Experimental

Crystal data

$C_{23}H_{19}NO_2$
 $M_r = 341.39$
Triclinic, $P\bar{1}$
 $a = 8.7092(3)\text{ \AA}$
 $b = 10.5639(3)\text{ \AA}$
 $c = 20.3400(7)\text{ \AA}$
 $\alpha = 85.678(1)^\circ$
 $\beta = 79.397(1)^\circ$
 $\gamma = 80.134(1)^\circ$
 $V = 1810.33(10)\text{ \AA}^3$
 $Z = 4$
Cu $K\alpha$ radiation
 $\mu = 0.63\text{ mm}^{-1}$
 $T = 296\text{ K}$
 $0.23 \times 0.21 \times 0.14\text{ mm}$

Data collection

Bruker X8 Proteum diffractometer
Absorption correction: multi-scan
(*SAINT-Plus*; Bruker, 2013)
 $T_{\min} = 0.868$, $T_{\max} = 0.917$
21904 measured reflections
5877 independent reflections
5181 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.041$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.041$
 $wR(F^2) = 0.120$
 $S = 1.04$
5877 reflections
474 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.13\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.15\text{ e \AA}^{-3}$

Table 1Hydrogen-bond geometry (\AA , $^\circ$).

$Cg6$ and $Cg9$ are the centroids of the $N10B,C7B-C9B,C11B,C12B$ and $C21B-C26B$ rings, respectively.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$C6A-\text{H}6A\cdots O19B^i$	0.93	2.58	3.366 (2)	142
$C18B-\text{H}18F\cdots Cg9^{ii}$	0.96	2.93	3.879 (2)	169
$C20B-\text{H}20D\cdots Cg6^{iii}$	0.96	2.93	3.59 (18)	127

Symmetry codes: (i) $-x + 1, -y + 2, -z$; (ii) $x, y + 1, z$; (iii) $-x + 2, -y + 2, -z$.

Data collection: *APEX2* (Bruker, 2013); cell refinement: *SAINT-Plus* (Bruker, 2013); data reduction: *SAINT-Plus*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *PLATON* (Spek, 2009).

Authors thank the IOE X-ray diffractometer facility, University of Mysore, Mysore for collecting data.

Supporting information for this paper is available from the IUCr electronic archives (Reference: TK5285).

References

- Bruker (2013). *APEX2, SAINT-Plus* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
Michael, J. P. (2006). *Nat. Prod. Rep.* **14**, 605–608.
Prabhuswamy, M., Swaroop, T. R., Madan Kumar, S., Rangappa, K. S. & Lokanath, N. K. (2012). *Acta Cryst. E68*, o3250.
Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
Spek, A. L. (2009). *Acta Cryst. D65*, 148–155.

supporting information

Acta Cryst. (2014). E70, o165 [doi:10.1107/S1600536814000725]

6,7-Dimethoxy-2,4-diphenylquinoline

M. Prabhuswamy, S. Madan Kumar, T. R. Swaroop, K. S. Rangappa and N. K. Lokanath

S1. Experimental

S1.1. Synthesis and crystallization

The enaminone (*Z*)-3((3,4-dimethoxyphenyl)amino)-1,3-diphenylprop-2-en-1-one (5 mmol) was taken in polyphosphoric acid (5 ml) and heated at 140 °C for 5 h. After completion of the reaction (monitored by TLC), the reaction mixture was diluted with water (50 ml). The aqueous layer was extracted with ethyl acetate (3 X 20 ml), the combined ethyl acetate-layer was washed with 0.1 N NaOH (2 X 25 ml), followed by brine solution (25 ml). The organic layer was then dried over anhydrous sodium sulfate and concentrated under reduced pressure to afford the crude product 6,7-dimethoxy-2,4-diphenylquinoline which was purified by column chromatography over silica gel (60–120 mesh) using a hexane:ethyl acetate mixture (9.5:0.5) as eluent. The pure title compound was crystallized in an ethyl acetate-hexane mixture to obtain pale yellow single crystals.


S1.2. Refinement

All hydrogen atoms were located geometrically with (C—H = 0.93–0.96) Å and allowed to ride on their parent atoms with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{aromatic C})$ or $1.5U_{\text{iso}}(\text{methyl C})$.


S2. Results and discussion

Quinolines exhibit physico-chemical activities which are useful in the field of pharmaceuticals and agrochemicals. Their derivatives are also present in a wide variety of natural products involved in several biological activities (Michael, 2006). The crystal structure of the title compound is presented here as a part of our on-going structural studies on quinoline derivatives. The asymmetric unit consists of two symmetry-independent title molecules (*A* and *B*) (Fig. 1). The dihedral angle between phenyl ring [C1/C2/C3/C4/C5/C6 (*A/B*)] and quinoline moiety are 60.44 (7)° (*A*) and 56.04 (8)° (*B*). The dihedral angle between phenyl rings bridged by quinoline moiety are 76.25 (8)° (*A*) and 70.39 (9)° (*B*). Also, the quinoline moiety makes a dihedral angle of 29.14 (8)° (*A*) and 24.64 (8)° (*B*) with phenyl ring C21/C22/C23/C24/C25/C26 (*A/B*). The overall geometry of the title compound is similar to the earlier reported structure of 2-(4-chlorophenyl)-6-methyl-4-*m*-tolyl quinoline (Prabhuswamy *et al.*, 2012).

The molecules are connected by intermolecular hydrogen bonds C6A—H6A···O19B (Fig. 2). The crystal structure is further stabilized by $\pi\cdots\pi$ interactions between Cg(6) and Cg(6)ⁱ with a distance of 3.7370 (8) Å [*i*: 1 - *x*, 2 - *y*, -*z*]. The C—H··· π interactions, C18B—H18F···Cg(9) [*x*, 1 + *y*, *z*] and C20B—H20D···Cg(6) [2 - *x*, 2 - *y*, *z*], Table 2, link molecules to stabilize the three-dimensional crystal structure.

**Figure 1**

ORTEP view of the title compound with the atom numbering scheme. Displacement ellipsoids for non-H atoms are drawn at 50% probability level.

**Figure 2**

Packing of molecules of the title compound, viewed along the crystallographic *b* axis. Dotted lines represent C—H···O hydrogen bond interaction.

6,7-Dimethoxy-2,4-diphenylquinoline

Crystal data

$C_{23}H_{19}NO_2$
 $M_r = 341.39$
Triclinic, $P\bar{1}$
Hall symbol: -P 1
 $a = 8.7092 (3)$ Å
 $b = 10.5639 (3)$ Å
 $c = 20.3400 (7)$ Å
 $\alpha = 85.678 (1)^\circ$
 $\beta = 79.397 (1)^\circ$
 $\gamma = 80.134 (1)^\circ$
 $V = 1810.33 (10)$ Å³

$Z = 4$
 $F(000) = 720$
 $D_x = 1.253 \text{ Mg m}^{-3}$
Cu $K\alpha$ radiation, $\lambda = 1.54178$ Å
Cell parameters from 5877 reflections
 $\theta = 2.2\text{--}64.6^\circ$
 $\mu = 0.63 \text{ mm}^{-1}$
 $T = 296 \text{ K}$
Block, yellow
 $0.23 \times 0.21 \times 0.14$ mm

Data collection

Bruker X8 Proteum
diffractometer
Radiation source: Bruker MicroStar microfocus
rotating anode
Helios multilayer optics monochromator
Detector resolution: 10.7 pixels mm⁻¹

φ and ω scans
Absorption correction: multi-scan
(SAINT-Plus; Bruker, 2013)
 $T_{\min} = 0.868$, $T_{\max} = 0.917$
21904 measured reflections
5877 independent reflections

5181 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.041$
 $\theta_{\text{max}} = 64.6^\circ, \theta_{\text{min}} = 2.2^\circ$

$h = -10 \rightarrow 9$
 $k = -12 \rightarrow 11$
 $l = -23 \rightarrow 23$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.041$
 $wR(F^2) = 0.120$
 $S = 1.04$
5877 reflections
474 parameters
0 restraints
Primary atom site location: structure-invariant direct methods
Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites
H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0647P)^2 + 0.2622P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\text{max}} < 0.001$
 $\Delta\rho_{\text{max}} = 0.13 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.15 \text{ e } \text{\AA}^{-3}$
Extinction correction: *SHELXL97* (Sheldrick, 2008), $FC^* = KFC[1 + 0.001XFC^2\Lambda^3/\text{SIN}(2\Theta)]^{-1/4}$
Extinction coefficient: 0.0037 (4)

Special details

Experimental. ^1H NMR (CDCl_3 , 300 MHz): 8.30 (d, $J=8.0$ Hz, 2H, Ar—H); 7.79 (d, $J=8.0$ Hz, 2H, Ar—H); 7.41–7.54 (m, 7H, Ar—H); 7.26 (s, 1H, Ar—H); 7.10 (s, 1H, Ar—H); 3.91 (s, 3H, OMe); 3.88 (s, 3H, OMe). M. P. 122–124 °C (uncorrected)

Geometry. Bond distances, angles etc. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement on F^2 for ALL reflections except those flagged by the user for potential systematic errors. Weighted R -factors wR and all goodnesses of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The observed criterion of $F^2 > \sigma(F^2)$ is used only for calculating - R -factor-obs etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O17A	−0.05130 (13)	0.68563 (10)	0.59999 (5)	0.0604 (3)
O19A	0.05651 (14)	0.49729 (10)	0.67519 (5)	0.0620 (4)
N10A	0.42927 (14)	0.31063 (10)	0.49004 (5)	0.0452 (4)
C1A	0.27076 (19)	0.86258 (16)	0.27831 (9)	0.0637 (6)
C2A	0.32118 (2)	0.87201 (15)	0.33749 (9)	0.0650 (6)
C3A	0.3444 (2)	0.76504 (14)	0.38049 (8)	0.0566 (5)
C4A	0.31857 (16)	0.64666 (13)	0.36342 (6)	0.0447 (4)
C5A	0.26951 (18)	0.63793 (15)	0.30320 (7)	0.0544 (5)
C6A	0.24447 (2)	0.74626 (17)	0.26104 (8)	0.0629 (6)
C7A	0.35107 (16)	0.52976 (12)	0.40763 (6)	0.0432 (4)
C8A	0.26898 (16)	0.52108 (12)	0.47472 (6)	0.0418 (4)
C9A	0.31638 (16)	0.40926 (12)	0.51407 (6)	0.0426 (4)
C11A	0.50062 (16)	0.31963 (12)	0.42656 (6)	0.0433 (4)
C12A	0.46396 (17)	0.42894 (12)	0.38462 (6)	0.0450 (4)
C13A	0.14306 (17)	0.61463 (13)	0.50322 (7)	0.0463 (4)
C14A	0.07132 (17)	0.60191 (13)	0.56843 (7)	0.0471 (4)
C15A	0.12742 (17)	0.49384 (14)	0.60936 (7)	0.0482 (4)
C16A	0.24375 (17)	0.39985 (13)	0.58243 (7)	0.0472 (4)

C18A	-0.1033 (2)	0.79914 (17)	0.56278 (10)	0.0718 (6)
C20A	0.1173 (3)	0.39846 (19)	0.71948 (8)	0.0763 (7)
C21A	0.62097 (17)	0.20846 (13)	0.40190 (7)	0.0465 (4)
C22A	0.6062 (2)	0.08659 (15)	0.42997 (9)	0.0683 (6)
C23A	0.7163 (3)	-0.01903 (17)	0.40975 (10)	0.0810 (7)
C24A	0.8455 (2)	-0.00526 (18)	0.36108 (10)	0.0749 (7)
C25A	0.8608 (2)	0.11475 (17)	0.33214 (9)	0.0677 (6)
C26A	0.74891 (19)	0.22035 (15)	0.35167 (7)	0.0547 (5)
O17B	0.76986 (15)	1.31226 (11)	-0.07274 (6)	0.0696 (4)
O19B	0.95184 (14)	1.13055 (11)	-0.13693 (5)	0.0644 (4)
N10B	0.79196 (15)	0.81305 (12)	0.02976 (6)	0.0525 (4)
C1B	0.2756 (2)	1.26810 (16)	0.24162 (8)	0.0623 (5)
C2B	0.2546 (2)	1.26622 (18)	0.17618 (9)	0.0685 (6)
C3B	0.35796 (19)	1.18455 (17)	0.13196 (8)	0.0610 (5)
C4B	0.48281 (17)	1.10097 (14)	0.15279 (7)	0.0485 (4)
C5B	0.50382 (18)	1.10581 (14)	0.21888 (7)	0.0518 (5)
C6B	0.4010 (2)	1.18922 (15)	0.26210 (7)	0.0575 (5)
C7B	0.58853 (18)	1.00442 (14)	0.10822 (7)	0.0502 (5)
C8B	0.67728 (17)	1.03974 (14)	0.04528 (7)	0.0481 (4)
C9B	0.77830 (17)	0.93921 (14)	0.00888 (7)	0.0489 (4)
C11B	0.70799 (18)	0.78223 (14)	0.08849 (7)	0.0521 (5)
C12B	0.60666 (19)	0.87656 (15)	0.12840 (7)	0.0554 (5)
C13B	0.67477 (18)	1.16778 (15)	0.01843 (7)	0.0521 (5)
C14B	0.76529 (18)	1.19406 (14)	-0.04178 (7)	0.0528 (5)
C15B	0.86679 (18)	1.09210 (15)	-0.07799 (6)	0.0511 (5)
C16B	0.87288 (18)	0.96897 (15)	-0.05314 (7)	0.0513 (5)
C18B	0.6658 (3)	1.41683 (17)	-0.04165 (10)	0.0771 (7)
C20B	1.0476 (2)	1.03192 (19)	-0.17638 (8)	0.0703 (6)
C21B	0.72866 (19)	0.64325 (15)	0.10957 (7)	0.0535 (5)
C22B	0.8667 (2)	0.56210 (16)	0.08426 (8)	0.0636 (6)
C23B	0.8868 (3)	0.43197 (18)	0.10154 (10)	0.0754 (7)
C24B	0.7698 (3)	0.38066 (19)	0.14503 (10)	0.0789 (7)
C25B	0.6340 (3)	0.45959 (19)	0.17076 (10)	0.0788 (7)
C26B	0.6125 (2)	0.58966 (17)	0.15338 (9)	0.0673 (6)
H1A	0.25400	0.93510	0.25000	0.0760*
H2A	0.34120	0.95080	0.34880	0.0780*
H3A	0.37710	0.77260	0.42090	0.0680*
H5A	0.25310	0.55900	0.29090	0.0650*
H6A	0.21020	0.73980	0.22100	0.0760*
H12A	0.51740	0.43250	0.34070	0.0540*
H13A	0.10840	0.68620	0.47710	0.0560*
H16A	0.27630	0.32840	0.60910	0.0570*
H18A	-0.01720	0.84660	0.54900	0.1080*
H18B	-0.18870	0.85120	0.59020	0.1080*
H18C	-0.13900	0.77630	0.52400	0.1080*
H20A	0.10070	0.31670	0.70690	0.1140*
H20B	0.06370	0.41390	0.76450	0.1140*
H20C	0.22860	0.39810	0.71690	0.1140*

H22A	0.51990	0.07600	0.46320	0.0820*
H23A	0.70330	-0.10000	0.42900	0.0970*
H24A	0.92140	-0.07620	0.34790	0.0900*
H25A	0.94750	0.12490	0.29900	0.0810*
H26A	0.75970	0.30050	0.33080	0.0660*
H1B	0.20540	1.32230	0.27140	0.0750*
H2B	0.17030	1.32030	0.16160	0.0820*
H3B	0.34350	1.18570	0.08770	0.0730*
H5B	0.58790	1.05230	0.23400	0.0620*
H6B	0.41740	1.19170	0.30590	0.0690*
H12B	0.55070	0.85160	0.16940	0.0660*
H13B	0.61050	1.23490	0.04220	0.0620*
H16B	0.93980	0.90330	-0.07700	0.0620*
H18D	0.55880	1.40100	-0.03650	0.1160*
H18E	0.67680	1.49410	-0.06890	0.1160*
H18F	0.69090	1.42650	0.00150	0.1160*
H20D	1.12500	0.98500	-0.15180	0.1060*
H20E	1.10030	1.06940	-0.21690	0.1060*
H20F	0.98250	0.97450	-0.18720	0.1060*
H22B	0.94680	0.59590	0.05520	0.0760*
H23B	0.97950	0.37890	0.08380	0.0910*
H24B	0.78310	0.29320	0.15680	0.0950*
H25B	0.55510	0.42540	0.20030	0.0950*
H26B	0.51920	0.64180	0.17120	0.0810*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O17A	0.0577 (6)	0.0581 (6)	0.0594 (6)	-0.0022 (5)	0.0021 (5)	-0.0115 (5)
O19A	0.0754 (7)	0.0645 (7)	0.0415 (5)	-0.0149 (5)	0.0056 (5)	-0.0036 (5)
N10A	0.0557 (7)	0.0386 (6)	0.0404 (6)	-0.0073 (5)	-0.0070 (5)	0.0002 (4)
C1A	0.0562 (9)	0.0581 (10)	0.0674 (10)	-0.0009 (7)	-0.0050 (7)	0.0245 (8)
C2A	0.0771 (11)	0.0421 (8)	0.0718 (11)	-0.0082 (7)	-0.0086 (9)	0.0095 (7)
C3A	0.0727 (10)	0.0434 (8)	0.0538 (8)	-0.0091 (7)	-0.0143 (7)	0.0038 (6)
C4A	0.0474 (7)	0.0417 (7)	0.0419 (7)	-0.0046 (6)	-0.0048 (6)	0.0043 (5)
C5A	0.0597 (9)	0.0545 (8)	0.0499 (8)	-0.0100 (7)	-0.0139 (7)	0.0040 (6)
C6A	0.0616 (10)	0.0744 (11)	0.0506 (8)	-0.0070 (8)	-0.0156 (7)	0.0165 (7)
C7A	0.0515 (8)	0.0382 (7)	0.0410 (7)	-0.0103 (6)	-0.0097 (6)	0.0015 (5)
C8A	0.0493 (7)	0.0375 (7)	0.0402 (7)	-0.0112 (6)	-0.0086 (6)	0.0001 (5)
C9A	0.0500 (7)	0.0379 (7)	0.0406 (7)	-0.0100 (6)	-0.0076 (6)	-0.0011 (5)
C11A	0.0506 (8)	0.0384 (7)	0.0413 (7)	-0.0088 (6)	-0.0081 (6)	-0.0013 (5)
C12A	0.0547 (8)	0.0417 (7)	0.0376 (6)	-0.0089 (6)	-0.0055 (6)	0.0015 (5)
C13A	0.0511 (8)	0.0413 (7)	0.0468 (7)	-0.0079 (6)	-0.0092 (6)	-0.0008 (6)
C14A	0.0477 (7)	0.0456 (7)	0.0486 (7)	-0.0104 (6)	-0.0044 (6)	-0.0088 (6)
C15A	0.0546 (8)	0.0507 (8)	0.0406 (7)	-0.0182 (6)	-0.0011 (6)	-0.0051 (6)
C16A	0.0594 (8)	0.0427 (7)	0.0400 (7)	-0.0134 (6)	-0.0066 (6)	0.0020 (5)
C18A	0.0694 (11)	0.0617 (10)	0.0766 (11)	0.0099 (8)	-0.0084 (9)	-0.0116 (8)
C20A	0.0955 (14)	0.0883 (13)	0.0417 (8)	-0.0177 (11)	-0.0042 (8)	0.0056 (8)

C21A	0.0546 (8)	0.0430 (7)	0.0423 (7)	-0.0059 (6)	-0.0108 (6)	-0.0028 (5)
C22A	0.0830 (12)	0.0456 (8)	0.0630 (10)	0.0028 (8)	0.0065 (8)	0.0058 (7)
C23A	0.1048 (15)	0.0467 (9)	0.0766 (12)	0.0104 (9)	-0.0001 (11)	0.0018 (8)
C24A	0.0804 (12)	0.0610 (11)	0.0758 (11)	0.0148 (9)	-0.0112 (10)	-0.0211 (9)
C25A	0.0626 (10)	0.0716 (11)	0.0658 (10)	-0.0066 (8)	0.0015 (8)	-0.0237 (8)
C26A	0.0613 (9)	0.0506 (8)	0.0528 (8)	-0.0126 (7)	-0.0052 (7)	-0.0098 (6)
O17B	0.0852 (8)	0.0573 (7)	0.0588 (6)	-0.0059 (6)	-0.0026 (6)	0.0086 (5)
O19B	0.0722 (7)	0.0734 (7)	0.0400 (5)	-0.0069 (6)	0.0010 (5)	0.0085 (5)
N10B	0.0612 (7)	0.0534 (7)	0.0430 (6)	-0.0122 (6)	-0.0058 (5)	-0.0045 (5)
C1B	0.0676 (10)	0.0576 (9)	0.0588 (9)	-0.0155 (8)	0.0063 (8)	-0.0137 (7)
C2B	0.0567 (10)	0.0757 (11)	0.0703 (11)	-0.0029 (8)	-0.0103 (8)	-0.0054 (8)
C3B	0.0589 (9)	0.0794 (11)	0.0476 (8)	-0.0146 (8)	-0.0115 (7)	-0.0086 (7)
C4B	0.0525 (8)	0.0540 (8)	0.0411 (7)	-0.0192 (7)	-0.0023 (6)	-0.0062 (6)
C5B	0.0585 (9)	0.0564 (8)	0.0411 (7)	-0.0144 (7)	-0.0059 (6)	-0.0019 (6)
C6B	0.0735 (10)	0.0595 (9)	0.0413 (7)	-0.0213 (8)	-0.0021 (7)	-0.0082 (6)
C7B	0.0544 (8)	0.0577 (9)	0.0408 (7)	-0.0171 (7)	-0.0040 (6)	-0.0086 (6)
C8B	0.0535 (8)	0.0546 (8)	0.0385 (7)	-0.0145 (6)	-0.0068 (6)	-0.0068 (6)
C9B	0.0553 (8)	0.0548 (8)	0.0389 (7)	-0.0145 (7)	-0.0078 (6)	-0.0048 (6)
C11B	0.0587 (9)	0.0566 (8)	0.0432 (7)	-0.0179 (7)	-0.0060 (6)	-0.0040 (6)
C12B	0.0649 (9)	0.0583 (9)	0.0433 (7)	-0.0207 (7)	0.0007 (7)	-0.0049 (6)
C13B	0.0588 (9)	0.0538 (8)	0.0437 (7)	-0.0102 (7)	-0.0060 (6)	-0.0078 (6)
C14B	0.0603 (9)	0.0550 (8)	0.0439 (7)	-0.0113 (7)	-0.0110 (6)	0.0023 (6)
C15B	0.0543 (8)	0.0646 (9)	0.0345 (7)	-0.0120 (7)	-0.0074 (6)	0.0015 (6)
C16B	0.0572 (9)	0.0587 (9)	0.0372 (7)	-0.0086 (7)	-0.0052 (6)	-0.0059 (6)
C18B	0.0986 (14)	0.0578 (10)	0.0701 (11)	-0.0016 (9)	-0.0152 (10)	0.0032 (8)
C20B	0.0663 (10)	0.0897 (12)	0.0443 (8)	0.0012 (9)	0.0026 (7)	0.0036 (8)
C21B	0.0635 (9)	0.0556 (8)	0.0450 (7)	-0.0174 (7)	-0.0118 (7)	-0.0025 (6)
C22B	0.0667 (10)	0.0640 (10)	0.0600 (9)	-0.0118 (8)	-0.0119 (8)	0.0023 (7)
C23B	0.0835 (13)	0.0639 (11)	0.0776 (12)	-0.0013 (9)	-0.0231 (10)	0.0030 (9)
C24B	0.1077 (16)	0.0585 (10)	0.0750 (12)	-0.0177 (11)	-0.0284 (11)	0.0099 (9)
C25B	0.0996 (15)	0.0705 (12)	0.0712 (11)	-0.0360 (11)	-0.0132 (10)	0.0125 (9)
C26B	0.0750 (11)	0.0630 (10)	0.0634 (10)	-0.0205 (9)	-0.0031 (8)	-0.0001 (8)

Geometric parameters (\AA , $^\circ$)

O17A—C14A	1.3581 (18)	C20A—H20C	0.9600
O17A—C18A	1.421 (2)	C22A—H22A	0.9300
O19A—C15A	1.3678 (17)	C23A—H23A	0.9300
O19A—C20A	1.423 (2)	C24A—H24A	0.9300
O17B—C18B	1.412 (2)	C25A—H25A	0.9300
O17B—C14B	1.3589 (19)	C26A—H26A	0.9300
O19B—C20B	1.417 (2)	C1B—C2B	1.379 (2)
O19B—C15B	1.3615 (17)	C1B—C6B	1.365 (2)
N10A—C11A	1.3300 (16)	C2B—C3B	1.384 (2)
N10A—C9A	1.3565 (17)	C3B—C4B	1.388 (2)
N10B—C11B	1.3302 (19)	C4B—C5B	1.395 (2)
N10B—C9B	1.3600 (19)	C4B—C7B	1.490 (2)
C1A—C6A	1.369 (2)	C5B—C6B	1.381 (2)

C1A—C2A	1.374 (3)	C7B—C8B	1.428 (2)
C2A—C3A	1.385 (2)	C7B—C12B	1.373 (2)
C3A—C4A	1.388 (2)	C8B—C9B	1.417 (2)
C4A—C5A	1.3837 (19)	C8B—C13B	1.418 (2)
C4A—C7A	1.4901 (18)	C9B—C16B	1.420 (2)
C5A—C6A	1.388 (2)	C11B—C12B	1.410 (2)
C7A—C8A	1.4235 (17)	C11B—C21B	1.488 (2)
C7A—C12A	1.3664 (19)	C13B—C14B	1.366 (2)
C8A—C13A	1.4129 (19)	C14B—C15B	1.428 (2)
C8A—C9A	1.4207 (18)	C15B—C16B	1.356 (2)
C9A—C16A	1.4214 (19)	C21B—C22B	1.390 (2)
C11A—C12A	1.4101 (18)	C21B—C26B	1.388 (2)
C11A—C21A	1.4842 (19)	C22B—C23B	1.383 (3)
C13A—C14A	1.366 (2)	C23B—C24B	1.378 (3)
C14A—C15A	1.432 (2)	C24B—C25B	1.367 (3)
C15A—C16A	1.358 (2)	C25B—C26B	1.382 (3)
C21A—C22A	1.385 (2)	C1B—H1B	0.9300
C21A—C26A	1.382 (2)	C2B—H2B	0.9300
C22A—C23A	1.375 (3)	C3B—H3B	0.9300
C23A—C24A	1.375 (3)	C5B—H5B	0.9300
C24A—C25A	1.374 (3)	C6B—H6B	0.9300
C25A—C26A	1.380 (2)	C12B—H12B	0.9300
C1A—H1A	0.9300	C13B—H13B	0.9300
C2A—H2A	0.9300	C16B—H16B	0.9300
C3A—H3A	0.9300	C18B—H18D	0.9600
C5A—H5A	0.9300	C18B—H18E	0.9600
C6A—H6A	0.9300	C18B—H18F	0.9600
C12A—H12A	0.9300	C20B—H20D	0.9600
C13A—H13A	0.9300	C20B—H20E	0.9600
C16A—H16A	0.9300	C20B—H20F	0.9600
C18A—H18C	0.9600	C22B—H22B	0.9300
C18A—H18B	0.9600	C23B—H23B	0.9300
C18A—H18A	0.9600	C24B—H24B	0.9300
C20A—H20A	0.9600	C25B—H25B	0.9300
C20A—H20B	0.9600	C26B—H26B	0.9300
O17A···O19A	2.5709 (15)	C26B···H12B	2.7600
O17A···C25A ⁱ	3.404 (2)	C26B···H18D ⁱⁱⁱ	3.0200
O17A···C26A ⁱ	3.299 (2)	H1A···C5B	3.0100
O17B···O19B	2.5446 (16)	H1B···O19A ^{iv}	2.8200
O19A···O17A	2.5709 (15)	H1B···O17A ^{iv}	2.7100
O19A···C5A ⁱⁱ	3.336 (2)	H2A···H18B ^{iv}	2.5500
O19B···C6A ⁱⁱⁱ	3.366 (2)	H2A···C6B	3.0300
O19B···O17B	2.5446 (16)	H2B···C23B ^{ix}	2.9800
O17A···H1B ^{iv}	2.7100	H2B···H23B ^{ix}	2.4700
O17B···H22B ^v	2.8900	H3A···C8A	3.0300
O19A···H5A ⁱⁱ	2.8100	H3A···C13A	3.0400
O19A···H26A ⁱ	2.8600	H3A···N10A ⁱ	2.7000

O19A···H1B ^{iv}	2.8200	H3B···C16B ⁱⁱⁱ	2.9000
O19B···H6A ⁱⁱⁱ	2.5800	H3B···C13B	2.9500
N10A···H22A	2.5400	H3B···C8B	3.0500
N10A···H23A ^{vi}	2.9400	H3B···C9B ⁱⁱⁱ	2.8900
N10A···H3A ⁱ	2.7000	H3B···H13B	2.4700
N10A···H18C ⁱⁱ	2.9000	H3B···N10B ⁱⁱⁱ	2.8500
N10B···H22B	2.5200	H5A···O19A ⁱⁱ	2.8100
N10B···H3B ⁱⁱⁱ	2.8500	H5A···C12A	2.9900
C1A···C5B	3.550 (2)	H5B···C12B	2.9100
C3A···C13A	3.252 (2)	H6A···O19B ⁱⁱⁱ	2.5800
C3B···C13B	3.244 (2)	H6B···C21A ^{xii}	2.9000
C3B···C16B ⁱⁱⁱ	3.455 (2)	H12A···C26A	2.7700
C5A···O19A ⁱⁱ	3.336 (2)	H12A···H26A	2.3100
C5A···C20A ⁱⁱ	3.571 (3)	H12A···C5A	2.9500
C5B···C1A	3.550 (2)	H12B···C1A	2.9700
C6A···O19B ⁱⁱⁱ	3.366 (2)	H12B···H26B	2.2800
C9B···C15B ^v	3.580 (2)	H12B···C26B	2.7600
C12A···C16A ⁱ	3.548 (2)	H12B···C5B	2.8800
C13A···C3A	3.252 (2)	H13A···C18A	2.5000
C13B···C3B	3.244 (2)	H13A···C4A	2.6800
C14A···C26A ⁱ	3.320 (2)	H13A···C3A	2.7600
C15A···C26A ⁱ	3.563 (2)	H13A···H18A	2.3100
C15B···C9B ^v	3.580 (2)	H13A···H18C	2.2700
C16A···C12A ⁱ	3.548 (2)	H13B···C18B	2.5200
C16B···C3B ⁱⁱⁱ	3.455 (2)	H13B···C3B	2.6900
C16B···C16B ^v	3.533 (2)	H13B···C4B	2.7300
C18A···C25A ⁱ	3.531 (3)	H13B···H18D	2.3300
C18B···C18B ^{vii}	3.348 (3)	H13B···H18F	2.3000
C20A···C5A ⁱⁱ	3.571 (3)	H13B···H3B	2.4700
C20B···C25A ^{viii}	3.530 (2)	H16A···H23A ^{vi}	2.5600
C25A···C20B ^{viii}	3.530 (2)	H16A···H20A	2.2800
C25A···O17A ⁱ	3.404 (2)	H16A···H20C	2.3100
C25A···C18A ⁱ	3.531 (3)	H16A···C20A	2.5000
C26A···O17A ⁱ	3.299 (2)	H16B···H20F	2.2900
C26A···C15A ⁱ	3.563 (2)	H16B···H20D	2.2400
C26A···C14A ⁱ	3.320 (2)	H16B···C20B	2.4800
C1A···H12B	2.9700	H18A···C25A ⁱ	3.0700
C1A···H24A ^{ix}	3.0900	H18A···C13A	2.7400
C3A···H13A	2.7600	H18A···H13A	2.3100
C3B···H13B	2.6900	H18B···H2A ^{iv}	2.5500
C4A···H13A	2.6800	H18C···N10A ⁱⁱ	2.9000
C4B···H13B	2.7300	H18C···C13A	2.7200
C5A···H12A	2.9500	H18C···H13A	2.2700
C5B···H12B	2.8800	H18C···C9A ⁱⁱ	2.9200
C5B···H1A	3.0100	H18D···C13B	2.7400
C6A···H26B	2.8400	H18D···H13B	2.3300
C6B···H2A	3.0300	H18D···C18B ^{vii}	2.8400
C7B···H20D ^v	2.8200	H18D···C26B ⁱⁱⁱ	3.0200

C8A···H3A	3.0300	H18F···H13B	2.3000
C8B···H3B	3.0500	H18F···C23B ^{xii}	2.9000
C8B···H20D ^v	2.9800	H18F···C13B	2.7500
C9A···H18C ⁱⁱ	2.9200	H18F···C22B ^{xii}	3.0500
C9B···H3B ⁱⁱⁱ	2.8900	H20A···C16A	2.7600
C12A···H5A	2.9900	H20A···H16A	2.2800
C12A···H26A	2.7700	H20C···C16A	2.7100
C12B···H5B	2.9100	H20C···H16A	2.3100
C12B···H20D ^v	3.0800	H20D···C16B	2.7100
C12B···H26B	2.7500	H20D···C8B ^v	2.9800
C13A···H18A	2.7400	H20D···C12B ^v	3.0800
C13A···H18C	2.7200	H20D···C7B ^v	2.8200
C13A···H3A	3.0400	H20D···H16B	2.2400
C13B···H18D	2.7400	H20E···C25A ^{viii}	3.0900
C13B···H3B	2.9500	H20E···C24A ^{viii}	2.9900
C13B···H18F	2.7500	H20F···H25A ^{viii}	2.5100
C14A···H26A ⁱ	3.0600	H20F···C16B	2.7200
C15A···H26A ⁱ	2.9600	H20F···H16B	2.2900
C16A···H20A	2.7600	H22A···N10A	2.5400
C16A···H20C	2.7100	H22A···C22A ^{vi}	2.8400
C16B···H20F	2.7200	H22A···C23A ^{vi}	3.0800
C16B···H20D	2.7100	H22A···H22A ^{vi}	2.1400
C16B···H3B ⁱⁱⁱ	2.9000	H22B···N10B	2.5200
C18A···H13A	2.5000	H22B···O17B ^v	2.8900
C18B···H18D ^{vii}	2.8400	H23A···N10A ^{vi}	2.9400
C18B···H13B	2.5200	H23A···H16A ^{vi}	2.5600
C20A···H16A	2.5000	H23B···H2B ^{xi}	2.4700
C20B···H16B	2.4800	H24A···C1A ^{xi}	3.0900
C20B···H25A ^{viii}	3.0900	H25A···H20F ^{viii}	2.5100
C21A···H6B ^x	2.9000	H25A···C20B ^{viii}	3.0900
C22A···H22A ^{vi}	2.8400	H26A···O19A ⁱ	2.8600
C22B···H18F ^x	3.0500	H26A···C14A ⁱ	3.0600
C23A···H22A ^{vi}	3.0800	H26A···C15A ⁱ	2.9600
C23B···H2B ^{xi}	2.9800	H26A···H12A	2.3100
C23B···H18F ^x	2.9000	H26A···C12A	2.7700
C24A···H20E ^{viii}	2.9900	H26B···C6A	2.8400
C25A···H18A ⁱ	3.0700	H26B···C12B	2.7500
C25A···H20E ^{viii}	3.0900	H26B···H12B	2.2800
C26A···H12A	2.7700		
C14A—O17A—C18A	116.90 (12)	C26A—C25A—H25A	120.00
C15A—O19A—C20A	116.88 (13)	C21A—C26A—H26A	120.00
C14B—O17B—C18B	117.15 (13)	C25A—C26A—H26A	120.00
C15B—O19B—C20B	116.43 (13)	C2B—C1B—C6B	119.05 (15)
C9A—N10A—C11A	118.34 (11)	C1B—C2B—C3B	120.60 (16)
C9B—N10B—C11B	118.14 (13)	C2B—C3B—C4B	120.85 (15)
C2A—C1A—C6A	119.87 (16)	C3B—C4B—C5B	117.72 (14)
C1A—C2A—C3A	120.45 (15)	C3B—C4B—C7B	122.35 (13)

C2A—C3A—C4A	120.13 (15)	C5B—C4B—C7B	119.88 (13)
C3A—C4A—C5A	118.89 (13)	C4B—C5B—C6B	120.68 (14)
C3A—C4A—C7A	120.44 (12)	C1B—C6B—C5B	121.06 (14)
C5A—C4A—C7A	120.59 (12)	C4B—C7B—C8B	122.49 (13)
C4A—C5A—C6A	120.44 (14)	C4B—C7B—C12B	119.72 (13)
C1A—C6A—C5A	120.20 (15)	C8B—C7B—C12B	117.77 (13)
C4A—C7A—C8A	121.38 (11)	C7B—C8B—C9B	116.93 (13)
C4A—C7A—C12A	120.15 (11)	C7B—C8B—C13B	124.48 (13)
C8A—C7A—C12A	118.46 (11)	C9B—C8B—C13B	118.55 (13)
C7A—C8A—C9A	116.90 (12)	N10B—C9B—C8B	123.93 (13)
C9A—C8A—C13A	119.02 (11)	N10B—C9B—C16B	116.62 (13)
C7A—C8A—C13A	124.07 (12)	C8B—C9B—C16B	119.45 (13)
N10A—C9A—C8A	123.41 (11)	N10B—C11B—C12B	121.56 (13)
C8A—C9A—C16A	118.80 (12)	N10B—C11B—C21B	116.13 (13)
N10A—C9A—C16A	117.79 (11)	C12B—C11B—C21B	122.31 (13)
N10A—C11A—C21A	116.59 (11)	C7B—C12B—C11B	121.65 (13)
N10A—C11A—C12A	121.88 (12)	C8B—C13B—C14B	121.01 (14)
C12A—C11A—C21A	121.53 (11)	O17B—C14B—C13B	125.99 (14)
C7A—C12A—C11A	120.95 (11)	O17B—C14B—C15B	114.04 (13)
C8A—C13A—C14A	121.20 (13)	C13B—C14B—C15B	119.97 (13)
C13A—C14A—C15A	119.55 (13)	O19B—C15B—C14B	114.45 (13)
O17A—C14A—C13A	125.51 (13)	O19B—C15B—C16B	125.29 (14)
O17A—C14A—C15A	114.93 (12)	C14B—C15B—C16B	120.26 (13)
O19A—C15A—C14A	114.37 (12)	C9B—C16B—C15B	120.74 (14)
O19A—C15A—C16A	125.30 (13)	C11B—C21B—C22B	119.95 (14)
C14A—C15A—C16A	120.32 (13)	C11B—C21B—C26B	122.21 (15)
C9A—C16A—C15A	120.86 (13)	C22B—C21B—C26B	117.83 (15)
C22A—C21A—C26A	117.74 (14)	C21B—C22B—C23B	121.05 (17)
C11A—C21A—C22A	119.28 (13)	C22B—C23B—C24B	120.2 (2)
C11A—C21A—C26A	122.99 (13)	C23B—C24B—C25B	119.37 (19)
C21A—C22A—C23A	121.45 (17)	C24B—C25B—C26B	120.8 (2)
C22A—C23A—C24A	120.20 (17)	C21B—C26B—C25B	120.75 (18)
C23A—C24A—C25A	119.05 (17)	C2B—C1B—H1B	121.00
C24A—C25A—C26A	120.71 (16)	C6B—C1B—H1B	120.00
C21A—C26A—C25A	120.82 (14)	C1B—C2B—H2B	120.00
C2A—C1A—H1A	120.00	C3B—C2B—H2B	120.00
C6A—C1A—H1A	120.00	C2B—C3B—H3B	120.00
C3A—C2A—H2A	120.00	C4B—C3B—H3B	120.00
C1A—C2A—H2A	120.00	C4B—C5B—H5B	120.00
C2A—C3A—H3A	120.00	C6B—C5B—H5B	120.00
C4A—C3A—H3A	120.00	C1B—C6B—H6B	119.00
C4A—C5A—H5A	120.00	C5B—C6B—H6B	120.00
C6A—C5A—H5A	120.00	C7B—C12B—H12B	119.00
C1A—C6A—H6A	120.00	C11B—C12B—H12B	119.00
C5A—C6A—H6A	120.00	C8B—C13B—H13B	119.00
C7A—C12A—H12A	120.00	C14B—C13B—H13B	120.00
C11A—C12A—H12A	120.00	C9B—C16B—H16B	120.00
C8A—C13A—H13A	119.00	C15B—C16B—H16B	120.00

C14A—C13A—H13A	119.00	O17B—C18B—H18D	109.00
C9A—C16A—H16A	120.00	O17B—C18B—H18E	109.00
C15A—C16A—H16A	120.00	O17B—C18B—H18F	110.00
H18A—C18A—H18B	109.00	H18D—C18B—H18E	109.00
H18A—C18A—H18C	110.00	H18D—C18B—H18F	110.00
H18B—C18A—H18C	109.00	H18E—C18B—H18F	109.00
O17A—C18A—H18C	109.00	O19B—C20B—H20D	110.00
O17A—C18A—H18A	109.00	O19B—C20B—H20E	109.00
O17A—C18A—H18B	109.00	O19B—C20B—H20F	110.00
O19A—C20A—H20A	109.00	H20D—C20B—H20E	109.00
H20A—C20A—H20C	109.00	H20D—C20B—H20F	109.00
H20B—C20A—H20C	109.00	H20E—C20B—H20F	109.00
O19A—C20A—H20B	110.00	C21B—C22B—H22B	119.00
O19A—C20A—H20C	109.00	C23B—C22B—H22B	120.00
H20A—C20A—H20B	109.00	C22B—C23B—H23B	120.00
C21A—C22A—H22A	119.00	C24B—C23B—H23B	120.00
C23A—C22A—H22A	119.00	C23B—C24B—H24B	120.00
C22A—C23A—H23A	120.00	C25B—C24B—H24B	120.00
C24A—C23A—H23A	120.00	C24B—C25B—H25B	120.00
C25A—C24A—H24A	120.00	C26B—C25B—H25B	120.00
C23A—C24A—H24A	120.00	C21B—C26B—H26B	120.00
C24A—C25A—H25A	120.00	C25B—C26B—H26B	120.00
C18A—O17A—C14A—C13A	−3.5 (2)	C26A—C21A—C22A—C23A	1.3 (3)
C18A—O17A—C14A—C15A	175.50 (13)	C11A—C21A—C26A—C25A	177.63 (15)
C20A—O19A—C15A—C14A	−174.49 (15)	C22A—C21A—C26A—C25A	−2.4 (2)
C20A—O19A—C15A—C16A	4.3 (2)	C11A—C21A—C22A—C23A	−178.70 (17)
C18B—O17B—C14B—C15B	176.50 (16)	C21A—C22A—C23A—C24A	0.6 (3)
C18B—O17B—C14B—C13B	−3.5 (2)	C22A—C23A—C24A—C25A	−1.4 (3)
C20B—O19B—C15B—C14B	−176.60 (14)	C23A—C24A—C25A—C26A	0.3 (3)
C20B—O19B—C15B—C16B	3.4 (2)	C24A—C25A—C26A—C21A	1.6 (3)
C11A—N10A—C9A—C8A	0.8 (2)	C6B—C1B—C2B—C3B	0.7 (3)
C11A—N10A—C9A—C16A	−178.51 (13)	C2B—C1B—C6B—C5B	−1.7 (3)
C9A—N10A—C11A—C21A	−178.76 (12)	C1B—C2B—C3B—C4B	1.4 (3)
C9A—N10A—C11A—C12A	1.1 (2)	C2B—C3B—C4B—C5B	−2.4 (2)
C11B—N10B—C9B—C16B	178.32 (14)	C2B—C3B—C4B—C7B	174.95 (16)
C9B—N10B—C11B—C12B	0.3 (2)	C3B—C4B—C5B—C6B	1.5 (2)
C11B—N10B—C9B—C8B	−1.4 (2)	C7B—C4B—C5B—C6B	−175.99 (14)
C9B—N10B—C11B—C21B	−179.18 (14)	C3B—C4B—C7B—C8B	58.1 (2)
C6A—C1A—C2A—C3A	−1.2 (3)	C3B—C4B—C7B—C12B	−123.98 (17)
C2A—C1A—C6A—C5A	0.1 (3)	C5B—C4B—C7B—C8B	−124.63 (16)
C1A—C2A—C3A—C4A	1.3 (3)	C5B—C4B—C7B—C12B	53.3 (2)
C2A—C3A—C4A—C5A	−0.3 (2)	C4B—C5B—C6B—C1B	0.6 (2)
C2A—C3A—C4A—C7A	176.64 (15)	C4B—C7B—C8B—C9B	177.54 (14)
C3A—C4A—C5A—C6A	−0.8 (2)	C4B—C7B—C8B—C13B	−0.2 (2)
C7A—C4A—C5A—C6A	−177.73 (14)	C12B—C7B—C8B—C9B	−0.5 (2)
C3A—C4A—C7A—C8A	61.2 (2)	C12B—C7B—C8B—C13B	−178.20 (15)
C3A—C4A—C7A—C12A	−117.36 (16)	C4B—C7B—C12B—C11B	−178.65 (15)

C5A—C4A—C7A—C12A	59.5 (2)	C8B—C7B—C12B—C11B	−0.6 (2)
C5A—C4A—C7A—C8A	−121.89 (15)	C7B—C8B—C9B—N10B	1.5 (2)
C4A—C5A—C6A—C1A	0.9 (3)	C7B—C8B—C9B—C16B	−178.21 (14)
C4A—C7A—C8A—C9A	−175.81 (12)	C13B—C8B—C9B—N10B	179.40 (14)
C4A—C7A—C8A—C13A	5.6 (2)	C13B—C8B—C9B—C16B	−0.3 (2)
C12A—C7A—C8A—C13A	−175.79 (14)	C7B—C8B—C13B—C14B	178.89 (15)
C4A—C7A—C12A—C11A	177.53 (13)	C9B—C8B—C13B—C14B	1.2 (2)
C12A—C7A—C8A—C9A	2.8 (2)	N10B—C9B—C16B—C15B	179.84 (14)
C8A—C7A—C12A—C11A	−1.1 (2)	C8B—C9B—C16B—C15B	−0.4 (2)
C9A—C8A—C13A—C14A	2.8 (2)	N10B—C11B—C12B—C7B	0.7 (2)
C7A—C8A—C9A—N10A	−2.8 (2)	C21B—C11B—C12B—C7B	−179.86 (15)
C7A—C8A—C9A—C16A	176.52 (13)	N10B—C11B—C21B—C22B	24.1 (2)
C13A—C8A—C9A—N10A	175.91 (13)	N10B—C11B—C21B—C26B	−154.66 (16)
C13A—C8A—C9A—C16A	−4.8 (2)	C12B—C11B—C21B—C22B	−155.30 (16)
C7A—C8A—C13A—C14A	−178.60 (14)	C12B—C11B—C21B—C26B	25.9 (2)
C8A—C9A—C16A—C15A	2.1 (2)	C8B—C13B—C14B—O17B	178.65 (15)
N10A—C9A—C16A—C15A	−178.55 (14)	C8B—C13B—C14B—C15B	−1.3 (2)
C21A—C11A—C12A—C7A	178.92 (13)	O17B—C14B—C15B—O19B	0.6 (2)
N10A—C11A—C21A—C22A	29.0 (2)	O17B—C14B—C15B—C16B	−179.42 (14)
N10A—C11A—C21A—C26A	−150.99 (14)	C13B—C14B—C15B—O19B	−179.47 (14)
C12A—C11A—C21A—C22A	−150.90 (15)	C13B—C14B—C15B—C16B	0.5 (2)
C12A—C11A—C21A—C26A	29.1 (2)	O19B—C15B—C16B—C9B	−179.68 (14)
N10A—C11A—C12A—C7A	−1.0 (2)	C14B—C15B—C16B—C9B	0.3 (2)
C8A—C13A—C14A—O17A	−179.21 (14)	C11B—C21B—C22B—C23B	−178.09 (17)
C8A—C13A—C14A—C15A	1.8 (2)	C26B—C21B—C22B—C23B	0.8 (3)
O17A—C14A—C15A—O19A	−4.81 (19)	C11B—C21B—C26B—C25B	178.51 (17)
O17A—C14A—C15A—C16A	176.33 (13)	C22B—C21B—C26B—C25B	−0.3 (3)
C13A—C14A—C15A—O19A	174.25 (13)	C21B—C22B—C23B—C24B	−0.7 (3)
C13A—C14A—C15A—C16A	−4.6 (2)	C22B—C23B—C24B—C25B	0.1 (3)
O19A—C15A—C16A—C9A	−176.15 (14)	C23B—C24B—C25B—C26B	0.4 (3)
C14A—C15A—C16A—C9A	2.6 (2)	C24B—C25B—C26B—C21B	−0.3 (3)

Symmetry codes: (i) $-x+1, -y+1, -z+1$; (ii) $-x, -y+1, -z+1$; (iii) $-x+1, -y+2, -z$; (iv) $-x, -y+2, -z+1$; (v) $-x+2, -y+2, -z$; (vi) $-x+1, -y, -z+1$; (vii) $-x+1, -y+3, -z$; (viii) $-x+2, -y+1, -z$; (ix) $x-1, y+1, z$; (x) $x, y-1, z$; (xi) $x+1, y-1, z$; (xii) $x, y+1, z$.

Hydrogen-bond geometry (\AA , $^\circ$)

Cg6 and Cg9 are the centroids of the N10B,C7B—C9B,C11B,C12B and C21B—C26B rings, respectively.

D—H···A	D—H	H···A	D···A	D—H···A
C6A—H6A···O19B ⁱⁱⁱ	0.93	2.58	3.366 (2)	142
C18B—H18F···Cg9 ^{xii}	0.96	2.93	3.879 (2)	169
C20B—H20D···Cg6 ^v	0.96	2.93	3.59 (18)	127

Symmetry codes: (iii) $-x+1, -y+2, -z$; (v) $-x+2, -y+2, -z$; (xii) $x, y+1, z$.