

2-[4-(Trifluoromethyl)phenylsulfanyl]-benzoic acid

Thammarse S. Yamuna,^a Jerry P. Jasinski,^{b*} Brian J. Anderson,^b H.S. Yathirajan^a and Manpreet Kaur^a

^aDepartment of Studies in Chemistry, University of Mysore, Manasagangotri, Mysore 570 006, India, and ^bDepartment of Chemistry, Keene State College, 229 Main Street, Keene, NH 03435-2001, USA
Correspondence e-mail: jjjasinski@keene.edu


Received 13 October 2013; accepted 20 October 2013

Key indicators: single-crystal X-ray study; $T = 173\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$; disorder in main residue; R factor = 0.054; wR factor = 0.155; data-to-parameter ratio = 12.5.

In the title compound, $\text{C}_{14}\text{H}_9\text{F}_3\text{O}_2\text{S}$, the dihedral angle between the mean planes of the benzene rings is $88.7(2)^\circ$. The carboxylic acid group is twisted by $13.6(7)^\circ$ from the mean plane of its attached aromatic ring. One of the F atoms of the trifluoromethyl group is disordered over two sites in a $0.61(7):0.39(7)$ ratio. In the crystal, inversion dimers linked by pairs of $\text{O}-\text{H}\cdots\text{O}$ hydrogen bonds generate $R_2^2(8)$ loops. Weak $\text{C}-\text{H}\cdots\text{F}$ interactions are also observed.

Related literature

For background to the neuroleptic agent flupentixol (systematic name: (*EZ*)-2-[4-[3-[2-(trifluoromethyl)thioxanthen-9-ylidene]propyl]piperazin-1-yl]ethanol), see: Young *et al.* (1976). For related structures, see: Post *et al.* (1975*a,b*); Siddegowda *et al.* (2011*a,b*).



Experimental

Crystal data

$\text{C}_{14}\text{H}_9\text{F}_3\text{O}_2\text{S}$
 $M_r = 298.28$
Triclinic, $P\bar{1}$

$a = 7.3071(5)\text{ \AA}$
 $b = 8.0790(7)\text{ \AA}$
 $c = 11.3878(11)\text{ \AA}$

$\alpha = 82.678(8)^\circ$
 $\beta = 83.642(7)^\circ$
 $\gamma = 72.309(7)^\circ$
 $V = 633.41(10)\text{ \AA}^3$
 $Z = 2$

Cu $K\alpha$ radiation
 $\mu = 2.63\text{ mm}^{-1}$
 $T = 173\text{ K}$
 $0.24 \times 0.22 \times 0.12\text{ mm}$

Data collection

Agilent Gemini EOS diffractometer
Absorption correction: multi-scan
(*CrysAlis PRO* and *CrysAlis RED*; Agilent, 2012)
 $T_{\min} = 0.848$, $T_{\max} = 1.000$

3701 measured reflections
2419 independent reflections
2049 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.038$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.054$
 $wR(F^2) = 0.155$
 $S = 1.04$
2419 reflections

193 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.71\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.38\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|---------------------------|--------------|--------------------|-------------|----------------------|
| O2—H2···O1 ⁱ | 0.82 | 1.86 | 2.677 (3) | 175 |
| C6—H6···F3 ⁱⁱ | 0.93 | 2.59 | 3.319 (10) | 136 |
| C6—H6···F3A ⁱⁱ | 0.93 | 2.50 | 3.294 (16) | 144 |

Symmetry codes: (i) $-x, -y + 1, -z + 1$; (ii) $-x + 2, -y + 1, -z + 2$.

Data collection: *CrysAlis PRO* (Agilent, 2012); cell refinement: *CrysAlis PRO* (Agilent, 2012); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SUPERFLIP* (Palatinus & Chapuis, 2007); program(s) used to refine structure: *SHELXL2012* (Sheldrick, 2008); molecular graphics: *OLEX2* (Dolomanov *et al.*, 2009); software used to prepare material for publication: *OLEX2*.

TSY thanks University of Mysore for research facilities and is also grateful to the Principal, Maharani's Science College for Women, Mysore, for giving permission to undertake research. JPJ acknowledges the NSF-MRI program (grant No. CHE-1039027) for funds to purchase the X-ray diffractometer.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB7150).

References

- Agilent (2012). *CrysAlis PRO* and *CrysAlis RED*. Agilent Technologies, Yarnton, England.
- Dolomanov, O. V., Bourhis, L. J., Gildea, R. J., Howard, J. A. K. & Puschmann, H. (2009). *J. Appl. Cryst.* **42**, 339–341.
- Palatinus, L. & Chapuis, G. (2007). *J. Appl. Cryst.* **40**, 786–790.
- Post, M. L., Kennard, O. & Horn, A. S. (1975*a*). *Acta Cryst.* **B31**, 2724–2726.
- Post, M. L., Kennard, O., Sheldrick, G. M. & Horn, A. S. (1975*b*). *Acta Cryst.* **B31**, 2366–2368.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Siddegowda, M. S., Butcher, R. J., Akkurt, M., Yathirajan, H. S. & Narayana, B. (2011*a*). *Acta Cryst.* **E67**, o2079–o2080.
- Siddegowda, M. S., Butcher, R. J., Akkurt, M., Yathirajan, H. S. & Ramesh, A. R. (2011*b*). *Acta Cryst.* **E67**, o2017–o2018.
- Young, J. P. R., Hughes, W. C. & Lader, M. H. (1976). *Br. Med. J.* **1**, 1116–1118.

supporting information

Acta Cryst. (2013). E69, o1704 [doi:10.1107/S1600536813028778]

2-[4-(Trifluoromethyl)phenylsulfanyl]benzoic acid

Thammarse S. Yamuna, Jerry P. Jasinski, Brian J. Anderson, H.S. Yathirajan and Manpreet Kaur

S1. Comment

The title compound, (I), is a starting material for the synthesis of flupentixol, a well-documented neuroleptic (Young *et al.*, 1976). The crystal structures of α -flupentixol (Post *et al.*, 1975*a*) and β -flupentixol (Post *et al.*, 1975*b*) have been reported. As part of our ongoing studies in this area (Siddegowda *et al.*, 2011*a,b*), we now describe the crystal structure of (I).


The dihedral angle between the mean planes of the phenyl rings is 88.7 (2) $^{\circ}$. The carboxylic acid group (C2/C1/O2/O1) is twisted by 13.6 (7) $^{\circ}$ from the mean plane of the adjacent benzene ring (C2–C7). Disorder was modeled over two sets of sites for one fluorine atom (F3), of the trifluoromethyl group with an occupancy ratio of 0.61 (7) : 0.39 (7). In the crystal, O—H \cdots O hydrogen bonds (Table 1) link the molecules into dimers with R₂²[8] graph-set motifs (Fig. 2). Weak C—H \cdots F interactions are also observed.

S2. Experimental


The title compound was obtained as a gift sample from R. L. Fine chemicals, Bengaluru. It was dissolved in 15 ml of mixture of acetonitrile and dimethyl sulphoxide (1:2), stirred for 10 minutes at room temperature. After few days, irregular colourless crystals were formed by slow evaporation of the solvent mixture (m.p: 413–418 K).

S3. Refinement

All of the H atoms were placed in their calculated positions and then refined using the riding model with Atom—H lengths of 0.93 Å (CH) or 0.82 Å (OH). Isotropic displacement parameters for these atoms were set to 1.2 (CH) or 1.5 (OH) times U_{eq} of the parent atom. Disorder was modeled over two sets of sites for one fluorine atom (F3) in the trifluoromethyl group with an occupancy ratio of 0.61 (7) : 0.39 (7). Idealised tetrahedral OH refined as rotating group.

**Figure 1**

ORTEP drawing of (I) showing 50% probability displacement ellipsoids. Disordered atom, F3A (0.39 (7) occupancy) has been removed for clarity.

**Figure 2**

Molecular packing for (I) viewed along the *c* axis. Dashed lines indicate O—H···O intermolecular hydrogen bonds which link the molecules into dimers with $R_2^{2}[8]$ graph-set motifs and influence the crystal packing. Disordered atom, F3A (0.39 (7) occupancy) and H atoms not involved in hydrogen bonding have been removed for clarity.

2-[4-(Trifluoromethyl)phenylsulfanyl]benzoic acid

Crystal data

$C_{14}H_9F_3O_2S$
 $M_r = 298.28$
Triclinic, $P\bar{1}$
 $a = 7.3071 (5)$ Å
 $b = 8.0790 (7)$ Å
 $c = 11.3878 (11)$ Å
 $\alpha = 82.678 (8)^\circ$
 $\beta = 83.642 (7)^\circ$
 $\gamma = 72.309 (7)^\circ$
 $V = 633.41 (10)$ Å³

$Z = 2$
 $F(000) = 304$
 $D_x = 1.564 \text{ Mg m}^{-3}$
Cu $K\alpha$ radiation, $\lambda = 1.54184$ Å
Cell parameters from 1645 reflections
 $\theta = 5.8\text{--}72.1^\circ$
 $\mu = 2.63 \text{ mm}^{-1}$
 $T = 173 \text{ K}$
Irregular, colourless
 $0.24 \times 0.22 \times 0.12$ mm

Data collection

Agilent Gemini EOS
diffractometer
Radiation source: Enhance (Cu) X-ray Source
Detector resolution: 16.0416 pixels mm⁻¹
 ω scans
Absorption correction: multi-scan
(*CrysAlis PRO* and *CrysAlis RED*; Agilent,
2012)
 $T_{\min} = 0.848$, $T_{\max} = 1.000$

3701 measured reflections
2419 independent reflections
2049 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.038$
 $\theta_{\max} = 72.2^\circ$, $\theta_{\min} = 5.8^\circ$
 $h = -8 \rightarrow 6$
 $k = -9 \rightarrow 6$
 $l = -13 \rightarrow 14$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.054$
 $wR(F^2) = 0.155$
 $S = 1.04$
2419 reflections
193 parameters
0 restraints
Primary atom site location: structure-invariant
direct methods

Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0889P)^2 + 0.2312P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.71 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.38 \text{ e } \text{\AA}^{-3}$
Extinction correction: *SHELXL2012* (Sheldrick,
2008), $F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$
Extinction coefficient: 0.0044 (14)

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | <i>x</i> | <i>y</i> | <i>z</i> | $U_{\text{iso}}^*/U_{\text{eq}}$ | Occ. (<1) |
|-----|--------------|-------------|--------------|----------------------------------|-----------|
| S1 | 0.51402 (10) | 0.35821 (8) | 0.70404 (6) | 0.0398 (3) | |
| F1 | 1.2832 (3) | 0.1041 (3) | 1.0280 (2) | 0.0764 (7) | |
| F2 | 1.0648 (3) | 0.1392 (4) | 1.16595 (19) | 0.0849 (8) | |
| F3 | 1.1664 (14) | 0.3549 (10) | 1.0613 (12) | 0.054 (2) | 0.61 (7) |
| F3A | 1.094 (10) | 0.3613 (16) | 1.106 (6) | 0.100 (14) | 0.39 (7) |
| O1 | 0.2047 (3) | 0.4458 (2) | 0.56512 (17) | 0.0405 (5) | |
| O2 | -0.0035 (3) | 0.7122 (2) | 0.54064 (19) | 0.0427 (5) | |
| H2 | -0.0646 | 0.6592 | 0.5121 | 0.064* | |
| C1 | 0.1620 (4) | 0.6021 (3) | 0.5733 (2) | 0.0332 (5) | |
| C2 | 0.2907 (4) | 0.6861 (3) | 0.6177 (2) | 0.0316 (5) | |
| C3 | 0.2487 (4) | 0.8678 (3) | 0.5973 (2) | 0.0376 (6) | |
| H3 | 0.1387 | 0.9315 | 0.5595 | 0.045* | |
| C4 | 0.3668 (4) | 0.9550 (3) | 0.6319 (2) | 0.0396 (6) | |
| H4 | 0.3375 | 1.0757 | 0.6172 | 0.048* | |
| C5 | 0.5291 (4) | 0.8595 (4) | 0.6888 (2) | 0.0400 (6) | |
| H5 | 0.6098 | 0.9166 | 0.7125 | 0.048* | |
| C6 | 0.5730 (4) | 0.6794 (3) | 0.7109 (2) | 0.0362 (6) | |
| H6 | 0.6825 | 0.6174 | 0.7497 | 0.043* | |

| | | | | |
|-----|------------|------------|------------|------------|
| C7 | 0.4555 (3) | 0.5897 (3) | 0.6759 (2) | 0.0303 (5) |
| C8 | 0.6908 (4) | 0.3131 (3) | 0.8091 (2) | 0.0328 (5) |
| C9 | 0.6355 (4) | 0.3133 (3) | 0.9291 (2) | 0.0378 (6) |
| H9 | 0.5055 | 0.3396 | 0.9548 | 0.045* |
| C10 | 0.7722 (4) | 0.2748 (4) | 1.0114 (2) | 0.0405 (6) |
| H10 | 0.7343 | 0.2740 | 1.0921 | 0.049* |
| C11 | 0.9646 (4) | 0.2375 (3) | 0.9731 (2) | 0.0335 (6) |
| C12 | 1.0216 (4) | 0.2340 (4) | 0.8540 (3) | 0.0447 (7) |
| H12 | 1.1518 | 0.2070 | 0.8288 | 0.054* |
| C13 | 0.8857 (4) | 0.2704 (4) | 0.7719 (3) | 0.0461 (7) |
| H13 | 0.9246 | 0.2663 | 0.6915 | 0.055* |
| C14 | 1.1122 (4) | 0.2104 (4) | 1.0605 (3) | 0.0450 (7) |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| S1 | 0.0441 (4) | 0.0305 (4) | 0.0495 (4) | -0.0120 (3) | -0.0242 (3) | -0.0013 (3) |
| F1 | 0.0508 (12) | 0.0796 (15) | 0.0942 (17) | 0.0002 (10) | -0.0385 (11) | -0.0105 (12) |
| F2 | 0.0770 (15) | 0.134 (2) | 0.0508 (12) | -0.0459 (15) | -0.0335 (10) | 0.0265 (12) |
| F3 | 0.057 (5) | 0.0356 (19) | 0.078 (4) | -0.0181 (19) | -0.034 (4) | -0.002 (2) |
| F3A | 0.15 (3) | 0.034 (3) | 0.14 (2) | -0.024 (7) | -0.11 (2) | -0.002 (6) |
| O1 | 0.0417 (10) | 0.0349 (10) | 0.0504 (11) | -0.0126 (8) | -0.0228 (8) | -0.0039 (8) |
| O2 | 0.0356 (10) | 0.0404 (10) | 0.0559 (12) | -0.0100 (8) | -0.0219 (8) | -0.0055 (9) |
| C1 | 0.0336 (13) | 0.0385 (14) | 0.0295 (12) | -0.0123 (10) | -0.0104 (10) | 0.0000 (10) |
| C2 | 0.0343 (13) | 0.0335 (12) | 0.0293 (12) | -0.0112 (10) | -0.0075 (9) | -0.0039 (9) |
| C3 | 0.0381 (13) | 0.0339 (13) | 0.0410 (14) | -0.0075 (11) | -0.0138 (11) | -0.0026 (10) |
| C4 | 0.0456 (15) | 0.0300 (13) | 0.0460 (15) | -0.0124 (11) | -0.0143 (12) | -0.0016 (11) |
| C5 | 0.0415 (15) | 0.0410 (15) | 0.0452 (15) | -0.0190 (12) | -0.0141 (12) | -0.0055 (11) |
| C6 | 0.0331 (13) | 0.0373 (14) | 0.0412 (14) | -0.0117 (11) | -0.0143 (11) | -0.0019 (11) |
| C7 | 0.0308 (12) | 0.0316 (12) | 0.0302 (12) | -0.0101 (10) | -0.0078 (9) | -0.0023 (9) |
| C8 | 0.0339 (12) | 0.0267 (12) | 0.0393 (13) | -0.0082 (9) | -0.0143 (10) | -0.0009 (10) |
| C9 | 0.0317 (13) | 0.0391 (14) | 0.0441 (15) | -0.0103 (11) | -0.0066 (11) | -0.0067 (11) |
| C10 | 0.0466 (15) | 0.0464 (16) | 0.0333 (13) | -0.0192 (12) | -0.0066 (11) | -0.0041 (11) |
| C11 | 0.0387 (13) | 0.0219 (11) | 0.0424 (14) | -0.0100 (9) | -0.0145 (11) | -0.0005 (9) |
| C12 | 0.0320 (13) | 0.0542 (17) | 0.0466 (16) | -0.0077 (12) | -0.0078 (11) | -0.0086 (13) |
| C13 | 0.0395 (15) | 0.0595 (18) | 0.0365 (14) | -0.0091 (13) | -0.0037 (11) | -0.0071 (13) |
| C14 | 0.0550 (18) | 0.0317 (13) | 0.0538 (17) | -0.0154 (12) | -0.0258 (14) | 0.0006 (12) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|---------|-----------|--------|-----------|
| S1—C7 | 1.782 (2) | C5—H5 | 0.9300 |
| S1—C8 | 1.783 (2) | C5—C6 | 1.387 (4) |
| F1—C14 | 1.328 (4) | C6—H6 | 0.9300 |
| F2—C14 | 1.322 (4) | C6—C7 | 1.396 (3) |
| F3—C14 | 1.343 (8) | C8—C9 | 1.381 (4) |
| F3A—C14 | 1.35 (2) | C8—C13 | 1.390 (4) |
| O1—C1 | 1.218 (3) | C9—H9 | 0.9300 |
| O2—H2 | 0.8200 | C9—C10 | 1.384 (4) |

| | | | |
|---------------|-------------|-----------------|------------|
| O2—C1 | 1.324 (3) | C10—H10 | 0.9300 |
| C1—C2 | 1.477 (3) | C10—C11 | 1.378 (4) |
| C2—C3 | 1.400 (4) | C11—C12 | 1.375 (4) |
| C2—C7 | 1.404 (3) | C11—C14 | 1.496 (4) |
| C3—H3 | 0.9300 | C12—H12 | 0.9300 |
| C3—C4 | 1.383 (4) | C12—C13 | 1.380 (4) |
| C4—H4 | 0.9300 | C13—H13 | 0.9300 |
| C4—C5 | 1.381 (4) | | |
| | | | |
| C7—S1—C8 | 101.59 (11) | C13—C8—S1 | 120.6 (2) |
| C1—O2—H2 | 109.5 | C8—C9—H9 | 119.7 |
| O1—C1—O2 | 122.6 (2) | C8—C9—C10 | 120.5 (2) |
| O1—C1—C2 | 123.3 (2) | C10—C9—H9 | 119.7 |
| O2—C1—C2 | 114.1 (2) | C9—C10—H10 | 120.2 |
| C3—C2—C1 | 118.3 (2) | C11—C10—C9 | 119.7 (2) |
| C3—C2—C7 | 119.4 (2) | C11—C10—H10 | 120.2 |
| C7—C2—C1 | 122.3 (2) | C10—C11—C14 | 120.1 (2) |
| C2—C3—H3 | 119.2 | C12—C11—C10 | 120.3 (2) |
| C4—C3—C2 | 121.6 (2) | C12—C11—C14 | 119.5 (3) |
| C4—C3—H3 | 119.2 | C11—C12—H12 | 120.0 |
| C3—C4—H4 | 120.6 | C11—C12—C13 | 120.0 (3) |
| C5—C4—C3 | 118.8 (2) | C13—C12—H12 | 120.0 |
| C5—C4—H4 | 120.6 | C8—C13—H13 | 119.9 |
| C4—C5—H5 | 119.7 | C12—C13—C8 | 120.2 (3) |
| C4—C5—C6 | 120.7 (2) | C12—C13—H13 | 119.9 |
| C6—C5—H5 | 119.7 | F1—C14—F3 | 97.8 (5) |
| C5—C6—H6 | 119.5 | F1—C14—F3A | 122 (3) |
| C5—C6—C7 | 121.1 (2) | F1—C14—C11 | 113.7 (2) |
| C7—C6—H6 | 119.5 | F2—C14—F1 | 104.4 (2) |
| C2—C7—S1 | 120.83 (18) | F2—C14—F3 | 115.3 (6) |
| C6—C7—S1 | 120.71 (19) | F2—C14—F3A | 91 (3) |
| C6—C7—C2 | 118.5 (2) | F2—C14—C11 | 113.2 (2) |
| C9—C8—S1 | 120.1 (2) | F3—C14—C11 | 111.3 (4) |
| C9—C8—C13 | 119.2 (2) | F3A—C14—C11 | 110.3 (8) |
| | | | |
| S1—C8—C9—C10 | 178.6 (2) | C8—S1—C7—C2 | -165.8 (2) |
| S1—C8—C13—C12 | -179.4 (2) | C8—S1—C7—C6 | 14.5 (2) |
| O1—C1—C2—C3 | 165.0 (3) | C8—C9—C10—C11 | 0.6 (4) |
| O1—C1—C2—C7 | -13.0 (4) | C9—C8—C13—C12 | -2.0 (4) |
| O2—C1—C2—C3 | -13.7 (3) | C9—C10—C11—C12 | -1.7 (4) |
| O2—C1—C2—C7 | 168.3 (2) | C9—C10—C11—C14 | 174.9 (2) |
| C1—C2—C3—C4 | -177.4 (2) | C10—C11—C12—C13 | 1.0 (4) |
| C1—C2—C7—S1 | -2.1 (3) | C10—C11—C14—F1 | 151.3 (3) |
| C1—C2—C7—C6 | 177.6 (2) | C10—C11—C14—F2 | 32.4 (4) |
| C2—C3—C4—C5 | -0.5 (4) | C10—C11—C14—F3 | -99.4 (7) |
| C3—C2—C7—S1 | 179.85 (19) | C10—C11—C14—F3A | -68 (4) |
| C3—C2—C7—C6 | -0.4 (4) | C11—C12—C13—C8 | 0.9 (5) |
| C3—C4—C5—C6 | 0.0 (4) | C12—C11—C14—F1 | -32.1 (4) |

| | | | |
|--------------|-----------|-----------------|------------|
| C4—C5—C6—C7 | 0.3 (4) | C12—C11—C14—F2 | −151.0 (3) |
| C5—C6—C7—S1 | 179.6 (2) | C12—C11—C14—F3 | 77.2 (7) |
| C5—C6—C7—C2 | −0.1 (4) | C12—C11—C14—F3A | 109 (4) |
| C7—S1—C8—C9 | 89.1 (2) | C13—C8—C9—C10 | 1.2 (4) |
| C7—S1—C8—C13 | −93.5 (2) | C14—C11—C12—C13 | −175.6 (3) |
| C7—C2—C3—C4 | 0.7 (4) | | |

Hydrogen-bond geometry (Å, °)

| D—H···A | D—H | H···A | D···A | D—H···A |
|---------------------------|------|-------|------------|---------|
| O2—H2···O1 ⁱ | 0.82 | 1.86 | 2.677 (3) | 175 |
| C6—H6···F3 ⁱⁱ | 0.93 | 2.59 | 3.319 (10) | 136 |
| C6—H6···F3A ⁱⁱ | 0.93 | 2.50 | 3.294 (16) | 144 |

Symmetry codes: (i) $-x, -y+1, -z+1$; (ii) $-x+2, -y+1, -z+2$.