

Cross-Coupling

Controlling Regioselectivity in Palladium-Catalyzed C—H Activation/Aryl-Aryl Coupling of 4-Phenylamino[2.2]paracyclophane

Christoph Zippel $^{+,[a]}$ Eduard Spuling $^{+,[a]}$ Zahid Hassan, $^{*[a, b]}$ Mika Polamo, $^{[c]}$ Martin Nieger, $^{[c]}$ and Stefan Bräse $^{*[a, b, d]}$

In memory of Dieter Enders

Abstract: Selective activation/functionalization of C-H bonds has emerged as an atom- and step-economical process at the forefront of modern synthetic chemistry. This work reports palladium-catalyzed exclusively para-selective C-H activation/aryl-aryl bond formation with a preference over N-arylation under the Buchwald-Hartwig amination reaction of 4-phenylamino[2.2] paracyclophane. This innovative synthetic strategy allows a facile preparation of [2.2] paracyclophane derivatives featuring disparate parasubstitutions at C-4 and C-7 positions in a highly selective manner, gives access to a series of potential candidates for [2.2]paracyclophane-derived new planar chiral ligands. The unprecedented behavior in reactivity and preferential selectivity of C-C coupling over C-N bond formation via C-H activation is unique to the [2.2]paracyclophane scaffold compared to the non-cyclophane analogue under the same reaction conditions. Selective C-H activation/arylaryl bond formation and sequential C-N coupling product formation is evidenced unambiguously by X-ray crystallography.

Carbon-hydrogen (C—H) bond functionalization as an atomand step-economical process have attracted tremendous attention owing to their exciting synthetic potential in complex molecules, such as natural products and pharmaceuticals.^[1] Advanced metal catalysts design in combination with efficient versatile ligands have greatly improved the practical utilization of C-H bonds, enabling fast and efficient derivatization.[2] Direct functionalization of C-H bonds with controlled site selectivity is an appealing concept, yet the ability to effect selective functionalization of one specific C-H bond over the others within complex molecules remains a more formidable challenge.[3] In contrast to electron-rich arenes and their reactivity/ selectivity patterns, [2.2]paracyclophane is a highly strained prevalent carbocycle bearing multiple C-H bonds of chemically very similar nature and laced with unexpected chemical reactivities and unique stereochemical features (planar chirality), but often resistant to chemical transformation and has been challenging scaffold for regioselective functionalization.[4] [2.2]Paracyclophane (PCP) scaffold has been largely investigated in planar chiral ligand design and development of asymmetric catalysts, [5] optoelectronic research, α -stacked conjugated polymers, [7] parylene-derived thin films, and bioinstructive coatings via chemical vapor deposition that finds broad applications in bio- and materials science. [8] This rather unusual "bent and battered" strained scaffold (consists of two co-facially stacked strongly interacting benzene rings, held together by two ethylene "bridges" at the bridgehead carbon atoms in para position), [9] has fascinated chemists for decades since its discovery in 1949 by gas-phase pyrolysis. [10] The short distance between the two cyclophane decks causes distortion abnormalities, forcing the benzene rings out of their aromatic planarity, which in turn causes unusual chemical reactivity when compared to conventional aromatics.

Transforming [2.2]paracyclophane scaffolds at only one or both benzene rings poses hurdles and synthetic challenges of

 [a] C. Zippel,⁺ Dr. E. Spuling,⁺ Dr. Z. Hassan, Prof. Dr. S. Bräse Institute of Organic Chemistry (IOC) Karlsruhe Institute of Technology (KIT) Fritz-Haber-Weg 6, 76131 Karlsruhe (Germany) E-mail: zahid.hassan@kit.edu braese@kit.edu

[b] Dr. Z. Hassan, Prof. Dr. S. Bräse 3D Matter Made To Order—Cluster of Excellence (EXC-2082/1-390761711) Karlsruhe Institute of Technology (KIT) 76131 Karlsruhe (Germany)

[c] Dr. M. Polamo, Dr. M. Nieger
 Department of Chemistry
 University of Helsinki
 P. O. Box 55, 00014 Helsinki (Finland)

[d] Prof. Dr. S. Bräse

Institute of Biological and Chemical Systems, Functional Molecular Systems (IBCS-FMS)

Karlsruhe Institute of Technology (KIT)

Hermann-von-Helmholtz-Platz 1 76344 Eggenstein-Leopoldshafen (Germany)


- [+] These authors contributed equally to this work.
- ☐ Supporting information and the ORCID identification number(s) for the author(s) of this article can be found under:
 - https://doi.org/10.1002/chem.202003709.
- © 2020 The Authors. Published by Wiley-VCH GmbH. This is an open access article under the terms of Creative Commons Attribution NonCommercial License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.




selectivity and unusual reactivity due to the transannular effects.[11] To functionalize PCP, the predominant synthetic strategies previously reported rely substantially on electrophilic substitution and subsequent transformations which offers the opportunity for improvements. Notable drawbacks and limitations are associated with conventional approaches, for instance, multiple pre-functionalization steps, low yields, an undesired mixture of side products, and a lack of selectivity due to the competing reactivity of the multiple C-H bonds of chemically very similar nature. [12] To overcome these hurdles, herein we report an atom-economical and minimal step-count process based on palladium-catalyzed selective C-H activation/aryl-aryl bond formation that offers many challenges to overcome and demonstrates significant practical advantages over previously reported other procedures for tailoring the [2.2] paracyclophane scaffold such as; 1) high regioselectivity control, 2) skips pre-functionalization steps and reducing tedious synthetic efforts, and 3) give access to a wide range of PCP-based products as potential candidates for new planar chiral ligands and other materials that would be otherwise difficult to prepare.

Our research group and others had a long-standing interest in the chemistry of [2.2]paracyclophane PCP scaffolds, from diverse application perspectives, including developing versatile, reliable, and commonly used practical PCP-based planar chiral ligands or catalysts employed most notably for synthetically important various enantioselective transformations.[13] Recent accomplishments include the direct introduction of substituents in pseudo-ortho and ortho-position using directing groups either for metalation^[14] or Pd-mediated functionalization.^[15] The synthesis of meta- difunctionalized derivatives on the other hand is particularly challenging so that de novo strategies are often inevitable. [16] Various synthetic approaches to access para-difunctionalized PCP-derivatives have been pursued (Scheme 1). The oxidative para- functionalization using phenyliodine(III) diacetate (PIDA) as oxidant,[17] as well as a para-directed bromination for a simple methoxy derivative have been developed.[18] Similarly, we have previously demonstrated a para-selective amination of hydroxy-PCP followed by subsequent oxidation to a quinone species and conversion to the versatile *para*-ditriflate derivative.^[19]


Exploring selective C-H functionalization, in our preliminary trial, N-phenylamino[2.2]paracyclophane (1) was chosen as a model platform because of the significant application perspectives of the conceivable resulting products. PCP 1 was subjected to the palladium-catalyzed Buchwald-Hartwig amination reaction conditions employing bromobenzene as a coupling partner, Pd₂dba₃ (5 mol%) with SPhos (15 mol%) as ligand and potassium tert-butoxide as base in toluene at 120 °C. The para C-H activation/aryl-aryl coupling product 3a was obtained in 51% yield (Scheme 2). After careful screening of different reaction conditions, (for detailed information, see Supporting Information, Tables S1-S7) including varying catalyst source, base, and temperature employing a series of chloro-, bromo- and iodobenzene derivatives as coupling partners, it was found that conducting strictly-controlled reaction at 60 °C, using Pd(PPh₃)₄ (5 mol%) in combination with KOtBu (1.25 equiv) as a base in Bolm et al.




DiMagno et al.



Bräse et al.



Scheme 1. Previous accomplishments towards para-difunctionalized PCPs.



Scheme 2. Pd-catalyzed *para*-selective C—H activation/aryl-aryl coupling under classical Buchwald-Hartwig- amination of N-phenylamino[2.2]paracyclophane (0.5 mmol, 0.17 $\rm M$): PhBr (0.6 mmol), $\rm Pd_2dba_3$ (5.0 mol%), SPhos (5.0 mol%), KOtBu (1.0 mmol), PhMe, 120 °C, 48 h.

toluene, enables a highly preferential and exclusively para- C-H activation/aryl-aryl coupling. Enabling preferential selectivity in other settings, for instance, selective borylation and silylation of an aryl C-H bond in the presence of the more reactive aryl C-Halogen bonds (aryl chloride and iodide) via catalyst control by choosing Pd- over Ir-catalysts has been proved most crucial in the kilo-scale synthesis of doravirine, [20] In literature such preferential selectivity of C-C bond formation over C-N coupling under Buchwald-Hartwig amination reaction conditions is rarely reported.

Under Pd-catalyzed Buchwald-Hartwig amination, aryl halides couple with N-phenylamino[2.2]paracyclophane in a highly selective manner, and enable one-pot sequential C-C and C-N coupling product formation of compound 4. The particular preferential para-selective C-H activation/C-C arylation coupling product 3 (Figure 1) and sequential C-N coupling product formation 4 (Figure 2), both were characterized by detailed spectroscopic techniques and unambiguously by singlecrystal X-ray analysis.

2




Figure 1. Molecular structure of *para*-phenyl *N*-phenylamino[2.2]paracyclophane **3 a** (minor disordered parts omitted for clarity, displacement parameters are drawn at 50% probability level; the quality of the crystal only allows to collate the connectivity on the unsubstituted benzene unit).





Figure 2. Molecular structure of *para*-phenyl *N,N*-diphenylamino[2.2]paracy-clophane **4** (displacement parameters are drawn at 50% probability level).

After careful screening of reaction conditions, the sequential C-N bond formation, initially observed and isolated in 9% yield, was completely oppressed (for detailed information see SI). In neither attempt, the diphenylamine PCP derivative 2 was detected. After having the optimized reaction conditions in hands, we investigated the generality and compatibility of this synthetic protocol (Scheme 3). Electron poor bromoarenes such as 4-nitro, 4-trifluoromethyl, 4-acetyl, and 4-diphenyltriazine did not give the desired products except for the 4-benzonitrile 3 b. Next, electron-donating bromoarenes were tested, which yielded the desired products in varying yields. While the 2-anthracenyl derivative 3 g and the diphenylamino derivative 3 f were isolated in moderate yields, respectively, the analogous carbazolyl derivative 3h could only be obtained in a poor yield of 12%. Despite having an ortho-methyl group, which induces steric hindrance and should, therefore, hamper the performance of the reaction, the para-xylene derivative 3e was formed with the best yield of 82% in this screening. Employing this synthetic protocol, Pd-catalyzed C-H activation/ aryl-aryl coupling can be exploited on a gram scale while controlling preferential regioselectivity of C-C bond formation via C-H activation over N-arylation under the optimized Buchwald-Hartwig amination reaction conditions. The para-xylene derivative 3e was formed with a 77% yield employing (1.00 g, 3.34 mmol) of N-phenylamino-PCP (1). To corroborate the marginal influence of steric effects on the yields, para-methoxy



Scheme 3. Generality, compatibility and synthetic scope of halo-arene derivatives as coupling partners: 1 (0.50 mmol, 0.17 m), Ar-Br (0.63 mmol), Pd(PPh₃)₄ (5.0 mol%), KOtBu (0.63 mmol), PhMe, 120 °C, 16 h. [a] 1 (1.00 g, 3.34 mmol) was used; all yields refer to the isolated compound.

(3 c, 39%) and *ortho*-methoxy (3 d, 44%) derivatives were synthesized. In each case, the corresponding coupling product formation was verified either by single-crystal X-ray structure analysis or the presence of the N–H band in NMR/IR spectroscopy. For both the latter examples, the molecular structure was confirmed by crystallography (Figure 3 and Figure 4).

To compare the chemical reactivity and selectivity, the *para*-xylene moiety is commonly used as a non-strained [2.2]paracy-




Figure 3. Molecular structure of **3c** (displacement parameters are drawn at 50% probability level).

3




Figure 4. Molecular structure of **3 d** (due to the bad quality of the crystal and the date only constitution and conformation determined (see SI for details), one of the two crystallographic independent molecules shown, isotropic displacement parameters are drawn at 50% probability level).

clophane analogue, hence we examined 2,5-dimethyl-*N*-phenylaniline (5) under the same Buchwald–Hartwig amination reaction conditions previously optimized for the PCP scaffold. Interestingly, it was found that substrate 5 predominantly yields the C–N coupling product 6 (Scheme 4), whereas no C–H bond functionalization was observed, at all. The C–N coupling product formation was verified by single-crystal X-rays analysis (Figure 5).

Scheme 4. Reactivity and selectivity of 2,5-dimethyl-*N*-phenylaniline (**5**) under Pd-catalyzed Buchwald–Hartwig amination reaction conditions initially optimized for the PCP core.




Figure 5. Molecular structure of **6** (one of the four crystallographic independent molecules shown, displacement parameters are drawn at 30% probability level).

In the case of multiple C—H bonds, the origin of the regiose-lectivity in coupling processes is dominated by electronic effects, but steric effects do play an important role. Compared to other aromatic systems, PCP shows a peculiar reactivity and preferential selectivity of C—H bond activation/aryl—aryl coupling over C—N bond formation. The preliminary evidence suggests that this might arise from through-space conjugation/electronic communication of the PCP structural motif. Additional insights into the mechanism could be obtained from in silico computational studies. Experimental efforts are underway for the isolation and characterization of intermediates, which might serve as a rationale for the understanding of the mechanism.

In summary, we have developed a two-step one-pot sequential strategy combining a direct para-selective C-H activation/ aryl-aryl coupling and subsequent C-N bond formation under Pd-catalyzed Buchwald-Hartwig amination reaction employing N-phenylamino[2.2]paracyclophane with a range of haloarenes for the preparation of synthetically useful PCPs. This process demonstrates a preferential selectivity of C-C bond formation over C-N coupling under the Buchwald-Hartwig amination reaction conditions. This preferential and exclusive para-site-selective C-H activation/aryl-aryl coupling enables selective substitution at previously inaccessible positions. Compared to the conventional synthetic strategies reported previously, this atom- and step-economical functionalization process based on selective C-H bond activation offers many challenges to overcome and demonstrates impressive practical advantages for tailoring PCP scaffolds such as 1) reducing tedious pre-functionalization steps, 2) highly preferential and site-controlled fashion, and 3) enables disparate substitution at previously inaccessible/challenging positions. In some cases, the yields of the C-H arylation products are low. During optimization, the particular role of catalyst/ligand combinations as well as the influence of the base were evaluated on the rate of the reaction and the yield of the C-H arylation products. A series of aromatic derivatives were used as coupling partners. However, for surmounting this problem, further studies on different C-H bond activation modes employing more sophisticated and versatile other complexes are needed.

The products can be readily transformed to showcase their utility in developing new planar chiral ligands or catalyst systems for stereo-controlled transformations. Beyond ligand/catalyst design, besides, inspired by the recent reports exploiting PCP scaffolds in (deep) blue through-space conjugated thermally activated delayed fluorescence (TADF) emitters, circularly polarized luminescence (CPL), and other PCP-based chemical vapor deposition (CVD) functional materials, we believe this new methodology and as well as the corresponding products could diversify PCP applications in designing conceptually novel and efficient PCP-based materials.

Supporting Information

Deposition Number(s) 2009020 (for **3a**), 2009021 (for **3c**), 2009022 (for **4**) and 2009023 (for **6**) contain the supplementary crystallographic data for this paper. These data are provided



free of charge by the joint Cambridge Crystallographic Data Centre and Fachinformationszentrum Karlsruhe Access Structures service www.ccdc.cam.ac.uk/structures. Due to the bad quality of the data of **3d** the data were not deposited with The Cambridge Crystallographic Data Centre (see Supporting Information for crystallographic data).

Experimental procedures and spectral data for all the new compounds are available in the Supporting Information.

Acknowledgements

This work is supported by the Helmholtz Association Program at the Karlsruhe Institute of Technology. The authors acknowledge support from Deutsche Forschungsgemeinschaft under Germany's Excellence Strategy -3DMM2O—EXC-2082/1–390761711. Open access funding enabled and organized by Projekt DEAL.

Conflict of interest

The authors declare no conflict of interest.

Keywords: [2.2] paracyclophane \cdot aryl-aryl coupling \cdot Buchwald-Hartwig amination \cdot C—H activation \cdot cyclophanes \cdot palladium

- a) J. Yamaguchi, A. D. Yamaguchi, K. Itami, Angew. Chem. Int. Ed. 2012, 51, 8960-9009; Angew. Chem. 2012, 124, 9092-9142; b) J. Loup, U. Dhawa, F. Pesciaioli, J. Wencel-Delord, L. Ackermann, Angew. Chem. Int. Ed. 2019, 58, 12803-12818; Angew. Chem. 2019, 131, 12934-12949; c) M. P. Doyle, K. I. Goldberg, Acc. Chem. Res. 2012, 45, 777-778; d) H. M. L. Davies, J. D. Bois, J. Q. Yu, Chem. Soc. Rev. 2011, 40, 1855-1856.
- [2] a) H. M. L. Davies, D. Morton, ACS Cent. Sci. 2017, 3, 936–943; b) P.
 Wang, P. Verma, G. Xia, J. Shi, J. X. Qiao, P. T. W. Chang, M. A. Poss, M. E.
 Farmer, K. S. Yeung, J. Q. Yu, Nature 2017, 551, 489–493.
- [3] S. R. Neufeldt, M. S. Sanford, Acc. Chem. Res. 2012, 45, 936-946.
- [4] a) For a special Issue on Cyclophanes Chemistry: [2.2]Paracyclophane— After 60 Years, Stronger Than Ever, Isr. J. Chem. 2012, 52, 1–192; b) Modern Cyclophane Chemistry (Eds.: R. Gleiter, H. Hopf), Wiley-VCH, Weinheim, 2004.
- [5] S. E. Gibson, J. D. Knight, Org. Biomol. Chem. 2003, 1, 1256-1269.
- [6] a) N. Sharma, E. Spuling, C. M. Mattern, W. Li, P. Fuhr, Y. Tsuchiya, C. Adachi, S. Bräse, D. W. Samuel, E. Z. Colman, *Chem. Sci.* 2019, *10*, 6689 6696; b) E. Spuling, N. Sharma, D. W. Samuel, E. Z. Colman, S. Bräse, *Chem. Commun.* 2018, *54*, 9278 928; c) M. Y. Zhang, Z. Y. Li, B. Lu, Y. Wang, Y.-D. Ma, C. H. Zhao, *Org. Lett.* 2018, *20*, 6868 6871; d) X. Liang, T. T. Liu, Z. P. Yan, Y. Zhou, J. Su, X. F. Luo, Z.-G. Wu, Y. Wang, Y. X. Zheng, J. L. Zuo, *Angew. Chem. Int. Ed.* 2019, *58*, 17220 17225; *Angew. Chem.* 2019, *131*, 17380 17385.

- [7] a) E. Elacqua, M. Gregor, Angew. Chem. Int. Ed. 2019, 58, 9527–9532;
 Angew. Chem. 2019, 131, 9627–9632; b) Y. Morisaki, Y. Chujo, Angew. Chem. Int. Ed. 2006, 45, 6430–6437; Angew. Chem. 2006, 118, 6580–6587; c) G. P. Bartholomew, G. C. Bazan, Acc. Chem. Res. 2001, 34, 30–39; d) π-Stacked Polymers and Molecules (Ed.: T. Nakano), Springer, 2014.
- [8] a) T. Moss, A. Griener, Adv. Mater. Interfaces 2020, 7, 1901858; b) K. C. Cheng, M. A. Bedolla-Pantoja, Y. K. Kim, J. V. Gregory, F. Xie, A. de France, C. Hussal, K. Sun, N. L. Abbott, J. Lahann, Science 2018, 362, 804 808.
- [9] D. J. Cram, J. M. Cram, Acc. Chem. Res. 1971, 4, 204-213.
- [10] C. J. Brown, A. C. Farthing, Nature 1949, 164, 915.
- [11] a) O. R. P. David, *Tetrahedron* **2012**, *68*, 8977 8993; b) A. de Meijere, B. Stulgies, K. Albrecht, K. Rauch, H. A. Wegner, H. Hopf, L. T. Scott, L. Eshdat, I. Aprahamian, M. Rabinovitz, *Pure Appl. Chem.* **2006**, *78*, 813 830; c) A. de Meijere, B. König, *Synlett* **1997**, 1221 1232.
- [12] Z. Hassan, E. Spuling, D. M. Knoll, S. Bräse, Angew. Chem. Int. Ed. 2020, 59, 2156–2170; Angew. Chem. 2020, 132, 2176–2190.
- [13] a) Z. Hassan, E. Spuling, D. M. Knoll, J. Lahann, S. Bräse, Chem. Soc. Rev. 2018, 47, 6947–6963; b) S. Bräse, Planar Chiral Ligands based on [2.2]Paracyclophanes. Asymmetric Synthesis: The Essentials (Eds: M. Christmann, S. Bräse), Wiley-VCH, Weinheim, 2006; c) P. J. Pye, K. Rossen, R. A. Reamer, N. N. Tsou, R. P. Volante, P. J. Reider, J. Am. Chem. Soc. 1997, 119, 6207–6208; d) V. Rozenberg, T. Danilova, E. Sergeeva, E. Vorontsov, Z. Starikova, K. Lysenko, Y. Belokon, Eur. J. Org. Chem. 2000, 3295–3303; e) G. J. Rowlands, Isr. J. Chem. 2012, 52, 60–75; f) J. Paradies, Synthesis 2011, 3749–3766.
- [14] a) M. Enders, C. J. Friedmann, P. N. Plessow, A. Bihlmeier, M. Nieger, W. Klopper, S. Bräse, Chem. Commun. 2015, 51, 4793–4795; b) P. B. Hitchcock, G. J. Rowlands, R. Seacome, J. Org. Biomol. Chem. 2005, 3, 3873–3876.
- [15] a) P. Lennartz, G. Raabe, C. Bolm, Adv. Synth. Catal. 2012, 354, 3237–3249; b) J. J. P. Kramer, C. Yildiz, M. Nieger, S. Bräse, Eur. J. Org. Chem. 2014, 1287–1295.
- [16] a) H. F. Chow, K. H. Low, K. Y. Wong, Synlett 2005, 2130–2134; b) M. Montanari, A. Bugana, A. K. Sharma, D. Pasini, Org. Biomol. Chem. 2011, 9, 5018–5020; c) T. Otsubo, V. Boekelheide, Tetrahedron Lett. 1975, 16, 3881–3884; d) F. Bally-Le Gall, C. Hussal, J. Kramer, K. Cheng, R. Kumar, T. Eyster, A. Baek, V. Trouillet, M. Nieger, S. Bräse, J. Lahann, Chem. Eur. J. 2017, 23, 13342–13350.
- [17] P. Schaal, H. Baars, G. Raabe, I. Atodiresei, C. Bolm, Adv. Synth. Catal. 2013, 355, 2506 – 2512.
- [18] B. Wang, J. W. Graskemper, L. Qin, S. G. DiMagno, Angew. Chem. Int. Ed. 2010, 49, 4079 – 4083; Angew. Chem. 2010, 122, 4173 – 4177.
- [19] M. Cakici, Z. G. Gu, M. Nieger, J. Bürck, L. Heinke, S. Bräse, Chem. Commun. 2015, 51, 4796 – 4798.
- [20] a) J. F. Hartwig, Acc. Chem. Res. 2017, 50, 549-555; b) T. Ishiyama, J. Takagi, K. Ishida, N. Miyaura, N. R. Anastasi, J. F. Hartwig, J. Am. Chem. Soc. 2002, 124, 390-391.
- [21] C. Braun, M. Nieger, S. Bräse, L. L. Schafer, ChemCatChem 2019, 11, 5264–5268.
- [22] J. Li, P. Shen, Z. Zhao, B. Z. Tang, CCS Chem. 2019, 1, 181 196.
- [23] S. Grosjean, M. Wawryszyn, H. Mutlu, S. Bräse, J. Lahann, P. Theato, Adv. Mater. 2019, 31, 1806334.

Manuscript received: August 10, 2020 Accepted manuscript online: August 15, 2020 Version of record online: ■■ ■ ■ ,0000


www.chemeurj.org

COMMUNICATION

Cross-Coupling

C. Zippel, E. Spuling, Z. Hassan,* M. Polamo, M. Nieger, S. Bräse*

Controlling Regioselectivity in
Palladium-Catalyzed C—H Activation/
Aryl-Aryl Coupling of 4Phenylamino[2.2]paracyclophane



C—**H First:** Palladium-catalyzed preferential and exclusively *para*- site-selective C—H activation/aryl—aryl bond formation with a preference over *N*-arylation under the Buchwald—Hartwig amination reaction conditions of 4-*N*-phenylamino[2.2]paracyclophane is developed. This unanticipated reactivity/selectivity is investigated in terms of generality, compatibility, and synthetic scope that gives access to a series of potential candidates for PCP-derived new planar chiral ligands.