

NPS52-80-012

NAVAL POSTGRADUATE SCHOOL

Monterey, California



Baseline Implementations of the
Standard Line Editor (SLED)

L. Cox, R. Coulter,
C. Taylor, R. Burnham, and S. Smart

October 1980

Approved for public release; distribution unlimited.

Prepared for Naval Postgraduate School, Monterey
California 93940

DUDLEY KNOX LIBRARY
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943-5101

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral T. F. Ekelund
Superintendent

D. A. Schraday
Acting Provost

Reproduction of all or part of this report is authorized.

This report was prepared by:

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

DUDLEY KNOX LIBRARY
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA 93943-5101

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS
BEFORE COMPLETING FORM

1. REPORT NUMBER NPS52-80-012		2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Baseline Implementations of the Standard Line EDitor (SLED)		5. TYPE OF REPORT & PERIOD COVERED Technical Report	
7. AUTHOR(s) Lyle Ashton Cox, Jr., et. al.		8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940		12. REPORT DATE October 1980	13. NUMBER OF PAGES 117
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Text Editor Software Engineering Computer Networks			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In response to a recognized requirement for a more uniform man machine interface, especially in multiple machine networks, a standardized text editor was proposed (1). This editor, "SLED" was designed to be easily implementable in several commonly available higher level languages. This document reviews two baseline implementations taken directly from the SLED standards which users may want to consider when implementing SLED upon local systems. These baseline programs were written and documented with portability and understandability as goals.			

Baseline Implementations of the
Standard Line EDitor (SLED)

Lyle A. Cox Jr.
Editor

Department of Computer Science
Naval Postgraduate School
Monterey, California

ABSTRACT

In response to a recognized requirement for a more uniform man machine interface, especially in multiple machine networks, a standardized text editor was proposed (1). This editor, "SLED" was designed to be easily implementable in several commonly available higher level languages. This document reviews two baseline implementations taken directly from the SLED standards which users may want to consider when implementing SLED upon local systems. These baseline programs were written and documented with portability and understandability as goals.

BACKGROUND

During the Winter of 1979 and Spring of 1980, shortly after the Standard Line EDitor definition was first developed, several persons at the Naval Postgraduate School undertook implementations of SLED. Two of these implementations -- the documentation and the code -- are reproduced here.

Appendix A contains the SLED implementation developed by C. F. Taylor, Jr. on an IBM 360 system in FORTRAN. Appendix B contains an alternate implementation developed by R. M. Burnham, R. J. Coulter, and S. W. Smart in the PASCAL language.

Neither of these implementations should be considered "off the shelf" commercial quality software ready for installation. These systems do however provide two critical portions of the implementation:

1. Each contains the basic code in a "portable" higher level language, and
2. The code of each implementation is written for readability,

and the documentation has been written to allow the program to be adapted to any system with a minimum of difficulty.

It is hoped that these baseline programs will serve to facilitate the implementation of the SLED man machine interface on a variety of machines.

Acknowledgments:

I would like to thank the authors of the included codes, C. Taylor, R. Burnham, R. Coulter, and S. Smart for their particularly outstanding work on this project. I would also like to acknowledge the assistance of many of their contemporaries who attempted alternative implementations, and who helped in the evolution of the SLED standards. I would also like to thank Dr. R. W. Hamming and LTCOL. R. R. Schell for their comments and interest.

Lyle A. Cox Jr.
15 August, 1980

- (1) "The Text Editor As A Uniform Man/Machine Interface. A Proposal for a Standard Editor." L. A. Cox Jr., Naval Postgraduate School Report NPS52-80-001 (Feb. 1980).

Appendix A
SLED FORTRAN Implementation
(by C. F. Taylor Jr.)

The purpose of these notes is to briefly describe the accompanying FORTRAN implementation of SLED.

SLED FORTRAN Version FORT1.1 was implemented on an IBM 360/67 computer under the CP/CMS time-sharing operating system at the W. R. Church Computer Center at the Naval Postgraduate School, in a superset of IBM FORTRAN IV, Level G, which included the "IF-THEN-ELSE" and "WHILE-DO" constructs of WATFIV-S. The addition of these two constructs greatly simplified the writing of the program and were implemented with the aid of a preprocessor written by this author. Standard FORTRAN version (the output of the preprocessor) is shown on the following pages.

This version was compiled using an IBM FORTRAN IV/G compiler.

The package was implemented using the utility routines shown on pages A37-A40 of the listings. The 'TDISK EXEC' module was used to obtain the required disk space for the 4000 line (320K byte) temporary work file. It is assumed that this work space would be provided at the system level in any actual implementation of SLED. Because it is a direct-access disk file, sufficient space must be available in advance for the maximum capacity of the editor, which in this case is 4000 lines. This figure was selected somewhat arbitrarily; CP/CMS gives the user 800 bytes per track (IBM 2314), using the remaining space for overhead, so at 80 bytes per line, 4000 lines represents 400 tracks. Installations which do not need to edit such large files could reduce disk requirements by further limiting the capacity of the editor as follows:

1. Do a global substitution to replace the string '4000' in the program by the new capacity.
2. Modify the 'DEFINE FILE' statement in subroutine MEMORY as necessary.
3. Alter the FILEDEF statement in 'SLED1 EXEC' (or the equivalent action on another system) to request less disk space.

The basic data structures used are as follows: The file to be edited (unless a new file is being established) is read in sequentially by subroutine OPEN and stored in the work file (described above) which is conceptually a 4000 line by 80 column array. All references to the work file are made through calls to subroutine MEMORY. The lines of the work file are not necessarily kept in order. A 4000 element from the file is determined by popping the top element from the stack. This value is then recorded in the 4000 element array LPTR. LPTR(I) then always gives the address in the work file of the Ith line of the text file. As lines are deleted, their addresses are pushed back onto

additions and deletions of lines by manipulating pointers rather than the text itself. Still, the work file may be accessed sequentially by using LPTR(I) as the index.

Input from the terminal is buffered in a circular queue in subroutine GETLIN. This permits the "stacking" of more than one command per line at the terminal. Calls to GETLIN return a line from the head of the queue or, if the queue is empty it reads in a new line from the terminal.

The QUIT subroutine writes the work file sequentially (using LPTR as an index) to the output file.

Additional notes which may be of interest to the local implementor follow: (including deviations from the SLED standard).

1. Integer*2 variables were used for all character storage (and for the two large arrays STACK and LPTR). Only one character was stored per word.

2. Because FORTRAN reads only fixed-length formatted records from the terminal, the carriage return cannot be used to terminate a string. This means that 'DS' and 'RS' commands must use the logical terminator character (default '\$') to terminate strings and that the 'RS' command should be used as follows: RS\$str1\$str2\$.

3. The 'RS' command replaces only the first occurrence of a string in a line because of this author's firm conviction that to allow only multiple substitution would be dangerous. In an editor such as this without a TAB function, a common string substitution would be to replace one blank with two blanks on a line. What would happen if this were done for every occurrence of a blank on the line is too horrible to contemplate.

4. The CP/CMS operating system and IBM FORTRAN required that filenames be handled external to the program itself. The routine 'SLED EXEC' executes the simple program 'SLEDVERS' when 'SLED' is typed to alert the user to the required entry procedure, 'SLED1 <filename> <file-type>'. SLED1 EXEC then invokes the actual edit program, SLED2. The filename given the program internally is meaningless and provided only for cosmetic reasons. This system requires that only one file be opened per session.

5. Another limitation of FORTRAN required that the program read input from the line following the program prompt, not a serious problem.

SLED - STRUCTURED FORTRAN

10/02/80 12.20.49

FILE: SLED FORTRAN T1

NAVAL POSTGRADUATE SCHOOL

C STANDARD LINE EDITOR--FORTRAN IMPLEMENTATION

SLED VERSION FORTL.1 NPS MONTEREY 900401
PROGRAMMED BY: C. F. TAYLOR, JR., CODE 55TA

FOR FURTHER INFORMATION SEE NPS TECHNICAL REPORT
NPS 52-80-001 BY L. A. COX, JR.

MAIN PROGRAM:

READS IN COMMANDS AND CALLS THE APPROPRIATE SUBROUTINE
IMPLEMENTS THE "EDIT" MODE

```
1 COMMON /BLK1/IN,OUT
1 /BLK5/MFLAG,ERRCT,CURLIN
INTEGER*2 C1,C2,A,C,D,L,M,O,Q,R,S,T,V,INLINE,BLNK
INTEGER IN,OUT,ERRCT,CURLIN,NC
DIMENSION INLINE(80)
LOGICAL FLAG,OPENFL,MFLAG
DATA A/'A'/,C/'C'/,D/'D'/,L/'L'/,M/'M'/,O/'O'/,Q/'Q'/,R/'R'/
1 S/'S'/,T/'T'/,V/'V'/,BLNK//'
2000 FORMAT (' E>')
2010 FORMAT (' -INVALID COMMAND- ',2A1)
2020 FORMAT (' -NO TEXT FILE OPEN- ')
2030 FORMAT (' -ONLY ONE FILE CAN BE OPENED PER SESSION IN THIS ',
1 'VERSION OF SLED-')
C EDIT MODE--WRITE PROMPT
WRITE (OUT,2000)
CALL GETLIN(INLINE,NC)
C1 = INLINE(1)
C2 = INLINE(2)
C FLAG GOES FALSE AFTER 'QUIT'
FLAG = .TRUE.
C OPENFL GOES TRUE AFTER FILE IS OPENED
OPENFL = .FALSE.
C MAIN EDIT LOOP
WHILE (FLAG) DO
    IF (.NOT.(OPENFL .OR. (C1.EQ.0) .OR. (C1.EQ.M)
1 .OR. (C1.EQ.V))) THEN DO
        FILE NOT OPEN AND THIS IS NOT AN 'OPEN' COMMAND
        OR A 'MENU' OR 'VERSION' REQUEST
        WRITE (OUT,2020)
    ELSE DO
        EMULATE CASE (SWITCH) STATEMENT TO PROCESS COMMANDS
        IF (C1 .EQ. BLNK) GO TO 200
        IF (C1.NE.L) GO TO 10
            CALL LIST(INLINE)
            GO TO 200
10     CONTINUE
        IF (C1.NE.S) GO TO 20
            CALL SCREEN(INLINE)
            GO TO 200
20     CONTINUE
        IF ((C1.NE.R).OR.(C2.NE.S)) GO TO 30
```

FILE: SLED

FORTRAN T1

NAVAL POSTGRADUATE SCHOOL

```
          CALL RS(INLINE)
          GO TO 200
30      CONTINUE
          IF ((C1.NE.R).OR.(C2.NE.L)) GO TO 40
              CALL RL(INLINE)
              GO TO 200
40      CONTINUE
          IF ((C1.NE.A).OR.(C2.NE.L)) GO TO 50
              CALL AL(INLINE)
              GO TO 200
50      CONTINUE
          IF ((C1.NE.D).OR.(C2.NE.S)) GO TO 60
              CALL DS(INLINE)
              GO TO 200
60      CONTINUE
          IF (C1.NE.Q) GO TO 70
              CALL QUIT
              FLAG = .FALSE.
              GO TO 200
70      CONTINUE
          IF (C1.NE.V) GO TO 80
              CALL VERS
              GO TO 200
80      CONTINUE
          IF (C1.NE.M) GO TO 90
              CALL MENU
              GO TO 200
90      CONTINUE
          IF (C1.NE.O) GO TO 100
              IF (OPENFL) THEN DO
                  WRITE (OUT,2030)
              ELSE DO
                  CALL OPEN
                  OPENFL = .TRUE.
              END IF
              GO TO 200
100     CONTINUE
          IF ((C1.NE.C).OR.(C2.NE.T)) GO TO 110
              CALL CT(INLINE)
              GO TO 200
110     CONTINUE
C          IF PROGRAM GETS HERE, COMMAND IS INVALID
C              WRITE (OUT,2010) C1,C2
C              ERRCT = ERRCT + 1
C          END CASE
C          CONTINUE
C          IF (ERRCT.GE.2) THEN DO
C              CALL MENU
C              ERRCT = 0
C          END IF
C      END IF
C      IF (FLAG) THEN DO
C          GET NEXT LINE
C          IF (.NOT.MFLAG) WRITE (OUT,2000)
```

FILE: SLED FORTRAN T1 NAVAL POSTGRADUATE SCHOOL

```
      CALL GETLIN(INLINE,NC)
      C1 = INLINE(1)
      C2 = INLINE(2)
    END IF
END WHILE
STOP
END
```

BLOCK DATA

```
2   COMMON /BLK1/ IN,OUT
2   /BLK3/ TFILE
2   /BLK4/ TCHAR
3   /BLK5/ MFLAG,ERRCT,CURLIN
1   INTEGER#2 TCHAR
1   INTEGER IN,OUT,TFILE,ERRCT,CURLIN
1   LOGICAL MFLAG
1   DATA IN/5/,OUT/6/,TCHAR/'$'/,ERRCT/0/,MFLAG/.FALSE./,CURLIN/1/,
1   TFILE/2/
END
```

SUBROUTINE LIST(CLINE)

DISPLAYS TEXT TO THE TERMINAL

```
CCMON /BLK1/ IN,OUT
1   /BLK2/ LPTR,MAXLIN,EOF
1   /BLK5/ MFLAG,ERRCT,CURLIN
2   INTEGER#2 BLNK,LPTR,COMMA,OUTLIN,CLINE
2   INTEGER IN,OUT,I,J,N1,N2,MAXLIN,EOF,ERRCT,CURLIN,FETCH
2   LOGICAL MFLAG,EFLAG
2   DIMENSION CLINE(80),OUTLIN(80),LPTR(4000)
2   DATA BLNK/' '/,COMMA/' ,'/,FETCH/0/
2100 FORMAT (' -INVALID COMMAND-')
2110 FORMAT (' ',I4,IX,80A1)
2120 FORMAT (' -EOF-')
```

```
C
C   IF COL 2 IS BLANK, PRINT CURLIN AND EXIT
C   IF (CLINE(2) .EQ. BLNK) THEN DO
C     CALL MEMORY (FETCH,OUTLIN,LPTR(CURLIN))
C     WRITE (OUT,2110) CURLIN, OUTLIN
C   ELSE DO
C     NOW CHECK FOR LINE NUMBERS IN COMMAND
C     CALL COMLIN(2,CLINE,N1,N2,EFLAG)
C     IF (N1 .LE. 0) N1 = 1
C     IF (N1 .GT. N2) EFLAG = .TRUE.
C     IF (N1 .GE. EOF) EFLAG = .TRUE.
C     IF (EFLAG) THEN DO
C       ERRCT = ERRCT + 1
C       WRITE (OUT,2100)
C     ELSE DO
C       ERRCT = 0
C       I = N1
```

FILE: SLED FORTRAN T1 NAVAL POSTGRADUATE SCHOOL

```

        WHILE (((I.LE.N2).AND.(I.LT.EOF)) DO
          CALL MEMORY (FETCH,OUTLIN,LPTR(I))
          WRITE (OUT,2110) I, OUTLIN
          CURLIN = I
          I = I + 1
        END WHILE
        IF (I.GE.EOF) WRITE (OUT,2120)
      END IF
    RETURN
  END

```

SUBROUTINE SCREEN(CLNE)

```

C DISPLAYS 20 LINES BEGINNING WITH CURLIN OR OTHER SPECIFIED LINE
C
COMMON /BLK1/ IN,OUT
         /BLK2/ LPTR,MAXLIN,EOF
         /BLK5/ MFLAG,ERRCT,CJRLIN
1  INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,I,N1,N2,LIMIT,
     FETCH,N
2  INTEGER#2 CLINE,LPTR,OUTLIN,BLNK
LOGICAL MFLAG,EFLAG
DIMENSION CLINE(80),OUTLIN(80),LPTR(4000)
DATA BLNK/' /,FETCH/0/
2100 FORMAT (' -INVALID COMMAND- ')
2110 FORMAT (' ',I4,LX,80A1)
2120 FORMAT (' -EOF- ')
C
C EFLAG = .FALSE.
C FIND OUT WHETHER USER SPECIFIED A LINE
IF (CLINE(2).NE.BLNK) THEN DO
  CALL COMLIN(2,CLINE,N1,N2,EFLAG)
  IF (N1.LE.0) N1 = 1
  IF (N1.GE.EOF) EFLAG = .TRUE.
  IF (.NOT. EFLAG) CURLIN = N1
END IF
IF (EFLAG) THEN DO
  ERRCT = ERRCT + 1
  WRITE (OUT,2100)
ELSE DO
  ERRCT = 0
  LIMIT = MIN0(CURLIN+19,EOF-1)
  DO 10 I = CURLIN,LIMIT
    CALL MEMORY(FETCH,OUTLIN,LPTR(I))
    WRITE (OUT,2110) I,OUTLIN
10  CONTINUE
  CURLIN = LIMIT
  IF (LIMIT.EQ.EOF-1) WRITE (OUT,2120)
END IF
RETURN
END

```

SUBROUTINE RL(CLIN)

REPLACES CURRENT LINE OR THE SPECIFIED LINE OR LINES WITH
ANY NUMBER OF LINES

```

1      COMMON    /BLK1/ IN,OUT
2          /BLK2/ LPTR,MAXLIN,EOF
3          /BLK5/ MFLAG,ERRCT,CURLIN
4      INTEGER IN,JUT,MAXLIN,EOF,ERRCT,CURLIN,I,N1,N2,I,J,LIMIT,
5          STORE
6      INTEGER*2 CLINE,LPTR,BLNK
7      LOGICAL MFLAG,EFLAG
8      DIMENSION CLINE(80),LPTR(4000)
9      DATA BLNK/' '/,STORE/1/
10     FORMAT (' -INVALID COMMAND- ')
11
12     N1 = CURLIN
13     N2 = N1
14     DETERMINE WHICH LINE(S) TO REPLACE
15     IF (CLINE(3).NE.BLNK) THEN DO
16         CALL COMLIN(3,CLINE,N1,N2,EFLAG)
17         IF (N1 .LE. 0) EFLAG = .TRUE.
18         IF (N1 .GE. EOF) EFLAG = .TRUE.
19         IF (.NOT. EFLAG) CURLIN = N1
20     END IF
21     IF (EFLAG) THEN DO
22         ERRCT = ERRCT + 1
23         WRITE (JUT,2100)
24     ELSE DO
25         ERRCT = 0
26         IF (N2 .GE. EOF) N2 = EOF - 1
27         REMOVE DESIGNATED LINES
28         N = N2 - N1 + 1
29         DO 20 I = 1,N
30             LIMIT = EOF - 2
31             CALL PUSH(ILPTR(N1))
32             DO 10 J = N1,LIMIT
33                 LPTR(J) = LPTR(J+1)
34             CONTINUE
35             EOF = EOF - 1
36         CONTINUE
37         NOW INPUT REPLACEMENT LINES
38         CALL INPUT
39     END IF
40     RETURN
41 END

```

SUBROUTINE AL(CLIN)

INPUT TEXT AFTER LINE N

COMMON /BLK1/ IN,OUT

```

1      /BLK5/ MFLAG,ERRCT,CURLIN
      INTEGER#2 BLNK,CLINE
      INTEGER IN,OUT,[,J,N,N1,N2,ERRCT,CURLIN
      LOGICAL MFLAG,EFLAG
      DIMENSION CLINE(80)
      DATA BLNK/' '/
2100  FORMAT (' -INVALID COMMAND- ')
C
C      EXTRACT LINE NUMBER FROM COMMAND LINE
      CALL COMLIN(3,CLINE,N1,N2,EFLAG)
      IF (N1 .LT. 0) EFLAG = .TRUE.
      N = N1
      IF (EFLAG) THEN DO
          ERRCT = ERRCT + 1
          WRITE (OUT,2100)
      ELSE DO
          ERRCT = 0
          CURLIN = N + 1
          CALL INPUT
      END IF
      RETURN
END

```

SUBROUTINE DS(CLINE)

```

C
CCCCC
C      PART OF SLED PACKAGE
C      DISPLAYS ALL LINES CONTAINING THE DESIGNATED STRING, POSSIBLY
C      LIMITED TO LINES N THROUGH M.
C
1      COMMON /BLK1/ IN,OUT
2      /BLK2/ LPTR,MAXLIN,EOF
      /BLK5/ MFLAG,ERRCT,CURLIN
      INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,N1,N2,NC,FETCH,MCI
      INTEGER#2 CLINE,LPTR,BLNK,STRING,LINE
      LOGICAL MFLAG,EFLAG,MATCH,FOUND
      DIMENSION CLINE(80),LINE(80),LPTR(4000),STRING(80)
      DATA BLNK/' '/,FETCH/0/
2100  FORMAT (' -INVALID COMMAND- ')
2110  FORMAT (' ',I4,1X,80A1)
2220  FORMAT (' OLD STRING?>')
2250  FORMAT (' -NO STRING FOUND- ')
C
C      DEFAULT VALUES
      FOUND = .FALSE.
      EFLAG = .FALSE.
      N1 = 1
      N2 = EOF - 1
C
C      DETERMINE WHETHER N1,N2 WERE SPECIFIED BY USER
      IF (CLINE(3) .NE. BLNK) THEN DO
          CALL COMLIN(3,CLINE,N1,N2,EFLAG)
          IF (N1 .GE. EOF) EFLAG = .TRUE.
          IF (N2 .GE. EOF) N2 = EOF - 1
          IF (N1 .LE. 0) N1 = 1
      END IF

```

```

IF (EFLAG) THEN DO
    ERRCT = ERRCT + 1
    WRITE (OUT,2100)
ELSE DO
    ERRCT = 0
    FETCH STRING; ISSUE PROMPT IF NECESSARY
    IF (.NOT. MFLAG) WRITE (OUT,2220)
    CALL GETLIN (STRING,NC)
    IF (NC .LE. 0) THEN DO
        ERRCT = ERRCT + 1
        WRITE (OUT,2100)
    ELSE DO
        DO 20 I = N1,N2
            CALL MEMORY(FETCH,LINE,LPTR(I))
            CALL SEARCH(LINE,STRING,NC,MATCH,MCL)
            IF (MATCH) THEN DO
                FOUND = .TRUE.
                WRITE (OUT,2110) I,LINE
                CURLIN = I
            END IF
        CONTINUE
        IF (.NOT. FOUND) WRITE (OUT,2250)
    END IF
RETURN
END
SUBROUTINE RS(CLINE)

```

PART OF SLED PACKAGE
REPLACES THE FIRST OCCURRENCE OF STRING1 WITH STRING2 ON THE CURRENT LINE OR WITHIN THE SPECIFIED RANGE OF LINES

```

COMMON /BLK1/ IN,OUT
/BLK2/ LPTR,MAXLIN,EOF
/BLK5/ MFLAG,ERRCT,CURLIN
INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,N1,N2,I,J,K,L,M,
      N,MCL,NC1,NC2,FETCH,STORE
INTEGER*2 CLINE,LPTR,BLNK,STRI,STR2,LINE
DIMENSION LPTR(4000),CLINE(80),STRI(80),STR2(80),LINE(80)
DATA BLNK/' '/,FETCH/0/,STORE/1/
LOGICAL MFLAG,FOUND,MATCH,EFLAG
FORMAT (' -INVALID COMMAND-')
2100 FORMAT (' ',I4,1X,80A1)
2230 FORMAT (' OLD STRING?>')
2240 FORMAT (' NEW STRING?>')
2250 FORMAT (' -NO STRING FOUND-')

```

```

DEFAULT CONDITIONS
N1 = CURLIN
N2 = N1
EFLAG = .FALSE.
INTERPRET COMMAND LINE
IF (CLINE(3).NE.BLNK) THEN DO
    CALL COMLIN(3,CLINE,N1,N2,EFLAG)
    IF (N1 .LE. 0) EFLAG = .TRUE.

```

```

IF (N1 .GE. EOF) EFLAG = .TRUE.
IF (N2 .GE. EOF) N2 = EOF - 1
END IF
IF (EFLAG) THEN DO
ERRCT = ERRCT + 1
WRITE (OUT,2100)
ELSE DO
ERRCT = 0
READ IN TWO STRINGS; PROMPT IF NECESSARY
IF (.NOT. MFLAG) WRITE (OUT,2230)
CALL GETLIN(STR1,NC1)
IF (NC1 .LE. 0) EFLAG = .TRUE.
IF (.NOT. MFLAG) WRITE (OUT,2240)
CALL GETLIN(STR2,NC2)
IF (EFLAG) THEN DO
ERRCT = ERRCT + 1
WRITE (OUT,2100)
RETURN
END IF
NOW FIND STRING1
FOUND = .FALSE.
DO 50 K = N1,N2
CALL MEMORY(FETCH,LINE,LPTR(K))
CALL SEARCH(LINE,STR1,NC1,MATCH,MC1)
IF (MATCH) THEN DO
NOW MAKE SUBSTITUTION
J = MC1
FOUND = .TRUE.
DELETE STRING1
DO 20 I = 1,NC1
DO 10 M = J,79
LINE(M) = LINE(M+1)
CONTINUE
CONTINUE
NOW MAKE ROOM FOR STRING2
IF (NC2 .GT. 0) THEN DO
DO 40 L = 1,NC2
M = 81 - J
DO 30 I = 2,M
LINE(82-I) = LINE(81-I)
CONTINUE
CONTINUE
NOW INSFR NEW STRING
DO 45 I = 1,NC2
LINE(J+I-1) = STR2(I)
CONTINUE
45
END IF
STORE REVISED LINE
CALL MEMORY(STORE,LINE,LPTR(K))
DISPLAY REVISED LINE
WRITE (OUT,2100) K,LINE
REMOVE "C" IN CC 1 OF ABOVE LINE TO ENABLE
DISPLAY OF EACH LINE IN WHICH A STRING HAS BEEN
REPLACED
CURLIN = K

```

```

50      END IF
      CONTINUE
      IF (.NOT. FOUND) WRITE (OUT,2250)
   END IF
  RETURN
END
SUBROUTINE CT
```

PART OF SLED PACKAGE
CHANGES THE MESSAGE TERMINATOR TO ANY VALID CHARACTER

```

COMMON /BLK1/ INT,OUT
1     /BLK4/ TCHAR
2     /BLK5/ MFLAG,ERRCT,CURLIN
INTEGER IN,OUT,ERRCT,CURLIN,NC
INTEGER*2 TCHAR,INLIN,BLNK
LOGICAL MFLAG
DIMENSION INLIN(80)
DATA BLNK/' '/
2100 FORMAT (' -INVALID COMMAND-')
2200 FORMAT (' TERMINATOR?>')
```

```

IF (.NOT. MFLAG) THEN DO
  ISSUE PROMPT
  WRITE (OUT,2200)
END IF
CALL GETLIN(INLIN,NC)
IF ((NC.EQ.0).OR.(INLIN(1).EQ.BLNK)) THEN DO
  ERRCT = ERRCT + 1
  WRITE (OUT,2100)
ELSE DO
  TCHAR = INLIN(1)
END IF
```

```

RETURN
END
SUBROUTINE MENU
```

PART OF SLED PACKAGE
PROVIDES USER WITH A SUMMARY OF AVAILABLE COMMANDS
AND THEIR FORMATS.

```

COMMON /BLK1/ IN,OUT
INTEGER IN,OUT
200 FORMAT (' SLED COMMAND SUMMARY:// LINE/TEXT INSERT',T33,
1   ' STRING REPLACEMENT'/3X,'ALN',T10,'INSERT <A>FTER <L>INE N',
2   T40,'RS$P$Q$',T48,'<R>EPLACE <S>TRING',/3X,'RLN',T10,
3   '<R>EPLACE <L>INE N .OR.',T40,'RSN$P$Q$',T50,'"P" WITH "Q" IN',
4   'RLN,M',T15,'LINES N THRU M',T40,'RSN',15P6$,T52,
5   'INDICATED LINES.'// OUTPUT COMMANDS',T38,'STRING SEARCH'/
6   3X,'L',T10,'DISPLAY CURRENT <L>INE',T40,'IS P$',T48,
7   '<D>ISPLAY LINES '/3X,'LN',T10,'OR LINE N.',T50,
8   'WITH <S>TRING "P"',/3X,'LN,M',T10,'LINES N THRU M',T40,
9   'DSN,M$P$',T48,'OR SHOW ANY LINES')
201 FORMAT (3X,'S(',T10,'<S>HOW A',
X   '"SCREEN" OF LINES',T50,'N-M CONTAINING "P"'//3X,'SN',T10,
```

```

1   'SHOW A SCREEN FROM LINE N',T38,'CONTROL COMMANDS'/
2   '3X','M',TL),'SHOW COMMAND <M>ENJ (THIS)',T40,'U',T48,
3   '<U>OPEN A FILE OR',/3X,'V',T10,'SHOW <V>ERSION INFORMATION',
4   T52,'CREATE A FILE FOR EDITING',/T40,'CT',<C>HANGE THE LOGICAL
5   5X,'TD',<Q>UIT THE EDIT TYPE "<Q>RET>"',T40,'MESSAGE <D>ERMINI',
6   '<ATUR>')
    WRITE (OUT,200)
    WRITE (OUT,201)
    RETURN
END

```

SUBROUTINE VERS

PART OF SLED PACKAGE

COMMON /BLK1/ IN,OUT

INTEGER IN,OUT

```

220 FORMAT (' SLED VERSION FORTI.1 NPS MONTEREY 800401'/
1   ' LOCAL EXPERT IS C. TAYLOR 408-646-2691 0900-1700 PST/PDT'//
2   ' LINE DELETE KEY IS < > (ASCII) OR <CENT SIGN> ',  

3   '(EBCDIC)'// CHARACTER DELETE KEY IS <> //'  

4   ' EDITOR LOGICAL MESSAGE TERMINATORS ARE: '//  

5   ' (1) <RETURN> AND (2) <$>'//  

6   ' AND CAN BE CHANGED TO ANY STANDARD FORTRAN CHARACTER.'/  

7   ' ALL INPUT IS TRANSLATED TO UPPER CASE.'/  

8   ' THE FOLLOWING DEVIATIONS FROM SLED STANDARD WERE REQUIRED:')

```

```

221 FORMAT (
9   ' (1) THE UNIVERSAL ENTRY COMMAND "SLED" INVOKES INSTRUCTIONS
*   FOR A NON-STANDARD ENTRY: "SLED1 <FILENAME> <FILETYPE>
1"// ' (2) ONLY ONE FILE PER SESSION CAN BE OPENED.'/
2   ' (3) MAXIMUM FILESIZE IS 4000 LINES.'/
3   ' (4) THE USER IS ASKED TO INDICATE WHETHER HE IS EDITING A '
4   ' NEW FILE IN ORDER TO PREVENT A DISK READ ERROR IN FORTRAN
5N.'// ' (5) WHEN <RETURN> IS USED AS A LOGICAL MESSAGE'
6   ' TERMINATOR, THE LINE OR STRING IS PADDED WITH BLANKS ON
7   ' THE RIGHT. THIS AFFECTS THE RS FUNCTION ONLY.')

```

```

222 FORMAT (
1   ' (6) ONLY THE FIRST OCCURRENCE OF A STRING IN EACH LINE'
2   ' IS REPLACED TO PERMIT FREE SUBSTITUTIONS OF BLANKS')

```

WRITE (OUT,220)

WRITE (OUT,221)

WRITE (OUT,222)

RETURN

END

SUBROUTINE OPEN

OPENS TEXT FILE AND WORKSPACE FILE

READS TEXT FILE INTO WORKSPACE IF IT ALREADY EXISTS

INITIALIZES POINTERS ETC.

```

COMMON /BLK1/ IN,OUT
1   /BLK2/ LPTR,MAXLIN,EOF
2   /BLK3/ TFILE
3   /BLK5/ MFLAG,ERRCT,CURLIN
4   /BLK6/ STACK,STKPTR

```

INTEGER IN,OUT,TFILE,LINE,ERRCT,CURLIN,STORE,MAXLIN,EOF,

CCCCC

CCCCC

```

1      STKPTR,L,NC
      INTEGER#2 LPTR,STACK,FNAME,INLIN,YES,NO,REPLY,BLINE
      LOGICAL MFLAG
      DIMENSION LPTR(4000),BLINE(80),STACK(4000),FNAME(80),INLIN(80)
      DATA YES/'Y'/,BLINE/80*' ',NO/'N'/,STORE/1/
100)  FORMAT (80A1)
2040  FORMAT (' -',14,' LINES IN FILE: ',80A1)
2050  FORMAT (' -CREATING FILE: ',80A1)
2400  FORMAT (' FILENAME?>')
2410  FORMAT (' IS THIS A NEW FILE?>')
2420  FORMAT (' -MAX CAPACITY 4000 LINES EXCEEDED-')

C      INITIALIZE
C      MAXLIN = 4000
C      CURLIN = 1
C      READ IN FILENAME (COSMETIC)
C      IF (.NOT. MFLAG) WRITE (OUT,2400)
C      CALL GETLIN(FNAME,NC)
C      ASK WHETHER IT IS A NEW FILE (TO PREVENT FORTRAN READ ERROR)
5      WRITE (OUT,2410)
C      READ (IN,1000) INLIN
      REPLY = INLIN(1)
      IF ((REPLY.NE.YES).AND.(REPLY.NE.NO)) GO TO 5
      IF (REPLY.EQ.YES) THEN DO
          WRITE (OUT,2050) FNAME
          EOF = 1
          STKPTR = 1
          ACTIVATE FILE WITH AN ACCESS
          LPTR(1) = 1
          CALL MEMORY(STORE,BLINE,LPTR(1))
      ELSE DO
          NOW READ IN TEXT FILE
          LINE = 0
          WHILE (.TRUE.) DO
              READ (TFILE,1000,END=10) INLIN
              LPTR(LINE+1) = LINE + 1
              CALL MEMORY(STORE,INLIN,LPTR(LINE+1))
              LINE = LINE + 1
          END WHILE
          CONTINUE
          IF (LINE.GE.MAXLIN) THEN DO
              WRITE (OUT,2420)
              STOP
          END IF
          STKPTR = LINE + 1
          EOF = STKPTR
          TELL USER FILE OPEN
          WRITE (OUT,2040) LINE,FNAME
      END IF
      DO 20 I = 1,MAXLIN
          STACK(I) = I
20      CONTINUE
      RETURN
END
SUBROUTINE QUIT

```

```

C
C      PART OF THE SLED PACKAGE
C      CLOSES OUT THE WORK FILE AND WRITES THE NEW OR UPDATED
C      TEXT FILE
C
1      COMMON /BLK2/ LPTR,MAXLIN,EOF
2          /BLK3/ TFILE
3          /BLK1/ IN,OUT
4          INTEGER MAXLIN,IN,OUT,EOF,TFILE,L,LIMIT
5          INTEGER*2 LINE,LPTR
6          DIMENSION LPTR(4000),LINE(80)
7          FORMAT (80A1)
8          FORMAT (' -',[4,' LINES WRITTEN-'])
C
9      REWIND TFILE
10     LIMIT = EOF - 1
11     DO 90 L = 1,LIMIT
12         CALL MEMORY(FETCH,LINE,LPTR(L))
13         WRITE (TFILE,2000) LINE
14
15     CONTINUE
16     WRITE (OUT,2450) LIMIT
17
18     RETURN
19
20     END
21
22     SUBROUTINE MEMORY(ACTION,LINE,PTR2)
C
C      PART OF SLED PACKAGE
C      HANDLES ALL MEMORY REFERENCES USING DIRECT-ACCESS DISK FILE
C      CURRENT CAPACITY IS 4000 LINES
C      REQUIRES AT LEAST 3 DEDICATED CYLINDERS OF DISK SPACE FOR
C      WORK FILE UNDER CP/CMS ON AN IBM 360/67
C
1000    COMMON /BLK3/ TFILE
1001    INTEGER WFILE,TFILE,ACTION,STORE,PTR,AVAR,ERRS
1002    INTEGER*2 LINE,PTR2
1003    DIMENSION LINE(80)
1004    DATA STORE/1/
1005    FORMAT (80A1)
C
C      DEFINE WORK FILE
C      WFILE = 13
C      DEFINE FILE 13(4000,80,E,AVAR)
C      CONVERT PTR2 FROM INTEGER*2 TO INTEGER
C      PTR = PTR2
C      INITIALIZE READ ERROR COUNTER AND BEGIN
C      ERRS = 0
C      IF (ACTION .EQ. STORE) THEN DO
C          WRITE (WFILE*PTR,1000) LINE
C      ELSE DO
C          FETCH
C          READ (WFILE*PTR,1000,ERR=99) LINE
C      END IF
C
C      RETURN
C      99    ERRS = ERRS + 1
C      IF (ERRS .LT. 10) GO TO 5
C      STOP

```

END
SUBROUTINE INPUT

IMPLEMENTS THE INPUT MODE

```

COMMON /BLK1/ IN,OUT
  /BLK2/ LPTR,MAXLIN,EOF
  /BLK5/ MFLAG,ERRCT,CURLIN
  INTEGER*2 PD,LPTR,BLNK,OUTLIN
  INTEGER MAXLIN,EOF,ERRCT,CURLIN,STORE,I,J,IN,OUT,NC
  LOGICAL MFLAG
  DIMENSION LPTR(4000),OUTLIN(90)
  DATA PD/'.'/,STORE/1/,BLNK// ''
  FORMAT ('(I>')
C 2110 IF NO INPUT IN QUEUE, PROMPT USER
  IF (.NOT.MFLAG) WRITE (OUT,2110)
  CALL GETLIN(OUTLIN,NC)
  WHILE (.NOT.((OUTLIN(1).EQ.PD).AND.(OUTLIN(2).EQ.BLNK))) DO
    IF (NC.GT.0) THEN DO
      UNLESS IT WAS A NULL LINE
      MAKE ROOM FOR NEW INPUT
      IF (CURLIN.LT.EOF) THEN DO
        J = EOF - CURLIN
        DO 10 I = 1,J
          LPTR(EOF + 1 - I) = LPTR(EOF - I)
10      CONTINUE
      ELSE DO
        CURLIN = EOF
        KEEPS INPUT TEXT CONTIGUOUS
      END IF
      EOF = EOF + 1
      GET A NUMBER FOR NEW LINE FROM STACK
      CALL POP(LPTR(CURLIN))
      NOW STORE THE NEW LINE
      CALL MEMORY(STORE,OUTLIN,LPTR(CURLIN))
      CURLIN = CURLIN + 1
    END IF
    IF NOTHING IN QUEUE, PROMPT USER
    IF (.NOT.MFLAG) WRITE (OUT,2110)
    CALL GETLIN(OUTLIN,NC)
  END WHILE
  RETURN
END
```

SUBROUTINE GETLIN(OUTLIN,NC)

GETS A LINE FROM TERMINAL; QUEUES UP MULTIPLE LINES

```

COMMON /BLK1/ IN,OUT
  /BLK4/ TCHAR
  /BLK5/ MFLAG,ERRCT,CURLIN
  INTEGER*2 INLIN,OUTLIN,QUEUE,BLNK,TCHAR
  INTEGER IN,OUT,ERRCT,CURLIN,I,J,K,LINELN,NN,ENDJ,NC,NCHARS
  LOGICAL MFLAG,NFLAG
```

```

      DIMENSION INLIN(80),OUTLIN(80),QUEUE(80,10),NCHARS(10)
      DATA BLNK//' ',LINELN/80/,BQ/0/,ENDQ/0/
1010  FORMAT (80A1)
2060  FORMAT (' -TRUNCATED; ONLY 10 ITEMS PER LINE-')
2070  FORMAT (' -ILLEGAL CHARACTER OR BLANK COMMAND-')
C
C      MFLAG GOES TRUE WHEN MULTIPLE INPUT LINES ARE STACKED
      IF (.NOT.MFLAG) THEN DO
        READ (IN,1010,ERR=99,END=98) INLIN
        I = 1
        WHILE ((I.LE.LINELN).AND.(INLIN(I).NE.TCHAR)) DO
          OUTLIN(I) = INLIN(I)
          I = I + 1
        END WHILE
        NC = I - 1
        IF (INLIN(I).EQ.TCHAR) MFLAG = .TRUE.
        IF (I.LE.LINELN) THEN DO
          DO 20 K = I,LINELN
            OUTLIN(K) = BLNK
20      CONTINUE
        END IF
        WHILE (INLIN(I).EQ.TCHAR) DO
          IF (ENDQ.GE.10) THEN DO
            WRITE (OUT,2060)
            INLIN(I) = BLNK
          ELSE DO
            ENDQ = ENDQ + 1
            I = I + 1
            J = 1
            NFLAG = .TRUE.
            WHILE ((J.LE.LINELN).AND.(INLIN(J).NE.TCHAR)) DO
              QUEUE(J,ENDQ) = INLIN(J)
              IF (INLIN(J).NE.BLNK) NFLAG = .FALSE.
              J = J + 1
            END WHILE
            NCHARS(ENDQ) = J - 1
            IF ((J.GT.LINELN).AND.NFLAG) NCHARS(ENDQ)=0
            IF (J.LE.LINELN) THEN DO
              DO 30 K = J,LINELN
                QUEUE(K,ENDQ) = BLNK
30      CONTINUE
            END IF
          END IF
        END WHILE
      ELSE DO
        GET LINE FROM QUEUE INSTEAD
        BQ = BQ + 1
        NC = NCHARS(BQ)
        DO 40 I = 1,LINELN
          OUTLIN(I) = QUEUE(I,BQ)
40      CONTINUE
        IF (BQ.EQ.ENDQ) THEN DO
          BQ = 0
          ENDQ = 0
        END IF
      END IF
    END IF
  END IF
END IF

```

```

        MFLAG = .FALSE.
    END IF
    RETURN
95    CONTINUE
    REWIND IN
99    CONTINUE
    WRITE (OUT,2070)
    OUTLIN(1) = 3LNK
    RETURN
END

```

SUBROUTINE PUSH(X)

PUSHES A POINTER TO A FREE LINE ONTO THE STACK

```

1      COMMON /BLK1/ IN,OUT
1      /BLK5/ STACK,STKPTR
1      INTEGER STKPTR,IN,OUT
1      INTEGER*2 STACK,X
1      DIMENSION STACK(4000)
2080  FORMAT (' -FREE LINE LIST STACK OVERFLOW-')
1      IF (STKPTR.GT.1) THEN DO
1          STKPTR = STKPTR - 1
1          STACK(STKPTR) = X
1      ELSE DO
1          STACK OVERFLOW
1          WRITE (OUT,2080)
1      END IF
1      RETURN
1      END

```

SUBROUTINE POP(X)

POPS A POINTER TO A FREE LINE FROM THE STACK

```

1      COMMON /BLK1/ IN,OUT
1      /BLK2/ LPTR,MAXLIN,EOF
1      /BLK5/ STACK,STKPTR
1      INTEGER STKPTR,MAXLIN,EOF,IN,OUT
1      INTEGER*2 STACK,LPTR,X
1      DIMENSION STACK(4000),LPTR(4000)
2090  FORMAT (' -ALL SYSTEM BUFFERS FULL-')
1      X = STACK(STKPTR)
1      IF (STKPTR.LT. MAXLIN) THEN DO
1          STKPTR = STKPTR + 1
1      ELSE DO
1          WRITE (OUT,2090)
1      END IF
1      RETURN
1      END

```

```

SUBROUTINE CNVRT(STRING,I,J,N)
C      CONVERTS CHARACTERS I THROUGH J OF STRING INTO AN INTEGER N
C
      INTEGER#2 STRING,DIGIT
      INTEGER I,J,N,K,L
      DIMENSION STRING(80),DIGIT(10)
      DATA DIGIT/'0','1','2','3','4','5','6','7','8','9'/
```

N = 0
DO 20 K = I,J
 L = L
 WHILE (STRING(K).NE.DIGIT(L)) DO
 L = L + 1
 END WHILE
 IF (L.LE.10) THEN DO
 N = N + (L-1)*(10***(J-K))
 ELSE DO
 N = -99999999
 RETURN
 END IF
20 CONTINUE
 RETURN
END

SUBROUTINE COMLIN(C1,CLINE,N1,N2,EFLAG)

FINDS AND INTERPRETS THE LINE NUMBERS CONTAINED ON A
COMMAND LINE. CHECKS FOR ERRORS.

```

INTEGER C1,N1,N2,I,J
INTEGER#2 CLINE,BLNK,COMMA
LOGICAL EFLAG
DIMENSION CLINE(80)
DATA BLNK//',COMMA/,/'
```

EFLAG = .FALSE.
FIND FIRST DIGIT
I = C1
J = I
WHILE ((CLINE(J).NE.BLNK).AND.(CLINE(J).NE.COMMA)) DO
 J = J + 1
END WHILE
IF (J.GE.90) THEN DO
 EFLAG = .TRUE.
ELSE DO
 CONVERT FIRST NUMBER TO AN INTEGER
 CALL CNVRT(CLINE,I,J-1,N1)
 LOOK FOR SECOND NUMBER
 I = J + 1
 J = I
 WHILE (CLINE(J).NE.BLNK) DO
 J = J + 1
 END WHILE
 IF (J.GE. 80) THEN DO

```

      EFLAG = .TRUE.
      ELSE DO
        IF (I .EQ. J) THEN DO
          NO SECOND NUMBER EXISTS
          N2 = N1
        ELSE DO
          CONVERT SECOND NUMBER
          CALL CNVRT (CLINE,I,J-1,N2)
        END IF
        IF (N1 .GT. N2) EFLAG = .TRUE.
      END IF
    RETURN
  END
SUBROUTINE SEARCH(LINE,STRING,NC,MATCH,MC1)
```

PART OF SLED PACKAGE
 SEARCHES 'LINE' FOR THE FIRST OCCURRENCE OF 'STRING'.
 'MATCH' IS SET TO '.TRUE.' IF A MATCH IS FOUND.
 'NC' IS THE NUMBER OF CHARACTERS IN 'STRING' (REQUIRED INPUT)
 'MC1' IS AN OUTPUT INDICATING FIRST COL OF MATCH

```

INTEGER I,J,L,NC,MC1
INTEGER*2 LINE,STRING
LOGICAL MATCH
DIMENSION LINE(80),STRING(80)

J = 1
MATCH = .FALSE.
WHILE ((.NOT.MATCH).AND.(J.LE.81-NC)) DO
  WHILE (((STRING(I)).NE.LINE(J)).AND.(J.LE.81-NC)) DO
    J = J + 1
  END WHILE
  IF (J.LE.81-NC) THEN DO
    I = 1
    L = J
    WHILE (((STRING(I+1)).EQ.LINE(L+1)).AND.
           ((L+1).LT.80).AND.(I+1.LE.NC)) DO
      L = L + 1
      I = I + 1
    END WHILE
    IF (I .EQ. NC) THEN DO
      MATCH = .TRUE.
    ELSE DO
      J = J + 1
    END IF
  END IF
  END WHILE
  MC1 = J
RETURN
END
```

SLED - FORTRAN IV

10/02/80 12.22.02

FILE: SLED2 FORTRAN T1

NAVAL POSTGRADUATE SCHOOL

C STANDARD LINE EDITOR--FORTRAN IMPLEMENTATION

SLED VERSION FORT1.1 NPS MONTEPEY R00401
PROGRAMMED BY: C. F. TAYLOR, JR., CODE 55FA

FOR FURTHER INFORMATION SEE NPS TECHNICAL REPORT
NPS 52-B0-001 BY L. A. COX, JR.

MAIN PROGRAM:

READS IN COMMANDS AND CALLS THE APPROPRIATE SUBROUTINE
IMPLEMENTS THE "EDIT" MODE

```
COMMON /BLK1/IN,OUT /BLK5/MFLAG,ERPCT,CURLIN
INTEGER*2 CL,C2,A,C,D,L,M,O,Q,R,S,T,V,INLINE,BLNK
INTEGER IN,OUT,ERRCT,CURLIN,NC
DIMENSION INLINE(30)
LOGICAL FLAG,OPENFL,MFLAG
DATA A//A//,C//C//,D//D//,L//L//,M//M//,O//O//,Q//Q//,R//R//,S//S//
*//,T//T//,V//V//,BLNK// //
```

```
2000 FORMAT (' E>')
2010 FORMAT (' -INVALID COMMAND- ',2A1)
2020 FORMAT (' -NO TEXT FILE OPEN- ')
2030 FORMAT (' -ONLY ONE FILE CAN BE OPENED PER SESSION IN THIS ', 'VER-
```

*SION OF SLED-')

C EDIT MODE--WRITE PROMPT

WRITE (OUT,2000)

CALL GETLIN(INLINE,NC)

C1 = INLINE(1)

C2 = INLINE(2)

C FLAG GOES FALSE AFTER 'QUIT'

C FLAG = .TRUE.

C OPENFL GOES TRUE AFTER FILE IS OPENED

C OPENFL = .FALSE.

C MAIN EDIT LOOP

```
9000 IF (.NOT. (FLAG) ) GO TO 9001
```

```
    IF (.NOT. (.NOT.(OPENFL .OR. (CL.EQ.0) .OR. (CL.EQ.M) .OR. (CL.E-
```

*Q.V)))) GO TO 9002

C FILE NOT OPEN AND THIS IS NOT AN 'OPEN' COMMAND

OR A 'MENU' OR 'VERSION' REQUEST

WRITE (OUT,2020)

GO TO 9003

9002 CCNTINUE

EMULATE CASE (SWITCH) STATEMENT TO PROCESS COMMANDS

IF (CL.EQ.BLNK) GO TO 200

IF (CL.NE.L) GO TO 10

CALL LIST(INLINE)

GO TO 200

10

CONTINUE

IF (CL.NE.S) GO TO 20

CALL SCREEN(INLINE)

GO TO 200

20

CONTINUE

IF ((CL.NE.R).OR.(C2.NE.S)) GO TO 30

```

        CALL RG(INLINE)
        GO TO 200
30      CONTINUE
        IF ((C1.NE.R).OR.(C2.NE.L)) GO TO 40
        CALL RL(INLINE)
        GO TO 200
40      CONTINUE
        IF ((C1.NE.A).OR.(C2.NE.L)) GO TO 50
        CALL AL(INLINE)
        GO TO 200
50      CONTINUE
        IF ((C1.NE.D).OR.(C2.NE.S)) GO TO 60
        CALL DS(INLINE)
        GO TO 200
60      CONTINUE
        IF (C1.NE.Q) GO TO 70
        CALL QUIT
        FLAG = .FALSE.
        GO TO 200
70      CONTINUE
        IF (C1.NE.V) GO TO 80
        CALL VERS
        GO TO 200
80      CONTINUE
        IF (C1.NE.M) GO TO 90
        CALL MENU
        GO TO 200
90      CONTINUE
        IF (C1.NE.C) GO TO 100
        IF (.NOT. (OPENFL)) GO TO 9004
          WRITE (OUT,2030)
          GO TO 9005
9004    CONTINUE
          CALL OPEN
          OPENFL = .TRUE.
9005    CONTINUE
        GO TO 200
100     CONTINUE
        IF ((C1.NE.C).OR.(C2.NE.T)) GO TO 110
        CALL CT(INLINE)
        GO TO 200
110     CONTINUE
C       IF PROGRAM GETS HERE, COMMAND IS INVALID
        WRITE (OUT,2010) C1,C2
        ERRCT = ERRCT + 1
C       END CASE
        CONTINUE
        IF (.NOT. (ERRCT.GE.2)) GO TO 9006
          CALL MENU
          ERRCT = 0
9006     CONTINUE
9003     CONTINUE
        IF (.NOT. (FLAG)) GO TO 9008
        GET NEXT LINE

```

FILE: SLE02 FORTRAN TI

NAVAL POSTGRADUATE SCHOOL

```
IF (.NOT.MFLAG) WRITE (OUT,2000)
CALL GETLIN(INLINE,NC)
C1 = INLINE(1)
C2 = INLINE(2)
```

```
9008 CONTINUE
GO TO 9000
9001 CONTINUE
STOP
END
```

C BLOCK DATA

```
COMMON /BLK1/ IN,JUT /BLK2/ TFILE /BLK4/ TCHAR /BLK5/ MFLAG,ERRCT
*CURLIN
INTEGER#2 TCHAR
INTEGER IN,JUT,TFILE,ERRCT,CURLIN
LOGICAL MFLAG
DATA IN/5/,JUT/6/,TCHAR/'$'/,ERRCT/0/,MFLAG/.FALSE./,CURLIN/1/, TF
*I/LF/2/
END
```

C SUBROUTINE LIST(CLINE)

C DISPLAYS TEXT TO THE TERMINAL

```
COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAYLIN,EUF /BLK5/ MFLAG,ERRCT,
*CURLIN
INTEGER#2 BLNK,LPTR,COMMA,OUTLIN,CLINE
INTEGER IN,JUT,I,J,N1,N2,MAXLIN,EOF,ERRCT,CURLIN,FETCH
LOGICAL MFLAG,EFLAG
DIMENSION CLINE(80),OUTLIN(80),LPTR(4000)
DATA BLNK/' /,COMMA/' ,/,FETCH/0/
2100 FORMAT (' -INVALID COMMAND-')
2110 FORMAT (' ',I4,1X,B0A1)
2120 FORMAT (' -EOF-')
```

C IF COL 2 IS BLANK, PRINT CURLIN AND EXIT
IF (.NOT.(CLINE(2) .EQ. BLNK)) GO TO 9010
CALL MEMORY (FETCH,OUTLIN,LPTR(CURLIN))
WRITE (OUT,2110) CURLIN, OUTLIN
GO TO 9011

C 9010 CONTINUE
NOW CHECK FOR LINE NUMBERS IN COMMAND
CALL CMLIN(2,CLINE,N1,N2,EFLAG)
IF (N1 .LE. 0) N1 = 1
IF (N1 .GT. N2) EFLAG = .TRUE.
IF (N1 .GE. ELC) EFLAG = .TRUE.
IF (.NOT.(EFLAG)) GO TO 9012
ERRCT = ERRCT + 1
WRITE (OUT,2100)
GO TO 9013

9012 CONTINUE
ERRCT = 0

```

9014      I = N1
         IF (.NOT. ((I.LE.N2).AND.(I.LT.EOF))) GO TO 9015
         CALL MEMORY (FETCH,OUTLIN,LPTR(I))
         WRITE (OUT,2110) I, OUTLIN
         CURLIN = I
         I = I + 1
         GO TO 9014
9015      CONTINUE
         IF (I.GE.EOF) WRITE (OUT,2120)
9013      CONTINUE
9011      CONTINUE
         RETURN
        END

```

SUBROUTINE SCREEN(CLINE)

```

C          DISPLAYS 20 LINES BEGINNING WITH CURLIN OR OTHER SPECIFIED LINE
CC
COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EOF /BLK5/ MFLAG,ERRCT
*CURLIN
INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,I,N1,N2,LIMIT, FETCH,N
INTEGER*2 CLINE,LPTR,OUTLIN,BLNK
LOGICAL MFLAG,EFLAG
DIMENSION CLINE(80),OUTLIN(80),LPTR(4000)
DATA BLNK/' /,FETCH/0/
2100 FORMAT (' -INVALID COMMAND-')
2110 FORMAT (' ',I4,IX,30A1)
2120 FORMAT (' -EOF-')
C
EFLAG = .FALSE.
C          FIND OUT WHETHER USER SPECIFIED A LINE
IF (.NOT.(CLINE(2).NE.BLANK)) GO TO 9015
         CALL COMLIN(2,CLINE,N1,N2,EFLAG)
         IF (N1.LE.0) N1 = 1
         IF (N1.GE.EOF) EFLAG = .TRUE.
         IF (.NOT. EFLAG) CURLIN = N1
9016      CONTINUE
         IF (.NOT.(EFLAG)) GO TO 9018
         ERRCT = ERRCT + 1
         WRITE (OUT,2100)
         GO TO 9019
9018      CONTINUE
         ERRCT = 0
         LIMIT = MIN0(CURLIN+19,EOF-1)
         DO 10 I = CURLIN,LIMIT
         CALL MEMORY(FETCH,OUTLIN,LPTR(I))
         WRITE (OUT,2110) I,OUTLIN
10       CONTINUE
         CURLIN = LIMIT
         IF (LIMIT.EQ.EOF-1) WRITE (OUT,2120)
9019      CONTINUE
         RETURN
        END

```

SUBROUTINE RL(CLNE)

REPLACES CURRENT LINE OR THE SPECIFIED LINE OR LINES WITH
ANY NUMBER OF LINES

```

COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EFLAG /BLK5/ MFLAG,ERRCT,
*CURLIN
INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,N,NL,N2,I,J,LIMIT, STORE
INTEGER*2 CLNE,LPTR,BLNK
LOGICAL MFLAG,EFLAG
DIMENSION CLNE(80),LPTR(4000)
DATA BLNK//',',STORE/1/
2100 FORMAT (' -INVALID COMMAND-')
C
N1 = CURLIN
N2 = N1
C DETERMINE WHICH LINE(S) TO REPLACE
IF (.NOT.(CLNE(3).NE.BLNK)) GO TO 9020
CALL COMLIN(3,CLNE,N1,N2,EFLAG)
IF (N1 .LE. 0) EFLAG = .TRUE.
IF (N1 .GE. EOF) EFLAG = .TRUE.
IF (.NOT. EFLAG) CURLIN = N1
9020 CONTINUE
IF (.NOT.(EFLAG)) GO TO 9022
ERRCT = ERRCT + 1
WRITE (OUT,2100)
GO TO 9023
9022 CONTINUE
ERRCT = 0
IF (N2 .GE. EOF) N2 = EOF - 1
REMOVE DESIGNATED LINES
N = N2 - N1 + 1
DO 20 I = 1,N
LIMIT = EOF - 2
CALL PUSH(LPTR(N1))
DO 10 J = N1,LIMIT
LPTR(J) = LPTR(J+1)
10 CONTINUE
EOF = EOF - 1
20 CONTINUE
NOW INPUT REPLACEMENT LINES
CALL INPUT
9023 CONTINUE
RETURN
END

```

SUBROUTINE AL(CLNE)

INPUT TEXT AFTER LINE N

```
COMMON /BLK1/ IN,OUT /BLK5/ MFLAG,ERPCT,CURLIN
```

```

INTEGER*2 BLNK,CLINE
INTEGER IN,OUT,I,J,N,N1,N2,ERRCT,CURLIN
LOGICAL MFLAG,EFLAG
DIMENSION CLINE(80)
DATA BLNK/' '/
2100 FORMAT (' -INVALID COMMAND-')
C
C      EXTRACT LINE NUMBER FROM COMMAND LINE
CALL COMLIN(3,CLINE,N1,N2,EFLAG)
IF (N1 .LT. 0) EFLAG = .TRUE.
N = N1
IF (.NOT.(EFLAG)) GO TO 9024
ERRCT = ERRCT + 1
WRITE (OUT,2100)
GO TO 9025
9024 CONTINUE
ERRCT = 0
CURLIN = N + 1
CALL INPUT
9025 CONTINUE
RETURN
END

```

SUBROUTINE DS(CLINE)

```

C
C      PART OF SLEU PACKAGE
C      DISPLAYS ALL LINES CONTAINING THE DESIGNATED STRING, POSSIBLY
C      LIMITED TO LINES N THROUGH M.
C
COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EOF /BLK5/ MFLAG,ERRCT,CUR
*LIN
INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,N1,N2,NC,FETCH,MCI
INTEGER*2 CLINE,LPTR,BLNK,STRING,LINE
LOGICAL MFLAG,EFLAG,MATCH,FOUND
DIMENSION CLINE(80),LINE(30),LPTR(4000),STRING(80)
DATA BLNK/' '/,FETCH/0/
2100 FORMAT (' -INVALID COMMAND-')
2110 FORMAT (' ',[4,1X,80A1])
2220 FORMAT (' OLD STRING?>')
2250 FORMAT (' -NO STRING FOUND-')
C
C      DEFAULT VALUES
FOUND = .FALSE.
EFLAG = .FALSE.
N1 = 1
N2 = EOF - 1
C
C      DETERMINE WHETHER N1,N2 WERE SPECIFIED BY USER
IF (.NOT.(CLINE(3) .NE. BLNK)) GO TO 9026
CALL COMLIN(3,CLINE,N1,N2,EFLAG)
IF (N1 .GE. EOF) EFLAG = .TRUE.
IF (N2 .GE. EOF) N2 = EOF - 1
IF (N1 .LE. 0) N1 = 1
9026 CONTINUE
IF (.NOT.(EFLAG)) GO TO 9028

```

```

      ERRCT = ERRCT + 1
      WRITE (OUT,2100)
      GO TO 9029
9028 CONTINUE
      ERRCT = 0
      C      FETCH STRING; ISSUE PROMPT IF NECESSARY
      IF (.NOT. MFLAG) WRITE (OUT,2220)
      CALL GETLIN (STRING,NC)
      IF (.NOT.(NC .LE. 0)) GO TO 9030
      ERRCT = ERRCT + 1
      WRITE (OUT,2100)
      GO TO 9031
9030 CONTINUE
      DO 20 I = N1,N2
      CALL MEMORY(FETCH,LINE,LPTR(I))
      CALL SEARCH(LINE,STRING,NC,MATCH,MC1)
      IF (.NOT.(MATCH)) GO TO 9032
      FOUND = .TRUE.
      WRITE (OUT,2110) I,LINE
      CURLIN = I
9032 CONTINUE
      20 CONTINUE
      IF (.NOT. FOUND) WRITE (OUT,2250)
9031 CONTINUE
9029 CONTINUE
      RETURN
      END
      SUBROUTINE RS(CLINE)

C      PART OF SLED PACKAGE
C      REPLACES THE FIRST OCCURRENCE OF STRING1 WITH STRING2 ON THE
C      CURRENT LINE OR WITHIN THE SPECIFIED RANGE OF LINES

      COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EOF /BLK5/ MFLAG,ERPCT,CUR
      *LIN
      INTEGER IN,OUT,MAXLIN,EOF,ERRCT,CURLIN,N1,N2,I,J,K,L,M, N,MC1,NC1,
      *NC2,FETCH,STORE
      INTEGER*2 CLINE,LPTR,BLNK,STR1,STR2,LINE
      DIMENSION LPTR(4000),CLINE(80),STR1(80),STR2(80),LINE(80)
      DATA BLNK/' '/,FETCH/0/,STORE/1/
      LOGICAL MFLAG,FOUND,MATCH,EFLAG
2100 FORMAT (' -INVALID COMMAND-')
2110 FORMAT (' ',[4,1X,80A1])
2230 FORMAT (' OLD STRING?>')
2240 FORMAT (' NEW STRING?>')
2250 FORMAT (' -NO STRING FOUND-')

C      DEFAULT CONDITIONS
      N1 = CURLIN
      N2 = N1
      EFLAG = .FALSE.
      INTERPRET COMMAND LINE
      IF (.NOT.(CLINE(3).NE.BLNK)) GO TO 9034
      CALL COMLIN(3,CLINE,N1,N2,EFLAG)
      IF (N1 .LE. 0) EFLAG = .TRUE.

```

```

      IF (N1 .GE. EOF) EFLAG = .TRUE.
      IF (N2 .GE. EOF) N2 = EOF - 1
9034 CONTINUE
      IF (.NOT.(EFLAG) ) GO TO 9036
      ERRCT = ERRCT + 1
      WRITE (OUT,2100)
      GO TO 9037
9036 CONTINUE
      ERRCT = 0
C      READ IN TWO STRINGS; PROMPT IF NECESSARY
      IF (.NOT. MFLAG) WRITE (OUT,2230)
      CALL GETLIN(STR1,NC1)
      IF (NC1 .LE. 0) EFLAG = .TRUE.
      IF (.NOT. MFLAG) WRITE (OUT,2240)
      CALL GETLIN(STR2,NC2)
      IF (.NOT.(EFLAG) ) GO TO 9038
      ERRCT = ERRCT + 1
      WRITE (OUT,2100)
      RETURN
9038 CCNTINUE
C      NOW FIND STRING1
      FOUND = .FALSE.
      DO 50 K = N1,N2
      CALL MEMORY(FETCH,LINE,LPTR(K))
      CALL SEARCH(LINE,STR1,NC1,MATCH,MC1)
      IF (.NOT.(MATCH) ) GO TO 9040
C      NOW MAKE SUBSTITUTION
      J = MC1
      FOUND = .TRUE.
C      DELETE STRING1
      DO 20 I = 1,NC1
      DO 10 M = J,79
      LINE(M) = LINE(M+1)
10    CONTINUE
20    CONTINUE
C      NOW MAKE ROOM FOR STRING2
      IF (.NOT.(NC2 .GT. 0) ) GO TO 9042
      DO 40 L = 1,NC2
      M = 81 - J
      DO 30 I = 2,M
      LINE(82-I) = LINE(81-I)
30    CONTINUE
40    CONTINUE
C      NOW INSERT NEW STRING
      DO 45 I = 1,NC2
      LINE(J+I-1) = STR2(I)
      CONTINUE
45    CONTINUE
9042 CONTINUE
C      STORE REVISED LINE
      CALL MEMORY(STORE,LINE,LPTR(K))
C      DISPLAY REVISED LINE
      WRITE (OUT,2110) K,LINE
      REMOVE "C" IN CC 1 OF ABOVE LINE TO ENABLE
      DISPLAY OF EACH LINE IN WHICH A STRING HAS BEEN
      REPLACED

```

```

        CURLIN = K
9040    CONTINUE
      50    CONTINUE
      IF (.NOT. FOUND) WRITE (OUT,2250)
9037    CONTINUE
      RETURN
      END
      SUBROUTINE CT

C      PART OF SLED PACKAGE
C      CHANGES THE MESSAGE TERMINATOR TO ANY VALID CHARACTER
C
COMMON /BLK1/ INT,OUT /BLK4/ TCHAR /BLK5/ MFLAG,ERRCT,CRLIN
INTEGER IN,OUT,ERRCT,CURLIN,NC
INTEGER*2 TCHAR,INLIN,BLNK
LOGICAL MFLAG
DIMENSION INLIN(80)
DATA BLNK//'/'
2100 FORMAT (' -INVALID COMMAND-')
2200 FORMAT (' TERMINATOR?')

C      IF (.NOT. (.NOT. MFLAG)) GO TO 9044
C      ISSUE PROMPT
C      WRITE (OUT,2200)
9044    CONTINUE
      CALL GETLIN(INLIN,NC)
      IF (.NOT.((NC.EQ.0).OR.(INLIN(1).EQ.BLNK))) GO TO 9046
      ERRCT = ERRCT + 1
      WRITE (OUT,2100)
      GO TO 9047
9046    CONTINUE
      TCHAR = INLIN(1)
9047    CONTINUE
      RETURN
      END
      SUBROUTINE MENU

C      PART OF SLED PACKAGE
C      PROVIDES USER WITH A SUMMARY OF AVAILABLE COMMANDS
C      AND THEIR FORMATS.

COMMON /BLK1/ IN,OUT
INTEGER IN,OUT
200 FORMAT (' SLED COMMAND SUMMARY:// LINE/TEXT INSERT',T38,'STRING
* REPLACEMENT'/3X,'ALN',T10,'INSERT <A>FTER <L>INE N',T40,'RSR$P$Q$'
*,T48,'<R>EPLACE <S>TRING',/3X,'RLN',T10,'<R>EPLACE <L>INE N .OR.
*',T40,'RSN$P$Q$',T50,'P" WITH "Q" IN' / 3X,'RLN',M',T15,'LINES N TH
*RU M',T40,'RSN,4$P$Q$',T52,'INDICATED LINES.'// OUTPUT COMMANDS',
*T38,'STRING SEARCH'/ 3X,'L',T10,'DISPLAY CURRENT <L>INE',T40,'DS$P
*$',T48,'<D>ISPLAY LINES '/3X,'LN',T10,'OR LINE N.',T50,'WITH <S>
*TRING "P",/3X,'LN,M',T10,'LINES N THRU M',T40,'DSN,M$P$',T49,'DP
* SHOW ANY LINES')

201 FORMAT (3X,'S$',T10,'<S>HOW A ', 'SCREEN" OF LINES',T50,'N-M CONTA
*INING "P"/3X,'SN',T10,'SHOW A SCREEN FROM LINE N',T38,'CONTINU
*COMMANDS'/ 3X,'M',T10,'SHOW COMMAND <M>ENU (THIS)',T40,'?',T48,'<D

```

```
*>OPEN A FILE OR'/'3X,'V',T10,'SHOW <VERSION INFORMATION>',T52,'CREA
*T A FILE FOR EDITING'/'T40,'CT' <C>HANGE THE LOGICAL'/'5X,'TC' <ODU
*IT THE EDIT TYPE "Q<RET>"'/'T40,'MESSAGE <TERMIN>','ATOR')
WRITE (IUT,200)
WRITE (IUT,201)
RETURN
END
SUBROUTINE VERS
```

C
C
C PART OF SLED PACKAGE

```
COMMON /BLK1/ IN,OUT
INTEGER IN,OUT
```

```
220 FORMAT (' SLED VERSION FORT1.1 NPS MONTEREY 800401'/' LOCAL EXPER
*T IS C. TAYLOR 408-646-2691 0800-1700 "ST/PDT"// LINE DELETE KEY
* IS <> (ASCII) OR <CENT SIGN> ',' '(EBCDIC)'/' CHARACTER DELETE K
* EY IS <\n>'// EDITOR LOGICAL MESSAGE TERMINATORS ARE:'/' '(1)
*<RETURN> AND '(2)'<\$>'// AND CAN BE CHANGED TO ANY STANDARD
* FORTRAN CHARACTER.'/' ALL INPUT IS TRANSLATED TO UPPER CASE.'/'
* THE FOLLOWING DEVIATIONS FROM SLED STANDARD WERE REQUIRED:'/
221 FORMAT (' (1) THE UNIVERSAL ENTRY COMMAND "SLED" INVOKES INSTRU
* TIONS'/' FOR A NON-STANDARD ENTRY: "SLED<FILENAME><FILET
* YPE>"' (2) ONLY ONE FILE PER SESSION CAN BE OPENED.'/' (
* 3) MAXIMUM FILESIZE IS 4000 LINES.'/' (4) THE USER IS ASKED TO
* INDICATE WHETHER HE IS EDITING A '/' NEW FILE IN DPDFTC PR
* EVENT A DISK READ ERROR IN FORTRAN.'/' (5) WHEN <RETURN> IS USED
* AS A LOGICAL MESSAGE '/' TERMINATOR, THE LINE OR STRING IS
* PADDED WITH BLANKS ON' '/' THE RIGHT. THIS AFFECTS THE RS F
*UNCTION ONLY.'')
222 FORMAT (' (6) ONLY THE FIRST OCCURRENCE OF A STRING IN EACH LINE
*'/' IS REPLACED TO PERMIT FREE SUBSTITUTIONS OF BLANKS')
```

```
WRITE (IUT,220)
WRITE (IUT,221)
WRITE (IUT,222)
RETURN
END
```

```
SUBROUTINE OPEN
```

C
C
C OPENS TEXT FILE AND WORKSPACE FILE
READS TEXT FILE INTO WORKSPACE IF IT ALREADY EXISTS
INITIALIZES POINTERS ETC.

```
COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EOF /BLK3/ TFILE /BLK5/ MF
*LAG,ERRCT,CURLIN /BLK6/ STACK,STKPTR
INTEGER IN,OUT,TFILE,LINE,ERRCT,CURLIN,STORE,MAXLIN,EOF, STKPTR,I,
*NC
INTEGER*2 LPTR,STACK,FNAME,INLIN,YES,NO,REPLY,BLINE
LOGICAL MFLAG
DIMENSION LPTR(4000),BLINE(80),STACK(4000),FNAME(80),INLIN(80)
DATA YES/'Y'/,BLINE/80*'/'/NO/'N'/,STORE/1/
1000 FORMAT (80A1)
2040 FORMAT (' -',I4,' LINES IN FILE: ',80A1)
2050 FORMAT (' -CREATING FILE: ',80A1)
2400 FORMAT (' <FILENAME?>')
2410 FORMAT (' IS THIS A NEW FILE?>')
```

```

2420 FORMAT (' -MAX CAPACITY 4000 LINES EXCEEDED-')
C
C      INITIALIZE
C      MAXLIN = 4000
C      CURLIN = 1
C      READ IN FILENAME (COSMETIC)
C      IF (.NOT. MFLAG) WRITE (OUT,2400)
C      CALL GETLINK(FNAME,NC)
C      ASK WHETHER IT IS A NEW FILE (TO PREVENT FORTRAN READ ERROR)
C      5   WRITE (OUT,2410)
C      READ (IN,1000) INLIN
C      REPLY = INLIN(1)
C      IF ((PEPLY.NE.YES).AND.(REPLY.NE.NO)) GO TO 5
C      IF (.NOT.(REPLY.EQ.YES)) GO TO 9048
C      WRITE (OUT,2050) FNAME
C      EOF = 1
C      STKPTR = 1
C      ACTIVATE FILE WITH AN ACCESS
C      LPTR(1) = 1
C      CALL MEMORY(STORE,BLINE,LPTR(1))
C      GO TO 9049
9048 CONTINUE
C      NOW READ IN TEXT FILE
C      LINE = 0
9050   IF (.NOT. (.TRUE.)) GO TO 9051
        READ (TFILE,1000,END=10) INLIN
        LPTR(LINE+1) = LINE + 1
        CALL MEMORY(STORE,INLIN,LPTR(LINE+1))
        LINE = LINE + 1
        GO TO 9050
9051 CONTINUE
10     CONTINUE
        IF (.NOT.(LINE.GE.MAXLIN)) GO TO 9052
        WRITE (OUT,2420)
        STOP
9052 CONTINUE
        STKPTR = LINE + 1
        EOF = STKPTR
C      TELL USER FILE OPEN
        WRITE (OUT,2040) LINE,FNAME
9049 CONTINUE
DO 20 I = 1,MAXLIN
STACK(I) = I
20 CONTINUE
RETURN
END
SUBROUTINE QUIT

PART OF THE SLED PACKAGE
CLOSES OUT THE WORK FILE AND WRITES THE NEW (OR UPDATED)
TEXT FILE

COMMON /BLK2/ LPTR,MAXLIN,EOF /BLK3/ TFILE /BLK1/ IN,OUT
INTEGER MAXLIN,IN,OUT,EOF,TFILE,L,LIMIT
INTEGER*2 LINE,LPTR

```

```

      DIMENSION LPTR(4000),LINE(80)
2000 FORMAT (30A1)
2450 FORMAT (' -',14,' LINES WRITTEN-')
C
      REWIND TFILE
      LIMIT = EOF - 1
      DO 90 L = 1,LIMIT
      CALL MEMORY(FETCH,LINE,LPTR(L))
      WRITE (TFILE,2000) LINE
90  CONTINUE
      WRITE (OUT,2450) LIMIT
      RETURN
      END
      SUBROUTINE MEMORY(ACTION,LINE,PTR2)

C
C      PART OF SLED PACKAGE
C      HANDLES ALL MEMORY REFERENCES USING DIRECT-ACCESS DISK FILE
C      CURRENT CAPACITY IS 4000 LINES
C      REQUIRES AT LEAST 3 DEDICATED CYLINDERS OF DISK SPACE FOR
C      WORK FILE UNDER CP/CMS ON AN IBM 360/67
C
      COMMON /BLK3/ TFILE
      INTEGER WFILE,TFILE,ACTION,STORE,PTR,AVAR,ERRS
      INTEGER*2 LINE,PTR2
      DIMENSION LINE(80)
      DATA STORE/1/
1000 FORMAT (30A1)

C      DEFINE WORK FILE
      WFILE = 13
      DEFINE FILE 13(4000,80,E,AVAR)
C      CONVERT PTR2 FROM INTEGER*2 TO INTEGER
      PTR = PTR2
C      INITIALIZE READ ERROR COUNTER AND BEGIN
      ERRS = 0
      IF (.NOT.(ACTION .EQ. STORE)) GO TO 9054
      WRITE (WFILE*PTR,1000) LINE
      GO TO 9055
9054  CONTINUE
C      FETCH
      5   READ (WFILE*PTR,1000,ERR=99) LINE
9055  CONTINUE
      RETURN
      99 ERRS = ERRS + 1
      IF (ERRS .LT. 10) GO TO 5
      STOP
      END
      SUBROUTINE INPUT

C
C      IMPLEMENTS THE INPUT MODE

      COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EOF /BLK5/ MFLAG,ERRCT,CU
      *LIN
      INTEGER*2 PD,LPTR,BLNK,OUTLIN
      INTEGER MAXLIN,EOF,ERRCT,CURLIN,STORE,I,J,IN,OUT,NC

```

```

LOGICAL MFLAG
DIMENSION LPTR(4000), OUTLIN(80)
DATA PD//'.',//, STOPE//1/, BLNK//' '
2110 FORMAT ('(1>')
C IF NO INPUT IN QUEUE, PROMPT USEP
IF (.NOT.MFLAG) WRITE (OUT,2110)
CALL GETLIN(OUTLIN,NC)
9056 IF (.NOT. (.NOT.((OUTLIN(1).EQ.PD).AND.(OUTLIN(2).EQ.BLNK))) ) GO
*TO 9057
IF (.NOT.(NC .GT. 0) ) GO TO 9058
UNLESS IT WAS A NULL LINE
MAKE ROOM FOR NEW INPUT
IF (.NOT.(CURLIN.LT.EOF) ) GO TO 9060
J = EOF - CURLIN
DO 10 I = 1,J
LPTR(EOF + I - I) = LPTR(EOF - I)
CONTINUE
GO TO 9061
10
9060 CONTINUE
C CURLIN = EOF
KEEPS INPUT TEXT CONTIGOUS
9061 CONTINUE
EOF = EOF + 1
C GET A NUMBER FOR NEW LINE FROM STACK
CALL POP(LPTR(CURLIN))
C NOW STORE THE NEW LINE
CALL MEMORY(STORE,OUTLIN,LPTR(CURLIN))
C CURLIN = CURLIN + 1
9058 CONTINUE
C IF NOTHING IN QUEUE, PROMPT USER
IF (.NOT.MFLAG) WRITE (OUT,2110)
CALL GETLIN(OUTLIN,NC)
GO TO 9056
9057 CONTINUE
RETURN
END

```

SUBROUTINE GETLIN(OUTLIN,NC)

GETS A LINE FROM TERMINAL; QUEUES UP MULTIPLE LINES

```

COMMON /BLK1/ IN,OUT /BLK4/ TCHAR /BLK5/ MFLAG,ERRCT,CURLIN
INTEGER*2 INLIN,OUTLIN,QUEUE,BLNK,TCHAR
INTEGER IN,OUT,ERRCT,CURLIN,I,J,K,LINELEN,BQ,ENDQ,NC,NCHARS
LOGICAL MFLAG,NFLAG
DIMENSION INLIN(80),OUTLIN(80),QUEUE(80,10),NCHARS(10)
DATA BLNK//' ',LINELEN/80/,BQ/0/,ENDQ/0/
1010 FORMAT (30A1)
2050 FORMAT (' -TRUNCATED; ONLY 10 ITEMS PER LINE-')
2070 FORMAT (' -ILLEGAL CHARACTER OR BLANK COMMAND-')
C MFLAG GOES TRUE WHEN MULTIPLE INPUT LINES ARE STACKED
IF (.NOT. (.NOT.MFLAG) ) GO TO 9062
READ (IN,1010,ERR=99,END=98) INLIN

```

```

9064      I = 1
          IF (.NOT. ((I.LE.LINELN).AND.(INLIN(I).NE.TCHAR)) ) GO TO 9065
          OUTLIN(I) = INLIN(I)
          I = I + 1
          GO TO 9064
9065      CCNTINUE
          NC = I - 1
          IF (INLIN(I).EQ.TCHAR) MFLAG = .TRUE.
          IF (.NOT.(I.LE.LINELN) ) GO TO 9066
          DO 20 K = I,LINELN
              OUTLIN(K) = BLNK
20        CONTINUE
9066      CONTINUE
9068      IF (.NOT. (INLIN(I).EQ.TCHAR) ) GO TO 9069
          IF (.NOT.(ENDQ.GE.10) ) GO TO 9070
          WRITE (DUT,2060)
          INLIN(I) = BLNK
          GO TO 9071
9070      CCNTINUE
          ENDQ = ENDQ + 1
          I = I + 1
          J = 1
          NFLAG = .TRUE.
9072      IF (.NOT. ((I.LE.LINELN).AND.(INLIN(I).NE.TCHAR)) ) GO TO
* 9073
          QUEUE(J,ENDQ) = INLIN(I)
          IF (INLIN(I).NE.BLNK) NFLAG = .FALSE.
          I = I + 1
          J = J + 1
          GO TO 9072
9073      CCNTINUE
          NCHARS(ENDQ) = J - 1
          IF ((I.GT.LINELN).AND.NFLAG) NCHARS(ENDQ)=0
          IF (.NOT.(J.LE.LINELN) ) GO TO 9074
          DO 30 K = J,LINELN
              QUEUE(K,ENDQ) = BLNK
30        CONTINUE
9074      CCNTINUE
9071      CONTINUE
          GO TO 9068
9069      CCNTINUE
          GO TO 9063
9062      CONTINUE
C       GET LINE FROM QUEUE INSTEAD
          BQ = BQ + 1
          NC = NCHARS(BQ)
          DO 40 I = 1,LINELN
              OUTLIN(I) = QUEUE(I,BQ)
40        CONTINUE
          IF (.NOT.(BQ.EQ.ENDQ) ) GO TO 9076
          BQ = 0
          ENDQ = 0
          MFLAG = .FALSE.
9076      CCNTINUE
9063      CONTINUE

```

```

98  RETURN
CONTINUE
REWIND IN
99  CONTINUE
WRITE (OUT,2070)
OUTLIN(1) = BLNK
RETURN
END

```

SUBROUTINE PUSH(X)

PUSHES A POINTER TO A FREE LINE INTO THE STACK

COMMON /BLK1/ IN,OUT /BLK6/ STACK,STKPTR

INTEGER STKPTR,IN,OUT

INTEGER*2 STACK,X

DIMENSION STACK(4000)

2080 FORMAT (' -FREE LINE LIST STACK OVERFLOW-')

```

IF (.NOT.(STKPTR.GT.1) ) GO TO 9078
STKPTR = STKPTR - 1
STACK(STKPTR) = X
GO TO 9079

```

9078 CONTINUE

STACK OVERFLOW

WRITE (OUT,2080)

9079 CONTINUE

RETURN

END

SUBROUTINE POP(X)

POPS A POINTER TO A FREE LINE FROM THE STACK

COMMON /BLK1/ IN,OUT /BLK2/ LPTR,MAXLIN,EOF /BLK6/ STACK,STKPTR

INTEGER STKPTR,MAXLIN,EOF,IN,OUT

INTEGER*2 STACK,LPTR,X

DIMENSION STACK(4000),LPTR(4000)

2090 FORMAT (' -ALL SYSTEM BUFFERS FULL-')

X = STACK(STKPTR)

```

IF (.NOT.(STKPTR.LT. MAXLIN) ) GO TO 9080
STKPTR = STKPTR + 1
GO TO 9081

```

9080 CONTINUE

WRITE (OUT,2090)

9081 CONTINUE

RETURN

END

SUBROUTINE CNVRT(STRING,I,J,N)

CONVERTS CHARACTERS I THROUGH J OF STRING INTO AN INTEGER N

```

C
      INTEGER*2 STRING,DIGIT
      INTEGER I,J,N,K,L
      DIMENSION STRING(80),DIGIT(10)
      DATA DIGIT/'0','1','2','3','4','5','6','7','8','9'/ 
      N = 0
      DO 20 K = I,J
      L = 1
 9082 IF (.NOT. (STRING(K).NE.DIGIT(L)) ) GO TO 9083
      L = L + 1
      GO TO 9082
 9083 CONTINUE
      IF (.NOT.(L .LE. 10) ) GO TO 9084
      N = N + (L-1)*(10***(J-K))
      GO TO 9084
 9084 CONTINUE
      N = -99999999
      RETURN
 9085 CONTINUE
 20 CONTINUE
      RETURN
      END

```

SUBROUTINE COMLIN(C1,CLINE,N1,N2,EFLAG)

C
CC
C FINDS AND INTERPRETS THE LINE NUMBERS CONTAINED ON A
COMMAND LINE. CHECKS FOR ERRORS.

```

      INTEGER C1,N1,N2,I,J
      INTEGER*2 CLINE,BLNK,COMMA
      LOGICAL EFLAG
      DIMENSION CLINE(80)
      DATA BLNK// ' ',COMMA// ','/
      EFLAG = .FALSE.
C      FIND FIRST DIGIT
      I = C1
      J = I
 9086 IF (.NOT. ((CLINE(J).NE.BLNK).AND.(CLINE(J).NE.COMMA)) ) GO TO 9087
      *7
      J = J + 1
      GO TO 9086
 9087 CONTINUE
      IF (.NOT.(J.GE.80) ) GO TO 9088
      EFLAG = .TRUE.
      GO TO 9089
 9088 CONTINUE
C      CONVERT FIRST NUMBER TO AN INTEGER
      CALL CNVRT(CLINE,I,J-1,N1)
C      LOOK FOR SECOND NUMBER
      I = J + 1
      J = I
 9090 IF (.NOT. (CLINE(J).NE.BLNK) ) GO TO 9091
      J = J + 1
      GO TO 9090

```

```

9091    CCNTINUE
      IF (.NOT.(J .GE. 80) ) GO TO 9092
          EFLAG = .TRUE.
          GO TO 9093
9092    CONTINUE
      IF (.NOT.(I .EQ. J) ) GO TO 9094
          NO SECOND NUMBER EXISTS
          N2 = N1
          GO TO 9095
9094    CONTINUE
          CONVERT SECOND NUMBER
          CALL CNVRT (CLINE,I,J-1,N2)
9095    CONTINUE
          IF (N1 .GT. N2) EFLAG = .TRUE.
9093    CONTINUE
9089    CONTINUE
      RETURN .
END
SUBROUTINE SEARCH(LINE,STRING,NC,MATCH,MCI)

C PART OF SLED PACKAGE
C SEARCHES 'LINE' FOR THE FIRST OCCURRENCE OF 'STRING'.
C 'MATCH' IS SET TO '.TRUE.' IF A MATCH IS FOUND.
C 'NC' IS THE NUMBER OF CHARACTERS IN 'STRING' (REQUIRED INPUT)
C 'MCI' IS AN OUTPUT INDICATING FIRST COL OF MATCH
C
      INTEGER I,J,L,NC,MCI
      INTEGER*2 LINE,STRING
      LOGICAL MATCH
      DIMENSION LINE(80),STRING(80)

      J = L
      MATCH = .FALSE.
9096  IF (.NOT. ((.NOT.MATCH).AND.(J.LE.81-NC)) ) GO TO 9097
9098  IF (.NOT. ((STRING(1).NE.LINE(J)).AND.(J.LE.81-NC)) ) GO TO 909
*9     J = J + 1
      GO TO 9098
9099  CCNTINUE
      IF (.NOT.(J.LE.81-NC) ) GO TO 9100
          I = I
          L = J
9102  IF (.NOT. ((STRING(I+1).EQ.LINE(L+1)) .AND. ((L+1).LT.80).AN
*0.(I+1.LE.NC)) ) GO TO 9103
          L = L + 1
          I = I + 1
          GO TO 9102
9103  CONTINUE
      IF (.NOT.(I .EQ. NC) ) GO TO 9104
          MATCH = .TRUE.
          GO TO 9105
9104  CONTINUE
          J = J + 1
9105  CONTINUE
9100  CONTINUE

```

FILE: SLED2 FORTRAN T1

NAVAL POSTGRADUATE SCHOOL

GO TO 9096
9097 CONTINUE
MC1 = J
RETURN
END

Appendix B
SLED PASCAL Implementation
(by R. Burnham, R. Coulter, and S. Smart)
CONCEPTS

The purpose of this programming project was to implement a simple text editor to run under standard PASCAL as defined in Wirth [1972]. The specifications for the program are fairly extensive and seek to define the program in specific enough terms to ensure portability. In designing and implementing this program, the following two goals were utilized:

- a. PORTABILITY. The finished program should be capable of running under any implementation of standard PASCAL.
- b. STANDARDIZATION. The finished program should abide by the detailed specifications provided for the user interaction with any implementation dependent features fully documented to facilitate use by both inexperienced and experienced users.

SYSTEM DESIGN

The overall design for the text editor was heavily influenced by the strict requirements of the specification document. This specification delineated the commands that were to be implemented and their format. The primary design task involved creating an efficient system which included the required commands in an implementation independent program.

FILE MANAGEMENT. The primary purpose of any text editor is to create and modify text (character) files in an interactive manner. This problem can be separated into several functional areas. The first of these is file manipulation and management. In as much as PASCAL was designed primarily as a pedagogical aid, the language lacks extensive input/output operations. This in turn allows the various implementations to define these operations. Since this would necessarily result in operations which were not portable, it was decided to design the program to meet the requirement that the user be able to access external text files from within the program and that the program not fail if the user attempted to access a non existant file.

The Berkeley Pascal implementation for the UNIX operating system (which was used for this effort) defines three types of files, in addition to the standard input and output files. The first of these concerns explicit naming. In this case, the file name is placed in the program heading and acts as a passing "parameter" from the UNIX operating system into the program. The file so named must exist as a UNIX

file.

The second type is an implicitly defined file. These files are declared in variable declaration sections of program blocks and have scope in the same manner as variables. When a block is entered, the file is created with the UNIX filename tmp.x where x is an integer representing the chronological order in which the file is used. When the block is exited, the file is destroyed.

The third type of file uses a dummy file name convention. The file name is declared in the variable declaration section but can be equivalenced to an existing file by the system functions reset and rewrite. These functions create a UNIX path between the dummy file name and the actual UNIX name, which may be supplied during execution. In the case of rewrite, if no UNIX file exists, it is created.

The dummy file name seemed ideally suited to the program requirement that the user be able to create and access files at will. However, it is necessary to know whether the file which is to be opened has been previously created. Since it is impossible for the program to access the UNIX user's directory to determine if files exist, it was decided to create a SLED directory containing the file names and sizes of all files created in the SLED environment. In the event that the user desired to edit a file which existed in his UNIX directory but not in the SLED directory, the SLED directory could be edited to include this filename. To implement this feature, it was decided to explicitly name this directory <directory> as a UNIX file. Any additional files needed as temporary storage locations to be utilized while a file was being edited could then be implemented as implicitly named files, since their existence is not important to the user (unless the amount of file space allocated to the user by the operating system is limited).

TEXT MANIPULATION. As a text editor, SLED has to carry out two basic functions. The editor must insert and delete lines of text in the file, and must search lines for pattern matching and replacement. These functions are related and are the dominant factor in the choice of an effective data structure.

PASCAL has several data structure constructors in the language which can be used to fulfil these tasks. These include the linear array, record, and pointer. The salient features of these constructors in regards to the tasks involved will now be discussed.

The PASCAL array is similar to arrays in other languages with

the exception that the elements of the array may be complex data types such as records. Since the array must be statically defined, the storage can be highly efficient. Lines of text can be stored as character arrays. This has the advantage that locating a given line or character can be accomplished by simply subscripting a variable. In addition, overhead is at a minimum since no pointers, links or other devices are required. The array suffers from the disadvantage that insertions and deletions are expensive as they require copying on the average half of the array. Furthermore, since the array must be defined statically, it is likely that much of the array will be empty at any one time.

The record data structure is similar to the array except that the elements of the record need not be of the same data type. By itself, the record offers no advantages as compared to the array. However, the record fields can be used to act as pointers or links to other records thus allowing the creation of lists or trees. Trees offer the advantage that sorting, inserting, and deleting can be carried out quite efficiently. In addition, searching is easier and more efficient than with linked lists (although not as efficiently as an array). The major disadvantage of the tree is the large amount of overhead required since each interior node must contain a link to each descendant. The linked list can be considered as a compromise of the tree structure. Insertions and deletions are still efficient, but searching requires following a string of pointers through the list. Since only one pointer is required for each node, the amount of overhead is approximately halved compared to the tree.

The pointer type represents a method of dynamic allocation of records to a linked list or tree structure. This offers the advantage that space need not be allocated until actually required. Unfortunately, the methods for allocating and de-allocating memory space via pointers is poorly defined in the language, resulting in implementation dependent designs. In particular, standard PASCAL allows pointers to records to be destroyed resulting in the creation of garbage. No garbage collection is carried out by the language to recover this memory. Therefore, a common technique is to place unused records into a "free" list. This, however, defeats the idea of dynamic allocation.

Based on these considerations, it was decided that lines within the text file would be treated as a linked list. This would facilitate the line append and line replace operations. The overhead for this structure would then be one pointer per line, which was not considered excessive. Rather than depend on the pointer type to create and manage list elements, it was decided that the list would consist of an array of line records, with each record consisting of a pointer to the next line and the contents of the line.

In representing the characters of a given line, it was necessary to decide between using another linked list for elements of a line or a character array. Again, the linked list would make character insertions

and deletions efficient. Since this would require a pointer for each character, about half of the memory space allocated would be overhead. A possible compromise would be to have each list node consist of several characters. This would create difficulties in insertion and deletion and would require a complicated algorithm to implement. It was decided to represent the line as a character array. This had the benefit of making the pattern matching algorithm easier to implement as well as reducing overhead.

PARAMETERIZATION. To allow for adaptations of the program to other systems, the parameters for the data structure are defined in a constant declaration block in the main program. This allows implementations to scale the size of the data structure to the amount of memory available. To further enhance portability, it was decided to localize the input/output procedures in separate routines which could be replaced when implementing the system on other machines.

IMPLEMENTATION

The linked line list was implemented as an array of line records named `<buff>`. Each line record consists of an integer pointer to the array element (record) of the next line and a 120 character packed array. This size allows the creation of a line which will cover the linesize of most standard output devices. In addition, a separate record, `<head>`, serves as a pointer into the line list and contains the number of the first line presently in the buffer.

GENERAL STRUCTURE OF SLED. The editor basically has five categories of text processing procedures. The first of these are the control commands. There are three types of control commands: a change of logical message terminator so that the user may select the symbol or character he desires to indicate an end of a line or command, a command to exit the editor mode which will write the text file to the user's file as well as terminate the program, and a command to open a file for the user, either a new file or an existing file from his directory and close any previously opened file. As discussed in the section on design, this was implemented as a separate SLED directory. The contents of the directory consist of the UNIX file name along the total number of text lines in the file. In addition to this, a scratch file is maintained to allow updating of the directory contents.

To implement the logical terminator, it was decided to limit the terminators to printable characters. This allowed the terminator to serve as an end of line signal in the text buffer, eliminating the need for creating a separate list of line lengths or employing some other line length algorithm.

The second group of commands consists of those commands

concerned with output of the text file to the CRT screen. These commands are divided into those which display a specific portion of text and those which display large blocks of text. These commands, called output commands, consist of routines to display the current line, a specific line or a designated number of lines. The user optionally selects a from-line/to-line pair of numbers for display and defaults to the current line (defined as the last line displayed or last line operated upon). Another output command screens a large block of text for the user by using a from-line input. These display commands allow the user to edit large portions of his text. Two other commands, which do not process or handle text, and are considered output commands are a procedure to display a command menu to assist the user with SLED procedures and a display of the version listing for a more sophisticated user.

The third type of commands are those which handle insertion of text into the file. The line insertion commands cause the editor to enter the insert mode (all other procedures are in the edit mode). These commands allow insertion of new lines into the text as well as replacing a specific line or a group of lines in the text. In this way, the user can create or destroy portions of his text file by linking the new lines into the buffer list.

A fourth command searches the text for a particular character or string of characters and displays them to the user. Closely related to this is the command to replace these characters and strings in the body of the text, either in a specific line, a group of lines or throughout the entire text. These two types of commands along with the line insertion commands form the basis of the text processing procedures, while the output and control commands form the basis of the text handling procedures. To implement the pattern matching routine the Knuth, Morris, Pratt algorithm (as discussed in Knuth and elsewhere) was utilized. This algorithm uses the concept of a finite automaton to determine how far to advance the pattern along the target line in the event of a mismatch between the pattern and its target. This is done by creating a table of edges which represent failure in the automaton. As an example, if the pattern consists of three identical letters and the first two match but the third one does not, instead of advancing the pattern by one position relative to the target the pattern can be moved three places since the first character cannot possibly match the third character of the target. The next table determines how far to advance the pattern if matching fails with the i th character of the pattern. In this way, no back-tracking in the target is required and the algorithm is $O(n)$. The diagram attached as Figure B1.1 shows the general scope of SLED as defined in the specification document. It basically shows the editor commands required by the system grouped into the five primary command areas; output, control, line insertion, string search and string replacement. The diagram also shows the different editor command modes.

SPECIFIC STRUCTURE OF SLED. Based on the general structure of SLED as proposed by the problem specification and as diagrammed above,

the programming team made a detailed study of the basic routines needed, how these routines would interact and the data structures and file handling procedures that would be needed. The Figure B1.2 is a schematic of the implementation of SLED as described in this documentation. In implementing the SLED program, a top-down methodology was utilized in defining the program processes needed to meet the requirements stated above.

There are four general sections or levels to the program. The first level acts as a traffic controller for the entire program. It reads each of the user input commands and branches to the appropriate subroutine. The main program dunctions as this first level and screens the commands, eliminating the incorrect ones and processing the properly entered ones. It is the framework in which SLED performs its functions.

At this same level, the change terminator is located primarily because it does not handle the user data except to place the new terminator symbol in the text file (see procedure Chaneterm documentation). It is properly classified as a special procedure in program control rather than text processing or text handling.

The second level of the program contains the bulk of the text processing procedures and consequently, the bulk of the coding. One subgroup contains the procedures which display the lines of text from the user's file. In many ways, it is similar to the output section outlined in the original evaluation. In addition to the screen line and display line procedures, we have included the string search procedure in this subgroup because it functions in a similar manner in that it is involved in the display of strings within the lines of text. This subgroup interfaces with a major subgroup of the third level, namely the commands which read the user's line number designations, translate them, and fetch the lines from the text file.

The second major subgroup of this level consists of the commands which handle the majority of the text insertions, deletions and string processing. These include appending lines, replacing lines and replacing or changing strings. These commands were grouped together due to their similarity of function and commonality of coding. They each have major subprocedures at this level and interface with the primary text handling procedures at the fourth level.

Also found at the second level are two other groups of procedures which are of less importance than the text processing procedures but are useful and necessary segments of the SLED program. The first of these are the control commands which open and close the file. They are obviously required file handling procedures and perform the functions normally expected of a text editor. They interface with key implementation dependent procedures at the third level.

The last major subgroup of the second level is the required

command menu and version document. The call to these procedures is rather simple and uncomplicated. Rather than place the documents in the PASCAL program, we decided to employ the existing UNIX directory to hold them. These files are explicitly named in the program as <menu> and <version>. The file contains the current command menu as well as the version and any changes to either of these to facilitate assisting the user can be made quickly and efficiently.

The third level of programming of SLED contains two subgroups, each of which are subroutines for major procedures in level two. The first subgroup are theroutines which transform the user line number requests into from-line/to-line pairs and fetch the appropriate lines from the user's text. They are text handling commands and are part of the output section in the original specification.

The second subgroup interacts with the open and close file routines and are key text handling procedures. They are dependent upon the implementaion of PASCAL in use on the computer system. The procedures utilize a directory file which, like the menu and version, is located in the UNIX directory.

The fourth level of SLED contains the key text hadling commands to move data in and out of the buffer when required. All of the major procedures of SLED call the read buffer and write buffer routines to move through the user's file. These procedures are also implementation dependent.

A minor procedure of the program is also found at this level which causes the command menu to be printed when the user makes two consecutive errors, a requirement of the SLED specification.

TESTING AND EVALUATION

The constraints of time prohibited an exhaustive and thorough evaluation of SLED. There has, however, been extensive and continuous testing of the modules of SLED in the initial programming phases and as the program took its finished form. While not exhaustive the testing and evaluation performed by the programming team has resulted in a fully operational and effective editor.

Once the major operating bugs were identified and removed from the program, the task of specific debugging of each command and its interaction with the other commands of SLED was undertaken, including the testing of pathological errors where purposely erroneous and improper commands were input with the express purpose of causing the system to perform incorrectly or fail.

While we are satisfied that the program will function as required,

there is further room for testing of the system. The limited time available precluded the testing of large files and extensive directories and the actual production of useable and functional files. Besides the testing of large files, a period of time should be spent by disinterested parties (actual users) in using SLED to produce files and testing the system. From this evaluation, any remaining system bugs should be easily identified and corrected.

SLED - PASCAL

SLED

Programmed by: Robert M. Burnham
Ronald J. Coulter
Scott W. Smart

Naval Postgraduate School, Monterey, California

Specification: 20 February 1980

Written: 12 March 1980

Compiled: 14 March 1980

Source Computer: PDP 11-50

Object Computer: PDP 11-50

Language: PASCAL

Implementation: UC Berkeley PASCAL

File Location: UNIX PWK /work/css00/smartz/slled.p

Editor File Name: slled.p

Project Specification: Issued Separately

Abstract: SLED is a very simple general purpose text editor implemented in PASCAL and designed to be relatively transportable to other PASCAL systems. It performs a minimum of the usual text editing and display features found in a typical text editor.

```

***** BEGIN SLED *****

{
    * DOCUMENTATION FOR THE OPERATION OF *
    * THE BODY OF THE MAIN PROGRAM CAN *
    * BE FOUND AT LINE 2376 *
}

program sled(inout,menu,version,output,directory);

label 10,100;

const
    bufsize = 50;
    linesize = 120;
    null = -1;
    namesize = 8;
    errmsg = 'INVALID COMMAND';
    blank = ' ';
    comma = ',';
    error = '*** DATA ENTRY ERROR<--PLEASE REENTER DATA ***';

type
    line = record
        nextline : -1..bufsize;
        linestring : packed array[1..linesize] of char;
    end;
    buffer = array[1..bufsize] of line;
    patstring = packed array[1..linesize] of char;
header = record
    firstline: integer;
    ptr : -1..bufsize;
end;

var
    letter, c, ch, ct : char;
    errcnt, textsize, curline : integer;
    menu, version, rfile, temfile, directory, tempd : text;
    buff : buffer;
    free : -1..bufsize;
    head : header;
}

```



```
*****
***** PROCEDURE WRITEBUF *****
*****
```

PURPOSE: This procedure writes the contents of the line buffer to the currently open file. mfile is a dummy file name. During execution, this file name is replaced by a "path" to the UNIX file name specified during a rewrite or reset operation. File tempfile is a temporary file used during read and write operations to restore the user's UNIX file. The temp file exists during execution as UNIX file tmp.2. If execution terminates normally, this file is removed from the system.

The procedure reads from the user's file (mfile) to the temp file until the point where the buffer is to be inserted is reached. At this point, the contents of the buffer are written to the temp file. After the buffer lines have been transferred, the remaining lines of the user file are read and written out to the remo file. The temp file now contains the complete file. The entire temp file is then read and written to the user's file.

VARIABLES: tempfile: scratch file
mfile: dummy name for user's UNIX file
fname: actual UNIX file name
point: pointer to the buffer

```
*****
*****
```

```
procedure writebuf;  
  
type pointer = integer;  
  
var i : integer;  
ch : char;  
point : pointer;  
  
begin
```

```
{ read all lines preceding the first line of the buffer from  
the user's file to the scratch file  
}
```

```

begin
while not eoln(mfile) do
begin
  read(mfile, ch);
  write(tempfile, ch);
end;
end;

{ set the list pointer to the first element of the buffer
and read all lines in the list from the buffer to the scratch file
}

point := head.ptr;
while point <> nil do
begin
  i := 1;
  while (i < linesize) and (buff[point].linestring[i]
    <> ct) do
  begin
    write(tempfile, buff[point].linestring[i]);
    i := i + 1
  end;
  writeln(tempfile);
  point := buff[point].nextline;
end;

{reset the buffer status record}

head.ptr := nil;
head.firstline := 0;
free := 1;
for i := 1 to bufsize - 1 do
  buff[i].nextline := i + 1;
buff[bufsize].nextline := nil;

{ read past the lines of the user's file which were written to the
buffer previously
}

for i := 1 to 40 do
begin
  while not eof(mfile) do
    readln(mfile);
end;

```

```
{read all remaining lines from the user's file to the scratch file}
```

```
while not eof(mfile) do
begin
  while not eoln(mfile) do
begin
  read(mfile, ch);
  write(tempfile, ch);
end;
if not eof(mfile)
  then begin
  readln(mfile);
  writeln(tempfile);
end;
end;
```

```
{write the entire scratch file into the user's file}
```

```
rewrite(mfile, fname);
reset(tempfile);
while not eof(tempfile) do
begin
  while not eoln(tempfile) do
begin
  read(tempfile, ch);
  write(mfile, ch);
end;
if not eof(tempfile)
  then begin
  readln(tempfile);
  writeln(mfile);
end;
end;
```

```
end; { writebuf }
```

PURPOSE: This procedure reads a block of 40 lines from a user file into the buffer. Mfile is a dummy file name which is replaced during execution by a "path" to a UNIX file. Strline is the first line of the file to be placed in the buffer. This line and the next 39 (if they exist) are read from the user's file and linked into the list.

```

VARIABLES: mfile: dummy filename for user's text file
            fname: actual UNIX file name
strline: first line to be placed in buffer
textsize: total number of lines in user's file
*****  

procedure readbuf(strline : integer);

var ch : char;
    i,k : integer;
numline : integer;

begin

{determine number of lines to be placed in buffer}

numline := 40;
        if (textsize + 1 - strline) < numline
            then numline := textsize + 1 - strline;
reset(mfile,fname);
for i := 1 to (strline - 1) do
    readln(mfile);

{ insert lines into buffer }

for i := 1 to numline do
begin
    k := i;
    while not eoln(mfile) do
begin
    read(mfile,ch);
    buff[i].linestring[k] := ch;
    k := k + 1;
end;

```

```

buff[i].lineString[k] := ct;
if i > 1 then buff[i-1].nextLine := i;
readln(mfile);
end;

buff[numLine].nextLine := null;
free := numLine + 1;
for k := numLine + 1 to bufsize - 1 do
  buff[k].nextLine := k+1;
  buff[bufsize].nextLine := null;

{update buffer status record}

head.ptr := 1;
head.firstLine := strLine;
end; { readbuf }

```

PURPOSE: This procedure takes the number values produced by the Lineat procedure and causes the appropriate number of lines to be printed on the CRT screen. It is called by those procedures which need to enter the users buffer and extract part of the text. It, in turn, calls the procedures Readbuf and Writebuf which are part of text-buffer storage system. If the users request for text exceeds the actual size of the text, this procedure will print all the text that is available.

VARIABLES: The following variables are used in fetchline:

x, p: containing numbers for iterative routines
pointer: number pointer to the next line
fline: from-line value
tline: to-line value

Global variables include:

- textsize:** the number of lines in the users text
- curline:** current line value
- head.firstline:** first line of the users text
- head.ptr:** pointer to the first line
- buff[pointer].nextline:** number value of the next line in the buffer
- buff[pointer].linestring[ptr]:** character value of the line in the buffer

★ ★

```
procedure technique (line, line integer);
```

```

if tline > textsize
    then
        fline := textsize ;

```

```

then
  if tline < head.firstline
    then
      begin
        writebuf ;
        readbuf ( fline ) ;

        pointer := head.ptr ;
        begin
          end ;
        end
      begin
        writebuf ;
        readbuf ( fline ) ;
        pointer := buff[pointer].nextline ;
        if pointer = nil
          then
            begin
              writebuf ;
              readbuf ( x ) ;
              pointer := head.ptr
            end ;
        end;
      begin
        { searches for the from-line value
          in the users text. If not in the
          buffer, then the rest of the file
          is searched. }
      end
    begin
      for x := head.firstline to ( fline - 1 ) do
        begin
          pointer := buff[pointer].nextline ;
          if pointer = nil
            then
              begin
                writebuf ;
                readbuf ( x ) ;
                pointer := head.ptr
              end ;
        end;
      begin
        { print out each line, character by
          character, from the buffer to the
          CRT for the from-line/to-line values.
          If the buffer is exceeded, then the
          next block of text is read to the
          buffer. }
      end
    begin
      for x := fline to tline do
        begin
          y := x;
          write ( ' ', y:5, ' ' );
          n := 1;
        end
      while (buff[pointer].linestring

```

```

written buffer[pointer].lineString[ ] ,
o := p + 1

if x < tline then begin
  pointer := buffer[pointer].nextLine ;
  if pointer = nil then
    begin
      writebuf ;
      readbuf ( y ) ;
      pointer := head.ptr
    end ;
  end;
end;

curline := tline ;

end: {fetchLine}

```

{ reset the value of the current line }

```
{
***** PROCEDURE LINEGET
*****
```

PURPOSE: This procedure, called by some of the main procedures of SLFD, reads the line number of the user input instructions, constructs a "from-line/to-line" pair of variables and checks for errors in user input. The user can designate the current line with a carriage return or a change terminator command, insert a value for any other line desired or specify lines from one number to another.

The values produced by this procedure are passed back to the callin command. This procedure is called by Displayline and Screenline.

VARIABLES: The following local variables are used:

-----	line: the from-line value
-----	toline: the to-line value
-----	screncheck: boolean check value to detect an error
-----	and signal the calling procedure to take specific action
-----	num: value of the first number read (to-line value)
-----	tnum: value of the second number read (from-line)
-----	temp: temporary variable for numbers
-----	check: boolean checker for an end-of-line character
-----	Global variable reference:
-----	curline: current line
-----	ct: change terminator character
-----	errcnt: the current user error count for the Errorroutine procedure

```
*****
*****
```

```
procedure lineget ( var line,toline : integer; var screencheck : boolean ) ;
```

```
var
```

```
num,tnum,temp : integer ;
check : boolean ;
```

```
begin
```

```
scrcncheck := true ;
temp := 0 ;
line := curline ;
toline := line ;
```

```
begin
  if not eoln(input) then begin
    read(c) ;
    if c in ('0'..'9')
      then
```

```
begin
  repeat
    if eoln (input)
      then
        begin
          check := true ;
          temp := 10 * temp + ord(c) - ord('0') ;
          num := temp ;
        end
    if not eoln(input) then
      begin
        read(c) ;
        until not ( c in ('0'..'9') ) or ( check ) or ( c = ct )
      end ;

    if ( check ) or ( c = ct )
      then
        begin
          line := num ;
          toline := line ;
        end
      temp := 0 ;
    end;
  end;
```

{ Reads in the second number
and converts it to the to-line
digit }

```
  if not (check) and ( c = comma )
    then
      begin
        if c = comma
          then
```

```

begin
line := num ;
if not ( eoln ( input ) )
then
read ( c )

else
writeln(error) ;

if c in ['0'...'9'] then
begin
check := false ;
repeat
if eoln ( input )
then
check := true ;
temp := 10 * temp + ord (c) - ord ('0') ;
tnum := temp ;
if not eoln (input) then
read ( c ) ;
until not ( c in ['0'...'9'] ) or ( check ) ;
toline := tnum ;
end ;
end ;

```

{ Error diagnostic for an improper character or number sequence }

```

if not ( c in ['0'...'9'] ) and ( c <> blank ) and not
( check ) and not ( c = ct )
then
begin
writeln(error) ;
errcnt := errcnt + 1 ;
line := curline ;
toline := line ;
screencheck := false ;
repeat
if not eoln ( input )

```

```
end;
if line > tolne
then
begin
writeln(error);
writeln(' Data is entered " fromline, tolne" ');
line := curline;
errcnt := errcnt + 1;
tolne := line;
end;
errcnt := 0;
if line = 0
then
line := curline;
end; { lineget }
```

```

{
***** PROCEDURE DISPLAYLINE *****
***** PURPOSE: This procedure displays lines of text from the users
***** file. The user requests the current line, a specific
***** line or a group of lines with a starting value and
***** an ending value. The input command is < L value,value >.
***** The number commands are read by calling Lineget and
***** the actual lines are fetched and printed by Fetchline.
***** This procedure is merely a vehicle for the interaction
***** of these two procedures.

VARIABLES: The following variables are used:
----- linefrom: from-line value
           lineto: to-line value
           check: error detecting variable
***** procedure displayline ;
var
    linefrom, lineto : integer ;
    check : boolean ;
begin
    Lineget ( linefrom, lineto, check ) ;
    if linefrom = 0 then linefrom := 1;
    if textsize <> 0 then
        fetchline ( linefrom, lineto )
        else writeln('0 lines in file');
    if eoln(inout) then begin
        readln;
        write('E>');
        end;
    end ; { displayline }
}

```

PURPOSE: This procedure displays 20 lines of text to the user. It can be started at the current line or at any line designated by the user. If the request exceeds the text size, then the screen will terminate with the last line line of the text. The input command for display line is < S value >. If improper data values are input, the checker will print only the current line with the error diagnostic printed by the Lineget procedure.

The procedure calls the procedures Lineget and Fetchline.

```

VARIABLES: The following local variables are used:
----- linefrom: from-line value
               lineto: to-line value
               checker: boolean value passed by Lineget which
                         causes only the current line to print instead
                         of 20 lines. Done on error only

Global variable used:
curline: current line
*****
```

```

procedure screenline ;

var
    linefrom, lineto : integer ;
    checker : boolean ;
```

```

begin
```

```

    lineget ( linefrom, lineto, checker ) ;
    if linefrom = 0
    then
        linefrom := linefrom + 1 ;
        if linefrom <= lineto
        then
            lineto := linefrom + 20 ;
            if checker = false
            then
```

```

    { Error routine for invalid
      data in Lineget procedure }
```

```
begin
    linetofrom := curline ;
    lineto := linetofrom
end ;

if textszie <> 0 then
    fetchline ( linetofrom, lineto )
else writeln('0 lines in file');
if eoln(input) then begin
    readln;
    write('>');
    end;

end ; { screenline }
```

PURPOSE:

This procedure inserts lines into the buffer. The parameter strline is the line which the inserted line(s) is to follow. If this line is not currently in the buffer, the contents of the buffer are written out and the buffer is refilled beginning with the line strline. The procedure then continues to insert lines until the end of input symbol is reached. If the buffer is filled during this operation the contents of the buffer are written out and the last line inserted becomes the first (only) line in the buffer.

VARIABLES:

point: pointer to the line in the buffer the inserted lines are to follow
epoint: pointer to the line immediately following the lines inserted
bufline: counter to keep track of the line number which point is pointing to

procedure appendline (var strline : integer);

type pointer = ^l..bufsize;

var text : packed array l1..linesize of char;
point,epoint : pointer;
done : boolean;
i : l..linesize;
bufline : integer;
inchar : char;

begin

{test if inserted lines are to be placed before the first line of text. If so, pointer is null. If the file is empty the first inserted line becomes the first line of text and the buffer status is undated }
if strline = 0
then begin
 if head.firstline > 1
 then begin
 writebuf;

```

readbuf(1);
end;
if head.firstline = 0
then begin head.ptr := nil;
head.firstline := 1;
end;
epoint := head.ptr;
point := nil;
end

{find the start line in the buffer}

else begin
if head.firstline > strtline
then begin
writebuf;
readbuf(strtline);
point := head.ptr;
end
else begin
point := head.ptr;
bufline := head.firstline;
while bufline < strtline do
begin
point := buff(point).nextline;
if point = nil
then begin
writebuf;
readbuf(strtline);
point := head.ptr;
bufline := strtline;
end
else begin
bufline := bufline + 1;
end;
end;
end;
end;

{after the start line is found, set epoint to
the next line)
if buff(point).nextline => nil then
epoint := buff(point).nextline
else epoint := nil;

end;
done := false;

```

```

while not none do
begin
  i := 1;
  if not eoln(input) then
    read(inpch)
  else inpch := ' ';
  text[i] := inpch;
  if inpch = '.' then begin
    if not eoln(input)
      then begin
        read(inpch);
        i := i + 1;
        text[i] := inpch;
      end;
  end;

```

```

{end of input. link epoint line to
last inserted line}

if (i = 1) or (inpch = ct)
then begin
  if point <> nil
  then begin
    huff(point).nextline := epoint;
  end;
  done := true;
end;
endif;

{write text line into buffer}

if not done
then begin
  textsize := textsize + 1;
  while not eoln(input) and (inpch <> ct)
  and(i < linesize) do
begin
  i := i + 1;
  read(inpch);
  text[i] := inpch;
end;
  if eoln (input)
  then begin

```

```

readln;
write(']>');
text[i + 1] := ct;
end;
{if no free lines available, write out
contents of buffer}

if free = nil
then begin
  if point <> nil then
    buff[point].nextline := epoint;
  writelnbuff;
  readbuff(strline);
  point := buff[head.ptr].nextline;
  epoint := buff[point].nextline;
end;

if point <> nil
then buff[point].nextline := free;
else head.ptr := free;
point := free;
strline := strline + 1;
free := buff[free].nextline;
buff[point].linestring := text;
{update current line}
curline := curline + 1;
end;
end; { appendline }

```

PURPOSE: This procedure serves two purposes. First it deletes all lines between the parameters startline and endline (inclusive). Next procedure calls procedure appendline allowing the user to add any lines in place of the deleted ones. If the lines to be deleted are not currently in the buffer, the buffer is written out and the first line to be deleted becomes the first line of the buffer.

VARIABLES:

```

point: points to the first line to be deleted
epoint: points to the line after the last line to
be deleted
hufline: the line to which point is pointing
*****{*}
procedure replaceLine(var startline, endline : integer);
type pointer = ^line;
var point,epoint : pointer;
hufline : integer;
temp : integer;

begin
{find startline in buffer. If not in buffer write contents of
buffer to output file and input 40 lines beginning with startline.}
if head.firstline > startline
then begin
writehuf;
readbuf(startline);
point := head.ptr;
end
else begin
point := head.ptr;
hufline := head.firstline;
while hufline < startline -1 do

```

```

begin
  point := buff[point].nextline;
  if bufline < textsiz then
    if point = nil then
      begin
        writebuff;
        readbuff(strtline);
        point := head^.ptr;
        bufline := strtline;
      end
    else begin
      bufline := bufline + 1;
    end;
  end;

  {
    determine which lines are to be replace and link these lines to the
    free list. If no new lines are to be added, reconnect the lines
    in the buffer without the deleted lines. (i.e. connect strtline - 1
    to endlne). If new lines are to be added, replace the startline
    with the first new line and append any following lines to it, then
    reconnect the following lines beginning with endlne.
  }

  epoint := point; {find the endlne}
  for bufline := strtline - 1 to (endlne - 1) do
  begin
    enpoint := buff[point].nextline;
    if bufline < textsiz then
      if enpoint = nil
        then begin
          buff[point].nextline := nil;
          writebuff;
          readbuff(bufline);
          point := 0;
          enpoint := head^.ptr;
        end;
    end;
  end;

  {update the textsiz and buffer status record}

  textsiz := textsiz - (endlne - strtline) - 1;
  temo := buff[point].nextline;
  buff[point].nextline := buff[enpoint].nextline;
  buff[enpoint].nextline := free;
  free := temo;
  strtline := strtline - 1;
  appendline(strtline)

end; {replace}

```

PURPOSE: This procedure searches the text between the parameters strline and endline for any lines containing an occurrence of the string <pattern>. If the string is found, the line containing it is displayed by calling procedure fetchline.

The procedure first computes the next table to implement the Knuth, Morris, Pratt string search algorithm. This table is then used in determining how far to move the pattern along the line of text in the event of a non-match.

VARIABLES:

```
next : next table
point: pointer to the textline currently being
evaluated.
patlen0: the length of the pattern
```

```
*****
```

```
procedure strinadispo(var strline,endline : integer); var
pattern: datstring; var patlength:integer);
```

```
type pointer = -1..bufsize;
```

```
var
```

```
i, j, buffline : integer ;
next : array [1..linesize] of integer;
point : pointer;
text : packed array[1..linesize] of char;
done : boolean;
```

```
begin
{compute next table for string matching procedure }
```

```
i := 0;
next [1] := 0;
j := 1;
while j < patlength do
begin
done := false;
```

```

repeat
  if i > 0 then
    if pattern[i] <= pattern[j]
      then i := next[i]
      else done := true;
    until (i <= 0) or done;
    i := i + 1;
    j := i + 1;
    if pattern[i] = pattern[j]
      then next[j] := next[i]
      else next[j] := i;
  end;

  { find strtline in the buffer }

  if head.firstline > strtline
    then begin
      writebuf;
      readbuf(strtline);
      point := head.ptr;
    end
  else begin
    point := head.ptr;
    bufline := head.firstline;
    while bufline < strtline do
      begin
        point := buf[point].nextline;
      end;
  end;

  {if line is not in buffer, write out buffer
   and read in current line}

  if point = nil
    then begin
      writebuf;
      readbuf(strtline);
      point := head.ptr;
      bufline := strtline;
    end
  else begin
    bufline := bufline + 1;
  end;
end;

while bufline <= endline do
begin
  text := buf[point].linestring;
  i := 1;
  j := 1;

```

```

begin
  if pattern(i) = text(j)
then begin
  i := i + 1;
  j := j + 1;
end

else begin
  if next(i) > 0
    then i := next(i)
  else begin
    i := i;
    j := j + 1;
  end;
end;

{keep matching}

{match not found
advance pattern
as determined by
next table}

if i > pattern then fetchline(bufline,bufline);
point := buf[point].nextline;
bufline := bufline + 1;
if bufline < endline then
  if point = nil
    then begin
      writebuf;
      readbuf(bufline);
      point := head.ptr;
    end;
  end;
end; { strinadiso }

```

```
{
***** PROCEDURE STRINGREP *****
```

PURPOSE: This procedure searches the user's text file between the parameters `strline` and `endline` for any occurrences of the string `<pattern>`. If `<pattern>` is found in a line, it is replaced by the string `<string>` and the resulting line is displayed. The procedure uses the Knuth, Morris, Pratt algorithm to match the pattern in the line. The next table is first computed. This table is then used in computing how far to move the pattern along the text line in event of a non-match.

VARIABLES: `patlength`: length of the string `<pattern>`

`strlength`: length of the new string `<string>`

`text`: a line buffer for the current line

`next`: next table

`point`: pointer to the current line

```
***** PROCEDURE STRINAREN *****
```

procedure strinaren (var `strline`, `endline` : integer);

var `pattern`, `strina` : patstring;

var `patlength`, `strlength` : integer);

type `pointer` = -1..`bufsize`;

```
var
  i,j,k,m,temp,temp2 : integer;
  bufline : integer;
  next : array[1..linesize] of integer;
  point : pointer;
  text : packed array[1..linesize] of char;
  found : boolean;
  done : boolean;

begin
  i := 0;
  j := 1;
  next[1] := 0;
  while j < catlenath do
    begin
      done := false;
      repeat
        { compute next table }

```

```

if pattern[i] <= pattern[j] then i := next(i)
else done := true;
until (i <= 0) or done;
i := i + 1;
j := i + 1;
if pattern[i] = pattern[j]
then next[j] := next[i]
else next[j] := i;
end;

```

{ find start line in buffer }

```

if head.firstline > strline
then begin
writebuf;
readbuf(strline);
point := head.ptr;
end
else begin
point := head.firstline;
while bufline < strline do
begin
point := buff(point).nextline;
if point = nil
then begin
writebuf;
readbuf(strline);
point := head.ptr;
bufline := strline;
end
else begin
bufline := bufline + 1;
end;
end;
end;

```

{ try to match pattern in text line }

```

while bufline <= endlne do
begin
found := false;
text := buff(point).linestrin;
i := 1;
j := 1;
tempo := 1;
temp2 := 1;
while (i <= pattern) and (j <= linesize)

```

```

and (text[i] <> ct) do
begin
  if pattern[i] = text[i]
    then begin
      i := i + 1;
      j := j + 1;
    end
    else begin
      if next[i] > 0
        then i := next[i]
      else begin
        i := 1;
        j := j + 1;
      end;
    end;

    {pattern match found-replace pattern with
      string}

```



```

  if i > patlength
    then begin
      found := true;
      for k := temp2 to ((j - (patlength + 1)) do
        begin
          buff[point].linestring(temp) := text[k];
          temp := temp + 1;
        end;
      m := 1;
      for k := (i - patlength) to ((j - patlength) +
        (strlength - 1)) do
        begin
          if temp < linesize then
            buff[point].linestring(temp) := strina[m];
          temp := temp + 1;
        end;
      temp2 := j;
      i := 1; {continue to search for pattern}
    end;
  end;
  if found then begin
    m := temp2;
    if temp < linesize then
      for k := temp to (temp + (j - temp2)) do
        begin
          if k < linesize then
            buff[point].linestring(k) := text[m];
          m := m + 1;
        end;
  end;
end;

```

```
point := buff[point].nextline;
buffline := buffline + 1;
if buffline < endline
then if point = nil
    then begin
        writebuff;
        readbuff(buffline);
        point := head.ptr;
    end;
end;
end;  {strinareo1}
```

```
{
***** PROCEDURE APPENDCOM *****
*****
```

PURPOSE: This procedure computes the start line for the insert procedure (appendline). If the line number is defaulted, the current line is used. If the line number exceeds the number of lines in the text, or is otherwise invalid, an appropriate error message is returned.

VARIABLES:

```
lineno : start line for text insertion
inv : true if invalid command
```

```
*****
```

```
procedure appendcom;
```

```
var com: char;
lineno : integer;
inv : boolean;
```

```
begin
```

```
lineno := 0;
com := '.';
inv := false;
if eoln(input) or (com = ct) then if textszie > 0
then lineno := curline;
while not eoln(input) and (com <> ct) do
begin
read(com);
if not (com in ('0'..'9') + (ct)) then begin
  (compute line number)
  if not eoln(input) then repeat read(com) until eoln(input);
  writeln(errmsg);
  errcnt := errcnt + 1;
  inv := true;
end
else if com <> ct then
  lineno := (10 * lineno) + (ord(com) - ord('0'));
end;
if not inv then
  if (textsize < lineno)
    then begin
      writeln(textsize:1,' lines in file');
      if not eoln(input) then repeat read(com) until eoln(input);
    end
```

```
write('I>');
end;
appendline(lineno);
errcnt := 0;
end;

if eoln(input)
then begin
readln;
write('E>');
end;
curline := lineno;           {appendcom}
end;
```

```

*****
PURPOSE: KFPI.CFM
*****  

  

PURPOSE: This procedure computes the start line and
end line for the line delete procedure (replaceLine).
If the line number is defaulted, the current line
is deleted. If the end line is not specified, the
start line is deleted. If an invalid line number is
inputed, an error message is returned. If the
start line or end line is greater than the text size
the last text line is deleted.
*****  

  

VARIABLES:  

    linest : start line for deletion  

    linend : end line for deletion  

    inv : true if invalid line number is inputed
*****  

*****  

procedure replaceLine;  

  

var  

    com: char;  

    first : boolean;  

    linest, linend : integer;  

    inv : boolean;  

    com := ' ';  

begin  

    inv := false;  

    linest := 0;  

    linend := 0;  

    first := true;  

    com := ' ';  

    while not eoln(input) and (com <> cr) do
        begin  

            read(com);  

            if not (com = '0'...'9') + ('0','9')) then
                begin  

                    if not eoln(input) then repeat read(com) until eoln(input);  

                    writeln(armsal);  

                    arct := arct + 1;  

                    inv := true;  

                    armsal := ' ' + com <> cr
                end;
        end;
    end;

```

```

else linest := (10*linest) + (ord(com) -
    ord('0'))
else if com = ','
then begin
if not eoln(input) then repeat
  readl(com) until eoln(input);
  writeln(errmsg);
  errcnt := errcnt + 1;
  inv := true;
end {compute end line}
else linend := (10*linend) + (ord(com) -
    ord('0'));
end;
if not inv then begin
  if linest = 0 then curline := curline; {start line becomes
                                             current line}
  if first = true then linest := linest;
  if (textsize < linest) or (textsize < linend)
    or (linend < linest)
  then begin
    writeln(textsize:1,' lines in file');
  end
  else begin
    if eoln(input) and (textsize > 0)
    then begin
      readln;
      writer('I>');
    end;
    if textsize > 0 then
      replaceLine(linest,linend)
      else writeln('0 lines in file');
    end;
  end;
  if eoln(input)
  then begin
    readln;
    writer('F>');
  end;
  curline := linest;
end; { replace }

```

```

{
***** PROCEDURE DISPCOM *****
***** PURPOSE: This procedure computes the start line, end line
and pattern for the string search procedure (strnadvise)
If the line number is defaulted, all lines in the
user's file are searched. If the pattern string is
defaulted, the procedure prompts the user. If an
invalid line number is entered, an error message is
returned. The procedure also computes the length
of the pattern string.
***** VARIABLES:
linest : start line
linend : end line
string : pattern to be matched
ssize : length of the pattern
***** PROCEDURE DISPCOM;
var
com : char;
linest, linend, ssize : integer;
string : datstring;
first, sta : boolean;
inv : boolean;
begin
linest := 0;
inv := false;
linend := 0;
com := '.';
ssize := 0;
first := true;
sta := false;
while not eoln (inout) and (com <> ct) do
begin
read (com);
if not sta
then if com = ct
then begin
ct := true;
com := '.';
else if not (com in ('0'...'9') + ('0'...'9'))

```

```

until <oln(inout);
writeln(errmsa);
errcnt := errcnt + 1;
inv := true;
end;
else if first = ',' then first := false
else linest := (10*linest) + (ord(com)-ord('0'))
else if com = ',' then heain
if not eoln(input) then repeat read(com)
until eoln(input);
writeln(errmsa);
errcnt := errcnt + 1;
inv := true;
end; {compute end line}
else lineend := (10*lineend) +
(ord(com)-ord('0'));
else if com < ct
then {compute pattern string and string length}
strsize := strsize + 1;
strinalststrsize := com;
end;
endif; if not inv then heain
if strsize = 0 then lit no string prompt user) begin
writeln('string?>');
com := ' ';
if eoln(input) then readln;
while not eoln(input) and (com <> cr) do
begin
read(com);
if com <> cr
then begin
strsize := strsize + 1;
strinalststrsize := com;
end;
end;

```

Check for line returns and set to current line if line is greater than text size, set to last line of text

```

    then linend := linest;
if linend > textsiz then linend := textsiz;
if linest > textsiz then linest := textsiz;
if (linend < linest)
then begin
  if not eoln(inout) then repeat read(com)
    until eoln(inout);
  writeln(arresq);
  errcnt := errcnt + 1;
end
else if textsiz > 0 then begin
  strnrdn(linest,linend,string,ssize);
  errcnt := 0;
end
else writeln('0 lines in file');

endif;
if eoln(input) then begin
  readln;
  write('>');
  end;
curline := lineno;
end ;
{ disposecom }

```

PROCEDURE STRPCOM

PURPOSE: This procedure computes the start line, end line, pattern string, and new string to be inserted for the string replace procedure (Stringrep1). If the line number is defaulted, the current line is used. If no end line is specified, the start line is used. If the new string or pattern string is defaulted, the user is prompted. If an invalid line number is entered, an error message is returned.

VARIABLES:

```
linest : startline  
lineend : endline  
oldstring : pattern string to be replaced  
newstring : new string to be inserted  
oldsize : pattern string length  
newsize : new string length
```

procedure strpcom;

```
var  
    com : char;  
    linest, lineend, oldsize, newsize : integer;  
    oldstring : varstring;  
    first, oldsta, newsta : boolean;  
    newstring : varstring;  
    inv : boolean;
```

begin

```
    inv := false;  
    linest := 0;  
    lineend := 0;  
    com := ' ';  
    oldsize := 0;  
    newsize := 0;  
    oldsta := false;  
    newsta := false;  
    first := true;  
    oldsta := false;
```

while not eval (linest) and (com <> ct) do
 begin
 read (com);

```

if not oldstr
then if com = cr {compute start, end line}
then begin
oldstr := true;
com := '';
end
else if not (com in ('0'...'9') + {'.,'}) )
then begin
if not eoln(input) then repeat read(com)
until eoln(input);
writeln(errmsg);
errcnt := errcnt + 1;
inv := true;
end
else if first {compute start line}
then if com = ',' then first := false
else linest := (10*linest)+(ord(com)-ord('0'))
else if com = ','
then begin
if not eoln(input) then repeat read(com)
until eoln(input);
writeln(errmsg);
errcnt := errcnt + 1;
inv := true;
end {compute end line }
else linend := (10*linend) +
(ord(com)-ord('0'))
else if not newstr {inout pattern string}
then if com <> ct
then begin
oldsize := oldsize + 1;
oldstrn[oldsize] := com;
end
else begin
newstr := true;
com := '';
end
else if com <> cr {inout new string}
then begin
newsiz := newsiz + 1;
newstrn[newsize] := com;
end;
end;

```

if not inv then begin
 if oldsize > 0 {if no pattern prompt user}
 then begin
 writeln('Pattern');
 end;

```

com := '';
while not eoln(input) and (com <> ct) do
begin
  read(com);
  if com <> ct
  then begin
    oldsize := oldsize + 1;
    oldstring(oldsize) := com;
  end;
end;

if newsize = 0      {if no new string prompt user}
then begin
  if eoln(input) then readln;
  write('newstring?');
  com := '';
  while not eoln(input) and (com <> cr) do
begin
  read(com);
  if com <> ct
  then begin
    newsize := newsize + 1;
    newstring[newsize] := com;
  end;
end;
end;

{check for line defaults and set default values. If line number
is larger than text size, set line number to the last line
of text.}

if linest = n then linest := curline;
if first
then linend := linest;
if linest > textsiz then linest := textsiz;
if linend > textsiz then linend := textsiz;
if (linend < linest)
then begin
  if not eoln(input) then repeat read(com)
until eoln(input);
  writeln(prms);
  errcnt := errcnt + 1;
end;

else if textsiz > 0 then begin
  strinarepl(linest,linend,oldstring,
  newstring,oldsize,newsize);
  errcnt := 0;
end

```

```
    else writeln('0 lines in file');

end;

curline := linend;
if eoln(inout) then begin
  readln;
  writeln('>');
end;
end; { stredcom }
```

```

{
***** PROCEDURE GETFILE
*****
```

PURPOSE: This procedure inputs the user's file name. The SLED directory is then searched for that file name. If the file name is found, the file is opened and textSize is set to the number of lines in the file. If the file name is not found, a new file is created and the file name is entered in the directory. The file <directory> is an explicit UNIX file which contains the current SLED directory. The file <tempd> is a scratch file which is created during execution as UNIX file tempd. The contents of the directory are read to the scratch file during the directory search (less the file to be opened, if found). This scratch file is then read to the directory with the undated number of text lines for the currently opened file in procedure close.

VARIABLES:

```

directory : SLED directory file. The format for the file
            is <text size> <file name>.
tempd :      scratch file
fname :      user's UNIX file name to be opened
textsize :    number of lines in the file
*****
```

```

procedure getfile;
var      ch : char;
        found : boolean;
        index, j, k, i : integer;
begin
  ch := ' ';
  textSize := 0;
  index := 0;
  i := 0;

  {input the user file name}
  for i := 1 to namesize do
    formell[i] := ' ';
  i := 0;
```

```

while not eoln(inout) and (ch <> ct) do
begin
  repeat read(ch) until (ch <> ' ') or eoln(inout);
  if ch = ct
    then
      i := namesize + 1
    else begin
      i := i + 1;
      if i <= namesize then fname[i] := ch;
    end;
end;

{search for the user file fname in the directory}

if fname <> '' then begin
  reset(directory);
  found := false;
  i := 1;
  while not eof(directory) and not found do
begin
  textsize := 0;
  if the file is found, compute textsized
repeat
  read(directory,ch);
  if ch in ('0'..'9') then
    textsize := (10*textsized) + ord(ch)-ord('0');
  until ch = ' ';
  i := i + 1;
  while i <= namesize do
begin
  read(directory,ch);
  if fname[i] <> ch
  then begin
    i := namesize + 2;
    index := index + 1;
  end
  else i := i + 1;
end;
end;

if i = namesize + 1 then found := true
else if not eof(directory) then
  readln(directory);
readln(directory);

endif;
if i = namesize + 1
then begin

```

```

rewriter(tempd);
for i := 1 to index do
begin
repeat
read(directory,ch);
writeln(directory,ch);
until eoln(directory);
readln(directory);
writeln(directory);
end;

repeat
read(directory,ch) until eoln(directory);
readln(directory);
while not eof(directory) do
begin
while not eoln(directory) do
begin
read(directory,ch);
writeln(directory,ch);
read(directory,ch);
writeln(directory);
end;
readln(directory);
writeln(directory);
end;
k := 1;
if textsiz > 0 then
{read the first 40 lines of text into the buffer}
readbuf(k);
end
else begin
writeln('~creating file ',tname,'--');
textsize := 0;
rewriter(tempd);
reset(directory);
while not eof(directory) do
begin
while not eoln(directory) do
begin
read(directory,ch);
writeln(directory);
writeln(directory,tempd);
writeln(directory,ch);
end;
writeln(directory);
writeln(directory,tempd);
end;
rewriter(tname,tname);

```

```

{update the buffer status record and free list}

head.ptr := nil;
head.firstline := 0;
free := 1;
for i := 1 to bufsize - 1 do
  buff[i].nextline := i + 1;
buff[bufsize].nextline := nil;
end;
filopen := true;
and
else begin
  writeln('--incorrect file name--');
and;
end; { netfile }

```

PRINCETON CLASS

PURPOSE: This procedure closes a previously opened text file. The contents of the scratch file <temod> are read into the \$LF1 directory <directory>. The text size of the open file and the file name are then entered as the last line of the directory.

VARIABLES:

directory :	SLF1) file directory
method :	scratch file
fnname :	currently open file name
textsize :	number of lines in currently open file
dim :	character representation of intear textsize

卷之三

```
var ch : char;
      diait, i, j : integer;
      numbers : array [1..51] of
```

```

begin
    for i := 1 to 5 do
        number[i] := i;
        writeln('closing file ', fname, ' -');
        i := 5;

```

```
{convert integers to ASCII representation}
```

```

if textsize == 0 then number[ij] := 0;
while textsize >> 0 do
    ch[ij] := textsizemod 10;
    digit := digit + ord('0');
    textsizemod := textsizemod div 10;
    ch := chr(digit);
    number[ij] := ch;
    i := j - 1;
end;

```

{1085} real sizes into screen sizes

卷之三

```

if number(i) <> ' ' then
    write(tempd, number(i));
    writeln(tempd, ' ');

{insert file name into scratch file}

{write scratch file to std directory}

rewrite(directory);
reset(tempd);
while not eof(tempd) do
begin
  while not eoln(tempd) do
  begin
    read(tempd, ch);
    writeln(directory, ch);
  end;
  readln(tempd);
  writeln(directory);
  enl;
end;
writeln(directory);
end; { close }

```

```

{
***** PROCEDURE OPEN*****
***** PURPOSE: This procedure opens a user inputed text file.
If a file is currently open, it is closed and
the new file then opened. If the file name is
not specified, a user prompt is generated. The
file is then opened by procedure getfile.

VARIABLES: inv : true if command is invalid
***** BEGIN *****

procedure open;
var com : char;
inv : boolean;
begin
{close a previously opened file}
if fileopen then begin
close;
fileopen := false;
end;
rewrite(text);
com := ' ';
inv := false;
while not endln(inout) and (com <> ct) do
begin
read(com);
if com <> ct
then begin
if not writeln(out) then repeat read(com) until
writeln(out);
writeln(error);
error := error + 1;
inv := true;
end;

```

```
end;
if not inv
  if no file name, prompt user)

  then begin
    if eoln(linout)
      then begin
        write('filename?');
        readln;
        get file;
      end
    else aertfile;
  end;
  if eoln(linout)
    then begin
      readln;
      writeln('t');
    end;
    errcnt := 0;
  end; { open }
```

```

*****
PROCEDURE QUIT
*****
PURPOSE: This procedure closes the currently open file if one
exists by calling procedure close.

VARIABLES: inv : true if command is invalid
*****
```

```

procedure quit;
var ch : char;
inv : boolean;
begin
ch := ' ';
inv := false;
while not eoln(inout) and (ch <> ct) do
begin
read(ch);
if ch <> ct
then begin
if not coln(inout) then repeat read(ch) until
eoln(inout);
writeln(errmsg);
errcnt := errcnt + 1;
inv := true;
end;
end;
if not inv and fileopen then begin
close;
fileopen := false;
errcnt := 0;
end;
if eoln(inout) then begin
readln;
inv;
end;
end; { quit }
*****
```

```
{ *****  
*****  
*****  
*****  
*****  
PKNCDFURF WRITEMENU  
*****  
*****
```

PURPOSE:

This procedure provides the SLFD user with a description of the various commands available in SLFD. It can be called by the user typing "M" or is automatically called if two invalid commands in a row are submitted. The procedure functions by utilizing a file "menu" which contains the SLFD command summary. The file is reset, a character is read, then written etc. until eoln is reached. Then skip down to the next line of "menu" write the line just read and repeat the process until eof is reached.

A copy of the command menu is included in the program documentation.

```
*****  
*****
```

procedure writemenu;

begin

```
    reset(menu);  
    while not eof(menu) do begin  
        while not eoln(menu) do begin  
            read(menu,ch);  
            writeln(ch);  
        end;  
        readln(menu);  
        writeln  
    end;  
    if not cmderror then begin  
        if not eoln(inout) then  
            repeat read(ch) until (ch = ct) or eoln(inout);  
        if eoln(inout) then begin  
            readln;  
            writeln(ct);  
        end;  
    end  
    else writeln('t>');
```

end : { writemenu }

```
***** PROCEDURE WRITEVERS *****
```

PURPOSE:

This procedure provides the SLFD user with a description of the program version. In SLED it can be called by the user typing a "v". The procedure functions by utilizing a file "version" which contains the version documentation. The file is reset, a character is read then written etc. until eoln is reached. Then skip down to the next line of "version", write the line just read and repeat the process until eof is reached.

A copy of the version format is included in the program documentation.

```
*****
```

```
procedure writevers;
```

```
begin
```

```
reset(version);
while not eof(version) do begin
  while not eoln(version) do begin
    read(version,ch);
    write(ch)
  end;
  readln(version);
  writeln;
end;
if not eoln(version) then repeat
  read(ch) until (ch = cr) or eof(inout);
  if eoln(inout) then begin
    readln;
    writeln;
    end;
end;
```

```
end; { writevers }
```

```
{
***** PRNCFDIRF CHANGETERM *****
*****
```

PURPOSE: This procedure is used to change the value of the logical terminator from its optional value of \$. This is done by inputting the new value of the logical terminator from the console and assigning it to the variable "ct". At the same time, the 50 line buffer is scanned and the logical terminators within each line of the buffer are scanned and changed to the new value.

VARIABLES :

Variables i and j are used as counters in repetitive statements. Subj is used as a temporary holder of the new logical terminator.

```
*****
```

```
procedure changeterm;
```

```
var i:integer;
    j:integer;
    subj:char;
```

```
begin
```

```
writeln('ENTER THE CHARACTER OFSTRFD');
writeln('AS A NEW LOGICAL MESSAGE TERMINATOR');
writeln('MUST BE A PRINTABLE CHARACTER');
writeln('THE NEW TERMINATOR IS ',ct);
writeln;
readln;
write(') >');
```

```
readln(term);
for i := 1 to hufsize do
begin
  for j := 1 to linesize do
    begin
      if i = huf[i].linestrin[j];
      if subj = ct then begin
```

buff[i].linestrin[j] := letter

```
    end;
ct := letter;
writeln('LNGICAL FORMULATOR CHANGED TO ',ct);
readln;
writeln('E>');
end; { characterm }
```

```
{ ***** PROCUDLKF FKRROUTINF *****  
*****  
*****
```

PURPOSE : This procedure is called whenever there are two consecutive input mistakes made by the operator. The command menu will be printed on the CRT screen to inform the user of the proper procedures for data display and input. The errorcount is reset to zero whenever this procedure is called (errcnt is a global variable). When a proper command is entered by the operator, the errorcount is also set to zero. This parameter can be changed to display the command menu less frequently by a small change in the main program.

```
*****  
***** }
```

```
procedure errroutine;  
begin  
  writeln('*****  
  errcnt := 0;  
  end; { errroutine }  
*****
```

MAIN PROGRAM

PURPOSE: The main program is utilized to select the appropriate text editing procedure utilizing the inputs from the console. It also performs the initial editing of these inputs. The program will read the first 1 or 2 letters input to the console (depending on command input) and determine which procedure must be entered to execute the desired command. This is accomplished with a sequential scan of a series of if statements in which the first letter and if necessary the second letter of the command input to the console is checked against the authorized initial letter or letters of SED commands. If the initial editing is successfully completed in one of the if statements, the procedure associated with that if statement is entered. The remainder of the command is edited in the called procedure. If the sequential scan gets through the last if statement and no match is found with a valid command, the following is done:

1. Error message printed
2. Increment error counter
3. Check value of the error counter;
if large enough enter procedure to write command menu
4. Check if more commands follow; if not, read a line
5. Return to statement 10 in the main program
and read the next command.

In each if statement associated with commands which would have follow-on parameters after the initial letter(s), the status of the error count is checked to determine the success of editing in the procedure. If the necessary error message or menu is printed, after every return from a procedure, the program goes to statement 10 to read the next command except in the case of a command which causes the program to terminate.

VARIABLES : The following global variables are used in the main program :

```
errcnt : count of user generated input errors
cmderror : boolean used to check for proper input
commands
fileopen : boolean check to ensure that a file is
opened before allowing the procedures
to operate
letter : character input of the user

*****
begin
    ct := 'q';
    fileopen := false;
    writeln;
    writeln;
    writeln('S T U D');
    writeln('W I E F U T Y P F "M" F U R C O M M A N D M E N U ');
    writeln('U P "J" F U R S Y S T E M V E R K S I O N ');
    writeln;
    errcnt := 0;
    cmderror := true;
    write('E>');
    writeln;

10:   read(letter);

    if (letter = '(') then begin if fileopen then displayline
        end;
    else begin writeln(' -no file open -');
            readln;
            write('F>');
            end;
    end;

    if errcnt > 1 then errroutine;
    goto 10
end;

if (letter = 'S') then begin if fileopen then screenline
    end;
else begin writeln(' -no file open -');
        readln;
        write('F>');
        end;
    if errcnt > 1 then errroutine;
    end;
```

```

writemenu;
Cmderror := true;

errcnt := 0;
goto 10

if letter = 'V' then begin writevers;
end;

errcnt := 0;
goto 10

if letter = 'W' then begin open;
end;

errcnt := 0;
goto 10

if letter = 'Q' then begin quit; end;
end;

if letter = 'A' then
begin
  read(letter);

  if (letter = 'L') then begin if fileopen then appendcom
    else begin
      writeln('no file open');
      readin;
      write('E>');
      end;
    end;
  if errcnt > 1 then errroutine;
  goto 10
end

else begin
  errcnt := errcnt + 1;
  writeln(errmsg);
  if errcnt > 1 then errroutine
  else write('E>');
  readin;
end;

goto 10
end

if letter = 'S' then
begin
  read(letter);
  if (letter='S') then begin if fileopen then disconnect
    else begin
      writeln('no file open');
      readin;
      write('t>');
      end;
    end;
  if errcnt > 1 then errroutine;
  goto 10
end

```

```

else begin
errcnt := errcnt + 1;
writeln(errmsg);
if errcnt > 1 then errroutine
else write('E>');
readln;
goto 10
end

if letter = 'C' then
begin
read(letter);
if (letter = 'T') then begin changeterm;
errcnt := 0;
goto 10
end

else begin
errcnt := errcnt + 1;
writeln(errmsg);
if errcnt > 1 then errroutine
else write('E>');
readln;
goto 10
end

end;
if letter = 'R' then
begin
read(letter);
if (letter = 'L') then begin if fileopen then repcom
else begin
writeln('~no file open~');
readln;
write('F>');
end;
if errcnt > 1 then errroutine;
goto 10
end;

if (letter = 'S') then begin if fileopen then strencom
else begin
writeln('~no file open~');
readln;
write('F>');
end;
if errcnt > 1 then errroutine;
goto 10
end

else begin
errcnt := errcnt + 1;

```

```

else write('F>');
readln;
end
goto 10

end

errcnt := errcnt + 1;
writeln(errmsg);
if errcnt > 1 then errroutine
else write('F>');
if letter <> ' ' then readln;
goto 10;

100: writeln(' ');
end. { main program }

```

***** END SLFO *****

THE STANDARD PASCAL USFS IN THIS VERSION OF SLED
 obtained from the UC Berkeley PASCAL translator (pi -s option)

- s 244 - Two argument forms of reset and rewrite are non-standard
- s 297 - Two argument forms of reset and rewrite are non-standard
- s 1920 - Two argument forms of reset and rewrite are non-standard
- s 172 - Two argument forms of reset and rewrite are non-standard

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0142 Naval Postgraduate School Monterey, California 93940	2
3. Office of Research Administration Code 012A Naval Postgraduate School Monterey, California 93940	1
4. Chairman, Code 52Bz Computer Science Department Naval Postgraduate School Monterey, California 93940	30
5. Lyle A. Cox, Jr., Code 52C1 Computer Science Department Naval Postgraduate School Monterey, California 93940	10
6. I. Larry Avrunin David Taylor Naval Ship Research and Development Center (Code 18) Carderock Laboratory Bethesda, MD 20084	1
7. R. P. Crabb, Code 9134 Naval Ocean Systems Center San Diego, CA 92152	3
8. G. H. Gleissner David Taylor Naval Ship Research and Development Center (Code 18) Carderock Laboratory Bethesda, MD 20084	1
9. Kathryn Heninger, Code 7503 Naval Research Lab Washington D. C. 20375	3
10. Ronald P. Kasik, Code 4451 Naval Underwater Systems Center Newport, RI 02840	3

11.	Commander, Code 503 Naval Sir Development Center Warminster, Pennsylvania 18974	3
12.	Mark Underwood, Code P204 NPRDC San Diego, California 92152	3
13.	Michael Wallace, Code 1828 DTNSRDC Bethesda, MD 20084	3
14.	Walter P. Warner, Code K70 NSWC Dahlgren, Virginia 22448	3
15.	John Zenor, Code 31302 Naval Weapons Center China Lake, California 96555	3

U202243

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01067997 0

~~U20224~~