

Title	The Absolute Configuration of trans-Caronic and cis- and trans-Umbelluric Acids
Author(s)	Walborsky, H. M.; Sugita, Toshio; Ohno, Minoru; Inouye, Yuzo
Citation	Bulletin of the Institute for Chemical Research, Kyoto University (1961), 39(3): 255-256
Issue Date	1961-07-31
URL	http://hdl.handle.net/2433/75819
Right	
Type	Departmental Bulletin Paper
Textversion	publisher

ABSTRACTS

Blätteralkohol (VIII) : Über das Vorkommen des *trans*-Isomeren in der natürlichen Blätteralkohol-fraktion

Akikazu HATANAKA und Minoru OHNO

Bull. Agr. Chem. Soc. Japan, 24, 61 (1960)

Es wurde aufgeklärt, dass die in Tee-blättern weit verbreitet vorkommende natürliche Blätteralkohol-fraction aus einem Gemisch der *cis*, *trans*-Isomere besteht, wobei bisher das *cis*-Isomere stark überwiegt.

Darstellung von *n*-Hexin-1-olen und *n*-Hexen-1-olen

Akikazu HATANAKA, Masayuki HAMADA und Minoru OHNO

Bull. Agr. Chem. Soc. Japan, 24, 115 (1960)

Die theoretisch möglichen sieben geometrischen Isomere von *n*-Hexen-1-olen und vier Stellungsisomere von *n*-Hexin-1-olen wurden in geometrisch reinen Formen erhalten. Die einigen davon waren zwar schon bekannt, aber in geometrischen Beziehungen sehen sie noch nicht ganz rein aus.

Vier Isomere von *n*-Hexin-1-olen, die Ausgangsmaterialien zur Darstellung der *trans*- oder *cis*-Hexen-1-olen wurden in jeden Fällen von Acetylen aus über Acetylennatrium in flüssigem Ammoniak synthetisiert. Besonders war diese Darstellungsmethode von 4- und 5-Hexin-1-ol in der Ausbeute bedeutend überlegen als die bisherige. 2-, 3- und 4-*trans*-Hexen-1-ol und 5-Hexen-1-ol wurden durch die Halbhydrierung der entsprechenden *n*-Hexin-1-olen mit Natrium in flüssigem Ammoniak gewonnen, während 2-, 3- und 4-*cis*-Hexen-1-ol durch die Halbhydrierung in Gegenwart von Palladium-Bariumsulfat bei -15° geliefert wurden. Diese Alkohole wurden über 3, 5-Dinitrobenzoat gereinigt. Die Infrarotspektren von diesen Verbindungen ergaben die verschiedenen interessanten Probleme.

The Absolute Configuration of *trans*-Caronic and *cis*- and *trans*-Umbelluraric Acids

H. M. WALBORSKY, Toshio SUGITA, Minoru OHNO and Yuzo INOUYE

J. Amer. Chem. Soc., 82, 5255 (1961)

Partial asymmetric syntheses of (-)-, and (+)-*trans*-caronic acids were achieved by addition of ethyl diazoacetate to (-)-menthyl senecioate and by that of dimethyl diazomethane to (-)-dimethyl fumarate respectively in 15.9% and 6.3% optical yields. These results provide cogent support for the use of Prelog-Cram model to this asymmetric synthesis. The addition of ethyl diazoacetate to (-)-menthyl α -isopropylacrylate gave (-)-*cis*-, and (-)-*trans*-Umbellularic acids. Bas-

ABSTRACTS

ed on asymmetric synthesis, (1R:2R) and (1R:2S)-configurations were assigned to these isomeric acids and consequently the absolute configuration of (−)-*cis*-umbellularic acid revealed all the configurations of terpenoids of thujane series.

A Study of the Absorption Spectra of Cerium in Glasses

Megumi TASHIRO, Naohiro SOGA and Sumio SAKKA

Yogyo Kyokaishi (Journal of the Ceramic

Association, Japan), 68, 132 (1960)

The absorption bands of cerium in trivalent and tetravalent states in silicate and phosphate glasses, whose exact positions are still open to discussion, and the effects introduced by the change of composition and of melting condition were investigated.

For the measurement of the absorption spectra of silicate glasses with poor ultraviolet transmission the thickness of the sample plates was reduced to 0.12~0.02mm by polishing.

The results obtained are as follows: (1) In the silicate glass consisting of K₂O, BaO, and SiO₂, Ce³⁺ gives a sharp and weak absorption band at 320 m μ , whereas Ce⁴⁺ gives a broad and strong absorption band in ultraviolet region below 350 m μ . (2) In the phosphate glass consisting of K₂O, BaO, Al₂O₃ and P₂O₅, Ce³⁺ gives three sharp and weak absorption bands at 294, 245, and 227 m μ , whereas Ce⁴⁺ gives a broad and strong absorption band in ultraviolet region, as before.

Studies on the Mechanical Strength of the Photosensitive Opal Glass

Megumi TASHIRO and Sumio SAKKA

Yogyo Kyokaishi (Journal of the Ceramic

Association, Japan), 68, 158 (1960)

When a lithium containing photosensitive glass is exposed to ultraviolet light and then subjected to the heat treatment, it changes into a polycrystalline material characterized by its good mechanical properties (S.D. Stookey, *Ind. Eng. Chem.*, 45, 115 (1953)).

The purpose of this paper is to present the relation between the mechanical strength and the grain size of the constituent crystallites of the resultant material.

Glass specimens (2.5×5×50mm) of the oxide composition SiO₂ 81, Li₂O 12.5, K₂O 2.5, Al₂O₃ 4, CeO₂ 0.03, Au 0.027% (wt.) were exposed to ultraviolet light by placing them at a distance of 10 cm from a 500 watt high pressure mercury lamp for 2 to 1000 min. After the exposure they were heated at three steps; first at 510°C for 30 min. to cause formation of gold nuclei, then at 620°C for 60 min. to