

# Automating the Processes Involved in Facial Composite Production and Identification

Charlie Frowd\*, Anna Petkovic, Kamran Nawaz and Yasmeeen Bashir  
*School of Psychology, University of Central Lancashire, Preston, UK*

*\*Corresponding author: Dr Charlie Frowd, School of Psychology, University of Central Lancashire, Preston PR1 2HE. Email: cfrowd@uclan.ac.uk. Phone: (01772) 893439.*

## Abstract

*Bringing a criminal to justice is a labour intensive process. In the current paper, we explored ways of reducing police time when constructing and identifying facial composites. In the former, we designed and evaluated a standalone version of the EvoFIT composite system. This was found to perform similarly to the full system that normally requires several hours of a police officer's time. In the latter, we built a small database of composites that could be used to search for matching identities. It was found that pixel intensity (texture) information was valuable for composites produced from a traditional feature-based system, but feature shape information for composites produced from the recognition-based EvoFIT. The results show promise for the automated construction and identification of facial composites.*

## 1. Introduction

Bringing a criminal to justice involves considerable human resources. This is particularly true when collecting evidence: descriptions of events and persons, identity parades, DNA, fingerprints, CCTV footage, facial composites, etc. In the case of facial composites, witnesses must be interviewed, to obtain a description of the face, and interact with computer software or a sketch artist to externalize the face. Later, the image is shown to other people in the hope that someone will name it to the police and provide additional lines of enquiry. Therefore, both the method of constructing a composite face (from witnesses) and procedures used to identify it (showing the composite to members of the public) are labour intensive.

There are two broad approaches to constructing a facial composite. The first requires witnesses to describe the appearance of the criminal and to select individual features from a kit of parts – hair, eyes, noses, mouths, etc. The UK uses two computerized systems to do this, E-FIT and PRO-fit [1], although there are many such systems available elsewhere [2]. The second approach requires witnesses to repeatedly select from arrays of complete faces, and the system itself provides alternatives based on these selections, to allow a composite to be ‘evolved’. To the authors’ knowledge, there are three such

systems in existence: EvoFIT [3] and EFIT-V [4] in the UK, and ID in South Africa [5]. All systems require several hours of a police operative’s time to construct the face and complete the paperwork necessary to record the evidence. Composites are then circulated within the force, and more generally in the media, to obtain the relevant identity. For this reason, composites are generally restricted to serious crime, such as indecent assault and murder, rather than to more common but less serious crime such as antisocial behaviour or petty theft.

One part of this process that has been overlooked, and where computer algorithms may be of value, is the use of composites as a mechanism to search for other composites of the same identity. Police forces tend to accumulate composites over time, and may not be aware that there are multiple images drafted of the same person. Therefore, a tool that allows law enforcement to reliably detect repeat offenders based on composite images would be valuable. Also valuable would be a database of existing composites that could be regularly interrogated as new faces are constructed by witnesses.

The focus of the current work was twofold. Firstly, we explored the possibility of a composite system that could produce an identifiable composite without being controlled by a police software operator. A version of the EvoFIT system has been developed with this in mind. The work explored the effectiveness of such a system in comparison to the normal version of EvoFIT that does require an operator. Secondly, we investigated the feasibility of a searchable composite database. A formal study is presented to test the effectiveness of several potential metrics for searching a database of composites produced from two leading face production systems.

### 1.1. Facial composite systems

There are two broad approaches to composite production, those based on the selection of individual facial features [1] and those based on the selection of complete faces [3-5]. These are described below.

**1.1.1. Feature-based composite systems.** The most popular composite systems are computerized and contain a large database of facial features. These facial parts are

cut electronically from photographs of faces and classified. In use, witnesses describe the criminal's face to a software 'operator' who then uses the classification to locate examples that match the witness's memory of the face. Computer graphics technology allows features to be resized and repositioned as required. Example composites from this type of technology are presented in Figure 1.



**Figure 1. Example celebrity composites from a typical 'feature' system. Each image was constructed from a user's memory. The identities are listed in Section 8 below.**

There are two problems with this approach [6-7]. Firstly, the basic feature-by-feature mechanism used to construct the composite is contrary to the way in which faces are naturally perceived, as wholes [8]. Secondly, most witnesses are unable to describe the face in sufficient detail for the classification system to be effective, and so are denied the opportunity of constructing a face.


**1.1.2. Recognition-based composite systems.** A new type of system has now emerged that is based more on the ability to recognise faces than to describe them. The basic approach is to present screens of complete faces for selection. A witness selects a few that resemble the criminal's and these are bred together by combining facial characteristics. A composite is thus 'evolved' by focusing on the face as a whole rather than by its facial parts.

There are several systems of this kind in existence [3-5]. Each one uses an underlying model to generate faces. The models are constructed using Principal Components Analysis, or PCA, which is a statistical technique that extracts the major axes of variation in a data set. In the current application, the dataset typically comprises of carefully photographed frontal-pose images of faces of a given age, race and gender. PCA provides a set of reference faces (Eigenvectors) and coefficients (Eigenvalues) that allow the original items to be reconstructed; here, the coefficients are assigned random values in order to generate novel faces.

The EvoFIT system has been extensively developed and evaluated [17], and will be used here. Its underlying model is in two parts, each built separately using PCA. The first is *shape* and describes the shape and position of individual features on the face; the other is *texture*, for the colour of the eyes, brows, mouth and overall appearance of the skin. The shape model is built from so-called

'landmark data', files of 298 co-ordinate points that define the outline of features of the face. In order to build the texture model, each reference face is morphed to a standard shape – normally referred to as a *shape-free* face defined as the average of the landmark data – so that the facial features are co-aligned. A second PCA is carried out on these greyscale pixel values.

In practice, only the *internal facial features* are contained in the texture model, the central region of the face encompassing the brows, eyes, nose and mouth. To generate a random face, a random texture is blended into a set of *external facial features* – hair, ears and neck – as selected by a user. This provides an image that is then morphed (distorted) to provide a final, random face using a random shape. Example images illustrating the process are presented in Figure 2. EvoFIT can construct faces of white, black and other ethnic groups; there are separate models for these, which themselves are subdivided by age – see [17] for details.



**Figure 2. Production of a random face: (a) external facial features; (b) random texture; (c) blend of (a) and (b); (d) co-ordinates of random shape; (e) representing (d) in facial form to see the shape more clearly; (f) image distortion of (d) to (c) to give a random face.**

EvoFIT presents users with screens of 18 faces. The procedure for constructing an EvoFIT is fairly complicated in order to produce an identifiable face; it is discussed in full in [3]. In brief, witnesses first choose a set of *external facial features*, to be displayed on each face. Next, they select from four screens of shape, followed by four screens of texture; witnesses select two per screen up to a maximum of six. Combinations of selected shape and texture are then presented and

witnesses select the best. These selections are then bred together, by combining shape coefficients using uniform crossover and a mutation rate of 0.05; the same is carried out for coefficients of the selected textures. The process is normally repeated three times to produce the ‘composite’. A software ‘Shape Tool’ is available that allows the shape and position of features to be changed on demand.

Two additional procedures have been found to be effective. Firstly, when the external features have been selected, a Gaussian (blur) filter was applied to this region, to allow witnesses to focus on the internal part of the face that is important for later recognition by another person. This procedure was presented at last year’s BLISS [9]. Secondly, software tools were designed [10] to allow an evolved face to be enhanced along a number of psychologically-useful scales: age, attractiveness, masculinity, weight, etc. In a recent test, EvoFITs were correctly named 25% of the time using procedures that mirror those of real witnesses as far as possible [13]; correct naming levels for composites from a typical ‘feature’ system are about 5% [2,6,7,13]. Example images from EvoFIT can be found in Figure 3.



**Figure 3. Example celebrity composites from EvoFIT constructed from a user’s memory. The identities are listed in Section 8.**

## 2. Automating composite construction

In this part, a standard version of EvoFIT, where an operator controlled the software, was compared with a standalone version, where no such assistance was required.

### 2.1 Standalone EvoFIT

A standalone version of EvoFIT has been designed, involving written instructions appearing at the bottom of the screen to guide a user through each stage of the process. These instructions typically require a user to make selections from the presented face array and to click the ‘Next’ button to continue. We attempted to mirror normal construction procedures with EvoFIT as far as possible, including the latest enhancements: external features blurring and Holistic Tools. Due to limitations in time, however, two aspects were not implemented in the standalone version. Firstly, the selection of the appropriate face model was done by the operator.

Secondly, there was no Shape Tool. This tool appears to be quite useful and so we expected composite quality to be less than optimal. Note that, to make the conditions in the study as similar as possible, the Shape Tool was not used throughout.

### 2.2 System evaluation

Two stages were required to investigate whether the full and standalone versions of EvoFIT were equivalent. In the first, composites were evolved by volunteers with or without an operator; in the second, they were given to other people to name.

A set of 12 photographs of UK international-level footballers were used as targets. This enabled non-football fans to be recruited as ‘witnesses’, and the targets would be unfamiliar to them, as in real life. The images were of Emmanuel Adebayor, Nicolas Anelka, Ashley Cole, Joe Cole, Jermaine Defoe, Didier Drogba, William Gallas, Frank Lampard, Gary Neville, Paul Scholes, Alan Smith and John Terry. Images depicted a frontal view of the face and were in colour.

Each of these 12 targets was constructed once by a witness working with an operator and once by a different witness working alone. The assignment of targets and construction type (operator / standalone) was randomized. Each person looked at a target for 30 seconds. Then, those working with the operator followed procedures used in police work. They received a Cognitive Interview to help them recall details of the face. EvoFIT was started and the correct database selected. Witnesses selected the external facial features and evolved a single composite as described in 1.1.2. Those who worked on their own first wrote down a description of the face, and then followed the on-screen instructions in the standalone version of EvoFIT. A total of 24 composites were evolved, 12 with an operator and 12 without.

Eighteen football fans were recruited. They were told that they would be shown composites of well-known UK international-level footballers and to try to name them; also, that there were repeated identities in the set. Each of the 24 images were presented in sequence and participants attempted to provide a name where possible. The order of presentation was randomized for each person.

**2.2.1 Results.** Ten of the 12 EvoFITs in each condition were correctly named by at least one person. Composites were named 21.3% correct when constructed via an operator and slightly less, 17.1%, when witnesses worked alone. This difference approached significance using a two-tailed t-test,  $t(17) = 1.7$ ,  $p = 0.095$ ; the items analysis was not significant,  $t(11) = 0.7$ ,  $p = 0.449$ . Thus, there is a slight benefit for the operator-assisted images. An analysis of incorrect names was carried out as this provides a further indication of composite quality

(guessing); scores also differed little whether faces were produced with an operator, 4.2%, or without, 1.9%.

## 2.3 Discussion

Composites constructed in criminal investigations are labour intensive for police personnel. In the current work, composites from a version of EvoFIT not requiring assistance from an operator were named about 4% less than with one, a small but reliable difference in the subjects analysis. Naming levels were about 17% from the standalone version, and thus were fairly good anyway.

A reason for the decrement in performance for the standalone EvoFITs is likely to be increased task difficulty: these witnesses not only had to read and follow the instructions on the screen but also think about which faces to select. Witnesses in the other condition were verbally guided through the process by the operator. In fact, many of the witnesses using the standalone system commented that the procedure was hard. Thus, in spite of some software pilot testing, task difficulty remained high.

One way to simplify the procedure would be to provide instructions in a verbal rather than written form. We have tried this already in a simple version of EvoFIT that is installed in the Sensation Science Centre, Dundee [11]. Anecdotal evidence from this exhibit is that such prompts are very effective. We plan to add these in due course and carry out a further evaluation.

An additional improvement would be to implement the Shape Tool in the standalone system. As mentioned above, this enables the shape and position of features to be modified on demand. It would seem that this tool is fairly effective, given that naming levels from the operator-assisted composites were somewhat lower than those found elsewhere which had included it [e.g. 13].

In general then, results were positive for the standalone version of EvoFIT. In the next part, another way to automate the composite process is explored: the ability to search composites against each other.

## 3. A searchable database for composites

One consequence of a standalone system is that it can be deployed much more often than normal, potentially resulting in a large number of composites. Of course, composites are only ever valuable if attempts are made to get them identified: by circulating them within a police force, or by publishing them on TV or on wanted person's web pages. Thus, a standalone system is likely to create more police work unless managed properly. A solution to this problem is to build a database of composites and allow them to be identified by searching them against each other. This basic idea has been applied to mugshots (photographs) of suspects – e.g. [14,15].

The effectiveness of such a searchable database is explored here. This is considered for a typical 'feature'

system, PRO-fit, and for EvoFIT. In the following, different metrics are discussed and a formal evaluation is presented to indicate the best method and system for searching.

## 3.1 Metrics for searching

There are many methods to search information. For a composite database, this could include the facial shape (the coordinate landmarks defining the outline of facial features) and texture information (the greyscale pixel values in the image). The simplest method of establishing similarity is to compare pairs of composites using the root mean-square error (RMSE) measure by shape or by texture. One compares corresponding landmarks or pixels and computes the square-root of the average of the square of the differences across the set. Comparing all pairs of items in this way within a database provides a similarity matrix; ultimately, error scores that are below some kind of threshold can be taken to indicate an 'identity match'.

This type of similarity estimation can be carried out in the *physical* space (co-ordinates and pixel values) and applied to composites from both feature and recognition systems. While the latter system uses an inherent landmark coding mechanism, as illustrated in Figure 2(d), co-ordinates need to be established for feature composites, a manually intensive procedure requiring about 20 mins per face. Comparisons can also take place in the face *coefficient* space for EvoFITs (but not for PRO-fits, as there are no underlying coefficients available.) Recall that for EvoFIT, each face has a small number of Eigenvalue coefficients that are used to represent faces in terms of facial shape and texture. While the shape and texture information in the physical space is large, only 72 floating point numbers are required in the coefficient space. Thus, the compact code produced by PCA is potentially ideal for carrying out a large number of similarity estimations.

There are a range of metrics that can easily be applied to the coefficient space. The simplest is the Euclidean Distance (ED), which has the same algorithm as RMSE above, but uses either the 72 shape coefficients (rather than the 298 landmarks) or the 72 texture coefficients (rather than the 5,000 or so pixels). A slightly improved version of the ED is the Mahalanobis Distance (MD) [12]. This measure is similar to ED except that each squared difference is multiplied by the variance accounted for by the relevant Eigenvector. This is done because some Eigenvectors account for more variance in the dataset than others and so using MD will result in pairs of items being considered more similar to each other if they have closer matching values along such dimensions.

A third potential metric is Angle, often used in the document searching domain as an alternative to ED [16]. Angle metrics consider the shape or texture coefficients as vectors and the mathematical cosine function is used to

compute the angle between them; as for ED and MD, lower values indicate a closer match.

In the following, the RMSE measure is used to evaluate the effectiveness of EvoFITs and PRO-fits in the physical space; and, the ED, MD and Angle for a set of EvoFITs in the coefficient space.

### 3.2. Method of evaluation

We were interested in finding the best metric to search EvoFITs (Euclidean Distance / Mahalanobis Distance / Angle) and which data type (Shape / Texture / combined) to use. To achieve these objectives, a set of 12 composites were extracted from past research projects that had been constructed from a person's memory after seeing a photograph of the face. The requirements for selecting these images were that each had to have been constructed from the same face model, so that the shape and texture coefficients had an equivalent Eigenface mapping, and that a PRO-fit was also available, for evaluation in the next part. The set of 12 comprised snooker players (Ken Doherty, Stephen Maguire, Alan McManus, Shawn Murphy, Neil Robertson, Mark Selby and Ronnie O'Sullivan), international footballers (David Beckham, Alan Smith and John Terry) and other celebrities (TV host, Anthony 'Ant' McPartlin; and UK pop singer, Will Young). Each of these had been made from the 30 year EvoFIT white male model, and also from PRO-fit.

A second set of composites were constructed of each of these identities by EvoFIT (30 year face model) and by PRO-fit. To do this, an experienced user looked at a photo of the relevant identity for 1 minute and then constructed an EvoFIT using the procedure outlined in 1.1.2; he then looked again at the photo for the same amount of time and used PRO-fit, 1.1.1. This resulted in 24 images constructed by witnesses in past studies, and 24 by an experienced operator. While the EvoFITs already had landmark data available, which EvoFIT automatically produces, co-ordinates were manually located for the PRO-fits. Example composites are presented in Figure 4.

The first analysis used the EvoFITs. We asked the question as to which metric and data type were best for searching? A database was constructed containing the shape coefficients of the 12 EvoFITs constructed by the witnesses. Then, the first EvoFIT constructed by the experienced user was compared against each item in the database and an ED score computed. These scores were then ranked from 1 to 12 (best to worst) with respect to the relevant target. The ED score was next computed for each composite constructed by the user. To increase the power of analysis, these calculations were repeated by swapping over data sets (i.e. composites constructed by the witnesses were used as probes for composites constructed by the user).

This procedure was repeated for the two other metrics – Mahalanobis Distance (MD) and Angle – and also for metrics for the texture coefficients. Next, the metric scores were averaged together for shape and texture for each identity and the data re-ranked to provide a combined score, which we refer to as data type 'Both'. Finally, the above was repeated for the RMSE metric for the coordinate (shape) and pixel (texture) information; this is in the *physical* space (rather than the *coefficient* space) and for which we refer to as 'Image'. The MD metric and the Both data type were expected to be superior (i.e. to have the lowest overall ranking scores).



**Figure 4. Composites of UK footballer, David Beckham used to evaluate the searchable database. The left pair are EvoFITs, the right PRO-fits; the image on the left of each pair was made from witnesses, the right from the experienced user.**

In the next part of the analysis, EvoFITs and PRO-fits were searched against each other. This analysis used the co-ordinate (shape) and pixel (texture) information. All possible combinations using the RMSE measure were considered: EvoFITs to EvoFITs, PRO-fits to PRO-fits, EvoFITs to PRO-fits and vice versa. The expectation was that matching based on the same type of composite system would be best.

### 3.3 Results

The mean rank score by data type (Shape / Texture / Both) and metric type (Image / Euclidean / Mahalanobis / Angle) for the EvoFITs are presented in Table 1. Note that scores are out of a possible 12 and that lower values represent better matches between corresponding composites. It can be seen that the Image (physical) was the best metric and Angle (coefficient) was the worst; also, that differences by data type were fairly small.

To increase statistical power, two inferential analyses were carried out. The first compared the main metrics – Image, ED and Angle – and the second compared the two similar metrics, ED and MD. For the former, a repeated measures ANOVA approached significance for metric type,  $F(2,46) = 2.6$ ,  $p = .083$ , but was significant for neither data type,  $F(2,46) = 2.0$ ,  $p = .151$ , nor the interaction,  $F(4,92) = 0.6$ ,  $p = .569$ . Simple contrasts of the ANOVA provided weak evidence that Angle was significantly worse than Image,  $p = .051$ ; no other reliable

contrasts were found. For the latter, there were no significant differences between ED and MD for the main effects or interaction,  $F_s < 1.1$ ,  $p > .332$ .

**Table 1. EvoFIT-to-EvoFIT searching by data type (columns) and metric (rows). Scores are mean rankings out of 12; lower values represent better matches.**

Metric	Shape	Texture	Both	Mean
Image	5.00	5.50	4.54	5.01
Euclidean Distance	5.75	6.08	5.08	5.64
Mahalanobis	6.33	5.96	5.46	5.92
Angle	7.46	6.33	6.92	6.90
Mean	6.90	6.15	6.19	6.41


The second analysis involved EvoFITs and PRO-fits. The RMSE *physical* (Image) metric was used, and converted to rank order data (as above). This involved coordinate values for shape and pixel values for texture. The mean ranking scores are presented in Table 2; as above, lower scores indicate better matching and all are out of 12. Note here that the scores for EvoFIT are the same as those for 'Image' in Table 1 (these are the same data). Performance was slightly better for EvoFITs searching other EvoFITs, and when both shape and texture information was combined. This time, neither data type,  $F(2,92) = 2.2$ ,  $p = .118$ , nor composite type,  $F(1,46) = 0.4$ ,  $p = .509$ , was significant. However, the interaction was,  $F(2,92) = 3.4$ ,  $p = .036$ , as (a) for EvoFITs, there was some evidence that the combined data type (Both) was better matched than by texture,  $p = .057$ ; and (b) for PRO-fits, shape matching was significantly worse than matching by texture,  $p = .039$ , and by Both,  $p = .007$ .

**Table 2. Searching for EvoFITs or PRO-fit composites by data type (Shape / Texture / Both). Values are mean rank with a maximum of 12: lower scores represent better matches.**

	Shape	Texture	Both	Mean
EvoFIT	5.00	5.50	4.54	5.01
PRO-fit	6.71	4.83	5.33	5.63
Mean	5.85	5.17	4.94	5.32

Next, we compared same- and cross-system searching using the more sensitive root-mean-square error (RMSE) measure. We used composites of the same type – EvoFITs to search EvoFITs, PRO-fits to search PRO-fits – with cross-composite searching – EvoFITs to search PRO-fits, and vice versa. As can be seen in Figure 5, shape matching by the same type of composite was preferable, and matching EvoFITs to EvoFITs was best overall. The ANOVA was significant by composite type,  $F(1,92) = 484.6$ ,  $p < .001$ , as EvoFITs were matched overall better than PRO-fits, and by search type,  $F(1,92) = 103.2$ ,  $p < .001$ , as matching using the same composite technology was also best. However, these factors interacted with each other,  $F(1,92) = 107.1$ ,  $p < .001$ , since these main effects

were consistent except for cross-composite matching where there was no significant difference by system,  $p = .893$ . Note that the data for texture followed the exact same pattern of effects and, for brevity, are omitted here.



**Figure 5. Shape matching for composites of the same (EvoFITs-EvoFITs, PRO-fits-PRO-fits) and different type (EvoFIT-PRO-fit and vice versa).**

The above analyses used mean scores. Another method of assessment is based on the number of correct matches for low ranking items. As the size of the database used was fairly small, only 12 items, a fairly strict analysis was carried out such that a 'success' was taken to have occurred for matches that were ranked first, second or third. The result of such a 'podium-position' analysis is presented in Table 3. It can be seen that there is little difference overall by either system or data type. However, these factors appear to interact with each other such that, at best, about 40% of the time, shape matching was effective for EvoFIT, and texture matching for PRO-fit.

**Table 3. Number of correct matches ranked in the first, second or third position. Scores are out of a maximum of 24.**

	Shape	Texture	Both	Mean
EvoFIT	11	7	8	8.7
PRO-fit	6	10	7	7.7
Mean	8.5	8.5	7.5	8.2

### 3.4. Discussion

A searchable database that could accurately identify people from their composites could be useful for law enforcement. In the current work, a small set of composites were constructed from two modern systems, PRO-fit and EvoFIT, and were used to evaluate the effectiveness of a number of metrics and data types. Results indicate that the angle measure performed somewhat worse than the Image (RMSE) type; and, that there were no reliable differences by the type of information used to search: shape, texture or both. In an analysis involving non-coefficient (Image) data alone, there was some evidence that the combined data type (Both) was better than texture for EvoFIT, and that shape matching was reliably the worst for PRO-fit. Using the

more sensitive RMSE measure than rank, matching scores were better for composites of the same type and that this was even better for EvoFITs. In the final part, there were more correct matches ranking in the top three with EvoFITs for shape and with PRO-fits for texture.

While a fairly small data set was used, a pattern appears to be emerging. Firstly, the angle metric is likely to be ineffective in this application. Angle-based measures are sometimes used in the document retrieval area [16], whereby the vectors (coefficients) are based on frequencies of words found within a document. As such, vector angles tend to be driven by high frequency word counts, which are often a feature in that domain; for PCA coefficients, values are normally bound (e.g. within +/- 1) and thus do not have extreme values.

Secondly, for searching within the same technology, texture information appears to be more valuable than shape for searching PRO-fits; but, for EvoFITs, the approaching significant advantage of the combined metric (Both) over texture, and the high number of top three matches for shape together suggest value in shape information for EvoFIT. These data no doubt reflect biases on the part of the composite constructors: the focus is primarily on texture information for PRO-fit, and (initially) shape for EvoFIT. They do make intuitive sense. For PRO-fit, the emphasis is very much on selecting individual features (predominantly texture) but less on placement (predominantly shape). In contrast, shape information is specifically probed during the construction of an EvoFIT, and witnesses seem to be able to take advantage of this (and are better at selecting that aspect of the face than texture). This conclusion arguably explains to some extent why cross-system matching was ineffectual: information correct in one type of technology was more error-prone in the other.

## 4. General Discussion

To our knowledge, the current work is the first that has looked formally and in detail at the feasibility of more automated mechanisms for constructing and identifying facial composites. The standalone version of EvoFIT, driven by written prompts, performed almost as well as the full system controlled by a software operator. This was in spite of users reporting that the task was challenging in the standalone version; users who worked with the operator did not report thus. Clearly, improvements can be made fairly easily by using spoken rather than written instructions; and, by developing a shape manipulation tool for the standalone system. With both of these improvements made, a sensible next step would be to carry out a similar experiment to the one conducted here. Perhaps in such a test, the delay from seeing a target to evolving the face could be much longer: two days is the norm in criminal investigations. While overall performance is expected to be lower, as longer

delays tend to promote worse quality composites [1,6,7], good performance from the standalone system is likely to be maintained. As part of this work, it would be useful to test the system on members of the public, rather than on university students: ultimately, a design is necessary for use by all, not just by students.

In the second part of the paper, a searchable database was developed and evaluated. Searching appeared best for matching to occur for composites of the same type; matching was just as effective in the Image (physical) space as in the coefficient (PCA) space for Euclidean or for Mahalanobis Distance metrics. In the database used, correct matches occurred about 40% of the time in the top three with shape for EvoFIT, and texture for PRO-fit. While the size of the database was quite small, the overall result is encouraging. A searchable system that could return correct matches in the top three at this level of success would appear to be worthwhile. We envisage that such a system would involve a human observer relying on a search mechanism to screen out obvious non-matches but return potential 'hits' within the first half a dozen or so. Of course, the next stage is to scale up and to see if this result replicates to a much larger database.

Part of future work could also explore matching for different parts of the composite image. At present, all information contained in the internal facial features of the texture is used, but most of these pixels are for the area of skin and not the individual features themselves; arguably a better method would mask out such areas to allow a more representative measure of the colouring of features. A similar situation applies to the shape co-ordinates: all 298 are used but it is likely that only the co-ordinates for the inner face would be useful, areas that are likely to carry information most useful for identification [18].

## 5. Conclusion

The current work explored the feasibility of automating processes involved in the construction and identification of facial composites. A standalone version of the EvoFIT system was found to produce faces almost as identifiable as the full system that used a system operator. It was also found that there was some utility in matching composites produced from the same type of technology against each other in a small database; specifically, shape matching was best for EvoFIT and texture matching for PRO-fit. Overall, the work demonstrated promise for automating the production and identification of facial composite images.

## 6. Acknowledgement

The current work was gratefully funded by Crime Solutions, University of Central Lancashire, Preston, UK.

## 7. References

- 1 C.D. Frowd, D. Carson, H. Ness, J. Richardson, L. Morrison, S. McLanaghan, & P.J.B. Hancock, "A forensically valid comparison of facial composite systems", *Psychology, Crime & Law*, 11 (1), 2005b, pp. 33-52.
- 2 C.D. Frowd, D. McQuiston-Surrett, S. Anandaciva, C.E. Ireland & P.J.B. Hancock, "An evaluation of US systems for facial composite production", *Ergonomics*, 50(12), 2007, pp. 1987-1998.
- 3 C.D. Frowd, P.J.B. Hancock, & D. Carson, "EvoFIT: A holistic, evolutionary facial imaging technique for creating composites", *ACM Transactions on Applied Psychology (TAP)*, 1, 2004, pp. 1-21.
- 4 S.J. Gibson, C.J. Solomon & A. Pallares-Bejarano, "Synthesis of photographic quality facial composites using evolutionary algorithms." In R. Harvey and J.A. Bangham (Eds.) *Proceedings of the British Machine Vision Conference*, 2003, pp. 221-230.
- 5 C.G. Tredoux, D.T. Nunez, O. Oxtoby, & B. Prag, "An evaluation of ID: an eigenface based construction system", *South African Computer Journal*, 37, 2006, pp. 1-9.
- 6 C.D. Frowd, D. Carson, H. Ness, D. McQuiston, J. Richardson, H. Baldwin, & P.J.B. Hancock, "Contemporary Composite Techniques: the impact of a forensically-relevant target delay", *Legal & Criminological Psychology*, 10, 2005, pp. 63-81.
- 7 C.D. Frowd, V. Bruce, H. Ness, L. Bowie, C. Thomson-Bogner, J. Paterson, A. McIntyre, & P.J.B. Hancock, "Parallel approaches to composite production", *Ergonomics*, 2007, 50 (4), pp. 562-585.
- 8 G.M. Davies, J. Shepherd, & H. Ellis, "Remembering faces: acknowledging our limitations", *Journal of Forensic Science*, 18, pp. 19-24.
- 9 C.D. Frowd, J. Park., A. McIntyre, V. Bruce, M. Pitchford, S. Fields, M. Kenirons, & P.J.B. Hancock, "Effecting an improvement to the fitness function. How to evolve a more identifiable face." In A. Stoica, T. Arslan, D. Howard, T. Higuchi, and A. El-Rayis (Eds.) *2008 ECSIS Symposium on Bio-inspired, Learning, and Intelligent Systems for Security*, 2008, pp. 3-10, NJ: CPS.
- 10 C.D. Frowd, V. Bruce, A. McIntyre, D. Ross, & P.J.B. Hancock, "Adding Holistic Dimensions to a Facial Composite System", *Proceedings of the Seventh International Conference on Automatic Face and Gesture Recognition*, 2006, pp. 183-188, Los Alamitos: CA.
- 11 [http://www.uclan.ac.uk/scitech/psychology/research/evofit/science\\_centre.php](http://www.uclan.ac.uk/scitech/psychology/research/evofit/science_centre.php)
- 12 W. Zhao, R. Chellappa, P.J. Phillips, & A. Rosenfeld, "Face Recognition: A Literature Survey", *ACM Computing Surveys*, Vol. 35 (4), 2003, pp. 399-458.
- 13 C.D. Frowd, M. Pitchford, V. Bruce, S. Jackson, G. Hepton, M. Greenall, A. McIntyre, & P.J.B. Hancock, "The psychology of face construction: giving evolution a helping hand", *Applied Cognitive Psychology*. Submitted.
- 14 E. Baker, & M. Selzer, "The mug-shot search problem", *Visual Interface '98 Proceedings*, Vancouver, BC, Canada, 1998.
- 15 A.M. Levi, N. Jungman, A. Ginton, A. Aperman, & G. Noble, "Using similarity judgments to conduct a mugshot album search", *Law and Human Behavior*, 19, 1995, pp. 649-661.
- 16 T. Koreniousa, J. Laurikkalaa, & M. Juhola, "On principal component analysis, cosine and Euclidean measures in information retrieval", *Information Sciences*, 177, pp. 4893-4905.
- 17 C.D. Frowd, V. Bruce, & P.J.B. Hancock, "Evolving facial composite systems", *Forensic Update*. Submitted.
- 18 H. Ellis, J. Shepherd, & G.M. Davies, "Identification of familiar and unfamiliar faces from internal and external features: some implications for theories of face recognition", *Perception*, 8, 1979, pp. 431-439.

## 8. Answers

The celebrity identities in Figure 1 are 'feature' composites of (left to right) Mick Jagger, Robbie Williams, Wayne Rooney and Tom Cruise; and, for the EvoFITs in Figure 3, David Tennant, George W. Bush, Simon Cowell and Noel Gallagher.