



## Properties of functional DNA: PEDOT layers

Submitted by Emmanuel Lemoine on Tue, 02/04/2014 - 16:14

Titre Properties of functional DNA: PEDOT layers

Type de publication Article de revue

Auteur Kažukauskas, Vaidotas [1], Arlauskas, Andrius [2], Pranaitis, Mindaugas [3], Krupka, Oksana [4], Kajzar, François [5], Essaidi, Zacaria [6], Sahraoui, Bouchta [7]

Type Article scientifique dans une revue à comité de lecture

Année 2010

Langue Anglais

Date 2010

Numéro 1

Pagination 90 - 94

Volume 17

Titre de la revue Functional materials

Résumé en anglais

We report investigations of functionalized DNA:PEDT-PSS films. The electrical conductivity of the samples material at the room temperature was about  $(1-5)10^{-10}\Omega^{-1}\text{cm}^{-1}$ . The IV curves of the samples were linear and symmetrical in the region from the room temperature down to the liquid Nitrogen temperature. The thermal activation energy of the conductivity near the room temperature was about 0.033 eV independently on the applied bias. The weak carrier trapping was identified by the Thermally Stimulated Current method, proving the fast recombination of light-generated carriers. Notably, by constant light excitation a "bistable" photoconduction below the room temperature was evidenced. I.e., upon excitation by white light a remarkable increase the photocurrent could be observed below 145-155 K by cooling the samples. Meanwhile by heating the photosensitivity increased up to 235-245 K. Such phenomenon could presumably be attributed to light-induced morphology changes of the sample material.

URL de la notice <http://okina.univ-angers.fr/publications/ua2023> [8]

Lien vers le document <http://www.isc.kharkov.com/journal/contents/17-1/fm171-17.pdf> [9]

---

### Liens

[1] [http://okina.univ-angers.fr/publications?f\[author\]=2830](http://okina.univ-angers.fr/publications?f[author]=2830)

[2] [http://okina.univ-angers.fr/publications?f\[author\]=2831](http://okina.univ-angers.fr/publications?f[author]=2831)

[3] [http://okina.univ-angers.fr/publications?f\[author\]=3683](http://okina.univ-angers.fr/publications?f[author]=3683)

[4] [http://okina.univ-angers.fr/publications?f\[author\]=2668](http://okina.univ-angers.fr/publications?f[author]=2668)

[5] [http://okina.univ-angers.fr/publications?f\[author\]=2745](http://okina.univ-angers.fr/publications?f[author]=2745)

[6] [http://okina.univ-angers.fr/publications?f\[author\]=2572](http://okina.univ-angers.fr/publications?f[author]=2572)

[7] <http://okina.univ-angers.fr/bouchta.sahraoui/publications>

[8] <http://okina.univ-angers.fr/publications/ua2023>

[9] <http://www.isc.kharkov.com/journal/contents/17-1/fm171-17.pdf>

