

Semiconductor laser linewidth theory revisited

Hans Wenzel¹, Markus Kantner², Mindaugas Radziunas², Uwe Bandelow²

submitted: April 28, 2021

¹ Ferdinand-Braun-Institut
Leibniz Institut für Höchstfrequenztechnik
Gustav-Kirchhoff-Straße 4
12489 Berlin
Germany
E-Mail: hans.wenzel@fbh-berlin.de

² Weierstrass Institute
Mohrenstr. 39
10117 Berlin
Germany
E-Mail: markus.kantner@wias-berlin.de
mindaugas.radziunas@wias-berlin.de
uwe.bandelow@wias-berlin.de

No. 2838
Berlin 2021



2020 *Mathematics Subject Classification.* 78A60, 35Q60, 78-10.

Key words and phrases. Semiconductor laser, Spectral linewidth, Coupled-wave equations, Traveling wave model, Longitudinal modes, Noise, Langevin equations, Henry factor, Petermann factor, Chirp reduction factor, Population inversion factor.

This research was partially funded by the Federal Ministry of Education and Research (BMBF) under grant number 50RK1972 and by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under Germany's Excellence Strategy – The Berlin Mathematics Research Center MATH+ (EXC-2046/1, project ID: 390685689, grant AA2-13). The authors are indebted to Hans-Jürgen Wünsche for a critical reading of the manuscript.

Edited by
Weierstraß-Institut für Angewandte Analysis und Stochastik (WIAS)
Leibniz-Institut im Forschungsverbund Berlin e. V.
Mohrenstraße 39
10117 Berlin
Germany

Fax: +49 30 20372-303
E-Mail: preprint@wias-berlin.de
World Wide Web: <http://www.wias-berlin.de/>

Semiconductor laser linewidth theory revisited

Hans Wenzel, Markus Kantner, Mindaugas Radziunas, Uwe Bandelow

Abstract

More and more applications require semiconductor lasers distinguished not only by large modulation bandwidths or high output powers, but also by small spectral linewidths. The theoretical understanding of the root causes limiting the linewidth is therefore of great practical relevance. In this paper, we derive a general expression for the calculation of the spectral linewidth step by step in a self-contained manner. We build on the linewidth theory developed in the 1980s and 1990s but look from a modern perspective, in the sense that we choose as our starting points the time-dependent coupled-wave equations for the forward and backward propagating fields and an expansion of the fields in terms of the stationary longitudinal modes of the open cavity. As a result, we obtain rather general expressions for the longitudinal excess factor of spontaneous emission (K -factor) and the effective α -factor including the effects of nonlinear gain (gain compression) and refractive index (Kerr effect), gain dispersion and longitudinal spatial hole burning in multi-section cavity structures. The effect of linewidth narrowing due to feedback from an external cavity often described by the so-called chirp reduction factor is also automatically included. We propose a new analytical formula for the dependence of the spontaneous emission on the carrier density avoiding the use of the population inversion factor. The presented theoretical framework is applied to a numerical study of a two-section distributed Bragg reflector laser.

1 Introduction

Many applications of semiconductor lasers utilized in miniaturized contemporary photonic integrated devices for coherent optical communication, optical atomic clocks, atom interferometry, gravitational wave detection, space-based metrology and optical quantum sensing impose strict requirements on the coherence of the light source, which can be expressed in terms of the spectral linewidth. The theoretical understanding of the governing factors limiting the linewidth is therefore of great practical relevance. After a first prediction by Schawlow and Townes [1], the corresponding theoretical framework was developed in the 1960s [2, 3, 4, 5, 6]). Later, in the 1980s and 1990s with the rapidly advancing technology of the fabrication of semiconductor lasers and their applications the theory of the spectral linewidth was further refined. The following 5 milestones can be distinguished:

(i) The first milestone is the discovery of the enhancement of the fraction of the spontaneous emission going into the lasing mode in gain-guided lasers and the derivation of a corresponding excess factor (K -factor) by Petermann [7]. Siegman recognized this effect as a general property of non-Hermitian laser cavities [8]. Later his discussion of the power-nonorthogonality of the transversal modes and its consequences was extended to the case of the power-nonorthogonality of the longitudinal modes of laser cavities [9]. In Ref. [10] it was discovered, that the longitudinal modes can become degenerate for certain parameter configurations resulting in an infinite K -factor. The occurrence of such *exceptional points* is not restricted to lasers but is inherent to non-Hermitian systems.¹

¹For a recent review, see [11]

(ii) The second milestone is the discovery of a linewidth enhancement in semiconductor gain materials caused by refractive index fluctuations in response to fluctuations of the carrier density. Due to gain clamping, intensity fluctuations (which have negligible direct effect on the linewidth) can cause substantial refractive index changes, which in turn lead to fluctuations of the phase. The magnitude of this *amplitude-phase coupling* is quantified by the linewidth enhancement factor α_H or α -factor introduced by Henry [12]. Later it was found that in DFB lasers the α -factor has to be replaced by an effective factor $\alpha_{H,\text{eff}}$ [13] and a general expression for $\alpha_{H,\text{eff}}$ valid for distributed feedback (DFB), distributed Bragg reflector (DBR) and external cavity lasers was derived in [14].

(iii) The third milestone is the discovery of the possibility of linewidth reduction due to optical feedback from an external cavity by Patzak *et al.* [15]. Later a relation to the reduction of the frequency chirp was established [16, 17].

(iv) The fourth milestone is related to the deterioration of the linewidth due to charge carriers injected into a phase tuning section within the cavity. Amann and Schimpe figured out that carrier noise is the origin resulting in an additional contribution to the linewidth, if the α -factors are different in the gain and phase tuning sections [18].

(v) The last milestone is the discovery of the enhancement of the linewidth due to fluctuations of the shape of the profile of the optical power in the cavity by Tromborg and co-workers [14], which is particularly important in the vicinity of instabilities [19, 20]. The most sophisticated linewidth theory including fluctuations of the shape of the power profile was published in [21, 22].

In this paper, we will derive a semi-analytical expression of the spectral linewidth from a modern perspective step by step in a self-contained manner collecting all necessary ingredients that are otherwise found only scattered in the literature. The underlying theoretical approach is the classical Langevin formalism [23] where the deterministic equations for the optical field and the carrier density are supplemented by noise sources (Langevin forces). By means of these stochastic terms, quantum field theoretical phenomena (in particular spontaneous emission), which are essential for the laser linewidth, can be adequately treated within the framework of the semi-classical theory. The correlation functions of the Langevin noise sources are determined by the fluctuation-dissipation theorem, for which we refer to Refs. [24, 25, 26].

While the starting point of most authors is the Helmholtz equation and an expansion of its Green's function [14, 27], it is more transparent to start from the time-dependent coupled-wave equations and to expand the forward and backward propagating fields in terms of the stationary longitudinal modes of the open cavity [10] yielding simpler expressions. The linewidth expression derived in such a manner includes automatically the findings described as milestones (i)–(iii), *i.e.*, longitudinal K -factor, effective α -factor, and chirp reduction factor. Additionally, we propose a new analytical formula for the dependence of the spontaneous emission on the carrier density, which is independent of the commonly employed *population inversion factor*, *i.e.*, the ratio between the spontaneous rate of downward band-to-band transitions and the stimulated rate of downward and upward transitions [28]. The new formula avoids problems with the singularity of the population inversion factor near the transparency density and is in good agreement with microscopic calculations, see Sec. 9. The theory can be easily extended to include carrier noise (iv), too, as sketched in the Outlook in Sec. 11.

2 Prerequisites and basic assumptions

We consider edge-emitting semiconductor lasers as sketched in Fig. 1 consisting of an arbitrary number of sections of different functionality. The transverse cross section is uniform within each section,




Figure 1: Schematic view of a two-section DBR laser consisting of an electrically biased gain section and a passive Bragg reflector section, exemplifying an edge-emitting multi-section semiconductor laser.

but may vary from section to section. The preferred propagation direction of the optical field under lasing conditions is along the cavity axis parallel to the longitudinal coordinate z . Such lasers are well described by the traveling-wave ansatz for the main component of the electric field strength

$$E(x, y, z, t) = \frac{e(x, y)}{\sqrt{2\varepsilon_0 cn}} [\Psi^+(z, t)e^{-i\beta_0 z} + \Psi^-(z, t)e^{i\beta_0 z}] e^{i\omega_0 t} + \text{c.c.}, \quad (1)$$

employing a scalar approximation and neglecting the dynamics in the transverse (x, y) -plane. Here, $e(x, y)$ is the suitably normalized real-valued field distribution of an index-guided transverse mode obtained as solution of a real-valued waveguide equation, $\beta_0 = 2\pi n/\lambda_0$ is the reference propagation constant, n is a reference modal index, λ_0 denotes the reference wavelength and $\omega_0 = 2\pi c/\lambda_0$ is the reference frequency. Here and later symbols not explained have their usual meaning. The prefactor is chosen such that $\|\Psi\|^2 \equiv |\Psi^+|^2 + |\Psi^-|^2$ is the optical power P with unit W. The left and right propagating fields Ψ^\pm vary slowly both in the longitudinal coordinate z and time t and fulfill the stochastic time-dependent coupled-wave equations [29]²

$$\frac{n_g(z)}{c} \frac{\partial}{\partial t} \Psi(z, t) + \left[\sigma_z \frac{\partial}{\partial z} + iM(z, N, \|\Psi\|^2) + iD(z, t) \right] \Psi(z, t) = F_{\text{sp}}(z, t, N) \quad (2)$$

with

$$\Psi(z, t) = \begin{bmatrix} \Psi^+(z, t) \\ \Psi^-(z, t) \end{bmatrix}, \quad \sigma_z = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix},$$

and

$$M(z, N, \|\Psi\|^2) = \begin{bmatrix} \Delta\beta(z, N, \|\Psi\|^2) & \kappa^+(z) \\ \kappa^-(z) & \Delta\beta(z, N, \|\Psi\|^2) \end{bmatrix}, \quad (3a)$$

$$\Delta\beta(z, N, \|\Psi\|^2) = \beta(z, N, \|\Psi\|^2) - \beta_0 = \frac{2\pi}{\lambda_0} \Delta n(z) + \beta_N(z, N, \|\Psi\|^2), \quad (3b)$$

$$\beta_N(z, N, \|\Psi\|^2) = \frac{2\pi}{\lambda_0} \Delta n_N(z, N, \|\Psi\|^2) + \frac{i}{2} [g(z, N, \|\Psi\|^2) - \alpha(z, N, \|\Psi\|^2)]. \quad (3c)$$

²For a derivation from Maxwell's equations, see [30].

The Langevin forces

$$F_{\text{sp}}(z, t, N) = \begin{bmatrix} F_{\text{sp}}^+(z, t, N) \\ F_{\text{sp}}^-(z, t, N) \end{bmatrix},$$

model the spontaneous emission into the forward and backward traveling waves and are assumed to have zero mean

$$\langle F_{\text{sp}} \rangle = 0.$$

Here, n_g is the real-valued group index, β is the propagation factor, Δn is the index detuning with respect to the reference modal index, Δn_N describes the dependence of the modal index on the excess carrier density N , g is the modal gain, α models optical losses, κ^\pm are complex coupling coefficients describing a Bragg grating (coupling forward and backward traveling waves) and $\mathcal{D}(z, t)$ is the dispersion operator. The ensemble or temporal average is denoted by $\langle \cdot \rangle$. The dependence of Δn_N , g and α on the optical power $\|\Psi\|^2$ is due to nonlinear effects like the Kerr effect, gain compression, and two-photon absorption, which affect the stationary states only slightly but can have a significant impact on the dynamic properties.

All quantities entering (2) are obtained by weighting the original quantities entering Maxwell's equations by the intensity distribution $e^2(x, y)$ (normalized to 1) of the transverse mode. If we choose the origin of z such that the grating given by a complex dielectric function $\varepsilon(x, y, z)$ has the property $\varepsilon(x, y, z) = \varepsilon(x, y, -z)$, then $\kappa^+ = \kappa^- = \kappa$ holds. Eq. (2) has to be solved subject to the usual boundary conditions

$$\Psi^+(0, t) = r_0 \Psi^-(0, t) \quad \text{and} \quad \Psi^-(L, t) = r_L e^{-2i\beta_0 L} \Psi^+(L, t), \quad (4)$$

with L being the total cavity length and r_0 and r_L the complex-valued reflection coefficients at the facets at $z = 0$ and $z = L$, respectively. Scattering matrices establish transition conditions on Ψ at the interfaces between different sections [22, 29].

The coupled-wave equations (2) must be supplemented with an equation for the (excess) carrier density N . Although the theoretical treatment is quite general, we will specifically treat diode lasers in this paper, where the carrier dynamics is governed actually by both electrons and holes. We assume charge neutrality and consider only the excess carriers in the active region with density $N = n - n_0 = p - p_0$ (where n and p are the electron and hole densities and n_0, p_0 are the corresponding equilibrium densities), neglecting any transport and capture effects. The equation for the excess carrier density, modeling current injection and recombination dynamics, is given by Eq. (64) below.

Dispersion, *i.e.*, the frequency dependence of the dielectric function, enters (2) first via the group index n_g in front of the time derivative resulting from a linearization of the real part of the dielectric function with respect to the frequency ω . Second, the dispersion of the optical gain (and associated refractive index) is described in the time domain by the operator $\mathcal{D}(z, t)$, which can be obtained, *e.g.*, by approximating the gain spectrum by a Lorentzian (or a series of Lorentzians) and a back-transformation into the time domain. This results in auxiliary differential equations for polarization functions [31, 32], see Appendix A. Due to the fact, that the spectral width of the gain in semiconductor lasers is much larger than the width of the cavity resonances, $\mathcal{D}(z, t)$ can be expanded again linearly in the frequency domain. In contrast to [31], we neglect here the dependence of the dispersion operator on the carrier density N .

Besides Ψ , we consider N as the only further stochastic variable and spontaneous emission as the only source of noise, neglecting all other noise sources. The theory can be easily extended to include carrier noise as sketched in the Outlook in Sec. 11. We assume that κ does not depend on N , *i.e.*, we exclude gain-coupled lasers, and neglect fluctuations of the shape of the power profile. We neglect

the impact of non-lasing side modes on the linewidth of the lasing mode and employ a single-mode approximation. Thus the linewidth rebroadening caused by mode partitioning and poor side-mode suppression, *cf.* [33, 34], can not be not accounted for.

Regarding the properties of the noise [35], we employ the usual assumptions of ergodicity (ensemble or statistical average equals temporal average) and stationarity (*i.e.*, $\langle \xi(t)\xi(t') \rangle$ depends only on the time difference $t - t'$) of any stochastic variable ξ . The fluctuations are assumed to have Gaussian probability distributions and delta-correlated covariance functions in time (Markov approximation) and space, *i.e.* $\langle \xi(z, t)\xi(z', t') \rangle = 2D_{\xi\xi}(z)\delta(t - t')\delta(z - z')$ with $D_{\xi\xi}$ being called diffusion coefficient. In order to obtain a Lorentzian shape of the optical spectrum around the lasing frequency, some approximations have to be employed which are described in Sec. 4.

3 Equation of the field amplitude

Throughout this work, we restrict ourselves to the analysis of the noise at continuous wave (CW) emission, *i.e.*, at steady-state lasing. Therefore, we expand $\Psi(z, t)$ in terms of the stationary eigenmodes $\Phi_m(z)$ (longitudinal modes),

$$\Psi(z, t) = \sum_m f_m(t)\Phi_m(z), \quad (5)$$

satisfying the equation

$$\left[\sigma_z \frac{\partial}{\partial z} + iM \left(z, \bar{N}, \overline{\|\Psi\|^2} \right) + i\beta_{\mathcal{D}}(z, \Omega_m) + i\frac{n_g(z)}{c}\Omega_m \right] \Phi_m(z) = 0 \quad (6)$$

with

$$M \left(z, \bar{N}, \overline{\|\Psi\|^2} \right) = \begin{bmatrix} \Delta\beta \left(z, \bar{N}, \overline{\|\Psi\|^2} \right) & \kappa(z) \\ \kappa(z) & \Delta\beta \left(z, \bar{N}, \overline{\|\Psi\|^2} \right) \end{bmatrix} \equiv \bar{M}, \quad (7)$$

$$\Delta\beta \left(z, \bar{N}, \overline{\|\Psi\|^2} \right) = \beta \left(z, \bar{N}, \overline{\|\Psi\|^2} \right) - \beta_0 \equiv \bar{\beta} - \beta_0 = \Delta\bar{\beta}. \quad (8)$$

Here, \bar{N} and $\overline{\|\Psi\|^2}$ are the steady-state carrier density and optical power, respectively, at which the operator of the eigenvalue problem (6) is expanded ($\bar{\beta}$, \bar{M} are the corresponding propagation factor and matrix M). The complex eigenvalue Ω_m describes both, the frequency deviation $\Re(\Omega_m) = \omega_m - \omega_0$ (or the wavelength deviation $\Delta\lambda_m = \Re(\Omega_m) d\lambda/d\omega|_{\lambda_0}$), and the mode damping rate $\Im(\Omega_m)$. The dispersion $\beta_{\mathcal{D}}(z, \Omega_m)$ is given by the operator $\mathcal{D}(z, t)$ in the frequency domain. Eq. (6) has to be solved subject to the boundary conditions

$$\begin{aligned} \Phi_m^+(0) &= r_0 \Phi_m^-(0) \\ \Phi_m^-(L) &= r_L e^{-2i\beta_0 L} \Phi_m^+(L) \end{aligned} \quad (9)$$

following from (4).

In the case of stationary eigenmodes considered here, the two-point boundary value problem (6) together with the boundary conditions (9) is in fact a quasi-linear eigenvalue problem. The point of expansion ($\overline{\|\Psi\|^2}$, \bar{N}) of the nonlinear operator must be chosen self-consistently, *i.e.*, it is required to satisfy the conditions (33) and (68) for the (mean) stationary state given below. Furthermore, in the presence of dispersion $\beta_{\mathcal{D}}(\Omega_m)$, the eigenvalue problem is also nonlinear in the eigenvalue. The problem is similar to the *self-consistent field method* in electronic structure theory [36] and can be

treated in a similar way (e.g., linearization of the optical-power and the frequency dependency of the gain dispersion and fixed-point iteration, where the point of expansion is updated to the most recent stationary state in each step). Alternatively, the system can be directly propagated in the time-domain (as it has been done in Sec. 10), until convergence to a suitable CW state has been achieved.

Note that different modes (eigensolutions of (6)) fulfill the orthogonality relation³

$$(\Phi_m, \frac{\partial \beta}{\partial \omega} \Phi_n) = 0 \quad \text{for } m \neq n \quad (10)$$

with the inner product (distinguished from a standard Hilbert space scalar product)

$$(\Phi, \Psi) = \int_0^L (\Phi^+ \Psi^- + \Phi^- \Psi^+) dz. \quad (11)$$

At an exceptional point the expansion (5) includes also a generalized eigenmode [10]. For $m = n$, the factor $\partial \beta / \partial \omega$, which can be interpreted as an inverse complex-valued group velocity, is the exact derivative

$$\frac{\partial \beta}{\partial \omega} = \frac{n_g}{c} + \frac{\partial \beta_{\mathcal{D}}}{\partial \omega} \Big|_{\Omega_m}. \quad (12)$$

In the general case of $m \neq n$ this holds only approximately:

$$\frac{\partial \beta}{\partial \omega} = \frac{n_g}{c} + \frac{\beta_{\mathcal{D}}(\Omega_m) - \beta_{\mathcal{D}}(\Omega_n)}{\Omega_m - \Omega_n} \approx \frac{n_g}{c} + \frac{\partial \beta_{\mathcal{D}}}{\partial \omega} \Big|_{\Omega_m}. \quad (13)$$

A system of ordinary differential equations for the amplitudes $f_m(t)$ can be obtained by inserting (5) into (2), using (6), multiplying from left with $[\Phi_n^-, \Phi_n^+]$, and integrating along z . In order to exploit the orthogonality relation (10) with the approximation (13), we have again to expand

$$\beta_{\mathcal{D}}(\tilde{\omega}) - \beta_{\mathcal{D}}(\Omega_m) = \frac{\partial \beta_{\mathcal{D}}}{\partial \omega} \Big|_{\Omega_m} (\tilde{\omega} - \Omega_m), \quad (14)$$

where $\tilde{\omega} = \omega - \omega_0$. Note that this is consistent with the slowly varying amplitude approximation. Transforming back into the time domain yields

$$\int [\beta_{\mathcal{D}}(\tilde{\omega}) - \beta_{\mathcal{D}}(\Omega_m)] f_m(\tilde{\omega}) e^{i\tilde{\omega}t} d\tilde{\omega} = [\mathcal{D} - \beta_{\mathcal{D}}(\Omega_m)] f_m(t) \quad (15)$$

and

$$\begin{aligned} \frac{\partial \beta_{\mathcal{D}}}{\partial \omega} \Big|_{\Omega_m} \int (\tilde{\omega} - \Omega_m) f_m(\tilde{\omega}) e^{i\tilde{\omega}t} d\tilde{\omega} &= -\frac{\partial \beta_{\mathcal{D}}}{\partial \omega} \Big|_{\Omega_m} \left[\Omega_m f_m(t) + i \frac{\partial}{\partial t} \int f_m(\tilde{\omega}) e^{i\tilde{\omega}t} d\tilde{\omega} \right] \\ &= -\frac{\partial \beta_{\mathcal{D}}}{\partial \omega} \Big|_{\Omega_m} \left[\Omega_m f_m(t) + i \frac{\partial f_m}{\partial t} \right]. \end{aligned} \quad (16)$$

Therefore the amplitudes f_m fulfill

$$(\Phi_m, \frac{\partial \beta}{\partial \omega} \Phi_m) \frac{\partial f_m}{\partial t} - i \Omega_m (\Phi_m, \frac{\partial \beta}{\partial \omega} \Phi_m) f_m + i \sum_n (\Phi_m, \Delta M \Phi_n) f_n = (\Phi_m, F_{\text{sp}}) \quad (17)$$

with

$$\Delta M = M - \bar{M} = (\beta - \bar{\beta}) \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}. \quad (18)$$

³It can be derived by multiplying (6) from the left by $[\Phi_n^-, \Phi_n^+]$, the corresponding equation for Φ_n by $[\Phi_m^-, \Phi_m^+]$, integrating along z , using (9) and subtracting both equations.

In what follows, we employ the single mode approximation and drop the subscript m . Then Eq. (17) becomes a single differential equation for the complex-valued amplitude f of the lasing mode

$$\frac{\partial f}{\partial t} - i\Omega f + i \frac{(\Phi, \Delta M \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} f = F_f. \quad (19)$$

The new Langevin noise source entering (19) is given by

$$F_f = \frac{(\Phi, F_{\text{sp}})}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)}. \quad (20)$$

For an analysis above threshold, it is beneficial to derive equations for the modulus $|f|$ and the phase φ of f , because the fluctuations of $|f|$ are damped but those of φ are not. For the modulus squared $|f|^2$ (called intensity in the rest of the paper) it follows

$$\frac{\partial |f|^2}{\partial t} + 2\Im(\Omega)|f|^2 - 2\Im \frac{(\Phi, \Delta M \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} |f|^2 = 2\Re(F_f f^*). \quad (21)$$

An equation for the phase can be determined from

$$\Im \left(\frac{\partial f}{\partial t} f^* \right) - \Re(\Omega)|f|^2 + \Re \frac{(\Phi, \Delta M \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} |f|^2 = \Im(F_f f^*) \quad (22)$$

and

$$\frac{\partial f}{\partial t} = e^{i\varphi} \frac{\partial |f|}{\partial t} + i f \frac{\partial \varphi}{\partial t} \implies \Im \left(\frac{\partial f}{\partial t} f^* \right) = |f|^2 \frac{\partial \varphi}{\partial t}. \quad (23)$$

The stochastic term on the right-hand side of (21) describes intensity noise, which does not have a vanishing expectation value anymore: $\langle F_f f^* \rangle \neq 0$. It is therefore convenient to rewrite the term by distilling out the expectation value and introducing two new real-valued Langevin forces $F_{|f|^2}$ and F_φ with zero mean as

$$2F_f f^* = 2\langle F_f f^* \rangle + F_{|f|^2} + 2i|f|^2 F_\varphi. \quad (24)$$

It will be shown below that $\langle F_f f^* \rangle$ is real-valued, see Eq. (63). Then, the final equations for the modulus squared and phase of f read

$$\frac{\partial |f|^2}{\partial t} = -2\Im(\Omega)|f|^2 + 2\Im \frac{(\Phi, \Delta M \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} |f|^2 + 2\langle F_f f^* \rangle + F_{|f|^2} \quad (25)$$

and

$$\frac{\partial \varphi}{\partial t} = \Re(\Omega) - \Re \frac{(\Phi, \Delta M \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} + F_\varphi. \quad (26)$$

Now we consider small fluctuations

$$N(z, t) = \langle N(z) \rangle + \delta N(z, t), \quad (27)$$

$$\varphi(t) = \langle \varphi(t) \rangle + \delta \varphi(t), \quad (28)$$

$$|f(t)|^2 = \langle |f|^2 \rangle + \delta |f(t)|^2 \quad (29)$$

and expand

$$\beta = \beta(\langle N \rangle, \langle |f|^2 \rangle) + \frac{\partial \beta}{\partial N} \Big|_{\langle N \rangle, \langle |f|^2 \rangle} \delta N + \frac{\partial \beta}{\partial |f|^2} \Big|_{\langle N \rangle, \langle |f|^2 \rangle} \delta |f|^2 \quad (30)$$

around the mean values

$$\begin{aligned}\langle N(z) \rangle &= \bar{N}(z), \\ \langle \varphi(t) \rangle &= \Re(\Omega)t.\end{aligned}\quad (31)$$

The mean intensity $\langle |f|^2 \rangle$ is required to satisfy

$$\Im(\Omega)\langle |f|^2 \rangle = \langle F_f f^* \rangle. \quad (32)$$

Due to the extreme smallness of the spontaneous emission $\langle F_f f^* \rangle$ going into the lasing mode, (32) can be replaced by

$$\Im(\Omega) = 0 \quad (33)$$

above threshold ($\langle |f|^2 \rangle > 0$), which will be exploited in what follows (*i.e.*, $\Omega = \Re(\Omega)$). The intensity and phase fluctuations fulfill the equations

$$\frac{\partial \delta |f|^2}{\partial t} = 2\Im \frac{(\Phi, \frac{\partial \beta}{\partial N} \delta N \Phi) + (\Phi, \frac{\partial \beta}{\partial |f|^2} \Phi) \delta |f|^2}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} \langle |f|^2 \rangle + F_{|f|^2} \quad (34)$$

and

$$\frac{\partial \delta \varphi}{\partial t} = -\Re \frac{(\Phi, \frac{\partial \beta}{\partial N} \delta N \Phi) + (\Phi, \frac{\partial \beta}{\partial |f|^2} \Phi) \delta |f|^2}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} + F_\varphi, \quad (35)$$

being one of the main results of the paper.

4 Lorentzian line shape

The power spectral density of the optical field at $z = 0$ can be calculated utilizing the Wiener–Khinchin theorem as⁴

$$S_E(\omega) = \iint \int_{-\infty}^{+\infty} \langle E^*(x, y, 0, t) E(x, y, 0, t + \tau) \rangle e^{-i\omega\tau} d\tau dx dy \quad (36)$$

with

$$\langle E^*(x, y, 0, t) E(x, y, 0, t + \tau) \rangle = \frac{1 - |r_0|^2}{2\varepsilon_0 cn} e^2(x, y) \langle f^*(t) f(t + \tau) \rangle |\Phi^-(0)|^2 e^{i\omega_0\tau} + \text{c.c.} \quad (37)$$

Hence we have to calculate the spectral density

$$S_f(\omega) = \int_{-\infty}^{+\infty} \langle f^*(t) f(t + \tau) \rangle e^{-i(\omega - \omega_0)\tau} d\tau \quad (38)$$

with

$$\langle f^*(t) f(t + \tau) \rangle = \langle |f(t)| |f(t + \tau)| e^{i[\varphi(t+\tau) - \varphi(t)]} \rangle. \quad (39)$$

Now we employ here a first approximation: We neglect in (39) the intensity fluctuations because above threshold they are damped, in contrast to the phase fluctuations, which can be seen by comparing (34) and (35)⁵. Therefore, we obtain

$$\langle f^*(t) f(t + \tau) \rangle \approx \langle |f|^2 \rangle \langle e^{i\Delta_\tau \varphi} \rangle e^{i\Omega\tau} \quad (40)$$

⁴We do not address technical issues regarding the non-existence of Fourier integrals of fluctuating quantities here and refer to the discussion in [37].

⁵See the discussion in [38].

with

$$\Delta_\tau\varphi = \delta\varphi(t + \tau) - \delta\varphi(t) \quad (41)$$

and $\Omega = \Re(\Omega)$. The random variable $\Delta_\tau\varphi$ is assumed to be Gaussian distributed⁶, such that it holds

$$\langle e^{i\Delta_\tau\varphi} \rangle = \frac{1}{\sqrt{2\pi \text{Var}(\Delta_\tau\varphi)}} \int_{-\infty}^{\infty} e^{-\frac{(\Delta_\tau\varphi)^2}{2\text{Var}(\Delta_\tau\varphi)}} e^{i\Delta_\tau\varphi} d\Delta_\tau\varphi = e^{-\frac{1}{2} \text{Var}(\Delta_\tau\varphi)}. \quad (42)$$

The variance of the phase fluctuations is

$$\begin{aligned} \text{Var}(\Delta_\tau\varphi) &= \langle (\Delta_\tau\varphi - \langle \Delta_\tau\varphi \rangle)^2 \rangle \\ &= \langle (\Delta_\tau\varphi)^2 \rangle \\ &= \langle (\delta\varphi(t + \tau))^2 \rangle - 2\langle \delta\varphi(t)\delta\varphi(t + \tau) \rangle + \langle (\delta\varphi(t))^2 \rangle \\ &= 2 \left[\langle (\delta\varphi(0))^2 \rangle - \langle \delta\varphi(0)\delta\varphi(\tau) \rangle \right], \end{aligned} \quad (43)$$

where we exploited $\langle \Delta_\tau\varphi \rangle = 0$ and the stationarity property. We introduce the spectral density of phase fluctuations⁷

$$S_{\delta\varphi}(\tilde{\omega}) = \int_{-\infty}^{+\infty} \langle \delta\varphi(t)\delta\varphi(t + \tau) \rangle e^{-i\tilde{\omega}\tau} d\tau \quad (44)$$

and the spectral density of optical frequency fluctuations $\delta\omega(\tilde{\omega}) = i\tilde{\omega}\delta\varphi(\tilde{\omega})$

$$S_{\delta\omega}(\tilde{\omega}) = \int_{-\infty}^{+\infty} \langle \delta\omega(t)\delta\omega(t + \tau) \rangle e^{-i\tilde{\omega}\tau} d\tau = \tilde{\omega}^2 S_{\delta\varphi}(\tilde{\omega}). \quad (45)$$

With these spectral densities, the variance of the phase fluctuations can be written as

$$\begin{aligned} \text{Var}(\Delta_\tau\varphi) &= \frac{1}{\pi} \int_{-\infty}^{\infty} S_{\delta\varphi}(\tilde{\omega}) (1 - e^{i\tilde{\omega}\tau}) d\tilde{\omega} \\ &= \frac{1}{\pi} \int_{-\infty}^{\infty} S_{\delta\varphi}(\tilde{\omega}) \left(2 \sin^2 \left(\frac{\tilde{\omega}\tau}{2} \right) - i \sin(\tilde{\omega}\tau) \right) d\tilde{\omega} \\ &= \frac{2}{\pi} \int_{-\infty}^{\infty} S_{\delta\varphi}(\tilde{\omega}) \sin^2 \left(\frac{\tilde{\omega}\tau}{2} \right) d\tilde{\omega} \\ &= \frac{\tau^2}{2\pi} \int_{-\infty}^{\infty} S_{\delta\omega}(\tilde{\omega}) \left(\frac{\sin \left(\frac{\tilde{\omega}\tau}{2} \right)}{\frac{\tilde{\omega}\tau}{2}} \right)^2 d\tilde{\omega}. \end{aligned} \quad (46)$$

We carry out a second approximation by noting that the function $\sin^2 \left(\frac{\tilde{\omega}\tau}{2} \right) / \left(\frac{\tilde{\omega}\tau}{2} \right)^2$ peaks strongly at $\tilde{\omega} = 0$ for large $|\tau|$, and obtain

$$\text{Var}(\Delta_\tau\varphi) \approx \frac{|\tau|}{\pi} S_{\delta\omega}(0) \int_{-\infty}^{\infty} \frac{\sin^2 x}{x^2} dx = |\tau| S_{\delta\omega}(0). \quad (47)$$

In this step, we have recovered a central property of Brownian motion, as we can observe that the root mean square displacement of the phase fluctuation grows as $\propto \sqrt{|\tau|}$. Inserting (47) into (42) and, finally, the result into (40) yields

$$\langle f^*(t)f(t + \tau) \rangle \approx \langle |f|^2 \rangle e^{-\frac{1}{2} S_{\delta\omega}(0)|\tau|} e^{i\Omega\tau} \quad (48)$$

⁶See the discussion in [39].

⁷Note that the spectral density of phase fluctuations is even in the frequency $S_{\delta\varphi}(\tilde{\omega}) = S_{\delta\varphi}(-\tilde{\omega})$.

and

$$\begin{aligned} S_f(\omega) &\approx \langle |f|^2 \rangle \int_{-\infty}^{+\infty} e^{-\frac{1}{2}S_{\delta\omega}(0)|\tau| + i(\omega_0 + \Omega - \omega)\tau} d\tau \\ &= \langle |f|^2 \rangle \frac{S_{\delta\omega}(0)}{(\omega - (\omega_0 + \Omega))^2 + \left(\frac{S_{\delta\omega}(0)}{2}\right)^2}. \end{aligned} \quad (49)$$

This is a Lorentzian centered at $\omega = \omega_0 + \Omega$ with the full width at half maximum (FWHM)

$$\Delta\omega = S_{\delta\omega}(0) \quad (50)$$

given by the spectral density of the optical frequency fluctuations taken at zero Fourier frequency.

5 Correlation functions

The correlation function of the spontaneous emission noise F_f defined in (20) is

$$\langle F_f^*(t)F_f(t') \rangle = \frac{\langle (\Phi^*, F_{\text{sp}}^*(z, t))(\Phi, F_{\text{sp}}(z', t')) \rangle}{\left| (\Phi, \frac{\partial \beta}{\partial \omega} \Phi) \right|^2}. \quad (51)$$

The numerator reads

$$\begin{aligned} &\langle (\Phi^*, F_{\text{sp}}^*(z, t))(\Phi, F_{\text{sp}}(z', t')) \rangle \\ &= \int_0^L \int_0^L \langle [\Phi^{+*} F_{\text{sp}}^{-*}(z, t) + \Phi^{-*} F_{\text{sp}}^{+*}(z, t)] [\Phi^+ F_{\text{sp}}^-(z', t') + \Phi^- F_{\text{sp}}^+(z', t')] \rangle dz dz' \\ &= \int_0^L \int_0^L [|\Phi^+|^2 \langle F_{\text{sp}}^{-*}(z, t) F_{\text{sp}}^-(z', t') \rangle + |\Phi^-|^2 \langle F_{\text{sp}}^{+*}(z, t) F_{\text{sp}}^+(z', t') \rangle] dz dz' \\ &= 2 \int_0^L \|\Phi(z)\|^2 D_{\text{sp}}(z) dz \delta(t - t') \end{aligned} \quad (52)$$

with

$$\|\Phi\|^2 = |\Phi^+|^2 + |\Phi^-|^2 \quad (53)$$

taking into account the noise covariance functions [25, 26, 27] for index- and absorption coupling⁸

$$\begin{aligned} \langle F_{\text{sp}}^{\pm*}(z, t) F_{\text{sp}}^{\pm}(z', t') \rangle &= 2D_{\text{sp}}(z) \delta(t - t') \delta(z - z'), \\ \langle F_{\text{sp}}^{\mp*}(z, t) F_{\text{sp}}^{\pm}(z', t') \rangle &= 0, \\ \langle F_{\text{sp}}^{\pm}(z, t) F_{\text{sp}}^{\pm}(z', t') \rangle &= 0, \\ \langle F_{\text{sp}}^{\mp}(z, t) F_{\text{sp}}^{\pm}(z', t') \rangle &= 0 \end{aligned} \quad (54)$$

with

$$2D_{\text{sp}}(z, N, \|\Psi\|^2) = \hbar\omega_0 n_{\text{sp}}(N) g(z, N, \|\Psi\|^2), \quad (55)$$

where n_{sp} is the population inversion factor (a Bose–Einstein distribution function multiplied by -1). Since Ψ has the unit \sqrt{W} , D_{sp} must have the unit $W\text{s}/\text{m}$ as it is. The diffusion coefficient D_{f^*f} defined by

$$\langle F_f^*(t)F_f(t') \rangle = 2D_{f^*f} \delta(t - t'). \quad (56)$$

⁸For gain-coupling see [40].

is therefore

$$D_{f^*f} = D_{f^*f}(N, \|\Psi\|^2) = \frac{\int_0^L \|\Phi(z)\|^2 D_{\text{sp}}(z, N, \|\Psi\|^2) dz}{\left| \left(\Phi, \frac{\partial \beta}{\partial \omega} \Phi \right) \right|^2}. \quad (57)$$

The correlation functions of the Langevin forces entering (34) and (35) read

$$\langle F_{|f|^2}(t) F_{|f|^2}(t') \rangle = 2D_{|f|^2|f|^2} \delta(t - t') = 4D_{f^*f} \langle |f|^2 \rangle \delta(t - t'), \quad (58)$$

$$\langle F_{\varphi}(t) F_{\varphi}(t') \rangle = 2D_{\varphi\varphi} \delta(t - t') = \frac{D_{f^*f}}{\langle |f|^2 \rangle} \delta(t - t'), \quad (59)$$

$$\langle F_{|f|^2}(t) F_{\varphi}(t') \rangle = 2D_{|f|^2\varphi} \delta(t - t') = 0, \quad (60)$$

which can be derived using the transformation rules for the diffusion coefficients [23]

$$\begin{aligned} D_{|f|^2|f|^2} &= \left(\frac{\partial |f|^2}{\partial f} \frac{\partial |f|^2}{\partial f^*} + \frac{\partial |f|^2}{\partial f^*} \frac{\partial |f|^2}{\partial f} \right) D_{f^*f}, \\ D_{\varphi\varphi} &= \left(\frac{\partial \varphi}{\partial f} \frac{\partial \varphi}{\partial f^*} + \frac{\partial \varphi}{\partial f^*} \frac{\partial \varphi}{\partial f} \right) D_{f^*f}, \\ D_{|f|^2\varphi} &= \left(\frac{\partial |f|^2}{\partial f} \frac{\partial \varphi}{\partial f^*} + \frac{\partial |f|^2}{\partial f^*} \frac{\partial \varphi}{\partial f} \right) D_{f^*f}, \end{aligned} \quad (61)$$

and the relations $|f|^2 = f^*f$ and $\varphi = -\frac{i}{2} \ln(f/f^*)$. The ensemble average defined in (24) can be obtained using the formal solution of (19)

$$f(t) = f_{\text{hom}}(t) + \int_{-\infty}^t F_f(t') G(t - t') dt', \quad (62)$$

where G is the Greens function of (19), having a jump of unity at $t = t'$. The solution f_{hom} of the homogeneous equation decays after the turn on of the system and approaches zero. Therefore,

$$\begin{aligned} 2\langle F_f(t) f^*(t) \rangle &= 2\langle F_f^*(t) f(t) \rangle = 2 \int_{-\infty}^t \langle F_f^*(t) F_f(t') \rangle G(t - t') dt' \\ &= 4D_{f^*f} \int_{-\infty}^t \delta(t - t') G(t - t') dt' \\ &= 2D_{f^*f}, \end{aligned} \quad (63)$$

where a factor 2 is canceled by $1/2$ encountered in integrating only half of the δ -function.

6 Effective linewidth enhancement factor

The excess carrier density is assumed to obey the rate equation

$$\frac{\partial N}{\partial t} - \frac{j(z, N)}{qd} + R(z, N) + R_{\text{st}}(z, N, \|\Psi\|^2) = F_N(z, t, N) \quad (64)$$

with the rate of spontaneous and non-radiative recombination R and the rate of stimulated recombination [29]⁹

$$R_{\text{st}} = \frac{\Re(\Psi^* \cdot [g - 2iD]\Psi)}{dW \hbar \omega_0}, \quad (65)$$

⁹It can be derived by multiplying (2) from the left with $[\Psi^{*+}, \Psi^{-*}]$, the complex conjugate of (2) with $[\Psi^+, \Psi^-]$ and adding both equations to obtain a balance equation for the electromagnetic energy in differential form (Poynting's theorem).

where the dot product means $\Psi_1 \cdot \Psi_2 = \Psi_1^+ \Psi_2^+ + \Psi_1^- \Psi_2^-$. Here, d and W are the thickness and width, respectively, of the active region. The current density can be related to the (sectional) applied voltage by means of the Joyce model [41]¹⁰

$$j(z, N) = \frac{U_s - U_F(N)}{W L_s R_s} \quad (66)$$

with sectional applied voltage U_s , resistance R_s , injection current I_s , length L_s , and the Fermi voltage U_F . The carrier–density dependent injection current density given by (66), counteracting longitudinal spatial hole burning, substantially lowers the degradation of the side mode suppression in strongly coupled DFB lasers compared to a model assuming a constant current density [43]. The frequency modulation response, albeit not topic of the present paper, is also affected as shown in [44].

Using the ansatz (5), we can approximate the rate of stimulated emission as

$$R_{\text{st}} = \frac{g + 2\Im(\beta_{\mathcal{D}}(\Omega))}{dW\hbar\omega_0} |f|^2 \|\Phi\|^2. \quad (67)$$

The stationary mean value of the carrier density and its fluctuations satisfy

$$\frac{j(\langle N \rangle)}{ed} = R(\langle N \rangle) + \frac{g(\langle N \rangle), \langle |f|^2 \rangle \|\Phi\|^2 + 2\Im(\beta_{\mathcal{D}}(\Omega))}{dW\hbar\omega_0} \langle |f|^2 \rangle \|\Phi\|^2 \quad (68)$$

and

$$\frac{\partial \delta N}{\partial t} + \frac{\delta N}{\tau_d} + \frac{\partial R_{\text{st}}}{\partial |f|^2} \delta |f|^2 = F_N, \quad (69)$$

respectively, with the inverse differential carrier lifetime (taken at $\langle N \rangle$ and $\langle |f|^2 \rangle$)

$$\frac{1}{\tau_d} = -\frac{1}{qd} \frac{\partial j}{\partial N} + \frac{\partial R}{\partial N} + \frac{\partial R_{\text{st}}}{\partial N}. \quad (70)$$

The FWHM of the Lorentzian line shape is given by the spectral density of the frequency fluctuations at zero Fourier frequency, *cf.* (50). This is equivalent to setting the time derivatives of the fluctuations equal to zero (static limit)

$$\frac{\partial \delta |f|^2}{\partial t} = 0 \quad (71)$$

and

$$\frac{\partial \delta N}{\partial t} = 0. \quad (72)$$

Furthermore, we omit carrier noise ($F_N = 0$), considering only spontaneous emission noise as mentioned in Sec. 2. With these approximations, the carrier density fluctuations are directly related to the intensity fluctuations by

$$\delta N = -\tau_d \frac{\partial R_{\text{st}}}{\partial |f|^2} \delta |f|^2. \quad (73)$$

We substitute (73) into (34) and obtain

$$\delta |f|^2 = \frac{F_{|f|^2}}{2\langle |f|^2 \rangle \Im(h_\alpha)} \quad (74)$$

with

$$h_\alpha = \frac{(\Phi, \tau_d \frac{\partial \beta}{\partial N} \frac{\partial R_{\text{st}}}{\partial |f|^2} \Phi) - (\Phi, \frac{\partial \beta}{\partial |f|^2} \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)}. \quad (75)$$

¹⁰For a derivation from the drift–diffusion equations, see [42].

Inserting (74) back into (73) yields

$$\delta N = -\tau_d \frac{\partial R_{\text{st}}}{\partial |f|^2} \frac{F_{|f|^2}}{2\langle |f|^2 \rangle \Im(h_\alpha)}. \quad (76)$$

Finally, substituting (76) into (35) results in

$$\frac{\partial \delta \varphi}{\partial t} = \frac{F_{|f|^2}}{2\langle |f|^2 \rangle} \frac{\Re(h_\alpha)}{\Im(h_\alpha)} + F_\varphi, \quad (77)$$

which can be considered as a defining equation for the so-called effective Henry's α -factor

$$\alpha_{\text{H,eff}} = \frac{\Re(h_\alpha)}{\Im(h_\alpha)}. \quad (78)$$

If $\alpha_{\text{H,eff}} \neq 0$, the Langevin force resulting in fluctuations of the intensity leads also to fluctuations of the phase. By virtue of the different integrals in the numerator and denominator of (75), the carrier dependence of the propagation factor, nonlinear gain (gain compression), absorption (two-photon absorption) and index (Kerr effect) as well as gain dispersion are accounted for. The impact of longitudinal spatial hole burning and multi-section cavity structures (*e.g.*, including Bragg gratings, passive sections or external cavities) is also correctly described. If all of these additional effects are neglected, for a Fabry-Pérot (FP) laser the α -factor is recovered

$$\alpha_{\text{H}} = \frac{\Re\left(\frac{\partial \beta}{\partial N}\right)}{\Im\left(\frac{\partial \beta}{\partial N}\right)} = \frac{4\pi}{\lambda_0} \frac{\frac{\partial \Delta n_N}{\partial N}}{\frac{\partial g}{\partial N} - \frac{\partial \alpha}{\partial N}}, \quad (79)$$

cf. Eq. (96) for $\chi = 1$, which is usually negative at typical lasing wavelengths in this notation (*i.e.*, the index decreases if the net modal gain increases). The second equality is obtained using (3c). The derivative $\partial \alpha / \partial N$ of the modal absorption in (79) is often neglected, *cf.* [45]. One should keep in mind that α_{H} is not a constant but depends on the carrier density (and the wavelength) because modal index and gain vary differently with carrier density.

7 Spectral linewidth

Collecting the results of the previous sections, we can now calculate the spectral linewidth. Rewriting (50) as

$$\Delta \omega = \int_{-\infty}^{+\infty} \left\langle \frac{\partial \delta \varphi(t)}{\partial t} \frac{\partial \delta \varphi(t + \tau)}{\partial t} \right\rangle d\tau \quad (80)$$

and inserting the equation of the phase fluctuations (77), we obtain

$$\Delta \omega = \frac{\alpha_{\text{H,eff}}^2}{4\langle |f|^2 \rangle^2} \int_{-\infty}^{\infty} \langle F_{|f|^2}(t) F_{|f|^2}(t + \tau) \rangle d\tau + \int_{-\infty}^{\infty} \langle F_\varphi(t) F_\varphi(t + \tau) \rangle d\tau, \quad (81)$$

where we have taken (60) into account. Inserting (58) and (59) results in the remarkably simple expression for the spectral linewidth

$$\Delta \nu = \frac{\Delta \omega}{2\pi} = \frac{D_{f^*f}}{2\pi \langle |f|^2 \rangle} (1 + \alpha_{\text{H,eff}}^2). \quad (82)$$

In the following, we will rewrite this expression in terms of the intra-cavity photon number

$$I_{\text{ph}} = \frac{1}{\hbar\omega_0} \int_0^L P \Re\left(\frac{\partial\beta}{\partial\omega}\right) dz = \frac{P_0}{\hbar\omega_0} \frac{\int_0^L \|\Phi\|^2 \Re\left(\frac{\partial\beta}{\partial\omega}\right) dz}{(1 - |r_0|^2) |\Phi^-(0)|^2}. \quad (83)$$

where

$$P(z) = \langle |f|^2 \rangle \|\Phi(z)\|^2 \quad (84)$$

is the stationary optical power inside the cavity and

$$P_0 = (1 - |r_0|^2) \langle |f|^2 \rangle |\Phi^-(0)|^2 \quad (85)$$

is the outcoupled power at $z = 0$. Moreover, we define the rate of spontaneous emission into the lasing mode

$$R_{\text{sp}} = \frac{\int_0^L \|\Phi\|^2 n_{\text{sp}} g dz}{\int_0^L \|\Phi\|^2 \Re\left(\frac{\partial\beta}{\partial\omega}\right) dz} \quad (86)$$

and the longitudinal excess factor of spontaneous emission

$$K = \frac{\left(\int_0^L |\Phi|^2 \Re\left(\frac{\partial\beta}{\partial\omega}\right) dz\right)^2}{\left|\left(\Phi, \frac{\partial\beta}{\partial\omega} \Phi\right)\right|^2}. \quad (87)$$

Now, (82) can be written as

$$\Delta\nu = \frac{K R_{\text{sp}}}{4\pi I_{\text{ph}}} \left(1 + \alpha_{\text{H,eff}}^2\right) \quad (88)$$

which is the standard form found in the literature [14, 39].

The mode profile $\Phi(z)$ entering (83), (86), and (87) is obtained by solving (6), (33) and (68) self-consistently above threshold. Thus, Φ is a mode of the active cavity affected by spatial hole burning. The expression for the K -factor generalizes the one given in [10] for non-uniform and complex-valued group velocity $(\partial\beta/\partial\omega)^{-1}$ and is in basic correspondence with [14, 46, 47], but fundamentally different from the modified K -factor introduced in [48].

At an exceptional point, the mode is orthogonal to itself, *i.e.*, $(\Phi, \frac{\partial\beta}{\partial\omega} \Phi) = 0$, and the K -factor approaches infinity. However, one has to keep in mind that at an exceptional point the single-mode approximation used here fails. Instead, for the description of the dynamics in the vicinity of such a point one has to use at least one eigenmode and the corresponding generalized eigenmode [10].

8 Impact of a passive section, chirp reduction factor and the Fabry–Pérot case

8.1 Linewidth of a laser consisting of a gain chip subject to feedback from an external cavity

We consider a laser consisting of one active section for $z \in [0, l]$ with length l and an arbitrary number of passive sections (including an external cavity) for $z \in [l, L]$ with total length $L - l$. The active section is of the Fabry–Pérot (FP) type having no Bragg grating ($\kappa = 0$ for $z \in [0, l]$). The passive sections may contain Bragg gratings but no excess carriers ($N = 0$, $\partial\beta/\partial N = 0$, $D_{\text{sp}} = 0$,




Figure 2: Schematic illustration of a two-section DBR laser featuring an active gain section and a passive Bragg grating as considered in Sec. 8.

$R_{\text{st}} = 0$ for $z \in [l, L]$). The reference plane is located just inside the active section so that a possible finite reflectivity at the interface between active and passive sections belongs to the passive sections. Furthermore, we neglect spatial hole burning (*i.e.*, $\partial N/\partial z = 0$), nonlinear gain and index ($\partial\beta/\partial|f|^2 = 0$, $\partial R_{\text{st}}/\partial|f|^2 = R_{\text{st}}/|f|^2$) and gain dispersion ($\beta_{\mathcal{D}} = 0$, $\partial\beta/\partial\omega = n_{\text{g}}/c$). See Fig. 2 for an illustration of the device.

The solution of (6) in the active section is given by

$$\Phi^{\pm}(z) = \Phi^{\pm}(l)e^{\mp i(\Delta\bar{\beta} + \frac{n_{\text{g}}}{c}\Omega)(z-l)} \quad (89)$$

and hence

$$\Phi^{+}(z)\Phi^{-}(z) = \Phi^{+}(l)\Phi^{-}(l) \quad (90)$$

holds. Furthermore we define the left and right reflectivities

$$r^{+} = \frac{\Phi^{-}(l)}{\Phi^{+}(l)} \quad \text{and} \quad r^{-} = \frac{\Phi^{+}(l)}{\Phi^{-}(l)} \equiv r_0 e^{-2il(\Delta\bar{\beta} + \frac{n_{\text{g}}}{c}\Omega)}. \quad (91)$$

The derivative of r^{+} can be expressed as (see Appendix B)

$$\frac{\partial \ln(r^{+})}{\partial \omega} = -2i \frac{\int_l^L \Phi^{+}\Phi^{-} \frac{\partial \beta}{\partial \omega} dz}{\Phi^{+}(l)\Phi^{-}(l)}. \quad (92)$$

Therefore,

$$\begin{aligned} \left(\Phi, \frac{\partial \beta}{\partial \omega} \Phi\right) &= 2 \int_0^l \Phi^{+}\Phi^{-} \frac{\partial \beta}{\partial \omega} dz + 2 \int_l^L \Phi^{+}\Phi^{-} \frac{\partial \beta}{\partial \omega} dz \\ &= 2\Phi^{+}(l)\Phi^{-}(l) \left[l \frac{\partial \beta}{\partial \omega} \Big|_{\text{active}} + \frac{i}{2} \frac{\partial \ln(r^{+})}{\partial \omega} \right] \\ &= 2l\Phi^{+}(l)\Phi^{-}(l) \frac{\partial \beta}{\partial \omega} \Big|_{\text{active}} \chi \end{aligned} \quad (93)$$

where we introduced the parameter

$$\chi = 1 + \frac{i \frac{\partial \ln(r^{+})}{\partial \omega}}{2l \frac{\partial \beta}{\partial \omega}} = 1 + i \frac{c}{2ln_{\text{g}}} \frac{\partial \ln(r^{+})}{\partial \omega} \quad (94)$$

as in [14]. We omit $|_{\text{active}}$ in what follows. Furthermore

$$\begin{aligned} \left(\Phi, \tau_{\text{d}} \frac{\partial \beta}{\partial N} \frac{\partial R_{\text{st}}}{\partial |f|^2} \Phi\right) &= \frac{1}{|f|^2} \left(\Phi, \tau_{\text{d}} \frac{\partial \beta}{\partial N} R_{\text{st}} \Phi\right) = \frac{2}{|f|^2} \int_0^l \Phi^{+}\Phi^{-} \tau_{\text{d}} \frac{\partial \beta}{\partial N} R_{\text{st}} dz \\ &= \frac{2}{|f|^2} \Phi^{+}(l)\Phi^{-}(l) \frac{\partial \beta}{\partial N} \int_0^l \tau_{\text{d}} R_{\text{st}} dz \end{aligned} \quad (95)$$

holds. Then from (75), (78) and (79)

$$\begin{aligned}\alpha_{\text{H,eff}} &= \frac{\operatorname{Re}\left(\frac{\partial\beta}{\partial N}\chi^*\right)}{\operatorname{Im}\left(\frac{\partial\beta}{\partial N}\chi^*\right)} = \frac{\operatorname{Re}\left(\frac{\partial\beta}{\partial N}\chi^*\right)}{\operatorname{Im}\left(\frac{\partial\beta}{\partial N}\chi^*\right)} \\ &= \frac{\operatorname{Re}(\alpha_{\text{H}}\chi^* + i\chi^*)}{\operatorname{Im}(\alpha_{\text{H}}\chi^* + i\chi^*)} = -\frac{\operatorname{Re}(\alpha_{\text{H}}\chi - i\chi)}{\operatorname{Im}(\alpha_{\text{H}}\chi - i\chi)}\end{aligned}\quad (96)$$

and

$$\begin{aligned}1 + \alpha_{\text{H,eff}}^2 &= \frac{\operatorname{Re}^2(\alpha_{\text{H}}\chi - i\chi) + \operatorname{Im}^2(\alpha_{\text{H}}\chi - i\chi)}{\operatorname{Im}^2(\alpha_{\text{H}}\chi - i\chi)} \\ &= \frac{(\alpha_{\text{H}}\operatorname{Re}\chi + \operatorname{Im}\chi)^2 + (\alpha_{\text{H}}\operatorname{Im}\chi - \operatorname{Re}\chi)^2}{\operatorname{Im}^2(\alpha_{\text{H}}\chi - i\chi)} \\ &= (1 + \alpha_{\text{H}}^2) \frac{|\chi|^2}{\operatorname{Im}^2(\alpha_{\text{H}}\chi - i\chi)}\end{aligned}\quad (97)$$

follow. Similarly, we obtain

$$D_{f^*f} = \frac{\int_0^l \|\Phi\|^2 D_{\text{sp}} dz}{\left|2 \int_0^l \Phi^+ \Phi^- \frac{\partial\beta}{\partial\omega} dz\right|^2} \frac{1}{|\chi|^2}.\quad (98)$$

Hence, the product of (97) and (98) is given by

$$D_{f^*f} (1 + \alpha_{\text{H,eff}}^2) = \frac{\int_0^l \|\Phi\|^2 D_{\text{sp}} dz}{\left|2 \int_0^l \Phi^+ \Phi^- \frac{\partial\beta}{\partial\omega} dz\right|^2} \frac{(1 + \alpha_{\text{H}}^2)}{\operatorname{Im}^2(\alpha_{\text{H}}\chi - i\chi)}\quad (99)$$

and the spectral linewidth can be written as

$$\Delta\nu = \frac{\Delta\nu_{\text{FP}}}{F^2}\quad (100)$$

with the chirp reduction factor

$$\begin{aligned}F &= -\Im(\alpha_{\text{H}}\chi - i\chi) \\ &= 1 - \frac{c}{2n_{\text{g}}l} \Im\left(\frac{\partial\ln(r^+)}{\partial\omega}\right) - \alpha_{\text{H}} \frac{c}{2n_{\text{g}}l} \Re\left(\frac{\partial\ln(r^+)}{\partial\omega}\right)\end{aligned}\quad (101)$$

and

$$\Delta\nu_{\text{FP}} = \frac{\int_0^l \|\Phi\|^2 D_{\text{sp}} dz}{2\pi \langle |f|^2 \rangle \left|2 \int_0^l \Phi^+ \Phi^- \frac{\partial\beta}{\partial\omega} dz\right|^2} (1 + \alpha_{\text{H}}^2)\quad (102)$$

being the linewidth of a FP laser having the cavity length l and the reflection coefficient $r^+(\Omega)$ at the rear facet. Eq. (101) agrees with [49] (if the different sign of α_{H} is observed) and [16] and others if the differently chosen harmonic time dependence ($e^{i\omega_0 t}$ as used here versus $e^{-i\omega_0 t}$) is observed. Introducing an effective length of the passive cavity

$$l_{\text{p}} = -\frac{c}{2n_{\text{g,p}}} \Im\left(\frac{\partial\ln(r^+)}{\partial\omega}\right),\quad (103)$$

the chirp reduction factor can be written as

$$F = 1 + \frac{n_{\text{g,p}} l_{\text{p}}}{n_{\text{g}} l} - \alpha_{\text{H}} \frac{c}{2n_{\text{g}}l} \Re\left(\frac{\partial\ln(r^+)}{\partial\omega}\right).\quad (104)$$

Thus the second term on the right-hand side of (101) can be interpreted as the ratio of the round-trip times in the passive and active sections. The chirp reduction factor allows an estimation of the reduction of the linewidth by a passive section or an external cavity for given group index, length and Henry's α -factor of the active section.

8.2 The relation to static frequency chirp reduction

The roundtrip condition

$$r^+ r^- = 1 \quad (105)$$

following from (91) can be transformed into equations for the modulus

$$\Re(\ln(r^-(\tilde{\omega}, g))) + \Re(\ln(r^+(\tilde{\omega}))) = 0 \quad (106)$$

and the phase

$$h(\tilde{\omega}, g) \equiv \text{Im}(\ln(r^-(\tilde{\omega}, g))) + \text{Im}(\ln(r^+(\tilde{\omega}))) = 2\pi m \quad (107)$$

with $m \in \mathbb{Z}$. Let the modal index in the active section vary due to a fluctuation of some parameter such as carrier density or temperature. From (107) it follows

$$\delta h = \frac{\partial h}{\partial \omega} \delta \omega + \frac{\partial h}{\partial n} \delta n = 0, \quad (108)$$

where $\delta n \equiv \delta \Delta n$ and $1/\partial n \equiv 1/\partial \Delta n$. The ω -derivative of h is

$$\frac{\partial h}{\partial \omega} = \Im\left(\frac{\partial \ln(r^-)}{\partial \omega}\right) + \Im\left(\frac{\partial \ln(r^+)}{\partial \omega}\right) + \Im\left(\frac{\partial \ln(r^-)}{\partial g}\right) \frac{\partial g}{\partial \omega}. \quad (109)$$

The ω -derivative of the threshold gain g can be determined from (106),

$$\frac{\partial g}{\partial \omega} = -\frac{\Re\left(\frac{\partial \ln(r^-)}{\partial \omega}\right) + \Re\left(\frac{\partial \ln(r^+)}{\partial \omega}\right)}{\Re\left(\frac{\partial \ln(r^-)}{\partial g}\right)} = -\frac{1}{l} \Re\left(\frac{\partial \ln(r^+)}{\partial \omega}\right) \quad (110)$$

taking into account

$$\frac{\partial \ln(r^-)}{\partial \omega} = -2il \frac{n_g}{c} \quad (111)$$

and

$$\frac{\partial \ln(r^-)}{\partial g} = l(1 - i\alpha_H), \quad (112)$$

following from (91) and (8), such that

$$\frac{\partial h}{\partial \omega} = -2l \frac{n_g}{c} + \Im\left(\frac{\partial \ln(r^+)}{\partial \omega}\right) + \alpha_H \Re\left(\frac{\partial \ln(r^+)}{\partial \omega}\right) \quad (113)$$

is obtained. Furthermore, (91) and (8) imply

$$\frac{\partial \ln(r^-)}{\partial n} = -2il \frac{2\pi}{\lambda_0} \quad (114)$$

and

$$\frac{\partial h}{\partial n} = -\frac{4\pi l}{\lambda_0}. \quad (115)$$

Therefore,

$$\delta h = -2l \frac{n_g}{c} \left[1 - \frac{c}{2n_g l} \Im \left(\frac{\partial \ln(r^+)}{\partial \omega} \right) - \alpha_H \frac{c}{2n_g l} \Re \left(\frac{\partial \ln(r^+)}{\partial \omega} \right) \right] \delta \omega - \frac{4\pi l}{\lambda_0} \delta n = 0 \quad (116)$$

and

$$\delta \omega = -\omega_0 \frac{\delta n}{n_g} F^{-1} \quad (117)$$

is gained. For the solitary laser with $r^+(\tilde{\omega})$ taken at a fixed $\tilde{\omega} = \Omega$, the same analysis results in

$$\frac{\partial h}{\partial \omega} = -2l \frac{n_g}{c} \quad (118)$$

and

$$\delta \omega_s = -\omega_0 \frac{\delta n}{n_g}. \quad (119)$$

Therefore in a laser with a passive section or an external cavity, fluctuations of the frequency $\delta \omega$ due to a fluctuation of some parameter in the active section are reduced (or enhanced) by the factor

$$\frac{\delta \omega}{\delta \omega_s} = \frac{1}{F} \quad (120)$$

compared to a the solitary laser, as stated in, e.g., [16, 17]. If the active section is not a single FP cavity, the chirp reduction factor can be generalized to [50]

$$F = 1 + \Re \left(\left(1 + i\alpha_H \right) \frac{\frac{\partial \ln(r^+)}{\partial \omega}}{\frac{\partial \ln(r^-)}{\partial \omega}} \right). \quad (121)$$

8.3 Linewidth of the Fabry–Pérot laser cavity

We start from (88) and employ the same approximations resulting in (100) and (101). The rate of spontaneous emission into the lasing mode (86) is

$$R_{\text{sp}}(N) = \frac{\int_0^l \|\Phi(z)\|^2 n_{\text{sp}}(N) g(N) dz}{\int_0^l \|\Phi(z)\|^2 \Re \left(\frac{\partial \beta}{\partial \omega} \right) dz} = \frac{c}{n_g} n_{\text{sp}}(N) g(N). \quad (122)$$

The expression (122) should be compared with

$$\widehat{R}_{\text{sp}}(N) = \beta_{\text{sp}} V R_{\text{rad}}(N) \quad (123)$$

often used in rate equation based modeling [51], where β_{sp} is the dimensionless spontaneous emission factor (ratio between the spontaneous emission going into the lasing mode and the spontaneous emission into all modes), V the volume of the active region and $R_{\text{rad}} = BN^2$ the rate of radiative spontaneous recombination (B bimolecular recombination coefficient, unit m^3s^{-1}). Equalizing (122) and (123) at the lasing threshold yields

$$\beta_{\text{sp}} = \frac{c}{n_g} \frac{n_{\text{sp}}(N_{\text{th}}) g(N_{\text{th}})}{V R_{\text{rad}}(N_{\text{th}})}, \quad (124)$$

which is of the order 10^{-5} for typical edge-emitting lasers.

The photon number (83) can be written as

$$\begin{aligned}
I_{\text{ph}} &= \frac{P_0}{\hbar\omega_0} \frac{\int_0^l \|\Phi(z)\|^2 \Re\left(\frac{\partial\beta}{\partial\omega}\right) dz}{(1 - |r_0|^2) |\Phi^-(0)|^2} \\
&= \frac{n_g}{c} \frac{P_0}{\hbar\omega_0 ((1 - |r_0|^2) |\Phi^-(0)|^2)} \int_0^l \left[|\Phi^+(0)|^2 e^{2\Im(\bar{\beta})z} + |\Phi^-(0)|^2 e^{-2\Im(\bar{\beta})z} \right] dz \\
&= \frac{n_g}{c} \frac{P_0}{\hbar\omega_0 ((1 - |r_0|^2) |\Phi^-(0)|^2)} \frac{|\Phi^+(0)|^2 \left(e^{2\Im(\bar{\beta})l} - 1 \right) - |\Phi^-(0)|^2 \left(e^{-2\Im(\bar{\beta})l} - 1 \right)}{2\Im(\bar{\beta})} \quad (125) \\
&= \frac{n_g}{c} \frac{P_0}{\hbar\omega_0} \frac{|r_0|^2 \left(e^{2\Im(\bar{\beta})l} - 1 \right) - e^{-2\Im(\bar{\beta})l} + 1}{2\Im(\bar{\beta})(1 - |r_0|^2)}.
\end{aligned}$$

The complex mode frequencies of the FP cavity are the solutions of

$$\Omega_m = \frac{c}{n_g} \left[\frac{m\pi}{l} - \Delta\bar{\beta} - \frac{i}{2l} \ln(r_0 r^+(\Omega_m)) \right]. \quad (126)$$

To ensure $\Im(\Omega) = 0$ for the lasing mode, from (126) follows the usual threshold condition

$$\alpha_{\text{out}} \equiv -\frac{1}{l} \ln(|r_0 r^+(\Re(\Omega))|) = 2\Im(\bar{\beta}) \equiv g - \alpha. \quad (127)$$

In what follows, we set $r_l = r^+(\Omega)$ (reflectivity seen by the laser at $z = l$). From (127) it follows

$$\begin{aligned}
I_{\text{ph}} &= \frac{n_g}{c} \frac{P_0}{\hbar\omega_0} \frac{|r_0|^2 \left(\frac{1}{|r_0 r_l|} - 1 \right) - |r_0 r_l| + 1}{2\Im(\bar{\beta})(1 - |r_0|^2)} = \frac{n_g}{c} \frac{P_0}{\hbar\omega_0} \frac{1 + \frac{1 - |r_l|^2}{1 - |r_0|^2} \frac{|r_0|}{|r_l|}}{\alpha_{\text{out}}} \quad (128) \\
&= \frac{n_g}{c} \frac{P_{\text{out}}}{\hbar\omega_0 \alpha_{\text{out}}},
\end{aligned}$$

where we used the relation between outcoupled power P_0 and total output power P_{out}

$$P_0 = \frac{P_{\text{out}}}{1 + \frac{1 - |r_l|^2}{1 - |r_0|^2} \frac{|r_0|}{|r_l|}}. \quad (129)$$

The final result is

$$\Delta\nu_{\text{FP}} = \frac{K_{\text{FP}}}{4\pi} \frac{c^2}{n_g^2} \frac{\hbar\omega_0 n_{\text{sp}} (\alpha + \alpha_{\text{out}}) \alpha_{\text{out}}}{P_{\text{out}}} (1 + \alpha_{\text{H}}^2), \quad (130)$$

where Petermann's K -factor of the FP cavity

$$K_{\text{FP}} = \frac{\left(\int_0^l \|\Phi\|^2 \Re\left(\frac{\partial\beta}{\partial\omega}\right) dz \right)^2}{\left| 2 \int_0^l \Phi^+ \Phi^- \frac{\partial\beta}{\partial\omega} dz \right|^2} \quad (131)$$

can be similarly derived as

$$K_{\text{FP}} = \left[\frac{(|r_0| + |r_l|)(1 - |r_0 r_l|)}{2|r_0 r_l| \ln(|r_0 r_l|)} \right]^2 \quad (132)$$

in agreement with [27, 9]. Eq. (130) together with (129) was used by several authors, *e.g.*, [12, 52, 53]. However, one should be aware of the approximations involved in the derivation.

The original Schawlow–Townes formula [1] is obtained by setting $K_{\text{FP}} = 1$, $n_{\text{sp}} = 1$, $\alpha = 0$, $\alpha_{\text{H}} = 0$ and relating the outcoupling losses α_{out} to the spectral FWHM of a cavity resonance by $\Delta\nu_{\text{cav}} = c/n_{\text{g}} \cdot \alpha_{\text{out}}/2\pi$ to

$$\Delta\nu_{\text{ST}} = \frac{\pi\hbar\omega_0}{P_{\text{out}}}(\Delta\nu_{\text{cav}})^2. \quad (133)$$

There are two reasons why this differs from the original formula by a factor of 4. First, in [1] the half widths instead of full widths are used (factor of 2). Second, in [1] the sub-threshold case is considered resulting in a further factor of 2, which can be seen as follows: Below threshold the spectral density can be directly calculated from (19) for $\Delta M = 0$ by Fourier transformation via

$$\langle f^*(\omega)f(\omega') \rangle = 2\pi S_f(\omega)\delta(\omega - \omega') \quad (134)$$

with the result

$$S_f(\omega) = \frac{2D_{f^*f}}{(\omega - \Re(\Omega))^2 + (\Im(\Omega))^2} = \frac{2D_{f^*f}}{(\omega - \Re(\Omega))^2 + \left(\frac{D_{f^*f}}{\langle |f|^2 \rangle}\right)^2}, \quad (135)$$

where we have used (32) and (63). This is a Lorentzian with the FWHM

$$\Delta\nu_{\text{subthr}} = \frac{D_{f^*f}}{\pi\langle |f|^2 \rangle}, \quad (136)$$

which is a factor of 2 larger than (82) (for $\alpha_{\text{H,eff}} = 0$).¹¹

9 Population inversion factor

The population inversion factor¹² introduced in (55) and used in (86) and (130) is given by [28]

$$n_{\text{sp}}(N) = \frac{1}{1 - \exp\left(\frac{\hbar\omega_0 - qU_{\text{F}}(N)}{k_{\text{B}}T}\right)}, \quad (137)$$

where U_{F} is the Fermi voltage (spacing of quasi–Fermi potentials of holes and electrons), q the elementary charge, k_{B} the Boltzmann constant and T the temperature. It has a singularity at the transparency density N_{tr} , where $\hbar\omega_0 = U_{\text{F}}(N_{\text{tr}})$ and $g(N_{\text{tr}}) = 0$. Therefore, the replacement

$$r_{\text{sp}}(N) \equiv n_{\text{sp}}(N)g(N) = n_{\text{sp}}(\alpha + \alpha_{\text{out}}) \quad (138)$$

with constant n_{sp} often employed is critical because for high– Q –cavities with low α and α_{out} the spontaneous emission is underestimated. We calculated the modal gain, the spontaneous emission into the lasing mode and the inversion factor employing a microscopic numerical simulation based on a 8×8 $\mathbf{k} \cdot \mathbf{p}$ band structure calculation and a free carrier theory of the dielectric function with phenomenological corrections for many-body effects such as band–gap renormalization, Coulomb enhancement and transition broadening [54]. The results for a 5 nm thick InGaAs quantum well emitting around 1064 nm embedded into an AlGaAs-based waveguide structure are compared with analytical models in Fig. 3. The increase of the absorption (negative gain) at small increasing carrier densities observed in the simulation is caused by band–gap narrowing, shifting the absorption edge to longer wavelengths [55].

¹¹ See [6] for a more thorough discussion.

¹² Sometimes it is called ‘spontaneous emission factor’ which could be misleading.




Figure 3: **(a)** Modal gain (blue) and rate of spontaneous emission (green), left axis, and population inversion factor (red), right axis, versus carrier density obtained from a microscopic simulation (symbols) and analytic models (solid lines) for a fixed wavelength $\lambda_0 = 1064$ nm. The dashed green line is the spontaneous emission computed using a constant population inversion factor $n_{\text{sp}} = 2$. See the Appendix A for the consideration of the gain at a fixed wavelength within the framework of the present model. **(b)** Microscopically computed gain spectra for carrier densities ranging from $N = 1 \cdot 10^{18} \text{ cm}^{-3}$ to $1 \cdot 10^{19} \text{ cm}^{-3}$. The position of the fixed wavelength λ_0 is shown by a blue line, the peak gain position is indicated by a red line.

The gain at a fixed wavelength is modeled as

$$g = g' N_{\text{tr}} \ln \left[\frac{\max(N, N_{\text{cl}})}{N_{\text{tr}}} \right] \quad (139)$$

and the modal spontaneous emission as

$$r_{\text{sp}} = \frac{g' N_{\text{tr}}}{2} \ln \left[1 + \left(\frac{N}{N_{\text{tr}}} \right)^2 \right] \quad (140)$$

with differential gain $g' = 19 \cdot 10^{-22} \text{ m}^2$, transparency density $N_{\text{tr}} = 1.7 \cdot 10^{24} \text{ m}^{-3}$ and gain clamping density $N_{\text{cl}} = 7 \cdot 10^{23} \text{ m}^{-3}$. Eq. (140) exhibits the correct asymptotic behavior $r_{\text{sp}} \propto N^2$ for $N \ll N_{\text{tr}}$ and $r_{\text{sp}} = g$ for $N \rightarrow \infty$. The agreement of r_{sp} between simulation and model is remarkably good without the need of introducing any new parameters. The singularity of the inversion factor at $N = N_{\text{tr}}$ is clearly visible in Fig. 3. If a constant value of $n_{\text{sp}} = 2$ is used, the spontaneous emission is considerably under- or over-estimated (depending on the respective carrier density).

10 Numerical results for a DBR laser

We consider a simple two-section DBR laser as sketched in Figs. 1 and 2, consisting of an active gain section (without Bragg grating) and a passive Bragg reflector section (without active layer). In the simulations described below, within the active section of the DBR laser, we assume the logarithmic gain model (139) supplemented with the nonlinear gain saturation factor

$$g(z, N, \|\Psi\|^2) = g'(z) N_{\text{tr}}(z) \ln \left[\frac{\max(N, N_{\text{cl}}(z))}{N_{\text{tr}}(z)} \right] \frac{1}{1 + \|\Psi\|^2 / P_{\text{sat}}(z)}, \quad (141)$$

Table 1: Parameters of the simulated DBR laser.

parameter	symbol	unit	value	first used
reference wavelength	λ_0	m	$1.064 \cdot 10^{-6}$	
front facet reflectivity	$ r_0 ^2$		0.3	(4)
rear facet reflectivity	$ r_L ^2$		0	(4)
internal optical loss (both sections)	α	m^{-1}	60	(3c)
group index (both sections)	n_g		3.9	(2)
built-in index detuning (both sections)	Δn_0		0	(143)
<i>active section</i>				
length	l	m	$1 \cdot 10^{-3}$	
differential gain	g'	m^2	$18.62 \cdot 10^{-22}$	(139)
α -factor	α_H		-1	(79)
transparency carrier density	N_{tr}	m^{-3}	$1.7 \cdot 10^{24}$	(139)
self-heating induced index tuning	ν_s	A^{-1}	$9.16 \cdot 10^{-3}$	(143)
gain clamping density	N_{cl}	m^{-3}	$0.8 \cdot 10^{24}$	(139)
index clamping density	$N_{\text{cl,i}}$	m^{-3}	$0.01 \cdot 10^{24}$	(142)
gain saturation power	P_{sat}	W	5.866	(141)
dispersion peak amplitude	$g_{\mathcal{D}}$	m^{-1}	50	(153)
dispersion peak frequency detuning	$\omega_{\mathcal{D}}$	rad s^{-1}	0	(153)
dispersion HWHM	$\gamma_{\mathcal{D}}$	rad s^{-1}	$83.25 \cdot 10^{12}$	(153)
thickness of active region	d	m	$4 \cdot 10^{-6}$	(64)
width of active region	W	m	$10 \cdot 10^{-9}$	(65)
series resistance	R_s	Ω	1	(66)
Fermi voltage derivative	$\frac{dU_{\text{F}}}{dN}$	Vm^3	$3 \cdot 10^{-26}$	(145)
defect recombination coefficient	A	s^{-1}	$4 \cdot 10^8$	(144)
bimolecular recombination coefficient	B	$\text{m}^3 \text{s}^{-1}$	$1 \cdot 10^{-16}$	(144)
Auger recombination coefficient	C	$\text{m}^6 \text{s}^{-1}$	$4 \cdot 10^{-42}$	(144)
injection current	I	A	$[0, 300] \cdot 10^{-3}$	(66)
<i>passive section</i>				
length	$L - l$	m	$3 \cdot 10^{-3}$	
coupling coefficient	κ	m^{-1}	200	(7)
cross-heating induced index tuning	ν_c	A^{-1}	$1.83 \cdot 10^{-3}$	(143)

and the refractive index model with square-root-like dependency on the carrier density

$$\Delta n_N = \frac{\lambda_0 \alpha_H g' N_{\text{tr}}}{\pi} \left(\sqrt{\frac{\max(N, N_{\text{cl,i}})}{N_{\text{tr}}}} - 1 \right). \quad (142)$$

Note, that at the transparency carrier density N_{tr} , the fixed parameter α_H is the α -factor from (79), whereas Δn_N vanishes. Other changes of the refractive index, including self-heating-induced self- and cross-heating contributions, are modeled by [29]

$$\Delta n(z) = \Delta n_0(z) + \Delta n_T(z), \quad \Delta n_T(z) = \begin{cases} \nu_s I, & z \in [0, l] \\ \nu_c I, & z \in [l, L] \end{cases}, \quad (143)$$

where I is the injection current into the active (gain) section. We employ the commonly used cubic model for the rate of non-radiative and spontaneous recombination of the carriers in the active section

$$R(N) = AN + BN^2 + CN^3, \quad (144)$$

is approximated by describing Shockley–Read–Hall recombination, direct band-to-band recombination and Auger recombination. Finally, the current density (66) in the gain section is approximated by

$$j(z, N) = \frac{I}{Wl} - \frac{dU_F}{dN} \frac{N - \frac{1}{l} \int_0^l N dz}{WlR_s}, \quad (145)$$

where the derivative of the Fermi voltage dU_F/dN is taken at a fixed carrier density.

The numerical solution of the coupled–wave equations (2), (4), (64), (151) in the time domain were performed with the software package `LDSL-tool` developed at the Weierstrass Institute [56]. The set of parameters characterizing the simulated DBR laser is listed in Table 1.

Several characteristics of the steady states obtained in the numerical simulations of the DBR laser with an upsweep of bias current are shown in Fig. 4. The almost-periodic jumps towards the steady-state defined by the adjacent longitudinal optical mode and corresponding changes of the state characteristics are induced by the self–and cross–heating modeled according to Eq. (143). While the self-heating of the active section is mainly responsible for the fast shift of the lasing wavelength to longer values and periodic jumps to the shorter-wavelength state, the cross–heating induces a reduced shift of the peak wavelength of the DBR reflectivity and, therefore, the corresponding shift of the mean lasing wavelength, see Fig. 4 (c). The maximum emitted optical power, see Fig. 4 (a), and the minimal (averaged) carrier density, see Fig. 4 (e), within each period coincide well with the maximum field reflection provided by the Bragg grating shown in Fig. 4 (g).

The overall decay of the estimated spectral linewidth, see Fig. 4 (b), reflects its inverse proportionality to the field intensity, see Eq. (82). The decay of the linewidth within each period is consistent with the decrease of the modulus of the effective linewidth enhancement factor $\alpha_{H,\text{eff}}$, see Fig. 4 (d), the increase of the chirp reduction factor F shown in Fig. 4 (f), and the behavior of Petermann’s K –factor plotted in Fig. 4 (h). The narrowest linewidth within each period is observed at the long–wavelength flank of the DBR reflectivity just before the transition to the neighboring state. The dependence of F and α_H on the deviation of the lasing wavelength from the peak wavelength of the DBR reflectivity confirms earlier findings [16, 57, 58] that F increases and the modulus of α_H decreases at the long–wavelength flank of the reflection spectrum.

11 Outlook

The theory presented can be easily extended to take into account carrier noise. Including the source $F_N \neq 0$, we obtain instead of (73) the relation

$$\delta N = \tau_d F_N - \tau_d \frac{\partial R_{\text{st}}}{\partial |f|^2} \delta |f|^2. \quad (146)$$

Substituting this expression into (34) yields a simple modification of the Langevin force

$$F_{|f|^2} \rightarrow F_{|f|^2} + 2\text{Im} \frac{(\Phi, \frac{\partial \beta}{\partial N} \tau_d F_N \Phi)}{(\Phi, \frac{\partial \beta}{\partial \omega} \Phi)} \langle |f|^2 \rangle, \quad (147)$$

leading to two additional additive contributions to the linewidth due to carrier noise and the cross-correlation between carrier and intensity noise. The same procedure can be applied to the calculation




Figure 4: Simulated characteristics of the DBR laser as functions of the upswept injection current. Dotted and dashed lines indicate mode jumps and maxima of the DBR reflectivity, respectively.

of the modulation of amplitude and frequency in response to an external modulation of the current injection term in (64).

In case of gain coupling, (18) has to be replaced by

$$\Delta M = \begin{bmatrix} \bar{\beta} - \beta & \bar{\kappa} - \kappa \\ \bar{\kappa} - \kappa & \bar{\beta} - \beta \end{bmatrix} \quad (148)$$

and (30) has to be supplemented by

$$\kappa = \kappa(\langle N \rangle) + \frac{\partial \kappa}{\partial N} \delta N. \quad (149)$$

Note that for loss or gain coupling or for higher order gratings there are additional contributions to the imaginary part of β . Furthermore, the rate of stimulated recombination (65) has to be modified [59] and the diffusion coefficient (57) is varied because of non-vanishing $\langle F_{\text{sp}}^{-*}(z, t) F_{\text{sp}}^{+}(z', t') \rangle \neq 0$ and its complex conjugate [40, 22].

Fluctuations of the shape of the power profile can be accounted for by a linearization of (2) and (64) around a steady state, performing a Fourier transformation and solving for the fluctuations $\delta\Psi$, e.g., by the Green's function method [22] to calculate the noise spectral densities $S_{\xi}(\tilde{\omega})$ from

$$\langle \xi^*(\tilde{\omega}) \xi(\tilde{\omega}') \rangle = 2\pi S_{\xi}(\tilde{\omega}) \delta(\tilde{\omega} - \tilde{\omega}'), \quad (150)$$

where ξ is the variable of interest (e.g., phase or intensity).

12 Summary

We have derived in a self-contained manner the spectral linewidth of edge-emitting multi-section semiconductor lasers starting from the time-dependent coupled-wave equations with a Langevin noise source. For this, we have expanded the forward and backward propagating fields into the longitudinal modes of the open cavity and have obtained very general expressions for the effective linewidth enhancement factor α_{H} and the longitudinal excess factor of spontaneous emission (K -factor), including the effects of nonlinear gain (gain compression) and index (Kerr effect), gain dispersion, longitudinal spatial hole burning for multi-section cavity structures. We have shown that the general linewidth expression contains the effect of linewidth narrowing due to an external cavity by the chirp reduction factor F . Finally, we have investigated the dependence of the population inversion factor on the carrier density and proposed a new analytical formula. Based on the derived expressions, the spectral linewidth as well as α_{H} , K and F have been calculated for a two-section DBR laser as functions of the injection current and the optical output power, taking into account the thermal detuning between gain and reflector sections. The mode jumps appearing with increasing current are accompanied by sudden rises of the spectral linewidth due to the rise of the modulus of α_{H} and the drop of F .

Abbreviations

The following abbreviations are used in this manuscript:

CW	Continuous wave
DBR	Distributed Bragg reflector
DFB	Distributed feedback
FP	Fabry–Pérot
FWHM	Full width at half maximum
HWHM	Half width at half maximum

Appendices

A Dispersion operator

The dispersion operator $\mathcal{D}(z, t)$ in Eq. (2) models the frequency dependence of the gain and associated refractive index. The approach followed here is based on approximating the material gain spectrum locally around the gain peak by a Lorentzian and supplementing the time-domain coupled-wave equations (2) with additional dynamical equations for *auxiliary* polarizations [31, 32, 30]

$$\frac{\partial}{\partial t} P(z, t) = (i\omega_{\mathcal{D}}(z) - \gamma_{\mathcal{D}}(z)) P(z, t) + \gamma_{\mathcal{D}}(z) \Psi(z, t), \quad (151)$$

where $\omega_{\mathcal{D}}$ is the frequency detuning between the peak gain frequency ω_p and the reference frequency ω_0 , $\gamma_{\mathcal{D}}$ is the half width at half maximum (HWHM) of the gain curve and

$$P(z, t) = \begin{bmatrix} P^+(z, t) \\ P^-(z, t) \end{bmatrix}.$$

The corresponding dispersion operator in (2) reads

$$\mathcal{D}(z, t) \Psi(z, t) = -\frac{i}{2} g_{\mathcal{D}}(z) (\Psi(z, t) - P(z, t)), \quad (152)$$

where $g_{\mathcal{D}}$ describes the difference between the maximum amplitude gain $g(z, N, \|\Psi\|^2)$, see Eq. (3c), and the gain at the reference frequency. The parameters $\omega_{\mathcal{D}}$, $\gamma_{\mathcal{D}}$, and $g_{\mathcal{D}}$ are obtained from a fit to a microscopically computed gain spectrum or experimental data. A Fourier transformation of (152) yields, together with the frequency domain solution of the polarization equation (151), an expression for the dispersion factor (complex Lorentzian)

$$\beta_{\mathcal{D}}(z, \Omega) = \frac{g_{\mathcal{D}}(z)}{2} \frac{\Omega - \omega_{\mathcal{D}}(z)}{i(\Omega - \omega_{\mathcal{D}}(z)) + \gamma_{\mathcal{D}}(z)}. \quad (153)$$

The associated *effective gain spectrum* entering the rate of stimulated emission (67) reads

$$\begin{aligned} g_{\text{eff}}(z, N, \|\Psi\|^2, \Omega) &= g(z, N, \|\Psi\|^2) + 2\Im(\beta_{\mathcal{D}}(z, \Omega)) \\ &= g(z, N, \|\Psi\|^2) - g_{\mathcal{D}} \frac{(\Omega - \omega_{\mathcal{D}}(z))^2}{(\Omega - \omega_{\mathcal{D}}(z))^2 + \gamma_{\mathcal{D}}^2(z)}, \end{aligned} \quad (154)$$

which is maximal at $\Omega = \omega_{\mathcal{D}}$, *i.e.*, if the laser operates at the peak gain frequency.




Figure 5: Illustration of the Lorentzian fitted (effective) gain spectrum and labeling of the dispersion parameters ω_D , γ_D , and g_D . The peak gain is denoted by $g_{\text{eff}}(\Omega = \omega_D) = g$ and $g_{\text{eff}}(\Omega = 0)$ is the effective gain at the reference frequency ω_0 .

An alternative representation of Eq. (152) is obtained with the help of the Green's function of the polarization equations (151) as

$$\mathcal{D}(z, t) \Psi(z, t) = -\frac{i}{2} g_D(z) \left(\Psi(z, t) - \gamma_D(z) \int_0^\infty d\tau e^{(i\omega_D(z) - \gamma_D(z))\tau} \Psi(z, t - \tau) \right),$$

where dispersion is induced via the convolution of the integral kernel with the time-delayed field amplitude.

B Calculation of derivative of r^+

To derive (92) we have to calculate

$$\partial_\omega \ln(r^+) = \frac{1}{r^+} \partial_\omega r^+ = \frac{1}{\Phi^-} \partial_\omega \Phi^- - \frac{1}{\Phi^+} \partial_\omega \Phi^+, \quad (155)$$

where we abbreviated $\partial/\partial\omega \equiv \partial_\omega$. The coupled-wave equations (6) together with their derivatives with respect to frequency can be written as

$$\begin{aligned} \frac{\partial}{\partial z} \Phi^+(z) &= -i\hat{\beta}(\Omega)\Phi^+(z) - i\kappa\Phi^-(z), \\ -\frac{\partial}{\partial z} \Phi^-(z) &= -i\hat{\beta}(\Omega)\Phi^-(z) - i\kappa\Phi^+(z), \\ \frac{\partial}{\partial z} \partial_\omega \Phi^+(z) &= -i\hat{\beta}(\Omega)\partial_\omega \Phi^+(z) - i\kappa\partial_\omega \Phi^-(z) - i\partial_\omega \beta(\Omega)\Phi^+(z), \\ -\frac{\partial}{\partial z} \partial_\omega \Phi^-(z) &= -i\hat{\beta}(\Omega)\partial_\omega \Phi^-(z) - i\kappa\partial_\omega \Phi^+(z) - i\partial_\omega \beta(\Omega)\Phi^-(z), \end{aligned} \quad (156)$$

where $\hat{\beta}(\Omega) = \Delta\bar{\beta}(z) + \beta_D(\Omega) + n_g\Omega/c$ and $\partial_\omega\beta(\Omega)$ is defined in (12). By multiplying the left- and right-hand sides of these equations by $\partial_\omega\Phi^-$, $\partial_\omega\Phi^+$, $-\Phi^-$, and $-\Phi^+$, respectively, we get

$$\begin{aligned}\partial_\omega\Phi^- \frac{\partial}{\partial z}\Phi^+ &= -i\hat{\beta}(\Omega)\Phi^+ \partial_\omega\Phi^- - i\kappa\Phi^- \partial_\omega\Phi^-, \\ -\partial_\omega\Phi^+ \frac{\partial}{\partial z}\Phi^- &= -i\hat{\beta}(\Omega)\Phi^- \partial_\omega\Phi^+ - i\kappa\Phi^+ \partial_\omega\Phi^+, \\ -\Phi^- \frac{\partial}{\partial z}\partial_\omega\Phi^+ &= i\hat{\beta}(\Omega)\Phi^- \partial_\omega\Phi^+ + i\kappa\Phi^- \partial_\omega\Phi^- + i\partial_\omega\beta(\Omega)\Phi^- \Phi^+, \\ \Phi^+ \frac{\partial}{\partial z}\partial_\omega\Phi^- &= i\hat{\beta}(\Omega)\Phi^+ \partial_\omega\Phi^- + i\kappa\Phi^+ \partial_\omega\Phi^+ + i\partial_\omega\beta(\Omega)\Phi^+ \Phi^-. \end{aligned}\tag{157}$$

Adding all these equations implies

$$\frac{\partial}{\partial z} (\Phi^+ \partial_\omega\Phi^- - \Phi^- \partial_\omega\Phi^+) = 2i\partial_\omega\beta(\Omega)\Phi^+ \Phi^-. \tag{158}$$

An integration over the passive sections corresponding to the coordinate interval $[l, L]$ yields

$$[\Phi^+ \partial_\omega\Phi^- - \Phi^- \partial_\omega\Phi^+] \Big|_l^L = 2i \int_l^L \partial_\omega\beta(\Omega)\Phi^+ \Phi^- dz. \tag{159}$$

Due to the reflecting boundary condition, the expression $[\Phi^+ \partial_\omega\Phi^- - \Phi^- \partial_\omega\Phi^+]$ vanishes at $z = L$ and

$$-\Phi^+(l) \partial_\omega\Phi^-(l) + \Phi^-(l) \partial_\omega\Phi^+(l) = 2i \int_l^L \partial_\omega\beta(z, \Omega)\Phi^+(z)\Phi^-(z) dz \tag{160}$$

follows. Dividing by $-\Phi^+(l)\Phi^-(l)$ finally yields

$$\partial_\omega \log(r^+) = -2i \frac{\int_l^L \partial_\omega\beta(z, \Omega)\Phi^+(z)\Phi^-(z) dz}{\Phi^+(l)\Phi^-(l)}. \tag{161}$$

References

- [1] Schawlow, A.L.; Townes, C.H. Infrared and optical masers. *Physical Review* **112**, 1940, 1958.
- [2] Haken, H. A nonlinear theory of laser noise and coherence. I. *Zeitschrift für Physik* **181**, 96–124, 1964.
- [3] Lax, M. Classical noise V: Noise in self-sustained oscillators. *Physical Review* **160**, 290, 1967.
- [4] Haug, H.; Haken, H. Theory of noise in semiconductor laser emission. *Zeitschrift für Physik A* **204**, 262–275, 1967.
- [5] Scully, M.O.; Lamb Jr, W.E. Quantum theory of an optical maser. I. General theory. *Physical Review* **159**, 208, 1967.
- [6] Risken, H. Zur Statistik des Laserlichts. *Fortschritte der Physik* **16**, 261–308, 1968.
- [7] Petermann, K. Calculated spontaneous emission factor for double-heterostructure injection lasers with gain-induced waveguiding. *IEEE Journal of Quantum Electronics* **15**, 566–570, 1979.

- [8] Siegman, A. Excess spontaneous emission in non-Hermitian optical systems. II. Laser oscillators. *Physical Review A* **39**, 1264, 1989.
- [9] Hamel, W.; Woerdman, J. Nonorthogonality of the longitudinal eigenmodes of a laser. *Physical Review A* **40**, 2785, 1989.
- [10] Wenzel, H.; Bandelow, U.; Wünsche, H.J.; Rehberg, J. Mechanisms of fast self pulsations in two-section DFB lasers. *IEEE Journal of Quantum Electronics* **32**, 69–78, 1996.
- [11] Özdemir, Ş.K.; Rotter, S.; Nori, F.; Yang, L. Parity–time symmetry and exceptional points in photonics. *Nature Materials* **18**, 783–798, 2019.
- [12] Henry, C.H. Theory of the linewidth of semiconductor lasers. *IEEE Journal of Quantum Electronics* **18**, 259–264, 1982.
- [13] Amann, M.C. Linewidth enhancement in distributed-feedback semiconductor lasers. *Electronics Letters* **26**, 569–571, 1990.
- [14] Tromborg, B.; Olesen, H.; Pan, X. Theory of linewidth for multielectrode laser diodes with spatially distributed noise sources. *IEEE Journal of Quantum Electronics* **27**, 178–192, 1991.
- [15] Patzak, E.; Sugimura, A.; Saito, S.; Mukai, T.; Olesen, H. Semiconductor laser linewidth in optical feedback configurations. *Electronics Letters* **19**, 1026–1027, 1983.
- [16] Kazarinov, R.; Henry, C.H. The relation of line narrowing and chirp reduction resulting from the coupling of a semiconductor laser to passive resonator. *IEEE Journal of Quantum Electronics* **23**, 1401–1409, 1987.
- [17] Tromborg, B.; Olesen, H.; Pan, X.; Saito, S. Transmission line description of optical feedback and injection locking for Fabry-Perot and DFB lasers. *IEEE Journal of Quantum Electronics* **23**, 1875–1889, 1987.
- [18] Amann, M.C.; Schimpe, R. Excess linewidth broadening in wavelength-tunable laser diodes. *Electronics Letters* **26**, 279–280, 1990.
- [19] Olesen, H.; Tromborg, B.; Lassen, H.; Pan, X. Mode instability and linewidth rebroadening in DFB lasers. *Electronics Letters* **28**, 444–446, 1992.
- [20] Schatz, R. Longitudinal spatial instability in symmetric semiconductor lasers due to spatial hole burning. *IEEE Journal of Quantum Electronics* **28**, 1443–1449, 1992.
- [21] Olesen, H.; Tromborg, B.; Pan, X.; Lassen, H. Stability and dynamic properties of multi-electrode laser diodes using a Green’s function approach. *IEEE Journal of Quantum Electronics* **29**, 2282–2301, 1993.
- [22] Tromborg, B.; Lassen, H.E.; Olesen, H. Traveling wave analysis of semiconductor lasers: modulation responses, mode stability and quantum mechanical treatment of noise spectra. *IEEE Journal of Quantum Electronics* **30**, 939–956, 1994.
- [23] Lax, M. Classical noise IV: Langevin methods. *Reviews of Modern Physics* **38**, 541, 1966.
- [24] Lax, M. Quantum noise. IV. Quantum theory of noise sources. *Physical Review* **145**, 110, 1966.

- [25] Marani, R.; Lax, M. Spontaneous emission in non-Hermitian optical systems: Distributed-feedback semiconductor lasers. *Physical Review A* **52**, 2376, 1995.
- [26] Henry, C.H.; Kazarinov, R.F. Quantum noise in photonics. *Reviews of Modern Physics* **68**, 801, 1996.
- [27] Henry, C.H. Theory of spontaneous emission noise in open resonators and its application to lasers and optical amplifiers. *Journal of Lightwave Technology* **4**, 288–297, 1986.
- [28] Lasher, G.; Stern, F. Spontaneous and stimulated recombination radiation in semiconductors. *Physical Review* **133**, A553, 1964.
- [29] Radziunas, M. Traveling wave modeling of nonlinear dynamics in multisection laser diodes. In *Handbook of Optoelectronic Device Modeling & Simulation Volume II: Lasers, Modulators, Photodetectors, Solar Cells, and Numerical Methods*; CRC Press; pp. 153–182, 2017.
- [30] Sieber, J.; Bandelow, U.; Wenzel, H.; Wolfrum, M.; Wünsche, H.J. Travelling wave equations for semiconductor lasers with gain dispersion. Technical report, Weierstrass Institute Berlin, 1998. doi:10.20347/WIAS.PREPRINT.459.
- [31] Ning, C.Z.; Indik, R.; Moloney, J. Effective Bloch equations for semiconductor lasers and amplifiers. *IEEE Journal of Quantum Electronics* **33**, 1543–1550, 1997.
- [32] Bandelow, U.; Radziunas, M.; Sieber, J.; Wolfrum, M. Impact of gain dispersion on the spatio-temporal dynamics of multisection lasers. *IEEE Journal of Quantum Electronics* **37**, 183–188, 2001.
- [33] Krüger, U.; Petermann, K. The semiconductor laser linewidth due to the presence of side modes. *IEEE Journal of Quantum Electronics* **24**, 2355–2358, 1998.
- [34] Pan, X.; Tromborg, B.; Olesen, H. Linewidth rebroadening in DFB lasers due to weak side modes. *IEEE Photonics Technology Letters* **3**, 112–114, 1991.
- [35] Gardiner, C. *Stochastic methods*; Springer Berlin, 2009.
- [36] Woods, N.D.; Payne, M.C.; Hasnip, P.J. Computing the self-consistent field in Kohn–Sham density functional theory. *J. Phys.: Condens. Matter* **31**, 453001, 2019.
- [37] Landau, L.D.; Lifshitz, E. *Statistical Physics, Part 1: Volume 5*; Butterworth-Heinemann, 1980.
- [38] Vahala, K.; Yariv, A. Semiclassical theory of noise in semiconductor lasers-Part II. *IEEE Journal of Quantum Electronics* **19**, 1102–1109, 1983.
- [39] Henry, C.H. Phase noise in semiconductor lasers. *Journal of Lightwave Technology* **4**, 298–311, 1986.
- [40] Baets, R.G.; David, K.; Morthier, G. On the distinctive features of gain coupled DFB lasers and DFB lasers with second-order grating. *IEEE Journal of Quantum Electronics* **29**, 1792–1798, 1993.
- [41] Joyce, W. Current-crowded carrier confinement in double-heterostructure lasers. *Journal of Applied Physics* **51**, 2394–2401, 1980.

- [42] Zeghuzi, A.; Radziunas, M.; Wenzel, H.; Wünsche, H.J.; Bandelow, U.; Knigge, A. Modeling of current spreading in high-power broad-area lasers and its impact on the lateral far field divergence. *Proc. SPIE* **10526**, 105261H, 2018.
- [43] Bandelow, U.; Wenzel, H.; Wünsche, H.J. Influence of inhomogeneous injection on sidemode suppression in strongly coupled DFB semiconductor lasers. *Electronics Letters* **28**, 1324–1326, 1992.
- [44] Lassen, H.; Wenzel, H.; Tromborg, B. Influence of series resistance on modulation responses of DFB lasers. *Electronics Letters* **29**, 1124–1126, 1993.
- [45] Osinski, M.; Buus, J. Linewidth broadening factor in semiconductor lasers—An overview. *IEEE Journal of Quantum Electronics* **23**, 9–29, 1987.
- [46] Champagne, Y.; McCarthy, N. Global excess spontaneous emission factor of semiconductor lasers with axially varying characteristics. *IEEE Journal of Quantum Electronics* **28**, 128–135, 1992.
- [47] Wenzel, H.; Wünsche, H.J. An equation for the amplitudes of the modes in semiconductor lasers. *IEEE Journal of Quantum Electronics* **30**, 2073–2080, 1994.
- [48] Pick, A.; Cerjan, A.; Liu, D.; Rodriguez, A.W.; Stone, A.D.; Chong, Y.D.; Johnson, S.G. Ab initio multimode linewidth theory for arbitrary inhomogeneous laser cavities. *Physical Review A* **91**, 063806, 2015.
- [49] Komljenovic, T.; Srinivasan, S.; Norberg, E.; Davenport, M.; Fish, G.; Bowers, J.E. Widely tunable narrow-linewidth monolithically integrated external-cavity semiconductor lasers. *IEEE Journal of Selected Topics in Quantum Electronics* **21**, 214–222, 2015.
- [50] Tronciu, V.; Wenzel, H.; Wünsche, H.J. Instabilities and Bifurcations of a DFB Laser Frequency-Stabilized by a High-Finesse Resonator. *IEEE Journal of Quantum Electronics* **53**, 1–9, 2017.
- [51] Coldren, L.A.; Corzine, S.W.; Mashanovitch, M.L. *Diode lasers and photonic integrated circuits*; Vol. 218, John Wiley & Sons, 2012.
- [52] Spießberger, S.; Schiemangk, M.; Wicht, A.; Wenzel, H.; Erbert, G.; Tränkle, G. DBR laser diodes emitting near 1064 nm with a narrow intrinsic linewidth of 2 kHz. *Applied Physics B* **104**, 813, 2011.
- [53] Boller, K.J.; van Rees, A.; Fan, Y.; Mak, J.; Lammerink, R.E.; Franken, C.A.; van der Slot, P.J.; Marpaung, D.A.; Fallnich, C.; Epping, J.P.; others. Hybrid integrated semiconductor lasers with silicon nitride feedback circuits. *Photonics* **7**, 4, 2020.
- [54] Wenzel, H.; Erbert, G.; Enders, P.M. Improved theory of the refractive-index change in quantum-well lasers. *IEEE Journal of Selected Topics in Quantum Electronics* **5**, 637–642, 1999.
- [55] Wenzel, H.; Klehr, A.; Erbert, G.; Sebastian, J.; Tränkle, G.; Pereira Jr, M. Effect of band gap renormalization on threshold current and efficiency of a distributed Bragg reflector laser. *Applied Physics Letters* **76**, 2653–2655, 2000.
- [56] Radziunas, M. Longitudinal Dynamics in multisection Semiconductor Lasers. <https://www.wias-berlin.de/software/ldsl/>, accessed on 22.03.2021.

- [57] Patzak, E.; Meissner, P.; Yevick, D. An analysis of the linewidth and spectral behavior of DBR lasers. *IEEE Journal of Quantum Electronics* **21**, 1318–1325, 1985.
- [58] Chaciński, M.; Schatz, R. Impact of losses in the Bragg section on the dynamics of detuned loaded DBR lasers. *IEEE Journal of Quantum Electronics* **46**, 1360–1367, 2010.
- [59] Jonsson, B.; Lowery, A.J.; Olesen, H.; Tromborg, B. Instabilities and nonlinear LI characteristics in complex-coupled DFB lasers with antiphase gain and index gratings. *IEEE Journal of Quantum Electronics* **32**, 839–850, 1996.