Cercetări Agronomice în Moldova Vol. XLVIII , No. 3 (163) / 2015

IMPACT OF NANOSIZED TITANIUM DIOXIDE ON AGRONOMICAL AND PHYSIOLOGICAL CHARACTERISTICS OF ANNUAL MEDIC (MEDICAGO SCUTELLATA L.)

A. DOLATABADI 1*, B. SANI1, P. MOAVENI1

*E-mail: dolatabadi_alireza@yahoo.com

Received December 2, 2014

ABSTRACT. In order to investigate the effect of exogenous application of nano-TiO₂ on annual medic, a field study was conducted in a factorial design based on randomized complete blocks with four replications. The experimental treatments included six concentrations of nano-TiO₂ (Control, 0.01%, 0.02%, 0.03%, 0.04%, 0.06% g/l) and spraying at two growing stages (pod stage and 10% flowering stage). Results showed that the effects of nano-TiO₂ and spraying times on dry forage yield were significant (p<0.01). Nano-TiO₂ spray appear to influence the malone dialdehyde (MDA) content (p<0.01). With increasing concentrations of nano-TiO2 the values of aforementioned measured variable significantly decreased. The activities of antioxidant enzymes, including catalase (CAT), ascorbate peroxidase (APX) and guaiacol peroxidase (GPX) were affected by nanoparticle (p < 0.01) and spraying times (p<0.01), as well as their interactive effect of two mentioned factors were significant in terms of guaiacol peroxidase (GPX) (p<0.01) activity and dry forage yield. Among different concentrations of nano-TiO₂, 0.04% and 0.06% have the best effect

on all traits. Totally, treatment with nano-TiO₂ were more effective in the pod stage, compared to 10% flowering stage.

Key words: Medic; Nano-TiO₂; Antioxidant enzymes; Dry forage yield.

INTRODUCTION

The equilibrium between the production and the scavenging of ROS may be perturbed by various biotic and abiotic stress factors such as drought, salinity, heavy metals, temperature extremes. nutrient deficiency, air pollution, herbicides and pathogen attacks (Bhattachriee, 2005). Also, oxidative stress is a common mechanism for cell damage induced by nanoparticles (NPs). NPs may induce intracellular oxidative stress by disturbing the balance between oxidant and antioxidant processes (Pulskamp et al., 2007). These disturbances in equilibrium

_

¹Department of Agronomy, Shahr-e-Qods Branch, Islamic Azad University, Tehran, Iran

lead to sudden increase in intracellular levels of ROS which can cause significant damage to cell structures. They also can damage DNA, proteins, lipids and chlorophyll (Mittova et al., 2000). Nanoparticles (nanoscale particles = NSPs) are atomic or molecular aggregates with at least one dimension between 1 and 100 nm (Roco 2003), that can drastically modify their physical and chemical properties, compared to the bulk material (Nel et al.. 2006). Applications of nanomaterials can help faster plant germination/production, effective protection with reduced environmental impact as conflicting to traditional approaches (Khot et al., 2012).

There has been research by experts on the applications of titanium dioxide (TiO₂) NPs can reduce H₂O₂, superoxide radicals. malonyldialdehyde content in the aged chloroplasts of spinach by activating superoxide dismutase (SOD), catalase (CAT), ascorbate peroxidase (APX), and guaiacol peroxidase (GPX) (Lei et al., 2008). Lu et al. (2002) reported that combination of nanosized SiO2 and TiO₂ could increase nitrate reductase enzyme in soybean (Glycine max), increase seed abilities of absorbing and utilizing water and fertilizer, encourage its antioxidant system, and actually hasten its germination and growth. Song et al. (2012) reported that Lemna minor cells accumulated high levels of ROS when the seedlings were exposed to TiO₂ NPs than when exposed to the same concentration of bulk TiO₂. The plant cells increased antioxidant enzyme defense (POD, SOD, and CAT) activity to eliminate the accumulated ROS in plant cells when the TiO₂ NPs concentration was lower than 200 mg/L in the culture media.

Considering the mentioned effects of TiO₂ NPs on physiological process, this study aimed to evaluate potential effects of TiO₂ NPs on antioxidant enzymes activities and dry yield production of annual medic.

MATERIALS AND METHODS

Plant materials and experiment design

Current investigation was conducted under farm condition at the University of Share Gods, Iran, to investigate the effect of TiO₂ nanoparticles on the antioxidants enzymes activity, lipid peroxidation (MDA) and dry yield production of annual medic (*Medicago scutellata* L.).

The experiment was conducted in a factorial design based on randomized complete blocks with four replications. The experimental treatments included six concentrations of nano-TiO₂ (Control, 0.01%, 0.02%, 0.03%, 0.04%, 0.06% g/l) and spraying at two growing stages (pod stage and 10% flowering stage).

Protein determination

Protein concentration of the various extracts and solutions was determined by the dye-binding method of Bradford (1976), using bovine serum albumin as standard.

Enzyme extractions

A quantity of 0.5 g of fresh foliar tissue from fresh seedlings (uppermost leaves) were harvested, weighed, washed

EFFECTS OF EXOGENOUS APPLICATION OF NANO-TITANIUM DIOXIDE ON ANNUAL MEDIC

with distilled water and then were ground in cold mortar; 2.5 ml ice-cold extraction buffer (0.05 M Tris-HCl pH 7.5, 3 mM MgCl₂, 1 mM EDTA) were added on powder. Extraction buffer included 2 mM ascorbate that is served for determining APX activity. The homogenates were centrifuged at 15,000 g for 15 min at 4°C. Three replicates per treatment were used. The supernatant was stored at 4°C and used for CAT, APX, and GPX assays.

Enzyme assays

CAT activity was determined by measuring H_2O_2 consumption (Maehly and Chance, 1959) in reaction mixture containing 3 ml of 50 mM phosphate buffer (pH 7.0), 5 μ l H_2O_2 %30 (w/v) and 50 μ l extraction buffer. CAT activity was measured spectrophotomerically at 240 nm. Extinction coefficient of 0.036 mM⁻¹ was used to calculate its activity. The unit for CAT activity was micromoles of hydrogen peroxide oxidized per minute per milligram of protein. All assays were performed in triplicates.

APX activity was measured by modified method originally described by Asada (1992). The reaction mixture contained 3 ml of 50 mM potassium phosphate buffer (pH=7.0), which included 0.5 mM ascorbate and 0.1 mM EDTA. Then, 400 µl H₂O₂ %30 (w/v) and 100 µl extraction buffer were added. APX activity was measured spectrophotomerically 290 at Extinction coefficient of 2.8 mM⁻¹ cm⁻¹ was used to calculate its activity. The unit for APX activity was micromoles of ascorbate oxidized per minute per milligram of protein.

GPX activity was determined according to the method of Chang and Kao (1998). The reaction mixture contained 3 ml 50 mM potassium phosphate buffer, 10 µl H₂O₂ 30% (w/v), 1 ml guaiacol 1% and 0.3 ml extraction buffer. GPX activity was measured spectrophotometrically at 420 Extinction coefficient of (26.6) (mM⁻¹ cm⁻¹) in a minute was used to calculate its activity.

Oxidative damage to leaf lipids, resulting from drought stress, was measured in terms of MDA content using thiobarbituric acid (TBA) - reactive substances (Sairam et al., 1998). Leaf samples of 0.5 g were homogenized in 10 mL of 0.1% trichloroacetic acid (TCA). The homogenate was centrifuged at 15,000 g for 5 min. Four milliliter of 0.5% TBA in 20% TCA was added to 2 mL of aliquot of the supernatant. The mixture was heated at 100°C for 30 min and then quickly cooled in an ice bath. After centrifugation at 10,000 g for 10 min, the absorbance of supernatant was recorded at 532 nm. The value for nonspecific absorption at 600 nm was subtracted. The following formula was applied to calculate malondialdehyde (MDA) content using its absorption coefficient (ϵ) and expressed as nmol malondialdehyde g⁻¹ fresh mass. following the formula:

MDA (nmol g⁻¹ FM) =
$$[(A532-A600) \times V \times 1000/\epsilon] \times W$$
,

where ε is the specific extinction coefficient (=155 mM⁻¹ cm⁻¹), V is the volume of crushing medium, W is the fresh weight of leaf, A600 is the absorbance at 600 nm wavelength and

A532 is the absorbance at 532 nm wavelength.

A. DOLATABADI, B. SANI, P. MOAVENI

Statistical analysis

The experimental design was a factorial experiment, completely randomized in three replications. Graphs were drawn using Microsoft Office Excel 2013 software

RESULTS AND DISCUSSION

Dry forage yield production

Result showed that the effect of nano-TiO₂ and spraying times in dry forage yield were significant (p<0.01). Also, interactive effect of two mentioned factors were significant (p<0.01) on this trait (*Tab. 1*). Using TiO₂ at both 10% flowering stage and beginning of poding stage had a significant effect on dry yield production. The greatest dry yield production was observed at 0.04 and 0.06% concentrations of TiO₂, which were applied at 10% flowering stage (respectively, 1753 and 1740 kg/ha). Foliar application at 10% flowering stage at the beginning of poding stage had considerable positive effect on dry forage yield production (*Fig. 1-h*).

Table 1 - Analysis of variance on some physiological traits and dry yield production of annual medic affected by TiO₂ NPs at two growing stages (pod stage and 10% flowering stage)

S. O. V.	df	MS				
		CAT	APX	GPX	MDA	Dry forage yield
Replication	3	114/89**	97/94 **	97/54**	16/97 ^{ns}	17933/29 **
Spraying time (T)	1	474/3**	70/08**	158/05**	176/3**	163216/68 **
Concentration (C)	5	419/1**	545/5**	61/78**	315/7**	220899/38 **
T×C	5	11/20 ^{ns}	14/48 ^{ns}	5/65**	3/78 ^{ns}	7124/38 **
Error	33	17/10	9/15	0/97	10/38	1839/29
CV (%)		21/72	12/35	15/65	17/30	12/92

As a result of unique physicochemical properties of engineered nanoparticles which are due to their small size, large surface area, chemical composition, surface reactivity, and charge, shape, and media interactions, they have recently attention of many attracted the researchers (Abdi et al., 2008; Menard et al., 2011). In this respect, Feizi et (2012)also reported that al. application of bulk and nano-sized titanium dioxide improved germination and seedling growth in wheat. Nano-anatase TiO₂ treatment improves spinach growth by influence on nitrogen photoreduction (Yang *et al.*, 2007). Owolade *et al.* (2008) reported that the seed yield of cowpea (*Vigna unguiculata* L. Walp.) was increased when treated (as foliar application) with nano-sized titanium dioxide. Similar yield increases were reported in rice with a corresponding reduction in the incidence Curvularia leaf spot and bacteria leaf blight disease (Chao and Choi, 2005).

EFFECTS OF EXOGENOUS APPLICATION OF NANO-TITANIUM DIOXIDE ON ANNUAL MEDIC




Figure 1 - Effects of TiO_2 NPs treatments on some physiological traits and dry forage yield production of annual medic

Antioxidant enzymes activity

Data analysis clarified that the activity of antioxidant enzymes was affected by TiO2 nanoparticles. The simple effect of concentration and stage ofTiO₂ nanoparticles application on CAT, APX and GPX activities was significant at $p \le 0.01$ whereas the interaction between concentration and stage of TiO₂ nanoparticles application was only significant on GPX activity ($p \le 0.01$) (Tab. 1).

Mean comparison clarified that CAT activity was influenced by TiO2 concentration as TiO₂ concentration increased, CAT activity significantly increased. The greatest CAT activity was assayed at 0.06% solution whereas the lowest value occurred at 0.01% solution of TiO2. CAT activity also was impressed by stage of TiO₂ application. The activity of CAT was greater, when TiO₂ used at pod stage compared with 10% flowering stage (*Fig. 1-c,d*).

Using TiO₂ solution at beginning of pod stage when compared with 10% flowering stage had significantly higher effect on APX activity. TiO₂ concetration significantly affected APX activity. When TiO₂ nanoparticles concentration increases from 0.01 to 0.06%, APX activity also regularly increased. APX activity reached to twice of control treatment when TiO₂ concentration reached to 0.06 (Fig. 1-a,b).

The effect of TiO₂ concentration and the stage of TiO₂ using on GPX activity were significant. The greates GPX activity was exhibited in 0.06% concentration of TiO₂ which was applied at 10% flowering stage and the lowest value was related to control treatment at the beginning of poding stage (*Fig. 1-g*).

Exposure of plants to unfavorable environmental conditions can increase the production of ROS to protect themselves against these toxic oxygen intermediates, plant cells and chloroplast, organelles like mitochondria peroxisomes and employ antioxidant defense systems (Tuteja, 2007). In plants, ROS are normal by products of various metabolic pathways and are also produced under stress conditions in various cellular compartments. ROS are generated by normal cellular metabolism, and it's production controlled by various enzymatic and nonenzymatic antioxidant systems. CAT (H₂O₂ oxidoreductase) is heme-containing enzvme that catalyzes the dismutation of H₂O₂ into H₂O and O₂. In our study, TiO₂ considerably increased CAT activity in alfalfa plants. In this respect, Harison (1996) also reported that application exogenous of nanoparticles increases CAT activity and plant resistance to environmental stresses. APX is thought to play the most essential role in scavenging ROS and protecting cells in higher plants, algae, euglena and other organisms. APX is involved in scavenging of H₂O₂ in water-water and ASH-GSH cycles and utilizes ASH as the electron donor (Gill and Tuteja, 2010). GPX decomposes indole-3-acetic acid (IAA) and has a role in the

biosynthesis of lignin and defence against abiotic stresses by consuming H_2O_2 . GPX plays a key role in decreasing H_2O_2 content accumulation, eliminating MDA resulting cell peroxidation of membrane lipids and maintaining cell membrane integrity (Jaleel *et al.*, 2008).

Higher APX, GPX, and CAT activities within plant cells mean that the plant accumulated a higher level of ROS, but the plant can eliminate this accumulated ROS in the plant cells. If the stress was too strong, the plants' defense system could not stop the production of ROS effectively; as some antioxidant enzymes activities would decrease, resulting in severe damage to plants or even plant death (Mittler, 2002). The significant effect of titanium nanoparticles on spinach is probably attributed to the small particle size, which allows its penetration into the seed during the treatment period. Such promotory of nanoscale TiO₂ effect antioxidant system was reported in soybean (Lu et al., 2002). exposure of TiO₂ nanoparticles reduced CAT activity in isopods (P. scaber) (Jemec et al., 2008), but increased its activity in freshwater cladoceran (D. pulex) (Klaper et al., 2009). This is probably due to the difference in defense system among various test species. nanoparticles characteristics, and the treatment condition such as the use of cosolvent or sonication pretreatment.

Laware and Raskar (2014) reported that CAT and GPX activities

enhance in the presences of 10-30 ugml-1 TiO₂ nanoparticles but their activities decrease by higher concentrations of TiO₂ nanoparticles. nano-particles might reduced ROS stress in treated onion seedling bv reducing H_2O_2 superoxide radicals. and lipid peroxidation products and increasing activities of superoxide dismutase, ascorbate peroxidase, peroxidase, and catalase enzymes as observed in spinach (Lei et al., 2008). Based on results of TiO₂ nanoparticles effect on onion seedling growth it could be stated that nanoparticles might have helped activated and promoted hydrolytic enzymes seed antioxidant system (Lu et al., 2002).

MDA content

Mean comparison showed that the stage of TiO₂ application had a significant effect on accumulation as using this compound at the 10% flowering stage had a greater effect on MDA accumulation, when compared with beginning of poding. MDA accumulation decresed by incresing TiO₂ concentration. The accumulation lowest MDA observed in 0.06% concentration of TiO_2 (Fig. 1-e,f). The peroxidation of lipids is considered as the most damaging process known to occur in everv living organism. The MDA determination of convenient method of quantifying the extent of lipid peroxidation (Chang and Sung, 1998). In present study, MDA content decreased under higher levels of TiO₂. Federici et al. (2007) attributed lipid peroxidation, one of the recognized oxidative stress mediated consequences, to direct contact of the tissue with TiO₂ nanoparticles and indirect rapid distribution of ROS around the body.

REFERENCES

- Asada R.D., 1992 Ascorbate peroxidase a hydrogen peroxide scavenging enzyme in plants. Plant Physiol., 85: 235-241.
- Abdi G., Salehi H., Khosh-Khui M., 2008
 Nano silver: a novel nanomaterial for removal of bacterial contaminants in valerian (*Valeriana officinalis* L.) tissue culture. Acta Physiol Plant., 30: 709-714.
- Bhattachrjee S., 2005 Reactive oxygen species and oxidative burst: roles in stress, senescence and signal transduction in plant. Curr Sci., 89: 1113-1121.
- **Bradford Marion M., 1976** A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal Biochem., 72, 248-254
- Chang C.J., Kao C.H., 1998 H₂O₂ metabolism during senescence of rice Leaves: change in enzyme activities in light and darkness. Plant Growth Regul., 25:11-15.
- Chang S.M., Sung J.M., 1998 Deteriorative changes in primed
 sweet corn seeds during storage.
 Seed Sci Technol., 26: 613-626.
- Chao S.H.L., Choi H.S, 2005 Method for providing enhanced photosynthesis. Korea Research Institute of Chemical Technology. Jeju, South Korea, 10 p.
- Federici G., Shaw B.J., Handy R.D., 2007 - Toxicity of titanium dioxide nanoparticles to rainbow trout (*Oncorhynchus mykiss*): gill injury, oxidative stress, and other

- physiological effects. Aquat Toxicol., 84: 415-30.
- Feizi H., Rezvani Moghaddam P., Shahtahmassebi N., Fotovat A., 2012 Impact of bulk and nanosized titanium dioxide (TiO₂) on wheat seed germination and seedling growth. Biol Trace Elem Res., 146: 101-106.
- Gill S.S., Tuteja N., 2010 Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. Plant Physiol Bioch. 48: 909-930.
- Harrison C.C., 1996 Evidence for intramineral macromolecules containing protein from plant silicas. Phytochem J., 41: 37-42.
- Jaleel C.A., Gopi R., Manivannan P., Gomathinayagam M., Sridharan R., Panneerselvam R., 2008 Antioxidant potential and indole alkaloid profile variations with water deficits along different parts of two varieties of Catharanthus roseus. Colloid Surf B Biointerf, 62: 312-318.
- Jemec A., Drobne D., Remškar M., Sepčič K., Tišler T., 2008 - Effects of ingested nano-sized titanium dioxide on terrestrial isopods (*Porcellio scaber*). Environ Toxicol Chem., 27: 1904-14.
- Khot L.R., Sankaran S., Mari Maja J., Ehsani R., Schuster E.W., 2012 -Applications of nanomaterials in agricultural production and crop protection: a review. Crop Protection., 35: 64-70.
- Klaper R., Crago J., Barr J., Arndt D., Setyowati K., Chen J., 2009 -Toxicity biomarker expression in daphnids exposed to manufactured nanoparticles: changes in toxicity with functionalization. Environ Pollut. 157:1152–6.
- Laware S.L,. Raskar Shilpa, 2014 Effect of titanium dioxide
 nanoparticles on hydrolytic and
 antioxidant enzymes during seed
 germination in onion. Int J Curr
 Microbiol App Sci., 3(7): 749-760.

- Lei Z., Mingyu S., Xiao W., Chao L., Chunxiang Q., Liang C., Hao H., Xiao- qing L., Fashui H., 2008 Antioxidant stress is promoted by nano-anatase in spinach chloroplasts under UV-B radiation. Biological Trace Element Research, 121: 69-79.
- Lu C.M., Zhang C.Y., Wen J.Q., Wa G.R., Tao M.X., 2002 - Research of the effect of nanometer materials on germination and growth enhancement of *Glycine max* and its mechanism. Soybean Sci., 21: 168-172.
- Maehly A.C., Chance B., 1959 The assay of catalase and peroxidase. *In*: Glick D. (Ed.) Method of Biochemical Analysis. Intersci Publi New York. 1: 357-425.
- Menard A., Damjana D., Jeme C., 2011 -Ecotoxicity of nanosized TiO2. Review of in vivo data. Environ Pollut., 159: 677-684.
- Mitller R., 2002 Oxidative stress, antioxidants and stress tolerance. Trends Plant Sci., 7: 405-410.
- Mittova V., Volokitam G.Y.M.M., Tal M., 2000 Activities of SOD and the ascorbate-glutathione cycle enzymes in subcellular compartments in leaves and roots of the cultivated tomato and its wild salt-tolerant relative Lycopersicon pennellii. Physiol Plant., 110: 45-56.
- Nel A., Xia T., Madler L., Li N., 2006 -Toxic potential of materials at the nanolevel. Science, 311: 622-627.

- Owolade O.F., Ogunleti D.O., Adenekan M.O., 2008 Titanium dioxide affected diseases, development and yield of edible cowpea. Electronic J Environ Agric Food Chem., 7(5): 2942-2947.
- Pulskamp K., Diabaté, S., Krug H.F., 2007 - Carbon nanotubes show no sign of acute toxicity but induce intracellular reactive oxygen species in dependence on contaminants. Toxicol Lett., 168: 58-74.
- Roco M.C., 2003 Nanotechnology: convergence with modern biology and medicine. Curr Opin Biotechnol..14: 337- 346.
- Sairam R.K., Desmukh P.S., Saxena D.C., 1998 Role of antioxidant systems in wheat genotypes tolerant to water stress. Biol Plant., 41:387-394.
- Song G.L., Gao Y., Wu H., Hou W., Zhang C., Ma H., 2012 Physiological effect of anatase TiO2 nanoparticles on Lemna minor. Environ Toxicol Chem., 31(9): 2147-2152.
- **Tuteja N., 2007 -** Mechanisms of high salinity tolerance in plants. Methods Enzymol., 428: 419-438.
- Yang F., Liu C., Gao F., Su M., Wu X., Zheng L., Hong F., Yang P., 2007 The improvement of spinach growth by nano-anataseTiO₂ treatment is related to nitrogen photoreduction. Biol Trace Elem Res., 119: 77-88.