



**British
Geological Survey**

NATURAL ENVIRONMENT RESEARCH COUNCIL

London Earth Topsoil Chemical Results: User Guide

Land use planning and development Programme

Open Report OR/11/035

BRITISH GEOLOGICAL SURVEY

LAND USE PLANNING AND DEVELOPMENT PROGRAMME

OPEN REPORT OR/11/035

London Earth Topsoil Chemical Results: User Guide

C C Johnson, A Scheib & T R Lister

The National Grid and other Ordnance Survey data are used with the permission of the Controller of Her Majesty's Stationery Office.
Licence No: 100017897/2010.

Keywords

Report; geochemical sampling, chemical analysis, London.

Bibliographical reference

JOHNSON, C C, SCHEIB, A, LISTER, T R. 2010. London Earth Topsoil Chemical Results: User Guide. *British Geological Survey Open Report*, OR/11/035. 16pp.

Copyright in materials derived from the British Geological Survey's work is owned by the Natural Environment Research Council (NERC) and/or the authority that commissioned the work. You may not copy or adapt this publication without first obtaining permission. Contact the BGS Intellectual Property Rights Section, British Geological Survey, Keyworth, e-mail ipr@bgs.ac.uk. You may quote extracts of a reasonable length without prior permission, provided a full acknowledgement is given of the source of the extract.

Maps and diagrams in this book use topography based on Ordnance Survey mapping.

BRITISH GEOLOGICAL SURVEY

The full range of our publications is available from BGS shops at Nottingham, Edinburgh, London and Cardiff (Welsh publications only) see contact details below or shop online at www.geologyshop.com

The London Information Office also maintains a reference collection of BGS publications, including maps, for consultation.

We publish an annual catalogue of our maps and other publications; this catalogue is available online or from any of the BGS shops.

The British Geological Survey carries out the geological survey of Great Britain and Northern Ireland (the latter as an agency service for the government of Northern Ireland), and of the surrounding continental shelf, as well as basic research projects. It also undertakes programmes of technical aid in geology in developing countries.

The British Geological Survey is a component body of the Natural Environment Research Council.

British Geological Survey offices

BGS Central Enquiries Desk

Tel 0115 936 3143 Fax 0115 936 3276
email enquiries@bgs.ac.uk

Kingsley Dunham Centre, Keyworth, Nottingham NG12 5GG

Tel 0115 936 3241 Fax 0115 936 3488
email sales@bgs.ac.uk

Murchison House, West Mains Road, Edinburgh EH9 3LA

Tel 0131 667 1000 Fax 0131 668 2683
email scotsales@bgs.ac.uk

Natural History Museum, Cromwell Road, London SW7 5BD

Tel 020 7589 4090 Fax 020 7584 8270
Tel 020 7942 5344/45 email bgs_london@bgs.ac.uk

Columbus House, Greenmeadow Springs, Tongwynlais, Cardiff CF15 7NE

Tel 029 2052 1962 Fax 029 2052 1963

Maclean Building, Crowmarsh Gifford, Wallingford OX10 8BB

Tel 01491 838800 Fax 01491 692345

Geological Survey of Northern Ireland, Colby House, Stranmillis Court, Belfast BT9 5BF

Tel 028 9038 8462 Fax 028 9038 8461

www.bgs.ac.uk/gsni/

Parent Body

Natural Environment Research Council, Polaris House, North Star Avenue, Swindon SN2 1EU

Tel 01793 411500 Fax 01793 411501
www.nerc.ac.uk

Website www.bgs.ac.uk

Shop online at www.geologyshop.com

Foreword

This report presents a description of the BGS London Earth Topsoil Chemical survey. The purpose of this user guide is to enable those licensing this dataset to have a better appreciation of how the data set has been created and therefore better understand the potential applications and limitations that the dataset may have.

Acknowledgements

A number of individuals in the Land Use Planning and Development Programmes have contributed to the project and helped compile this report. This assistance has been received at all stages of the study. In addition to the collection and processing of data, many individuals have freely given their advice, and provided local knowledge.

Contents

Foreword	i
Acknowledgements	i
Contents	i
Summary	i
1 Introduction	2
2 About the London Earth Dataset	2
2.1 Sample collection	3
2.2 Sample preparation and analysis	4
2.3 Results	4
2.4 Units of Concentration.....	5
2.5 Fields in the results database	5
2.6 Data Conditioning.....	6
3 Licensing Information	11
Further Information	12

Summary

This report describes the London Earth Dataset, specifically the file: LondonEarth_Topsoil_XRFS_v1.xlsx. It describes how the sample data were collected, prepared and analysed, describes the format of the results, and details how the data was conditioned before delivery.

1 Introduction

Founded in 1835, the British Geological Survey (BGS) is the world's oldest national geological survey and the United Kingdom's premier centre for earth science information and expertise. The BGS provides expert services and impartial advice in all areas of geoscience. Our client base is drawn from the public and private sectors both in the UK and internationally.

Our innovative digital data products aim to help describe the ground surface and what's beneath across the whole of Great Britain. These digital products are based on the outputs of the BGS survey and research programmes and our substantial national data holdings. This data coupled with our in-house Geoscientific knowledge are combined to provide products relevant to a wide range of users in central and local government, insurance and housing industry, engineering and environmental business, and the British public.

Further information on all the digital data provided by the BGS can be found on our website at <http://www.bgs.ac.uk/products> or by contacting:

Central Enquiries
British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Direct tel. +44(0)115 936 3143
Fax. +44(0)115 9363150
email enquiries@bgs.ac.uk

2 About the London Earth Dataset

Data Described: LondonEarth_Topsoil_XRFS_v1.xlsx created 18th May 2011

This guide describes and explains the London Earth topsoil chemical results. The London Earth project is part of a nationwide project to determine the distribution of chemical elements in the surface environment, namely the Geochemical Baseline Survey of the Environment (G-BASE). London Earth focuses on the soil of the capital city, the limits of the survey being defined by the Greater London Authority (GLA) administrative boundary (Figure 1). Chemical elements have been determined by X-ray fluorescence spectrometry (XRFS) at the laboratories of the British Geological Survey (BGS) in Keyworth, Nottingham. These results are presented as a MS Excel file.




Figure 1: A plot of the London Earth topsoil sites in file LondonEarth_Topsoil_XRFS_v1.xlsx within a polygon of the GLA

2.1 SAMPLE COLLECTION

Soil samples were collected at a density of four samples from every square kilometre. Each sample is a composite of five subsamples collected at the corners and centre of a 20 m square. The soil was collected using a 1-m stainless steel hand-held soil auger and stored in Kraft paper bags. The topsoil was collected from a standard depth in the soil profile, 5 – 20 cm. A surface soil (0 – 2 cm) and deep soil (35 – 50 cm) were also collected but these samples are not routinely analysed. The surface and deep soils are archived at the National Geoscience Data Centre (NGDC) in Keyworth along with the excess topsoil samples.

At each site samplers recorded comprehensive information about the sample and location, including information such as soil texture, land use and observed contamination. This field information is available as the field database and can be made available on request to those who have a licence to use the results. British National Grid coordinates were determined at site using a GPS and recorded to the nearest metre though in reality the spatial error is estimated at ± 50 m.

Symbol	Element/Oxide	Units	LLD*	Symbol	Element/Oxide	Units	LLD*
Ag	silver	mg/kg	0.5	Nb	niobium	mg/kg	1.0
Al ₂ O ₃	aluminium	wt%	0.2	Nd	neodymium	mg/kg	4.0
As	arsenic	mg/kg	2.4	Ni	nickel	mg/kg	1.3
Ba	barium	mg/kg	1.0	P ₂ O ₅	phosphorous	wt%	0.05
Bi	bismuth	mg/kg	0.3	Pb	lead	mg/kg	1.3
Br	bromine	mg/kg	0.8	Rb	rubidium	mg/kg	1.0
CaO	calcium	wt%	0.05	S	sulphur	mg/kg	1000
Cd	cadmium	mg/kg	0.5	Sb	antimony	mg/kg	0.5
Ce	cerium	mg/kg	1.0	Sc	scandium	mg/kg	3.0
Co	cobalt	mg/kg	1.5	Se	selenium	mg/kg	0.2

Cr	chromium	mg/kg	3.0
Cs	caesium	mg/kg	1.0
Cu	copper	mg/kg	1.3
Fe ₂ O ₃	iron	wt%	0.01
Ga	gallium	mg/kg	1.0
Ge	germanium	mg/kg	0.5
Hf	hafnium	mg/kg	1.0
Hg	mercury	mg/kg	0.5
I	iodine	mg/kg	0.5
K ₂ O	potassium	wt%	0.01
La	lanthanum	mg/kg	1.0
MgO	magnesium	wt%	0.03
MnO	manganese	wt%	0.005
Mo	molybdenum	mg/kg	0.2
Na ₂ O	sodium	wt%	0.3
SiO ₂	silicon	wt%	0.1
Sm	samarium	mg/kg	3.0
Sn	tin	mg/kg	0.5
Sr	strontium	mg/kg	1.0
Ta	tantalum	mg/kg	1.0
Th	thorium	mg/kg	0.7
TiO ₂	titanium	wt%	0.01
Tl	thallium	mg/kg	0.5
U	uranium	mg/kg	0.5
V	vanadium	mg/kg	3.0
W	tungsten	mg/kg	0.6
Y	yttrium	mg/kg	1.0
Yb	ytterbium	mg/kg	1.5
Zn	zinc	mg/kg	1.3
Zr	zirconium	mg/kg	1.0

*LLD = lower limit of detection

Table 1: List of elements reported for the London Earth topsoils following determination by XRFS

2.2 SAMPLE PREPARATION AND ANALYSIS

Samples were prepared at the BGS laboratories. After drying (~35°) the samples were sieved through a nylon sieve to give a < 2 mm fraction. A 50 g subsample of this fraction was pulverised in an agate ball mill to create a homogeneous sample used to make a pressed powder pellet prior to XRFS analysis.

Samples were analysed by XRFS which gives total element concentrations in the soil samples. Several different XRFS instruments were used (wave dispersive and energy dispersive) to determine 53 chemical elements. Fifty of these elements are listed in Table 1, three elements, chlorine (Cl), indium (In) and tellurium (Te) are excluded from the released data set as the majority (>95wt%) of the results for these elements are below the lower limit of detection.

Loss on ignition (LOI) (an indicator of the soil's organic content) and pH has also been determined and this is available as a separate MS Excel spreadsheet - LondonEarth_Topsoil_pHLOI_v1 in which there are 6,467 sample results. The loss on ignition is determined by weighting samples before and after heating the soil sample at 450°C for 24 hrs. The soil pH is determined using a pH meter on a slurry of the sample made using 0.01 M CaCl₂.

2.3 RESULTS

When the results are received from the laboratory they undergo a series of data conditioning processes to check the quality of the data and to level the results so they will fit seamlessly with other UK soil chemical results when plotted as maps. This data conditioning is described below and uses control samples submitted with the analytical batches and are seen as normal samples by the analyst. Once the data has been conditioned it is loaded to the BGS Oracle Geochemical Database, a repository for all the BGS UK landmass surface chemical results.

In the Geochemistry Database every element result is qualified with a qualifier code that identifies any data quality issues relating to that result. Most results have no qualifier code

indicating there are no data quality issues. Results with qualifiers are those generally with results that are below the element's detection limit. Qualified data is indicated in the Excel file by colour highlights and fonts as shown in Table 2.

Colour/format	Signifies	User Action
56.7	No Quality issues	None
25.4	This result is associated with a qualifier	Be aware that the result is qualified
	Data of dubious quality with significant issue(s)	Pay careful attention to what the quality issue is and if necessary don't use results
	Results ≤ 0	Be aware that the result could give problems in some statistical or plotting packages
	<null> value	Be aware that no result is present though transferring to some software packages could erroneously reset this to 0
25	Result is at the upper limit of detection	Be aware that this result has some quality issue but is unlikely to restrict its use
10	Generally a data issue relating to representation of results below limits of detection	
5.0		
0.6		

Table 2: Explanation of the colour formatting in the Excel spreadsheet “Results” used to indicate data quality issues

2.4 UNITS OF CONCENTRATION

The units of concentration for elements are shown in Table 1. For trace elements these are mg/kg (i.e. mg kg^{-1}) and for the major elements these are wt%, i.e. expressed as a percentage weight of the sample. Geochemists also use the old notation of ppm (parts per million which is equivalent to 1 mg/kg) and express the major elements in terms of oxides (e.g. CaO, Na₂O, Fe₂O₃ etc.).

2.5 FIELDS IN THE RESULTS DATABASE

The “Results” spreadsheet contains five columns before the element results for the elements in the next 50 columns. The first row of data gives the column names. Descriptive statistics for all the fields are given in Table 3.

Column A – Project_Code : Two character code to identify the project collecting the samples. For London Earth two codes are used, namely 64 and 65. The 64 code represents samples collected before the start of the main London Earth project in 2008.

Column B – Site_Number : An integer number between 1 and 9999 giving the number assigned to the soil sampling site. A combination of the Project_Code and the Site_Number to give a six character number (e.g. 641304, 650001) provides a unique id for the sample and is a key field.

Column C – Date : Date the site was sampled in standard date format (dd/mm/yyyy).

Column D – Easting : British National Grid Easting (x) co-ordinate in metres.

Column E – Northing : British National Grid Northing (y) co-ordinate in metres.

Columns F – BC : Fifty columns of element results with column header as chemical symbol which for the major elements is expressed as an oxide.

2.6 DATA CONDITIONING

The results received from the laboratory contain control samples (replicates, duplicates and reference materials) which are used to assess the quality of the results. These control samples are removed from the data set and are not included in the results provided in the Excel data file which this user guide describes.

A summary of primary reference materials analysed along with London Earth soil samples is given in Table 4. These are certified reference materials (CRM) for which there is an accepted set of results and can be used to assess the accuracy of the element results. Table 4 shows tabulated certified values versus data values reported by the BGS XRF laboratory for four accredited reference materials (GSD-7, GSS-1, LKSD-1, LKSD-4). Certified data values are indicated in red and represent a mean value derived from approximately 20 analyses of each material.

The precision of the results is demonstrated by repeatedly analysing a secondary reference material and an example is given in Figure 2.

Field	Mean	Median	Std. Dev.	Range	Minimum	Maximum	Number
<i>Project_Code</i>	-	-	-	1	64	65	6487
<i>Site_Number</i>	-	-	-	6798	1	6799	6487
<i>Date</i>	-	-	-		02/08/2005	13/11/2009	6483
<i>Easting</i>	-	-	-	58095	503724	561819	6487
<i>Northing</i>	-	-	-	45095	155662	200757	6487
<i>Ag</i>	1.053	0.5	4.809181	200.8	0.1	200.9	6467
<i>Cd</i>	0.987	0.6	3.218913	165.2	0	165.2	6467
<i>Sn</i>	25.07	13.9	43.43841	1040.6	0.9	1041.5	6467
<i>Sb</i>	5.232	3	12.8729	434.5	0.1	434.6	6467
<i>I</i>	3.686	3	3.008918	64.7	0.1	64.8	6467
<i>Cs</i>	3.047	3	1.311103	10	1	11	6467
<i>Ba</i>	402.6	379.5	147.9445	3331.6	143.5	3475.1	6467
<i>La</i>	25.2	24	8.75202	127	3	130	6467
<i>Ce</i>	50.9	49	12.88859	220	18	238	6467
<i>K2O</i>	1.396	1.31	0.444684	3.21	0.12	3.33	6467
<i>CaO</i>	2.229	1.31	3.432534	52.55	0.22	52.77	6467
<i>TiO2</i>	0.586	0.558	0.150692	1.004	0.175	1.179	6467
<i>MnO</i>	0.063	0.055	0.042119	0.695	0.002	0.697	6467
<i>Fe2O3</i>	3.986	3.83	1.229329	15.22	0.15	15.37	6467
<i>S</i>	1017	960	377.93	9925	75	10000	6467
<i>Sc</i>	8.261	7.9	3.22153	38.1	-4.8	33.3	6467
<i>V</i>	82.9	76.4	28.56777	286.6	15.7	302.3	6467
<i>Cr</i>	77.98	72	48.29469	2079.6	14.7	2094.3	6467
<i>Co</i>	12.24	11.5	5.257148	84.4	0.8	85.2	6467
<i>Ni</i>	27.99	25.4	15.80002	503.3	2.3	505.6	6467
<i>Cu</i>	72.4	46.1	142.6825	5322.3	3.2	5325.5	6467
<i>Zn</i>	221.3	154.5	292.2913	10095	0	10095	6467
<i>Ga</i>	11.06	10.5	2.791615	26.6	1	27.6	6467
<i>Ge</i>	1.93	1.5	1.670454	29.9	-0.5	29.4	6467
<i>As</i>	17.08	15.4	8.637098	159.7	1.2	160.9	6467
<i>Se</i>	0.667	0.6	0.604414	19.7	-0.1	19.6	6467
<i>Br</i>	13.04	12	5.815867	117.5	1.5	119	6467
<i>Rb</i>	59.3	55.7	19.04873	139.7	8.9	148.6	6467
<i>Sr</i>	83.71	75.6	40.54883	588.9	12.3	601.2	6467
<i>Y</i>	21.11	20.4	7.62795	128.1	4.8	132.9	6467
<i>Zr</i>	288.7	276.9	85.11562	1411.1	35.3	1446.4	6467
<i>Nb</i>	12.88	12.5	3.020127	141.4	5.3	146.7	6467
<i>Mo</i>	2.048	1.5	8.874716	561.2	0	561.2	6467
<i>Nd</i>	22.28	21.4	8.727336	123.4	-0.6	122.8	6467
<i>Sm</i>	3.558	3.4	2.044726	28.5	-2.7	25.8	6467
<i>Yb</i>	1.882	1.8	0.896897	10.3	-1.5	8.8	6467
<i>Hf</i>	7.461	7.2	2.30664	36	1.1	37.1	6467
<i>Ta</i>	0.213	0.2	0.595945	11	-1.5	9.5	6467
<i>W</i>	2.39	2	6.203868	317.3	-0.5	316.8	6467
<i>Hg</i>	0.163	0	1.369056	37.8	-4	33.8	5964
<i>Tl</i>	0.306	0.2	0.640149	28.1	-1.9	26.2	6467
<i>Pb</i>	295.6	180.1	430.4443	9989.2	10.8	10000	6467
<i>Bi</i>	0.637	0.2	2.789603	73	-2.5	70.5	6467
<i>Th</i>	6.867	6.6	5.896254	456.6	-0.1	456.5	6467
<i>U</i>	1.679	1.7	0.875289	11.6	-5.2	6.4	6467
<i>Na2O</i>	0.423	0.4	0.127707	1.4	0.2	1.6	6467
<i>MgO</i>	0.856	0.8	0.42341	3.9	0.1	4	6467
<i>Al2O3</i>	7.987	7.5	2.757696	20	0.8	20.8	6467
<i>SiO2</i>	65.52	65.9	10.38328	95.4	4.6	100	6467
<i>P2O5</i>	0.364	0.32	0.226831	4.45	0.04	4.49	6467

Table 3: Summary statistics of London Earth topsoil results

CRM ID	Ag	Cert Ag	Cd	Cert Cd	In	Cert In	Sn	Cert Sn	Sb	Cert Sb
GSD-7	1.4	1.1	0.9	1.1	not detected	no data	4.8	5.4	2.8	2.6

GSS-1	0.4	0.4	4.4	4.3	not detected	no data	5.9	6.1	1.0	0.9
LKSD-1	0.5	0.6	1.1	1.2	0.5	no data	15.2	16.0	0.9	1.2
LKSD-4	0.1	0.2	1.9	1.9	not detected	no data	4.6	5.0	1.3	1.7
CRM ID	I	Cert I	Cs	Cert Cs	Ba	Cert Ba	La	Cert La	Ce	Cert Ce
GSD-7	0.9	no data	5	6	740	720	45	45	82	78.0
GSS-1	1.9	1.9	9	9	587	590	34	34	68	70.0
LKSD-1	1.7	no data	1	2	396	430	14	16	25	27.0
LKSD-4	9.5	no data	2	2	262	330	21	26	38	48.0

(Table 4.1 Elements by XRF-ED)

CRM ID	K2O	Cert K2O	CaO	Cert CaO	TiO2	Cert TiO2	MnO	Cert MnO	Fe2O3	Cert Fe2O3
GSD-7	3.64	3.54	1.65	1.67	0.707	0.747	0.093	0.089	6.50	6.51
GSS-1	2.53	2.59	1.75	1.72	0.766	0.805	0.238	0.227	5.18	5.19
LKSD-1	1.06	1.10	12.14	10.80	0.448	0.500	0.093	0.100	4.03	4.10
LKSD-4	0.76	0.80	1.85	1.80	0.299	0.400	0.068	0.100	4.20	4.10
CRM ID	S	Cert S	Cl	Cert Cl	Sc	Cert Sc	V	Cert V	Cr	Cert Cr
GSD-7	646	190	83	no data	13.7	14.6	93.4	96.0	119.3	122.0
GSS-1	847	310	114	78	10.4	11.2	80.7	86.0	60.0	62.0
LKSD-1	9306	1570	430	no data	6.5	9.0	47.8	50.0	27.0	31.0
LKSD-4	5952	999	215	no data	7.1	7.0	45.5	49.0	30.1	33.0
CRM ID	Co	Cert Co	Ni	Cert Ni	Cu	Cert Cu	Zn	Cert Zn	Ga	Cert Ga
GSD-7	20.6	21.0	55.6	53.0	36.1	38.0	246.2	238.0	16.7	17.7
GSS-1	13.9	14.2	20.7	20.4	19.7	21.0	671.6	680.0	17.6	19.3
LKSD-1	11.0	11.0	16.0	16.0	40.6	44.0	322.4	331.0	9.0	no data
LKSD-4	11.7	11.0	34.1	31.0	30.1	31.0	194.3	194.0	7.9	no data
CRM ID	Ge	Cert Ge	As	Cert As	Se	Cert Se	Br	Cert Br	Rb	Cert Rb
GSD-7	0.9	1.4	83.7	84.0	0.2	0.3	0.6	no data	146.4	147.0
GSS-1	0.6	1.3	35.8	33.5	0.1	0.1	2.5	2.9	137.9	140.0
LKSD-1	0.1	no data	34.9	40.0	1.0	no data	10.3	11.0	22.7	24.0
LKSD-4	0.5	no data	16.6	16.0	2.3	no data	50.6	49.0	25.0	28.0
CRM ID	Sr	Cert Sr	Y	Cert Y	Zr	Cert Zr	Nb	Cert Nb	Mo	Cert Mo
GSD-7	222.4	220.0	24.9	24.0	156.9	162.0	15.1	17.0	1.3	1.4
GSS-1	156.6	155.0	24.9	25.0	250.1	245.0	14.7	16.6	1.1	1.4
LKSD-1	259.4	250.0	20.9	19.0	132.8	134.0	4.0	7.0	9.4	10.0
LKSD-4	121.0	110.0	22.2	23.0	101.3	105.0	4.3	9.0	1.3	<5
CRM ID	Nd	Cert Nd	Sm	Cert Sm	Yb	Cert Yb	Hf	Cert Hf	Ta	Cert Ta
GSD-7	34.1	37.0	4.4	6.1	2.2	2.6	5.0	4.9	0.8	1.4
GSS-1	26.3	28.0	3.9	5.2	2.1	2.7	7.7	6.8	0.5	1.4
LKSD-1	19.4	16.0	2.9	4.0	1.7	2.0	4.1	3.6	-0.2	0.3
LKSD-4	27.1	25.0	4.3	5.0	2.1	2.0	3.1	2.8	-0.1	0.4
CRM ID	W	Cert W	Hg	Cert Hg	Tl	Cert Tl	Pb	Cert Pb	Bi	Cert Bi
GSD-7	6.5	5.5	-0.3	0.1	0.7	0.9	361.1	350.0	0.6	0.7
GSS-1	4.6	3.1	-0.8	0.0	0.7	1.0	98.2	98.0	0.7	1.2

LKSD-1	1.7	<4	-0.6	0.0	0.1	no data	83.7	82.0	0.6	no data
LKSD-4	1.8	<4	-0.5	no data	0.8	no data	97.3	91.0	0.0	no data
CRM ID	Th	Cert Th	U	Cert U						
GSD-7	12.6	12.6	3.4	3.5						
GSS-1	11.4	11.6	3.7	3.3						
LKSD-1	2.1	2.2	9.7	9.7						
LKSD-4	5.1	5.1	31.4	31						

(Table 4.2 Elements by XRF-WDT)

CRM ID	Na2O	Cert Na2O	MgO	Cert MgO	Al2O3	Cert Al2O3	SiO2	Cert SiO2	P2O5	Cert P2O5
GSD-7	1.2	1.2	4.3	3.1	14.6	13.4	67.3	64.7	0.21	0.19
GSS-1	1.4	1.7	2.1	1.8	14.1	14.2	57.4	62.6	0.18	0.17
LKSD-1	1.6	2.0	1.8	1.7	5.6	7.8	31.5	40.1	0.16	0.20
LKSD-4	0.5	0.7	1.0	0.9	5.2	5.9	45.2	41.6	0.36	0.30
CRM ID	SO3	Cert SO3								
GSD-7	not detected	no data								
GSS-1	0.1	0.08								
LKSD-1	2.6	no data								
LKSD-4	2.1	no data								

(Table4.3 Elements by XRF-WDM)

Table 4: Summary of primary reference material results for London Earth soil samples XRFs analyses.




Figure 2: Example of a time-series plot (Shewhart plot) used to indicate the precision and accuracy of elemental analyses between different analytical batches. This chart shows repeated analyses for Ni in reference soil S13B. Green line shows accepted value (x), red lines $x \pm 2$ std. dev.

Duplicate samples (i.e. separate samples that have been collected from the same sampling site) and replicate samples (i.e. a sample split into two samples in the laboratory) can be used to indicate within-site and within-sample variability, respectively. Using a statistical technique called nested ANOVA (Analysis of Variance) the duplicates can be used to give an estimate of the between site variability for each element. A variability that represents > 80wt% of between

site total variance shows that the sampling and analytical methodology are satisfactory, though ANOVA analysis is not valid when a large number of samples have element concentrations that are near or below detection. If there is a high percentage of variance within site then the results suggest that the element concerned shows a high variability in the soil over short distances. A high within sample variance indicates a high degree of uncertainty in the analytical determination for the element concerned. Results for the ANOVA analysis of the London Earth soil duplicates and replicates are given in Table 5. This shows the poor “between site” variance for Yb, Hg, Sm, Tl and Ta suggesting that any interpretation of these elements should be done with caution.

Element	Between Site wt%	Between Sample wt%	Within Sample wt%	Number of sites
Nb	93.95	5.27	0.78	150
TiO ₂	93.76	5.95	0.29	150
K ₂ O	92.59	7.11	0.30	150
Rb	92.39	7.27	0.34	150
La	91.47	6.89	1.64	149
Y	91.14	7.31	1.55	150
Al ₂ O ₃	90.46	9.08	0.46	149
V	89.84	9.51	0.64	150
Zr	89.63	9.86	0.51	150
Ce	89.41	9.23	1.36	149
MgO	89.39	9.66	0.95	146
Fe ₂ O ₃	88.97	10.60	0.43	150
Th	88.68	7.20	4.12	150
Ga	88.20	8.98	2.82	150
CaO	87.78	11.37	0.86	150
Sr	87.47	11.71	0.82	150
Nd	87.26	6.80	5.94	150
Br	86.72	12.10	1.18	150
Hf	86.29	7.78	5.93	150
Na ₂ O	86.23	11.84	1.93	102
I	85.75	9.78	4.48	149
Pb	84.74	11.64	3.62	150
SiO ₂	84.37	14.00	1.64	149
As	83.51	14.43	2.06	150
P ₂ O ₅	82.77	16.69	0.54	149
S	82.38	14.41	3.21	150
Mo	81.20	14.81	3.98	150
Co	80.94	12.00	7.06	150
Cs	80.86	5.95	13.18	149
MnO	80.74	17.66	1.60	150
Ni	80.60	18.73	0.67	150
Ba	80.01	19.09	0.90	149
Cr	79.98	18.70	1.32	150
Cu	78.42	19.69	1.89	150
Zn	76.53	22.74	0.73	150
Sc	75.95	9.52	14.53	150
Sb	74.50	16.73	8.77	148
Sn	71.96	20.18	7.86	149
U	71.41	5.86	22.73	150
W	69.38	10.72	19.90	150
Se	67.60	13.91	18.48	150
Cd	62.19	26.27	11.54	95
Ge	61.99	20.95	17.07	150
Ag	58.23	32.13	9.64	27
Bi	54.49	25.61	19.90	150
Yb	30.10	-1.83	71.73	150
Hg	29.68	55.22	15.09	150
Sm	24.31	1.42	74.27	150
Tl	14.62	-8.82	94.20	150
Ta	9.80	8.99	81.22	150

Table 5: A table showing the nested ANOVA results for the London Earth soil duplicate and replicate sets. The number of sites indicates the number of locations where duplicate and replicate samples were collected. Those sites where element results were below detection are excluded from the ANOVA analysis.

3 Licensing Information

The British Geological Survey does not sell its digital mapping data to external parties. Instead, BGS grants external parties a licence to use this data, subject to certain standard terms and conditions. In general, a licence fee will be payable based on the type of data, the number of users, and the duration (years) of a licence.

All recipients of a licence (potential licensees) are required to return a signed digital data licence document to us before authorisation for release of BGS digital data is given.

In general terms, a BGS digital data licensee **will** be permitted to:

- make internal use of the dataset(s)
- allow a specified number of internal users to access/use the data (the number of users will be agreed with the licensee and specified in the licence document) for the purposes of their day-to-day internal activities
- reproduce extracts from the data up to A3 for use in external analogue (paper/hard copy) or non-queryable electronic (e.g. secured .pdf) format: to meet a public task duty; fulfil a statutory requirement; and/or as part of academic or other non-commercial research

But **will not** be permitted to:

- provide a bureau service for others or incorporate the data in the generation of products or services for commercial purposes
- sell, assign, sublicense, rent, lend or otherwise transfer (any part of) the dataset(s) or the licence
- place (any part of) the dataset(s) on the Internet

The BGS is committed to ensuring that all the digital data it holds which is released to external parties under licence has been through a robust internal approval process, to ensure that geoscientific standards and corporate quality assurance standards are maintained. This approval process is intended to ensure that all data released: (i) is quality assured; (ii) meets agreed BGS data management standards; (iii) is not in breach of any 3rd party intellectual property rights, or other contractual issues (such as confidentiality issues), that would mean that release of the data is not appropriate.

When the BGS digital datasets are revised any upgrades will be automatically supplied to the licensee, at no additional cost. Geological map datasets are revised on a periodic rather than on an annual basis, licensees will therefore not automatically receive a new dataset each year unless changes have been made to the data.

These are general comments for guidance only. A licensee of BGS's digital data is provided with full details of the basis on which individual BGS datasets licensed to them are supplied.

If you have any doubts about whether your proposed use of the BGS data will be covered by a BGS digital licence, the BGS Intellectual Property Rights (IPR) section will be happy to discuss this with you and can be contacted through the following email address: iprdigital@bgs.ac.uk. BGS IPR will usually be able to provide reassurance that the licence will cover individual user requirements and/or to include additional 'special conditions' in the licence documentation, addressing specific requirements within BGS's permitted usage.

Further Information

British Geological Survey holds most of the references listed below, and copies may be obtained via the library service subject to copyright legislation (contact libuser@bgs.ac.uk for details). The library catalogue is available at: <http://geolib.bgs.ac.uk>.

London Earth Project:

G-BASE web site – www.gs.ac.uk/gbase/londonearth

G-BASE urban soil chemistry data:

APPLETON, J.D. 2011. *User Guide for British Geological Survey Urban Soil Chemistry dataset. British Geological Survey*. 24pp. (IR/11/039). (unpublished).

Field sampling manual:

JOHNSON, C.C. 2005. *2005 G-BASE field procedures manual. British Geological Survey*, 65pp. (IR/05/097) (Unpublished).

Data conditioning procedures:

LISTER, T.R. AND JOHNSON, C.C. 2005. *G-BASE data conditioning procedures for stream sediment and soil chemical analyses. British Geological Survey*, 85pp. (IR/05/150) (Unpublished).

JOHNSON, C.C. 2011. *Understanding the quality of chemical data from the urban environment – Part 1: Quality Control Procedures*. In: Johnson, Christopher; Demetriades, Alecos; Locutura, J.; Ottesen, Rolf Tore, (eds.) *Mapping the chemical environment of urban areas*. John Wiley & Sons, Chapter 5, 61-76.

JOHNSON, C.C., ANDER, E.L., LISTER, T.R. AND FLIGHT, D.M.A. 2008. *Data conditioning of environmental geochemical data : quality control procedures used in the British Geological Survey's regional geochemical mapping project*. In: de Vivo, B.; Belkin, H.E.; Lima, A., (eds.) *Environmental geochemistry : site characterization, data analysis and case histories*. Amsterdam ; London, Elsevier, 93-118.

G-BASE Project:

G-BASE web site – <http://www.gs.ac.uk/gbase/>

JOHNSON, C.C., BREWARD, N., ANDER, E.L. AND AULT, L. 2005. *G-BASE: Baseline geochemical mapping of Great Britain and Northern Ireland. Geochemistry : exploration, environment, analysis*, 5 (4). 347-357. [10.1144/1467-7873/05-070](https://doi.org/10.1144/1467-7873/05-070)

G-BASE Urban Geochemical Mapping:

FLIGHT, D.M.A. AND SCHEIB, A.J. 2011. *Soil geochemical baselines in UK urban centres: The G-BASE Project*. In: Johnson, Christopher; Demetriades, Alecos; Locutura, J.; Ottesen, Rolf Tore, (eds.) *Mapping the chemical environment of urban areas*. John Wiley & Sons, Chapter 13, 186-206.

FORDYCE, F.M., BROWN, S.E., ANDER, E.L., RAWLINS, B.G., O'DONNELL, K.E., LISTER, T.R., BREWARD, N. AND JOHNSON, C.C. 2005. *GSUE: urban geochemical mapping in Great Britain. Geochemistry: Exploration, Environment, Analysis*, 5 (4). 325-336. [10.1144/1467-7873/05-069](https://doi.org/10.1144/1467-7873/05-069)

JOHNSON, C.C. AND ANDER, E.L. 2008. *Urban geochemical mapping studies : how and why we do them. Environmental Geochemistry and Health*, 30 (6). 511-530. [10.1007/s10653-008-9189-2](https://doi.org/10.1007/s10653-008-9189-2)