

A Microfluidic platform combined with Confocal Raman Imaging to study Enhanced Oil Recovery

J. Gao¹, Sachin Nair¹, M.H.G. Duits¹, C. Otto², F. Mugele¹

Physics of Complex Fluids¹, Medical Cell BioPhysics², University of Twente, P.O. Box 217, 7500 AE Enschede, The Netherlands

OBJECTIVE

Injection of Low Salinity Water for enhanced oil recovery (EOR) is a novel technology. However, previous studies aiming to understand the mechanism responsible for this enhancement lack in two domains:

- a) A microfluidic environment mimicking the pore geometry of the rocks and
- b) Chemical specificity for quantitatively determining the distribution of the components involved in the process.

We aim to provide a microfluidic platform in combination with confocal Raman imaging for probing the mechanisms responsible for EOR.


optical fiber spectrometer CCD 1600 1200 1200 2500 3000 3500 4000 Raman shift (cm⁻¹)

Figure 1: Microfluidic platform and corresponding Raman spectrum showing the efficiency in identifying all the components.

- Substrate Quartz + Gibbsite (clay facet) deposit.
- Defending liquid Mineral Oil + 1 mM Stearic acid.
- Invading liquid 10 mM CaCl₂ vs deionized water.

FLUSHING PROTOCOL

- Raman maps (3D) over 30 µm depths are made at steps 4 and 5.
- Gibbsite, oil and water distributions are mapped and compared for both saline and DI water flushing.



RESULTS: XZ RAMAN MAPS

WITAT WE DEATHED





Figure 5: (Left) Deconvoluted mean intensity profile with depth for Gibbsite, oil and water and (Right) Schematic of the process, deduced from the Raman maps.

The study validates the effect of divalent cations in bridging organics in oil to the mineral surface and how this oil can be removed by injecting a salt-free water, which disrupts these bridges.

RESULTS: XY RAMAN MAPS



- ✓ Gibbsite is stable to DI water flushing.
- ✓ Oil intensity drops

 indicating low
 adhesion of oil to
 Gibbsite in the case
 of DI water flush.
- ✓ Water intensity increases replaces oil.
- ✓ Oil adsorbs both inside and outside the Gibbsite deposit.
- ✓ Water

 penetrates
 through the
 structure to
 displace oil.




Figure 4: XZ Raman maps comparing the distribution of components in response to saline and DI water flushing.

Figure 3: XY Raman maps comparing the distribution of components in response to saline and DI water flushing.

 $x (\mu m)$

x (µm)



