

# **5th International Electronic Conference** on Medicinal Chemistry

1-30 November 2019 chaired by Dr. Jean Jacques Vanden Eynde



# Lactose-based Fatty Acid Monoesters: Synthesis, antimicrobial activity and permeability enhancement studies

Simone Lucarini<sup>1,\*</sup>

<sup>1</sup> Departement of Biomolecular Sciences, University of Urbino Carlo Bo, piazza del Rinascimento 6, 61029-Urbino, Italy;

1506

\* Corresponding author: simone.lucarini@uniurb.it



DISB DIPARTIMENTO DI SCIENZE BIOMOLECOLARI



Lactose-based Fatty Acid Monoesters: Synthesis, antimicrobial activity and permeability enhancement studies







**Abstract:** We present the synthesis and the in vitro assaying of a series of lactosebased non-ionic surfactants, highlighting the relationship between their structure and biological effect. Using tensiometric measurements the critical micelle concentrations (CMCs) of the surfactants were determined and demonstrate that increasing hydrophobic chain length reduces surfactant CMC. In vitro testing on Caco-2 intestinal and Calu-3 airway epithelia revealed that cytotoxicity is present, for most of the surfactants, at concentrations greater than their CMCs. Importantly, through the culture of epithelial monolayers on Transwell<sup>®</sup> supports, the surfactants demonstrate the ability to reversibly modulate transepithelial electrical resistance (TEER), and thus open tight junctions, at non-toxic concentrations. The surfactants were then tested for their ability to improve the in vitro permeability of Ovalbumin and Dextran, confirming their potential application as safe permeability enhancers in vivo. Moreover, the synthesized compounds exhibit antimicrobial activity versus eight pathogenic species belonging to Gram-positive, Gram-negative

microorganisms and fungi.

**Keywords:** absorption enhancers; sugar-based surfactants; biocompatibility studies; transmucosal drug delivery, antimicrobial





#### Surfactants







#### **Sugar-based Surfactants**

- SUGAR FATTY ACID ESTERS are a class of non-ionic, biodegradable and biocompatible surfactants
- □ They have a broad applications in the **food**, **pharmaceutical** and **personal care** industries (sucrose fatty acid esters have been commercially manufactured at high volume since the early 1960s.)
- Emerging sugar-based surfactants: Sucrose esters, alkyl glycosides, alkyl maltosides and rhamnolipids
- New antimicrobial agents
- Limited studies on Lactose-based surfactants





#### Synthesis of Lactose-based Fatty Acid Monoesters



**Reaction conditions:** (a) Lipozyme, toluene, 75°C, 12 h; (b)  $HBF_4 Et_2O$ ,  $CH_3CN$ , 30°C, 3 h.

Lucarini S. et al., Eur J Pharm Biopharm 2016, 107, 88-96; Perinelli D. R. et al., Eur J Pharm Biopharm 2018, 124, 55-62; Lucarini S. et al., Pharmaceutics 2018, 10 (3), 81.





# Citotoxicity

Surfactant	MTT Assay IC <sub>50</sub> mM (mg/mL)		
	Calu-3	Caco-2	<sup>150</sup> ] MTT assay (
Lacto-C10	> 2 (> 0.99)	> 2 (> 0.99)	Anability Mability
Lacto-C12	1.07 (0.56)	0.38 (0.20)	₹ 50- ×
Lacto-C14	0.26 (0.14)	0.11 (0.06)	0.01 0.1 Surfactant conc
Lacto-C16	0.12 (0.07)	0.06 (0.03)	
Lacto-C16 1W	-	> 1.40 ( > 0.8)	
Lacto-C18 1W	-	0.23 (0.14)	Relative vi
Lacto-C24 1W	-	> 1.16 ( > 0.8)	



Lucarini S. et al., Eur J Pharm Biopharm 2016, 107, 88-96; Perinelli D. R. et al., Eur J Pharm Biopharm 2018, 124, 55-62; Lucarini S. et al., Pharmaceutics 2018, 10 (3), 81.





### **Activated Caspase 3/7 Detection: Apoptosis?**



Responses are displayed normalized to those induced by vehicle control (HBSS buffer).

Lucarini S. et al., Pharmaceutics 2018, 10 (3), 81





# **Critical Micelle Concentration (CMC) by Tensiometer**

Surfactant	CMC (mM)	Toxicity Caco-2 IC <sub>50</sub> (mM)
Lacto-C10	2.58	> 2
Lacto-C12	0.55	0.38
Lacto-C14	0.14	0.11
Lacto-C16	0.08	0.06
Lacto-C16 1W	-	> 1.40
Lacto-C18 1W	0.24	0.23
Lacto-C24 1W	-	> 1.16

#### Lactose derivatives are safe surfactants

Perinelli D. R. et al., Eur J Pharm Biopharm 2018, 124, 55-62; Lucarini S. et al., Pharmaceutics 2018, 10 (3), 81.





# Cell monolayer Trans-epithelial electrical resistance (TEER) - Part 1



Surfactant	MTT Assay IC <sub>50</sub> (mM)				
	Calu-3				
Lacto-C10	> 2				
Lacto-C12	1.07				
Lacto-C14	0.26				
Lacto-C16	0.12				

Lucarini S. et al., Pharmaceutics 2018, 10 (3), 81.



5th International Electronic Conference on Medicinal Chemistry 1-30 November 2019

sponsors:



# Cell monolayer Trans-epithelial electrical resistance (TEER) - Part 2





Lucarini S. et al., Eur J Pharm Biopharm 2016, 107, 88-96; Perinelli D. R. et al., Eur J Pharm Biopharm 2018, 124, 55-62.





# FITC-Ovalbumin Permeability across Caco-2 cell monolayer



#### FITC-Labelled Ovalbumin 45 Kda (FOVA-45)

Lucarini S. et al., Eur J Pharm Biopharm 2016, 107, 88-96.





# FITC-Dextran Permeability across Caco-2 cell monolayer



Lactose Oleate (C18 1W)

FITC-labelled Dextran 4 Kda (FD-4)

Perinelli D. R. et al., Eur J Pharm Biopharm 2018, 124, 55-62.





# Antimicrobial activity against Foodborne Pathogens

Compound	MICs (µg/ml)							
	<i>E. Coli</i> ATCC 35150	<i>E. Faecalis</i> ATCC 29212	<i>L. Monocytog.</i> ATCC 7644	<i>P. Aeruginosa</i> ATCC 9027	<i>S. Aureus</i> ATCC 43387	<i>S. Enteritidis</i> ATCC 13076	Y. Enterocolitica ATCC 27729	C. Albicans ATCC 10231
Lacto-C10	128	512	128	128	128	128	128	128
Lacto-C12	128	128	128	128	128	128	256	512
Lacto-C14	128	128	128	128	128	128	128	128
Lacto-C16	128	128	128	128	128	64	64	64
Lacto-C16 1W	64	64	64	128	128	128	64	64
Lacto-C18 1W	128	128	256	128	128	128	128	128
Lacto-C24 1W	64	64	64	128	128	64	64	64
Gentamicin	128	64	8	16	16	4	8	-
Parabens	> 1024	> 1024	> 1024	> 1024	> 1024	> 1024	> 1024	> 1024

Lucarini S. et al., Eur J Pharm Biopharm 2016, 107, 88-96; Perinelli D. R. et al., Eur J Pharm Biopharm 2018, 124, 55-62 and Unpublished data.





#### Growth inhibition by time-kill experiments of Foodborne Pathogens

Food-borne pathogens:	Growth inhibition by					
	Lactose palmitole (µg/mL)	ate	Lactose nervonate (µg/mL)			
	MIC	2MIC	MIC	2MIC		
L monocytogenes ATCC 7644						
3 h	2.41%	5.99%	3,55%	5,38%		
6 h	5.40%	8,94%	6.49%	8,89%		
24 h	9,32%	15,33%	10.64%	14.85%		
E. coli 0157:H7 ATCC 35150						
3 h	11.47%	14.20%	5,78%	9,51%		
6 h	16,00%	20,82%	11.88%	16,50%		
24 h	19,10%	22.08%	13,95%	19.47%		
S. enteritidis ATCC 13076						
3 h	12,16%	15,67%	11.68%	16,81%		
6 h	22,82%	28,08%	23,80%	29,66%		
24 h	23,13%	29.84%	26,20%	30.88%		

Percentages of growth inhibition induced by Lactose Palmitoleate and Lactose Nervonate, at their MIC and 2xMIC concentrations, toward *E. coli* O157: H7 ATCC 35150, *L. monocytogenes* ATCC 7644 and *S. enteritidis* ATCC 13076, as assessed in time-kill experiments (in bold were signed the highest percentages of bacterial growth inhibition after 24 h of incubation with each compound).

Lucarini S. et al., Eur J Pharm Biopharm 2016, 107, 88-96.





### Conclusions

Lactose-based surfactants are an emerging broad group of biocompatible and biodegradable compounds with established and potential future applications in the pharmaceutical, biomedical, cosmetic and food industries.

This work:

- Enzymatic-"Green" Synthesis of aliphatic and monounsaturated fatty acid lactose esters
- CMCs decrease with the increasing of the hydrophobic chain length
- Cytotoxicity at greater concentrations of CMC (safe surfactants)
- TEER experiments and Permeability studies (FITC-OVA and -Dextran) demonstrate that our lactose-based surfactants are promising permeability enhancers
- Antimicrobial activity and time-kill studies against foodborne pathogens shown a further possible application as a safe preservatives for food, cosmetics, etc.





#### Acknowledgments



Dott. Perinelli Diego R. Prof. Palmieri Giovanni F.



1506 UNIVERSITÀ DEGLI STUDI DI URBINO CARLO BO

Prof. Casettari Luca Prof. Duranti Andrea Dott. Campana Raffaella Verboni Michele



Prof. Vllasaliu Driton Dott. Cole Hannah



Prof. Stolnik Snjezana Dott. Cavanagh Robert



Prof. Lam Jenny K. W. Dott. Liang Wanling



5th International Electronic Conference on Medicinal Chemistry 1-30 November 2019

sponsors: MDPI

