

# Aerobic C-H olefination of indoles via a cross-dehydrogenative coupling in continuous flow

Citation for published version (APA):
Gemoets, H. P. L., Hessel, V., & Noel, T. (2014). Aerobic C-H olefination of indoles via a cross-dehydrogenative coupling in continuous flow. Organic Letters, 16(21), 5800-5803. https://doi.org/10.1021/ol502910e

DOI:

10.1021/ol502910e

Document status and date:

Published: 01/01/2014

Document Version:

Publisher's PDF, also known as Version of Record (includes final page, issue and volume numbers)

#### Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

Link to publication

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- · Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
  You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Download date: 17. Nov. 2023



# Aerobic C-H Olefination of Indoles via a Cross-Dehydrogenative **Coupling in Continuous Flow**

Hannes P. L. Gemoets, Volker Hessel, and Timothy Noël\*

Department of Chemical Engineering and Chemistry, Micro Flow Chemistry & Process Technology, Eindhoven University of Technology, Den Dolech 2, 5612 AZ Eindhoven, The Netherlands

Supporting Information

ABSTRACT: Herein, we report the first site-selective, Pd(II)-catalyzed, cross-dehydrogenative Heck reaction of indoles in micro flow. By use of a capillary microreactor, we were able to boost the intrinsic kinetics to accelerate former hour-scale reaction conditions in batch to the minute range in flow. The synergistic use of microreactor technology and oxygen, as both terminal oxidant and mixing motif, highlights the sustainable aspect of this process.

3-Vinylindole motifs play a prominent role in active pharmaceutical ingredients (API) as they impart interesting biological properties, such as anticarcinogenic, antiviral, antibacterial, and antidepressant activities (Figure 1).<sup>1-8</sup> Consequently, reliable methods to prepare such compounds are of great importance. One appealing approach to prepare vinylindoles is via a cross-dehydrogenative Heck coupling. 9,10 Cross-dehydrogenative coupling (CDC) reactions allow the connection of two different C-H bonds under oxidative conditions. In contrast to traditional cross-coupling, 11 CDC bypasses the need for prefunctionalized coupling partners and produces, in theory, only water as a byproduct. Despite these apparent advantages, challenges still remain with regard to reactivity, selectivity, practicality, and scope. 12-15

Figure 1. Examples of 3-vinylindole compounds displaying interesting biological activities.3,5

In 1967, Moritani and Fujiwara were the first to report a crossdehydrogenative Heck reaction.<sup>16</sup> Their pioneering studies involved the coupling between olefins and benzene in the presence of stoichiometric amounts of PdCl<sub>2</sub>. In 1999, Fujiwara described a highly efficient dehydrogenative Heck reaction of heterocycles, including (NH)-indole substrates, with olefins using catalytic amounts of Pd(OAc)<sub>2</sub> and tBuOOH as a terminal

oxidant.<sup>17</sup> Inspired by the work of Fujiwara, several other research groups continued developing selective C-3 crossdehydrogenative Heck reactions for (NH)-indoles, utilizing a variety of oxidants. <sup>18–22</sup> In 2012, Wang reported the use of gaseous oxygen as a sole terminal oxidant for this transformation.<sup>20</sup> Despite being the cleanest and cheapest oxidant, the use of oxygen in combination with flammable solvents raises significant safety concerns, especially on a larger scale. In addition, direct oxidation of Pd(0) by molecular oxygen is kinetically unfavored, allowing for the reduced palladium to agglomerate into inactive bulk metal. <sup>23–30</sup> With this in mind, the development of a safe and reliable CDC procedure to prepare 3vinylindoles would be an attractive goal.

Due to its small dimensions, continuous-flow microreactors have received an increasing amount of attention to carry out such hazardous and challenging reactions. <sup>31–46</sup> Moreover, high gas liquid mass-transfer coefficients are typically obtained in such devices which provides uniform oxygen concentration in the liquid phase. Gas-liquid flow regimes lead to a segmented flow which enables an intense contact between the liquid phase and gaseous reactants and induces small vortices inside each segment, allowing for fast mixing. <sup>47–53</sup> We anticipated that these features could prevent possible palladium agglomeration, ensure reoxidation of Pd(0) to Pd(II), and thus, efficiently avoid catalyst deactivation. The excellent gas-liquid mass transfer in combination with high reaction temperatures can further boost the reactivity of the catalytic system in flow. Herein, we report a minute-range protocol for the formation of 3-vinylindoles via cross-dehydrogenative Heck reaction in continuous flow using oxygen both as green oxidant and mixing motif.

Received: October 2, 2014 Published: October 24, 2014 Organic Letters Letter

Table 1. Optimization of Reaction Conditions in Batch  $^{a,54}$ 


entry	additive (equiv)	temp (°C)	reaction time (h)	conversion $^b$ (%)
1		70	1	trace
2	TFA (8)	70	1	43
3	PivOH (8)	70	1	30
4	<i>p</i> -TsOH (8)	70	1	14
5	PhCOOH (8)	70	1	trace
6		60	14	11
7	TFA (1)	60	14	>95
8	TFA (2)	60	14	>95
9	TFA (4)	60	14	78
10	TFA (8)	60	14	69
$11^c$	TFA (8)	60	14	NR
$12^d$	TFA (8)	60	14	trace
$13^e$	TFA (8)	60	14	21
_		,		

"Reaction conditions: **1a** (0.5 mmol), **2j** (1.0 mmol, 2 equiv), Pd(OAc)<sub>2</sub> (0.05 mmol, 10 mol %), internal standard (0.05 mmol), and additive in DMSO (2.5 mL), O<sub>2</sub> balloon, specified temperature. A mixture of **3k** and **3l** was obtained. <sup>b</sup>Conversion of indole was determined with GC–FID and decafluorobiphenyl as the internal standard. <sup>c</sup>No Pd(OAc)<sub>2</sub>. <sup>d</sup>Pd(OAc)<sub>2</sub> (0.005 mmol, 1 mol %). <sup>e</sup>Pd(OAc)<sub>2</sub> (0.025 mmol, 5 mol %). NR = no reaction.

We commenced our investigations by performing an initial screening of some reaction parameters in batch (Table 1). (NH)indole (1a) was reacted with cyclohexene (2j) in the presence of 10 mol % of Pd(OAc)<sub>2</sub> as a catalyst and O<sub>2</sub> as sole oxidant in DMSO. From the literature, DMSO was found to be strongly coordinating, overriding any effect that acids may have on selectivity (e.g., migration to the C-2 carbon). 18,20 As a result, the reaction is characterized by excellent C-3 regioselectivity and E stereoselectivity. In addition, the use of such polar solvents is advantageous since they allow effective dissolution of organic products, efficiently avoiding microreactor clogging. At first, different organic acids, such as trifluoroacetic acid (TFA), pivalic acid (PivOH), benzoic acid (PhCOOH), and p-toluenesulfonic acid (p-TsOH), were tested as possible ligands to activate the Pd(II) complex (Table 1, entries 1–5). TFA was found to be the most suitable ligand (Table 1, entry 2). Next, the amount of TFA was investigated (Table 1, entries 6-10), demonstrating that 1 equiv of TFA was optimal (Table 1, entry 7). It was found that lowering the catalyst loading resulted in sluggish reaction conditions and incomplete conversion (Table 1, entries 11–13).

With optimized batch conditions in hand, a continuous-flow microreactor setup was assembled as described in Figure 2 (see the Supporting Information for a detailed description).

Initially, we investigated the temperature dependence in flow while keeping the residence/reaction time constant at 10 min (Table 2, entries 1–7). Microreactor technology offers the opportunity to accelerate reactions substantially at elevated temperatures without compromising safety aspects. <sup>32,55,56</sup> Moreover, by keeping the exposure time of the reaction mixture in the heated zone limited to what is kinetically required, extensive product degradation can be avoided. We found that increasing the temperature had a positive impact on the conversion, with 110 °C being the optimal temperature (Table 2, entry 4). A further increase of the temperature gave lower conversion,



**Figure 2.** Schematic representation of micro flow setup. MFC = mass flow controller.

Table 2. Optimization of Reaction Conditions in Continuous  ${\sf Flow}^a$ 

entry	olefin	temp (°C)	$conversion^b\left(\%\right)$
1	cyclohexene	70	18
2	cyclohexene	90	41
3	cyclohexene	100	57
4	cyclohexene	110	67, 43 <sup>g</sup>
5	cyclohexene	120	67
6	cyclohexene	130	59
7	cyclohexene	150	clogging
8 <sup>c</sup>	tert-butyl acrylate	110	clogging
$9^d$	tert-butyl acrylate	110	73
$10^{d,e}$	tert-butyl acrylate	110	90
$11^d$	2,2,2-trifluoroethyl acrylate	110	79
$12^{d_{y}f}$	2,2,2-trifluoroethyl acrylate	110	100, 82, <sup>g</sup> 82 <sup>h</sup>


<sup>a</sup>Reaction conditions: 1a (4.0 mmol), Pd(OAc)<sub>2</sub> (0.4 mmol, 10 mol %), internal standard (0.4 mmol), and TFA (32.0 mmol, 8 equiv) in DMSO (10 mL) loaded in a 10 mL syringe. 2 (8.0 mmol, 2 equiv) in DMSO (10 mL) loaded in a 10 mL syringe. 2 mL microreactor, FEP tubing 750 μm inner diameter,  $t_r$  (residence time) = 10 min, 5:1 gas/liquid flow ratio provided a Taylor flow regime. <sup>b</sup>Conversion of indole was determined with GC–FID and decafluorobiphenyl as the internal standard. <sup>c</sup>TFA (4.0 mmol, 1 equiv). <sup>d</sup>TFA (8.0 mmol, 2 equiv). <sup>e</sup> $t_r$  = 20 min. <sup>f</sup>4 mL microreactor, FEP tubing 750 μm inner diameter,  $t_r$  = 10 min, Taylor flow regime. <sup>g</sup>Isolated yield. <sup>h19</sup>F NMR yield with decafluorobiphenyl as the internal standard.

presumably due to catalyst decomposition (Table 2, entries 5–7). Indeed, we observed microreactor clogging at 150 °C due to excessive Pd(0) precipitation inside the microchannels (Table 2, entry 7). Next, we investigated two more activated olefins (*tert*-butyl acrylate and 2,2,2-trifluoroethyl acrylate) (Table 2, entries 9 and 11). To avoid catalyst degradation and thus microreactor clogging, we found that 2 equiv of TFA was mandatory (Table 2, entries 8–9). To achieve complete conversion, the residence time was doubled and the reactor was made twice as long (Table 2, entry 10 and 12). The latter ensured that higher flow rates could be obtained, leading to a higher degree of mixing in the segmented flow regime. This has a pronounced effect on the gas—liquid mass transfer, ensuring efficient palladium reoxidation. To our delight, this provided the conditions necessary to obtain full conversion (Table 2, entry 12).

With optimized flow conditions in hand, we explored the substrate scope for our system by varying the olefin coupling partner (Table 3) and the indole moiety (Table 4). A reaction

Organic Letters Letter

Table 3. Olefin Substrate Scope for the Pd(II)-Catalyzed Cross-Dehydrogenative Heck Reaction in Flow<sup>a</sup>



entry	olefin	product	$\begin{array}{c} t_r \\ (min) \end{array}$	yield (%) <sup>b</sup>
1	O 2a	O CF <sub>3</sub>	10	82;58
2	O CF <sub>3</sub> <b>2b</b> CF <sub>3</sub>	O CF <sub>3</sub> CF <sub>3</sub>	20	75
3	OtBu 2c	OtBu 3c	15	72
4	OEt 2d	OEt 3d	10	92
5	OnBu 2e	OnBu 3e	10	83
$6^d$	OMe 2f	F OMe	10	67
7	O 2g N Me Me	HN 3g Me	20	70
8	O 2h	O C <sub>5</sub> H <sub>11</sub>	15	49
9	<b>2</b> i	HN 3i	20	27
10	2j	HN 3j	20	43 <sup>e</sup>

"Reaction conditions: 1a (4.0 mmol),  $Pd(OAc)_2$  (0.4 mmol, 10 mol %), internal standard (0.4 mmol), and TFA (8.0 mmol, 2 equiv) in DMSO (10 mL) loaded in a 10 mL syringe. 2 (8.0 mmol, 2 equiv) in DMSO (10 mL) loaded in a 10 mL syringe. 4 mL microreactor, FEP tubing 750  $\mu$ m inner diameter, 5:1 gas/liquid flow ratio provided a Taylor flow regime. Conversion monitored with TLC and/or GC–MS. <sup>b</sup>Isolated yield. <sup>c</sup>Yield after 4 h batch reaction in similar conditions. <sup>d</sup>6-fluoroindole (1b) as substrate. <sup>e</sup>Isolated yield after hydrogenation.

between (NH)-indole and 2,2,2-trifluoroethyl acrylate (2a) resulted in a good isolated yield (82%) in only 10 min reaction time (Table 3, entry 1). Remarkably, a control experiment in batch showed that a 4 h reaction time was required to achieve full conversion. In addition, a drop in selectivity was observed due to prolonged exposure in the heated zone leading to a lower isolated yield of 58% (Table 3, entry 1). It is generally known that free (NH)-indoles are prone to decomposition when exposed to higher temperatures (>60 °C).20 Next, a variety of electrondeficient olefins (acrylates, fluorinated acrylates, N,N-dimethylacrylamide, and 1-octen-3-one) and nonactivated olefins (styrene and cyclohexene) could be successfully coupled with free (NH)-indole in moderate to excellent yields (27-92%) within a 10-20 min residence time (Table 3, entries 2-10). C-3 olefination occurs smoothly for activated acrylates: (NH)-indole (1a) reacted with 2a-e to form 3a-e products in high yield

Table 4. Indole Substrate Scope for the Pd(II)-Catalyzed Cross-Dehydrogenative Heck Reaction in Flow<sup>a</sup>

entry	indole	product	$\begin{array}{c} t_r \\ (min) \end{array}$	yield (%) <sup>b</sup>
1	Me N 1c	OEt 4a	10	84
2	Me N 1d Me	4b OEt	20	52°
3	MeO H 1e	MeO OEt	20	66
4	$O_2N$ H 1f	O <sub>2</sub> N O OEt	20	78
5	H 1g Me	O OEt	20	62°

"Reaction conditions: 1c-g (4.0 mmol),  $Pd(OAc)_2$  (0.4 mmol, 10 mol %), internal standard (0.4 mmol), and TFA (8.0 mmol, 2 equiv) in DMSO (10 mL) loaded in a 10 mL syringe. 2d (8.0 mmol, 2 equiv) in DMSO (10 mL) loaded in a 10 mL syringe. 4 mL microreactor, FEP tubing 750  $\mu$ m inner diameter, 5:1 gas/liquid flow ratio provided a Taylor flow regime. Conversion monitored with TLC and/or GC–MS. <sup>b</sup>Isolated yield. <sup>c</sup>No full conversion was observed.

(72–92%). The reaction of 6-fluoroindole (1b) with methyl acrylate (2f) produced methyl (*E*)-3-(6-fluoro-1*H*-indol-3-yl)acrylate (3f), a potential anticancer agent, with a good yield of 67%. 1-Octen-3-one (2h) showed a lower reactivity (49%) toward C-3 olefination of indole, as compared to acrylates. Interestingly, within 20 min residence time, nonactivated olefins, such as styrene (2i) and cyclohexene (2j), gave the desired compounds (3i and 3j), albeit in more moderate yield (27–43%).

Variation of the indole substrate was performed with ethyl acrylate as a benchmark coupling partner. The reaction proceeded smoothly with either electron-withdrawing (NO<sub>2</sub> and F) or electron-donating (MeO) substituents, producing, respectively, the 3-vinylindoles  $\bf 3f, 4c$ , and  $\bf 4d$  in good yields (66–78%). Methyl substituents on the C-2 position were well tolerated (52–62%) (Table 4, entries 2 and 5). The use of N-methylindole (1c) as substrate only resulted in a small drop in yield (84%).

In summary, we have developed a fast and straightforward continuous-flow protocol for the dehydrogenative C-3 olefination of indoles using molecular oxygen as the sole oxidant. Because of the enhanced mass- and heat-transfer characteristics and the high degree of control provided by microflow processing, we were able to accelerate the intrinsic kinetics of the cross-dehydrogenative Heck coupling. Furthermore, the high surface-to-volume ratio of the oxygen phase with the liquid phase prevents catalyst degradation. Our protocol is effective to prepare a wide variety of 3-vinylindoles in good to excellent yields (27–92%) within residence times of 10–20 min. Notably, we were

Organic Letters Letter

able to prepare methyl (E)-3-(6-fluoro-1H-indol-3-yl)acrylate (3f), a potential anticancer agent.

#### ASSOCIATED CONTENT

### **S** Supporting Information

Details on the continuous-flow microreactor setup, experimental procedures, characterization of the compounds, and spectral data. This material is available free of charge via the Internet at http://pubs.acs.org.

#### AUTHOR INFORMATION

## **Corresponding Author**

\*E-mail: t.noel@tue.nl.

#### Notes

The authors declare no competing financial interest.

#### ACKNOWLEDGMENTS

Financial support is provided by the Dutch Science Foundation (NWO) via an ECHO grant (Grant No. 713.013.001) and a VENI grant for T.N. (Grant No. 12464). We also acknowledge the European Union for a Marie Curie CIG grant for T.N. (Grant No. 333659) and an ERC Advanced Grant for V.H. (Grant No. 267443).

## **■** REFERENCES

- (1) Moineaux, L.; Laurent, S.; Reniers, J.; Dolušić, E.; Galleni, M.; Frère, J.-M.; Masereel, B.; Frédérick, R.; Wouters, J. Eur. J. Med. Chem. **2012**, *54*, 95–102.
- (2) Robinson, M. W.; Overmeyer, J. H.; Young, A. M.; Erhardt, P. W.; Maltese, W. A. J. Med. Chem. **2012**, 55, 1940–1956.
- (3) Dolusic, E.; Larrieu, P.; Moineaux, L.; Stroobant, V.; Pillote, L.; Colau, D.; Pochet, L.; Van den Eynde, B.; Masereel, B.; Wouters, J.; Frédérick, R. J. Med. Chem. 2011, 54, 5320-5334.
- (4) Pettersson, B.; Hasimbegovic, V.; Bergman, J. J. Org. Chem. 2011, 76, 1554–1561.
- (5) Steuer, C.; Gege, C.; Fischl, W.; Heinonen, K. H.; Bartenschlager, R.; Klein, C. D. Bioorg. Med. Chem. 2011, 19, 4067–4074.
- (6) Kumar, D.; Kumar, N. M.; Akamatsu, K.; Kusaka, E.; Harada, H.; Ito, T. Bioorg. Med. Chem. Lett. **2010**, 20, 3916–3919.
- (7) Venkatesan, A. M.; Dos Santos, O.; Ellingboe, J.; Evrard, D. A.; Harrison, B. L.; Smith, D. L.; Scerni, R.; Hornby, G. A.; Schechter, L. E.; Andree, T. H. Bioorg. Med. Chem. Lett. 2010, 20, 824–827.
- (8) Joseph, B.; Cornec, O.; Mérour, J. Tetrahedron 1998, 54, 7765–7776.
- (9) Le Bras, J.; Muzart, J. Chem. Rev. 2011, 111, 1170-1214.
- (10) Bandini, M.; Eichholzer, A. Angew. Chem., Int. Ed. 2009, 48, 9608–9644.
- (11) Johansson Seechurn, C. C. C.; Kitching, M. O.; Colacot, T. J.; Snieckus, V. Angew. Chem., Int. Ed. 2012, 51, 5062–5085.
- (12) Chen, X.; Engle, K. M.; Wang, D.-H.; Yu, J.-Q. Angew. Chem., Int. Ed. 2009, 48, 5094-5115.
- (13) Yeung, C. S.; Dong, V. M. Chem. Rev. 2011, 111, 1215-1292.
- (14) Girard, S. a; Knauber, T.; Li, C.-J. Angew. Chem., Int. Ed. **2014**, 53, 74–100.
- (15) Li, C.-J. Acc. Chem. Res. 2009, 42, 335-344.
- (16) Moritani, I.; Fujiwara, Y. Tetrahedron Lett. 1967, 8, 1119-1122.
- (17) Jia, C.; Lu, W.; Kitamura, T.; Fujiwara, Y. Org. Lett. 1999, 1, 2097—2100.
- (18) Grimster, N. P.; Gauntlett, C.; Godfrey, C. R. A.; Gaunt, M. J. Angew. Chem., Int. Ed. 2005, 44, 3125–3129.
- (19) Djakovitch, L.; Rouge, P. J. Mol. Catal. A: Chem. 2007, 273, 230–239.
- (20) Chen, W.-L.; Gao, Y.-R.; Mao, S.; Zhang, Y.-L.; Wang, Y.-F.; Wang, Y.-Q. Org. Lett. **2012**, *14*, 5920–5923.

- (21) Huang, Q.; Song, Q.; Cai, J.; Zhang, X.; Lin, S. Adv. Synth. Catal. **2013**, 355, 1512–1516.
- (22) Verma, A. K.; Jha, R. R.; Chaudhary, R.; Tiwari, R. K.; Danodia, A. K. Adv. Synth. Catal. 2013, 355, 421–438.
- (23) Shi, Z.; Zhang, C.; Tang, C.; Jiao, N. Chem. Soc. Rev. 2012, 41, 3381-3430.
- (24) Jin, L.; Lei, A. Sci. China Chem. 2012, 55, 2027-2035.
- (25) Steinhoff, B. A.; Stahl, S. S. J. Am. Chem. Soc. 2006, 128, 4348-4355
- (26) Stahl, S. S. Science 2005, 309, 1824-1826.
- (27) Steinhoff, B. A.; Guzei, I. A.; Stahl, S. S. J. Am. Chem. Soc. 2004, 126, 11268–11278.
- (28) Gigant, N.; Bäckvall, J.-E. Org. Lett. 2014, 16, 1664-1667.
- (29) Piera, J.; Bäckvall, J.-E. Angew. Chem., Int. Ed. 2008, 47, 3506—3523.
- (30) Stahl, S. S. Angew. Chem., Int. Ed. 2004, 43, 3400-3420.
- (31) Hartman, R. L.; McMullen, J. P.; Jensen, K. F. Angew. Chem., Int. Ed. 2011, 50, 7502-7519.
- (32) Hessel, V.; Kralisch, D.; Kockmann, N.; Noël, T.; Wang, Q. ChemSusChem 2013, 6, 746–789.
- (33) Wiles, C.; Watts, P. Green Chem. 2014, 16, 55-62.
- (34) Christakakou, M.; Schön, M.; Schnürch, M.; Mihovilovic, M. Synlett **2013**, 24, 2411–2418.
- (35) Kumar, G. S.; Pieber, B.; Reddy, K. R.; Kappe, C. O. *Chem.—Eur. J.* **2012**, *18*, 6124–6128.
- (36) Zhang, L.; Geng, M.; Teng, P.; Zhao, D.; Lu, X.; Li, J.-X. *Ultrason. Sonochem.* **2012**, *19*, 250–256.
- (37) Noël, T.; Buchwald, S. L. Chem. Soc. Rev. 2011, 40, 5010-5029.
- (38) Wegner, J.; Ceylan, S.; Kirschning, A. Chem. Commun. 2011, 47, 4583-4592.
- (39) Stouten, S. C.; Wang, Q.; Noël, T.; Hessel, V. Tetrahedron Lett. **2013**, *54*, 2194–2198.
- (40) Hessel, V.; Vural Gürsel, I.; Wang, Q.; Noël, T.; Lang, J. Chem. Eng. Technol. 2012, 35, 1184–1204.
- (41) Noël, T.; Maimone, T. J.; Buchwald, S. L. Angew. Chem., Int. Ed. **2011**, 50, 8900–8903.
- (42) Noel, T.; Musacchio, A. Org. Lett. 2011, 13, 5180-5183.
- (43) Ye, X.; Johnson, M. D.; Diao, T.; Yates, M. H.; Stahl, S. S. Green Chem. 2010, 12, 1180-1186.
- (44) Hamano, M.; Nagy, K. D.; Jensen, K. F. Chem. Commun. **2012**, 48, 2086–2088.
- (45) Jähnisch, K.; Hessel, V.; Löwe, H.; Baerns, M. Angew. Chem., Int. Ed. **2004**, *43*, 406–446.
- (46) Zotova, N.; Hellgardt, K.; Kelsall, G. H.; Jessiman, A. S.; Hii, K. K. *Green Chem.* **2010**, *12*, 2157–2163.
- (47) Hessel, V.; Angeli, P.; Gavriilidis, A.; Löwe, H. *Ind. Eng. Chem. Res.* **2005**, *44*, 9750–9769.
- (48) Jähnisch, K.; Baerns, M.; Hessel, V. J. Fluorine Chem. 2000, 105, 117–128.
- (49) Sobieszuk, P.; Aubin, J.; Pohorecki, R. Chem. Eng. Technol. 2012, 35, 1346–1358.
- (50) Su, Y.; Chen, G.; Yuan, Q. AIChE J. 2012, 58, 1660-1670.
- (51) Taha, T.; Cui, Z. F. Chem. Eng. Sci. 2004, 59, 1181-1190.
- (52) Tanthapanichakoon, W.; Aoki, N.; Matsuyama, K.; Mae, K. Chem. Eng. Sci. 2006, 61, 4220–4232.
- (53) Noël, T.; Hessel, V. ChemSusChem 2013, 6, 405-407.
- (54) Product 3j was prepared in a batch with a yield of 70% during a 14 h reaction time; see ref 20.
- (55) Glasnov, T. N.; Kappe, C. O. Chem.—Eur. J. 2011, 17, 11956–11968.
- (56) Razzaq, T.; Kappe, C. O. Chem.—Asian J. 2010, 5, 1274-1289.
- (57) Clogging can be overcome by applying ultrasound; see: (a) Noël, T.; Naber, J. R.; Hartman, R. L.; McMullen, J. P.; Jensen, K. F.; Buchwald, S. L. *Chem. Sci.* 2011, 2, 287–290. (b) Kuhn, S.; Noël, T.; Gu, L.; Heider, P. L.; Jensen, K. F. *Lab Chip* 2011, 11, 2488–2492. (c) Hartman, R. L. *Org. Process Res. Dev.* 2012, 16, 870–887. (d) Wu, K.; Kuhn, S. *Chim. Oggi* 2014, 32, 62–66.