

# Southern Illinois University Carbondale OpenSIUC

**Conference** Proceedings

Department of Electrical and Computer Engineering

5-1990

## Plane Wave Scattering from Infinite Microstrip Arrays on Ferrite Substrates

Frances J. Harackiewicz Southern Illinois University Carbondale, fran@engr.siu.edu

Follow this and additional works at: http://opensiuc.lib.siu.edu/ece\_confs

Published in Harackiewicz, F.J. (1990). Plane wave scattering from infinite microstrip arrays on ferrite substrates. *Antennas and Propagation Society International Symposium, 1990. AP-S. 'Merging Technologies for the 90's', vol. 1,* 417 - 420. doi: 10.1109/APS.1990.115135 ©1990 IEEE. Personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution to servers or lists, or to reuse any copyrighted component of this work in other works must be obtained from the IEEE. This material is presented to ensure timely dissemination of scholarly and technical work. Copyright and all rights therein are retained by authors or by other copyright holders. All persons copying this information are expected to adhere to the terms and constraints invoked by each author's copyright. In most cases, these works may not be reposted without the explicit permission of the copyright holder.

#### **Recommended** Citation

Harackiewicz, Frances J., "Plane Wave Scattering from Infinite Microstrip Arrays on Ferrite Substrates" (1990). *Conference Proceedings*. Paper 16. http://opensiuc.lib.siu.edu/ece\_confs/16

This Article is brought to you for free and open access by the Department of Electrical and Computer Engineering at OpenSIUC. It has been accepted for inclusion in Conference Proceedings by an authorized administrator of OpenSIUC. For more information, please contact opensiuc@lib.siu.edu.

#### PLANE WAVE SCATTERING FROM INFINITE MICROSTRIP ARRAYS ON FERRITE SUBSTRATES

#### Frances J. Harackiewicz

#### Department of Electrical Engineering Southern Illinois University Carbondale, IL 62901

#### INTRODUCTION

A full-wave analysis of plane-wave scattering from an infinite, periodic array of microstrip patches on a ferrite slab under different bias conditions is presented. The magnetic bias field is applied in a direction parallel to the slab. Similarly to what was found for a single patch on a ferrite slab biased in a direction perpendicular to the slab [1], the scattering coefficient which is directly related to the monostatic coefficient which is directly related to the monostatic radar cross section is seen to move around in frequency as the bias field strength changes. This effect indicates that microstrip antennas could be made "invisible" or hide in frequency when not in transmitting or receiving mode. The bias field could be applied when the antenna is not transmitting but is wished to be hidden.

Figure 1 shows the geometry of the array and substrate. The given inputs to the analysis are the substrate parameters including the bias field strength, the array grid geometry, the patch dimensions, and the incident angle. The substrate's permeability is given by the tensor:

$$\begin{array}{c|c} - \\ \bar{\mu} = \\ \\ \mu \end{array} \begin{vmatrix} \mu & 0 & -j\kappa \\ 0 & 1 & 0 \\ j\kappa & 0 & \mu \\ \end{vmatrix} \quad \mu_{0}$$

where

 $\mu = (1 + \bar{\omega}_{0}\omega_{m}/(\bar{\omega}_{0}^{2} - \omega^{2})), \quad \kappa = \omega\omega_{m}/(\bar{\omega}_{0}^{2} - \omega^{2})$ and  $ω = 2πf, ω_m = γ4πM_s, ω_o = γH_o, \overline{ω}_o = ω_o + j/T,$ and

 $T=2/(\psi\Omega H)$ and  $\gamma$  is the gyromagnetic ratio, and T is the relaxation time, and  $\Delta H$  is the 3dB line width. Note that the imaginary parts of the off-diagonal elements do not correspond to loss in the medium. Notice that

90CH2776-3/0000-0417 S1.00 @1990 IEEE

417

the tensor elements vary with bias field strength  $\rm H_{_{O}}$  and with frequency f.

#### THEORY

The analysis is based on the spectral domain Green's function Galerkin method [2] and [3] for arrays printed on isotropic and biaxial slabs. The theory of [2] and [3] has been extended using the spectral-domain dyadic Green's function as derived in [4]. This Green's function has been extended to the case of an infinite, phased array of sources so that only one unit cell need be considered. In this unit cell, the patch surface currents are expanded in entire-domain trigonometric basis functions. The given exitation is a unit amplitude plane wave that is incident and reflected from the grounded ferrite slab when no patches are present. A Galerkin method is used to solve the boundary condition

### $E_{tan}^{inc} = - E_{tan}^{scat}$

on the patches for the induced currents on the patch in a unit cell. Then the scattering coefficients  $S_{\theta\theta}$ ,  $S_{\theta}$ , and  $S_{\theta}$  are found. These scattering coefficients can range in amplitude from 0 to 2 and are directly related to the monostatic return from a finite array.

Surface wave effects are accounted for with the Green's function Galerkin method. Also the method can be extended to include other patch shapes, finite arrays, or single patches.

#### RESULTS

Figures 2 and 3 show the magnitudes of  $S_{0,0}$  and  $S_{0,0}$ in dB versus frequency for a near normal incident plane wave and for three different bias conditions [5]. In the first case, the incident field does not couple strongly with the ferrite magnetic moments, and the response does not change much with bias field. In the second case, the incident field is polarized as to couple with the ferrite magnetic moments and the response does change with the y-directed bias field. In the second case, notice that the resonant peaks shift with bias field. Also, in the second case, the section from first peak to first deep null in the magnetized cases corresponds to the frequency range where a magnetostatic surface wave may exist.

These results indicate some promise for the use of controlled-biased ferrites as substrates for stealth antennas.

418

#### REFERENCES

[1] David M. Pozar. "Radar Cross Section of a Microstrip Antenna on a Normally Biased Ferrite Substrate," <u>Electronics</u> <u>Letters</u>. June 1989.

[2] David M. Pozar and Daniel H. Schaubert. "Analysis of an Infinite Array of Rectangular Microstrip Patches with Idealized Probe Feeds," IEEE Trans. on Antennas and Propagation. Vol. AP-32, No. 10, pp. 1101-1107, October 1984.

[3] Frances J. Harackiewicz and David M. Pozar. "Radiation and Scattering by Infinite Microstrip Patch Arrays on Anisotropic Substrates," <u>1988</u> <u>IEEE AP-S</u> <u>International</u> <u>Symposium</u> <u>Digest</u>. June 1988.

[4] El-Badawy El-Sharawy. Full <u>Wave Analysis of Printed</u> <u>Lines on Magnetic Substrates</u>. A Ph.D. dissertation, <u>University of Massachusetts</u>, September 1989.

[5] Frances J. Harackiewicz. <u>Electromagnetic</u> <u>Radiation</u> and <u>Scattering from Microstrip Antennas on Anisotropic</u> <u>Substrates</u>. A Ph.D. dissertation, University of <u>Massachusetts</u>, February 1990.

The author acknowledges El-Badawy El-Sharawy, David M. Pozar, and others at the University of Massachusetts for their comments in the early stages of this work.





419



Figure 2 Magnitude of  $S_{\theta\theta}$  versus frequency (GHz) for  $H_o = M_s \approx 0$  (unmagnetized) and  $H_o = 0.5$ , 1.0 (KOe) with  $M_s = 0.137$  (KOe).



Figure 3 Magnitude of  $S_{\phi\phi}$  versus frequency (GHz) for three different ferrite blas conditions.