

Hybrid Reliability Analysis of Structures With Multi-source Uncertainties

Lei Wang^a , Xiaojun Wang^{a,b†} , Yong Xia^b

^a *Institute of Solid Mechanics, Beihang University, Beijing 100191, China*

^b *Department of Civil and Environmental Engineering, The Hong Kong Polytechnic University, Hung Hom, Hong Kong, China*

ABSTRACT

A new hybrid reliability analysis technique based on the convex modeling theory is developed for structures with multi-source uncertainties, which may contain randomness, fuzziness, and non-probabilistic boundedness. By solving the convex modeling reliability problem and further analyzing the correlation within uncertainties, the structural hybrid reliability is obtained. Considering various cases of uncertainties of the structure, four hybrid models including the convex with random, convex with fuzzy random, convex with interval, as well as convex with other three are built respectively. The present hybrid models are compared with the conventional probabilistic and the non-probabilistic models through two typical numerical examples. The results demonstrate the accuracy and effectiveness of the proposed hybrid reliability analysis method.

Keywords: Uncertainty; hybrid reliability analysis; convex modeling theory; probability; fuzzy; interval analysis

1 Introduction

With the growing complexity of practical engineering problems, the uncertainty relating to material properties, loads, boundary conditions, etc. has become more and more profound^[1-5]. Traditional analytic approaches derived from probability models and fuzzy models have been widely applied to varieties of industrial communities in past decades^[6-10]. Traditional structural reliability analyses require precise probability distributions or membership functions of the uncertain parameters based on a great amount of experimental

[†] Corresponding author, Associate Professor, e-mail: xjwang@buaa.edu.cn, Tel: +86-10-82313658

samples. However, in many engineering applications, the experimental data is often limited and thus the requirement of the available data to justify either the probabilistic reliability model or the fuzzy reliability model is not satisfied. The given subjective assumptions on description of the uncertainty characteristics is likely to bring about a serious error of the reliability analysis^[11-14].

Some non-probabilistic methods for analyzing reliability via limited parametric data have been developed and been paid more and more attention during the past two decades. Ben-Haim^[15] first proposed the concept of structural non-probabilistic safety based on the convex model. Elishakoff^[16] first proposed a quantitative measure of the non-probabilistic safety based on interval analysis. Guo et al.^[17-19] extended the traditional first order reliability method (FORM) into the interval convex model, and whereby quantified the uncertain structural parameters as interval variables and proposed another measure of the ‘non-probabilistic reliability’, which was taken as the shortest distance from the origin to the failure surface. Qiu et al.^[14, 20-21] suggested a non-probabilistic model of convex reliability using the partial order relation of the superscribed hyper-rectangle or hyper-ellipsoid. Jiang et al.^[22-23] carried out a correlation analysis for the non-probabilistic convex models, and further developed an effective method of construction of the multidimensional ellipsoids on the uncertainty in order to overcome the drawback of the non-probabilistic convex reliability in complex structural engineering. Several reliability-based optimization design methods were also developed by treating the non-probabilistic reliability indexes as constraints^[24-26].

However, most of the existing reliability analyses generally employ the single-source uncertainty models, which consider randomness, fuzziness, or non-probabilistic (interval/convex) uncertainty separately rather than their combination. In view of the complexity in practical applications, there is considerable interest in developing efficient methods for dealing with problems comprising of mixed uncertain variables^[27].

In recent years, researchers have studied the hybrid reliability analysis structures. When the probabilistic and interval variables appear in the same problem, numerical methods have been proposed. These include the function approximation technique^[28], the iterative rescaling method^[29], the probability bounds approach^[30], the mixed perturbation Monte-Carlo method^[31], and the complex nesting optimization algorithm^[32], among others^[6, 33-37]. Randomness

and fuzziness/convexity have also been combined for hybrid reliability analysis ^[8, 38-39].

Nevertheless, the hybrid reliability analysis is still in its preliminary stage, and some important issues still remain unsolved. One difficulty is the construction and solution of the mixed models containing multiple types of uncertainties, such as randomness, fuzziness, and non-probabilistic uncertainty. Moreover, the interval variables and the convex variables have been rarely investigated simultaneously. Therefore, it is necessary to develop effective hybrid reliability analytical techniques and propose a series of safety assessment of the practical complicated structures based on multi-source uncertainties.

This paper aims to develop a new reliability analysis method for uncertain structures with the mixture of randomness, fuzziness, and non-probabilistic uncertainty. The remainder of this paper is organized as follows. First, the traditional reliability analysis deduced by single-source uncertainty is introduced. Second, four hybrid reliability analysis models including the convex with random, convex with fuzzy random, convex with interval, and convex with other three are proposed respectively. Two numerical examples are then provided to demonstrate the effectiveness of the present method, followed by some conclusions.

2 Probabilistic reliability and fuzzy random reliability

2.1 Structural probabilistic-based reliability model

Traditional probabilistic reliability can typically be measured by the probability of structural functions that satisfy certain requirements. The structural function is expressed by the limit state function, which is determined by the failure criteria. Consider a limit state function of the structure in the following form:

$$M = g(\mathbf{X}) = g(X_1, X_2, \dots, X_n) \quad (1)$$

where $\mathbf{X} = (X_1, X_2, \dots, X_n)^T$ is the n -dimensional random variable vector. $M = g(\mathbf{X}) = 0$ represents the failure surface, which divides the variable space into two parts, namely, the failure region and the safety region. Hence, the reliability of the structure can be expressed as

$$R_s = 1 - P_f = 1 - \int_{\Omega_f} \cdots \int f_X(x_1, x_2, \dots, x_n) dx_1 dx_2 \cdots dx_n \quad (2)$$

where P_f is the failure probability, Ω_f is the failure region, and $f_X(x_1, x_2, \dots, x_n)$ is the

joint probability density function of the basic random variables X_1, X_2, \dots, X_n . The random reliability index β is defined as the minimum distance between the origin and the failure surface of the standard normal variable space, i.e.

$$\beta = \min \left\{ \|\mathbf{u}\|_2 \right\} = \min \left\{ \sum_{i=1}^n u_i^2 \right\} \quad (3)$$

where $\mathbf{u} = (u_1, u_2, \dots, u_n)^T \in (-\infty, \infty)$ are standard normal variables. Consider a linear performance function

$$M = g(\mathbf{X}) = a_0 + a_1 X_1 + a_2 X_2 + \dots + a_n X_n \quad (4)$$

where a_i ($i=1, 2, \dots, n$) are constants. The reliability index β can be obtained by

$$\beta = \frac{\mu_M}{\sigma_M} = \frac{a_0 + \sum_{i=1}^n a_i \mu_{X_i}}{\sqrt{\sum_{i=1}^n a_i^2 \sigma_{X_i}^2}} \quad (5)$$

where μ and σ represent the mean value and the standard deviation, respectively. Consequently, the structural reliability based on probabilistic model can be rewritten as follows:

$$R_s = 1 - \Phi(-\beta) \quad (6)$$

where $\Phi(\cdot)$ is the standard normal distribution function.

If the normal random variables are correlated each other, their correlation coefficients are necessary to derive the reliability. For problems with non-Gaussian random variables, some techniques, such as Rosenblatt's transformation^[40] and Rackwitz–Fiessler transformation^[41], can be adopted to transform the distribution into approximately equivalent normal distribution. Subsequently, FORM^[42] can be implemented for solving the multi-fold integration in Eq. (2).

2.2 Structural fuzzy random reliability model

Fuzziness is usually involved in the basic random variables. For instance, structural stress is determined by various factors, such as external loads, geometry size, supporting conditions and so on. The fuzziness of the stress is entirely determined by the fuzziness of these factors. Similar to Eq. (1), the fuzzy failure surface can be written as

$$M = g(\tilde{\mathbf{X}}) = g(\tilde{X}_1, \tilde{X}_2, \dots, \tilde{X}_n) = 0 \quad (7)$$

where $\tilde{\mathbf{X}}$ denotes the n -dimensional fuzzy random vector. Let $\mu_{\tilde{\mathbf{X}}}(\mathbf{X})$ be the membership function of $\tilde{\mathbf{X}}$, the failure probability of the fuzzy random structure is expressed as ^[43]

$$P_f = E[\mu_{\tilde{\mathbf{X}}}(\mathbf{X})] = \int \int_{\Omega_f} \dots \int \mu_{\tilde{\mathbf{X}}}(x_1, x_2, \dots, x_n) f_X(x_1, x_2, \dots, x_n) dx_1 dx_2 \dots dx_n \quad (8)$$

where $E[\cdot]$ is the mathematical expectation. The fuzzy random reliability can be obtained as

$$R_s = 1 - P_f.$$

3 Structural safety estimation based on non-probabilistic set theory

The above two methods based on probability approach and fuzzy theory need to have sufficient information to determine the probability distributions and the membership functions, respectively. However, experimental data is often limited, which causes the requirement of the available data to justify the probabilistic reliability model or the fuzzy reliability model may not be satisfied. Under the circumstance, the convex method based on non-probabilistic set theory is attracting more attention. Two typical models for structural safety measure are described in this section.

3.1 Reliability analysis based on interval model

Assuming that $\mathbf{Y} = (Y_1, Y_2, \dots, Y_n)^T$ represents the basic interval variable vector. Y_i can be expressed as

$$Y_i \in Y_i^I = [\underline{Y}_i, \bar{Y}_i] \quad i = 1, 2, \dots, n \quad (9)$$

where \underline{Y}_i and \bar{Y}_i represent the lower and upper bounds of Y_i , respectively.

Similar to the probabilistic model, the limit state function of the uncertain structure is given by

$$M = g(\mathbf{Y}) = g(Y_1, Y_2, \dots, Y_n) = 0 \quad (10)$$

In Eq. (10), the hyper-rectangular domain enclosed by the interval variables Y_i is divided into the failure region ($M < 0$) and the safety region ($M > 0$). The measure of the structural failure can be defined as the ratio of the hyper-volume of the failure region to the

whole region, which is

$$P_f = \eta(M < 0) = \eta(g(Y_1, Y_2, \dots, Y_n) < 0) = \frac{V_{failure}}{V_{total}} \quad (11)$$

where η represents the possibility. Consequently, the non-probabilistic measure of structural safety is

$$R_s = 1 - P_f = \eta(M > 0) = \eta(g(Y_1, Y_2, \dots, Y_n) > 0) = \frac{V_{safety}}{V_{total}} \quad (12)$$

As an example, Fig. 1 illustrates the case of two-dimensional interval reliability model, in which the structural safety is defined when $Y_1 > Y_2$.

3.2 Reliability analysis based on convex model

Supposing a n -dimensional uncertain variable vector $\mathbf{Z} = (Z_1, Z_2, \dots, Z_n)^T$. The boundary of each variable is determined by the following hyper-ellipsoid:

$$\begin{aligned} \mathbf{Z} \in \Omega &= \left\{ \mathbf{Z} : (\mathbf{Z} - \mathbf{Z}^c)^T \mathbf{W} (\mathbf{Z} - \mathbf{Z}^c) \leq 1 \right\} \\ \square \quad &\rightarrow \left(\frac{Z_1 - Z_1^c}{Z_1^r}, \dots, \frac{Z_n - Z_n^c}{Z_n^r} \right)^T \left(\frac{Z_1 - Z_1^c}{Z_1^r}, \dots, \frac{Z_n - Z_n^c}{Z_n^r} \right) \leq 1 \end{aligned} \quad (13)$$

where Ω is the hyper-ellipsoid convex set, \mathbf{W} is a characteristic matrix, $\mathbf{Z}^c = (Z_1^c, Z_2^c, \dots, Z_n^c)$ and $\mathbf{Z}^r = (Z_1^r, Z_2^r, \dots, Z_n^r)$ respectively denote the median value and the radius of \mathbf{Z} . By normalizing the variables Z_i , Eq. (13) can be rewritten as

$$\mathbf{V} \in \Omega_{standard} = \left\{ \mathbf{V} : \mathbf{V}^T \mathbf{V} \leq 1 \right\} \rightarrow V_1^2 + V_2^2 + \dots + V_n^2 \leq 1 \quad (14)$$

where $\mathbf{V} = (V_1, V_2, \dots, V_n)^T$ and $V_i = \frac{Z_i - Z_i^c}{Z_i^r}$. Thus, the uncertain variables are redefined into

a unit hyper-sphere. Relating with the limit state function $M = g(\mathbf{V}) = g(V_1, V_2, \dots, V_n) = 0$, the failure/safety measure of structure are given mathematically as

$$P_f = \eta(g(V_1, V_2, \dots, V_n) < 0) \quad \text{and} \quad R_s = 1 - P_f = \eta(g(V_1, V_2, \dots, V_n) > 0) \quad (15)$$

Similarly, for a bi-variable problem with uncertain parameters Z_1 and Z_2 as shown in Fig. 2, the ellipsoidal convex model will degenerate into an ellipse and further into with

normalization, as shown in Fig. 3. Assume that the structure is safe if $Z_1 > Z_2$. In this case, the failure/safety measure of the structure can be deduced from the following expressions:

$$\begin{aligned}
 P_f &= \frac{S_{failure}}{S_{total}} = \frac{\cos^{-1} d - d\sqrt{1-d^2}}{\pi} \\
 &= \frac{1}{\pi} \left[\cos^{-1} \left(\frac{Z_1^c - Z_2^c}{\sqrt{(Z_1^r)^2 + (Z_2^r)^2}} \right) - \frac{Z_1^c - Z_2^c}{\sqrt{(Z_1^r)^2 + (Z_2^r)^2}} \sqrt{1 - \left(\frac{Z_1^c - Z_2^c}{\sqrt{(Z_1^r)^2 + (Z_2^r)^2}} \right)^2} \right] \quad (16)
 \end{aligned}$$

and

$$\begin{aligned}
 R_s &= \frac{S_{safe}}{S_{total}} = 1 - \frac{\cos^{-1} d - d\sqrt{1-d^2}}{\pi} \\
 &= 1 - \frac{1}{\pi} \left[\cos^{-1} \left(\frac{Z_1^c - Z_2^c}{\sqrt{(Z_1^r)^2 + (Z_2^r)^2}} \right) - \frac{Z_1^c - Z_2^c}{\sqrt{(Z_1^r)^2 + (Z_2^r)^2}} \sqrt{1 - \left(\frac{Z_1^c - Z_2^c}{\sqrt{(Z_1^r)^2 + (Z_2^r)^2}} \right)^2} \right] \quad (17)
 \end{aligned}$$

where d is the distance from the origin to the limit state function (shown in Fig. 3).

As above mentioned, the non-probabilistic reliability analysis based on the convex model may show superiority to some extent when available information of uncertainties is insufficient. Moreover, the convex model has some advantages over the interval model. On the one hand, the uncertain parameters enclosed by the convex model no longer satisfy the assumption of independence. On the other hand, the uncertain variables in the convex model can be explicitly expressed as continuously differentiable equations, whereas those in the interval model not.

Due to the increasing complexity of engineering structures, the study on multi-source uncertainties, especially the hybrid reliability analysis is of profound significance. In the following section, several cases of the convex model combined with different types of uncertain factors will be proposed.

4 Hybrid reliability analysis based on convex modeling theory

In this section, four typical combined models based on the convex method are proposed for estimation of the structural safety under different cases of multi-source uncertainties. These models or algorithms are alternatives to the current hybrid uncertainty analysis.

4.1 Reliability analysis of the convex and random mixed model

If both random variables and non-probabilistic convex variables are contained in the basic variables relating to the limit state function, the failure surface can be expressed as

$$M = g(\mathbf{X}, \mathbf{Z}) = g(X_1, \dots, X_m, Z_{m+1}, \dots, Z_n) = 0 \quad (18)$$

where $\mathbf{X} = (X_1, X_2, \dots, X_m)^T$ denotes the m -dimensional random variable vector and $\mathbf{Z} = (Z_{m+1}, Z_{m+2}, \dots, Z_n)^T$ is the $(n-m)$ -dimensional convex modeling variables.

Assuming that the random vector \mathbf{X} is taken as a constant one, and hence the hybrid model can be transformed into a non-probabilistic convex model. Similarly, it will be transformed into a random model when the convex vector \mathbf{Z} is confirmed. Therefore, the reliability analytical model based on single uncertainty source is generally the special case of the mixed one.

Let one implementation $\mathbf{x} = (x_1, x_2, \dots, x_m)^T$ as the initial random vector \mathbf{X} . According to the convex theory, the non-probabilistic reliability of \mathbf{x} can be derived as^[14]

$$\eta(M(\mathbf{x}, Z_{m+1}, Z_{m+2}, \dots, Z_n) > 0) = \eta(\mathbf{x}) \quad (19)$$

By virtue of the distributional density function of \mathbf{X} , the structural hybrid reliability can be defined as

$$R_s = E[\eta(\mathbf{x})] \quad (20)$$

As \mathbf{x} ultimately decides the expression of $\eta(\mathbf{x})$, the subsection solution method should be applied for realization of Eq. (20).

Considering a linear limit state function is considered as

$$M = aX + b_1Z_1 - b_2Z_2 \quad (21)$$

where X is a random variable and its probability density function is $f(x)$. Z_1 and Z_2 are convex modeling variables and are limited in the following ellipse

$$\left(\frac{Z_1 - Z_1^c}{Z_1^r}\right)^2 + \left(\frac{Z_2 - Z_2^c}{Z_2^r}\right)^2 \leq 1. \text{ It is assumed that coefficients } a, b_1 \text{ and } b_2 \text{ are all positive.}$$

Introducing normalized variables V_1 and V_2

$$V_1 = \frac{Z_1 - Z_1^c}{Z_1^r} \quad \text{and} \quad V_2 = \frac{Z_2 - Z_2^c}{Z_2^r} \quad (22)$$

the original ellipse becomes $V_1^2 + V_2^2 \leq 1$. The limit state function can then be rewritten as

$$M = aX + b_1Z_1^c - b_2Z_2^c + b_1Z_1^rV_1 - b_2Z_2^rV_2 \quad (23)$$

Different value of X will directly affect the position of the failure surface $M = 0$, and further change the interference condition between the limit state function and the feasible region of the normalized variables. $\eta(x)$ derived from the convex theory is a piecewise function of X . In view of this, four cases are shown in Fig. 4.

1) If the failure surface is located in region ①, X ranges from $-\infty$ to $\frac{b_2Z_2^c - b_1Z_1^c - \sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}{a}$. In the case, $\eta^{(1)}(x) = 0$. According to Eq. (20), the hybrid reliability is also zero, i.e., $R_s^{(1)} = 0$.

2) When $x \in \left[\frac{b_2Z_2^c - b_1Z_1^c - \sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}{a}, \frac{b_2Z_2^c - b_1Z_1^c}{a} \right]$, the failure surface is in

region ②. Utilizing Eqs.(16) and (17), $\eta^{(2)}(x)$ can be obtained by

$$\eta^{(2)}(x) = \frac{1}{\pi} \left[\cos^{-1}(d^{(2)}(x)) - d^{(2)}(x) \sqrt{1 - (d^{(2)}(x))^2} \right] \quad (24)$$

where $d^{(2)}(x) = \frac{b_2Z_2^c - b_1Z_1^c - ax}{\sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}$. The hybrid reliability is

$$R_s^{(2)} = \int_{\frac{b_2Z_2^c - b_1Z_1^c - \sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}{a}}^{\frac{b_2Z_2^c - b_1Z_1^c}{a}} \eta^{(2)}(x) f(x) dx \quad (25)$$

3) In region ③, the span of X is

$$\left[\frac{b_2Z_2^c - b_1Z_1^c}{a}, \frac{b_2Z_2^c - b_1Z_1^c + \sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}{a} \right] \quad (26)$$

In consideration of the geometric symmetry of this case and case 2, $\eta^{(3)}(x)$ and $R_s^{(3)}$ are both easily given as

$$\eta^{\textcircled{3}}(x) = 1 - \frac{1}{\pi} \left[\cos^{-1}(d^{\textcircled{3}}(x)) - d^{\textcircled{3}}(x) \sqrt{1 - (d^{\textcircled{3}}(x))^2} \right] \quad (27)$$

and

$$R_s^{\textcircled{3}} = \int_{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}}^{\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}} \eta^{\textcircled{3}}(x) f(x) dx \quad (28)$$

where $d^{\textcircled{3}}(x) = -d^{\textcircled{2}}(x) = \frac{ax + b_1 Z_1^c - b_2 Z_2^c}{\sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}$.

4) If $x \in \left[\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}, +\infty \right)$, the failure surface will no longer

intersect the feasible region of convex modeling variables. $\eta^{\textcircled{4}}(x)$ is always equal to unity, and the hybrid reliability is

$$R_s^{\textcircled{4}} = \int_{\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}}^{+\infty} f(x) dx \quad (29)$$

The final hybrid reliability based on the convex and the random mixed model is summation of the four regions, that is,

$$R_s = E[\eta(x)] = R_s^{\textcircled{1}} + R_s^{\textcircled{2}} + R_s^{\textcircled{3}} + R_s^{\textcircled{4}} \quad (30)$$

4.2 Reliability analysis of the convex and fuzzy random mixed model

In this model, the random variables will be replaced by the fuzzy random variables. Thus the failure surface can be rewritten as

$$M = g(\tilde{\mathbf{X}}, \mathbf{Z}) = g(\tilde{X}_1, \tilde{X}_2, \dots, \tilde{X}_m, Z_{m+1}, \dots, Z_n) = 0 \quad (31)$$

For a given $\tilde{\mathbf{x}} = (x_1, x_2, \dots, x_m)^T$, the non-probabilistic reliability $\eta_{\tilde{\mathbf{x}}}(\mathbf{x})$ can be known by the convex method. Then the structural hybrid reliability is

$$R_s = E[\eta_{\tilde{\mathbf{x}}}(\mathbf{x})] = E[\eta_{\tilde{\mathbf{x}}}(M(\mathbf{x}, Z_{m+1}, Z_{m+2}, \dots, Z_n) > 0)] \quad (32)$$

Taking into account the influence of $f_{\mathbf{X}}(\mathbf{X})$ and $\mu_{\tilde{\mathbf{x}}}(\mathbf{X})$ on $\eta_{\tilde{\mathbf{x}}}(\mathbf{x})$, a subregional treatment should be carried out for the computation of Eq. (32). It is convenient to consider a linear limit state function as

$$M = a\tilde{X} + b_1Z_1 - b_2Z_2 \quad (33)$$

The approximate analytical approach as in Section 4.1 is used again to obtain the final hybrid reliability as

$$\begin{aligned} R_s = E[\eta_X(x)] &= R_s^{\textcircled{1}} + R_s^{\textcircled{2}} + R_s^{\textcircled{3}} + R_s^{\textcircled{4}} = \int_{\frac{b_2Z_2^c - b_1Z_1^c}{a}}^{\frac{b_2Z_2^c - b_1Z_1^c}{a}} \eta^{\textcircled{2}}(x) f(x) \mu_X(x) dx \\ &+ \int_{\frac{b_2Z_2^c - b_1Z_1^c}{a}}^{\frac{b_2Z_2^c - b_1Z_1^c + \sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}{a}} \eta^{\textcircled{3}}(x) f(x) \mu_X(x) dx + \int_{\frac{b_2Z_2^c - b_1Z_1^c + \sqrt{(b_2Z_2^r)^2 + (b_1Z_1^r)^2}}{a}}^{+\infty} f(x) \mu_X(x) dx \end{aligned} \quad (34)$$

4.3 Reliability analysis of the convex and interval mixed model

If the limit state function contains both the convex and interval non-probabilistic uncertainties, i.e.,

$$M = g(\mathbf{Y}, \mathbf{Z}) = g(Y_1, \dots, Y_m, Z_{m+1}, \dots, Z_n) \quad (35)$$

The feasible region of the uncertain parameters would be formed into a hyper-volume, which lies between the hyper-rectangle and the hyper-ellipsoid. Fig. 5 illustrates a three-dimensional case. In the circumstance, the failure region and the safety region are divided by Eq. (35), and the structural failure/safety measure based on the non-probabilistic set-theory are still applicable to the hybrid model with minor modifications.

For ease of presentation, introducing a linear limit state function as

$$M = aY + b_1Z_1 - b_2Z_2 \quad (36)$$

where $Y \in [\underline{Y}, \bar{Y}]$ is an interval variable, Z_1 and Z_2 are normalized as

$$\left(\frac{Z_1 - Z_1^c}{Z_1^r} \right)^2 + \left(\frac{Z_2 - Z_2^c}{Z_2^r} \right)^2 \leq 1, \text{ and } a, b_1 \text{ and } b_2 \text{ are positive constants.}$$

With normalized variables V_1 and V_2 defined in Eq. (22), the limit state function becomes

$$M = aY + b_1Z_1^c - b_2Z_2^c + b_1Z_1^rV_1 - b_2Z_2^rV_2 \quad (37)$$

\underline{Y} and \bar{Y} directly change the intersection between the hyper-volume domain and the failure surface. Through comprehensive analysis, the following cases should be considered

(see Fig. 6 for details).

Case I (Fig. 6 (a)): When $\bar{Y} \in \left[-\infty, \frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a} \right]$, the hybrid

reliability is zero, i.e., $R_s^I = 0$.

Case II: When $\underline{Y} \in \left[-\infty, \frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a} \right]$, and the upper bound \bar{Y}

ranges from $\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}$ to $\frac{b_2 Z_2^c - b_1 Z_1^c}{a}$ (Fig. 6 (b)), the hybrid

reliability R_s^{II} is

$$R_s^{II} = \frac{\int_{\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}}^{\bar{Y}} s^{II}(y) dy}{(\bar{Y} - \underline{Y})\pi} \quad (38)$$

where $s^{II}(y) = \cos^{-1}(d^{II}(y)) - d^{II}(y)\sqrt{1 - (d^{II}(y))^2}$ and $d^{II}(y) = \frac{b_2 Z_2^c - b_1 Z_1^c - ay}{\sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}$.

Case III: When $\underline{Y} \in \left[-\infty, \frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a} \right]$, and \bar{Y} ranges from

$\frac{b_2 Z_2^c - b_1 Z_1^c}{a}$ to $\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}$ (Fig. 6 (c)), the hybrid reliability R_s^{III} is

$$R_s^{III} = \frac{\int_{\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}}^{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}} s^{II}(y) dy + \int_{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}}^{\bar{Y}} (\pi - s^{III}(y)) dy}{(\bar{Y} - \underline{Y})\pi} \quad (39)$$

where $s^{III}(y) = \cos^{-1}(d^{III}(y)) - d^{III}(y)\sqrt{1 - (d^{III}(y))^2}$ and $d^{III}(y) = -d^{II}(y)$.

Case IV: When $\underline{Y} \in \left[-\infty, \frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a} \right]$, and \bar{Y} ranges from

$\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}$ to $+\infty$ (Fig. 6 (d)), the hybrid reliability R_s^{IV} is

$$R_s^{IV} = \frac{\int_{\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}}^{\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}} s^{II}(y) dy + \int_{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}}^{\bar{Y}} (\pi - s^{III}(y)) dy}{(\bar{Y} - \underline{Y})\pi} + \left(\frac{a\bar{Y} - b_2 Z_2^c + b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{(\bar{Y} - \underline{Y})a} \right) \quad (40)$$

Case V: When the lower bound \underline{Y} and the upper bound \bar{Y} are both

$\left[\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}, \frac{b_2 Z_2^c - b_1 Z_1^c}{a} \right]$ (Fig. 6 (e)), the hybrid reliability R_s^V is

$$R_s^V = \frac{\int_{\underline{Y}}^{\bar{Y}} s^{II}(y) dy}{(\bar{Y} - \underline{Y})\pi} \quad (41)$$

Case VI: When $\underline{Y} \in \left[\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}, \frac{b_2 Z_2^c - b_1 Z_1^c}{a} \right]$ and \bar{Y} ranges

from $\frac{b_2 Z_2^c - b_1 Z_1^c}{a}$ to $\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}$ (Fig. 6 (f)), the hybrid reliability

R_s^{VI} is

$$R_s^{VI} = \frac{\int_{\underline{Y}}^{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}} s^{II}(y) dy + \int_{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}}^{\bar{Y}} (\pi - s^{III}(y)) dy}{(\bar{Y} - \underline{Y})\pi} \quad (42)$$

Case VII: When $\underline{Y} \in \left[\frac{b_2 Z_2^c - b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}, \frac{b_2 Z_2^c - b_1 Z_1^c}{a} \right]$ and \bar{Y} ranges

from $\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}$ to $+\infty$ (Fig. 6 (g)), the hybrid reliability R_s^{VII} is

$$R_s^{VII} = \frac{\int_{\underline{Y}}^{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}} s^{II}(y) dy + \int_{\frac{b_2 Z_2^c - b_1 Z_1^c}{a}}^{\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}} (\pi - s^{III}(y)) dy}{(\bar{Y} - \underline{Y})\pi} + \left(\frac{a\bar{Y} - b_2 Z_2^c + b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{(\bar{Y} - \underline{Y})a} \right) \quad (43)$$

Case VIII: When the lower bound \underline{Y} and the upper bound \bar{Y} are both

$$\left[\frac{b_2 Z_2^c - b_1 Z_1^c}{a}, \frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a} \right] \quad (\text{Fig. 6 (h)}), \text{ the hybrid reliability } R_s^{VIII} \text{ is}$$

$$R_s^{VIII} = \frac{\int_{\underline{Y}}^{\bar{Y}} (\pi - s^{III}(y)) dy}{(\bar{Y} - \underline{Y})\pi} = 1 - \frac{\int_{\underline{Y}}^{\bar{Y}} s^{III}(y) dy}{(\bar{Y} - \underline{Y})\pi} \quad (44)$$

Case IX: When $\underline{Y} \in \left[\frac{b_2 Z_2^c - b_1 Z_1^c}{a}, \frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a} \right]$ and \bar{Y} ranges

from $\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}$ to $+\infty$ (Fig. 6 (i)), the hybrid reliability R_s^{IX} is

$$R_s^{IX} = \frac{\int_{\underline{Y}}^{\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}} (\pi - s^{III}(y)) dy}{(\bar{Y} - \underline{Y})\pi} + \left(\frac{a\bar{Y} - b_2 Z_2^c + b_1 Z_1^c - \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{(\bar{Y} - \underline{Y})a} \right) \quad (45)$$

Case X: When the lower bound \underline{Y} and the upper bound \bar{Y} are both

$$\left[\frac{b_2 Z_2^c - b_1 Z_1^c + \sqrt{(b_2 Z_2^r)^2 + (b_1 Z_1^r)^2}}{a}, +\infty \right) \quad (\text{Fig. 6 (j)}), \text{ the hybrid reliability is unity, i.e.,}$$

$$R_s^X = 1.$$

As mentioned above, the convex method based on non-probabilistic set theory can be effectively utilized to deal with the reliability analysis under the interval and the convex mixed model. Particularly the problem stated by Eq. (36), once the lower and the upper

bounds of the interval variable Y are assured, one of the ten cases can be selected and its formula for hybrid reliability will be further applicable to estimate the structural safety.

4.4 Hybrid reliability model containing randomness, fuzziness, and non-probabilistic uncertainty based on convex theory

In this section, a more complex model containing four types of uncertainties (random, fuzzy random, interval, and convex) is discussed. The failure surface is taken as

$$M = g(\mathbf{X}, \mathbf{X}, \mathbf{Y}, \mathbf{Z}) = g(X_1, \dots, X_{m_1}, \tilde{X}_{m_1+1}, \dots, \tilde{X}_{m_2}, Y_{m_2+1}, \dots, Y_{m_3}, Z_{m_3+1}, \dots, Z_n) = 0 \quad (46)$$

Given the specified values of X_i and X_j ($i=1, 2, \dots, m_1$ and $j=m_1+1, m_1+2, \dots, m_2$), the structural state of safety or failure can be determined from the hybrid reliability analysis of interval and convex mixed model, namely, $\eta(M > 0) = \eta(\mathbf{x}, \mathbf{x})$. Furthermore, by means of the patterns of the probability density function and the membership function, the hybrid reliability can be obtained by the following equation

$$\begin{aligned} R_s &= E[\eta(\mathbf{x}, \mathbf{x})] = \int \mu_X(\mathbf{x}) \int f_X(\mathbf{x}) \eta(\mathbf{x}, \mathbf{x}) d\mathbf{x} d\mathbf{x} \\ &= \iint_{\Omega_X} \mu_X(x_{m_1+1}, x_{m_2+2}, \dots, x_{m_2}) \cdot \left(\iint_{\Omega_X} \dots \int f_X(x_1, x_2, \dots, x_{m_1}) \right. \\ &\quad \left. \cdot \eta(x_1, x_2, \dots, x_{m_1}, x_{m_1+1}, x_{m_1+2}, \dots, x_{m_2}) dx_1 dx_2 \dots dx_{m_1} \right) dx_{m_1+1} dx_{m_1+2} \dots dx_{m_2} \end{aligned} \quad (47)$$

where Ω_X and Ω_X are respectively the feasible regions of \mathbf{X} and \mathbf{X} .

Nevertheless, uncertainties of practical structures are complicated. For example, they may embody multivariable, nonlinear limit state function, implicit solution and so forth. This cause obtaining obtain the exact solutions of Eq. (47) are difficult, and some approximate techniques may be employed. For example, when dealing with the multi-source uncertainties, the information fusion theory or the sensitivity analysis based on the uncertain parameters can be adopted. If the limit state function is non-linear, the linear approximation techniques, such as the Taylor series expansion or the vertex approach can be used. With regard to the implicit expression of structural responses, such as stress or displacement, the Design of Experiment (DOE) method as well as the Monte-Carlo simulations may be considered.

It is noted that each model or algorithm has its own feasibility and limitation. The amount of uncertain information, the complexity of the structures, and the requirements of

accuracy and efficiency, are the core factor in selecting appropriate models. Fig. 7 illustrates more details.

5 Numerical examples

5.1 A cantilever beam

As the first example, we consider a cantilever beam as shown in Fig. 8. The cantilever beam is subjected to two concentrated forces applied at distances $b_1 = 2.0 m$ and $b_2 = 5.0 m$ from the fixed end. The structure is identified as failure if $|m_{\max}| \geq m_{cr}$, where m_{\max} is the maximum actual moment and m_{cr} is the moment capacity of the beam. Two cases with different uncertain parameter settings are studied as follows:

Case 1: P_1 , P_2 , and m_{cr} are of different uncertainty types. Assuming that P_1 and P_2 are expressed as the convex modeling variables, and m_{cr} is defined as random variable, fuzzy random variable, and interval variable, respectively. The uncertainty characteristics are listed in Table 1, where a denotes the change factor of interval and ranges between 1 and 2, and coefficient k ($k = 1, 2, 3$) represents the interval ranges.

Case 2: Considering that P_1 , P_2 and m_{cr} are of the same type of single-source uncertainty. The uncertainty characteristics are listed in Table 2.

The limit state function of this example can be expressed as

$$M = m_{cr} - b_1 P_1 - b_2 P_2 \quad (48)$$

Based on the proposed hybrid reliability models in Section 4, the structural reliability of case (1) is obtained and shown in Fig. 9. From the reliability analysis of single-source uncertainty in Section 3, the structural reliability of Case 2 is also obtained and shown in Fig. 10. The numerical results of Case 1 and 2 are compared in Table 3 for $a = 1, 1.5, 2$.

From the results in Fig. 9, Fig. 10 and Table 3, the following points can be summarized:

(1) The reliability results given by either the hybrid models or the single-source models with different combinations of uncertain parameters decrease as the change factor a

increases, as expected. This indicates that a higher uncertainty leads to a lower structural safety.

(2) The hybrid reliability obtained by the convex and random mixed model is coincident with that derived from the convex and fuzzy random mixed model when the smaller value a . As the increase of a , however, due to the existence of fuzziness, the results based on the latter are more conservative.

(3) The results obtained by the convex and interval mixed model are very sensitive to the interval parameters. The reliability decreases as the coefficient increases. Especially when $k = 3$, the reliability is much lower than those deduced by the convex and random model as well as the convex and fuzzy random model.

(4) By comparisons of the results obtained by the single-source reliability models and the hybrid reliability models, we also can obtain some meaningful conclusion: on the one hand, the assumption of precise probabilistic distributions for all of the uncertain variables may be dangerous; on the other hand, the interval analytic methods, in which all uncertainties are quantified by interval variables, may lead to excessively conservative results so that higher economic costs have to be paid on safety consideration for structural design. It should be emphasized that the structural reliability is closely related to the uncertain parameters, and hence subjective assumptions may yield unreliable results.

5.2 Buckling problem of laminated composite shell

In order to illustrate the validity and feasibility of the presented hybrid reliability method, the buckling problem of a composite shell will be used to investigate the influence of multi-source uncertainties in material properties and external loads on the structural reliability.

Consider a 10-layer symmetric laminated composite cylindrical shell with cross-ply $[\theta / (90^\circ + \theta) / \theta / (90^\circ + \theta) / \theta]_{\text{symmetric}}$, where the thickness of each laminate is $t = 0.5\text{mm}$ and the ply angle θ may range from 0° to 90° . The radius of cylindrical shell is $R = 125.0\text{mm}$, and the length is $L = 2000.0\text{mm}$. The density of the composite material equals $1380.0\text{kg} / \text{m}^3$. Both ends of the cylindrical shell are simply supported, and the external loads

include the axial pressure and radial pressure as shown in Fig. 11.

The laminated composite shell will be identified as buckling failure if $|p| \geq p_{cr}$, where p is the external pressure and p_{cr} is the limit criteria. Additionally, due to the dispersion of composites, the elastic moduli $\mathbf{E} = (E_1, E_2, \nu_{21}, G_{12})^T$ are also regarded as the uncertain parameters. The experimental data of elastic moduli from by Ref. [44] are listed in Table 4. Several cases including one hybrid uncertainty problem and three single-source uncertainty problems are considered and the dimensionless uncertainty characteristics are summarized in Table 5.

According to the basic equations of buckling problem for a compressed composite shell, the closed-form of the buckling load obtained from Ref. [45] can be used, and hence the limit state function is expressed as

$$\begin{aligned} M = g(\mathbf{E}, p) &= g(e_1, e_2, \mu_{21}, g_{12}, p) = p_{cr}(e_1, e_2, \mu_{21}, g_{12}) - p \\ &= \frac{1}{\lambda_m^2 + \lambda_n^2 R} \left[T_{33} + \frac{2T_{12}T_{23}T_{13} - T_{22}T_{13}^2 - T_{11}T_{23}^2}{T_{11}T_{22} - T_{12}^2} \right] - p \end{aligned} \quad (49)$$

where T_{ij} ($i, j=1, 2, 3$) is the element of flexural stiffness matrix \mathbf{T} , m and n denote the buckling wave numbers. Based on the proposed hybrid reliability method, the reliability results of the structural buckling is shown in Fig. 12, and the partially enlarged region for typical domain of θ is shown in Fig. 13 and. In addition, those for given specific values of ply angle θ are summarized in Table 6.

The reliability results given by either the hybrid model or the other three types of single-source uncertainty models reflect the same increasing or decreasing trend along with the change of the ply angle θ . This implies that the proposed hybrid analytic method can be properly applied into complex structural problems. Furthermore, the mechanical properties of the composite cylindrical shell may vary significantly with the laminate configuration. For example, when θ equals 20° , the laminated structure is definitely safe with a unity reliability; when θ equals 45° , however, the composite cylindrical shell will be under the state of complete failure with a null reliability.

The single-source uncertainty models including the probabilistic model, convex model,

and interval model have been respectively analyzed for comparison. The numerical results show that the probabilistic model gives the largest buckling reliability, the hybrid model the second, then the convex, and the interval model gives the smallest, for a certain θ .

6 Conclusions

In engineering analysis and design, it is necessary to properly deal with the uncertainties that affect the structural performance. As the uncertainties may consist of multi-source and multi-dimensional parameters in practical structural problems, the current reliability analytical techniques based on single-source uncertainty models are infeasible anymore. In order to fill the gap, four new hybrid reliability models including convex with random, convex with random fuzzy, convex with interval, and convex with other three types are respectively investigated in this paper. Numerical examples show that the feasibility and effectiveness of the presented methodology. The results derived from different reliability models indicate that the uncertainty plays an important role in the mechanical behavior and structural safety.

The presented hybrid reliability technique has broad applications. It can deal with a variety of different situations such as both linear and non-linear state functions, explicit or implicit solution, multi-source and multi-dimensional mixed uncertainties, and so on. In contrast with the existing mixed models based on probabilistic reliability theory, the models proposed are less dependent on the distribution characteristics of the uncertain parameters. It will lead to a more reliable result under the circumstances of insufficient sample data. In addition, as compared with the hybrid reliability analysis obtained by interval models, the convex modeling variables are taken into account to reflect the correlation between the uncertain-but-bounded parameters.

The present paper presents hybrid uncertainty models as alternatives to dealing with the structural reliability analysis for multi-source uncertainties. The type and the amount of the uncertain information determine which model can be applied more effectively. The results from numerical examples indicate that the nature of the uncertain parameters should be the key points to determine the choice of the reliability analytic models, and thus the developed hybrid reliability method may have a wider application space in complex engineering. In

summary, fewer assumptions we make, more reliable the results we get.

Acknowledgments

The authors would like to thank the Construction Industry Institute (Hong Kong) / PolyU Innovation Fund (No. 5-ZJD3), the National Nature Science Foundation of China (No. 11002013), Defense Industrial Technology Development Program (No.A2120110001, No.B2120110011), and the Aeronautical Science Foundation of China (No. 2012ZA51010) for the financial supports.

References

- [1] Elishakoff I. Probabilistic theory of structures. New York: Dover Publications; 1999.
- [2] Ditlevsen O, Madsen HO. Structural reliability methods. Chichester: John Wiley and Sons; 1996.
- [3] Melchers RE. Structural reliability: analysis and prediction. Chichester: John Wiley and Sons; 1999.
- [4] Madsen HO, Krenk S, Lind NC. Methods of structural safety. New York: Dover Publications; 2006.
- [5] Lemaire M. Structural reliability. New York: ISTE-Wiley; 2009.
- [6] Hurtado JE, Alvarez DA. The encounter of interval and probabilistic approaches to structural reliability at the design point. *Computer Methods in Applied Mechanics and Engineering* 2012;225-228:74-94.
- [7] Jiang C, Han X, Lu GY. A hybrid reliability model for structures with truncated probability distributions. *Acta Mechanica* 2012;223(9):2021-38.
- [8] Kang Z, Luo YJ. Reliability-based structural optimization with probability and convex set hybrid models. *Structural and Multidisciplinary Optimization* 2010;42(1):89-102.
- [9] Ge R, Chen JQ, Wei JH. Reliability-based design of composites under the mixed uncertainties and the optimization algorithm. *Acta Mechanica Solida Sinica* 2008;2(1):19-27.
- [10] Elishakoff I. Three versions of the finite element method based on concepts of either

- stochasticity, fuzziness or anti-optimization. *Applied Mechanics Reviews* 1998;51(3):209-18.
- [11] Ben-Haim Y, Elishakoff I. Convex models of uncertainty in applied mechanics. Amsterdam: Elsevier; 1990.
- [12] Qiu ZP, Wang XJ. Set-theoretical convex methods for problems in structural mechanics with uncertainties. Beijing: Science Press; 2008, (in Chinese).
- [13] Elishakoff I, Ohsaki M. Optimization and anti-optimization of structures under uncertainty. London: Imperial College Press; 2010.
- [14] Wang XJ, Wang L, Elishakoff I, Qiu ZP. Probability and convexity concepts are not antagonistic. *Acta Mechanica* 2011;219(1-2):45-64.
- [15] Ben-Haim Y, Elishakoff I. Robust reliability of structures. *Advances in Applied Mechanics* 1997;33:1-41.
- [16] Elishakoff I. Discussion on the paper: “a non-probabilistic concept of reliability”. *Structural Safety* 1995;17(3):195-99.
- [17] Guo SX, Lu ZZ, Feng YS. A non-probabilistic model of structural reliability based on interval analysis. *Chinese Journal of Computational Mechanics* 2001;18(1):56-60.
- [18] Guo SX, Lu ZZ. Procedure for analyzing the fuzzy reliability of mechanical structures when parameters of probabilistic models are fuzzy. *Journal of Mechanical Strength* 2003;25(5):527-29.
- [19] Guo SX, Lu ZZ. Comparison between the non-probabilistic and probabilistic reliability methods for uncertain structure design. *Chinese Journal of Applied Mechanics* 2003;20(3):107-10.
- [20] Qiu ZP, Mueller PC, Frommer A. The new non-probabilistic criterion of failure for dynamical systems based on convex models. *Mathematical and Computer Modeling* 2004;40(12):201-15.
- [21] Wang XJ, Qiu ZP, Elishakoff I. Non-probabilistic set-theoretic model for structural safety measure. *Acta Mechanica* 2008;198:51-64.
- [22] Jiang C, Han X, Lu GY, Liu J, Zhang Z, Bai YC. Correlation analysis of non-probabilistic convex model and corresponding structural reliability Technique. *Computer Methods in Applied Mechanics and Engineering* 2011;200(33-36):2528-46.

- [23] Jiang C, Bi RG, Lu GY, Han X. Structural reliability analysis using non-probabilistic convex model. *Computer Methods in Applied Mechanics and Engineering* 2013;254:83-98.
- [24] Kang Z, Luo YJ. On structural optimization for non-probabilistic reliability based on convex models. *Chinese Journal of Theoretical and Applied Mechanics* 2006;38(6):807-15.
- [25] Jiang C, Han X, Liu GR. Optimization of structures with uncertain constraints based on convex model and satisfaction degree of interval. *Computer Methods in Applied Mechanics and Engineering* 2007;196(49-52):4791-800.
- [26] Luo YJ, Kang Z, Luo Z, Alex L. Continuum topology optimization with non-probabilistic reliability constraints based on multi-ellipsoid convex model. *Structural and Multidisciplinary Optimization* 2008;39(3):297-310.
- [27] Balu AS, Rao BN. Inverse structural reliability analysis under mixed uncertainties using high dimensional model representation and fast fourier transform. *Engineering Structures* 2012;37:224-34.
- [28] Penmetsa RC, Grandhi RV. Efficient estimation of structural reliability for problems with uncertain intervals. *Computer and Structures* 2002;80(12):1103-12.
- [29] Hall JW, Lawry J. Generation combination and extension of random set approximations to coherent lower and upper probabilities. *Reliability Engineering and System Safety* 2004;85(1-3):89-101.
- [30] Karanki DR, Kushwaha HS, Verma AK, Ajit S. Uncertainty analysis based on probability bounds (p-box) approach in probabilistic safety assessment. *Risk Analysis* 2009;29(5):662-75.
- [31] Gao W, Wu D, Song CM, Tin-Loi F, Li XJ. Hybrid probabilistic interval analysis of bar structures with uncertainty using a mixed perturbation Monte-Carlo method. *Finite Elements in Analysis and Design* 2011;47(7):643-52.
- [32] Jiang C, Lu GY, Han X, Liu LX. A new reliability analysis method for uncertain structures with random and interval variables. *International Journal of Mechanics and Materials in Design* 2012;8(2):169-82.
- [33] Du XP, Sudjianto A, Huang BQ. Reliability-based design under the mixture of random

- and interval variables. *Journal of Mechanical Design* 2005;127(6):1068-76.
- [34] Guo SX, Lu ZZ. Hybrid probabilistic and non-probabilistic model of structural reliability. *Journal of Mechanical Strength* 2002;24(4):52-4.
- [35] Qiu ZP, Wang J. The interval estimation of reliability for probabilistic and non-probabilistic hybrid structural system. *Engineering Failure Analysis* 2010;17(5):1142-54.
- [36] Lu H, Zhou J, Golek R, Zhou M. Hybrid reliability assessment for packaging prototyping. *Microelectronics Reliability* 2005;45(3-4):597-609.
- [37] Chowdhury R, Rao BN. Hybrid high dimensional model representation for reliability analysis. *Computer Methods in Applied Mechanics and Engineering* 2009;198(5-8):753-65.
- [38] Luo YJ, Kang Z. Structural reliability assessment based on probability and convex set mixed model. *Computers and Structures* 2009;87(21-22):1408-15.
- [39] Ni Z, Qiu ZP. Hybrid probabilistic fuzzy and non-probabilistic model of structural reliability. *Computers and Industrial Engineering* 2010;58(3):463-7.
- [40] Rosenblatt M. Remarks on a multivariate transformation. *The Annals of Mathematical Statistics* 1952;23(3):470-2.
- [41] Rackwitz R, Flessler B. Structural reliability under combined random load sequences. *Computers and Structures* 1978;9(5):489-94.
- [42] Hasofer AM, Lind NC. Exact and invariant second-moment code format. *Journal of the Engineering Mechanics Division* 1974;100(1):111-21.
- [43] Zadeh LA. Fuzzy algorithm. *Information and Control* 1968;12:94-120.
- [44] Goggin PR. The elastic constants of carbon-fibre composites. *Journal of Materials Science* 1973;8(2):233-44.
- [45] Chen LM, Yang BN. *Mechanical analysis for composite materials*. Beijing: China Science and Technology Press; 2006, (in Chinese).

The list of figures

- Fig. 1. The safety region and failure region for the two-dimensional interval model
- Fig. 2. The safety region and failure region for the case of the convex model
- Fig. 3. The structural non-probabilistic reliability based on the convex model
- Fig. 4. Position of failure surface given different value of X
- Fig. 5. Three-dimensional models for non-probabilistic uncertainties
- Fig. 6. Different cases of the convex and interval mixed model given different interval variable Y
- Fig. 7. Combination between numerical simplified technologies and the hybrid reliability analytical methods
- Fig. 8. A cantilever beam
- Fig. 9. The hybrid reliability for various mixed models
- Fig. 10. The reliability of various single-source uncertainty
- Fig. 11. Configuration of a composite cylindrical shell under external pressure load
- Fig. 12. Structural buckling reliability for the composite cylindrical shell obtained by four different uncertainty analytical models
- Fig. 13. Structural buckling reliability for the composite cylindrical shell in typical domain of θ obtained by four different uncertainty analytic models

Table 1 Uncertainty characteristics of the cantilever beam with mixed uncertainties

P_1	P_2	m_{cr}		
Convex modeling		Random	Fuzzy random	Interval
$\left(\frac{16(P_1-5)}{15}\right)^2 + (4(P_2-2))^2 \leq 1$		$m_{cr} \sim N(23, a^2)$ $a \in [1, 2]$	$m_{cr} \sim N(23, a^2)$	$\frac{m_{cr}}{a} = 23 - ka$ $\frac{m_{cr}}{a} = 23 + ka$ $a \in [1, 2]$ $k = 1, 2, 3$
			$\mu_{M_{cr}}(m_{cr}) = \begin{cases} \frac{m_{cr}-19}{2} & 19 \leq m_{cr} < 21 \\ 1 & 21 \leq m_{cr} < 25 \\ \frac{31-m_{cr}}{6} & 19 \leq m_{cr} < 21 \\ 0 & otherwise \end{cases}$	

Table 2 Uncertainty characteristics of the cantilever beam with single-source uncertainty

	P_1	P_2	m_{cr}
Probabilistic model	$P_1 \sim N\left(5, \left(\frac{5}{16}\right)^2\right)$	$P_2 \sim N\left(2, \left(\frac{1}{12}\right)^2\right)$	$m_{cr} \sim N(23, a^2)$ $a \in [1, 2]$
Convex model	$\left(\frac{16(P_1-5)}{15}\right)^2 + (4(P_2-2))^2 + \left(\frac{(m_{cr}-23)}{3a}\right)^2 \leq 1 \quad a \in [1, 2]$		
Interval model	$P_1 \in [4.0625, 5.9375]$	$P_2 \in [1.75, 2.25]$	$m_{cr} \in [23 - ka, 23 + ka]$ $a \in [1, 2] \quad k = 1, 2, 3$

Table 3 Reliability analysis results of the cantilever beam structure

Reliability based on hybrid model					
	Convex & random	Convex & fuzzy random	Convex & interval ($k = 1$)	Convex & interval ($k = 2$)	Convex & interval ($k = 3$)
$a = 1$	0.9796	0.9813	0.9989	0.9707	0.9203
$a = 1.5$	0.9450	0.9432	0.9888	0.9203	0.8296
$a = 2$	0.9037	0.8949	0.9707	0.8604	0.7500
Reliability based on single-source model					
	Random	Convex modeling	Interval ($k = 1$)	Interval ($k = 2$)	Interval ($k = 3$)
$a = 1$	0.9918	0.9718	0.9856	0.9557	0.9078
$a = 1.5$	0.9631	0.8938	0.9748	0.9087	0.8261
$a = 2$	0.9199	0.8253	0.9539	0.8491	0.7450

Table 4 Experimental data of the elastic moduli for composite cylindrical shell ^[44]

No.	E_1 (GPa)	E_2 (GPa)	ν_{21}	G_{12} (GPa)	No.	E_1 (GPa)	E_2 (GPa)	ν_{21}	G_{12} (GPa)
1	129.20	9.34	0.28	5.23	9	132.19	9.07	0.30	4.85
2	131.59	9.53	0.33	4.97	10	132.00	9.73	0.35	5.00
3	130.63	9.08	0.33	5.16	11	130.39	9.21	0.34	5.34
4	132.01	9.34	0.33	5.15	12	128.28	8.67	0.33	4.98
5	131.04	8.94	0.34	5.15	13	135.30	9.18	0.32	5.13
6	120.61	9.04	0.33	4.81	14	137.33	9.28	0.33	5.25
7	127.69	8.99	0.32	5.11	15	141.69	10.73	0.31	5.47
8	133.65	9.36	0.35	5.08	16	126.91	9.39	0.33	5.65

Table 5 Dimensionless uncertainty characteristics of the composite cylindrical shell

	$e_1 = \frac{E_1}{131 \times 10^9}$	$e_2 = \frac{E_2}{9.4 \times 10^9}$	$\mu_{21} = \frac{\nu_{21}}{0.3}$	$g_{12} = \frac{G_{12}}{5.3 \times 10^9}$	$p^* = \frac{p}{2.0254 \times 10^6}$
Hybrid model	$e_1 \in [0.9207, 1.0816]$ $e_2 \sim N(1.0319, 0.0365^2)$		$p^* \sim N(1, 0.01^2)$		
	$\left(\frac{\mu_{21}-1.05}{0.1167}\right)^2 + \left(\frac{g_{12}-0.9868}{0.0793}\right)^2 \leq 1$		$\mu_{p^*}(p^*) = \begin{cases} 20p^* - 19 & 0.95 \leq p^* < 1 \\ 21 - 20p^* & 1 \leq p^* < 1.05 \\ 0 & \text{otherwise} \end{cases}$		
Probabilistic model	$e_1 \sim N(1.0012, 0.0268^2)$		$e_2 \sim N(1.0319, 0.0365^2)$		$\mu_{21} \sim N(1.05, 0.0389^2)$
			$g_{12} \sim N(0.9868, 0.0264^2)$		$p^* \sim N(1, 0.01^2)$
Convex model	$\left(\frac{e_1-1.0012}{0.0804}\right)^2 + \left(\frac{e_2-1.0319}{0.1096}\right)^2 + \left(\frac{\mu_{21}-1.05}{0.1167}\right)^2 + \left(\frac{g_{12}-0.9868}{0.0793}\right)^2 + \left(\frac{p^*-1}{0.03}\right)^2 \leq 1$				
Interval model	$e_1 \in [0.9207, 1.0816]$		$e_2 \in [0.9223, 1.1415]$		$\mu_{21} \in [0.9333, 1.1667]$
			$g_{12} \in [0.9075, 1.066]$		$p^* \in [0.97, 1.03]$

Table 6 Reliability analysis results of the composite cylindrical shell

Ply angle θ	0°	8°	20°	29°	45°	68°	76°	84°
Probabilistic model	0	0.9992	1	0.9915	0	0.9925	0.9987	0
Hybrid model	0	0.9681	1	0.8946	0	0.9072	0.9619	0
Convex model	0	0.9422	1	0.8550	0	0.8698	0.9441	0
Interval model	0	0.8683	1	0.7838	0	0.7780	0.8394	0




Fig. 1. The safety region and failure region for the two-dimensional interval model




Fig. 2. The safety region and failure region for the case of the convex model




Fig. 3. The structural non-probabilistic reliability based on the convex model





Fig. 4. Position of failure surface given different value of X



(a) Three-dimensional interval model (b) Three-dimensional convex model (c) Three-dimensional convex and interval mixed model

Fig. 5. Three-dimensional models for non-probabilistic uncertainties




Fig. 6. Different cases of the convex and interval mixed model given different interval variable Y




Fig. 7. Combination between numerical simplified technologies and the hybrid reliability analytical methods




Fig. 8. A cantilever beam




Fig. 9. The hybrid reliability for various mixed models




Fig. 10. The reliability of various single-source uncertainty




Fig. 11. Configuration of a composite cylindrical shell under external pressure load




Fig. 12. Structural buckling reliability for the composite cylindrical shell obtained by four different uncertainty analytical models




Fig. 13. Structural buckling reliability for the composite cylindrical shell in typical domain of θ obtained by four different uncertainty analytic models