

## Stephen F. Austin State University **SFA ScholarWorks**

Texas Forestry Papers, No. 1-29, 1970-1976

**Journals** 

6-1972

# Texas Forestry Paper No. 16

Dwight R. Hicks Stephen F. Austin State University

J. David Lenhart Stephen F. Austin State University

Seymour I. Somberg Stephen F. Austin State University

Follow this and additional works at: http://scholarworks.sfasu.edu/texas forestry papers



Part of the Other Forestry and Forest Sciences Commons

Tell us how this article helped you.

## Recommended Citation

Hicks, Dwight R.; Lenhart, J. David; and Somberg, Seymour I., "Texas Forestry Paper No. 16" (1972). Texas Forestry Papers, No. 1-29, 1970-1976. Book 8.

http://scholarworks.sfasu.edu/texas\_forestry\_papers/8

This Book is brought to you for free and open access by the Journals at SFA ScholarWorks. It has been accepted for inclusion in Texas Forestry Papers, No. 1-29, 1970-1976 by an authorized administrator of SFA ScholarWorks. For more information, please contact cdsscholarworks@sfasu.edu.



# TEXAS FORESTRY PAP



NO. 16 - JUNE 1972

SCHOOL OF FORESTR?

STEPHEN F. AUSTIN STATE UNIVERSITY

Nacogdoches, Texas

MERCHANTABLE GREEN WEIGHTS FOR LOBLOLLY PINE TREES
IN OLD-FIELD PLANTATIONS IN THE INTERIOR WEST GULF COASTAL PLAIN

Dwight R. Hicks, J. David Lenhart

and

Seymour I. Somberg1

Many wood using industries within the Interior West Gulf Coastal Plain buy truckloads of loblolly pine (Pinus taeda L.) pulpwood on a green weight basis. This is an efficient and relatively error-free scaling procedure at the mill. However, most, if not all, scaling of loblolly pine trees in the forest is on a volumetric basis. To facilitate estimation of product weights directly from woods measurements, this paper presents equations and tables for estimating the green weight of the merchantable stems of loblolly pine trees to three top diameter limits on the basis of diameter at breast height and total tree height.

## PLANTATION MEASUREMENTS

During the summer of 1971, four randomly selected trees in each of 158 plantations throughout the Interior West Gulf Coastal Plain were felled and sectioned into 4-foot-long bolts (Hasness and Lenhart, 1972). Diameter at breast height (D) and total tree height including stump (H) were measured for each tree. Additional measurements were:

- (1) Green weight per bolt, including bark.
- (2) Green weight, including bark, of a 1- to 2-inch-thick disc sawn from the bottom of each bolt.
- (3) Green weight of the discs from each tree after bark removal.

<sup>&</sup>lt;sup>1</sup>Graduate student, Assistant Professor of Forest Biometrics, and Professor of Forest Economics and Director of Research, respectively, School of Forestry, Stephen F. Austin State University.

## TREE GREEN WEIGHT PREDICTION EQUATIONS

The green weight of wood, including bark, for each tree to top diameter limits of 2.0, 3.0, and 4.0 inches outside bark (d.o.b.) was calculated by summing the bolt weights of the tree. When a merchantability limit occurred within a bolt, the proportion of bolt cubic-foot volume below the limit was calculated and multiplied by the whole bolt green weight to obtain the green weight of the merchantable portion.

The green weight of wood, excluding bark, for each tree was determined using the collective disc weights. A ratio of collective disc weight excluding bark to collective disc weight including bark was calculated for each tree. Multiplication of each tree's green weight including bark by its respective ratio produces the tree's green weight excluding bark.

Using D<sup>2</sup>H as the independent variable in regression analysis, the following equations for predicting green weights per tree were developed:

- (1) Green weight, including bark, to a 2.0-inch top (d.o.b.) = 0.13820D<sup>2</sup>H 13.26294
- (2) Green weight, excluding bark, to a 2.0-inch top (d.o.b.) = 0.12814D2H 19.98421
- (3) Green weight, including bark, to a 3.0-inch top (d.o.b.) = 0.13885D<sup>2</sup>H 26.83057
- (4) Green weight, excluding bark, to a 3.0-inch top (d.o.b.) = 0.12867D2H 31.89977
- (5) Green weight, including bark, to a 4.0-inch top (d.o.b.) = 0.14080D<sup>2</sup>H 61.32799
- (6) Green weight, excluding bark, to a 4.0-inch top (d.o.b.) = 0.13031D2H 62.20827

Each equation accounted for 98% or more of the total variation in green weight, and the standard deviations about regression varied from 39 to 44 pounds.

The values shown in Tables 1 through 6 were calculated from equations (1) through (6), respectively.

### LITERATURE CITED

Hasness, J. R. and J. D. Lenhart. 1972. Cubic-foot volumes for loblolly pine trees in old-field loblolly pine plantations in the Interior West Gulf Coastal Plain. Texas Forestry Paper No. 12. 7 pp.

Table 1. Green weight, including bark, in pounds, to a 2.0-inch top d.o.b., for loblolly pine trees.

D. b. h.					Total l	neight, fe	et					
inches	20	25	30	35	40	45	50	55	60	65	70	75
5	55.8	73.1	90.4	107.7	124.9	142.2	159.5	176.8	194.0			
6		111.1	136.0	160.9	185.7	210.6	235.5	260.4	285.2	310.1	335.0	
7			189.9	223.8	257.6	291.5	325.3	359.2	393.0	426.9	460.8	
8			252.1	296.3	340.5	384.8	429,0	473.2	517.4	561.6	605.9	
9			322.6	378.5	434.5	490.5	546.4	602.4	658.4	714.4	770.3	
10				470.4	539.5	608.6	677.7	746.8	815.9	885.0	954.1	1023.2
11						739.2	822.8	906.5	990.1	1073.7	1157.3	1240.9
12						882.3	981.8	1081.3	1180.8	1280.3	1379.8	1479.3
13						1037.7	1154.5	1271.3	1388.1	1504.9	1621.6	1738.4
14							1341.1	1476.5	1612.0	1747.4	100000	2018.3

Table 2. Green weight, excluding bark, in pounds, to a 2.0-inch top d.o.b., for loblolly pine trees.

D. b. h.					Total	height, f	eet					
inches	20	25	30	35	40	45	50	55	60	65	70	75
5	44.1	60,1	76.1	92.1	108.2	124.2	140.2	156.2	172.2			
6		95.3	118.4	141.5	164.5	187.6	210.7	233.7	256.8	279.9	302.9	
6			168.4	199.8	231.2	262.6	294.0	325.4	356.7	388.1	419.5	
			226.0	267:0	308.1	349.1	390.1	431.1	472.1	513.1	554.1	
8			291.4	343.3	395.2	447.1	499.0	550.9	602.8	654.7	706.6	
10				428.5	492.6	556.6	620.7	684.8	748.9	812.9	877,0	941.1
11						677.7	755.3	832.8	910.3	987.8	1065.4	1142.9
12						810.4	902.6	994.9	1087.1	1179.4	1271.7	1363.9
12 13						954.5	1062.8	1171.1	1279.4	1387.6	1495.9	1604.2
14							1235.8	1361.4	1486.9		1738.1	1863.7

Table 3. Green weight, including bark, in pounds, to a 3.0-inch top d.o.b., for loblolly pine trees.

D. b. h.													
inches	20	25	30	35	40	45	50	55	50	65	70	75	
5	42.6	60,0	77.3	94.7	112.0	129.4	146.7	164.1	181.4				
6		98.1	123.1	148.1	173.1	198.1	223.1	248.1	273.1	298.1	323.1		
14.			177.3	211.3	245.3	279.3	313.4	347.4	381.4	415.4	449.4		
8			239.8	284.2	328.6	373.1	417.5	461.9	506.4	550.8	595.2		
8 9 10			310.6	366.8	423.0	479.3	535.5	591.7	648.0	704.2	760.4		
10				459.1	528.6	598.0	667.4	736.8	806.3	875.7	945.1	1014.5	
11						729.2	813.2	897.2	981.2	1065.2	1149.2	1233.2	
12						872.9	972.9	1072.9	1172.8	1272.8	1372.8	1472.7	
13						1029.1	1146.5	1263.8	1381.1	1498.4	1615.8	1733.1	
14							1333.9	1470.0	1606.0	1742.1	1878.2	2014.3	
_													

Table 4. Green weight, excluding bark, in pounds, to a 3.0-inch top d.o.b., for loblolly pine trees.

D. b. h. Total height, feet												
inches	20	25	30	35	40	45	50	55	60	65	70	75
5	32.4	48.5	64.6	80.7	96.8	112.9	128.9	145,0	161.1			
6		83.9	107.1	130.2	153,4	176.5	199.7	222.9	246.0	269.2	292.3	
			157.2	188.8	220.3	251.8	283.3	314.9	346.4	377.9	409.4	
8 9 10			215.1	256.3	297.5	338.7	379.8	421.0	462.2	503.4	544.5	
9			280.8	332.9	385.0	437.1	489.2	541.3	593.4	645.5	697,7	
10				418.4	482.8	547.1	611.4	675.8	740.1	804.5	868.8	933.1
11						668.7	746.6	824.4	902.2	980.1	1057.9	1135.8
12						801.9	894.5	987.2	1079.8	1172.5	1265.1	1357.7
13						946.6	1055.4	1164.1	1272.8	1381.5	1490.3	1599.0
14							1229:1	1355.2	1481.3		1733.5	1859.5

Table 5. Green weight, including bark, in pounds, to a 4.0-inch top d.o.b., for loblolly pine trees.

D. b. h.					Total	height, fe	eet					
inches	20	25	30	35	40	45	50	55	60	65	70	75
5	9.1	26.7	44.3	61.9	79.5	97.1	114.7	132.3	149.9			
6		65.4	90.7	116.1	141.4	1.66.8	192.1	217.5	242.8	268.1	293.5	
7			145.6	180.1	214.6	249.1	283.6	318.1	352.6	387.1	421.6	
8			209.0	254.1	299.1	344.2	389.2	434.3	479.3	524.4	569.5	
9			280.8	337.8	394.9	451.9	508.9	565.9	623.0	680.0	737.0	
10				431.5	501.9	572.3	642.7	713.1	783.5	853.9	924.3	994.7
11						705.3	790.5	875.7	960.9	1046.1	1131.2	1216.4
12						851.1	952.4	1053.8	1155.2	1256.6	1357.9	1459.3
13						1009.5	1128.4	1247.4	1366.4	1485.4	1604.3	1723.3
14						22221	1318.5	1456.5	1594.5	1732.5	1870.4	2008.4

Table 6. Green weight, excluding bark, in pounds, to a 4.0-inch top d.o.b., for loblolly pine trees.

D. b. h.					Total	height, f	cet:					
inches	20	25	30	35	40	45	50	55	60	65	70	75
5	2,9	19.2	35.5	51.8	68.1	84.4	100.7	117.0	133.3			
6		55.1	78.5	102.0	125.4	148.9	172.3	195.8	219.3	242.7	266.2	
7			129.3	161.3	193.2	225,1	257.1	289.0	320.9	352.8	384.8	
8			188.0	229.7	271.4	313.1	354.8	396.5	438.2	479.9	521.6	
9			254.4	307.2	360.0	412.8	465.5	518.3	571.1	623.9	676.6	
10				393.9	459.0	524.2	589.3	654.5	719.7	784.8	850.0	915.1
11						647.3	726.2	805.0	883.8	962.7	1041.5	1120.4
12						782.2	876.0	969.8	1063.7	1157.5	1251.3	1345.1
13						928.8	1038.9	1149.0	1259.1	1369.2	1479.4	1589.5
14						22300	1214.8	1342.5	1470.2		1725.6	1853.3