

ACCEPTED VERSION

S.P. Pinapati, T. Kaufmann, D.C. Ranasinghe, C. Fumeaux

Wearable dual-band stripline-fed half-mode substrate-integrated cavity antenna

Electronics Letters, 2016; 52(6):424-426

<http://dx.doi.org/10.1049/el.2015.4295>

© The Institution of Engineering and Technology

"This paper is a postprint of a paper submitted to and accepted for publication in Electronics Letters and is subject to Institution of Engineering and Technology Copyright. The copy of record is available at IET Digital Library"

PERMISSIONS

Green Open Access

Many funders now mandate that their sponsored research must be deposited in an institutional repository. For a list of funders and their open access requirements, see <http://www.sherpa.ac.uk/juliet/>.

In order to allow authors to comply with these mandates, the IET offers a comprehensive green open access policy. With no embargo period, authors are permitted to deposit their version of the final published PDF, on their institutional repository or in repositories designated by their funding body, provided they refer to the published IET version. For full details of the policy and any relevant wordings, see below.

These options will allow our authors to comply with the mandates of a number of funders/research bodies.

Green open access policy:

The following outlines the full IET green open access policy, making it straightforward for authors to comply with their funder mandates.

1. On submission of their manuscript, authors may deposit the submitted version on their personal, institutional, or online preprint repository (for example, arXiv).
2. The first page of the manuscript must clearly display the following wording: "This paper is a preprint of a paper submitted to [journal] and is subject to Institution of Engineering and Technology Copyright. If accepted, the copy of record will be available at IET Digital Library". On acceptance, this may be changed to: "This paper is a preprint of a paper accepted by [journal] and is subject to Institution of Engineering and Technology Copyright. When the final version is published, the copy of record will be available at IET Digital Library"
3. If the paper is rejected, authors must remove all mention of the journal.
4. On acceptance of their paper, authors may immediately deposit their version of the final published PDF, and must remove the original submitted preprint.
5. The following wording clearly appears on the front page of the paper: "This paper is a postprint of a paper submitted to and accepted for publication in [journal] and is subject to Institution of Engineering and Technology Copyright. The copy of record is available at IET Digital Library"

<http://hdl.handle.net/2440/99301>

Wearable Dual-Band Stripline-Fed Half-Mode Substrate-Integrated Cavity Antenna

Sree Pramod Pinapati, Thomas Kaufmann, Damith Chinthana Ranasinghe and Christophe Fumeaux

A low-profile dual-band half-mode substrate-integrated cavity antenna with a fully shielded textile feeding mechanism is presented for wearable applications. The antenna operates at the lower and upper microwave industrial, scientific and medical (ISM) bands. The cavity geometry is accurately defined with conducting thread through computerized embroidery. Design guidelines are developed for a practical realization. Good agreement between simulated and measured results validates the proposed structure.

Introduction: Wearable electronics have garnered significant attention within the research community for their potential applications in healthcare, personal and military communications. An integral component of the proposed wearable electronics systems are the antennas which need to be flexible, low profile, mechanically robust whilst being unaffected by the presence of the human body.

In the context of medical applications it is often desirable to have a dual-band antenna to cover distinct communication bands for various requirements such as on-body and off-body propagation [1]. A dual-band fully textile wearable antenna structure was developed in [2] by combining a coplanar patch antenna with an EBG (electromagnetic bandgap) structure in a multilayer fabrication process. To obtain size reduction and simpler fabrication a metamaterial inspired structure exploiting composite right-hand left-hand transmission line (CLRH-TL) was explored in [3], albeit at the cost of reduced gain. With the aim of achieving both high radiation efficiency and isolation from the body a dual band magneto-electric dipole was proposed in [4], however in this case the feeding structure is non-trivial.

An alternative approach to meeting the multiband requirements whilst preserving a simple fabrication procedure is through the use of computerized embroidery to realize conductive paths as done in [5, 6, 7]. These solutions often lack a ground plane making them not suitable for operation in close proximity to the human body, as dielectric loading leads to severe de-tuning of the antenna. In this sense, cavity resonators offer the advantage of intrinsically including a shielding ground plane.

A textile half-mode substrate-integrated cavity antenna was demonstrated in [8]. Based on a similar concept, a textile dual-band half-mode substrate-integrated cavity antenna was introduced in [9]. Both these realizations were fed by a coaxial probe through the ground plane. This letter presents a highly flexible dual-band substrate-integrated cavity antenna with a fully textile feedline [10] capable of operating at the lower and upper microwave ISM bands.

Specifications: The antenna must be low profile, flexible and unobtrusive to the wearer to minimize discomfort. In addition the antenna must also cover the lower and upper microwave ISM bands (2.45 GHz and 5.8 GHz bands respectively) with a required fractional bandwidth of 4.1% and 2.6%. The antenna was manufactured using PF-4 foam which is a highly flexible low-loss substrate with a relative permittivity $\epsilon_r = 1.06$ and a dielectric loss tangent of $\tan \delta = 0.0001$. The conductive layers are formed through Marktek NCS95R-CR metallized fabric with an empirically determined DC sheet resistance of $0.04 \Omega/\square$. The conductive yarns used to form the cavity walls are ShieldEx 117/17 2ply. The total thickness of the structure was selected as 4.8 mm to meet the bandwidth requirements.

Proposed topology: The proposed antenna geometry is shown in Figure 1. To meet the aforementioned requirements a half-mode substrate-integrated cavity, adapted from [11], is used with an additional slot cut on the top layer to generate another band of operation. The excitation of cavity and slot resonances is achieved through a shielded stripline. The cavity operates at the lower microwave ISM band whilst the slot operates at the upper microwave ISM band.

Design: The initial dimensions of the resonant half-mode substrate-integrated cavity can be determined through the standard design guidelines provided in [11]. The width of the stripline (F_W) is determined for 50Ω characteristic impedance whilst the parameters C_B , W_T and




Fig. 1: Geometry of proposed antenna (a) Top View, (b) Side View. The optimized parameters are $C_B = 4$ mm, $F_E = 2$ mm, $W_T = 12$ mm, $F_S = 20$ mm, $W_C = 81.5$ mm, $L_C = 35.5$ mm, $F_P = 9$ mm, $F_L = 40$ mm, $F_W = 6$ mm, $S_L = 18$ mm, $S_W = 1$ mm, $S_E = 5.2$ mm, $S_P = 18$ mm, $h_1 = 1.6$ mm, $h_2 = 3.2$ mm, $W = 100$ mm, $L = 95$ mm




Fig. 2: Proposed Structure, (a) Top view, (b) Middle layer view with a zoom on shorting wall on the central stripline shown in inset.

F_E are chosen to provide a matched transition to the coaxial connector. However, exciting the half-mode substrate-integrated cavity through a stripline requires a transition from a stripline TEM mode to a waveguide mode. Viewing a stripline as a flattened coaxial line, the well-known method of connecting the inner pin of the coaxial line (in this case the central strip) to the ground plane [12] can be used. In this realization connecting the inner pin to the ground plane can be achieved by adding an embroidery wall from the stripline to the ground plane as shown in the inset in Figure 2(b). The shorting position (F_P) within the cavity needs to be optimized for a 50Ω match to the cavity mode.

The design of the slot radiator starts by cutting a slot of dimension $\lambda_g/2$ on the top layer (S_L) whilst the slot width (S_W) can be tuned for enhanced bandwidth. The slot dimensions will need to be re-optimized as the cavity is larger than necessary at the higher frequency. Matching of the slot can be achieved by extending the stripline a few millimeters beyond the slot (S_E).

Addition of the slot and excitation of the slot will affect the matching of the half-mode substrate-integrated cavity, consequently re-optimization of the shorting wall position for excitation of the half-mode substrate-integrated cavity is required. The effect of seam compression must also be considered as this will induce a frequency shift whilst simultaneously reducing the ohmic losses in the cavity [11].

Fabrication: The embroidery was done with a stitch spacing of 2 mm repeated five times to create a dense wall. The empirically determined effective DC sheet resistance for the selected density is $2.7 \Omega/\square$ and $10 \Omega/\square$ for 3.2 mm and 4.8 mm respectively. The DC sheet resistance values can be used to calculate an effective frequency dependent sheet resistance [10]. The fabricated prototype is shown in Figure 2. To




Fig. 3: Simulated and measured reflection coefficient for free space and on-body scenarios, (a) Simulated and measured free-space reflection coefficient in planar configuration, with comparison to on-body measurements. The inset shows the instantaneous electric field magnitude at the two resonant bands. (b) Measured reflection coefficient for antenna in flat scenario and bent around cylinders of radius of 40 mm and 60 mm respectively.

guarantee a reliable connection, the wing connection strategy from [13] is adopted for connecting the SMA connector to the textile stripline.

Results: Figure 3 shows the simulated and measured reflection coefficient. The simulated results in Figure 3 shows the two notches at the desired frequencies of operation, with an additional dip at approximately 3.7 GHz. This additional resonance is due to a $\lambda/4$ transmission line mode on the stripline section within the cavity which is coupled into the cavity through the shorting wall. The measured results show a clear notch at the fundamental cavity mode (2.45 GHz) with a slight frequency drift which is attributed to fabrication tolerances. An excellent match is achieved at the upper microwave ISM band. Figure 3(b) shows the measured reflection coefficient with the antenna in a flat condition and when bent (along the zx plane) around cylinders of radii 40 mm and 60 mm respectively. The reflection coefficient remains largely unchanged during bending and thus indicating the antenna is robust for wearable applications.

The gain patterns are shown in Figure 4. The patterns observed in the E and H planes are typical of radiation from a magnetic dipole. The slight distortion of the gain pattern observed at the higher frequency band is attributed to the interference effects from the magnetic dipole from the half-mode substrate-integrated cavity aperture. Note that in the zy plane the simulated cross-polarization is below -40 dB and is not observable on the scale. Generally, good agreement is observed between the simulated and measured results. The slightly higher than simulated cross-polarization in all cases is attributed to cable and connector effects. The peak measured gain is 5.30 dBi at 2.47 GHz and 4.09 dBi at 5.74 GHz (occurring off normal incidence). A slight discrepancy to simulated values in both cases is attributed to connector effects. The simulated efficiency at 2.47 GHz is 86% with a slightly smaller measured efficiency of 84%. At the higher band the simulated and measured efficiencies are 82% and 80% respectively.

Conclusion: A fully textile dual-band antenna based on the half-mode substrate integrated-cavity has been developed. A simple manufacturing process and a fully shielded textile feed allowing for simple integration with electronic circuitry are the main advantages of the proposed structure. Design guidelines have been developed to allow for a practical realization. A good agreement between simulated and measured results validates the proposed structure.




Fig. 4: Simulated and measured gains at 2.47 GHz and 5.74 GHz. (a) ZX plane - 2.47 GHz, (b) ZY plane - 2.47 GHz, (c) ZX plane - 5.74 GHz, (d) ZY plane - 5.74 GHz.

Acknowledgment: The authors acknowledge the support of the Australian Research Council (ARC) under Discovery Project **DP160103039**.

The Institution of Engineering and Technology 2015

28 October 2015

doi:

S.P. Pinapati, T. Kaufmann and C. Fumeaux (*School of Electrical & Electronics Engineering, Adelaide University*)

D. Ranasinghe (*School of Computer Science, The University of Adelaide*)

E-mail: sree.pinapati@adelaide.edu.au

References

- Ito, K., and Lin, C.H.: 'Dual-mode Wearable Antenna for Medical Applications', *2013 Internat. Workshop Antenna Techn. (iWAT)*, March 2013, pp. 372-375
- Zhu, S., and Langley, R.: 'Dual Band Wearable Textile Antenna on an EBG Substrate', *IEEE Trans. Antennas Propag.*, 2009, **57**, (4), pp.926-935
- Sen, Y., Soh, P.J., and Vandenbosch, G.: 'Wearable dual-band composite right/left-handed waveguide textile antenna for WLAN applications', *Electron Lett.*, 2014, **50**, (6), pp.424-426
- Sen, Y., Soh, P.J., and Vandenbosch, G.: 'Wearable Dual-Band Magneto-Electric Dipole Antenna for WBAN/WLAN Applications', *IEEE Trans. Antennas and Propag.*, 2015, **63**, (9), pp.4165-4169
- Wang, Z., Lee, Z.L., Psychoudakis, D., and Volakis, J.: 'Embroidered Multiband Body-Worn Antenna for GSM/PCS/WLAN Communications', *IEEE Trans. Antennas Propag.*, 2014, **62**, (6), pp.3321-3329
- Koski, K., Vena, A., Sydänheimo, L., Ukkonen, L and Rahmat-Samii, Y.: 'Design and Implementation of Electro-Textile Ground Planes for Wearable UHF RFID Patch Tag Antennas', *IEEE Antennas Wirel. Propag. Lett.*, 2013, **12**, pp.964-967
- Acti, T., Chauraya, A., Zhang, S., Whittow, W., Seager, R, Vardaxoglou, J.C and Das, T.: 'Design and Implementation of Electro-Textile Ground Planes for Wearable UHF RFID Patch Tag Antennas', *IEEE Antennas Wirel. Propag. Lett.*, 2013, **12**, pp.964-967
- Kaufmann, T., and Fumeaux, C.: 'Wearable Textile Half-Mode Substrate-Integrated Cavity Antenna Using Embroidered Vias', *IEEE Antennas Wirel. Propaga. Lett.*, 2013, **12**, pp.805-808
- Agneessens, S., and Rogier, H.: 'Compact Half Diamond Dual Band Textile HMSIW On Body Antenna', *IEEE Trans. Antennas Propag.*, 2009, **62**, (5), pp.2374-2381
- Xu, Z., Kaufmann, T., and Fumeaux, C.: 'Wearable Textile Shielded Stripline for Broadband Operation', *IEEE Microw. Wirel. Compon. Lett.*, 2014, **24**, (8), pp.566-568
- Liu, X.F., Kaufmann, T. Xu, Z, and Fumeaux, C.: 'Wearable Applications of Quarter-Wave Patch and Half-Mode Cavity Antennas', *IEEE Antennas Wirel. Propag. Lett.*, 2015, **14**, pp.1478-1481
- Balanis, C.A.: 'Advanced Engineering Electromagnetics', 2nd Ed, John Wiley & Sons, Inc., 2012.
- Pinapati, P.S., Kaufmann, T., Linke I., Ranasinghe, D., and Fumeaux, C.: 'Connection Strategies for Wearable Microwave Transmission Lines and Antennas', in *Internat. Symp. Antennas Propag. (ISAP)*, Nov 2015, pp.639-642