TECHNICAL ARTICLE

Authenticated DNA from Ancient Wood Remains

SASCHA LIEPELT^{1,*}, CHRISTOPH SPERISEN², MARIE-FRANCE DEGUILLOUX³, REMY J. PETIT⁴, ROY KISSLING⁵, MATTHEW SPENCER⁶, JACQUES-LOUIS DE BEAULIEU⁷, PIERRE TABERLET⁸, LUDOVIC GIELLY⁸ and BIRGIT ZIEGENHAGEN¹

 ¹Philipps-University Marburg, Faculty of Biology, Nature Conservation Division, Karl-von-Frisch-Str. 2, D-35032 Marburg, Germany, ²Swiss Federal Institute for Forest, Snow and Landscape Research, WSL, Zürcherstrasse 111, CH-8903 Birmensdorf, Switzerland, ³Laboratoire d'Anthropologie des Populations du Passé, UMR PACEA, Avenue des Facultés, 33405 Talence cedex, France, ⁴Institut National de la Recherche Agronomique, UMR Biodiversité, Gènes et Ecosystèmes, 69 route d'Arcachon, 33612 Cestas Cedex, France, ⁵Cytos
Biotechnology AG, Wagistrasse 25, CH-8952 Schlieren, Switzerland, ⁶School of Biological Sciences, University of Liverpool, Liverpool L69 7ZB, UK, ⁷IMEP-UMR CNRS 6116, Université Paul Cezanne, Europôle de l'Arbois, B.P. 80, 13545, Aix-en-Provence, France and ⁸Laboratoire d'Ecologie Alpine (LECA), CNRS UMR 5553, Université Joseph Fourier, 38041 Grenoble Cedex 9, France

Received: 17 May 2006 Returned for revision: 5 July 2006 Accepted: 21 July 2006 Published electronically: 20 September 2006

• *Scope* The goal of this study was to determine if ancient wood can be analysed routinely in studies of archaeology and palaeogenetics. An experiment was designed which included blind testing, independent replicates, extensive contamination controls and rigorous statistical tests. Ten samples of ancient wood from major European forest tree genera were analysed with plastid DNA markers.

• *Conclusions* Authentic DNA was retrieved from wood samples up to 1000 years of age. A new tool for real-time vegetation history and archaeology is ready to use.

Key words: Ancient DNA, fossil wood, trnL intron, probability of authenticity, Abies, Pinus, Fagus, Quercus.

INTRODUCTION

Ancient DNA studies have been a matter of fascination as well as of irritation (e.g. Nickle et al., 2002). After a period of relative dilettantism, a number of criteria of authenticity have been introduced (Cooper and Poinar, 2000) and applied to an increasing number of studies of ancient DNA (aDNA) retrieval from fossil animal and human remains. At the time being, there is only a small number of studies on DNA from ancient plant remains (Gugerli et al., 2005). In most of them detailed information on control experiments and on measures to prevent contamination are missing. Even more critical is the lack of independent replications in different laboratories, a requirement which obviously could not be fulfilled by studies using up the entire sample in a single experiment, e.g. pollen grains (Suyama et al., 1996; Parducci et al., 2005) or Prunus fruit stones (Pollmann et al., 2005). Hence, there is an urgent demand for proving the authenticity of DNA obtained from ancient plant remains.

Ancient wood is found in high abundance and samples are usually large enough to be divided and sent to different laboratories. From this point of view, wood is an ideal target for ancient plant DNA studies applying the criteria of authenticity. Do we have a chance of routinely analysing ancient wood remains in studies of archaeology or phylogeography?

In this study we tackle this question, since forest trees are important elements in ecosystems that have been subjected to large range shifts during the climate cycles of the Quaternary. Furthermore, the DNA of ancient wood constructions may tell us more about historic human migrations. A systematic experiment with a blind testing design was set up in two aDNA laboratories and the results were subjected to rigorous statistical tests. It was possible to isolate and analyse authentic DNA from ancient wood of major European forest tree genera.

MATERIALS AND METHODS

Experimental design

Ten ancient wood samples, 300–11 500 years old, were chosen to be identified to the genus level by the analysis of plastid DNA. These remains had been determined previously by paleobotanists on the basis of wood anatomy (Table 1). For the blind test, specimens were divided and then shipped to the aDNA laboratories. These fragments were labelled only with a code, lacking information about genus or age. The codes were different across laboratories so that no exchange of information about individual samples was possible.

© The Author 2006. Published by Oxford University Press on behalf of the Annals of Botany Company. All rights reserved. For Permissions, please email: journals.permissions@oxfordjournals.org

[•] *Background* The reconstruction of biological processes and human activities during the last glacial cycle relies mainly on data from biological remains. Highly abundant tissues, such as wood, are candidates for a genetic analysis of past populations. While well-authenticated DNA has now been recovered from various fossil remains, the final 'proof' is still missing for wood, despite some promising studies.

^{*} For correspondence. E-mail liepelt@staff.uni-marburg.de

Sample	le Genus Age (years)		Conservation	Location	Contact or reference					
MRS 48	Abies	400*	Ice cave	Devoluy, France	J. L. de Beaulieu (current author)					
CHA 1	Pinus	8300 [†]	Glacis terrace	Charanc, France	Miramont et al. (2000)					
G51C	Pinus	11500^{\dagger}	Clay sediment	Zurich, Switzerland	M. Schaub, K. F. Kaiser (Swiss Federal Institute for Forest, Snow and Landscape Research, WSL, Switzerland)					
MRS46	Pinus	3800^{+}	Glacis terrace	Bachasette, France	J. L. de Beaulieu (as above)					
A555	Fagus	1000 [‡]	Clay sediment	Charavines colletière, France	C. Bourquin-Mignot (Laboratory of Chrono-Ecologie, UMR CNRS 6565, Besancon, France)					
MT2	Quercus	300*	Waterlogged	Montbeliard, France	O. Girardclos (Centre d'Études Dendrochronologiques et de Recherches en Environnement, Besançon, France)					
URLS F10	Fagus	1300 [†]	Waterlogged	Lago Scuro, Italy	Giraudi (2005)					
URLS F5	Fagus	3300-3600 [‡]	Waterlogged	Lago di Bolsena, Italy	L. Sadori (Dipartimento di Biologia Vegetale, Università 'La Sapienza', Rome, Italia)					
L1	Ouercus	800*	Waterlogged	Limé 'Le gros Buisson', France	C. Bourquin-Mignot (as above)					
M40	<i>Abies</i>	300*	Waterlogged	Lons-le-Saunier, France	O. Girardelos (as above)					

TABLE 1. Details of the ancient wood samples

* Dendrochronological dating; [†] ¹⁴C dating; [‡] archaeological dating.

Two primer pairs were designed to differentiate among forest tree genera. Each primer pair amplified a small fragment of the chloroplast *trn*L intron smaller than 100 bp long in the most common tree species of Europe. Primer pair I was characterized by the following primers: forward primer I 5'-GGG TAA TCC TGA GCC AAA T-3' and reverse primer 5'-CAT TGA GTC TCT GCA CCT ATC-3'. Primer pair II amplified a shorter fragment and shared its reverse primer with primer pair I. The sequence of forward primer II was 5'-CAA ATA AGG GTT GAG AAG AAA GC-3'. Primer pair I was chosen, because it mainly differentiates among gymnosperms, while primer II is suited for the identification of angiosperm tree genera.

The aDNA laboratories of the participating institutions were physically isolated from the laboratories working with fresh samples. To prevent contamination, they were equipped with filter systems for incoming air, overpressure systems, decontamination by UV-light and special protective gear for the experimenters. All samples which gave signals after amplification were sequenced as a matter of principle.

All wood samples were shipped in air-tight plastic bags and were directly transferred to the aDNA laboratories after shipping. They were then dried (if necessary) and stored on silica gel to be extracted in a dry condition. For DNA extraction a layer of wood was removed from the wood fragments with a sterile scalpel and discarded. With a second sterile scalpel a few flakes of wood were scraped off the cleaned area and transferred directly into a sterile 2-mL reaction tube together with a UV-sterilized stainless-steel ball. The wood flakes were pulverized in a shaking mill (Retsch) at room temperature. Extraction of the pulverized wood remains was performed with the Plant DNA Mini Kit (Qiagen, Germany) according to the manufacturer's instructions, apart from the following deviations from the protocol: the extraction buffer was injected through the lid of the reaction tubes by means of disposable sterile syringes and needles to avoid spilling of the dry wood powder.

Blank extractions were performed simultaneously, starting out with an empty reaction tube containing just a

sterile stainless-steel ball, and were treated exactly the same for the rest of the analysis.

PCR reactions were prepared under a separate PCR or laminar flow hood in the clean-air laboratories using a dedicated set of pipettes. Extraction and PCR set-up were performed on different days. Blank PCR reactions were performed by adding the appropriate amount of sterile ultra-pure water to the reaction. Reactions were carried out in a volume of 25 µL (Lab A) containing 1 U Fast Start Taq DNA polymerase (Roche Diagnostics, Switzerland), 2 µL extract, $2\,\text{mM}$ MgCl_2, $0{\cdot}1\,\text{mM}$ dNTPs and $0{\cdot}2\,\mu\text{M}$ of each primer. Lab B prepared the PCR reactions in a volume of 50 µL containing 2U AmpliTaq Gold (Applied Biosystems, USA), 1 µL extract and identical concentrations of the remaining ingredients. After preparation of the PCR reactions in the clean-air laboratories the closed reaction tubes were transferred to the regular laboratories and subjected to thermocycling. A denaturation step of 4 min (Lab A) or 9 min (Lab B) at 95 °C was followed by 50 cycles of 1 min 95 °C, 1 min 55 °C and 1 min 72 °C. The procedure ended with a final elongation step of 10 min at 72 °C.

Subsequent analyses, such as electrophoresis, cloning and sequencing, were carried out in regular laboratories. PCR products were first checked on agarose gels and detected fragments were then either cloned and sequenced (Lab A) or directly sequenced using the PCR primers (Lab B). PCR products were cloned with the TOPO TA Cloning Kit (Invitrogen, The Netherlands) according to the instructions of the manufacturer. Sequencing reactions were performed with the BigDye Terminator Sequencing Kit (Applied Biosystems, USA) from plasmid DNA (Lab A) or PCR products purified with the Qiagen MinElute Kit (Lab B). Electrophoresis was carried out in ABI Prism 310 automatic sequencers (Applied Biosystems).

Statistical analysis

For statistical analysis, 'authentic' was defined as DNA present in the sample before the beginning of the experiment, and it was assumed that it is not possible to decide

(a)	
AF327571	${\tt CCGGTTCATAGAGAAAAGGGTTTCTCTCCTTCTCCTAAGGAAAG}$
A MRS48	CCGGTTCATAGAGAAAAGGGTT-CTCTCC-TCTCCTAAGGAAAG
A M40	${\tt CCGGTTCATAGAGAAAAGGGTTTCTCTCCTCTCTCAAGGAAAG}$
B M40	${\tt CCGGTTCATAGAGAAAAGGGTTTCTCTCCTCTCTCAAGGAAAG}$
B MRS48	${\tt CCGGTTCATAGAGAAAAGGGTTTCTCTCCTCTCTCAAGGAAAG}$
(b)	
AF327582	AAGAATAAAATAAAAAAAAAAAAG
A A555	AAGAATAAAAT-AAAAAAAAAAAAAAG
A A555	AAGAATAAAATAAAAAAAAAAAG
A A555	AAGAATAAAAT-AAAAAAAAAAAAGG
B A555	AAGAATAAAATAAAAAAAAAAAAAGG

FIG. 1. DNA sequences from ancient wood samples MRS48, M40 and A555 aligned with published sequences of (a) *Abies* and (b) *Fagus* from the respective cpDNA region. Example sequences from both laboratories (A and B) are displayed.

whether a result is authentic by examining the sequence. The lack of woody plant sequences from controls suggests that this is a conservative assumption. It was also assumed that authentic and contaminant DNA occur and are amplified independently. The probabilities γ and γ 2 and their 95% profile confidence intervals were estimated as described in Spencer and Howe (2004). Because replicate extractions from a given sample are being analysed, γ and γ 2 tell us whether an extract from this sample is likely to contain authentic DNA, but do not tell us how likely it is that extracts from other samples will contain authentic DNA.

RESULTS

Three of ten samples (MRS48, A555, M40; Fig. 1) were correctly identified to the genus level by both laboratories from multiple extracts each. Three samples (CHA1, G51C, MT2) were identified correctly by one of the two laboratories only, and therefore did not fulfil the basic criterion of independent replication. Sequences of herbaceous plant species were retrieved from samples MRS46 (*Senecio*) and URLS F10 (*Poa*) and a mixture of woody plant sequences was found in sample CHA1 (*Populus, Eucalyptus, Cupressus, Ficus*). From two samples (URLS F5, L1) no DNA fragments could be amplified by either laboratory.

Figure 1 displays original sequences of the samples that could be replicated independently. Differences from the published sequences (GenBank accession numbers: AF327571, AF327582) are visible. Such differences are common for amplification products from aDNA, which has been modified chemically over time (Lindahl, 1993; Willerslev and Cooper, 2005). This is the most likely explanation for the differences from the published *Abies* (fir) sequence (Fig. 1A). In the case of the *Fagus* (beech) sequences (Fig. 1B), some of the differences might also have been caused by the repetitive nature of the same PCR product (Liepelt *et al.*, 2001) or problems with direct sequencing, making it hard to determine the exact number of repeats.

Extraction and PCR controls yielded readable sequences in a few cases. Table 2 gives an overview of the number of extractions and controls for the three samples correctly identified by both laboratories. None of the sequences retrieved from controls could be attributed to woody plant species. Nevertheless, they were conservatively considered to represent laboratory contamination for the subsequent statistical analysis.

For the three samples correctly identified by both laboratories, the maximum likelihood method was used to estimate the probability γ that a positive result was at least partly from authentic DNA, and the probability $\gamma 2$ that a positive result was entirely from authentic DNA. All three samples exhibited high probabilities of authenticity ($\gamma >$ 0.80, Fig. 2). For γ 2 the probabilities were lower (>0.66) except for sample M40, which still exhibited a very high probability of 0.96 (Fig. 2). Therefore, based only on the numbers of positive results observed, there is strong evidence that there was woody plant DNA present in all three samples before the experiments began, and that it was possible to amplify this DNA. The overlapping confidence intervals in Fig. 2 also show that the probabilities of such DNA being present were not significantly different between the three samples. The confidence intervals were much wider for A555 than the other two samples because fewer experiments were carried out on this sample.

DISCUSSION

The results fulfil the following criteria of authenticity suggested by Cooper and Poinar (2000): (a) the work was carried out in suitable, dedicated and properly equipped laboratories; (b) a large number of extraction and PCR controls was carried out, of which few were contaminated by non-woody species; (c) results were reproducible in each laboratory; (d) results made sense biologically, since the wood had been identified using anatomical criteria as well; (e) some sequences were degraded in ways typical of ancient DNA; (f) independent replications of the results in different laboratories were successful under the conditions of a blind-testing experiment. Independent replicates are considered as one of the strongest criteria of authenticity by several authors (Austin et al., 1997; Cooper and Poinar, 2000; Hofreiter et al., 2001; Willerslev and Cooper, 2005). The idea of blind testing to authenticate aDNA sequences was suggested by Yang et al. (1997). The blind-testing design on wood from different genera allowed an additional independent control of the results by anatomical criteria in combination with the use of universal primers differentiating among genera.

Recently some of the criteria of authenticity have been critically reviewed (Gilbert *et al.*, 2005) and it was suggested to build a strong case of evidence instead of adhering to these criteria as to a checklist. The greatest challenge in aDNA studies is the differentiation between authentic DNA and contaminant DNA. In the case of ancient wood, the risk of contamination during handling and analysis can be considered to be lower than with human or microbial DNA which is essentially omnipresent

Sample	Extractions		Successful extractions		Extraction controls		Positive extraction controls		PCR controls			Positive PCR controls						
	А	В	Total	А	В	Total	A	В	Total	A	В	Total	А	В	Total	A	В	Total
MRS48	4	15	19	3	7	10	2	15	17	0	2	2	2	15	17	0	4	4
A555	4	4	8	2	4	6	2	4	6	0	1	1	2	4	6	0	0	0
M40	4	13	17	4	10	14	2	13	15	0	0	0	2	13	15	0	1	1

TABLE 2. Total number of extractions and controls performed in laboratories A and B




FIG. 2. Estimated probabilities of authenticity for DNA sequences from three samples of ancient wood. γ , probability that amplified DNA is at least partially from the ancient wood sample; γ 2, probability that amplified DNA is purely from the ancient wood sample. Error bars indicate the 95 % confidence interval.

(e.g. Gilbert *et al.*, 2005; Willerslev and Cooper, 2005). Thus, although it was not possible to test for all of the nine criteria of authenticity, strong evidence for the authenticity of the results has been provided.

Previous studies relying on relatively fresh wood (Fladung et al., 2004; Asif and Cannon, 2005; Deguilloux et al., 2006) and reports of DNA from ancient Quercus (Dumolin-Lapègue et al., 1999; Deguilloux et al., 2002) and Cryptomeria wood (Tani et al., 2003) suggested the possibility of DNA survival in ancient wood remains, which was confirmed by the present study. As far as is known, this is the first time that DNA sequences from ancient wood samples have been authenticated in a thorough experimental set-up including two clean-air laboratories, extensive controls and statistical evaluation of the results. Here, it was possible to analyse authentic DNA from wood as old as 1000 years. Depending on the mode of conservation and the climate at the excavation site, it appears plausible that even older samples could be analysed successfully (Deguilloux et al., 2006). For future studies, in addition to strict measures avoiding contamination, it is proposed to use independent replication of results and a carefully designed system of controls as standard procedures in the field of plant aDNA studies.

At the moment aDNA studies on human and animal remains make up the majority of publications in this field, while plant studies are still quite rare (Gugerli *et al.*, 2005). It is hoped that these results will promote additional aDNA studies on trees. A large number of potential applications exists. The study of ancient tree DNA could provide powerful tools for 'real-time' historical biogeography and archaeology and may increase our knowledge about the postglacial history of forest ecosystems and the impact of human activities during the Holocene.

ACKNOWLEDGEMENTS

We are grateful to C. Miramont, L. Sadori, C. Begeot, M. Schaub, K. F. Kaiser, C. Bourquin-Mignot and O. Girardclos for providing ancient wood remains and to L. Bertel for assistance in the laboratory. This work was financially supported by the European Union Project FOSSILVA (CT-1999-00036) and the Swiss State Secretariat for Education and Research SER (CT-99.0689-2).

LITERATURE CITED

- Asif MJ, Cannon CH. 2005. DNA extraction from processed wood: a case study for the identification of an endangered timber species (*Gonstylus bancanus*). *Plant Molecular Biology Reporter* 23: 1–8.
- Austin JJ, Smith AB, Thomas RH. 1997. Palaeontology in a molecular world: the search for authentic ancient DNA. *Trends in Ecology Evolution* 12: 303–306.
- Cooper A, Poinar HN. 2000. Ancient DNA: do it right or not at all. Science 289: 1139
- Deguilloux M-F, Pemonge M-H, Petit RJ. 2002. Novel perspectives in wood certification and forensics: dry wood as a source of DNA. Proceedings of the Royal Society of London Series B: Biological Sciences 269: 1039–1046.
- Deguilloux M-F, Bertel L, Celant A, Pemonge M-H, Sadori L, Magri D, et al. 2006. Genetic analysis of archaeological wood remains: first results and prospects. *Journal of Archaeological Science* 33: 1216–1227.
- Dumolin-Lapègue S, Pemonge M-H, Gielly L, Taberlet P, Petit RJ. 1999. Amplification of oak DNA from ancient and modern wood. *Molecular Ecology* 8: 2137–2140.
- Fladung M, Nowitzki O, Ziegenhagen B, Markussen T. 2004. Identification of transgenes from wood of genetically transformed poplar trees. Wood Science and Technology 38: 207–215.
- Gilbert MTP, Bandelt H-J, Hofreiter M, Barnes I. 2005. Assessing ancient DNA studies. *Trends in Ecology and Evolution* 20: 541–544.
- Giraudi C. 2005. Middle to Late Holocene glacial variations, periglacial processes and alluvial sedimentation on the higher Apennine massifs (Italy). *Quaternary Research* 64: 176–184.

- Gugerli F, Parducci L, Petit RJ. 2005. Ancient plant DNA: review and prospects. *New Phytologist* 166: 409–418.
- Hofreiter M, Serre D, Poinar HN, Kuch M, Pääbo S. 2001. Ancient DNA. *Nature Reviews Genetics* 2: 353–359.
- Liepelt S, Kuhlenkamp V, Anzidei M, Vendramin GG, Ziegenhagen B. 2001. Pitfalls in determining size homoplasy of microsatellite loci. *Molecular Ecology Notes* 1: 332–335.
- Lindahl T. 1993. Instability and decay of the primary structure of DNA. *Nature* 362: 709–715.
- Miramont C, Sivan O, Rosique T, Edouard JL, Jorda M. 2000. Subfossil tree deposits in the Middle Durance (Southern Alps, France): environmental changes from Allerod to Atlantic. *Radiocarbon* 42: 423–435.
- Nickle DC, Learn GH, Rain MW, Mullins JI, Mittler JE. 2002. Curiously modern DNA for a '250 million-year-old' bacterium. *Journal of Molecular Evolution* 54: 134–137.
- Parducci L, Suyama M, Lascoux M, Bennett KD. 2005. Ancient DNA from pollen: a genetic record of population history in Scots pine. *Molecular Ecology* 14: 2873–2882.

- Pollmann B, Jacomet S, Schlumbaum A. 2005. Morphological and genetic studies of waterlogged *Prunus* species from the Roman *vicus Tasgetium* (Eschenz, Switzerland). *Journal of Archaeological Science* 32: 1471–1480.
- Spencer M, Howe CJ. 2004. Authenticity of ancient-DNA results: a statistical approach. American Journal of Human Genetics 75: 240–250.
- Suyama Y, Kawamuro K, Kinoshita I, Yoshimura K, Tsumura Y, Takahara H. 1996. DNA sequence from a fossil pollen of *Abies* spp. from Pleistocene peat. *Genes & Genetic Systems* 71: 145–149.
- Tani N, Tsumura Y, Sato H. 2003. Nuclear gene sequences and DNA variation of *Cryptomeria japonica* samples from the postglacial period. *Molecular Ecology* 12: 859–868.
- Willerslev E, Cooper A. 2005. Ancient DNA. Proceedings of the Royal Society Series B 272: 3–16.
- Yang H, Golenberg EM, Shoshani J. 1997. A blind testing design for authenticating ancient DNA sequences. *Molecular Phylogenetics* and Evolution 7: 261–265.