

### Field Experience of Hydrophobic Membrane Filters for Corrosion Protection of Axial Compressor for Air Separation Plant

TOM DAVIDSON, P.E., LINDE LLC

MATT GESSNER, WILSON POON, PH.D., W.L. GORE & ASSOCIATES, INC.







# Outline

- Case Study Background
- Root Cause
- Mitigation Strategies
- Test Results
- Conclusions


# Case Study: Air Separation Plant, Nitrogeno de Cantarell

- Generates nitrogen for enhanced oil recovery (EOR)
- Capacity: 1500 mmSCFD (50000 t/d)
- 5 trains/axial compressors driven by 62,000hp electric motors
- 5 Power Plants, producing 360 MW of electrical power and 980 t/h of steam in total





### ASU Simplified View, with Integrated Gas Turbine



Ref. Schueler, T. and Beysek, G. (2010) The proven cryogenic Air Separation Process adapted to the needs of CCS (IGCC & Oxyfuel). Inst of Chem Eng 10<sup>th</sup> Annual European Gasification Conference, Oct 4-6, 2010, Amsterdam, Netherlands


### Damaged Compressor Blades

 Corrosion lead to blade cracking and resulted in several blade liberation events



#### **Root Causes**

- Harsh environment
  - 6.5km (4 miles) from sea
  - Mist from salt water cooling tower
  - Flares and soot particles from nearby oil refinery
- Air intake problems
  - Fouling of compressor blades
  - Corrosion of parts
  - Binding of IGV bearings
  - Damaged compressor blades



Gulf of Mexico - Arial View

### Condition of Intake Air System



Clean side of filter contained corrosion and dirt particles.



Buildup of dirt particles, chemicals, iron (rust) that eventually passed through the silencers to the compressors.



Deposits on silencers appeared to be salt, iron and dirt, all contributors to compressor fouling.

# Condition of Intake Air System



Damaged Filters



Misaligned Filters


Gaskets not sealing on tubesheet

### Mitigation Strategies

- Improvement of inlet filter house
- Installation of hydrophobic HEPA\* filters

#### What is ePTFE?

- Expanded PTFE (polytetrafluoroethylene)
- High surface tension/high porosity
- Hydrophobic
- Water and salt resistant
- Air permeable




<sup>\* &</sup>lt;u>High Efficiency Particulate Arrestor</u>

# Hydrophobic HEPA Filters


- E12 filtration efficiency
- Removes water and soluble salts
- 3 to 5 times costs of conventional filters



### E12\* Filtration Efficiency



### Water Tightness - AATCC 127 Test Method



Time Lapse Pictures

### Case Study Air Separation Plant

 In early 2011, inlet filter houses refurbished and hydrophobic HEPA filters installed



Cylindrical/conical hydrophobic HEPA filters with coalescers installed in refurbished inlet filter house.

### Results


- Analytical data
  - chloride measurement
  - metallurgy

- Boroscope pictures
  - IGV bearings
  - compressor blades

### Results


- After 4 months, MAC was shutdown for visual inspection. Results were astounding. Water washing stopped
- After 18 months run time, inspection revealed a highly remarkable reduction in blade fouling
- Intermittent rotor blade crack test inspections found no further incidents of blade cracking

### Daily Pressure Drop Trend



# Performance of Filters Measured in Laboratory

ASU Unit	Hours
MAC #1	3744
MAC #2	3768
MAC #3	4560
MAC #4	7512
MAC #5	6864



### Conclusion

- At one of the largest air separation plants, ingestion of drifts from the salt-water cooling towers and soot from nearby refinery lead to corrosion of the air compressor blades and binding of the IGV bearings.
- Improvement of the intake filter house and installation of hydrophobic membrane filters greatly improved reliability of the compressors by filtering corrosive particles and stopping water ingression.
- Filters returned from the field were analyzed and the pressure drop increase, an indication of filter loading rate, was moderate.

# Acknowledgement

David Snell, President
 Gulf Coast Filters & Supply, Inc.