Brief 65-10338


November 1965

## NASA TECH BRIEF



NASA Tech Briefs are issued by the Technology Utilization Division to summarize specific technical innovations derived from the space program. Copies are available to the public from the Clearinghouse for Federal Scientific and Technical Information, Springfield, Virginia, 22151.

## Inert-Gas Welding and Brazing Enclosure Fabricated From Sheet Plastic



The problem: Available chambers in which a protective inert-gas atmosphere is maintained for welding and brazing of certain metals are relatively expensive and do not accommodate large workpieces, particularly when they are part of fixed equipment such as pipelines and manifolds.

The solution: A plastic bag that can be inexpensively custom-fabricated around part of the work-pieces and the welding or brazing tools. An inert-gas

atmosphere is maintained within this bag during the welding or brazing operation.

How it's done: Sheets of clear polyethylene plastic are fitted around the equipment to be welded and the welding tool. The plastic sheets are then taped at the seams to form a bag. In laying out the plastic material, provision is made for the incorporation of windows (of polymethyl methacrylate), and appropriate fittings for the entrance and exit of inert gas and vacuum and powerlines. Rubber gloves extending into the

(continued overleaf)

This document was prepared under the sponsorship of the National Aeronautics and Space Administration. Neither the United States Government nor any person acting on behalf of the United States

Government assumes any liability resulting from the use of the information contained in this document, or warrants that such use will be free from privately owned rights.

enclosure are sealed into one or more faces of the plastic bag. The operator manipulates the welding tool with his hands in these gloves. An indicator consisting of a metal specimen which undergoes a color change when test-welded in the presence of inert-gas contaminants (water and oxygen) is also placed inside the bag. The inert-gas atmosphere may also be maintained in a space surrounding the exterior of the bag.

## Notes:

- 1. Other operations such as metal brazing and fusion plating which require an inert-gas atmosphere can also be performed in custom-fabricated plastic bags.
- 2. Inquiries concerning this innovation may be directed to:

Technology Utilization Officer Lewis Research Center 21000 Brookpark Road Cleveland, Ohio, 44135 Reference: B65-10338

**Patent status:** NASA encourages commercial use of this innovation. No patent action is contemplated by NASA.

Source: John P. Wisner

(Lewis-220)