

POLITECNICO DI TORINO Repository ISTITUZIONALE

Motor units distribution and recruitment order retrieved from force / M-wave relationship during stimulated contraction

Original

Motor units distribution and recruitment order retrieved from force / M-wave relationship during stimulated contraction / MESIN L.; MERLO E; MERLETTI R; ORIZIO C. - (2008), pp. 497-497. ((Intervento presentato al convegno Primo Congresso Nazionale di Bioingegneria tenutosi a Pisa nel 3-5 LUGLIO 2008..

Availability:

This version is available at: 11583/1919726 since:

Publisher:

Published DOI:

Terms of use: openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



Primo Congresso Nazionale di Bioingegneria, Pisa, 3-5 luglio 2008

MOTOR UNITS DISTRIBUTION AND RECRUITMENT ORDER RETRIEVED FROM FORCE / M-WAVE RELATIONSHIP DURING STIMULATED CONTRACTION



Luca Mesin¹, Enrico Merlo^{1,2}, Roberto Merletti¹, Claudio Orizio²

¹LISiN, Dipartimento di Elettronica, Politecnico di Torino, Italy, ²Dipartimento Scienze Biomediche e Biotecnologie, Università degli Studi di Brescia, Brescia, Italy

1. INTRODUCTION

Transcutaneous electrical stimulation (TES) of the peripheral nervous system is widely applied to investigate or improve muscle function. The synchronous activation of muscle fibres is most likely achieved by stimulating the motoneuron terminal branches [1]. Getting a deeper insight into the delivered current pulse induces the activation of the muscle fibres is crucial for the better exploitation of the TES. This work investigates the mechanism underlying TES using both electrical and mechanical responses (i.e., surface potential, referred to as M-wave, and torque, respectively), using simulated and experimental data from tibialis anterior (TA) muscle.


Excitation thresholds

2. METHODS

A)


Experimental data collection and processing

Eight healthy male subjects participated in the study. The dominant leg was placed in an isometric brace and the foot was fixed to a plate (Figure 1A). A load cell fixed to the plate measured the force generated during the contractions. Biphasic stimulation currents at 20 pps for 3 s were applied to the motor point of the TA muscle with different amplitudes (1.7 mA step) in different stimulation sets, with 1 minute rest (Figure 1B). Surface EMG signals were detected over the TA muscle with a linear array of 8 electrodes 5 mm apart in single differential (SD) configuration aligned to the muscle fibres. Variables of interest were average rectified value (ARV), mean frequency (MNF), conduction velocity (CV) and force.



Simulation of electrical and mechanical responses

M-waves were simulated by a model of electrical stimulation [2] and a simulator of surface EMG (including skin 1 mm thick, fat with thickness in the range 2-8 mm, and muscle extending to infinity). Known conductivity data were used to simulate the current distribution induced by stimulation. The selection of elicited MUs was determined considering the current density distribution in the territory of each MU and the excitation threshold characteristic of the MU. The action potentials of the elicited MUs were added up to simulate M-waves. Exerted force was simulated by adding the contribution of each of the elicited MUs, estimated on the basis of a model of muscle force in isometric conditions.








Fig.1 A) Ergometer for isometric measurement of the force produced by TA during electrical stimulation. B) Representation of the stimulation sequence used during the protocol.





Excitation thresholds - Simulations were performed with smaller MUs with lower or higher excitation thresholds or with random distribution of excitation thresholds


MU distribution - Simulations were performed with smaller MUs located deep or superficial or with random distribution of MUs within the muscle

Anatomy – Different thicknesses of the fat tissue were simulated (2-8 mm)









Random distribution of MUs in the muscle

Larger MUs with lower thresholds

Random distribution of MUs in the

Larger MUs with higher thresholds

Larger MUs superficial


Larger MUs superficial

muscle

Larger MUs with lower thresholds

Larger MUs with higher thresholds

Fig. 2 Examples of simulated distributions of MUs within the muscle and excitation thresholds.



current at which the knee appears. The value of the parameter (ARV, MNF, CV, Force) corresponding to 1.3 in the axis of normalised stimulation current was scaled to the value 1.

4. CONCLUSIONS

Fig. 6. A) ARV, B) MNF, C) CV and D) force obtained from the experimental protocol (normalisation described in Fig. 5).

extracted from simulated data. Parameters were

statistically dependent on MU distribution and recruitment order and not statistically dependent on fat layer thickness.

Two variables provide important indications on MU recruitment during TES and MU distribution within the muscle: CV variation of M-waves and concavity of force curve for increasing stimulation intensity. Experimental data showed an increase of CV with increasing stimulation intensity and a positive concavity (mean across eight subjects) of the force/stimulation intensity curve. The effects of different recruitment orders (random excitation threshold, higher threshold for larger MUs or for smaller MUs) and different MU distributions in the muscle (random distribution, larger or smaller MU deeper) were tested in simulations. CV variations and concavity of force/stimulation intensity were in line with experiments only if larger MUs were distributed deep within the muscle (in line with a histochemical study [3]), regardless the distribution of MU recruitment thresholds (Figure 7). Thus, the geometrical distribution of the MUs is crucial in determining the order of recruitment of MUs during TES (it is more important than MU recruitment threshold). This provides an interpretation of the controversial results reported in the literature on MU recruitment during stimulation.

References

[1] Merletti R, Knaflitz M, and De Luca CJ. Myoelectric manifestations of fatigue in voluntary and electrically elicited contractions. J Appl Physiol, 69: 1810–1820, 1990. [2] Mesin L, Merletti R. Distribution of electrical stimulation current in a planar multi layer anisotropic medium. *IEEE Trans. on Biomed. Eng.*, 55(2): 660 – 670, 2007. [3] Henriksson-Larsen K, Friden J, and Wretling ML. Distribution of fiber sizes in human skeletal muscle. An enzyme histochemical study in m tibialis anterior. Acta Physiol Scand 123: 171–177, 1985.

Acknowledgements

Work supported by the European Space Agency Project "MESM" (ESA-AO-LS-99-MAP-MED-028).