


NASA/TM—2020-220379

AIAA—2019—3976



Overview of Multilayer Metal Insulation Development for Small Stirling Convertors at NASA Glenn Research Center

*Daniel D. Goodell, Nicholas A. Schifer, and Scott D. Wilson
Glenn Research Center, Cleveland, Ohio*

March 2020

NASA STI Program . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program plays a key part in helping NASA maintain this important role.

The NASA STI Program operates under the auspices of the Agency Chief Information Officer. It collects, organizes, provides for archiving, and disseminates NASA's STI. The NASA STI Program provides access to the NASA Technical Report Server—Registered (NTRS Reg) and NASA Technical Report Server—Public (NTRS) thus providing one of the largest collections of aeronautical and space science STI in the world. Results are published in both non-NASA channels and by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA counter-part of peer-reviewed formal professional papers, but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., “quick-release” reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.
- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or co-sponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

For more information about the NASA STI program, see the following:

- Access the NASA STI program home page at <http://www.sti.nasa.gov>
- E-mail your question to help@sti.nasa.gov
- Fax your question to the NASA STI Information Desk at 757-864-6500
- Telephone the NASA STI Information Desk at 757-864-9658
- Write to:
NASA STI Program
Mail Stop 148
NASA Langley Research Center
Hampton, VA 23681-2199



Overview of Multilayer Metal Insulation Development for Small Stirling Convertors at NASA Glenn Research Center

*Daniel D. Goodell, Nicholas A. Schifer, and Scott D. Wilson
Glenn Research Center, Cleveland, Ohio*

Prepared for the
Propulsion and Energy Forum and Exposition
sponsored by the American Institute of Aeronautics and Astronautics
Indianapolis, Indiana, August 19–22, 2019

National Aeronautics and
Space Administration

Glenn Research Center
Cleveland, Ohio 44135

Trade names and trademarks are used in this report for identification only. Their usage does not constitute an official endorsement, either expressed or implied, by the National Aeronautics and Space Administration.

Level of Review: This material has been technically reviewed by technical management.

Available from

NASA STI Program
Mail Stop 148
NASA Langley Research Center
Hampton, VA 23681-2199

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
703-605-6000

This report is available in electronic form at <http://www.sti.nasa.gov/> and <http://ntrs.nasa.gov/>

Overview of Multilayer Metal Insulation Development for Small Stirling Convertors at NASA Glenn Research Center

Daniel D. Goodell, Nicholas A. Schifer, and Scott D. Wilson
National Aeronautics and Space Administration
Glenn Research Center
Cleveland, Ohio 44135

Summary

A small Stirling convertor is currently under development at the NASA Glenn Research Center to produce 1 W of electrical power from 8 W of heat. Previous radioisotope power systems (RPSs) made use of the general-purpose heat source (GPHS), which produces 250 W of heat but is unsuitable for a 1-W Stirling convertor. The only other qualified heat source available is the lightweight radioisotope heating unit (LWRHU), which produces 1 W of heat and is primarily used to provide heat to electronics and instrumentation to maintain their appropriate operating temperature. Unfortunately, the LWRHU has a heat flux of 272 W/m² compared with the GPHS heat flux of 6,000 W/m², which significantly increases the demands on the insulation to ensure that enough of the heat produced is available to the convertor and not lost to the environment. An analysis was performed that showed that the insulation must have an effective thermal conductivity of 0.005 W/m·K or better for the system to function. A multilayer metal insulation package was designed, and a prototype was fabricated and tested to investigate the feasibility of this design. While the prototype did not meet the requirements perfectly, the lessons learned are being used to generate an improved thermal model using the test data so that a second iteration can be developed that will meet the performance requirements with much higher confidence.

Introduction

There is a need for a low-power radioisotope power system (RPS) to power small sensor packages and repeaters for use in deep space and other areas where solar power is unfeasible. A small Stirling convertor with a nominal electrical power output of 1 W is being developed at the NASA Glenn Research Center to meet this need. This convertor would require approximately 6.5 W of heat to operate. There are only two space-qualified heat sources available to provide heat for an RPS system: the general-purpose heat source (GPHS) and the lightweight radioisotope heating unit (LWRHU). The GPHS produces 250 W of heat and is not suitable for a 1-W power system. The LWRHU produces 1 W of heat, so multiple units could be used to provide the required heat input to the convertor. The GPHS was designed to provide heat to a radioisotope thermoelectric generator to temperatures greater than 1,000 °C and has a heat flux through its surface of approximately 6,000 W/m². The LWRHU was designed to supply auxiliary heat to electronics and only provides 272 W/m². The large surface area of the LWRHU relative to the power output puts greater demands on the insulation, requiring a lower effective thermal conductivity than that used by GPHS-based systems to minimize the heat loss. Previously used insulation includes Microtherm® (Promat Research and Technology) high-temperature insulation with a thermal conductivity of approximately 0.02 W/m·K. Analysis of a proposed LWRHU heat source and convertor shows that the insulation must have a thermal conductivity of approximately 0.005 W/m·K (Ref. 1) to ensure that enough heat is provided to the convertor.

Design and Fabrication

It was determined that a prototype insulation assembly that utilized all the dimensions, features, and interfaces of the final convertor system should be developed so that any unexpected difficulties in the implementation could be found as early in the development process as possible. Previous work on similar insulation intended for use in the Advanced Stirling Radioisotope Generator project discovered some difficulties during manufacturing and testing that had not been foreseen (Ref. 2). The prototype Stirling convertor mechanical design was complete before beginning the insulation design process. Therefore, all the mechanical dimensions of the insulation package could be designed to be compatible with the Stirling prototype. Additionally, although the prototype would be dimensionally accurate, some expensive and time-consuming features could be omitted so that the performance can be understood. The inexpensive prototype was not expected to meet all the performance requirements; however, the knowledge gained would allow for a second, higher fidelity prototype that will have a high probability of achieving the required effective thermal conductivity.

Early in the design process, the insulation prototype was divided into three physical components that were manufactured and designed separately and integrated into the final test package:

1. The thermal simulator, to simulate the operating Stirling convertor and its thermal and physical interfaces
2. The heat source, which will electrically simulate the eight LWRHUs that are proposed as the heat source
3. The insulation package, which contains several layers of closely spaced, low-emissivity titanium foils suitable for pumping down to a vacuum and containing the necessary mounting points for the heat source and the thermal simulator

Thermal Simulator

The thermal simulator, shown in Figure 1, was designed and manufactured by NASA with the same dimensions and thermal conductivity of the Stirling convertor at the design hot-end temperature of 350 °C. Additionally, the ability to measure the hot-end temperature and heat flow through the thermal simulator was considered necessary to understand how much heat is lost through the convertor versus how much is consumed by the convertor. The simulator was designed in two parts so that the dimensions and the thermal conductivity could be the same as the prototype Stirling convertor. The two parts consisted of an outer shell of higher thermal conductivity 410 stainless steel and an inner rod of Inconel® 625 with lower thermal conductivity. The thermal simulator was designed to have the same thermal conductivity as the operating Stirling convertor by adjusting the ratio of cross-sectional areas for the shell and the rod. Four equally spaced thermocouples were added to the rod to allow for calculation of the heat flow through the thermal simulator via Fourier's law.

An essential feature of the insulation package that was defined early on was the interface between the heat source and the Stirling convertor. The prototype Stirling convertor was designed to have the minimum practical wall thickness to limit thermal conduction losses; however, this thin wall limits the ability of the Stirling convertor to support mechanical loads. The heat source was designed to be radiatively coupled to the Stirling convertor to prevent the heat source from causing any additional mechanical load on the Stirling convertor. The radiative coupling will result in slightly higher heat source temperatures than a direct conductive coupling, which will increase the demands on the insulation. The thermal simulator was fitted with an 81-mm- (3.19-in.-) diameter heat collector plate. The heat collector plate was grit blasted to increase the emissivity and to provide the necessary surface for the radiative heat transfer. The emissivity of a representative sample of 410 stainless steel was measured at approximately




Figure 1.—Cross section of the thermal simulator.

0.55. A ConFlat® (Agilent Technologies, Inc.) flange was welded to the outside of the thermal simulator so that it could be disassembled from the insulation test package to allow for inspection, modification, or replacement of internal components.

Electrical Heat Source

The electrical heat source shown in Figure 2 was designed at Glenn to simulate the dimensions, heat produced, and thermal properties of the eight LWRHUs. The electrical heat source was designed to have approximately the same outer dimensions as eight LWRHUs arranged in two stacks of four, as shown in Figure 3. Arranging the LWRHUs in this manner allows the insulation package outer diameter to be no larger than the diameter of the Stirling convertor. The core of the heat source is a machined piece of POCO® AXF-5Q graphite (Poco Graphite, Inc.), which has similar thermal properties to the outer shell of the LWRHU. The block contains four holes to accommodate 9.525-mm (3/8-in.) diameter cartridge heaters. Hermetically sealed cartridge heaters were chosen to limit the potential for outgassing and to reduce pump-down times. Two circular bus bars that were made from Nickel 201 were welded to the cartridge heater leads to provide electrical contact. The graphite block is slightly longer than the LWRHUs to accommodate the electrical connections to the cartridge heaters.

At the bottom of the heat source is an oxidized copper plate that will radiate heat to the heat collector plate on the thermal simulator. The oxidized copper surface has an estimated emissivity of 0.88. Several small hemispherical bumps around the perimeter of the emitter plate will provide point contacts against the inner layer of the insulation package. These features will radially constrain the heat source in the insulation package, resulting in the minimum thermal conduction from the heat source to the insulation. At the top of the electrical heat source is a thin titanium tube that will attach to the inner surface of the insulation. This tube will provide axial support to the heat source and maintain the correct spacing of the emitter plate and the thermal simulator.




Figure 2.—Cross section of the electrical heat source.




Figure 3.—Arrangement of eight lightweight radioisotope heating units used as heat source. Total mass is 160 g.

Insulation Package

The final insulation package is shown in Figure 4. It was designed and manufactured by Peregrine Falcon Corp. of Pleasanton, California. The design and fabrication of the cylindrical insulation canister and final integration of the Glenn-provided heat source and thermal simulator were accomplished at Peregrine prior to being sent to Glenn for testing. The insulation is made of 10 layers of 0.254-mm- (0.010-in.-) thick titanium foils separated by a 0.127-mm- (0.005-in.-) diameter wire. Only approximately one-and-a-half turns of this wire were used between each layer of titanium in the cylindrical section to minimize direct conduction losses through the wire. A cylinder of thicker stainless steel was used as the innermost layer to provide structural support to the inner components. The outer shell of the insulation assembly was made from thicker stainless steel and functions as a vacuum vessel that can be evacuated to provide the low gas density that is necessary for the operation of the insulation. A ConFlat® flange that mates with the thermal simulator was welded to the end of the outer shell. A feedthrough for the heat source electrical power and four 1.59-mm (1/16-in.) Swagelok® (Swagelok Company) fittings were welded into the end cap to provide a port to connect to a vacuum pump and to accommodate three type-K thermocouples used to monitor the temperature of the heat source and adjacent areas during testing.

A feature that was omitted from the prototype but is expected to be necessary for the insulation package to meet the low thermal conductivity requirements is the polishing and vapor deposition of gold onto the titanium foils. The polished gold surface would significantly lower the emissivity of the surface and reduce the heat loss through radiation. This feature would have added time and expense, and it was considered a higher priority to understand the conductive losses and manufacturability of the insulation. The impact of reducing the emissivity of the titanium shields is predictable and easily modeled, whereas many of the conductive losses are through point and line contacts and are difficult to model accurately.




Figure 4.—Cross section of the full insulation assembly.




Figure 5.—Axisymmetric model used for the thermal analysis.

Modeling and Analysis

During the manufacturing of the insulation package, Vantage Partners, LLC of Brook Park, Ohio, performed a thermal analysis of the insulation package design to predict its performance. The analysis was performed using a simplified axisymmetric model of the insulation (Figure 5) using COMSOL Multiphysics® (Comsol AB) Version 5.3a. The simplified model did not include most of the conductive losses through the insulation; however, all the radiative features were included. Several cases were run at different ambient conditions and different titanium shield emissivities. A few cases were run omitting some features of the insulation, such as the axial shields around the thermal simulator or the radiative gap between the emitter and collector plates. Table I shows a summary of the results of this initial analysis. The analysis shows that the insulation has the potential to meet the requirements if the titanium shield emissivity is sufficiently low. Additional cases of the model will be run in conjunction with the testing to help understand the magnitude of the conductive and radiative losses through the shields.

TABLE I.—RESULTS OF INITIAL THERMAL ANALYSIS

Case no.	Notes	Cold-end temp., °C	Ambient temp., °C	Emitter emissivity	Collector emissivity	Foil emissivity	Heat source temp., °C	Collector temp., °C	Heat through collector, W	Heat through rejector, W	Heat loss through insulation, W	Total heat lost, W
1	Room temp. ambient	50	20	0.88	0.55	0.07	383.60	350.31	6.27	6.80	1.33	8.13
2	Deep space ambient	50	-270	↓	↓	↓	382.54	349.75	6.27	5.13	3.00	8.13
3	Deep space ambient, no rejector temp.	(a)	-270	↓	↓	↓	462.25	443.15	6.02	.00	8.71	8.71
4	Room temp. ambient, no rejector temp.	(a)	20	↓	↓	↓	477.63	460.00	5.98	.00	8.82	8.82
5	Lunar ambient, no rejector temp.	(a)	50	0.88	0.55	0.07	484.00	449.00	5.95	0.00	8.86	8.86
6	50 °C rejector, no ambient loss	50	(a)	↓	↓	↓	384.00	332.68	6.28	8.13	.00	8.13
7	50 °C rejector, no ambient loss and no axial foils	50	(a)	↓	↓	↓	380.73	329.85	6.28	8.07	.00	8.07
8	Foil emissivity sweeps	50	50	0.88	0.55	0.04	423.55	393.40	7.13	8.17	0.36	8.53
9	↓	↓	↓	↓	↓	.06	424.63	384.75	7.01	8.19	.47	8.66
10	↓	↓	↓	↓	↓	.08	418.85	378.44	6.92	8.23	.56	8.79
11	↓	↓	↓	↓	↓	.1	414.40	373.57	6.84	8.29	.64	8.93
12	↓	↓	↓	↓	↓	.12	410.83	369.66	6.79	8.34	.71	9.05
13	↓	↓	↓	↓	↓	.14	407.88	366.44	6.74	8.39	.78	9.17
14	↓	↓	↓	↓	↓	.16	405.40	363.72	6.70	8.45	.84	9.29
15	High emissivity emitter and rejector	50	(a)	0.998	0.998	0.07	370.59	355.14	6.49	8.13	0.00	8.13
16	Perfect conduction	50	50	(a)	(a)	↓	343.00	343.00	6.96	7.36	.39	7.75
17	20 °C cold-end temp.	20	20	.88	.55	↓	366.38	329.43	6.32	7.59	.43	8.02
18	Thermocouple rod replaced with ^b Kaowool™	(a)	20	.88	.55	↓	430.61	408.79	6.07	7.90	.68	8.58

^aDisabled.

^bKaowool™ insulation material (Thermal Ceramics, Inc.).

Testing

Peregrine Falcon Corporation completed the assembly of the insulation and integration of the heat source and thermal simulator. Peregrine also performed basic testing to ensure that the vacuum vessel did not leak and that all the electrical feedthroughs were functional. The insulation package was then sent to Glenn to install the remainder of the test instrumentation, integrate it into the test hardware, and complete the testing. Thermocouples were installed in the thermocouple rod, and several additional surface-mount thermocouples were added to the outside of the insulation canister and the cold end of the thermal simulator (Figure 6). Tgon™ 800 (Laird Technologies), a thermal interface material, was placed at the tip of the thermocouple rod, and a thermal grease was placed at the cold-end interface to ensure that good thermal contact was made. A cooling jacket was attached to the cold end of the thermal simulator and plumbed to a refrigerated circulator to precisely control the cold-end temperature using distilled water as a coolant. The heat source was connected to a direct-current power supply that was controlled by a proportional–integral–derivative (PID) temperature controller that used the rod thermocouple as feedback. This allows the hot- and cold-end temperatures of the thermal simulator to be adjusted so that several data points can be gathered to determine the insulation performance. The 1.59-mm (1/16-in.) feedthrough was connected to an oil-free turbomolecular pumping station and used to evacuate the insulation package prior to testing and to monitor the vacuum level during testing.

During the initial pump down of the insulation, it was realized that the 1.59-mm- (1/16-in.-) diameter feedthrough size resulted in longer pump-down times. It was estimated that it would take several days for the insulation to be evacuated to 10^{-4} torr, which was considered sufficient to accomplish the testing. The insulation was evacuated for 4 days prior to the initial heating. After heating to 100 °C, the insulation




Figure 6.—Thermocouple (tc) locations (ambient, cold-end (ce), heat source (hs), insulation canister (can), and rod).

outer canister temperatures reached nearly 50 °C. This indicated that the performance was not reaching the levels that were anticipated for the prototype. It was uncertain whether the insulation was not evacuating properly, or there was some other reason for higher heat loss than anticipated. The insulation was allowed to evacuate for 2 more weeks. Additional discussions with the vendor revealed that the cylindrical titanium foils required heat treatment to relieve stress during manufacturing, and this process resulted in the oxidation of the titanium foils. Unoxidized titanium has an anticipated emissivity of approximately 0.1, whereas oxidized titanium is expected to have an emissivity of 0.6. This oxidation was not removed prior to the final assembly and had a major impact on the performance of the insulation.

Following a 2-week pump down, the insulation was heated again to gather data. Upon heating, significant outgassing occurred. This required additional waiting periods of several days before the level recorded by the vacuum pump returned to the original level. Because the insulation performance was below expectations, the thermal simulator was also not able to be heated to the 350 °C operating temperature of the Stirling convertor. Data was taken at the highest power level and at temperatures that were considered safe for the insulation package. The preliminary results of the evacuated thermal testing are shown in Table II.

TABLE II.—INITIAL RESULTS OF EVACUATED THERMAL TESTING OF INSULATION

	Test condition (rod_tc_1 temperature)				
	100 °C (evacuated for 4 days)	100 °C (evacuated for 1 mo.)	150 °C	200 °C	250 °C
Thermocouple locations					
hs_tc_1, °C	141.56	143.01	205.87	267.14	333.63
hs_tc_2, °C	97.39	92.70	147.78	197.48	251.26
hs_tc_3, °C	73.29	73.41	110.22	149.23	187.79
can_tc_1, °C	47.72	39.63	73.01	73.85	90.07
can_tc_2, °C	47.5	38.65	72.88	72.23	88.16
can_tc_3, °C	41.6	35.06	64.15	62.58	75.57
rod_tc_1, °C	100.0	99.06	150.32	200.17	251.18
rod_tc_2, °C	79.06	80.70	117.46	157.56	196.86
rod_tc_3, °C	57.76	60.93	84.18	111.90	138.30
rod_tc_4, °C	34.89	39.24	48.50	60.54	71.85
ce_tc_1, °C	22.26	25.90	28.69	29.97	31.73
ce_tc_2, °C	-----	26.85	-----	28.72	29.95
ambient_tc, °C	26.05	26.85	33.88	37.98	41.72
Properties					
Heater voltage, V	31.39	23.03	42.15	42.61	52.30
Heater current, A	0.50	0.36	0.65	0.64	0.74
Heater power, W	15.60	8.27	27.52	27.47	38.78
Heat through thermocouple rod (calc.), W	1.69	1.56	2.66	3.65	4.69
Radiative heat flow from heat source to thermal simulator (calc.), W	1.44	1.62	3.06	5.24	8.97
Heat loss through insulation (calc.), W	13.91	6.71	24.86	23.82	34.09
Heat loss through insulation, percent	89.17	90.62	90.33	86.71	87.91

Concluding Remarks

Although the insulation package did not perform as originally expected, several lessons were learned that will help in the design and testing of the second iteration, ensuring that it will have a better probability of achieving the performance required. First is that the 1.59-mm- (1/16-in.-) diameter port needs to be increased to achieve a better vacuum and reduce pump-down times. A much larger port should be installed for future testing. Measurement and verification of the vacuum level inside the insulation package is desirable if this can be implemented without a significant impact on insulation performance. Additionally, the emissivity of the titanium shields is critical. If the emissivity is too high, it could compromise the insulation package. These emissivities should be measured during fabrication to ensure that they meet requirements.

There are several options for the next steps in the testing of this insulation package. The insulation can be disassembled and the emissivities of the various internal components measured to provide additional data so that the thermal model can be updated. The existing test package could be disassembled and the oxidation chemically removed from the titanium shields, which could then be reassembled to improve their emissivity. Additional testing can be done to measure the impacts of the improvement in this emissivity on the performance of the insulation package.

For the next design iteration, the improved thermal model could be used to help give accurate targets for several design features with a much higher confidence level. Resulting predictions of the conductive and radiative losses will be used to optimize the number of layers of titanium foil required and allow the appropriate emissivity for the titanium shields to be determined. The thickness and design of the inner structural layer will also be optimized to reduce thermal losses from the heat source to the cold end of the thermal simulator. These improvements should result in an insulation package that meets the thermal design requirements of the proposed 1-W Stirling generator system.

References

1. Wilson, Scott D., et al.: Radioisotope Heater Unit-Based Stirling Power Convertor Development at NASA Glenn Research Center. NASA/TM—2018-219704 (AIAA 2017–4715), 2018. <http://ntrs.nasa.gov>
2. Wilson, Scott D., et al.: Overview of Stirling Technology Research at NASA Glenn Research Center. NASA/TM—2016-218909 (AIAA 2015–3509), 2015. <http://ntrs.nasa.gov>

