Received 16 December 2004 Accepted 20 December 2004

Online 24 December 2004

Check for updates

organic papers

Acta Crystallographica Section E Structure Reports Online

ISSN 1600-5368

Ethyl 5-amino-3-methylisoxazole-4-carboxylate

S. M. Malathy Sony,^a P. Charles,^a M. N. Ponnuswamy,^a* H. S. Yathirajan^b and M. Nethaji^c

^aDepartment of Crystallography and Biophysics, University of Madras, Guindy Campus, Chennai 600 025, India, ^bDepartment of Studies in Chemistry, University of Mysore, Manasagangotri, Mysore 570 006, India, and ^cDepartment of Inorganic and Physical Chemistry, Indian Institute of Science, Bangalore 560 012, India

Correspondence e-mail: mnpsy2004@yahoo.com


Key indicators

Single-crystal X-ray study T = 293 K Mean σ (C–C) = 0.003 Å R factor = 0.063 wR factor = 0.151 Data-to-parameter ratio = 17.5

For details of how these key indicators were automatically derived from the article, see http://journals.iucr.org/e. The title compound, $C_7H_{10}N_2O_3$, is planar and the structure is stabilized by an intramolecular $N-H\cdots O$ hydrogen bond. The molecules form dimers through $N-H\cdots O$ hydrogen bonds that are linked by $N-H\cdots N$ hydrogen bonds along the *c* axis.

Comment

Isoxazoles form part of many drugs used for antidepressant therapy (propionic acid derivative) (Skolnick, 2002), and act as antiviral compounds (methyltetrazole derivative; Giranda, 1995), as protein tyrosine phosphatase 1B inhibitors (carboxylic acid derivative; Zhao *et al.*, 2004) and as growth hormone secretagogue receptor (GHS-R) antagonists (carboxamides derivative; Liu *et al.*, 2004). In view of these important properties, the crystal structure of the title compound, (I), is presented here.



The isoxazole ring is planar and the ester group attached to it shows an extended conformation, which is observed from the torsion angles $[C5-C4-C6-O8 = -178.73 (17)^\circ, C4-C6-O8-C9 = 178.88 (17)^\circ$ and $C6-O8-C9-C10 = -179.55 (18)^\circ]$. The amine group is in an sp^2 hybridization state, as seen from the bond angles around it $[C5-N11-H11A = 121.8 (16)^\circ, C5-N11-H11B = 118.5 (17)^\circ$ and $H11A-N11-H11B = 120 (2)^\circ]$. The methyl, amine and ester substituent groups lie in the plane of the isoxazole ring (Fig. 1).

An intermolecular $N-H\cdots O$ hydrogen bond (Table 1) between amine atom N11 and carboxylate atom O7 stabilizes the structure and forms an S(6) pattern (Bernstein *et al.*, 1995). The molecules in the crystal structur are arranged such that interesting hydrogen-bond patterns are observed. A dimer is formed through $N-H\cdots O$ intermolecular hydrogen bonds between amine atom N11 and carboxylate atom $O7(\frac{1}{2} - x, -\frac{1}{2} - y, 1 - z)$, forming the ring pattern $R_2^2(12)$ (Fig. 2). These dimers are linked through an $N-H\cdots N$ hydrogen-bonded chain of type C(5) along the *c* axis, between atoms N11 and $N2(\frac{1}{2} - x, -\frac{1}{2} + y, \frac{3}{2} - z)$. Geometric details of the hydrogen bonds are in Table 1.

© 2005 International Union of Crystallography

Printed in Great Britain - all rights reserved

Experimental

The [3+2]-cycloaddition of a support-bound nitrile oxide with an alkyne or alkene is a useful synthetic route to isoxazoles or isoxazolines, respectively (Shankar et al., 1998). Acetaldehyde (1 M) was treated with a solution of hydroxylamine hydrochloride (1 M, 0.6 ml) in anhydrous pyridine (50 ml) and kept at room temperature for 4 h. The reagent solution was decanted and washed with dimethylformamide (DMF) and dichloromethane (DCM), and then air dried. The resultant oxime was treated with N-chlorosuccinimide (NCS, 1.2 M) to obtain the chlorooxime, and treated with triethylamine (TEA, 5 ml) and DCM to form a nitrile oxide in situ. The nitrile oxide was then trapped by a dipolarophile (ethyl chloroaminocarboxylate, 1 M) afford the isoxazole derivative. The product was crystallized from DCM.

 $D_r = 1.256 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation Cell parameters from 7495

reflections

 $\mu = 0.10 \text{ mm}^{-1}$

T = 293 (2) K

 $R_{\rm int} = 0.027$

 $\theta_{\rm max} = 28.0^{\circ}$

 $h = -16 \rightarrow 16$ $k = -11 \rightarrow 11$

 $l = -18 \rightarrow 22$

Rectangular block, colourless

1494 reflections with $I > 2\sigma(I)$

 $w = 1/[\sigma^2(F_0^2) + (0.0647P)^2]$

where $P = (F_0^2 + 2F_c^2)/3$

Extinction correction: SHELXL97

Extinction coefficient: 0.024 (2)

+ 0.5335P]

 $\Delta \rho_{\rm max} = 0.17 \text{ e} \text{ \AA}^{-3}$

 $\Delta \rho_{\rm min} = -0.13~{\rm e}~{\rm \AA}^{-3}$

 $(\Delta/\sigma)_{\rm max} = 0.002$

 $0.27 \times 0.25 \times 0.22$ mm

 $\theta = 2.4 - 28.0^{\circ}$

Crystal data

C7H10N2O3 $M_r = 170.17$ Monoclinic C2/ca = 12.642 (2) Å b = 8.5036 (14) Å c = 16.934 (3) Å $\beta = 98.488 \ (3)^{\circ}$ V = 1800.5 (5) Å³ Z = 8

Data collection

Siemens SMART CCD areadetector diffractometer ω scans Absorption correction: none 7495 measured reflections 2070 independent reflections

Refinement

Refinement on F^2 $R[F^2 > 2\sigma(F^2)] = 0.063$ $wR(F^2) = 0.151$ S = 1.142070 reflections 118 parameters H atoms treated by a mixture of independent and constrained refinement

Table 1


Hydrogen-bond geometry (Å, °).

$D - H \cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdot \cdot \cdot A$
$\overline{\begin{array}{c} N11-H11A\cdots N2^{i}\\ N11-H11B\cdots O7^{ii}\end{array}}$	0.85(3) 0.85(3)	2.14 (3) 2.16 (3)	2.981 (3) 2.915 (2)	172 (2) 148 (2)
$N11 - H11B \cdot \cdot \cdot O7^{iii}$	0.85 (3)	2.39 (3)	2.921 (3)	122 (2)
Summatry and as (i) y	111	3. (::) 1	1	

Symmetry codes: (i) $-x + \frac{1}{2}$, $y - \frac{1}{2}$, $-z + \frac{3}{2}$; (ii) $-x + \frac{1}{2}$, $-y - \frac{1}{2}$, -z + 1; (iii) x, y, z.

All C-bound H atoms were positioned geometrically (C-H = 0.96)and 0.97 Å) and allowed to ride on their parent atoms, with $U_{iso}(H)$ values of 1.2 or 1.5 times U_{eq} (parent atom). All other H atoms were identified from a difference Fourier map and refined isotropically.

Data collection: SMART (Siemens, 1996); cell refinement: SAINT (Siemens, 1996); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 1997); program(s) used to refine structure: SHELXL97 (Sheldrick, 1997); molecular graphics: PLATON (Spek, 2003), ORTEP-3 (Farrugia, 1997) and ZORTEP (Zsolnai, 1998); software used to prepare material for publication: PLATON).



ZORTEP (Zsolnai, 1998) plot of the molecule, with the atomic numbering scheme. Displacement ellipsoids are drawn at the 30% probability level.

N2

DC6




Figure 2

A packing diagram of the crystal structure, viewed down the b axis. Dashed lines represent hydrogen bonds.

SMMS acknowledges the Council of Scientific and Industrial Research for financial support.

References

- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N-L. (1995). Angew. Chem. Int. Ed. Engl. 34, 1555-1573.
- Farrugia, L. J. (1997). J. Appl. Cryst. 30, 565.
- Giranda, V. L. (1995). Acta Cryst. D51, 496-503.
- Liu, B., Liu, G., Xin, Z., Serby, M. D., Zhao, H., Schaefer, V. G., Falls, H. D., Kaszubska, W., Collins, C. A. & Sham, H. L. (2004). Bioorg. Med. Chem. Lett. 14, 5223-5226.

- Shankar, B. B., Yang, D. Y., Girton, S. & Ganguly, A. K. (1998). Tetrahedron Lett. 39, 2447–2448.
- Sheldrick, G. M. (1997). SHELXS97 and SHELXL97. University of Göttingen, Germany.
- Siemens (1996). SAINT and SMART. Siemens Analytical X-ray Systems, Inc., Madison, Wisconsin, USA.
- Skolnick, P. (2002). J. Clin. Psychiatry, 63 (Suppl. 2), 19-23.

Spek, A. L. (2003). J. Appl. Cryst. 36, 7-13.

- Zhao, H., Liu, G., Xin, Z., Serby, M. D., Pei, Z., Szczepankiewicz, B. G., Hajduk, P. J., Abad-Zapatero, C., Hutchins, C. W., Lubben, T. H., Ballaron, S. J., Haasch, D. L., Kaszubska, W., Rondinone, C. M., Trevillyan, J. M. & Jirousek, M. R. (2004). *Bioorg. Med. Chem. Lett.* 14, 5543– 5546.
- Zsolnai, L. (1998). ZORTEP. University of Heidelberg, Germany.