



**Universidade de São Paulo**

**Biblioteca Digital da Produção Intelectual - BDPI**

---

Departamento de Tecnologia Bioquímico-Farmacêutica - FCF/FBT Artigos e Materiais de Revistas Científicas - FCF/FBT

---


2012

# Metal biosorption onto dry biomass of Arthrospira (Spirulina) platensis and Chlorella vulgaris: Multi-metal systems

---

JOURNAL OF HAZARDOUS MATERIALS, AMSTERDAM, v. 217, n. 2, p. 246-255, MAY 30, 2012  
<http://www.producao.usp.br/handle/BDPI/42795>

*Downloaded from: Biblioteca Digital da Produção Intelectual - BDPI, Universidade de São Paulo*



## Metal biosorption onto dry biomass of *Arthrospira (Spirulina) platensis* and *Chlorella vulgaris*: Multi-metal systems

Mayla Santos Rodrigues<sup>a,b</sup>, Lívia Seno Ferreira<sup>a,b</sup>, João Carlos Monteiro de Carvalho<sup>a</sup>, Alessandra Lodi<sup>b</sup>, Elisabetta Finocchio<sup>b</sup>, Attilio Converti<sup>b,\*</sup>

<sup>a</sup> Department of Biochemical and Pharmaceutical Technology, Faculty of Pharmaceutical Sciences, University of São Paulo, Av. Prof. Lineu Prestes 580, Bloco 16, 05508-900 São Paulo, SP, Brazil

<sup>b</sup> Department of Chemical and Process Engineering "G.B. Bonino", University of Genoa, via Opera Pia 15, 16145, Genoa, Italy

### ARTICLE INFO

#### Article history:

Received 8 November 2011

Received in revised form 1 March 2012

Accepted 8 March 2012

Available online 17 March 2012

#### Keywords:

Competitive heavy metals adsorption

*Arthrospira (Spirulina) platensis*

*Chlorella vulgaris*

Multi-component isotherms

Kinetics

### ABSTRACT

Binary and ternary systems of Ni<sup>2+</sup>, Zn<sup>2+</sup>, and Pb<sup>2+</sup> were investigated at initial metal concentrations of 0.5, 1.0 and 2.0 mM as competitive adsorbates using *Arthrospira platensis* and *Chlorella vulgaris* as biosorbents. The experimental results were evaluated in terms of equilibrium sorption capacity and metal removal efficiency and fitted to the multi-component Langmuir and Freundlich isotherms. The pseudo second order model of Ho and McKay described well the adsorption kinetics, and the FT-IR spectroscopy confirmed metal binding to both biomasses. Ni<sup>2+</sup> and Zn<sup>2+</sup> interference on Pb<sup>2+</sup> sorption was lower than the contrary, likely due to biosorbent preference to Pb. In general, the higher the total initial metal concentration, the lower the adsorption capacity. The results of this study demonstrated that dry biomass of *C. vulgaris* behaved as better biosorbent than *A. platensis* and suggest its use as an effective alternative sorbent for metal removal from wastewater.

© 2012 Elsevier B.V. All rights reserved.

### 1. Introduction

Heavy metal pollution is one of the most severe environmental problems in the XXI century. Toxic metals such as lead, zinc and nickel are of great concern for human health and natural environment [1,2]. Their removal from industrial wastewaters is usually done through expensive and not environmentally friendly physico-chemical techniques; therefore, searching for low-cost alternative methods for metal removal, like biosorption, has become a challenge worldwide [3,4].

Cyanobacteria and microalgae are photoautotrophic microorganisms that require only water, sunlight and carbon dioxide to grow. Their low-cost production on inorganic media implies the replacement of conventional nutrient sources by alternative ones, such as nitrates and ammonia from wastewaters, and carbon dioxide from effluent gases [5]. The use of photobioreactors in the production of these microorganisms can lead to high productivities [6].

Additionally, due to their relatively high sorption capacity, their biomasses are increasingly used to develop new biosorbents [2]. These microorganisms have cell walls constituted of peptidoglycan, teichuronic and teichoic acids, polysaccharides and proteins, which carry charged groups such as carboxyl, phosphate, hydroxyl

or amine [6]. So, depending on pH, cell surface possesses cationic or anionic sites [7,8] available for biosorption. In particular, carboxyl and amino groups were reported to be very effective to this purpose [9–11].

Biomasses of the cyanobacterium *Arthrospira platensis* and the microalga *Chlorella vulgaris* were studied in the removal of toxic metals such as lead [12,13], zinc [13,14], nickel [13,15], copper [16,17], cadmium [18,19] and chromium [20,21]. Unfortunately, however, most of the available information regards only single component systems. Taking into consideration that many industrial effluents contain more than one metal, and that the biosorption of one metal considerably changes in the presence of another, the study of multi-component systems is of utmost importance.

Biosorption mechanism in the presence of two or more metals is very complex and has not yet been fully understood. It depends on pH, temperature, number of solutes and their concentrations [4], and type of interaction among different ions as well as between ions and cell binding sites. A mixture of metals can show three possible behaviors [7,22,23]: antagonism, synergism and no-interaction.

To investigate the interactive effects of metals and the potential of *A. platensis* and *C. vulgaris* biomasses as metal biosorbents, binary and ternary systems containing Ni<sup>2+</sup>, Zn<sup>2+</sup> and Pb<sup>2+</sup> were compared to single systems [13]. The adsorption results were evaluated in terms of equilibrium sorption capacity and metal removal efficiency, and modeled by the pseudo second order kinetic model of Ho and McKay [24]. An adsorption isotherm study was also performed, in which adsorption data were processed by the

\* Corresponding author. Tel.: +39 010 3532593; fax: +39 010 3532586.  
E-mail address: [converti@unige.it](mailto:converti@unige.it) (A. Converti).

multi-component Langmuir and Freundlich models. To elucidate and deepen knowledge on metal biosorption, FT-IR spectroscopy was finally applied to both dry *A. platensis* and *C. vulgaris* metal-bound biomasses.

## 2. Materials and methods

### 2.1. Biosorbents production and preparation

As previously described in more detail [13], *A. platensis* UTEX1926 (University of Texas Culture Collection, Austin, TX, USA) and *C. vulgaris* CCAP211 (Culture Collection of Algae and Protozoa, Argyll, UK) were grown batch-wise in Schlösser [25] and Bold's Basal [26] media, respectively, in tubular photobioreactor at  $82 \pm 5 \mu\text{mol photons m}^{-2} \text{ s}^{-1}$  through the daily addition of pure  $\text{CO}_2$ . Once the stationary phase had been reached, cells were centrifuged (ALC 4226 centrifuge, Milan, Italy) for 15 min at 3500 rpm, washed until reaching pH 7.0, dried at  $40^\circ\text{C}$  for 24 h and ground to a fine powder, which was sieved through a 120 mesh (0.125 mm) sieve. The undersized fraction was then used for the adsorption tests.

### 2.2. Biosorption tests

Stock metal solutions (100 mM) were prepared by dissolving known amounts of high-purity  $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ ,  $\text{Zn}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$  and  $\text{Pb}(\text{NO}_3)_2$  (Sigma-Aldrich, Milan, Italy) in deionized water (1 L) and stored in amber flasks at room temperature ( $20 \pm 1^\circ\text{C}$ ).

Adsorption tests were carried out with  $2 \text{ g L}^{-1}$  of each biosorbent in metal solutions with different initial concentrations ( $C_0 = 0.5, 1.0$  and  $2.0 \text{ mM}$ ), in 250-mL Erlenmeyer flasks agitated at 150 rpm, pH 5.0–5.5 and room temperature. Samples were withdrawn at fixed times (5–120 min) and filtered through  $0.45 \mu\text{m}$ -pore diameter membrane filters (Millipore, Vimodrone, Italy). The filtrate was analyzed for metal concentration using an atomic adsorption spectroscope, model AA240FS (Varian, Milan, Italy). All tests were carried out in triplicate, and the results expressed as mean values. Standard deviations between data and mean values never exceeded 6.4%.

### 2.3. Sorption capability

Sorption capability of both biomasses was evaluated either in terms of sorption capacity at equilibrium ( $q_{\text{eq}}$ ), expressed in  $\text{mmol g}^{-1}$ :

$$q_{\text{eq}} = (C_0 - C_{\text{eq}}) \frac{V}{m} \quad (1)$$

or metal removal efficiency ( $Y_R$ ), expressed in %:

$$Y_R = \left( \frac{C_0 - C_{\text{eq}}}{C_0} \right) \times 100 \quad (2)$$

where  $C_{\text{eq}}$  (mM) is the equilibrium metal concentration,  $V$  (L) the solution volume and  $m$  (g) the biomass dry weight.

Preference of a biosorbent for one of the two metals (1 and 2) of a binary system was expressed in terms of separation factor  $\alpha_2^1$  [27,28]:

$$\alpha_2^1 = \frac{q_{\text{eq},1} C_{\text{eq},2}}{q_{\text{eq},2} C_{\text{eq},1}} \quad (3)$$

being  $\alpha_2^1 > 1$  when 1 is preferred and vice versa [28].

### 2.4. Sorption kinetics

The integrated and rearranged pseudo second order rate expression of Ho and McKay [24], based on solid adsorption capacity, was used to analyze sorption kinetics:

$$\frac{t}{q_t} = \frac{1}{k_2 q_c^2} + \frac{1}{q_c} t \quad (4)$$

where  $q_t$  ( $\text{mmol g}^{-1}$ ) is the sorption capacity at a given time,  $k_2$  ( $\text{g mmol}^{-1} \text{ min}^{-1}$ ) the pseudo second order rate constant and  $q_c$  the theoretical sorption capacity at equilibrium.

Plots of  $t/q_t$  versus  $t$  allowed estimating  $k_2$  and  $q_c$ .

### 2.5. Equilibrium isotherms

Multi-component Langmuir [29] and Freundlich [30] isotherms were applied to elaborate dual metal tests results.

The former is based on the use of single component adsorption data to describe the behavior of sorption mixtures. Owing to full competition among metals for the binding sites on cell surface, theoretical values of sorption capacity are given by the equation:

$$q_{L,i} = \frac{q_{\text{max},i} K_{L,i} C_{\text{eq},i}}{1 + \sum_{j=1}^n K_{L,j} C_{\text{eq},j}} \quad n = 2 \text{ for binary systems} \quad (5)$$

where  $q_{L,i}$  ( $\text{mmol g}^{-1}$ ) is the sorption capacity at equilibrium for sorbate "i", and  $C_{\text{eq},i}$  and  $C_{\text{eq},j}$  (mM) are the equilibrium concentrations of sorbates "i" and "j". The theoretical maximum sorption capacity for sorbate "i",  $q_{\text{max},i}$  ( $\text{mmol g}^{-1}$ ), and the Langmuir equilibrium constants for sorbates "i" and "j",  $K_{L,i}$  and  $K_{L,j}$  ( $\text{L mmol}^{-1}$ ), were taken from previous work performed on single-component systems, carried out under the same conditions as this one [13].

The multi-component Freundlich model proposed by Sheindorf et al. [30], assuming that each component individually obeys the Freundlich isotherm, is given as:

$$q_{\text{eq},i} = K_{F,i} C_{\text{eq},i} \left( \sum_{j=1}^n a_{ij} C_{\text{eq},j} \right)^{1/n_i - 1} \quad n = 2 \text{ for binary systems} \quad (6)$$

where the Freundlich constant  $K_{F,i}$  ( $\text{mmol}^{1-1/n} \text{ L}^{1/n} \text{ g}^{-1}$ ) and  $1/n_i$  (dimensionless) were taken from single metal tests, carried out under the same conditions as this one [13], and  $a_{ij}$  is the competition coefficient in multi-component system.

The competition coefficient was calculated as the intercept on the ordinate axis of the straight line obtained plotting  $C_{\text{eq},i}/C_{\text{eq},j}$  versus  $\beta_i/C_{\text{eq},j}$ , being:

$$\beta_i = \left( \frac{K_{F,i} C_{\text{eq},i}}{q_{\text{eq},i}} \right)^{1/(1-(1/n_i))} \quad (7)$$


### 2.6. Characterization studies

At the end of biosorption tests, biomasses were recovered and submitted to FT-IR analysis as previously described [13]. Weighted, dry biomass powders were thoroughly mixed with KBr and pressed to obtain homogeneous disks to be analyzed in a Thermofisher FT-IR instrument. All the reported spectra are presented in common scale.

## 3. Results and discussion

### 3.1. Separation factor of binary systems

Preference of adsorbents for one of the two metal ions in  $\text{Ni}^{2+}/\text{Zn}^{2+}$ ,  $\text{Ni}^{2+}/\text{Pb}^{2+}$  and  $\text{Zn}^{2+}/\text{Pb}^{2+}$  binary mixtures was evaluated in terms of separation factor ( $\alpha_2^1$ ) as defined in Eq. (3). In general,



**Fig. 1.** Separation factor ( $\alpha_2^1$ ) as function of initial metal concentration ( $C_0 = 0.5, 1.0$  and  $2.0$  mM) in binary systems: Ni/Zn (squares), Ni/Pb (circles) and Zn/Pb (triangles), using *Chlorella vulgaris* (full symbols) or *Arthrospira platensis* (empty symbols) as biosorbents.

was  $\alpha_2^1 < 1$  (Fig. 1), which means that both exhibited the following metal affinity:  $Pb^{2+} > Zn^{2+} > Ni^{2+}$ . This behavior probably resulted from the different outer electronic configurations of the ions ( $[Xe] 4f^{14} 5d^{10} 6s^2$  for Pb,  $[Ar] 3d^{10} 4s^2$  for Zn,  $[Ar] 3d^8 4s^2$  for Ni). In other words, the decrease in the number of electrons lying in very diffused and distant orbitals (d and f), which are more available than those closer to the nucleus to establish interactions with functional groups, could have resulted in a decrease in affinity between such ions and the biosorbents [13]. This metal affinity order is also in accordance with the ionic radius that progressively decreased passing from  $Pb^{2+}$  (1.19 Å) to  $Zn^{2+}$  (0.74 Å) and  $Ni^{2+}$  (0.69 Å) [31].

Comparing the results of experiments at metal equimolar levels, to avoid any interference due to different concentration ratios, the separation factor did in fact vary in the ranges  $0.40 \leq \alpha_{Zn}^{Ni} \leq 0.77$ ,  $0.12 \leq \alpha_{Pb}^{Ni} \leq 0.38$  and  $0.27 \leq \alpha_{Pb}^{Zn} \leq 0.82$ , and the values increased with the metal level. These results are in accordance with those expressed by the Langmuir equilibrium constants (Supplementary Material Table 1) obtained in single metal tests [13].

Supplementary material related to this article found in the online version, at doi:10.1016/j.jhazmat.2012.03.022.

At the highest  $C_0$ , i.e. under conditions favoring the statistical probability of sorbent to bind a metal based on its affinity,  $\alpha_{Pb}^{Zn}$  was significantly lower with *C. vulgaris* (0.55) than with *A. platensis* (0.82), highlighting higher preference of the former biosorbent for all three metals, especially for  $Pb^{2+}$ . Such different relative adsorption power of biosorbents, consistent with different values of the Langmuir equilibrium constants ( $K_L$ ) especially for  $Pb^{2+}$  alone (Supplementary Material Table 1), was likely due to the difference in the composition of *A. platensis* and *C. vulgaris* cell walls and primarily to the average dissociation degree of functional groups present on the surface of their cells.

As is well known, the outer cell wall of eukaryotic cells is in fact mainly composed of acidic mucopolysaccharides, in addition to glycolipids and glycoproteins, whereas that of prokaryotic cells of peptidoglycan. The mucopolysaccharides present in the cell wall of eukaryotic cells like those of *C. vulgaris* are long unbranched polysaccharides consisting of a repeating negatively charged disaccharide unit consisting of a hexose or a hexuronic acid linked to a hexosamine. On the other hand, the peptidoglycan of prokaryotes as *A. platensis* is mainly a copolymer of N-acetylglucosamine and N-acetylmuramic acid, both provided with amidic groups [32]. In this case, the only dissociable groups possibly available for metal removal are the carboxylic ones present in the branched lateral polypeptidic chains. The same mureinic material composes the outer sheath of cyanobacteria that covers the sequence of cells

to give the so-called trichomes [33]. However, such a filamentous structure remarkably reduces the surface available for metal binding and, in combination with the aforementioned factors, it should be recognized as the principal cause of the lesser *A. platensis* ability to remove metal ions compared to *C. vulgaris*.

At the lowest  $C_0$ ,  $\alpha_{Pb}^{Zn}$  decreased to 0.27 with *C. vulgaris* and 0.46 with *A. platensis*, pointing out a generalized increase in preference for  $Pb^{2+}$ , which suggests that, under these conditions of likely diffusion limitation, the higher affinity for  $Pb^{2+}$  became the prevailing phenomenon.

### 3.2. Dual adsorption of nickel/zinc

In  $Ni^{2+}/Zn^{2+}$  adsorption tests (Tables 1 and 2), an increase in the initial concentration of one metal (for instance  $C_{0,Zn}$ ) at a given level of the competing metal ( $C_{0,Ni}$ ) led to a generalized increase in the equilibrium sorption capacity of the former ( $q_{eq,Zn}$ ) and a corresponding decrease in that of the latter ( $q_{eq,Ni}$ ). Thinking the saturated biomass–metal cluster as a salty polyelectrolyte with low solubility, such behavior seems to contrast with what one would expect from the common ion effect of the competing ion, which suggests a simple statistical effect. Accordingly, the highest  $q_{eq,Zn}$  values were obtained with both *A. platensis* (0.380 mmol g<sup>-1</sup>) and *C. vulgaris* (0.524 mmol g<sup>-1</sup>) at the highest  $C_{0,Zn}$  (2.0 mM) and lowest  $C_{0,Ni}$  (0.5 mM); oppositely for  $q_{eq,Ni}$  (maximum values of 0.275 and 0.255 mmol g<sup>-1</sup> with *A. platensis* and *C. vulgaris*, respectively).

Another interesting aspect deals with the biosorbent saturation state, which can be evaluated by comparing results obtained at equimolar levels, i.e. under conditions of no interference of the statistical effect. When total initial metal concentration ( $C_{0,T}$ ) was increased from 2.0 mM (i.e.  $C_{0,Ni} = C_{0,Zn} = 1.0$  mM) to 4.0 mM, both  $q_{eq,Ni}$  and  $q_{eq,Zn}$  (Tables 1 and 2) increased to a less extent than a free adsorption would suggest, indicating incipient biosorbent saturation due to excess metal in relation to the number of adsorption sites. Contrary to what expected from the smaller size of cyanobacteria cells, the saturation state appeared more advanced in the case of *A. platensis* biomass, which can be ascribed to different functional groups able to link metals. This aspect will be investigated later through IR-FT analysis. Finally, for both biomasses, it was mostly  $q_{eq,Zn} > q_{eq,Ni}$ , which can be justified by the higher affinity of both biosorbents for  $Zn^{2+}$  compared to  $Ni^{2+}$  [13] as well as by the separation factor results (Section 3.1).

Since the metal removal efficiency ( $Y_R$ ) not only increases with biosorbent capacity, but is also a decreasing function of  $C_0$ , its response to an increase in  $C_0$  was completely different from that of  $q_{eq}$ . For this reason, the best compromise between these opposite influences, ensuring the highest  $Y_R$  values for both  $Ni^{2+}$  (34.0% with *A. platensis* and 54.2% with *C. vulgaris*) and  $Zn^{2+}$  (56.3% with *A. platensis* and 64.7% with *C. vulgaris*), was obtained at the same intermediate  $C_0$  values (Tables 1 and 2).

As previously suggested [13], the kinetic study of dual metal systems was made by comparing the theoretical sorption capacities ( $q_c$ ) and pseudo second order rate constants ( $k_2$ ) calculated by the pseudo second order model of Ho and McKay [24], whose values (Table 3) were in excellent agreement with the experimental ones (Tables 1 and 2), and the same applies also to the other binary systems.

But some exceptions,  $k_2$  decreased with increasing  $C_{0,T}$ . In particular, the highest values for  $Ni^{2+}$  were obtained at  $C_{0,Ni} = C_{0,Zn} = 0.5$  mM with *C. vulgaris* (2.37 g mmol<sup>-1</sup> min<sup>-1</sup>) and  $C_{0,Ni} = 0.5$  mM and  $C_{0,Zn} = 1.0$  mM with *A. platensis* (1.85 g mmol<sup>-1</sup> min<sup>-1</sup>), respectively. However, limiting the comparison to equimolar levels, one can observe that this decrease occurred with *A. platensis* within the whole experimental dominion, indicating fast saturation, but was almost negligible with *C. vulgaris* at  $C_{0,T} = 2.0$  and 4.0, which suggests no saturation and

**Table 1**

Dual metal adsorption results: nickel(II), zinc(II) and lead(II) concentration at the start ( $C_0$ ) and equilibrium ( $C_{eq}$ ), adsorption capacity at equilibrium ( $q_{eq}$ ) and metal removal efficiency ( $Y_R$ ) of *A. platensis*.

$C_{0,Ni}$ (mM)	$C_{0,Zn}$ (mM)	$C_{0,Pb}$ (mM)	$C_{eq,Ni}$ (mM)	$q_{eq,Ni}$ (mmol g <sup>-1</sup> )	$Y_{R,Ni}$ (%)	$C_{eq,Zn}$ (mM)	$q_{eq,Zn}$ (mmol g <sup>-1</sup> )	$Y_{R,Zn}$ (%)	$C_{eq,Pb}$ (mM)	$q_{eq,Pb}$ (mmol g <sup>-1</sup> )	$Y_{R,Pb}$ (%)
0.5	0.5	-	0.333	0.083	33.4	0.223	0.138	55.4	-	-	-
0.5	1.0	-	0.330	0.085	34.0	0.437	0.282	56.3	-	-	-
0.5	2.0	-	0.357	0.071	28.6	1.28	0.360	36.0	-	-	-
1.0	0.5	-	0.713	0.144	28.7	0.230	0.135	53.9	-	-	-
1.0	1.0	-	0.705	0.148	29.5	0.598	0.201	40.2	-	-	-
1.0	2.0	-	0.816	0.092	18.4	1.24	0.380	38.0	-	-	-
2.0	0.5	-	1.45	0.275	27.5	0.287	0.107	42.7	-	-	-
2.0	1.0	-	1.58	0.208	20.8	0.616	0.192	38.4	-	-	-
2.0	2.0	-	1.69	0.155	15.5	1.54	0.228	22.8	-	-	-
0.5	-	0.5	0.421	0.040	15.8	-	-	-	0.197	0.152	60.7
0.5	-	1.0	0.421	0.039	15.8	-	-	-	0.435	0.282	56.5
0.5	-	2.0	0.415	0.043	17.0	-	-	-	1.24	0.378	37.8
1.0	-	0.5	0.807	0.096	19.3	-	-	-	0.185	0.158	63.1
1.0	-	1.0	0.806	0.097	19.4	-	-	-	0.483	0.258	51.7
1.0	-	2.0	0.807	0.096	19.2	-	-	-	1.27	0.366	36.6
2.0	-	0.5	1.49	0.256	25.6	-	-	-	0.203	0.148	59.4
2.0	-	1.0	1.49	0.256	25.6	-	-	-	0.570	0.215	43.0
2.0	-	2.0	1.63	0.184	18.4	-	-	-	1.25	0.373	37.3
-	0.5	0.5	-	-	-	0.236	0.132	52.9	0.146	0.177	70.7
-	0.5	1.0	-	-	-	0.270	0.115	45.9	0.430	0.285	57.0
-	0.5	2.0	-	-	-	0.314	0.093	37.3	1.23	0.382	38.2
-	1.0	0.5	-	-	-	0.474	0.263	52.6	0.147	0.177	70.6
-	1.0	1.0	-	-	-	0.555	0.223	44.5	0.497	0.252	50.3
-	1.0	2.0	-	-	-	0.633	0.183	36.7	1.23	0.384	38.4
-	2.0	0.5	-	-	-	1.27	0.365	36.5	0.146	0.177	70.7
-	2.0	1.0	-	-	-	1.29	0.355	35.5	0.518	0.241	48.2
-	2.0	2.0	-	-	-	1.34	0.327	32.7	1.258	0.371	37.1

provides further proof of the better ability of this biomass as biosorbent. With both biomasses, Zn<sup>2+</sup> was more rapidly adsorbed than Ni<sup>2+</sup> ( $k_{2,Zn} > k_{2,Ni}$ ), as expected by the higher affinity of both biosorbents for it.

Comparing the results of mono- and dual-component systems, Ni<sup>2+</sup> and Zn<sup>2+</sup> seemed to behave as antagonists, because their simultaneous adsorption (Tables 1–3) was less effective than that of each metal alone (Supplementary Material Table 1). At the lowest  $C_{0,Ni}$ , Ni<sup>2+</sup>  $Y_R$  values were almost the same as that obtained only with this metal, whereas those for Zn<sup>2+</sup> were 16–66% lower, which means

that, at low metal level, only Zn<sup>2+</sup> adsorption was strongly affected by the co-metal presence.

On the other side,  $C_{0,T}$  proved to exert a great influence on the adsorption of both ions. For instance, with *A. platensis* biomass, Ni<sup>2+</sup> and Zn<sup>2+</sup> removal efficiencies at  $C_{0,Ni} = C_{0,Zn} = 2.0$  mM (15.5% and 22.8%) (Table 1) decreased by about 40–45% compared to the corresponding mono-component systems at  $C_0 = 2.0$  mM (28.5% and 38.4%) (Supplementary Material Table 1).

Sorption capacity at equilibrium suffered exactly the same reductions as  $Y_R$ , being these two parameters related to one

**Table 2**

Dual metal adsorption results: nickel(II), zinc(II) and lead(II) concentration at the start ( $C_0$ ) and equilibrium ( $C_{eq}$ ), adsorption capacity at equilibrium ( $q_{eq}$ ) and metal removal efficiency ( $Y_R$ ) of *C. vulgaris*.

$C_{0,Ni}$ (mM)	$C_{0,Zn}$ (mM)	$C_{0,Pb}$ (mM)	$C_{eq,Ni}$ (mM)	$q_{eq,Ni}$ (mmol g <sup>-1</sup> )	$Y_{R,Ni}$ (%)	$C_{eq,Zn}$ (mM)	$q_{eq,Zn}$ (mmol g <sup>-1</sup> )	$Y_{R,Zn}$ (%)	$C_{eq,Pb}$ (mM)	$q_{eq,Pb}$ (mmol g <sup>-1</sup> )	$Y_{R,Pb}$ (%)
0.5	0.5	-	0.233	0.134	53.5	0.200	0.150	60.0	-	-	-
0.5	1.0	-	0.229	0.136	54.2	0.353	0.323	64.7	-	-	-
0.5	2.0	-	0.374	0.063	25.3	0.953	0.524	52.4	-	-	-
1.0	0.5	-	0.535	0.232	46.5	0.195	0.153	61.1	-	-	-
1.0	1.0	-	0.551	0.224	44.9	0.456	0.272	54.4	-	-	-
1.0	2.0	-	0.682	0.159	31.8	1.08	0.460	46.0	-	-	-
2.0	0.5	-	1.49	0.255	25.5	0.246	0.127	50.7	-	-	-
2.0	1.0	-	1.49	0.254	25.4	0.493	0.254	50.7	-	-	-
2.0	2.0	-	1.52	0.238	23.8	1.23	0.384	38.4	-	-	-
0.5	-	0.5	0.234	0.133	53.2	-	-	-	0.062	0.219	87.6
0.5	-	1.0	0.241	0.130	51.9	-	-	-	0.152	0.424	84.8
0.5	-	2.0	0.312	0.094	37.5	-	-	-	0.781	0.610	61.0
1.0	-	0.5	0.562	0.219	43.8	-	-	-	0.061	0.219	87.7
1.0	-	1.0	0.557	0.222	44.3	-	-	-	0.156	0.422	84.4
1.0	-	2.0	0.690	0.155	31.0	-	-	-	0.801	0.599	59.9
2.0	-	0.5	1.17	0.415	41.5	-	-	-	0.068	0.216	86.4
2.0	-	1.0	1.17	0.413	41.3	-	-	-	0.193	0.403	80.7
2.0	-	2.0	1.38	0.310	31.0	-	-	-	0.906	0.544	54.4
-	0.5	0.5	-	-	-	0.153	0.173	69.4	0.056	0.222	88.8
-	0.5	1.0	-	-	-	0.188	0.156	62.5	0.150	0.425	85.0
-	0.5	2.0	-	-	-	0.249	0.125	50.1	0.775	0.613	61.3
-	1.0	0.5	-	-	-	0.355	0.323	64.5	0.059	0.220	88.1
-	1.0	1.0	-	-	-	0.384	0.308	61.6	0.144	0.428	85.6
-	1.0	2.0	-	-	-	0.475	0.262	52.5	0.773	0.613	61.3
-	2.0	0.5	-	-	-	0.913	0.543	54.3	0.060	0.220	88.0
-	2.0	1.0	-	-	-	0.911	0.545	54.5	0.143	0.424	85.7
-	2.0	2.0	-	-	-	1.07	0.465	46.5	0.775	0.613	61.3

**Table 3**  
Theoretical sorption capacity,  $q_c$ , and pseudo second order rate constant,  $k_2$ , obtained from linear fit by Eq. (4) of the experimental data of nickel(II), zinc(II) and lead(II) dual biosorption by *A. platensis* and *C. vulgaris* biomasses, at different initial metal concentrations ( $C_0$ ).

$C_{0,Ni}$ (mM)	$C_{0,Zn}$ (mM)	$C_{0,Pb}$ (mM)	<i>Arthrospira platensis</i>						<i>Chlorella vulgaris</i>					
			$q_{c,Ni}$ (mmol g <sup>-1</sup> )	$k_{2,Ni}$ (g mmol <sup>-1</sup> min <sup>-1</sup> )	$q_{c,Zn}$ (mmol g <sup>-1</sup> )	$k_{2,Zn}$ (g mmol <sup>-1</sup> min <sup>-1</sup> )	$q_{c,Pb}$ (mmol g <sup>-1</sup> )	$k_{2,Pb}$ (g mmol <sup>-1</sup> min <sup>-1</sup> )	$q_{c,Ni}$ (mmol g <sup>-1</sup> )	$k_{2,Ni}$ (g mmol <sup>-1</sup> min <sup>-1</sup> )	$q_{c,Zn}$ (mmol g <sup>-1</sup> )	$k_{2,Zn}$ (g mmol <sup>-1</sup> min <sup>-1</sup> )	$q_{c,Pb}$ (mmol g <sup>-1</sup> )	$k_{2,Pb}$ (g mmol <sup>-1</sup> min <sup>-1</sup> )
0.5	0.5	–	0.092	1.64	0.137	4.75	–	–	0.131	2.37	0.154	2.89	–	–
0.5	1.0	–	0.084	1.85	0.281	4.25	–	–	0.141	1.37	0.323	3.50	–	–
0.5	2.0	–	0.097	0.531	0.367	1.19	–	–	0.082	0.576	0.519	1.04	–	–
1.0	0.5	–	0.149	1.72	0.135	5.05	–	–	0.235	2.33	0.149	2.20	–	–
1.0	1.0	–	0.146	1.48	0.209	1.29	–	–	0.236	0.728	0.291	0.579	–	–
1.0	2.0	–	0.101	1.24	0.384	1.17	–	–	0.178	0.379	0.470	0.716	–	–
2.0	0.5	–	0.277	0.741	0.106	2.02	–	–	0.264	0.935	0.119	2.61	–	–
2.0	1.0	–	0.178	0.755	0.187	1.81	–	–	0.270	0.962	0.252	1.42	–	–
2.0	2.0	–	0.148	0.325	0.206	0.530	–	–	0.277	0.788	0.386	0.654	–	–
0.5	–	0.5	0.049	1.33	–	–	0.155	4.14	0.135	2.55	–	–	0.221	6.07
0.5	–	1.0	0.047	1.14	–	–	0.287	2.98	0.131	1.92	–	–	0.429	3.18
0.5	–	2.0	0.052	0.796	–	–	0.389	1.25	0.102	1.40	–	–	0.614	0.977
1.0	–	0.5	0.093	1.58	–	–	0.161	3.67	0.226	1.42	–	–	0.222	5.97
1.0	–	1.0	0.104	1.44	–	–	0.263	1.97	0.223	1.40	–	–	0.424	3.20
1.0	–	2.0	0.109	0.994	–	–	0.374	1.15	0.144	1.52	–	–	0.605	0.607
2.0	–	0.5	0.270	0.700	–	–	0.149	4.36	0.426	0.808	–	–	0.218	6.08
2.0	–	1.0	0.277	0.787	–	–	0.223	1.94	0.421	0.601	–	–	0.408	3.86
2.0	–	2.0	0.188	0.765	–	–	0.375	1.28	0.322	0.598	–	–	0.561	0.847
–	0.5	0.5	–	–	0.133	4.49	0.178	4.01	–	–	0.178	2.09	0.222	6.01
–	0.5	1.0	–	–	0.118	4.20	0.290	3.01	–	–	0.163	2.01	0.430	2.93
–	0.5	2.0	–	–	0.091	3.38	0.378	1.63	–	–	0.117	1.90	0.628	0.628
–	1.0	0.5	–	–	0.260	3.73	0.181	3.88	–	–	0.328	2.48	0.221	5.81
–	1.0	1.0	–	–	0.224	3.42	0.251	2.89	–	–	0.315	2.18	0.435	2.29
–	1.0	2.0	–	–	0.189	1.81	0.381	1.14	–	–	0.269	1.54	0.657	0.324
–	2.0	0.5	–	–	0.378	1.40	0.176	3.69	–	–	0.546	1.09	0.221	5.79
–	2.0	1.0	–	–	0.361	1.39	0.243	2.64	–	–	0.553	0.868	0.436	2.30
–	2.0	2.0	–	–	0.331	1.37	0.352	1.84	–	–	0.484	0.733	0.650	0.424
$R^2$			0.736–0.999		0.987–0.999		0.998–1.000		0.936–0.999		0.989–0.999		0.998–1.000	






Fig. 2. Zinc(II) adsorption onto *A. platensis* as function of time:  $C_0 = 0.5$  mM zinc(II) without [12] and with lead(II) at different concentrations.

another. As said reductions increased with the competing metal level, the above-mentioned statistical effect on adsorption seemed to be confirmed. Interestingly, the corresponding decreases in  $k_2$  with *A. platensis* were more marked (by 80% for  $\text{Ni}^{2+}$  and 67% for  $\text{Zn}^{2+}$ ) than for  $Y_R$ . With *C. vulgaris* such reductions were only a bit higher for  $Y_R$  and lower for  $k_2$ .

These results taken together demonstrate that the biosorption kinetic constants suffered always greater reductions than the equilibrium parameters (removal efficiency and adsorption capacity), suggesting a kinetic control of the binding of the metal ions onto the surface of the cells.

### 3.3. Dual adsorptions of nickel/lead and zinc/lead

The other binary systems showed qualitatively the same behaviors as  $\text{Ni}^{2+}/\text{Zn}^{2+}$ . However, whereas  $\text{Pb}^{2+}$  interference on  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$  biosorption was significant in terms of all sorption parameters, that of the other two metals on  $\text{Pb}^{2+}$  biosorption was very little and sometimes negligible at equilibrium ( $Y_R$  and  $q_{eq}$ ), but significant at the beginning of runs ( $k_2$ ), consistently with the above-supposed kinetic control, especially with *C. vulgaris*.

As for  $\text{Ni}^{2+}/\text{Zn}^{2+}$ , in  $\text{Ni}^{2+}/\text{Pb}^{2+}$  and  $\text{Zn}^{2+}/\text{Pb}^{2+}$  sorption tests carried out either with *A. platensis* (Table 1) or *C. vulgaris* (Table 2), an increase in initial  $\text{Pb}^{2+}$  concentration ( $C_{0,\text{pb}}$ ) at a given level of the competing metal led to a generalized increase in  $\text{Pb}^{2+}$  equilibrium sorption capacity ( $q_{eq,\text{pb}}$ ) and a corresponding decrease in those of the competing metals. However, whereas such a decrease in both  $q_{eq,\text{Ni}}$  and  $q_{eq,\text{Zn}}$  was present in  $\text{Zn}^{2+}/\text{Pb}^{2+}$  under all conditions investigated (Fig. 2, for example), it was negligible at low metal concentrations in  $\text{Ni}^{2+}/\text{Pb}^{2+}$  (Fig. 3) and became significant with *A. platensis* only at  $C_{0,\text{pb}} = C_{0,\text{Ni}} = 2.0$  mM and with *C. vulgaris* at  $C_{0,\text{pb}} = 2.0$  mM irrespective of the  $\text{Ni}^{2+}$  level. The stronger  $\text{Pb}^{2+}$  interference on  $\text{Ni}^{2+}$  biosorption by *C. vulgaris* compared to *A. platensis* is consistent with the higher affinity of the former biosorbent for  $\text{Pb}^{2+}$  [13].

As a result of the higher affinity for  $\text{Pb}^{2+}$ , the highest  $q_{eq,\text{pb}}$  values were obtained at the highest  $C_{0,\text{pb}}$ , almost irrespectively of both the type and concentration of the competing metal, either with *A. platensis* (0.366–0.384  $\text{mmol g}^{-1}$ ) or *C. vulgaris* (0.544–0.613  $\text{mmol g}^{-1}$ ). The higher  $q_{eq,\text{pb}}$  values obtained with the latter biosorbent confirm its larger capability of biosorbing the three metals at the beginning of runs. With regards to the saturation state of biosorbents in the presence of  $\text{Ni}^{2+}/\text{Pb}^{2+}$  and  $\text{Zn}^{2+}/\text{Pb}^{2+}$ , when  $C_{0,\text{T}}$  was increased from 2.0 to 4.0 mM under equimolar conditions, once again the sorption capacities of all three metals increased less than expected likely because of incipient saturation. Finally, for both biomasses, it was  $q_{eq,\text{pb}} > q_{eq,\text{Zn}} > q_{eq,\text{Ni}}$ , i.e. this




Fig. 3. Nickel(II) adsorption onto *C. vulgaris* as function of time:  $C_0 = 0.5$  mM nickel(II) without [12] and with lead(II) at different concentrations.


parameter followed the same affinity order observed with single metals [13].

$\text{Pb}^{2+}$   $Y_R$  values in binary systems were higher with *C. vulgaris* (86.4–88.8%) than with *A. platensis* at the lowest  $C_{0,\text{pb}}$ , almost irrespectively of the type and concentration of the competing metal. On the other hand, using *A. platensis* it was, in combination with  $\text{Zn}^{2+}$  (about 71%), substantially higher than with  $\text{Ni}^{2+}$  (about 59–63%). These results suggest that the high affinity of *C. vulgaris* for  $\text{Pb}^{2+}$  practically masked any interference of the competing metal (Tables 1 and 2). Such an interference was evident with *A. platensis*, in that,  $Y_R$  at the lowest  $C_{0,\text{pb}}$  was reduced, compared to the mono-component system, by only 9% in the presence of  $\text{Zn}^{2+}$ , but no less than 24% in the presence of  $\text{Ni}^{2+}$ . If from the one hand this result is consistent with the highest affinity of both biosorbents for  $\text{Pb}^{2+}$ , from the other it appears to be in contradiction with their higher affinity for  $\text{Zn}^{2+}$  than for  $\text{Ni}^{2+}$ . However, one should take into account that the interference of a metal in the binding of another onto the surface of cells is a complex phenomenon depending also on electric interaction, complexation, etc.

As for the  $\text{Ni}^{2+}/\text{Zn}^{2+}$  equimolar system, also in the other two binary systems  $k_2$  decreased with increasing  $C_{0,\text{T}}$  (Table 3), apparently with no appreciable influence of the type of competing metal. The highest  $k_{2,\text{pb}}$  values obtained at  $C_{0,\text{pb}} = C_{0,\text{Zn}} = C_{0,\text{Ni}} = 0.5$  mM were in fact almost coincident for the two binary systems containing  $\text{Pb}^{2+}$ , either with *C. vulgaris* (6.0–6.1  $\text{g mmol}^{-1} \text{min}^{-1}$ ) or *A. platensis* (4.0–4.1  $\text{g mmol}^{-1} \text{min}^{-1}$ ). Consistently with the established affinity order, it was once more  $k_{2,\text{pb}} > k_{2,\text{Zn}} > k_{2,\text{Ni}}$  with both biomasses.

Likewise  $\text{Ni}^{2+}/\text{Zn}^{2+}$ , also the other two binary systems exhibited antagonism when compared with mono-component systems. However, as expected by the highest affinity of both biosorbents for  $\text{Pb}^{2+}$ , whereas the  $\text{Pb}^{2+}$  ability of reducing both  $Y_R$  and  $q_{eq}$  for the other metals was always significant (by 29–35% for Ni and 15% for Zn) almost irrespectively of the type of biosorbent, those induced by  $\text{Zn}^{2+}$  and  $\text{Ni}^{2+}$  on  $\text{Pb}^{2+}$  removal were little or even negligible (Tables 1 and 2). With *A. platensis*  $k_2$  decreased more markedly for  $\text{Ni}^{2+}/\text{Pb}^{2+}$  (by 53% for  $\text{Ni}^{2+}$  and 44% for  $\text{Pb}^{2+}$ ) than for  $\text{Zn}^{2+}/\text{Pb}^{2+}$  (by 14% for  $\text{Zn}^{2+}$  and 20% for  $\text{Pb}^{2+}$ ), consistently with the higher affinity of this biosorbent for  $\text{Zn}^{2+}$  than for  $\text{Ni}^{2+}$ . As expected by the better performance of *C. vulgaris* as a biosorbent [13], all  $k_2$  values decreased, as a result of metal competition, more strongly than with *A. platensis*.

Concluding, although  $\text{Pb}^{2+}$  removal efficiency and sorption capacity at equilibrium were not remarkably influenced by  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$  with both biosorbents, the rate at which  $\text{Pb}^{2+}$  biosorption took place was, consistently with a kinetic control of the process.



**Fig. 4.** Sorption capacity of nickel(II) (squares), zinc(II) (circles) and lead(II) (triangles) onto *A. platensis* (full symbols) and *C. vulgaris* (empty symbols) in single (a) [12], dual (b) and ternary (c) systems. All metals were present at concentration of 1.0 mM.

### 3.4. Binary systems isotherms

To evaluate the fitting of multi-component isotherms, the equilibrium sorption capacity was also calculated by the competitive Langmuir (Eq. (5)) and Freundlich (Eq. (6)) models. The estimated values (data not shown) were very close to the experimental ones for  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$  adsorption (Tables 1 and 2), the maximum standard deviation for the Langmuir model being 9% and that for the Freundlich one 12%. These results indicate that, also in binary systems,  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$  biosorption by *A. platensis* and *C. vulgaris* followed an intermediate behavior between mono- and multilayer mechanism, already shown with single metals [13]. Contrarily, the same models overestimated  $\text{Pb}^{2+}$  sorption capacity up to 19% and 13%, respectively, which suggests that they are not able to describe well the competitive biosorption when metals have a too large difference in affinity.

Maximum sorption capacity ( $q_{\text{max}}$ ) estimated by the competitive Langmuir model for  $\text{Ni}^{2+}$  biosorption by *A. platensis* decreased with increasing the initial co-metal concentration (Table 4), while that for  $\text{Zn}^{2+}$  was not significantly influenced by either the co-metal type or concentration. With *C. vulgaris*,  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$   $q_{\text{max}}$  seemed to decrease with increasing initial co-metal concentration only when  $\text{Pb}^{2+}$  was not among them.

The Langmuir constant ( $K_L$ ) decreased in all cases with increasing the initial co-metal concentration, which demonstrates that biomass affinity for one metal is highly dependent on the co-metal level. As expected, the affinity order found for binary systems was the same already found for single metal adsorption, as a result from the outer electronic configuration of the metal [13]:  $\text{Pb}^{2+} > \text{Zn}^{2+} > \text{Ni}^{2+}$ , and again *C. vulgaris* showed, in most cases, higher affinity than *A. platensis*.

The constant  $K_F$  of the competitive Freundlich model for  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$  was, in general, dependent on the type of co-metal, but not on its initial concentration (Table 4). On the other hand, an increase in  $\text{Pb}^{2+}$  concentration remarkably affected the affinity of biomass for  $\text{Zn}^{2+}$ , but not for  $\text{Ni}^{2+}$ . More interestingly, taking the  $K_F$  values at different concentrations as an average, a comparison with the mono-component system shows that *A. platensis* affinity for  $\text{Pb}^{2+}$  was not affected by the presence of the other two metals, whereas that of *C. vulgaris* for  $\text{Ni}^{2+}$  and  $\text{Zn}^{2+}$  decreased by only 11% and 6%, respectively. As expected by the previous considerations, the largest decreases in  $K_F$  induced by  $\text{Pb}^{2+}$  were observed with *A. platensis* for  $\text{Zn}^{2+}$  (22%) and *C. vulgaris* for  $\text{Ni}^{2+}$  (31%).

The parameter  $n$  of the Freundlich model that expresses the adsorption intensity was always  $>1$ , which means that the selected metals were effectively biosorbed by both biomasses [7,13].

**Table 4** Isotherm parameters and constants calculated at equilibrium by the multicomponent models of Langmuir ( $K_L$ ,  $q_{\text{max}}$ ) and Freundlich ( $K_F$ ,  $n$ ) for nickel(II), zinc(II) and lead(II) removal using *A. platensis* and *C. vulgaris* biomasses as biosorbents.

	Langmuir				Freundlich				
	<i>Arthrospira platensis</i>		<i>Chlorella vulgaris</i>		<i>Arthrospira platensis</i>		<i>Chlorella vulgaris</i>		
	$q_{\text{max}}$ (mmol g <sup>-1</sup> )	$K_L$ (L mmol <sup>-1</sup> )	$R^2$	$K_L$ (L mmol <sup>-1</sup> )	$R^2$	$K_F$ (mmol <sup>1-1/n</sup> L <sup>1/n</sup> g <sup>-1</sup> )	$n$	$R^2$	
Ni(II)	+0.5 mM Zn	0.633	0.154	0.998	0.402	0.999	0.195	1.20	0.999
	+1.0 mM Zn	0.531	0.104	0.972	0.280	0.980	0.195	1.22	1.000
	+2.0 mM Zn	0.380	0.047	0.989	0.148	0.980	0.188	1.20	0.999
	+0.5 mM Pb	0.708	0.196	0.999	0.170	0.970	0.214	1.34	1.000
	+1.0 mM Pb	0.569	0.133	0.996	0.042	1.000	0.214	1.35	1.000
	+2.0 mM Pb	0.414	0.044	0.991	0.037	0.915	0.210	1.31	0.999
Zn(II)	+0.5 mM Ni	0.576	0.588	0.999	1.04	1.000	0.338	1.97	0.996
	+1.0 mM Ni	0.580	0.525	0.999	0.866	0.999	0.299	1.54	0.996
	+2.0 mM Ni	0.599	0.400	1.000	0.838	0.999	0.317	1.65	0.998
	+0.5 mM Pb	0.600	0.569	1.000	0.509	0.999	0.333	1.60	0.998
	+1.0 mM Pb	0.612	0.472	0.999	0.601	0.958	0.287	1.30	0.998
	+2.0 mM Pb	0.603	0.207	1.000	0.076	0.997	0.240	1.24	0.999
Pb(II)	+0.5 mM Ni	0.507	0.611	0.999	3.64	1.000	0.380	3.20	1.000
	+1.0 mM Ni	0.495	0.468	0.999	2.83	1.000	0.381	3.03	0.999
	+2.0 mM Ni	0.475	0.282	0.999	1.66	1.000	0.380	2.76	0.998
	+0.5 mM Zn	0.537	0.758	1.000	3.69	1.000	0.380	3.14	1.000
	+1.0 mM Zn	0.531	0.666	1.000	2.97	1.000	0.380	3.12	0.999
	+2.0 mM Zn	0.525	0.543	1.000	2.22	1.000	0.381	3.12	0.999






Fig. 5. FT-IR spectra of *C. vulgaris*, fresh (a) [12] and metal-loaded ((b) Ni<sup>2+</sup>/Zn<sup>2+</sup>; (c) Ni<sup>2+</sup>/Pb<sup>2+</sup>; (d) Zn<sup>2+</sup>/Pb<sup>2+</sup>; and (e) Ni<sup>2+</sup>/Zn<sup>2+</sup>/Pb<sup>2+</sup>). Spectra in common scale.

However, as expected, such intensity was higher for Pb<sup>2+</sup> (1.90–3.20) than for Zn<sup>2+</sup> (1.18–1.97) or Ni<sup>2+</sup> (1.11–1.43). Similar *n* values for Ni<sup>2+</sup> and Zn<sup>2+</sup> suggest that these metals bound to both biomasses with very similar intensities. Finally, the highest intensity reductions with respect to single metals were exerted by Pb<sup>2+</sup> on Zn<sup>2+</sup> biosorption onto *A. platensis* (43%) and by Ni<sup>2+</sup> onto Pb<sup>2+</sup> biosorption onto *C. vulgaris* (40%).

### 3.5. Ternary biosorption

The adsorption mechanism involving three sorbates is much more complex than in dual systems, due to chemical interactions among metal ions and with biomass, and also depends on ionic radii and electronegativities [34]. Nevertheless, an additional test was carried out at C<sub>0</sub> = 1.0 mM of each metal with both biosorbents.

Fig. 4 compares the different *q*<sub>eq</sub> behaviors in three-component system with those in single and dual ones. All biosorption capacities somewhat decreased with increasing the number of co-metals. For instance, Zn<sup>2+</sup> adsorption capacities of *A. platensis* were 0.285 mmol g<sup>-1</sup> in single solution, 0.201 and 0.223 mmol g<sup>-1</sup> in the presence of Ni<sup>2+</sup> and Pb<sup>2+</sup>, respectively, and 0.063 mmol g<sup>-1</sup> in the simultaneous presence of all three metals. Further investigation is needed to clarify the mechanisms of metal adsorption in ternary systems.

### 3.6. FT-IR analysis

The main FT-IR bands of fresh *C. vulgaris* and *A. platensis* biomasses (Figs. 5 and 6, spectra “a”) were previously discussed [13], and some common features are summarized here. The main peaks in the high frequency region, centered at 2923 and 2852 cm<sup>-1</sup> were assigned to CH stretching modes of alkyl chains. The weak component at 3010 cm<sup>-1</sup> characterizes the unsaturated CH groups belonging to lipids and phospholipids fractions in *C. vulgaris* biomass. Broad and weak shoulders at 3300 and 3080 cm<sup>-1</sup> can be assigned to NH stretching modes of amine-amide containing groups. At lower frequencies, other absorption bands are detected at 1742 cm<sup>-1</sup> (C=O stretching mode of ester functional group, belonging to glyceride component), around 1650 cm<sup>-1</sup> (amide I), 1548 cm<sup>-1</sup> (amide II) and 1280 cm<sup>-1</sup> (amide III), and 1416 cm<sup>-1</sup> (COO<sup>-</sup> symmetric stretching mode of carboxylates, whose asymmetric stretching mode is masked by the strong amide I absorption at 1650 cm<sup>-1</sup>). The first band was more pronounced in *C. vulgaris* spectrum, according to the higher lipid content of eukaryotic (triglycerides) than prokaryotic (phosphoglycerides) cells. Complex and broad absorption bands can also be detected in the range 1200–1050 cm<sup>-1</sup>, assigned to CC and CO stretching mode of the polysaccharides hydroxyl groups.

Spectra “b” to “d” in Fig. 5 correspond to the metal-loaded *C. vulgaris* biomass. In this case, metal biosorption in binary systems lowered the broad shoulder at 3300 cm<sup>-1</sup>, with respect to the main absorption centered at 3420 cm<sup>-1</sup>, due to cation interaction with




Fig. 6. FT-IR spectra of *A. platensis*, fresh (a) [12] and metal-loaded ((b) Ni<sup>2+</sup>/Zn<sup>2+</sup>; (c) Ni<sup>2+</sup>/Pb<sup>2+</sup>; (d) Zn<sup>2+</sup>/Pb<sup>2+</sup>; and (e) Ni<sup>2+</sup>/Zn<sup>2+</sup>/Pb<sup>2+</sup>). Spectra in common scale.

electron rich amide and/or amino groups. A slight shift of the broad band due to OH stretching modes can also be noticed.  $Zn^{2+}/Pb^{2+}$  seemed to affect to lower extent the NH band, possibly due to the previously discussed antagonistic effect of  $Pb^{2+}$  on  $Zn^{2+}$  biosorption. Several effects can be noticed in the low frequency region of spectra: a general reduction of the main bands intensities, which is especially evident for  $Ni^{2+}/Pb^{2+}$ ; a decrease of the  $1742\text{ cm}^{-1}$  carbonyl band, relative to the amide main band, and a shift of the same band to lower frequencies, which leads to a partial overlapping with the amide I/carboxylate band at  $1650\text{ cm}^{-1}$ . Once again this effect was more pronounced in the  $Ni^{2+}/Pb^{2+}$  spectrum. Carboxylate symmetric stretching band at  $1416\text{ cm}^{-1}$  was also reduced in intensity in comparison with the adjacent absorption due to CH deformation modes (around  $1430\text{ cm}^{-1}$ ).

Three metals adsorption (Fig. 5, spectrum “e”) enhanced some of the effects described above: a further decrease in the overall IR bands intensities, related to metal adsorption, a selective decrease in the relative intensities and a broadening of the amide band at  $1548\text{ cm}^{-1}$ , which we can tentatively assign to a further interaction of metal ions with the amide component. On the other hand, detection of the C=O IR band almost unperturbed suggests that the lipid fraction was not significantly involved in the overall biosorption.

Comparison with *C. vulgaris* mono-component systems shows that the competitive sorption of two and three metals affected strongly amino and amide groups, acting as ligands, while hydroxyl groups of the saccharide component were somehow less involved. Complexation of carboxylate anions that coordinate metal ions was also detected. Possibly, preferential interaction of the lead-containing binary system with the ester fraction of the lipid component (see shift of the C=O band) can be proposed; however, this effect could not be detected in the ternary system.

Spectra of *A. platensis* after two and three metals sorption are also depicted (Fig. 6). However, very little difference can be noticed compared to those reported for single metals [13]. The same functional groups were clearly involved, and no preferential biosorption could be remarked [35,36].

#### 4. Conclusions

*A. platensis* and *C. vulgaris* dry biomasses were employed as biosorbents in  $Ni^{2+}$ ,  $Zn^{2+}$  and  $Pb^{2+}$  multi-component systems at different initial metal concentrations ( $C_0$ ). The separation factor indicated that both biomasses have the following affinity order:  $Pb^{2+} > Zn^{2+} > Ni^{2+}$ . *C. vulgaris* behaved as better biosorbent because of higher equilibrium sorption capacities ( $q_{eq}$ ) and removal efficiencies ( $Y_R$ ). The difference in biosorption could have resulted from the difference in cell wall composition of the eukaryotic cells of *C. vulgaris* and the prokaryotic ones of *A. platensis*. High  $q_{eq}$  values were obtained when  $C_0$  of the selected metal was higher than that of the co-metal. In tests with one or more metals,  $q_{eq}$  somewhat decreased with increasing the number of co-metals.

In all binary systems, metals seemed to behave as antagonists. However, whereas the  $Pb^{2+}$  ability of reducing  $Y_R$  and  $q_e$  of the other metals was always significant, those of  $Zn^{2+}$  and  $Ni^{2+}$  on  $Pb^{2+}$  removal were almost negligible. The pseudo second order model of Ho and McKay showed excellent fit of the experimental data, and the presence of a co-metal lowered the rate constant for a given metal. The multi-component Langmuir and Freundlich models represented well  $Zn^{2+}$  and  $Ni^{2+}$  biosorption, highlighting an intermediate behavior between mono- and multilayer mechanism, but overestimated the  $Pb^{2+}$  sorption capacity owing to too large difference in affinity.

Spectroscopic data indicated that competitive biosorption of two and three metals required the interaction of metals with electron-rich biomass functional groups, i.e. amino, amide, esters

and, to lower extent, carboxylate groups, found on the surface of the cells. These findings are in agreement with data reported for single metal adsorption.

#### Acknowledgment

The authors thank the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior for financial support (Processes 0252/10-7 and 0304/10-7).

#### References

- [1] N. Das, Recovery of precious metals through biosorption—a review, Hydrometallurgy 103 (2010) 180–189.
- [2] J. Wang, C. Chen, Biosorbents for heavy metals removal and their future, Biotechnol. Adv. 27 (2009) 195–226.
- [3] G. Crini, Non-conventional low-cost adsorbents for dye removal: a review, Bioresour. Technol. 97 (2006) 1061–1085.
- [4] K. Vijayaraghavan, Y.S. Yun, Bacterial biosorbents and biosorption, Biotechnol. Adv. 26 (2008) 266–291.
- [5] A. Vonshak, Outdoor mass production of *Spirulina*: the basic concept, in: A. Vonshak (Ed.), *Spirulina platensis* (*Arthrospira*): Physiology, Cell-Biology and Biotechnology, Taylor and Francis, London, 1997, pp. 79–99.
- [6] G. Torzillo, Tubular bioreactors, in: A. Vonshak (Ed.), *Spirulina platensis* (*Arthrospira*): Physiology, Cell-Biology and Biotechnology, Taylor and Francis, London, 1997, pp. 101–115.
- [7] Z. Aksu, G. Dönmez, Binary biosorption of cadmium(II) and nickel(II) onto dried *Chlorella vulgaris*: Co-ion effect on mono-component isotherm parameters, Process Biochem. 41 (2006) 860–868.
- [8] E. Finocchio, A. Lodi, C. Solisio, A. Converti, Chromium (VI) removal by methylated biomass of *Spirulina platensis*, Chem. Eng. J. 156 (2010) 264–269.
- [9] J.M. Tobin, J.C. Roux, Mucor biosorbent for chromium removal from tanning effluent, Water Res. 32 (1998) 1407–1416.
- [10] R.S. Bai, T.E. Abraham, Studies on enhancement of Cr (VI) biosorption by chemically modified biomass of *Rhizopus nigricans*, Water Res. 36 (2002) 1224–1236.
- [11] A. Lodi, E. Finocchio, A. Converti, C. Solisio, Removal of bivalent and trivalent ions by *Spirulina platensis* biomass: batch experiments and biosorbent characterization, Int. J. Environ. Technol. Manage. 12 (2010) 202–213.
- [12] A.M. Hamissa, F. Brouers, B. Mahjoub, M. Seffen, Adsorption of textile dyes using *Agave americana* (L.) fibers: equilibrium and kinetics modeling, Adsorpt. Sci. Technol. 25 (2007) 311–325.
- [13] L.S. Ferreira, M.S. Rodrigues, J.C.M. Carvalho, A. Lodi, E. Finocchio, P. Perego, A. Converti, Adsorption of  $Ni^{2+}$ ,  $Zn^{2+}$  and  $Pb^{2+}$  onto dry biomass of *Arthrospira* (*Spirulina*) *platensis* and *Chlorella vulgaris*. I. Single metal systems, Chem. Eng. J. 173 (2011) 326–333.
- [14] N. Gaur, R. Dhankhar, Equilibrium modelling and spectroscopic studies for the biosorption of  $Zn^{+2}$  ions from aqueous solution using immobilized *Spirulina platensis*, Iran. J. Environ. Health 6 (2009) 1–6.
- [15] A. Şeker, T. Shahwan, A.E. Eroğlu, S. Yılmaz, Z. Demirel, M.C. Dalay, Equilibrium, thermodynamic and kinetic studies for the biosorption of aqueous lead(II), cadmium(II) and nickel(II) ions on *Spirulina platensis*, J. Hazard. Mater. 154 (2008) 973–980.
- [16] A. Çelekli, M. Yavuzatmaca, H. Bozhurt, An eco-friendly process: predictive modelling of copper adsorption from aqueous solution on *Spirulina platensis*, J. Hazard. Mater. 173 (2010) 123–129.
- [17] S. Loutseti, D.B. Danielidis, A. Economou-Amilli, C. Katsaros, R. Santas, P. Santas, The application of a micro-algal/bacterial biofilter for the detoxification of copper and cadmium metal wastes, Bioresour. Technol. 100 (2009) 2099–2105.
- [18] N. Rangsayatorna, P. Pokethitiyooka, E.S. Upathamb, G.R. Lanza, Cadmium biosorption by cells of *Spirulina platensis* TISTR 8217 immobilized in alginate and silica gel, Environ. Int. 30 (2004) 57–63.
- [19] N. Akhtar, A. Saeed, M. Iqbal, *Chlorella sorokiniana* immobilized on the biomatrix of vegetable sponge of *Luffa cylindrica*: a new system to remove cadmium from contaminated aqueous medium, Bioresour. Technol. 88 (2003) 163–165.
- [20] X. Han, Y.S. Wong, N.F.Y. Tam, Surface complexation mechanism and modeling in Cr(III) biosorption by a microalgal isolate, *Chlorella miniata*, J. Colloid Interface Sci. 303 (2006) 365–371.
- [21] S.V. Gokhale, K.K. Jyoti, S.S. Lele, Kinetic and equilibrium modeling of chromium (VI) biosorption on fresh and spent *Spirulina platensis/Chlorella vulgaris* biomass, Bioresour. Technol. 99 (2008) 3600–3608.
- [22] Y.P. Ting, F. Lawson, I.G. Prince, Uptake of cadmium and zinc by the alga *Chlorella vulgaris*: II, multi-ion situation, Biotechnol. Bioeng. 37 (1991) 445–455.
- [23] Q. Li, S. Wu, G. Liu, X. Liao, X. Deng, D. Sun, Y. Hu, Y. Huang, Simultaneous biosorption of cadmium (II) and lead (II) ions by pretreated biomass of *Phanerochaete chrysosporium*, Sep. Purif. Technol. 34 (2004) 135–142.
- [24] Y.S. Ho, G. McKay, The kinetics of sorption of divalent metal ions onto sphagnum moss peat, Water Res. 34 (2000) 735–742.
- [25] U.G. Schlösser, Sammlung von Algenkulturen, Ber. Deutsch. Bot. Ges. 95 (1982) 181–276.
- [26] H.W. Bischoff, H.C. Bold, Phycological studies. IV, in: Some Soil Algae from Enchanted Rock and Related Algal Species, University of Texas Publication No. 6318, 1963, 95 p.

- [27] D.J. Malik, V. Strelko Jr., M. Streat, A.M. Puziy, Characterisation of novel modified active carbons and marine algal biomass for the selective adsorption of lead, *Water Res.* 36 (2002) 1527–1538.
- [28] M.H. El-Naas, F.A. Al-Rub, I. Ashour, M.A. Marzouqi, Effect of competitive interference on the biosorption of lead(II) by *Chlorella vulgaris*, *Chem. Eng. Process.* 46 (2007) 1391–1399.
- [29] E.C. Markham, A.F. Benton, The adsorption of gas mixtures by silica, *J. Am. Chem. Soc.* 53 (1931) 497–507.
- [30] C.H. Sheindorf, M. Rebhun, M. Sheintuch, A Freundlich-type multicomponent isotherm, *J. Colloid Interface Sci.* 79 (1981) 136–142.
- [31] G. Vázquez, J. González-Alvarez, M.S. Freire, M. López-Lorenzo, G. Antorrena, Removal of cadmium and mercury ions from aqueous solution by sorption on treated *Pinus pinaster* bark: kinetics and isotherms, *Bioresour. Technol.* 82 (2002) 247–251.
- [32] D.L. Nelson, M.M. Cox, *Lehninger Principles of Biochemistry*, 4th ed., W.H. Freeman and Company, New York, 2005, 1119 pp.
- [33] L. Tomaselli, Morphology, ultrastructure and taxonomy of *Arthrospira* (*Spirulina*) *maxima* and *Arthrospira* (*Spirulina*) *platensis*, in: A. Vonshak (Ed.), *Spirulina platensis* (*Arthrospira*): Physiology, Cell-Biology and Biotechnology, Taylor and Francis, London, 1997, pp. 1–15.
- [34] F.A. Abu Al-Rub, M.H. El-Naas, I. Ashour, M. Al-Marzouqi, Biosorption of copper on *Chlorella vulgaris* from single, binary and ternary metal aqueous solutions, *Process Biochem.* 41 (2006) 457–464.
- [35] K. Swayampakula, V.M. Boddu, S.K. Nadavala, K. Abburi, Competitive adsorption of Cu (II), Co (II) and Ni (II) from their binary and tertiary aqueous solutions using chitosan-coated perlite beads as biosorbent, *J. Hazard. Mater.* 170 (2009) 680–689.
- [36] X.-F. Sun, S.-G. Wang, X.-W. Liu, W.-X. Gong, N. Bao, B.-Y. Gao, Competitive biosorption of zinc(II) and cobalt(II) in single- and binary-metal systems by aerobic granules, *J. Colloid Interface Sci.* 324 (2008) 1–8.