

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.



(NASA-CR-143460) EVALUATION OF ATOMIC
CONSTANTS FOR OPTICAL RADIATION, VOLUME 1
Final Report, Nov. 1970 - Feb. 1974 (Florida
Univ.) 36 p HC \$3.75

N75-31877

CSCL 20F

Unclas

G3/74 17965



ENGINEERING AND INDUSTRIAL EXPERIMENT STATION

College of Engineering

University of Florida

Gainesville

EVALUATION OF ATOMIC CONSTANTS

FOR

OPTICAL RADIATION

Final Report (Vol. I)

December 1974

EVALUATION OF ATOMIC CONSTANTS
FOR
OPTICAL RADIATION

C. D. Kylstra
R. J. Schneider

University of Florida
Gainesville, Florida 32611

December 1974

Final Report (Vol. I)
Nov. 70 to Feb. 74

Prepared for
National Aeronautics and Space Administration
Washington, D. C. 20546

PREFACE

The authors wish to thank NASA for sponsoring this work. The consulting guidance by Dr. Roger Bengtson on the equivalent electron problem is much appreciated. Also, the able assistance of graduate students, L. Ayers, K. Snyder, and J. Usher, and student assistant J. Daniels is gratefully acknowledged.

TABLE OF CONTENTS

INTRODUCTION..... Volume I, Page 1

APPROACH..... Volume I, Page 3

RESULTS..... Volume I, Page 5

CONCLUDING REMARKS..... Volume I, Page 5

REFERENCES..... Volume I, Page 6

APPENDIX A. Atomic Constants for Selected Lines..... Volume I, Page A - 1

APPENDIX B. Matrix Elements..... Volume II, Page B - 1

INTRODUCTION

Both in the study of solar physics and laser transitions, atomic constants for optical radiation are needed. These include transition probabilities, line strengths, and oscillator strengths for both dipole and quadrupole transitions, as well as the associated Matrix elements needed for line broadening calculations. While the solar physicist is interested in all elements (but mainly in the low to medium atomic weight elements), the laser physicist is interested in selected elements and their ionic species.

The objective of this project was to compute the above mentioned atomic constants for a wider selection of elements and lines. An existing computer program developed by NASA^{1*} was used, with modifications to include, in an approximate manner, the effect of equivalent electrons, and to enable reordering and restructuring of the output for publication. This program is suitable for fast, low cost computation of the optical constants, using the Coulomb approximation formalism for LS coupling.

The guidelines used for selecting lines for processing are:

- a. Select approximately 10, 20, or 30 lines for each of the 24 elements, depending on the relative importance of the element.
- b. Select only one line per multiplet.
- c. Select the stronger lines for each element.
- d. Originally, no equivalent electron lines were selected. Later, after the modification to the program was made to include the effects of equivalent electrons in an approximate manner, some equivalent electron lines were added.
- e. Use the tables of Atomic Energy Levels by C. E. Moore² as the basic energy level reference.
- f. Leave out energy levels with incomplete quantum number specifications.

*Reference numbers

These criteria, particularly items d and f, resulted in considerable numbers of lines being rejected by either the authors or the computer program. Since many lines involving equivalent electrons terminate in levels with n^* (effective principle quantum number) approximately the same as ℓ (individual electron angular momentum quantum number), the (radial) transition integral equation developed by Bates and Damgaard will not converge^{1,3}. This integral, by the way, is calculated using double precision on the IBM 370 to minimize numerical error problems. Of the original 24 selected elements, results were obtained for all but Neon. From the over 500 original lines, results were obtained for 372.

APPROACH

The details of the theory and the computer program are described in References 1 and 3, and thus there is no need to repeat the information here.

The modification of the program to approximately include equivalent electrons levels and their contributions to the atomic constants was accomplished under the guidance of Dr. Roger Bengtson. Only p type equivalent electrons are considered; all others are rejected by the program. Essentially, a table of Fractional Parentage⁴ (Table I) is used to split an input energy level into three levels, each with a different parent and their associated L and S quantum numbers. Since the squares of the coefficients of Fractional Parentage are the probabilities of the various configurations, the matrix element for any allowed transition is multiplied by the squares of the coefficients of the upper and lower levels involved to get the most probable matrix elements, as well as the transition probability, line strength, and oscillator strength. All lines and matrix elements involving equivalent electrons are identified in the printout by an asterisk, so that the values affected by the approximations are indicated.

Another approximation was necessary for some of the elements in order to estimate a series limit for excited parent configurations. This consisted of adding to the series limit of the ground state the difference in energy between two equivalent levels for the ground state configuration and the excited parent configuration. Any series limit estimated by this approximation is indicated by an asterisk.

Input values for the energy levels came mainly from the tables compiled by Moore². However, additional levels, when adequate information on quantum numbers was available, were also used.

TABLE I

FRACTIONAL PARENTAGE PROBABILITIES

Equivalent Electron Configuration	p^2		p^3		p^4		p^5	
Term								
$4s$	0.	$1s$	0.	$1s$	0.	$4s$	0.	$1s$
	1.	$2p$	0.	$3p$	1.	$2p$	0.	$3p$
	0.	$1d$	0.	$1d$	0.	$2d$	0.	$1d$
$2p$	0.	$1s$.22222	$1s$.33333	$4s$.06667	$1s$
	1.	$2p$.5	$3p$.24	$2p$.6	$3p$
	0.	$1d$.27778	$1d$.41667	$2d$.3333	$1d$
$2d$	0.	$1s$	0.	$1s$	0.	$4s$	0.	$1s$
	1.	$2p$.5	$3p$.25	$2p$	0.	$3p$
	0.	$1d$.5	$1d$.75	$2d$	0.	$1d$

RESULTS

The atomic constants of transition probability, line strength, oscillator strength, and the product of the statistical weight $(2J+1)$ and the oscillator strength are presented in Appendix A, for the 372 lines and the 23 elements. In Appendix B (contained in a separate volume), the dipole matrix elements associated with the lines, and the sum of all of the quadrupole matrix elements (for $\Delta L = 0$) are given. The definitions of the table headings, and special output indicators are included within the appendices.

CONCLUDING REMARKS

The accuracy of the atomic constants was checked against other sources when possible. In general, the agreement was good (i.e., $\pm 20\%$ for transition probabilities). However, occasional values would differ by a factor of ten. Whether the values computed by the Coulomb approximation or by other methods are more correct is a matter of conjecture, and dependant on the specific case. However, the Coulomb approximation program is fast. Computer expenses to generate the results, including several reruns to eliminate troublesome lines, energy levels, etc., amounted to less than one thousand dollars.

REFERENCES

1. Shomo, L. P.; Oertel, G. D.; and Frerer, C. S.: "A Method for the Calculation of Large Numbers of Dipole and Quadrupole Transition Probabilities," NASA TN D-5987, Nov. '70.
2. Moore, C. E." "Atomic Energy Levels" Vols. I, II, and III, NBS Circ. 467, 467, 467, U.S. Dep. of Com. June 15, 1949, Aug. 15, 1952, May 1, 1958.
3. Oertel, G. D.; and Shomo, L. P.: "Tables for the Calculation of the Radial Multipole Matrix Elements by the Coulomb Approximation." Astrophys. J., Suppl. Ser., Vol. 16, No. 145, Aug. 1968.
4. Slater, J. C., Quantum Theory of Atomic Structure, McGraw-Hill, New York, 1960.

APPENDIX A

ATOMIC CONSTANTS FOR SELECTED LINES

ATOMIC CONSTANTS FOR SELECTED LINES

The tables in this appendix were generated after several steps of data processing. First, the Coulomb approximation program was run on an IBM 370 to obtain the basic results, which were punched on cards. A small IBM 1800 computer was used to sort and rearrange the card packets, which were then read by the BOOKPRINT program for printing on the IBM 370.


The organization and symbols used for headings in the following table are basically conventional nomenclature, with some changes as dictated by the output equipment.

The top line identifies the element, its atomic number, and its ionic state. The next lines indicate the number of parent configurations, their designation, and the series limit of each parent. If the series limit is estimated as discussed in the Approach section, an asterisk is printed out after the value.

The definitions of the headings for the main portion of the table are as follows:

- | | | |
|------------|---|---|
| W L
AIR | - | The wavelength of the line in air at sea level in Angstroms. If the wavelength is less than 2000 Å, the vacuum wavelength is given. |
| SN
F I | - | The sequence number (SN) assigned to the final (F) and initial (I) energy levels of the transition that produces the line. These sequence numbers indicate the energy levels in the matrix element tables (Appendix B). The sequence numbers are ordered with increasing value of the energy level. |
| PARENT | - | The designation of the Parent configuration associated with the line. |

- EE - If the line involves equivalent electrons, an asterisk is printed in this column.
- DESIG - The designation of the final (F) and initial (I) states.
F I Since the output equipment can't print lower case letters, all quantum numbers are upper case. Also, since half spacing is not available, superscripts and subscripts are all printed on the same line. Thus, using the 2829.073 He line as an example, the equivalences between the computer printout and the conventional nomenclature is



- LEVEL - The energy levels of the final (F) and initial (I) levels.
F I
- A - The transition probability in sec^{-1} .
- S - The line strength
- F - The oscillator strength
- GF - The oscillator strength multiplied by the statistical weigh $(2J+1)$

HFLIUM ----- 2 ---- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (25) 198305.000

W L	SN	PARENT EF	DESIG	LEVEL	A	S	F	GF			
ATR	#	:	F	I	F	I	F	GF			
2927.072	1	23	(25)	25351.0	6P3P3.0	159850.312	195187.197	0.1775E+07	0.1987E+01	0.7106E-03	0.7106E-03
2945.104	1	19	(25)	25351.0	6P3P0.0	159850.312	193795.062	0.2934E+07	0.3704E-01	0.1274E-02	0.1274E-02
3187.743	1	17	(25)	25351.0	4P3P0.0	159850.312	191211.437	0.5154E+07	0.4722E-01	0.2642E-02	0.2642E-02
3447.593	2	26	(25)	25150.0	6P1P1.0	166271.687	195269.187	0.2250E+07	0.1373E+00	0.1204E-01	0.3624E-01
3611.641	2	27	(25)	25150.0	6P1P1.0	166271.687	193935.750	0.3777E+07	0.2643E+00	0.2220E-01	0.6660E-01
3705.003	3	28	(25)	293P0.0	7D3D1.0	169082.187	196064.000	0.2212E+07	0.1668E+00	0.1367E-01	0.4101E-01
3919.605	3	24	(25)	293P0.0	6D3D1.0	169082.187	195254.375	0.3605E+07	0.2979E+00	0.2367E-01	0.7102E-01
3989.646	1	7	(25)	25351.0	3P3P0.0	159850.312	185559.250	0.8812E+07	0.2561E+00	0.6554E-02	0.6664E-02
3964.777	2	16	(25)	25150.0	4P1P1.0	166271.687	191485.937	0.6883E+07	0.6300E+00	0.4870E-01	0.1461E+00
4009.272	4	29	(25)	291P1.0	7D1D0.0	171129.125	196064.312	0.2966E+07	0.4723E+00	0.1192E-01	0.5061E-01
4026.763	3	20	(25)	293P0.0	5D3D1.0	169082.187	193911.500	0.6506E+07	0.6297E+00	0.4748E-01	0.1424E+00
4129.312	3	17	(25)	293P0.0	55351.0	169082.187	193241.312	0.4682E+06	0.4858E-01	0.3679E-02	0.1074E-01
4143.754	4	25	(25)	291P1.0	6D1D0.0	171129.125	195255.000	0.4893E+07	0.8602E+00	0.2101E-01	0.1050E+00
4247.930	4	21	(25)	291P1.0	5D1D0.0	171129.125	193912.562	0.9011E+07	0.1801E+01	0.4339E-01	0.2169E+00
4377.541	4	14	(25)	291P1.0	35150.0	171129.125	193657.750	0.3261E+07	0.1404E+00	0.1212E-02	0.4212E-02
4471.677	1	14	(25)	293P0.0	4D3D1.0	169082.187	191438.512	0.1374E+08	0.1424E+01	0.1242E+00	0.3725E+00
4713.145	3	11	(25)	293P0.0	45351.0	169082.187	190292.437	0.1016E+07	0.1574E+00	0.1014E-01	0.7541E-01
4921.933	4	15	(25)	291P1.0	431D0.0	171129.125	191440.637	0.1950E+08	0.5863E+01	0.1205E+00	0.4027E+00
5015.674	2	18	(25)	25150.0	3P1P1.0	166271.687	186203.625	0.1319E+08	0.2467E+01	0.1493E+00	0.4479E+00
5047.734	4	12	(25)	291P1.0	45150.0	171129.125	190934.500	0.6729E+07	0.4277E+00	0.8574E-02	0.8574E-02
5475.093	1	8	(25)	293P0.0	3D3D1.0	169082.187	186095.875	0.3968E+08	0.1193E+02	0.6106E+00	0.1850E+01
6074.148	4	9	(25)	291P1.0	7D1D0.0	171129.125	186099.750	0.6370E+08	0.4647E+02	0.7103E+00	0.7551E+01
7065.187	3	5	(25)	293P0.0	35351.0	169082.187	183231.062	0.3229E+07	0.1584E+01	0.6807E-01	0.2042E+00
7241.748	4	6	(25)	291P1.0	35150.0	171129.125	184859.062	0.1812E+06	0.3456E+01	0.4803E-01	0.4903E-01
9463.667	5	19	(25)	35351.0	6P3P0.0	183231.062	193795.052	0.5596E+06	0.2344E+00	0.2506E-02	0.2506E-02
9603.500	6	24	(25)	35150.0	6P1P1.0	184859.062	195269.187	0.5849E+06	0.7600E+00	0.2424E-01	0.7284E-01
9722.660	7	27	(25)	3P3P0.0	75351.0	185559.250	195862.625	0.9514E+05	0.1288E+00	0.4031E-02	0.1207E-01
10833.301	1	3	(25)	25351.0	2P3P0.0	159850.312	169082.187	0.1633E+08	0.6481E+01	0.6056E-01	0.6056E-01

Table 1. Holium

BERYLLIUM ---- 4 ---- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(2S)	75192.312
	2	(2P)	108202.500

W L AIR	SN		PARENT EF	DESIG		LEVEL		A	S	F	GF
	F	I		F	I	F	I				
2232.720	1	14	(2S)	2P3P0.0	6S3S1.0	21979.000	71161.000	0.1225E+07	0.1525E-01	0.2279E-02	0.6636E-02
2256.520	1	12	(2S)	2P3P0.0	5D3D1.0	21979.000	70604.000	0.1154E+08	0.1487E+00	0.2196E-01	0.6587E-01
2494.559	1	6	(2S)	2P3P0.0	3D3D1.0	21979.000	62054.000	0.5772E+08	0.1328E+01	0.1617E+00	0.4850E+00
7171.086	1	4	(2S)	2P3P0.0	3S3S1.0	21979.000	52082.000	0.9292E+07	0.5043E+00	0.4608E-01	0.1382E+00
3791.740	2	4	(2S)	2P3P1.0	3S3S1.0	21980.000	52082.000	0.2784E+08	0.1512E+01	0.4607E-01	0.1382E+00
3515.549	3	12	(2S)	2P1P1.0	5D1D2.0	42565.000	71002.000	0.1547E+08	0.1661E+01	0.4791E-01	0.2390E+00
3716.280	3	11	(2S)	2P1P1.0	5S1S0.0	42565.000	69322.000	0.4269E+07	0.1100E+00	0.2980E-02	0.2980E-02
3911.417	3	10	(2S)	2P1P1.0	4D1D2.0	42565.000	68791.000	0.2702E+09	0.3703E+01	0.9326E-01	0.4913E+00
4407.910	3	8	(2S)	2P1P1.0	4S1S0.0	42565.000	65245.000	0.9692E+07	0.4102E+00	0.9418E-02	0.9418E-02
4572.672	3	7	(2S)	2P1P1.0	3D1D2.0	42565.000	64428.000	0.3348E+08	0.7911E+01	0.1751E+00	0.8753E+00
7209.133	4	9	(2S)	3S3S1.0	4P3P0.0	52082.000	65949.000	0.1622E+07	0.3373E+00	0.4735E-02	0.4735E-02
8254.102	3	5	(2S)	2P1P1.0	3S1S0.0	42565.000	54677.000	0.3847E+08	0.1069E+02	0.1311E+00	0.1311E+00

Table 3. Beryllium

ABRX ----- 5 ---- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (15) 66970.000

M L AID	SN		PARENT	FE	DESIG		LEVEL		A	S	F	GF	
	F	I			F	I	F	I					
2497.730	1	2	(15)		2P2P1.5	3S2S0.5		16.000	40040.000	0.6926E+08	0.1067E+21	0.3242F-C1	0.6463E-01
8669.692	3	6	(15)		3P2P0.5	5S2S0.5		48613.000	60146.000	0.1893E+07	0.1212E+01	0.2123E-C1	0.4246E-01
11660.000	2	3	(15)		3S2S0.5	3P2P0.5		40040.000	40613.000	0.1668E+08	0.2614E+02	0.3403E+00	0.6805E+00
15629.000	3	5	(15)		3P2P0.5	4S2S0.5		48613.000	55009.000	0.5360E+07	0.2023F+02	C.1965E+00	C.3929F+00
16245.000	3	4	(15)		3P2P0.5	3D2D1.5		48613.000	54765.000	0.1146E+08	0.9724E+C2	0.9053E+00	0.3633E+01

Table 4. Boron

CARBON ----- 6 ---- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 I (2P) 90878.312

W - AIR	SN	PARENT FE	DESIG		LEVEL		A	S	F	GF	
			F	I	F	I					
1261.560	2	20	(2P)	* 2P3P1.0	3P3P2.0	16.000	79311.000	0.0	0.0	0.0	0.0
1277.620	2	16	(2P)	* 2P2P1.0	3P3P1.0	14.000	78300.000	0.0	0.0	0.0	0.0
1289.340	1	15	(2P)	* 2P3P0.0	4S3P1.0	0.0	78117.000	0.0	0.0	0.0	0.0
1359.050	3	19	(2P)	* 2P1D2.0	3P1P1.0	10193.000	78727.000	0.0	0.0	0.0	0.0
1453.730	3	18	(2P)	* 2P1D2.0	3P1P1.0	10193.000	78531.000	0.0	0.0	0.0	0.0
1457.450	3	17	(2P)	* 2P1D2.0	4S1P1.0	10193.000	78338.000	0.0	0.0	0.0	0.0
1481.770	3	14	(2P)	* 2P1D2.0	3P1D2.0	10193.000	77660.000	0.0	0.0	0.0	0.0
1457.000	1	5	(2P)	* 2P3P0.0	3S2P1.0	0.0	60353.000	0.0	0.0	0.0	0.0
1751.900	4	19	(2P)	* 2P1S0.0	3P1P1.0	21649.000	76727.000	0.1859E+08	0.1480E+00	0.2556E-01	0.7698E-01
1939.930	3	7	(2P)	* 2P1D2.0	3S1P1.0	10193.000	51932.000	0.0	0.0	0.0	0.0
2473.573	4	7	(2P)	* 2P1S0.0	3S1P1.0	21649.000	61982.000	0.1300E+08	0.2935E+00	0.3595E-01	0.1079E+00
2269.988	7	27	(2P)	3S1P1.0	5P1D2.0	61982.000	85400.000	0.4153E+06	0.7984E-01	0.1992E-02	0.9462E-02
4371.328	7	26	(2P)	3S1P1.0	5P1P1.0	61982.000	84852.000	0.1212E+07	0.1501E+00	0.3475E-02	0.1042E-01
4282.000	7	24	(2P)	3S1P1.0	4P1S0.0	61982.000	82252.000	0.5251E+07	0.7113E+00	0.6398E-02	0.6388E-02
5041.450	6	21	(2P)	3S1D2.0	4P3P1.0	60393.000	80222.000	0.1726E+07	0.7654E+00	0.9217E-02	0.6452E-01
5042.121	7	23	(2P)	3S1P1.0	4P1D2.0	61982.000	81770.000	0.1717E+07	0.6204E+00	0.1747E-01	0.4214E-01
5747.240	7	22	(2P)	3S1P1.0	4P1P1.0	61982.000	80563.000	0.1396E+07	0.7201E+00	0.6021E-02	0.1806E-01
6587.750	8	25	(2P)	3P1P1.0	4P1P1.0	60353.000	84022.000	0.2537E+07	0.1070E+01	0.1652E-01	0.4957E-01
9375.191	7	13	(2P)	3S1P1.0	3P1S0.0	61982.000	73976.000	0.3421E+08	0.9791E+01	0.1189E+00	0.1189E+00
9793.891	6	12	(2P)	3S3P2.0	3P3P2.0	60393.000	71385.000	0.2052E+08	0.3415E+02	0.2547E+00	0.1274E+01
9659.488	6	11	(2P)	3S3P2.0	3P3S1.0	60393.000	70744.000	0.1296E+08	0.1731E+02	0.1038E+00	0.2264E+00
10549.000	9	17	(2P)	3P1P1.0	4S1P1.0	4P3P8.000	78374.000	0.6612E+07	0.1150E+02	0.1107E+00	0.3310E+00
10691.199	6	10	(2P)	3S1P2.0	3P3P1.0	60393.000	69397.000	0.1745E+08	0.7379E+02	0.4190E+00	0.2937E+01
11130.398	8	14	(2P)	3P1P1.0	3P1D2.0	68853.000	77680.000	0.2176E+08	0.7826E+02	0.6990E+00	0.3498E+01
11994.898	9	15	(2P)	3P3D2.0	4S3P1.0	69710.000	78117.000	0.8499E+07	0.2119E+02	0.1082E+00	0.3246E+00

A - B

Table 5. Carbon

NITROGEN ----- 7 ----- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(3P)	117345.000
	2	(1D)	131870.000 *

M L AIR	SV PARENT EE		DESIG		LEVEL		A	S	F	SF	
	F	I	F	I	F	I					
1100.700	3	29	(3P)	* 2P2D1.5	5S2P1.5	19231.000	110109.000	0.0	0.0	0.0	0.0
1103.880	3	23	(3P)	* 2P2D1.5	3D2D1.5	19231.000	105120.000	0.0	0.0	0.0	0.0
1107.450	2	21	(3P)	* 2P2D2.5	3D2F3.5	19223.000	104882.000	0.0	0.0	0.0	0.0
1170.400	3	18	(3P)	* 2P2D1.5	4S2P1.5	19231.000	104227.000	0.0	0.0	0.0	0.0
1199.550	1	7	(3P)	* 2P4S1.5	3S4P2.5	0.0	53355.000	0.0	0.0	0.0	0.0
1326.630	4	18	(3P)	* 2P2P0.5	4S2P1.5	28840.000	104227.000	0.0	0.0	0.0	0.0
1411.940	5	16	(1D)	* 2P2P0.5	3S2D1.5	28840.000	99558.000	0.0	0.0	0.0	0.0
1492.620	3	8	(3P)	* 2P2D1.5	3S2P1.5	19231.000	35223.000	0.0	0.0	0.0	0.0
1742.730	4	8	(3P)	* 2P2P0.5	3S2P1.5	28840.000	35223.000	0.0	0.0	0.0	0.0
4223.049	6	20	(3P)	3S4P1.5	4P4P1.5	83319.000	105993.000	0.9154E+05	0.1362E-01	0.2446E-03	0.9792E+03
4253.289	6	20	(3P)	3S4P1.5	4P4D2.5	83319.000	105515.000	0.1142E+06	0.2609E-01	0.4654E-03	0.9792E+02
4935.031	8	24	(3P)	3S2P1.5	4P2S0.5	86223.000	100475.000	0.1442E+07	0.1714E+00	0.2635E-02	0.5270E+02
5046.941	10	27	(3P)	3P4D0.5	5S4P0.5	94772.000	109313.000	0.2175E+07	0.0311E+00	0.1441E-04	0.2033E-01
6745.217	13	28	(3P)	3P4P2.5	5S4P2.5	95533.000	109927.000	0.1707E+07	0.1090E+01	0.1235E-01	0.7412E-04
7468.707	7	14	(3P)	3S4P2.5	3P4S1.5	83366.000	90751.000	0.1997E+08	0.1645E+02	0.1114E+00	0.9355E+03
8210.401	7	13	(3P)	3S4P2.5	3P4P2.5	83366.000	95533.000	0.2165E+08	0.3593E+02	0.2213E+00	0.1329E+01
8580.352	6	11	(3P)	3S4P1.5	3P4D2.5	83319.000	94332.000	0.1966E+08	0.3028E+02	0.3171E+00	0.1903E+01
9050.602	9	19	(3P)	3P2S0.5	3D2P1.5	93592.000	104515.000	0.2465E+08	0.3625E+02	0.0073E+00	0.2429E+01
9392.503	8	15	(3P)	3S2P1.5	3P2D2.5	85223.000	95554.000	0.2443E+08	0.0008E+02	0.4654E+00	0.2912E+01
9802.500	12	22	(3P)	3P4D3.5	3D4D3.5	94883.000	100020.000	0.0006E+07	0.3050E+02	0.1170E+00	0.9400E+00
10114.602	11	20	(3P)	3P4D2.5	3D4F3.5	98832.000	104713.000	0.3128E+08	0.1279E+03	0.0039E+00	0.5119E+01
11291.099	12	17	(3P)	3P4D3.5	4S4P2.5	98883.000	103735.000	0.1021E+09	0.4360E+02	0.1465E+00	0.8790E+00

Table 6. Nitrogen

OXYGEN ----- 8 ----- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(45)	109830.587
	2	(20)	135689.000

W L AIR	SN		PARENT LE	DESIG		LEVEL		A	S	F	3P
	F	I		F	I	F	I				
988.777	1	12	(20) *	2P3P2.0	3S301.0	0.0	101155.000	0.0	0.0	0.0	0.0
1025.770	2	10	(45) *	2P3P2.0	3D3D1.0	0.0	97485.000	0.0	0.0	0.0	0.0
1152.160	3	15	(20) *	2P102.0	3S102.0	15867.000	102661.000	0.0	0.0	0.0	0.0
1302.170	2	5	(45) *	2P3P2.0	3S3S1.0	0.0	75794.000	0.0	0.0	0.0	0.0
4368.301	5	11	(45)	3S4S1.0	4P3P0.0	75794.000	33590.000	0.6916E+06	0.2849E+01	0.6600E-03	0.5500E-03
5328.980	0	20	(45)	3P5P1.0	5D5D0.0	86625.000	105335.000	0.2725E+07	0.2038E+00	0.3370E-02	0.3570E-02
5436.828	6	18	(45)	3P5P1.0	6S5S2.0	86625.000	105019.000	0.7919E+06	0.3142E+00	0.5550E-02	0.2925E-01
5046.340	8	19	(45)	3P3P0.0	6S3S1.0	88631.000	105164.000	0.3684E+06	0.1208E+00	0.0083E-02	0.1919E-01
6155.988	6	15	(45)	3P5P1.0	4D5D0.0	86625.000	102865.000	0.7692E+07	0.8866E+00	0.1458E-01	0.1355E-01
6455.070	7	13	(45)	3P5P2.0	5S5S2.0	65627.000	102115.000	0.2715E+07	0.1804E+01	0.1597E-01	0.2484E-01
7002.219	8	17	(45)	3P3P0.0	4D3D1.0	88631.000	102908.000	0.1905E+07	0.9695E+00	0.4203E-01	0.1212E+00
7234.051	8	14	(45)	3P3P0.0	5S3S1.0	88631.000	102411.000	0.7492E+06	0.4242E+00	0.1775E-01	0.3325E-01
7771.930	4	7	(45)	3S5S2.0	3P5P2.0	73767.000	55527.000	0.3286E+08	0.3614E+02	0.2979E+00	0.1779E+01
8446.379	5	8	(45)	3S3S1.0	3P3P0.0	75794.000	33531.000	0.3013E+08	0.6970E+01	0.1075E+00	0.1075E+00
9260.079	6	9	(45)	3P5P1.0	3D5D0.0	86625.000	97420.000	0.4217E+08	0.1655E+02	0.1809E+00	0.1569E+00

Table 7. Oxygen

F_LUORINE ----- 9 ----- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(3P)	140553.500
	2	(1D)	160525.000

W L AIR	SN		PARENT EF		DESIG		LEVEL		A	S	F	SF
	F	I	F	I	F	I						
6239.641	1	11	(3P)		3S4P2.5	3P4S1.5	102406.000	118429.000	0.2768E+08	0.1329E+02	0.1078E+00	0.3312E+00
5345.500	2	11	(3P)		3S4P1.5	3P4S1.5	102681.000	118423.000	0.1752E+03	0.8862E+01	0.1054E+00	0.3233E+00
0870.219	3	7	(3P)		3S4P0.5	3P4D0.5	102641.000	117392.000	0.3599E+03	0.1154E+02	0.2549E+00	0.5088E+00
7037.449	4	12	(3P)		3S2P1.5	3P2P1.5	104731.000	118957.000	0.3689E+08	0.2542E+02	0.2741E+00	0.1055E+01
7311.020	4	10	(3P)		3S2P1.5	3P2S0.5	104731.000	118435.000	0.2625E+08	0.1014E+02	0.1052E+00	0.2155E+00
7425.041	2	6	(3P)		3S4P1.5	3P4P0.5	102661.000	115144.000	0.2596E+08	0.1172E+02	0.1193E+00	0.2346E+00
7607.172	4	9	(3P)		3S2P1.5	3P2D1.5	104731.000	117373.000	0.5919E+07	0.5151E+01	0.5134E+01	0.2056E+00
7754.699	4	8	(3P)		3S2P1.5	3P2D2.5	104731.000	117523.000	0.3453E+03	0.4636E+02	0.4537E+00	0.2722E+01
7800.219	5	9	(3P)		3S2P0.5	3P2D1.5	105057.000	117373.000	0.2745E+03	0.2575E+02	0.5012E+00	0.2033E+01

Table 8. Fluorine

SECTION ----- II --- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (15) 41449.548

M L AIR	SN		PARENT EE	DESIG		LEVEL		A	S	F	SF
	F	I		F	I	F	I				
2512.128	1	21	(15)	3S2S0.5	9P2P0.5	0.0	37794.551	0.2407E+05	0.3772E-03	0.2279E-04	0.4533E-04
2543.817	1	19	(15)	3S2S0.5	8P2P0.5	0.0	39299.539	0.4104E+05	0.6076E-03	0.3985E-04	0.7971E-04
2593.927	1	16	(15)	3S2S0.5	7P2P0.5	0.0	39540.399	0.7514E+05	0.1348E-02	0.7886E-04	0.1579E-03
2598.335	1	13	(15)	3S2S0.5	6P2P0.5	0.0	37296.512	0.1758E+06	0.3347E-02	0.1595E-03	0.3741E-03
2652.828	1	9	(15)	3S2S0.5	5P2P0.5	0.0	35040.270	0.5249E+06	0.1205E-01	0.5410E-03	0.1252E-02
2853.031	1	10	(15)	3S2S0.5	5P2P1.5	0.0	35042.739	0.5250E+06	0.2410E-01	0.1282E-02	0.5129E-02
3302.323	1	5	(15)	3S2S0.5	4P2P0.5	0.0	30266.679	0.2681E+07	0.9549E-01	0.4385E-02	0.3777E-02
3302.998	1	0	(15)	3S2S0.5	4P2P1.5	0.0	30272.512	0.2683E+07	0.1916E+00	0.8774E-02	0.3541E-01
4393.141	2	20	(15)	3P2P0.5	8D2D1.5	16956.134	39729.000	0.7784E+06	0.1302E+00	0.4501E-02	0.1600E-01
4494.265	2	18	(15)	3P2P0.5	7D2D1.5	16956.184	39290.965	0.1216E+07	0.2183E+00	0.7372E-02	0.2949E-01
4497.723	3	18	(15)	3P2P1.5	7D2D1.5	16973.379	39200.955	0.2427E+06	0.4365E-01	0.7366E-03	0.2947E-02
4541.672	2	17	(15)	3P2P0.5	8S2S0.5	16956.134	39558.352	0.3690E+06	0.3416E-01	0.1142E-02	0.2284E-02
4654.857	2	15	(15)	3P2P0.5	5D2D1.5	16956.184	33387.301	0.2983E+07	0.4150E+00	0.1360E-01	0.5471E-01
4688.595	3	15	(15)	3P2P1.5	6D2D1.5	16973.379	38187.301	0.4155E+06	0.6130E-01	0.1359E-02	0.5435E-04
4743.015	2	14	(15)	3P2P0.5	7S2S0.5	16956.134	36012.074	0.6049E+06	0.6446E-01	0.2061E-02	0.3123E-02
4978.585	2	12	(15)	3P2P0.5	5D2D1.5	16956.134	37336.805	0.4077E+07	0.9944E+00	0.3032E-01	0.1213E-01
4982.844	3	12	(15)	3P2P1.5	5D2D1.5	16973.379	37336.805	0.6132E+06	0.1969E+00	0.3029E-02	0.1242E-01
5149.090	2	11	(15)	3P2P0.5	6S2S0.5	16956.134	36372.648	0.1117E+07	0.1507E+00	0.4442E-02	0.3884E-02
5153.545	3	11	(15)	3P2P1.5	6S2S0.5	16973.379	36372.648	0.2226E+07	0.3013E+00	0.4438E-02	0.3875E-02
5602.655	2	8	(15)	3P2P0.5	4D2D1.5	16956.134	34548.799	0.1007E+09	0.3652E+01	0.9756E-01	0.5903E+00
5628.223	3	8	(15)	3P2P1.5	4D2D1.5	16973.379	34548.799	0.2068E+07	0.7305E+00	0.9747E-02	0.3699E-01
5959.753	1	3	(15)	3S2S0.5	3P2P1.5	0.0	16973.379	0.5601E+03	0.2370E+02	0.6122E+00	0.2469E+01
5895.922	1	2	(15)	3S2S0.5	3P2P0.5	0.0	16955.134	0.5963E+06	0.1188E+02	0.3058E+00	0.5110E+03
6154.230	2	7	(15)	3P2P0.5	5S2S0.5	16956.134	33200.895	0.2436E+07	0.5612E+00	0.1384E-01	0.2769E-01
6160.762	3	7	(15)	3P2P1.5	5S2S0.5	16973.379	33200.895	0.4356E+07	0.1122E+01	0.1383E-01	0.2755E-01
8183.270	2	4	(15)	3P2P0.5	3D2D1.5	16956.134	29172.855	0.4199E+08	0.4549E+02	0.8438E+00	0.3375E+01
8194.812	3	4	(15)	3P2P1.5	3D2D1.5	16973.379	29172.855	0.8363E+07	0.9097E+01	0.8426E-01	0.3370E+00

Table 9. Sodium

MAGNESIUM ---- 12 --- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (2S) 61869.141

M L	SN	PARENT	EE	DESIG		LEVEL		A	S	F	SF
				F	I	F	I				
2628.633	1 28	(2S)	3P3P0.0	8D3D1.0	21850.000	59380.000	0.1724E+07	0.5183E-01	0.5928E-02	0.1775E-01	
2553.110	1 24	(2S)	3P3P0.0	7D3D1.0	21850.000	59317.000	0.3300E+07	0.8442E-01	0.4912E-02	0.2994E+01	
2752.030	1 22	(2S)	3P3P0.0	6D3D1.0	21850.000	58442.000	0.5093E+07	0.1540E+00	0.1711E-01	0.5133E-01	
2846.750	1 17	(2S)	3P3P0.0	5D3D1.0	21850.000	55953.000	0.9844E+07	0.3139E+00	0.3519E-01	0.1006E+00	
2852.123	2 17	(2S)	3P3P2.0	5D3D1.0	21911.000	56958.000	0.4798E+06	0.1650E-01	0.3512E-03	0.1005E-02	
3091.077	1 12	(2S)	3P3P0.0	4D3D1.0	21850.000	54192.000	0.2178E+05	0.9532E+00	0.4367E-01	0.2202E+00	
3221.930	1 9	(2S)	3P3P0.0	3S3S1.0	21850.000	51972.000	0.1597E+07	0.9291E-01	0.8471E-02	0.2591E-01	
3824.350	1 8	(2S)	3P3P0.0	3D3D1.0	21850.000	47957.000	0.6522E+08	0.5763E+01	0.4564E+00	0.1371E+01	
4057.632	3 25	(2S)	3P1P1.0	8D1D2.0	35051.000	59590.000	0.1593E+07	0.2798E+00	0.5970E-02	0.3403E-01	
4167.391	3 23	(2S)	3P1P1.0	7D1D2.0	35051.000	59031.000	0.2199E+07	0.3933E+00	0.9550E-02	0.4775E-01	
4311.910	3 21	(2S)	3P1P1.0	6D1D2.0	35051.000	58023.000	0.2658E+07	0.5142E+00	0.1159E-01	0.5292E-01	
4703.020	3 18	(2S)	3P1P1.0	5D1D2.0	35051.000	56308.000	0.2405E+07	0.2181E+00	0.1330E-01	0.5550E-01	
5157.344	1 4	(2S)	3P3P0.0	4S3S1.0	21850.000	41197.000	0.5991E+07	0.1430E+01	0.0402E-01	0.2521E+00	
5328.461	3 11	(2S)	3P1P1.0	4D1D2.0	35051.000	53134.000	0.1518E+08	0.7509E-01	0.1269E-02	0.5991E-02	
5711.113	3 10	(2S)	3P1P1.0	3S1S0.0	35051.000	52555.000	0.5533E+07	0.5094E+00	0.9020E-02	0.9001E-01	
6315.551	4 18	(2S)	4S3S1.0	6P3P0.0	41197.000	57013.000	0.2184E+06	0.7711E-01	0.1235E-02	0.1258E-01	
7657.602	4 13	(2S)	4S3S1.0	5P3P0.0	41197.000	54252.000	0.1596E+07	0.3764E+00	0.9974E-02	0.4974E-02	
8666.789	3 6	(2S)	3P1P1.0	3D1D2.0	35051.000	45403.000	0.4185E+08	0.7062E+02	0.0115E+00	0.1058E+01	
8929.969	5 15	(2S)	4S1S0.0	5P1P1.0	43503.000	54699.000	0.1114E+07	0.1176E+01	0.3998E-01	0.1199E+00	
9257.693	6 19	(2S)	3D1D2.0	5F1F3.0	45403.000	57204.000	0.1013E+08	0.2772E+02	0.1822E+00	0.1275E+01	
10513.000	6 20	(2S)	3D3D1.0	5F3F2.0	47957.000	57204.000	0.0496E+07	0.2007E+02	0.1079E+00	0.5355E+00	
10963.000	7 17	(2S)	4P3P0.0	5D3D1.0	47647.000	55959.000	0.2316E+07	0.4522E+01	0.1252E+00	0.3757E+00	
12083.000	6 14	(2S)	3D1D2.0	4F1F3.0	46403.000	54575.000	0.2062E+08	0.1259E+03	0.6324E+00	0.4420E+01	

Table 10. Magnesium

ALUMINUM ----- 13 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(1S)	46279.000
	2	(3P)	86000.000

# L	SM	PARENT	EE	DESIG	LEVEL		A	S	F	GF	
					F	I					
AIR	F	I		F	I						
2204.627	1	18	(1S)	3P2P0.5	7D2D1.5	0.0	45344.000	0.6923E+07	0.1467E+00	0.1010E-01	0.4030E-02
2257.933	1	16	(1S)	3P2P0.5	7S2S0.5	0.0	44275.000	0.5030E+07	0.4131E-01	0.2777E-02	0.5914E-02
2263.453	1	15	(1S)	3P2P0.5	6U2U1.5	0.0	44266.000	0.8933E+07	0.1979E+00	0.1327E-01	0.5339E-02
2367.652	1	11	(1S)	3P2P0.5	5U2U1.5	0.0	42233.000	0.6127E+07	0.1666E+00	0.1030E-01	0.1121E-02
2373.362	2	11	(1S)	3P2P1.5	5D2D1.5	112.000	42233.000	0.1216E+07	0.3213E-01	0.1027E-02	0.1110E-02
2376.403	2	10	(1S)	3P2P1.5	6S2S0.5	112.000	42144.000	0.1182E+08	0.1573E+00	0.5016E-02	0.1044E-01
2667.987	1	8	(1S)	3P2P0.5	4D2D1.5	0.0	39929.000	0.8310E+06	0.2762E-01	0.1524E-02	0.6577E-02
2575.100	2	8	(1S)	3P2P1.5	4D2D1.5	112.000	39929.000	0.1646E+06	0.5864E-02	0.1240E-03	0.0512E-03
2652.483	1	7	(1S)	3P2P0.5	5S2S0.5	0.0	37639.000	0.1106E+09	0.1043E+00	0.1170E-01	0.2310E-02
2660.353	2	7	(1S)	3P2P1.5	5S2S0.5	112.000	37639.000	0.2197E+08	0.4090E+00	0.1167E-01	0.2333E-01
3062.155	1	4	(1S)	3P2P0.5	3D2D1.5	0.0	32435.000	0.1473E+09	0.0552E+01	0.4199E+00	0.1560E+01
3092.713	2	4	(1S)	3P2P1.5	3D2D1.5	112.000	32435.000	0.2916E+08	0.1705E+01	0.4126E-01	0.1674E+00
3444.032	1	3	(1S)	3P2P0.5	4S2S0.5	0.0	25347.000	0.2822E+08	0.1711E+01	0.0516E-01	0.1317E+00
3501.327	2	3	(1S)	3P2P1.5	4S2S0.5	112.000	25347.000	0.5559E+05	0.0342E+01	0.0510E-01	0.0312E+00
5637.700	3	1	(1S)	4S2S0.5	1P2P0.5	25347.000	43334.000	0.5235E+06	0.0342E-01	0.1490E-02	0.0212E-02
6695.957	3	9	(1S)	4S2S0.5	5P2P1.5	25347.000	43277.000	0.1341E+07	0.7710E+00	0.1750E-01	0.7070E-01
7362.300	4	13	(1S)	3D2D1.5	7F2F2.5	32435.000	45015.000	0.3515E+07	0.4182E+01	0.0267E-01	0.0572E+00
7335.323	4	17	(1S)	3D2D1.5	6F2F2.5	32435.000	45144.000	0.5632E+07	0.0033E+01	0.7781E-01	0.3559E+00
8065.933	6	18	(1S)	4P2P0.5	7D2D1.5	32949.000	45344.000	0.3603E+06	0.4006E+00	0.7540E-02	0.0013E-01
3772.373	4	13	(1S)	3D2D1.5	5F2F2.5	32435.000	43831.000	0.9786E+07	0.1959E+02	0.1645E+00	0.1017E+01
6773.910	5	13	(1S)	3D2D2.5	5F2F2.5	32435.000	43831.000	0.6088E+05	0.1399E+01	0.0070E-02	0.1512E-01
6774.559	5	14	(1S)	3D2D2.5	5F2F3.5	32436.000	43831.000	0.1046E+05	0.2758E+02	0.1014E+00	0.1291E+01
6666.910	6	16	(1S)	4P2P0.5	7S2S0.5	32949.000	44273.000	0.7262E+06	0.4939E+00	0.0319E-02	0.1665E-01
8912.873	6	15	(1S)	4P2P0.5	6D2D1.5	32949.000	44166.000	0.1771E+06	0.2479E+00	0.4222E-02	0.1695E-01

A - 14

Table 11. Aluminum

SILICON ----- 1A --- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (2P) 65743.000

# L	SN	PARENT	EE	DESIG		LEVEL		A	S	F	GF
				F	I	F	I				
2058.130	4	19	(2P)	3P102.0	5S1P1.0	6298.809	53870.953	0.1517E+08	0.2345E+00	0.5931E-02	0.2072E-01
2122.993	4	19	(2P)	3P102.0	3J1P1.0	6298.809	53387.172	0.1594E+07	0.2261E-01	0.5447E-03	0.1340E-02
2210.910	2	11	(2P)	3P3P1.0	3D3D2.0	77.150	45293.602	0.4532E+08	0.1290E+01	0.5902E-01	0.2955E+00
2210.880	3	12	(2P)	3P3P2.0	3D3D3.0	223.310	4321.859	0.6542E+08	0.2405E+01	0.6070E-01	0.4619E+00
2433.160	4	13	(2P)	3P102.0	3O102.0	6298.809	47351.500	0.2693E+08	0.4610E+00	0.2040E-01	0.11.8E+00
2514.333	1	7	(2P)	3P4P0.0	4S3P1.0	0.0	39700.199	0.1060E+08	0.2513E+00	0.3034E-01	0.9103E-01
2532.330	5	19	(2P)	3P150.0	5S1P1.0	15394.238	54870.988	0.3989E+07	0.9560E-01	0.1152E-01	0.5455E-01
2631.310	5	18	(2P)	3P150.0	3O1P1.0	15394.238	53387.172	0.4107E+08	0.1109E+01	0.1280E+00	0.3840E+00
2831.540	4	9	(2P)	3P102.0	4S1P1.0	6298.809	40991.738	0.5207E+08	0.1847E+01	0.5872E-01	0.1183E+00
3905.530	5	9	(2P)	3P150.0	4S1P1.0	15394.238	40991.738	0.1050E+08	0.9342E+00	0.7201E-01	0.00170E+00
5245.000	7	21	(2P)	4S4P1.0	5P3P2.0	39760.199	57468.180	0.7389E+06	0.3255E+00	0.5087E-02	0.2943E-01
5700.443	8	21	(2P)	4S4P2.0	5P3P2.0	39955.121	57468.180	0.2144E+07	0.9565E+00	0.1043E-01	0.5241E-01
5780.443	6	20	(2P)	4S3P0.0	5P3D1.0	39683.102	56978.000	0.6740E+00	0.1900E+00	0.1014E-01	0.1001E-01
5945.573	9	21	(2P)	4S1P1.0	5P102.0	40991.738	57797.820	0.3588E+07	0.2022E+01	0.3440E-01	0.1700E+00
6298.809	12	19	(2P)	3D3D1.0	5F3F2.0	4332.859	61304.500	0.3144E+05	0.1900E-01	0.1171E-03	0.0593E-03
7005.133	13	30	(2P)	4P3D2.0	6D3F3.0	48102.379	62370.680	0.1015E+07	0.2157E+01	0.1170E-01	0.1210E-01
7165.821	13	28	(2P)	3O102.0	5F102.0	47351.500	61303.231	0.1561E+07	0.1415E+01	0.1161E-01	0.5011E-01
7405.852	10	24	(2P)	3D3D1.0	4F3F2.0	43270.199	53775.441	0.9762E+07	0.9797E+01	0.1239E+00	0.6574E-00
7423.533	12	25	(2P)	3D3P1.0	4F3F3.0	45321.859	53766.801	0.1261E+07	0.1614E+01	0.1060E-01	0.7410E-01
7910.379	14	26	(2P)	4P3D1.0	5D3F2.0	48020.000	60645.488	0.3997E+07	0.4504E+01	0.6.67E-01	0.5103E+00
7923.941	16	27	(2P)	4P3D3.0	5D3F4.0	48264.352	60849.129	0.4713E+07	0.1051E+02	0.5737E-01	0.5103E+00
8556.641	11	20	(2P)	3D3D2.0	5P3D1.0	45291.602	56970.000	0.4787E+05	0.4444E-01	0.3.54E-03	0.443E-03
8752.172	13	23	(2P)	3D102.0	4F1F3.0	47351.500	58774.180	0.1547E+03	0.3587E+02	0.2485E+00	0.1742E+0.
9413.590	9	17	(2P)	4S1P1.0	4P150.0	40991.738	51611.770	0.2692E+03	0.1110E+02	0.1.93E+00	0.1193E+00

Table 12. Silicon

PHOSPHORUS --- 15 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(10)	106518.000
	2	(3P)	68560.000

W L AIR	SN		PARENT EE	DESIG		LEVEL		A	S	F	CF
	F	I		F	I	F	I				
1774.990	1	9	(3P)	* 3P4S1.5	4S4P2.5	0.0	56339.680	0.0	0.0	0.0	0.0
1859.430	2	12	(10)	* 3P2D1.5	4S2D1.5	11361.699	65150.602	0.0	0.0	0.0	0.0
2130.180	3	11	(3P)	* 3P2D1.5	4S2P1.5	11361.699	58174.398	0.0	0.0	0.0	0.0
2149.140	3	10	(3P)	* 3P4D1.5	4S2P1.5	11361.699	57876.801	0.0	0.0	0.0	0.0
2154.080	5	12	(10)	* 3P2P1.5	4S2D1.5	1874.112	65150.602	0.0	0.0	0.0	0.0
2535.650	6	11	(3P)	* 3P2P1.5	4S2P1.5	1874.112	58174.398	0.1745E+03	0.5624E+00	0.1683E-01	0.5734E-01
2553.280	4	10	(3P)	* 3P2P0.5	4S2P0.5	18722.398	57876.801	0.1367E+03	0.2256E+00	0.1337E-01	0.2675E-01
9525.761	9	16	(3P)	4S4P2.5	4P4S1.5	56339.680	65834.500	0.1105E+03	0.1886E+02	0.1003E+00	0.3012E+00
9593.537	7	14	(3P)	4S4P0.5	4P4P1.5	55939.230	66360.157	0.5039E+07	0.1572E+02	0.2456E+00	0.3924E+00
9750.733	8	13	(3P)	4S4P1.5	4P4P0.5	56090.590	66343.375	0.1722E+03	0.1578E+02	0.1228E+00	0.2456E+00
9750.733	9	15	(3P)	4S4P2.5	4P4P2.5	56339.680	66544.125	0.1426E+03	0.3975E+02	0.2053E+00	0.1232E+01

Table 13. Phosphorus

SULPHUR ----- 16 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(4S)	83559.312
	2	(2D)	97305.000
	3	(2P)	106518.000

W L	SN	PARENT	EE	DESIG	LEVEL	A	S	F	GF		
AIR	F I			F I	F I						
1295.060	1 21	(2P)	*	3P3P2.0	453P2.0	0.0	77181.000	0.0	0.0	0.0	0.0
1303.420	2 20	(4S)	*	3P3P2.0	6S3S1.0	0.0	75720.000	0.0	0.0	0.0	0.0
1316.570	2 18	(4S)	*	3P3P2.0	4D3D1.0	0.0	75952.000	0.0	0.0	0.0	0.0
1461.540	2 14	(4S)	*	3P3P2.0	5S3S1.0	0.0	71352.000	0.0	0.0	0.0	0.0
1425.100	2 13	(4S)	*	3P3P2.0	3D3D1.0	0.0	70165.000	0.0	0.0	0.0	0.0
1440.250	4 25	(2P)	*	3P102.0	4S1P1.0	9239.000	73270.000	0.0	0.0	0.0	0.0
1474.010	3 12	(2D)	*	3P3P2.0	4S3D2.0	0.0	67E25.000	0.0	0.0	0.0	0.0
1782.260	5 25	(2P)	*	3P150.0	4S1P1.0	22181.000	75290.000	0.0	0.0	0.0	0.0
1367.340	2 7	(4S)	*	3P3P2.0	4S3S1.0	0.0	55331.000	0.0	0.0	0.0	0.0
4694.129	6 15	(4S)		4S5S2.0	5P3P2.0	52623.000	73913.000	0.1222E+07	0.3125E+00	0.4042E 02	0.2021E-01
5276.609	7 16	(4S)		4S3S1.0	5P3P0.0	55331.000	74201.000	0.500E+00	0.4120E-01	0.7896E 03	0.7595E-03
5866.102	5 31	(4S)		4P3P1.0	9S5S2.0	63446.000	51281.000	0.2536E+06	0.105E+00	0.1994E 02	0.3971E-02
5545.527	5 30	(4S)		4P3P1.0	705D0.0	63446.000	50975.000	0.2161E+07	0.1974E+00	0.3507E 02	0.3507E-02
6041.930	6 29	(4S)		4P3P1.0	6D5D0.0	63446.000	79992.000	0.3490E+07	0.3011E+00	0.0782E 02	0.4502E-02
6052.029	10 28	(4S)		4P5P3.0	6D5D2.0	63475.000	79972.000	0.231E+05	0.1270E+00	0.9101E 03	0.4501E-02
6403.573	8 27	(4S)		4P5P1.0	7S5S2.0	63446.000	79058.000	0.6713E+06	0.438E+00	0.0934E 02	0.3457E-01
6743.573	8 22	(4S)		4P5P1.0	5D5D0.0	63446.000	76270.000	0.6033E+07	0.9145E+00	0.1372E 01	0.1372E-01
6748.739	9 23	(4S)		4P5P2.0	5D5D1.0	63475.000	76270.000	0.1565E+07	0.6659E+00	0.0170E 02	0.1801E-01
6757.102	10 24	(4S)		4P5P3.0	5D5D2.0	63475.000	78270.000	0.3999E+06	0.3044E+00	0.1957E 02	0.9763E-02
7244.770	11 26	(4S)		4P3P0.0	5D3D1.0	64891.000	78670.000	0.1500E+07	0.6487E+00	0.3557E 01	0.1007E+00
7677.602	8 19	(4S)		4P5P1.0	6S5S2.0	63446.000	76464.000	0.1331E+07	0.1489E+01	0.1962E 01	0.9911E-01
6445.570	11 20	(4S)		4P3P0.0	6S3S1.0	64891.000	76720.000	0.6530E+06	0.5844E+00	0.2094E 01	0.5248E-01
8676.648	3 17	(4S)		4P5P1.0	4D5D0.0	63446.000	74973.000	0.9926E+07	0.3200E+01	0.3734E 01	0.3734E-01
9035.922	11 18	(4S)		4P3P0.0	4D3D1.0	64891.000	75952.000	0.1172E+07	0.1282E+01	0.4306E 01	0.1292E+00
9212.910	6 10	(4S)		4S5S2.0	4P5P3.0	52623.000	63475.000	0.2603E+08	0.7040E+02	0.0040E+00	0.3248E+01

Table 14. Sulphur

CHLORINE ----- 17 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(1D)	113627.000
	2	(3P)	104991.000

W L	SN	PARENT CE	DESIG	LEVEL		A	S	F	GF	
				F	I					
Air	F	I	F	I	F	I				
1168.770	1	12 (1D)	* 3P2P1.5	4S2D1.5	0.0	84115.000	0.0	0.0	0.0	
1201.360	3	12 (1D)	* 3P2P0.5	4S2D1.5	861.000	84115.000	0.0	0.0	0.0	
1347.240	2	7 (3P)	* 3P2P1.5	4S2P0.5	0.0	74221.000	0.0	0.0	0.0	
4387.762	4	19 (3P)	4S4P0.5	5P4D0.5	71954.000	94727.000	0.1605E+07	0.1509E+00	0.5219E-02	0.1074E-01
4525.211	7	20 (3P)	4S2P0.5	5P2P0.5	74221.000	96308.000	0.5984E+07	0.5485E+00	0.1839E-01	0.3679E-01
6140.250	9	21 (3P)	4P4P0.5	5D4D0.5	82914.000	99190.000	0.6667E+07	0.1358E+01	0.3431E-01	0.5853E-01
7250.649	4	17 (3P)	4S4P0.5	4P4S1.5	71954.000	85730.000	0.7202E+07	0.5745E+01	0.1202E+00	0.4672E+00
7547.090	5	17 (3P)	4S4P1.5	4P4S1.5	72484.000	85730.000	0.1352E+08	0.1149E+02	0.1156E+00	0.4522E+00
8333.309	5	14 (3P)	4S4P1.5	4P4D2.5	72484.000	84480.000	0.2244E+08	0.3055E+02	0.3814E+00	0.2167E+01
8375.969	4	11 (3P)	4S4P0.5	4P4D0.5	71954.000	83889.000	0.2634E+08	0.1530E+02	0.2774E+00	0.5345E+00
8428.270	6	15 (3P)	4S4P2.5	4P4D3.5	72822.000	84684.000	0.3103E+08	0.7344E+02	0.4409E+00	0.5527E+01
8575.270	6	14 (3P)	4S4P2.5	4P4D2.5	72822.000	84480.000	0.8536E+07	0.1052E+02	0.9749E-01	0.5879E+00
8585.988	5	13 (3P)	4S4P1.5	4P4D1.5	72484.000	84127.000	0.1565E+08	0.1956E+02	0.1731E+00	0.6924E+00
9702.301	8	10 (3P)	4S4P2.5	4P4P1.5	72822.000	83128.000	0.9526E+07	0.1044E+02	0.5837E-01	0.3525E+00
9868.461	12	18 (1D)	4S2D1.5	4P2P0.5	84115.000	94309.000	0.2333E+08	0.2175E+01	0.1052E+00	0.1727E+00
9875.949	6	16 (3P)	4S2P1.5	4P2D2.5	74801.000	84984.000	0.2207E+08	0.6304E+02	0.4845E+00	0.2907E+01

Table 15. Chlorine

ARGON ----- 18 --- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (2P) 127109.875

# L	SV	PARENT EE	DESIG		LEVEL		A	S	F	GF
			F	I	F	I				
4830.691	3	3 (2P)	4P3S1.0	9S3P0.0	104102.125	124771.625	0.1575E+06	0.2807E-02	0.1843E-03	0.1843E-03
5048.807	4	7 (2P)	4P3S1.0	8S3PG.0	104102.125	123903.312	0.2519E+06	0.1602E-01	0.3211E-03	0.3211E-03
5421.352	4	7 (2P)	4P3D.0	8S3P0.0	105462.812	123903.312	0.1131E+07	0.8907E-01	0.1663E-02	0.1553E-02
8115.309	1	4 (2P)	4S3P0.0	4P3D1.0	93143.812	105462.812	0.2656E+06	0.2104E+00	0.7372E-02	0.2362E+01
8521.441	2	6 (2P)	4S1P1.0	4P1P1.0	95399.875	107131.750	0.3095E+08	0.2639E+02	0.3371E+00	0.1011E+01
9224.500	2	5 (2P)	4S1P1.0	4P1D2.0	95399.875	106237.625	0.2506E+08	0.4856E+02	0.5331E+00	0.2666E+01

Table 16. Argon

POTASSIUM ---- 19 --- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (1S) 35009.781

* L AIR	SN PARENT EE		DESIG		LEVEL		A	S	F	GF
	F	I	F	I	F	I				
3034.820	1	13 (1S)	4S2S0.5	9P2P0.5	0.0	32940.340	0.2143E+05	0.5922E+03	0.2922E-04	0.5924E-04
3102.793	1	12 (1S)	4S2S0.5	8P2P0.5	0.0	32227.422	0.4322E+05	0.1275E-02	0.6239E-04	0.1245E-03
3217.155	1	10 (1S)	4S2S0.5	7P2P0.5	0.0	31009.980	0.1043E+06	0.3435E-02	0.1621E-03	0.3241E-03
3446.372	1	8 (1S)	4S2S0.5	6P2P0.5	0.0	28999.269	0.3248E+06	0.1315E-01	0.5791E-03	0.1109E-02
4044.140	1	6 (1S)	4S2S0.5	5P2P1.5	0.0	24720.199	0.1651E+07	0.2159E+00	0.6104E-02	0.3241E-01
4047.201	1	5 (1S)	4S2S0.5	5P2P0.5	0.0	24701.441	0.1648E+07	0.1050E+00	0.4049E-02	0.5092E-02
5782.692	2	9 (1S)	4P2P0.5	7S2S0.5	12985.172	30274.262	0.1167E+07	0.2236E+00	0.5853E-02	0.1171E-01
5861.901	3	9 (1S)	4P2P1.5	7S2S0.5	13042.891	30274.262	0.2310E+07	0.4459E+00	0.5633E-02	0.1167E-01
6911.301	2	7 (1S)	4P2P0.5	6S2S0.5	12985.172	27450.048	0.2596E+07	0.7816E+00	0.1717E-01	0.3434E-01
6939.980	3	7 (1S)	4P2P1.5	6S2S0.5	13042.891	27450.048	0.4735E+07	0.1564E+01	0.1710E-01	0.2421E-01
7664.906	1	3 (1S)	4S2S0.5	4P2P1.5	0.0	13042.891	0.3628E+08	0.3229E+02	0.6396E+00	0.2558E+01
7698.980	1	2 (1S)	4S2S0.5	4P2P0.5	0.0	12985.172	0.3580E+08	0.1615E+02	0.3183E+00	0.5367E+00
9490.500	4	11 (1S)	5S2S0.5	7P2P1.5	21026.801	31074.461	0.1178E+06	0.2294E+00	0.3506E-02	0.1400E-01
9955.199	4	10 (1S)	5S2S0.5	7P2P0.5	21026.801	31069.980	0.1170E+06	0.1147E+00	0.1749E-02	0.3498E-02

Table 17. Potassium

CALCIUM ----- 20 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(25)	49304.611
	2	(20)	63685.001

* L AIR	SN PARENT EE		DESIG		LEVEL		A	S	F	GF
	F	I	F	I	F	I				
3150.003	1	20 (25)	4P3P0.0	8D3D1.0	15157.000	47036.000	0.3114E+07	0.1424E+00	0.1375E-01	0.4124E-01
3180.515	3	18 (25)	4P3P2.0	9S3S1.0	15315.000	46743.000	0.6689E+06	0.4144E-01	0.7912E-03	0.2373E-02
3209.930	1	17 (25)	4P3P0.0	7D3D1.0	15157.000	46302.000	0.5520E+07	0.2707E+00	0.2560E-01	0.7580E-01
3274.661	2	16 (25)	4P3P1.0	8S3S1.0	15210.000	43738.000	0.6664E+06	0.4015E-01	0.1426E-02	0.4279E-02
3408.476	1	15 (25)	4P3P0.0	7S3S1.0	15157.000	43980.000	0.5022E+06	0.5478E-01	0.3044E-02	0.9132E-02
3675.307	4	21 (25)	3D3D2.0	8F3F2.0	20349.000	47550.000	0.0	0.0	0.0	0.0
3753.367	5	19 (25)	3D3D3.0	7F3F2.0	20370.000	47006.000	0.0	0.0	0.0	0.0
3957.053	2	11 (25)	4P3P1.0	6S3S1.0	15210.000	40474.000	0.3856E+07	0.3542E+00	0.9059E-02	0.2715E-01
4425.441	1	10 (25)	4P3P0.0	4D3D1.0	15157.000	37743.000	0.3579E+08	0.4598E+01	0.3155E+00	0.7454E+00
4526.934	0	14 (25)	3D1D2.0	6P1P1.0	21849.000	43933.000	0.0	0.0	0.0	0.0
4585.571	5	12 (25)	3D3D3.0	4F3F2.0	20370.000	42170.000	0.0	0.0	0.0	0.0
5183.871	7	13 (25)	4P1P1.0	5D1D2.0	23652.000	42919.000	0.1772E+08	0.6117E+01	0.1193E+00	0.5955E+00
6102.723	1	8 (25)	4P3P0.0	5S3S1.0	15157.000	31539.000	0.4548E+07	0.1532E+01	0.7024E-01	0.2267E+00
6169.051	4	9 (25)	3D3D2.0	5P3P1.0	20349.000	36554.000	0.0	0.0	0.0	0.0

Table 18. Calcium

RUBIDIUM ----- 37 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(1S)	33691.020

W L	SN PARENT EE		DESIG		LEVEL		A	S	F	GF
	F	I	F	I	F	I				
AIR										
4201.852	1	5 (1S)	5S2S0.5	6P2P1.5	0.0	23792.091	0.2500E+07	0.3666E+00	0.1324E-01	0.5297E-01
4215.555	1	4 (1S)	5S2S0.5	6P2P0.5	0.0	23715.191	0.2475E+07	0.1833E+00	0.6600E-02	0.1320E-01
5040.093	2	9 (1S)	5P2P0.5	7D2D1.5	12578.961	30280.180	0.1370E+07	0.4900E+00	0.1517E-01	0.5218E-01
5724.453	3	9 (1S)	5P2P1.5	7D2D1.5	12810.559	30280.180	0.2642E+06	0.9799E-01	0.1299E-02	0.3147E-02
6200.309	2	8 (1S)	5P2P0.5	6D2D1.5	12578.961	28087.148	0.1671E+07	0.6840E+00	0.2162E-01	0.5649E-01
6293.323	3	8 (1S)	5P2P1.5	6D2D1.5	12810.559	28087.148	0.3578E+06	0.1768E+00	0.2130E-02	0.8521E-02
7279.995	2	7 (1S)	5P2P0.5	7S2S0.5	12578.961	26311.461	0.2286E+07	0.8719E+00	0.1816E-01	0.3630E-01
7406.172	3	7 (1S)	5P2P1.5	7S2S0.5	12810.559	26311.461	0.4340E+07	0.1744E+01	0.1787E-01	0.3573E-01
7515.934	2	6 (1S)	5P2P0.5	5D2D1.5	12578.961	25700.559	0.1391E+07	0.1216E+01	0.2423E-01	0.5693E-01
7800.227	1	3 (1S)	5S2S0.5	5P2P1.5	0.0	12816.559	0.3636E+08	0.3411E+02	0.6638E+00	0.2655E+01
7947.602	1	2 (1S)	5S2S0.5	5P2P0.5	0.0	12578.961	0.3437E+08	0.1705E+02	0.3257E+00	0.5515E+00

Table 19. Rubidium

STRONTIUM ---- 38 ---- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(2S)	45925.602
	2	(2D)	46773.602 *

W L AIR	SN		PARENT EE	DESIG		LEVEL		A	S	F	GF
	F	I		F	I	F	I				
4832.074	1	8	(2S)	5P3P0.0	503D1.0	14317.520	35006.941	0.2340E+08	0.3915E+01	0.2460E+00	0.7579E+03
4391.980	4	10	(2S)	403D3.0	4F3F2.0	19319.256	38750.453	0.0	0.0	0.0	0.0
4962.262	2	9	(2S)	5P3P2.0	503D3.0	14898.552	35045.055	0.3890E+08	0.1644E+02	0.2012E+00	0.1408E+01
5329.624	5	11	(2S)	4D1D2.0	7P1P1.0	20149.699	38906.848	0.0	0.0	0.0	0.0
6345.750	3	7	(2S)	403D2.0	6P3P2.0	18218.797	33973.082	0.0	0.0	0.0	0.0
7070.102	2	6	(2S)	5P3P2.0	6S3S1.0	14898.562	29038.797	0.1938E+08	0.1015E+02	0.6720E-01	0.2616E+03

Table 20. Strontium

CESIUM ----- 55 ---- NEUTRAL

PARENT INFORMATION NO. DESIG LIMIT
 1 (1S) 31406.711

M L	SN	PARENT EE	DESIG		LEVEL		A	S	F	G ²
			F	I	F	I				
4555.355	1	4 (1S)	6S2S0.5	7P2P1.5	0.0	21966.660	0.2596E+07	0.4477E+00	0.1492E-01	0.5968E-01
5663.801	2	9 (1S)	6P2P0.5	9D2D1.5	11176.236	28628.898	0.1947E+07	0.6942E+00	0.1874E-01	0.7454E-01
6586.508	3	8 (1S)	6P2P1.5	5S2S0.5	11732.352	26910.680	0.2102E+07	0.5936E+00	0.6540E-02	0.1365E-01
6723.277	2	7 (1S)	6P2P0.5	7D2D1.5	11176.238	26047.959	0.5946E+07	0.3572E+01	0.3065E-01	0.3226E+00
7609.020	2	6 (1S)	6P2P0.5	6S2S0.5	11176.238	24317.172	0.2323E+07	0.1011E+01	0.2018E-01	0.3036E-01
8521.102	1	3 (1S)	6S2S0.5	6P2P1.5	0.0	11732.352	0.3151E+08	0.3854E+02	0.6565E+00	0.2746E+01
8761.379	2	5 (1S)	6P2P0.5	6D2D1.5	11176.238	22588.891	0.1194E+08	0.1587E+02	0.2750E+00	0.1100E+01

Table 21. Cesium

BARIUM ----- 5b ---- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(2S)	42032.398
	2	(2D)	47905.000

# L	SN	PARENT	EE	DESIG	LEVEL		A	S	F	GF	
AIR	F	I		F	I	F	I				
3993.404	1	18	(2S)	5D3D3.0	4F3F4.0	9540.551	34030.809	0.0	0.0	0.0	0.0
4283.104	2	14	(2S)	5D1D2.0	4F1F3.0	11345.383	34730.422	0.0	0.0	0.0	0.0
4493.841	5	20	(2S)	6P3P2.0	7D3D2.0	13514.738	35762.211	0.4616E+07	0.1035E+01	0.1399E-01	0.6993E-01
4619.977	3	17	(2S)	6P3P0.0	8S3S1.0	12266.020	33905.348	0.1214E+07	0.1774E+00	0.1166E-01	0.3493E-04
4673.621	1	16	(2S)	5D3D3.0	7P3P2.0	9596.551	30997.277	0.0	0.0	0.0	0.0
5159.918	6	25	(2S)	6P1P1.0	7D1D2.0	16060.255	37434.957	0.1900E+07	0.6451E+00	0.1260E-01	0.6320E-01
5267.031	6	24	(2S)	6P1P1.0	8S1S0.0	18060.266	37041.030	0.3502E+07	0.2529E+00	0.4859E-02	0.4009E-02
5535.551	4	14	(2S)	6P3P1.0	6D3D1.0	12636.617	30695.594	0.2296E+08	0.5775E+01	0.1050E+00	0.5167E+00
5777.064	5	15	(2S)	6P3P2.0	6D3D3.0	13514.738	30819.109	0.4847E+08	0.3234E+02	0.3395E+00	0.2379E+01
6771.832	8	27	(2D)	6P1D2.0	6D1D2.0	23074.414	37837.398	0.1666E+08	0.1276E+02	0.1146E+00	0.5710E+00
6867.871	7	20	(2D)	6P3F3.0	6D3F3.0	22447.437	37504.020	0.1007E+08	0.1129E+02	0.7125E-01	0.4491E+00
7636.882	8	22	(2D)	6P1D2.0	6D1F3.0	23074.414	36105.312	0.3416E+08	0.5263E+02	0.4184E+00	0.2929E+01
7642.879	4	21	(2D)	6P3F4.0	6D3G5.0	23757.074	36837.530	0.4651E+08	0.1129E+03	0.4982E+00	0.5480E+01
7900.719	0	11	(2S)	6P3P2.0	7S3S1.0	13514.738	26150.285	0.1615E+08	0.1183E+02	0.9033E-04	0.1720E+00
8210.233	0	13	(2S)	6P1P1.0	6D1D2.0	16060.266	30236.616	0.4092E+08	0.6410E+02	0.7909E+00	0.3954E+01
9713.770	10	21	(2D)	6P3P0.0	6D3D1.0	25042.155	35933.824	0.6404E+07	0.9383E+01	0.2932E+00	0.6797E+00
9830.371	6	12	(2S)	6P1P1.0	7S1S0.0	18060.266	28250.078	0.2461E+08	0.1165E+02	0.1159E+00	0.1199E+00

Table 22. Barium

MERCURY ----- 80 --- NEUTRAL

PARENT INFORMATION	NO.	DESIG	LIMIT
	1	(2S)	84184.125
	2	(2D)	119092.000

W L	SN	PARENT EE	DESIG	LEVEL	A	S	F	GF		
AIR	F	I	F	I	F	I	F	I		
2093.595	1	7 (2S)	6P3P1.0	6S3S1.0	39412.301	7J961.312	0.1138E+08	0.4087E+00	0.1425E-01	0.4285E-01
3021.499	2	10 (2S)	6P3P2.0	7D3D3.0	44042.977	77129.562	0.3332E+08	0.3160E+01	0.6390E-01	0.4473E+00
3131.833	1	5 (2S)	6P3P1.0	6D3D1.0	39412.301	71330.187	0.5274E+08	0.2401E+01	0.7760E-01	0.2328E+00
3050.145	2	6 (2S)	6P3P2.0	6D3D3.0	44042.977	71431.312	0.7993E+08	0.1345E+02	0.2237E+00	0.1560E+01
4347.590	3	9 (2S)	6P1P1.0	7D1D2.0	54068.781	77054.125	0.2417E+08	0.4908E+01	0.1142E+00	0.5712E+00
4358.352	1	4 (2S)	6P3P1.0	7S3S1.0	39412.301	62350.457	0.3337E+08	0.4096E+01	0.9510E-01	0.2653E+00
4916.035	3	8 (2S)	6P1P1.0	8S1S0.0	54068.781	74404.562	0.6904E+07	0.4053E+00	0.8344E-02	0.6344E-02
5460.754	2	4 (2S)	6P3P2.0	7S3S1.0	44042.977	62350.457	0.2828E+08	0.6827E+01	0.7580E-01	0.2277E+00

Table 23. Mercury