

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.



ELECTRON MICROPROBE ANALYSES OF LITHIC FRAGMENTS AND THEIR MINERALS FROM LUNA 20 FINES

ngl-32-004-063

(NASA-CR-138148) ELECTRON MICROPROBE
ANALYSES OF LITHIC FRAGMENTS AND THEIR
MINERALS FROM LUNA 20 FINES Special
Publication No. 12 (New Mexico Univ.)
64 p HC \$6.25

N74-22468

Unclas
37318

CSCL 03B G3/30

ny *DRA*
George H. Conrad, Paul F. Hlava
Jonathan F. Green, R. B. Moore
Grover Moreland*, Eric Dowty
Martin Prinz, Klaus Keil, C. E. Nehru**
and T. E. Bunch***

Department of Geology & Institute of Meteoritics
UNIVERSITY OF NEW MEXICO
Albuquerque, New Mexico 87131, U.S.A.

Permanent addresses:
*Smithsonian Institution
Washington, D.C. 20560, U.S.A.

**Department of Geology
BROOKLYN COLLEGE OF THE CITY UNIVERSITY OF NEW YORK
Brooklyn, New York 11210, U.S.A.

***Space Sciences Division
NASA Ames Research Center
Moffett Field, California 94035, U.S.A.



DEPARTMENT OF GEOLOGY & INSTITUTE OF METEORITICS

The University of New Mexico

Albuquerque, New Mexico 87131, U.S.A.

RECEIVED
A.I.A.A.
73 OCT 31 AM 11:35
T. I. S. LIBRARY

**ELECTRON MICROPROBE ANALYSES
OF LITHIC FRAGMENTS AND THEIR
MINERALS FROM LUNA 20 FINES**

Table of Contents

	Page
Introduction	1
Lithic Fragments	3
ANT Suite Rocks	3
Anorthosite	3
Noritic and Troctolitic Anorthosite	4
Anorthositic norite and troctolite	6
(Spinel) Troctolite	11
High-Alumina Basalt Suite Rocks	14
Mare Basalts	16
Mineralogy	17
Plagioclase	17
Olivine	24
Pyroxene	48
K-feldspar	62
SiO ₂ -K ₂ O-rich residual glass	62
Zirkelite	62

*George H. Conrad, Paul F. Hlava
Jonathan R. Green, Robert B. Moore
Grover Moreland*, Eric Dowty
*Martin Prinz, Klaus Keil, C. E. Nehru**
and T. E. Bunch****

Department of Geology & Institute of Meteoritics
UNIVERSITY OF NEW MEXICO
Albuquerque, New Mexico 87131, U.S.A.

Permanent addresses:
*Smithsonian Institution
Washington, D.C. 20560, U.S.A.

**Department of Geology
BROOKLYN COLLEGE OF THE CITY UNIVERSITY OF NEW YORK
Brooklyn, New York 11210, U.S.A.

***Space Sciences Division
NASA Ames Research Center
Moffett Field, California 94035, U.S.A.



DEPARTMENT OF GEOLOGY & INSTITUTE OF METEORITICS

The University of New Mexico

Albuquerque, New Mexico 87131, U.S.A.

Special Publication Number 12, UNM INSTITUTE OF METEORITICS (1973)

INTRODUCTION

Here we present bulk analyses of lithic fragments from Luna 20 fines as well as analyses of their constituent minerals, obtained by electron microprobe techniques. All of the bulk analyses and most of the mineral analyses have not been previously published. The interpretation of these data and the conclusions drawn are presented in Prinz et al. (1973) and Brett et al. (1973).

The lithic fragments are classified using the terminology of Prinz et al. (1973). The terminology is given below and abbreviations (in parentheses) are used in the tables strictly for the purpose of saving space.

Anorthositic-noritic-troctolitic suite (ANT)
Anorthosite (A)
Noritic and troctolitic anorthosite (NATA)
Anorthositic norite and troctolite (ANAT)
(Spinel) troctolite (SPT)
High-Alumina Basalt Suite (HAB)
Mare Basalt (MB)

The bulk analyses (determined with the broad beam electron microprobe technique, Prinz et al., 1971) of lithic fragments are given in weight percentages and are arranged according to the rock classification (Tables 1 through 6). Within each rock group the analyses are arranged in order of increasing FeO content. Thin section and lithic fragment numbers are given at the top of each column of analysis and correspond to the numbers recorded on photo mosaics on file in the Institute of Meteoritics. CIPW molecular norms are given for each analysis.

Electron microprobe mineral analyses (given in oxide weight percentages), structural formulae and molecular end member values are presented for plagioclase, olivine, pyroxene and K-feldspar. The minerals are selected mostly from lithic fragments that were also analyzed for bulk composition. Some of the mineral analyses are partial analyses and, hence, the structural formulae are not given. Some of the pyroxene analyses have somewhat low totals. This is primarily due to conductivity problems encountered, in individual thin sections of very small lithic fragments during electron microprobe analysis. Repeated analysis and repolishing and carbon coating did not improve the analyses significantly. Although the oxide percentages are slightly low, it probably has little effect on the major element proportions and hence the molecular end member values are considered representative.

Within each mineral group the analyses are presented according to the section number and lithic fragment number. Within each lithic fragment the mineral analyses are arranged as follows: Plagioclase in order of increasing CaO; olivine and pyroxene in order of increasing FeO; and K-feldspar in order of increasing K₂O. The mineral grains are identified at the top of each column of analysis by grain number and lithic fragment number. These numbers are recorded on photo mosaics on file in the Institute of Meteoritics.

ACKNOWLEDGEMENTS: We wish to thank J. Erlichman for some of the electron microprobe analyses; C.R. Langdale, D.Lewis, R. Geitgey, Mrs. J. Hultzen and Mrs. J. Ethridge for assistance in data reduction. This work is supported in part by NASA Grant NGL 32-004-063 (Klaus Keil, Principal Investigator).

REFERENCES

- Brett R., Gooley R. C., Dowty E., Prinz M. and Keil K. (1973) Oxide minerals in lithic fragments from Luna 20 fines. *Geochim. Cosmochim. Acta* 37, 761-773.
- Prinz M., Bunch T. E. and Keil K. (1971) Composition and origin of lithic fragments and glasses in Apollo 11 samples. *Contrib. Mineral. Petrol.* 32, 211-230.
- Prinz M., Dowty E., Keil K. and Bunch T. E. (1973) Mineralogy, petrology and chemistry of lithic fragments from Luna 20 fines: origin of the cumulate ANT suite and its relationship to high-alumina and mare basalts. *Geochim. Cosmochim. Acta* 37, 979-1006.

The following notation is used in all tables

n.d. Not determined

* Less than 0.01 weight percent

LITHIC FRAGMENTS

ANTI SUITE ROCKS

ANORTHOSITE

TABLE 1: BULK ANALYSES OF ANORTHOSITE

Section	18	17	11	18	18	18	17
Fragment	25	48	17	64	95	162a	100
SiO ₂	43.5	44.8	45.3	43.8	47.4	43.3	43.1
TiO ₂	*	.06	.06	.04	.13	.08	.08
Al ₂ O ₃	34.4	34.1	33.4	33.0	32.4	31.9	33.3
Cr ₂ O ₃	.03	.02	.02	*	.05	.04	.01
FeO	.49	1.07	1.12	1.35	1.36	1.77	2.79
MnO	.01	.03	.02	.03	.03	.02	.03
MgO	1.13	.81	1.02	2.56	.92	2.52	2.60
CaO	18.7	18.9	18.8	17.7	18.4	17.8	18.1
Na ₂ O	.21	.43	.36	.59	.30	.40	.25
K ₂ O	*	.05	.03	.02	*	.02	.03
P ₂ O ₅	.03	.04	.04	.01	.03	.04	.05
ZrO ₂	.01	n.d.	n.d.	*	.01	*	n.d.
Total	98.51	100.31	100.17	99.11	101.03	97.89	100.25

CIPW Molecular Norms

q	.18	.17	1.17	--	4.38	--	--
c	.15	--	--	.01	--	--	.08
z	.01	--	--	--	.01	--	--
or	--	.29	.18	.12	--	.12	.18
ab	1.91	3.85	3.23	4.50	2.68	3.65	1.86
an	93.74	90.67	89.34	87.88	86.60	86.67	89.01
ne	--	--	--	--	--	--	.22
{wo	--	1.00	1.42	--	1.59	1.15	--
{en	--	.58	8.89	--	.90	.84	--
{fs	--	.42	.53	--	.69	.32	--
{en	3.16	1.64	1.92	1.06	1.62	1.58	--
{fs	.76	1.18	1.14	.30	1.24	.60	--
{fo	--	--	--	4.72	--	3.49	5.35
{fa	--	--	--	1.34	--	1.33	3.07
cn	.03	.02	.02	.05	.05	.04	.01
il	--	.08	.08	.06	.18	.11	.11
ap	.06	.08	.08	.02	.06	.09	.11

ANORTHOSITE

NORITIC AND TROCTOLITIC ANORTHOISITE

NORITIC AND TROCTOLITIC ANORTHOISITE

TABLE 2: BULK ANALYSES OF NORITIC AND TROCTOLITIC ANORTHOISITE

Section	19	8	21	19	18	20	10	18	18	18	18
Fragment	63	28	17	22	185	30	4	210	22	22	47
SiO ₂	44.9	44.9	43.8	44.8	44.0	46.1	44.9	44.1	45.4	43.7	
TiO ₂	.19	.20	.19	.19	.03	.32	13.0	.12	.08	.35	
Al ₂ O ₃	31.0	31.4	29.8	28.2	28.3	31.1	30.3	27.7	31.4	31.0	
Cr ₂ O ₃	.10	.05	.06	.14	.02	.1	.06	.08	.04	.04	
FeO	2.00	2.41	2.78	2.80	2.86	2.94	2.94	3.0	3.2	3.2	
MnO	.10	.05	.04	.10	.03	.03	.08	.02	.03	.06	
MgO	3.4	3.2	3.5	6.6	9.1	3.1	3.2	6.3	3.4	2.94	
CaO	17.6	17.8	16.8	16.1	15.0	17.7	17.5	16.1	17.5	17.3	
Na ₂ O	.32	.50	.57	.33	.60	.47	.35	.53	.40	.57	
K ₂ O	.07	.09	.03	.04	.04	.04	.14	.05	*	.03	
P ₂ O ₅	.03	.07	.06	.06	.02	.02	.06	.02	.02	.08	
ZrO ₂	n.d.	n.d.	.01	n.d.	*	n.d.	n.d.	*	*	*	
Total	99.79	100.67	97.64	99.36	100.00	101.87	99.66	98.02	101.47	99.27	

CIPW Molecular Norms

q	--	--	--	--	--	--	--	--	--	--	--
c	--	--	--	--	.05	--	--	--	--	--	--
z	--	--	.01	--	--	--	--	--	--	--	--
or	.41	.52	.18	.23	.23	.23	.83	.30	--	.18	
ab	2.87	4.44	5.22	2.95	5.26	4.14	3.15	4.79	3.53	5.14	
an	82.79	82.30	80.24	74.97	72.48	81.07	80.91	73.62	82.50	82.61	
ne	--	--	--	--	--	--	--	--	--	--	
wo	1.66	1.84	1.74	1.64	--	1.97	2.29	2.69	1.10	1.34	
di	1.27	1.32	1.23	1.33	--	1.33	1.52	2.14	.72	.86	
fs	.39	.52	.52	.30	--	.64	.77	.55	.37	.48	
en	6.24	2.30	3.43	8.43	.90	6.03	5.00	3.58	4.99	.88	
hy	1.89	.91	1.44	1.91	.16	2.90	2.52	.92	2.59	.49	
fo	1.57	3.84	3.90	6.27	17.70	.77	1.75	8.85	2.63	4.81	
ol	1.48	1.52	1.64	1.42	3.12	.37	.88	2.27	1.36	2.69	
cm	.11	.05	.07	.15	.02	.05	.06	.09	.04	.04	
il	.26	.28	.27	.26	.04	.44	.18	.17	.11	.49	
ap	.06	.14	.13	.12	.04	.04	.12	.04	.04	.17	

TABLE 2: CONTINUED

Section	18	18	12	21	9	12	20	17	17	18
Fragment	27	37	39	15	7	61	21	1	84	214
SiO ₂	43.7	45.8	43.7	43.8	44.8	45.8	45.1	45.6	45.3	42.3
TiO ₂	.11	.33	.38	.79	.15	.29	.25	.51	.28	1.56
Al ₂ O ₃	31.5	29.3	30.0	29.7	30.0	27.7	28.5	29.6	28.4	29.1
Cr ₂ O ₃	.06	.09	.05	.04	.08	.10	.11	.11	.08	.06
FeO	3.3	3.6	3.7	3.7	3.9	4.1	4.3	4.4	4.5	4.9
MnO	.03	.05	.05	.06	.08	.06	.06	.06	.05	.04
MgO	2.87	4.7	2.92	5.3	4.1	4.6	4.4	4.0	4.5	4.1
CaO	18.3	16.6	17.0	16.4	17.1	16.2	16.4	16.7	16.5	16.1
Na ₂ O	.26	.48	.41	.63	.33	.45	.50	.45	.36	.64
K ₂ O	*	.06	*	.25	.11	.03	.09	.05	.04	.32
P ₂ O ₅	.03	.04	.04	.23	.07	.03	.05	.01	.06	.80
ZrO ₂	*	.03	*	.02	n.d.	*	n.d.	n.d.	n.d.	.02
Total	100.16	101.08	98.25	100.92	100.72	99.36	99.76	101.49	100.47	99.54

CIPW Molecular Norms

q	---	---	---	---	---	---	---	---	---	---
c	---	---	---	---	---	---	---	---	---	---
z	---	.03	---	.02	---	---	---	---	---	.02
or	---	.35	---	1.45	.64	.18	.53	.29	.24	1.90
ab	2.33	4.25	3.75	4.99	2.94	4.96	4.49	3.98	3.23	4.91
an	84.66	76.52	81.60	76.21	79.37	73.91	75.35	77.54	75.74	76.08
ne	---	---	---	---	---	---	---	---	---	.52
{wo	2.31	1.76	1.65	.93	1.71	2.59	2.31	1.64	2.27	.67
{en	1.42	1.26	1.00	.71	1.12	1.83	1.52	1.06	1.48	.45
{fs	.89	.50	.65	.23	.58	.18	.79	.59	.79	.22
{en	.46	7.58	4.21	---	4.41	19.44	6.04	6.70	8.08	---
{fs	.29	3.00	2.74	---	2.30	4.90	3.15	3.71	4.29	---
{eo	4.52	2.96	2.25	10.26	4.26	.38	3.45	2.35	2.14	8.20
{fa	2.83	1.17	1.47	3.29	2.22	.18	1.80	1.30	1.14	3.94
cm	.06	.10	.06	.04	.09	.11	.12	.12	.09	.07
il	.15	.45	.54	1.08	.21	.41	.35	.70	.39	2.19
ap	.06	.08	.08	.47	.14	.06	.10	.02	.12	.84

TABLE 3: BULK ANALYSES OF ANORTHOSITIC NORITE AND TROCTOLITE

Section	18	19	18	10	9	12	11	18	1	8	4	7	21
Fragment	171	80	208	8	13	35	45	128	1	10	5	5	16
SiO ₂	45.4	45.9	41.6	46.1	44.8	44.8	45.1	44.4	48.4	43.6	44.1	45.1	44.6
TiO ₂	.24	.19	*	.12	.12	.11	.16	.23	.29	.13	.19	.11	.18
Al ₂ O ₃	27.1	27.0	27.6	28.7	25.1	27.4	27.9	26.7	26.0	27.6	26.5	26.9	26.5
Cr ₂ O ₃	.12	.07	.02	.12	.07	.09	.08	.08	.06	.10	.08	.08	.11
FeO	1.83	2.30	2.80	2.90	3.4	3.4	3.6	3.7	3.7	3.7	3.7	3.8	3.9
MnO	.02	.08	.04	.08	.06	.04	.07	.02	.07	.09	.04	.07	.05
MgO	5.5	8.8	11.4	8.0	11.7	7.8	8.0	7.9	5.2	8.5	8.2	8.1	7.8
CaO	17.8	14.6	15.3	15.2	14.7	15.6	15.6	15.1	15.0	15.4	15.3	15.4	15.2
Na ₂ O	.52	.32	.19	.34	.36	.47	.44	.26	.78	.30	.31	.33	.58
K ₂ O	.08	.03	*	.11	.06	.03	.05	.03	.67	.12	.01	.77	.07
P ₂ O ₅	.05	.03	.03	.06	.05	.04	.04	.06	.07	.04	.03	.06	.08
ZrO ₂	*	n.d.	*	n.d.	n.d.	*	n.d.	*	n.d.	n.d.	n.d.	n.d.	.01
Total	98.66	99.32	98.98	101.73	100.42	99.78	101.04	98.45	100.24	99.58	98.46	100.02	99.08

GIPW Molecular Norms

q	--	--	+	--	--	--	--	--	--	--	--	--	--
c	--	--	--	.56	--	--	--	--	--	--	--	--	--
z	--	--	--	--	--	--	--	--	--	--	--	--	--
or	.47	.17	--	.63	.34	.18	.29	.18	3.43	.70	.06	.41	.01
ab	4.67	2.84	--	2.95	3.13	4.16	3.85	2.34	6.96	2.66	2.69	2.92	5.18
an	71.66	71.26	--	72.54	64.65	71.61	72.12	71.77	65.04	72.66	70.97	70.71	69.15
ne	--	--	--	--	--	--	--	--	--	--	--	--	--
vo	6.66	.03	--	--	2.28	1.80	1.21	1.16	3.37	.99	1.90	1.69	2.14
en	5.74	.02	--	--	1.97	1.45	.97	.93	2.45	.80	1.53	1.34	1.68
fs	.92	--	--	--	.31	.34	.24	.23	.92	.19	.37	.35	.45
en	3.52	16.90	--	12.44	5.09	5.71	5.64	10.53	11.81	2.73	7.50	8.54	5.26
fs	.57	2.35	--	2.46	.81	1.35	1.38	2.62	4.44	.65	1.84	2.21	1.41
fo	4.49	5.30	--	6.69	18.17	10.56	11.17	7.79	--	14.71	10.21	9.12	10.85
fa	.72	.73	--	1.32	2.89	2.51	2.73	1.94	--	3.52	2.50	2.36	2.92
ca	.13	.07	--	.13	.07	.10	.08	.09	.06	.11	.09	.08	.12
il	.34	.26	--	.16	.16	.15	.22	.28	.40	.18	.26	.15	.25
ap	.10	.06	--	.12	.10	.08	.08	.13	.14	.08	.06	.12	.17

+ Insufficient SiO₂ for olivine

TABLE 3: CONTINUED

Section	7	2	18	7	1	7	18	4	18	19	4	11	18
Fragment	15	3	178	12	3	36	98	2	51	91	4	9	197
SiO ₂	47.9	45.6	41.1	45.5	42.9	44.6	47.4	44.4	45.5	45.6	45.4	45.9	45.4
TiO ₂	.26	.35	.35	.20	.14	.15	.50	.21	.25	.25	.22	.60	.23
Al ₂ O ₃	24.0	26.8	27.2	26.9	26.9	25.0	21.7	27.5	26.3	23.5	27.1	26.0	24.6
Cr ₂ O ₃	.14	.16	.14	.10	.05	.10	.20	.07	.12	.14	.08	.13	.09
FeO	4.1	4.2	4.2	4.3	4.5	4.6	4.6	4.6	4.7	4.8	4.8	4.9	5.0
MnO	.10	.08	.06	.09	.07	.09	.09	.05	.06	.14	.08	.08	.07
MgO	8.5	7.1	8.5	6.7	8.2	11.2	9.3	5.4	7.6	12.0	5.5	6.3	8.1
CaO	14.5	15.0	17.8	15.4	15.1	14.3	16.6	16.5	15.8	12.4	16.2	15.4	14.2
Na ₂ O	.38	.48	.05	.48	.32	.37	.45	.16	.17	.45	.14	.49	.49
K ₂ O	.07	.14	.01	.15	.11	.13	.07	*	*	.14	*	.13	.13
P ₂ O ₅	.05	.09	.05	.08	.07	.09	.03	.04	.03	.05	.02	.06	.11
ZrO ₂	n.d.	n.d.	*	n.d.	n.d.	n.d.	*	n.d.	*	n.d.	n.d.	n.d.	*
Total	100.00	100.00	99.46	99.90	98.36	100.63	100.94	98.85	100.53	99.47	99.49	100.00	98.42

CIPW Molecular Norms

q	.27	--	--	--	--	--	--	--	--	--	--	--	--
c	--	--	--	--	--	--	--	--	--	.20	--	--	--
z	--	--	--	--	--	--	--	--	--	--	--	--	--
or	.41	.82	--	.88	.65	.74	.41	--	--	.81	--	.76	.77
ab	3.78	4.27	--	4.28	2.88	3.23	3.96	1.45	1.51	3.97	1.26	4.38	4.42
an	62.95	69.92	--	70.30	71.78	64.30	55.92	75.03	70.11	60.07	73.60	68.16	64.92
ne	--	--	--	--	--	--	--	--	--	--	--	--	--
wo	3.18	1.29	--	2.01	1.12	1.02	9.87	2.93	2.83	--	2.77	3.04	2.06
en	2.52	.98	--	1.49	.86	1.32	7.90	2.91	2.13	--	1.88	2.19	1.56
fs	.65	.30	--	.52	.26	.30	1.98	.92	.70	--	.89	.85	.52
hy	20.70	10.71	--	8.64	2.28	5.22	8.95	8.01	10.92	15.31	11.93	10.67	12.39
fs	5.33	3.29	--	3.01	.69	1.18	2.24	3.69	3.61	3.33	5.65	4.16	4.14
fo	--	5.79	--	6.17	14.65	17.62	6.25	3.77	5.74	12.90	1.07	3.36	6.40
ol	--	1.78	--	2.15	4.43	3.98	1.56	1.73	1.90	2.81	.51	1.13	2.14
cm	.15	.17	--	.11	.06	.11	.72	.08	.13	.15	.09	.14	.10
il	.36	.48	--	.28	.20	.20	.68	.29	.34	.34	.31	.83	.32
ap	.10	.19	--	.17	.15	.18	.96	.08	.06	.10	.04	.12	.23

ANORTHOBITIC NORITE AND TROCTOLITE

TABLE 3: CONTINUED

Section	18	14	14	21	9	18	20	12	19	8	17	4	18
Fragment	48	8	7	6	20	209	27	47	56	2	87	6	2
SiO ₂	47.6	44.6	44.6	43.9	46.8	45.2	44.8	44.7	43.6	46.6	45.7	45.6	48.0
TiO ₂	.43	.56	.33	.17	.31	.37	1.83	.14	.37	.18	.46	.35	.40
Al ₂ O ₃	23.0	24.0	25.5	23.4	25.6	24.4	23.9	22.7	25.1	22.4	22.9	24.3	22.3
Cr ₂ O ₃	.17	.12	.07	.10	.03	.13	.18	.07	.14	.17	.11	.11	.18
FeO	5.1	5.1	5.2	5.2	5.2	5.3	5.4	5.6	5.6	5.9	6.0	6.0	6.1
MnO	.08	.09	.07	.06	.03	.05	.06	.06	.11	.12	.08	.08	.10
MgO	7.9	9.2	6.6	11.1	6.7	7.5	6.7	12.9	9.5	11.1	10.7	8.5	7.6
CaO	15.2	14.3	15.4	13.8	15.6	14.4	14.9	14.1	13.5	13.0	13.7	14.7	14.2
Na ₂ O	.59	.30	.24	.37	.37	.59	.44	.36	.35	.35	.49	.25	.48
K ₂ O	.18	*	.01	.03	.12	.11	.15	.91	.07	.10	.14	*	.09
P ₂ O ₅	.22	*	.02	.02	.05	.18	.03	.93	.93	.05	.07	.04	.14
ZrO ₂	.09	n.d.	n.d.	.01	n.d.	.04	n.d.	*	n.d.	n.d.	.00	n.d.	.04
Total	100.59	98.27	98.06	98.16	100.93	98.19	99.32	107.87	98.37	99.97	100.35	99.93	101.63

GIPW Molecular Norms

q	--	--	--	--	--	--	--	--	--	--	--	--	--
c	--	--	--	--	--	--	--	--	--	--	--	--	--
z	.08	--	--	.01	--	.04	--	--	--	--	--	--	.04
or	1.05	--	.06	.18	.70	.56	.93	.06	.41	.58	.81	--	.52
ab	5.24	2.71	2.19	3.32	3.28	4.54	4.92	3.13	3.15	3.09	4.32	2.23	4.21
an	58.95	64.53	69.64	61.99	67.03	64.79	63.94	58.34	66.86	58.38	58.78	64.82	57.05
ne	--	--	--	--	--	--	--	--	--	--	--	--	--
vo	5.69	2.73	3.16	2.48	3.64	2.33	4.44	3.66	.02	1.93	2.90	2.97	4.33
di	4.26	2.13	2.23	1.98	2.57	1.84	3.39	2.95	.02	1.49	2.31	2.16	5.24
fs	1.43	.60	.94	.51	1.07	.68	1.06	.71	.01	.44	.68	.81	1.09
en	14.21	12.06	10.81	7.65	12.46	12.32	12.78	5.24	8.91	17.80	10.26	12.94	17.44
hy	4.76	3.41	4.54	1.80	5.19	4.58	3.99	1.21	2.80	10.55	3.02	4.88	5.87
fo	2.32	8.51	4.11	16.16	2.43	5.09	2.00	19.84	13.01	8.16	12.31	6.17	3.89
ol	.78	2.40	1.73	4.14	1.01	1.89	.62	4.75	4.08	2.38	3.62	2.33	1.31
cm	.18	.13	.08	.11	.10	.14	.29	.07	.15	.18	.12	.12	.19
il	.59	.78	.47	.24	.43	.52	2.52	.19	.52	.25	.63	.48	.54
ap	.45	--	.04	.04	.10	.38	.06	.06	.06	.10	.14	.08	.28

TABLE 3: CONTINUED

Section	18	20	2	17	8	8	19	4	11	20	20	18	17
Fragment	182	6	8	19	8	12	40	3	46	8	29	147	63
SiO ₂	45.2	46.1	47.1	45.3	46.4	46.4	44.3	44.3	44.8	44.4	46.6	45.5	51.4
TiO ₂	.53	.58	.26	.69	.66	.66	1.15	.75	.54	.44	.86	.66	.44
Al ₂ O ₃	22.6	24.0	23.4	22.5	21.5	22.2	24.7	24.2	24.4	23.9	22.3	21.4	21.3
Cr ₂ O ₃	.29	.10	.16	.15	.21	.21	.15	.13	.10	.14	.15	.16	.15
FeO	6.1	6.1	6.2	6.4	6.4	6.4	6.5	6.5	6.5	6.5	6.5	6.6	6.7
MnO	.09	.06	.13	.07	.12	.12	.13	.11	.11	.10	.09	.08	.08
MgO	8.3	8.5	9.0	10.0	13.3	10.9	9.1	7.5	8.4	8.4	10.4	9.4	8.4
CaO	14.2	13.8	13.1	13.7	13.0	13.5	13.0	14.3	14.2	14.7	13.4	13.2	12.3
Na ₂ O	.40	.50	.50	.47	.50	.49	.53	.21	.53	.41	.52	.53	.92
K ₂ O	.22	.12	.20	.22	.21	.13	.15	.92	.17	.08	.15	.11	.23
P ₂ O ₅	.14	.14	.13	.24	.19	.14	.92	.95	.09	.05	.18	.14	.08
ZrO ₂	.03	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	*	n.d.	.02	n.d.
Total	98.10	100.00	100.18	99.74	99.49	101.71	133.27	97.77	99.84	99.12	101.15	97.80	102.00

CIPW Molecular Norms

q	--	--	--	--	--	--	--	--	--	--	--	--	2.52
c	--	--	--	--	--	--	.14	--	--	--	--	--	--
z	.03	--	--	--	--	--	--	--	--	--	--	.02	--
or	1.32	.70	1.17	1.23	1.23	.74	.83	.12	1.00	.47	.67	.66	1.33
ab	3.64	4.46	4.44	4.18	4.46	4.27	4.44	1.93	4.73	3.69	4.57	4.93	8.07
an	60.11	62.46	60.41	58.18	53.53	56.29	63.36	64.65	63.33	63.29	56.85	56.54	52.12
ne	--	--	--	--	--	--	--	--	--	--	--	--	--
di	4.18	1.85	1.23	3.98	2.95	3.13	--	2.28	2.44	3.79	2.82	3.60	2.81
en	3.04	1.35	.90	2.32	2.25	2.36	--	1.56	1.74	2.69	2.16	2.65	1.97
fs	1.14	.50	.34	.75	.71	.77	--	.72	.71	1.10	.67	.95	.83
hy	12.49	14.46	18.21	11.13	16.94	14.35	12.39	13.72	7.21	6.59	14.92	15.31	20.69
ol	4.71	5.34	6.84	3.61	5.38	4.87	4.13	6.28	2.93	2.74	4.65	5.49	8.73
to	5.79	5.62	4.11	10.45	6.82	8.91	9.53	3.79	10.58	10.39	8.20	6.28	--
fa	2.18	2.07	1.54	3.39	2.17	2.91	3.31	1.73	4.29	4.26	2.54	2.25	--
cm	.32	.11	.17	.16	.23	.15	.16	.15	.11	.15	.16	.18	.16
il	.75	.80	.36	.95	.91	.36	1.63	1.97	.75	.61	1.17	.93	.60
ap	.30	.29	.27	.50	.40	.28	.04	.11	.19	.10	.37	.30	.16

TABLE 3: CONTINUED

Section	19	20	19	18	21	20	18	20	11	11	18	3	20
Fragment	27	32	12	96	10	1	106	33	67	91	193	1	44
SiO ₂	46.0	45.7	43.5	44.0	46.5	46.2	44.3	44.8	46.2	45.4	41.6	45.2	45.1
TiO ₂	1.34	.30	.33	.48	.52	.82	.15	.31	.74	.55	1.49	.76	.57
Al ₂ O ₃	23.2	25.0	24.0	25.8	21.8	24.6	23.9	22.2	22.5	21.4	23.4	21.8	21.4
Cr ₂ O ₃	.22	.10	.14	.11	.21	.06	.06	.11	.13	.19	.59	.19	.16
FeO	6.8	6.8	6.9	6.9	7.2	7.5	7.8	8.2	8.3	8.3	8.3	8.4	10.0
MnO	.20	.10	.18	.09	.11	.19	.07	.11	.02	.13	.08	.13	.09
MgO	8.2	8.4	10.4	4.9	10.1	5.0	10.1	10.4	8.6	9.8	8.0	9.3	10.0
CaO	12.9	15.0	13.1	16.0	13.3	15.0	13.3	13.3	14.1	12.9	13.4	14.8	12.6
Na ₂ O	.45	.28	.48	.27	.48	.50	.43	.57	.50	.36	.45	.49	.49
K ₂ O	.14	.08	.15	.07	.13	.08	.13	.18	.20	.12	.20	.16	.17
P ₂ O ₅	.16	.08	.15	.04	.13	.15	.21	.45	.13	.07	.25	*	.12
ZrO ₂	n.d.	n.d.	n.d.	.03	.02	n.d.	.02	n.d.	n.d.	n.d.	.11	n.d.	n.d.
Total	99.61	101.84	99.33	98.69	100.50	100.00	100.43	100.63	101.42	99.22	97.87	101.23	100.70

GIPW Molecular Norms

q	--	--	--	--	--	--	--	--	--	--	--	--	--
c	--	--	--	--	--	--	--	--	--	--	--	--	--
z	--	--	--	.03	.02	--	.02	--	--	--	.10	--	--
or	.83	.46	.88	.42	.76	.48	.58	1.05	1.16	.71	1.21	.93	.99
ab	4.05	2.46	4.27	2.47	4.25	4.53	3.54	5.04	4.42	3.24	4.14	4.33	4.36
an	61.09	65.19	62.40	70.41	56.23	65.30	62.19	56.60	57.71	56.65	62.73	55.97	55.19
ne	--	--	--	--	--	--	--	--	--	--	--	--	--
wo	.83	2.80	.44	4.13	3.23	3.55	.50	2.18	4.15	2.85	1.47	6.54	2.39
dl	.60	1.94	.32	2.37	2.35	2.91	.41	1.52	2.77	1.97	1.00	4.45	1.56
fs	.23	.85	.12	1.76	.88	1.54	.17	.56	1.37	.88	.47	2.09	.83
en	19.75	9.06	5.51	5.83	14.90	11.93	7.88	7.84	10.32	14.32	4.51	4.07	9.96
fs	7.70	3.98	2.00	4.34	5.50	9.14	3.37	3.37	5.11	6.44	2.14	1.91	5.31
ol	1.77	8.73	16.98	4.20	7.70	--	14.38	14.17	7.72	8.15	12.83	12.57	11.87
fa	.69	3.84	6.16	3.13	2.89	--	6.15	6.13	3.82	3.66	6.09	5.88	6.33
cm	.24	.11	.15	.12	.23	.07	.09	.12	.14	.21	.66	.21	.17
il	1.87	.41	.45	.68	.71	1.15	.21	.43	1.02	.77	2.13	1.04	.79
ap	.33	.16	.31	.08	.27	.32	.43	.93	.27	.15	.54	--	.25

TABLE 4: BULK ANALYSES OF (SPINEL) TROCTOLITES

Section	7	10	7	7	18	18	17	9	9	15	18	7
Fragment	18	1	10	42	60	111	35	19	16	9	71	33
SiO ₂	45.1	44.4	43.0	43.8	44.0	43.6	43.3	44.8	43.0	44.8	44.0	45.0
TiO ₂	.09	.17	.15	.15	.21	.12	.12	.17	.15	.16	.15	.19
Al ₂ O ₃	28.5	23.9	24.7	27.1	23.0	24.8	24.4	22.5	22.7	22.9	24.5	23.5
Cr ₂ O ₃	.05	.12	.22	.08	.11	.15	.07	.12	.16	.07	.12	.09
FeO	2.20	3.9	4.1	4.1	4.1	4.1	4.1	4.3	4.4	4.5	4.6	4.7
MnO	.05	.08	.07	.07	.06	.06	.05	.07	.07	.07	.07	.09
MgO	7.2	13.1	13.5	9.8	15.1	14.9	14.1	14.7	15.6	14.0	11.9	13.5
CaO	16.9	13.8	13.7	14.3	13.1	13.2	13.3	13.4	13.0	12.5	14.1	13.5
Na ₂ O	.36	.40	.38	.50	.35	.37	.30	.37	.56	.26	.41	.37
K ₂ O	.05	.11	.08	.11	*	*	.03	.08	.08	*	*	.09
P ₂ O ₅	.05	.04	.07	.06	.06	.05	.05	.05	.07	*	.04	.04
ZrO ₂	n.d.	n.d.	n.d.	n.d.	.01	*	n.d.	n.d.	n.d.	n.d.	.01	n.d.
Total	100.55	100.02	99.97	100.10	100.10	98.36	98.84	100.57	100.79	95.26	99.90	101.17

CIPW Molecular Norms

c	--	--	--	.33	--	--	--	--	--	--	--	--
z	--	--	--	.63	.01	--	.17	.45	.45	--	.01	--
or	.29	.63	.46	.63	--	--	3.03	3.19	2.37	2.28	3.59	.51
ab	3.16	3.48	2.94	4.38	3.03	3.26	2.51	3.19	2.37	2.28	3.59	3.19
an	74.41	61.18	63.36	68.93	58.95	56.72	63.84	57.41	57.00	59.91	63.45	59.72
ne	--	--	.22	--	--	--	--	--	1.48	--	--	1.92
di	2.93	1.93	.79	--	1.31	2.85	.13	2.42	1.66	.27	1.82	1.92
hy	2.51	1.70	.68	--	1.14	2.48	.17	2.79	1.61	.23	1.50	1.61
ol	.42	.27	.11	--	.17	.37	.03	.33	.25	.04	.32	.31
fo	3.99	4.34	--	3.04	4.77	4.25	2.95	5.47	--	13.24	3.79	6.03
fa	.67	.70	--	.69	.69	.64	.47	.87	--	2.33	.80	1.16
il	9.70	21.76	26.54	17.54	25.68	25.21	25.70	23.55	21.88	18.21	20.07	21.06
ap	1.62	3.52	4.34	3.99	3.74	3.78	4.12	3.74	4.58	3.21	4.24	4.01
	.05	.13	.23	.08	.12	.16	.10	.13	.17	.07	.13	.09
	.12	.23	.20	.24	.28	.16	.16	.23	.20	.22	.20	.25
	.10	.08	.14	.12	.12	.12	.10	.12	.14	--	.08	.05

(SPINEL) TROCTOLITE

TABLE 4: CONTINUED

Section	19	7	9	8	17	18	18	17	7	20	17
Fragment	15	4	18	22	91	12	112	2	35	31	10
SiO ₂	42.3	43.2	44.4	42.7	44.1	44.3	43.5	43.7	43.1	44.5	44.1
TiO ₂	.16	.23	.23	.12	.17	.18	.14	.30	.18	.19	.22
Al ₂ O ₃	23.9	22.7	21.5	22.4	19.6	22.3	21.3	22.0	20.5	22.0	23.2
Cr ₂ O ₃	.08	.18	.13	.11	.15	.18	.30	.12	.13	.05	.15
FeO	4.7	4.8	4.9	4.9	5.0	5.3	5.1	5.1	5.1	5.2	5.2
MnO	.11	.11	.08	.08	.05	.06	.1	.04	.09	.08	.07
MgO	14.7	14.7	15.4	15.7	20.3	16.4	16.5	16.1	13.3	16.3	13.4
CaO	12.8	12.9	12.6	13.4	11.9	12.6	12.4	12.3	11.7	13.0	13.2
Na ₂ O	.44	.50	.40	.45	.54	.27	.35	.45	.37	.39	.36
K ₂ O	.03	.08	.11	.10	.07	*	*	.74	.09	.05	.04
P ₂ O ₅	.01	.04	.07	.04	.02	.01	.04	.07	.06	*	.04
ZrO ₂	n.d.	n.d.	n.d.	n.d.	n.d.	*	*	n.d.	n.d.	n.d.	n.d.
Total	99.23	99.44	99.82	100.00	101.90	101.30	99.7	100.72	100.62	101.76	99.98

CIPW Molecular Norms

c	---	---	---	---	---	---	---	---	---	---	---
z	---	---	---	---	---	---	---	---	---	---	---
or	.17	.46	.63	.23	.38	---	---	.22	.50	.28	.23
ab	2.40	4.36	3.47	.68	2.23	2.31	3.04	3.85	2.34	3.31	3.14
an	61.34	57.75	54.72	56.59	47.42	55.72	54.63	56.92	51.16	55.04	59.89
ne	.86	---	---	1.92	---	---	---	---	.48	---	---
di {	.11	1.66	2.13	2.85	3.00	1.35	1.82	.39	1.38	2.40	1.42
en {	.09	1.41	1.81	2.43	2.65	1.16	1.53	.33	1.23	.36	1.17
fs {	.01	.25	.31	.42	.35	.19	.26	.95	.17	2.08	.24
hy {	---	.09	6.10	---	---	6.67	3.45	2.86	---	1.77	5.94
fs {	---	.02	1.05	---	---	1.11	.52	.48	---	.31	1.24
fo {	29.48	28.42	24.91	23.45	37.19	24.46	23.23	22.27	35.94	23.08	21.64
fa {	5.21	5.01	4.28	5.07	4.95	4.42	4.93	4.94	5.34	5.09	4.53
cm	.09	.19	.14	.12	.15	.04	.03	.12	.14	.05	.16
il	.22	.31	.31	.16	.22	.24	.13	.49	.24	.25	.30
ap	.02	.08	.14	.08	.04	.04	.38	.14	.12	---	.08

TABLE 4: CONTINUED

Section Fragment	18 65	2 6	12 88	18 72	8 23	18 102	18 140	9 15	18 211	20 16	17 111
SiO ₂	44.4	41.9	44.1	43.4	44.7	43.4	41.9	45.1	42.6	43.2	42.2
TiO ₂	.17	.13	.16	.18	.19	.18	.15	.24	.17	.09	.13
Al ₂ O ₃	21.2	22.8	22.6	20.2	21.8	24.1	21.3	19.4	20.2	25.3	21.5
Cr ₂ O ₃	.08	.12	.10	.14	.12	.11	.10	.12	.13	.05	.12
FeO	5.2	5.5	5.5	5.5	5.7	5.7	5.7	5.8	5.9	6.4	6.8
MnO	.06	.08	.07	.06	.10	.05	.04	.10	.06	.07	.09
MgO	16.2	13.7	15.2	17.9	14.8	12.3	18.5	16.7	19.0	10.3	16.2
CaO	13.3	13.6	13.2	11.7	13.4	13.9	12.0	12.4	11.9	14.0	11.8
Na ₂ O	.35	.46	.31	.30	.40	.25	.27	.33	.33	.55	.33
K ₂ O	.01	.11	.01	*	.11	*	.02	.11	.01	.16	.04
P ₂ O ₅	.03	.55	.05	.02	.04	.02	.02	.07	.05	.14	.05
ZrO ₂	.03	n.d.	*	*	n.d.	.01	*	n.d.	*	n.d.	n.d.
Total	101.03	98.45	101.30	99.40	101.36	100.03	100.00	107.43	100.35	100.76	99.26

CIPW Molecular Norms

c	--	--	--	--	--	--	++	--	--	--	--
z	.02	--	--	--	--	.01	--	--	--	--	--
or	.06	.02	.06	--	.62	--	--	.62	.06	.93	.23
ab	3.00	.74	2.66	2.60	3.44	2.19	--	3.37	1.21	4.17	2.88
an	53.71	58.90	57.56	51.89	54.90	63.14	--	48.91	51.07	64.73	55.52
ne	--	2.00	--	--	--	--	--	--	.97	.40	--
di	3.64	2.88	1.87	1.59	3.38	1.63	1.63	3.92	1.94	.95	.04
fs	.54	.52	.06	.23	.62	.33	.33	.62	.28	.25	.08
hy	.39	--	.62	.78	.58	.86	.86	1.37	--	--	.15
ol	4.92	5.79	5.27	5.22	5.31	5.40	5.40	4.83	6.15	7.06	7.41
il	.23	.18	.21	.24	.25	.24	.24	.32	.23	.12	.18

++ insufficient SiO₂ for nepheline

HIGH-ALUMINA BASALT SUITE ROCKS

HIGH-ALUMINA BASALT SUITE ROCKS

TABLE 5: BULK ANALYSES OF HIGH-ALUMINA BASALT SUITE ROCKS

Section	8	12	17	18	10	17	11	18	11	20	18	11
Fragment	14	82	98	138	6	40	36	110	58	25	107	35
SiO2	48.2	46.9	48.2	46.4	46.1	47.0	47.7	48.3	45.1	45.7	44.9	46.4
TiO2	.41	.44	.35	.86	.96	.89	.64	.35	.38	.74	.87	.69
Al2O3	18.6	20.8	20.5	19.7	19.7	20.5	20.6	19.3	20.1	21.2	20.2	18.8
Cr2O3	.23	.15	.18	.18	.24	.19	.23	.19	.21	.15	.17	.32
FeO	6.9	7.1	7.1	7.3	7.3	7.4	7.5	8.0	8.1	8.3	8.6	8.6
MnO	.14	.09	.10	.10	.13	.12	.13	.11	.13	.07	.11	.13
HgO	10.1	11.8	12.0	9.4	11.3	10.8	10.7	11.9	10.3	10.4	9.9	11.3
CaO	12.8	12.3	12.7	13.1	12.1	12.9	12.8	12.4	13.6	12.6	12.9	12.3
Na2O	.46	.40	.46	.40	.42	.45	.48	.35	.23	.47	.40	.42
K2O	.18	.12	.13	.15	.23	.17	.12	.19	.02	.17	.15	.11
P2O5	.06	.10	.07	.21	.17	.23	.13	.12	.02	.20	.17	.14
ZrO2	n.d.	.01	n.d.	.02	n.d.	n.d.	n.d.	*	n.d.	n.d.	.06	n.d.
Total	98.08	100.21	101.79	97.82	98.55	100.75	101.12	101.12	98.19	100.00	98.43	99.21

CIPW Molecular Norms

q	.24	--	--	--	--	--	--	--	--	--	--	--
c	--	--	--	--	--	--	--	--	--	--	--	--
z	--	.01	--	.02	--	--	--	--	--	--	.05	--
or	1.08	.70	.74	.90	1.36	.99	.70	.53	.12	1.00	.90	.65
ab	4.19	3.54	4.00	3.67	3.79	3.98	4.23	3.78	2.09	4.19	3.62	3.78
an	48.86	53.78	51.86	52.59	51.62	52.72	52.75	49.00	54.51	54.90	53.63	49.24
ne	--	--	--	--	--	--	--	--	--	--	--	--
vc	6.06	2.26	3.51	4.94	3.02	3.47	3.59	3.89	5.53	2.37	4.05	4.42
en	4.44	1.72	2.66	3.55	2.28	2.58	2.52	2.85	3.86	1.68	2.81	3.16
fs	1.62	.70	.85	1.39	.74	.88	.97	1.04	1.64	.69	1.25	1.25
en	23.83	19.48	19.61	20.59	19.60	18.53	19.53	22.97	13.52	14.54	13.58	18.61
fs	8.69	6.23	6.24	8.04	6.37	6.42	7.23	8.35	5.74	5.99	6.04	7.39
fo	--	8.16	7.38	1.76	7.08	6.12	5.17	4.77	8.57	9.23	8.49	7.13
fa	--	2.61	2.34	.63	2.30	2.11	1.98	1.73	3.64	3.80	3.78	2.83
ca	.26	.16	.19	.20	.25	.21	.27	.20	.23	.16	.19	.28
il	.58	.60	.47	1.22	1.20	1.22	.88	.48	.54	1.12	1.23	.96
ap	.13	.21	.11	.45	.36	.47	.21	.25	.04	.42	.36	.29

TABLE 5: CONTINUED

Section	9	10	17	9	18	20	20	7	12	12	18
Fragment	1	18	104	5	66	10a	10b	2	59	31	196
SiO ₂	45.3	48.4	46.9	45.4	46.2	46.8	45.9	49.9	43.7	48.8	45.2
TiO ₂	.80	.97	.98	.72	1.07	1.96	1.65	.41	.38	.31	.41
Al ₂ O ₃	19.3	15.7	19.2	21.3	17.8	18.4	18.4	17.5	19.7	19.0	17.2
Cr ₂ O ₃	.20	.25	.22	.15	.25	.23	.24	.27	.24	.25	.19
FeO	8.7	8.8	9.0	9.2	9.4	9.6	9.6	15.3	10.5	11.1	12.5
MnO	.16	.15	.14	.15	.14	.12	.13	.17	.10	.16	.16
MgO	10.6	14.9	11.2	11.3	11.3	11.7	11.3	19.5	13.1	8.8	13.5
CaO	12.3	9.3	12.4	12.5	12.4	12.3	12.5	11.1	11.9	12.6	11.2
Na ₂ O	.44	.43	.50	.40	.45	.43	.52	.37	.39	.38	.34
K ₂ O	.24	.17	.09	.20	.11	.16	.12	.23	.11	.03	.06
P ₂ O ₅	.13	.03	.20	.13	.15	.16	.19	.12	.08	.02	.06
ZrO ₂	n.d.	n.d.	n.d.	n.d.	.07	n.d.	.73	n.d.	.01	.02	.02
Total	98.27	99.10	100.83	101.45	99.34	100.96	99.78	109.67	100.21	101.47	100.84

CIPW Molecular Norms		q	c	z	or	ab	an	ne	to	en	fs	fs	fo	fa	cm	il	ap
		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		1.44	1.00	.52	1.16	.65	.33	.71	1.35	.64	.18	.35	3.40	3.01	44.64	44.64	44.64
		50.68	40.20	49.28	54.54	46.46	47.27	47.40	45.55	50.97	49.84	44.64	44.64	44.64	44.64	44.64	44.64
		---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
		4.13	2.20	4.02	2.12	5.75	4.80	5.28	3.42	2.69	4.91	3.92	3.92	3.92	3.92	3.92	
		2.90	1.69	2.86	1.48	4.05	3.39	3.69	2.26	1.88	2.90	2.60	2.60	2.60	2.60	2.60	
		1.22	.51	1.17	.64	1.70	1.41	1.59	1.17	.82	2.01	1.32	1.32	1.32	1.32	1.32	
		15.04	32.80	18.28	11.27	17.21	17.45	14.28	26.63	6.27	21.24	12.27	12.27	12.27	12.27	12.27	
		6.35	9.83	7.47	4.83	7.23	7.25	6.15	13.77	2.72	14.72	6.22	6.22	6.22	6.22	6.22	
		8.79	4.81	7.05	13.32	7.56	8.28	9.85	---	---	---	---	---	---	---	---	
		3.71	1.44	2.88	5.71	3.17	3.44	4.24	---	---	---	---	---	---	---	---	
		.22	.27	.24	.16	.28	.25	.25	.30	.26	.27	.21	.21	.21	.21	.21	
		1.24	1.35	1.35	.98	1.51	1.46	1.46	.57	.52	.43	.56	.56	.56	.56	.56	
		.28	.06	.45	.26	.32	.33	.44	.25	.16	.04	.12	.12	.12	.12	.12	

MARE BASALTS

TABLE 6: BULK ANALYSES OF MARE BASALTS

	Section 8	7	20	17	18	7	11	19
Fragment	7	44	44	57	195	8	34	93
SiO ₂	49.0	48.7	48.6	46.6	44.3	46.3	46.8	40.1
TiO ₂	1.61	.29	.55	2.73	2.68	1.00	1.41	12.3
Al ₂ O ₃	12.9	12.4	11.0	10.1	11.4	9.3	12.0	19.2
Cr ₂ O ₃	.30	.34	.30	.39	.26	.41	.10	.11
FeO	16.7	17.6	19.4	19.6	20.8	21.6	22.1	23.3
MnO	.33	.36	.31	.32	.26	.35	.33	.40
MgO	6.2	7.3	7.3	9.5	8.8	9.7	2.85	5.9
CaO	13.2	14.0	13.9	11.3	10.9	10.7	13.0	8.1
Na ₂ O	.71	.19	.10	.34	.32	.23	.33	.91
K ₂ O	.33	.14	.90	.15	.10	.17	.11	.26
P ₂ O ₅	.10	.04	.05	.09	.10	.08	.08	.13
ZrO ₂	n.d.	n.d.	.12	n.d.	.08	n.d.	n.d.	n.d.
Total	101.38	101.70	101.72	101.12	100.00	100.34	99.11	101.71

CIPW Molecular Norms

q	.65	--	--	--	--	--	2.05	1.02
c	--	--	--	--	--	--	--	--
z	--	--	.11	--	.08	--	--	--
or	2.00	.85	.55	.91	.62	1.04	.70	1.64
ab	6.54	1.75	.92	3.15	3.00	2.15	3.20	8.74
an	31.86	33.41	30.17	26.39	30.73	24.80	33.46	24.58
pe	--	--	--	--	--	--	--	--
fo	13.87	15.02	16.20	12.32	10.06	11.94	14.28	6.99
di	5.77	6.40	6.57	6.10	4.61	5.41	2.77	3.18
fs	8.10	8.63	.55	6.22	5.45	6.53	11.52	3.81
hy	11.79	13.50	13.60	17.02	12.84	16.15	5.74	14.23
fs	16.56	18.21	19.95	17.38	15.17	19.50	23.85	17.05
fo	--	.57	.43	2.94	5.97	4.70	--	--
ol	--	.77	.63	3.00	7.05	5.68	--	--
cm	.34	.38	.34	.44	.30	.47	.12	.13
il	2.30	.41	.79	3.92	3.93	1.45	2.12	18.30
ap	.21	.08	.11	.19	.22	.17	.18	.23

MINERALOGY

PLAGIOCLASE

PLAGIOCLASE

TABLE 7: PARTIAL ANALYSES OF PLAGIOCLASE FELDSPAR

Section 1

	Frag. No. 1			Grain No. 3		
	1	2	3	1	2	3
TiO ₂	.04	.01	.02	.02	.01	.04
Cr ₂ O ₃	*	*	*	*	*	*
FeO	.33	.14	.17	.13	.14	.18
MgO	.02	.08	.11	.10	.08	.04
CaO	14.4	18.8	19.2	18.9	19.1	19.1
Na ₂ O	2.03	.35	.38	.28	.31	.40
K ₂ O	.48	.03	.03	.03	.02	.05

Molecular End Members

	Frag. No. 1			Grain No. 3		
	1	2	3	1	2	3
An	77.2	96.6	97.2	97.0	96.4	96.1
Ab	19.7	3.3	2.6	2.9	3.2	3.6
Or	3.1	.2	.2	.1	.4	.3
Group	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT

TABLE 7: CONTINUED

Section 2

	Frag. No. 3			Grain No. 4		
	1	2	3	1	2	3
TiO ₂	.05	.02	.05	.05	.03	.01
Cr ₂ O ₃	*	*	*	*	*	*
FeO	.14	.21	.16	.20	.24	.22
MgO	.02	.08	.07	.09	.05	.04
CaO	18.0	18.2	18.5	18.5	18.9	19.1
Na ₂ O	.51	.58	.50	.39	.33	.33
K ₂ O	.12	.12	.12	.05	.06	.06

Molecular End Members

	Frag. No. 3			Grain No. 4		
	1	2	3	1	2	3
An	94.4	93.9	94.6	95.0	96.6	96.6
Ab	4.8	5.4	4.7	3.7	3.0	3.0
Or	.7	.7	.7	.3	.4	.4
Group	ANAT	ANAT	ANAT	SPT	SPT	SPT

PLAGIOCLASE

TABLE 7: CONTINUED

Section 7

Frag. No.	2	4	4	4	4	5	5	5	10	10	10	12	12
TiO ₂	.02	.03	.03	.01	.02	.01	.04	.03	.01	.03	.03	.01	.03
Cr ₂ O ₃	*	*	*	*	*	*	*	*	*	*	*	*	*
FeO	.25	.15	.16	.12	.20	.25	.30	.30	.28	.15	.25	.23	.29
MgO	.15	.02	.06	.06	.04	.05	.51	.42	.45	.06	.09	.15	.09
CaO	18.8	18.9	18.5	18.5	18.7	19.0	18.3	18.5	18.5	18.5	18.6	18.2	18.8
Na ₂ O	.26	.44	.50	.36	.34	.33	.26	.29	.26	.26	.45	.54	.36
K ₂ O	.03	.03	.07	.06	.06	.06	.01	*	.02	.04	.04	.13	.10
Molecular End Members													
Ac	97.4	97.7	94.9	95.2	96.5	96.6	97.4	97.2	97.4	95.5	96.5	94.1	96.1
Ab	2.4	2.2	4.1	3.4	3.2	3.0	2.5	2.8	2.5	4.3	2.5	5.1	3.3
Or	.2	.1	.4	.4	.4	.4	.1	.0	.1	.2	.1	.8	.6
Group	HAB	HAB	SPT	SPT	SPT	SPT	ANAT	ANAT	ANAT	SPT	SPT	ANAT	ANAT

TABLE 7: CONTINUED

Section 7 Continued

Frag. No.	15	15	15	15	18	18	18	18	18	33	33	33	33
TiO ₂	*	*	*	*	.03	*	*	*	.01	.02	.03	*	.01
Cr ₂ O ₃	*	*	*	*	*	*	*	*	*	*	*	*	*
FeO	.16	.40	.17	.25	.32	.21	.20	.14	.32	.23	.26	.28	.21
MgO	.09	.06	.05	.05	.29	.04	.22	.18	.29	.20	.19	.12	.08
CaO	18.6	18.6	18.7	18.9	18.5	18.9	19.0	19.2	19.2	19.0	19.2	19.4	19.4
Na ₂ O	.39	.47	.36	.43	.40	.50	.37	.20	.42	.38	.40	.37	.39
K ₂ O	.03	.04	.03	.04	.04	.03	.01	.02	.04	.04	.01	.02	.07
Molecular End Members													
An	96.2	95.4	96.5	95.8	96.0	95.3	96.5	98.0	96.0	96.3	96.3	96.5	96.1
Ab	3.6	4.4	3.4	3.9	3.8	4.6	3.4	1.8	3.8	3.5	3.6	3.3	3.5
Or	.2	.2	.2	.2	.2	.2	.1	.1	.2	.2	.1	.1	.4
Group	ANAT	ANAT	ANAT	ANAT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT

TABLE 7: CONTINUED

Section 7 Continued		35		35		36		36		36		36	
Frag. No.	35	35	35	35	35	36	36	36	36	36	36	36	36
Grain No.	3	4	1	2	5	5	2	4	3	1	1	1	1
TiO ₂	.02	*	*	.04	*	.03	.02	.02	.02	.03	.02	.02	.03
Cr ₂ O ₃	*	*	.02	*	*	.01	*	.02	*	*	*	*	*
FeO	.32	.21	.10	.25	.27	.18	.16	.25	.19	.19	.19	.19	.19
MgO	.14	.16	.06	.19	.17	.07	.11	.12	.11	.10	.11	.11	.10
CaO	18.5	19.2	19.4	19.6	19.7	18.7	18.9	19.0	19.1	19.2	19.1	19.2	19.2
Na ₂ O	.45	.31	.37	.34	.34	.50	.52	.56	.45	.44	.45	.44	.44
K ₂ O	.08	.03	.04	.03	.03	.07	.10	.12	.10	.08	.12	.10	.08
Molecular End Members													
An	95.3	97.0	94.6	96.8	96.8	95.0	94.7	94.3	95.3	95.6	94.3	95.3	95.6
Ab	4.2	2.8	3.3	3.0	3.0	4.6	4.7	5.0	4.1	4.0	5.0	4.1	4.0
Or	.5	.2	.2	.2	.2	.4	.6	.7	.6	.5	.7	.6	.5
Group	SPT	SPT	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT

TABLE 7: CONTINUED

Section 7 Continued		41		41		42		42		42		42		44		44		44	
Frag. No.	4	1	41	41	41	41	42	42	42	42	42	42	42	44	44	44	44	44	44
Grain No.	4	1	5	3	2	2	1	3	4	5	2	3	1	2	3	1	3	1	1
TiO ₂	.02	.01	.01	.01	*	*	*	.01	*	*	*	*	*	*	*	*	*	*	.02
Cr ₂ O ₃	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
FeO	.37	.30	.35	.34	.43	.43	.20	.27	.18	.26	.25	.26	.25	1.07	.86	1.08	.86	1.08	
MgO	.22	.05	.12	.06	.09	.13	.13	.45	.34	.36	.31	.36	.31	.08	.11	.08	.11	.08	
CaO	18.6	19.2	19.2	19.3	19.4	17.8	19.0	19.0	19.0	19.3	19.4	19.3	19.4	19.1	19.1	19.4	19.1	19.4	
Na ₂ O	.68	.36	.41	.36	.28	.87	.87	.36	.38	.39	.35	.39	.35	.36	.29	.44	.36	.29	
K ₂ O	.19	.10	.10	.07	.08	.12	.12	.02	.05	.05	.04	.05	.04	.06	.03	.06	.06	.03	
Molecular End Members																			
An	92.7	96.1	95.7	96.3	97.0	91.2	96.4	96.2	96.2	96.2	96.6	96.2	96.6	96.4	97.1	97.1	96.4	97.1	95.9
Ab	6.1	3.3	3.7	3.3	2.5	8.1	3.5	3.5	3.5	3.5	3.2	3.5	3.2	3.3	2.7	2.7	3.3	2.7	3.9
Or	1.1	.6	.6	.4	.5	.7	.1	.3	.3	.3	.2	.3	.2	.4	.2	.2	.4	.2	.2
Group					SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT

TABLE 7: CONTINUED

Section 8		2		2		7		7		7		8		8		
Frag. No.	2	2	1	2	2	2	5	1	3	4	4	1	4	3	8	
Grain No.	5	4	3	1	2	2	5	1	3	4	4	1	4	3	2	
TiO ₂	*	.01	.01	.01	.01	.04	.04	.05	.02	.03	.03	.02	.03	.03	*	
Cr ₂ O ₃	*	.01	*	.02	*	*	*	.01	*	*	*	*	*	*	*	
FeO	.31	.25	.31	.24	1.23	1.23	.76	.87	.95	.63	.63	.21	.28	.32	.21	
MgO	.13	.07	.18	.12	.17	.09	.09	.13	.09	.09	.09	.10	.09	.11	.06	
CaO	19.3	19.4	19.8	19.9	16.3	16.5	16.5	16.6	16.7	18.4	18.4	19.0	19.1	19.2	19.5	
Na ₂ O	.40	.37	.34	.29	1.61	1.52	1.52	1.21	1.34	.57	.57	.54	.53	.40	.31	
K ₂ O	.02	.04	.02	.01	.77	.23	.23	.38	.30	.08	.08	.11	.13	.13	.07	
Molecular End Members																
An	96.3	96.4	94.4	96.9	97.4	83.4	84.5	85.3	85.7	94.2	94.2	94.5	94.5	95.6	96.8	
Ab	3.6	3.3	5.4	3.0	2.6	14.9	14.1	11.4	12.4	5.3	5.3	4.9	4.7	3.6	2.8	
Or	.1	.2	.2	.1	.1	1.6	1.4	2.4	1.8	.5	.5	.7	.8	.8	.4	
Group	ANAT	ANAT	ANAT	ANAT	ANAT	MB	MB	MB	MB	MB	MB	ANAT	ANAT	ANAT	ANAT	

TABLE 7: CONTINUED

Section 8 Continued		10		10		11		11		11		12		12		
Frag. No.	10	10	10	10	11	11	11	11	11	12	12	12	12	12	12	
Grain No.	3	2	1	4	1	3	4	2	4	1	1	2	5	3	3	
TiO ₂	.02	*	.01	.01	*	.02	.01	*	.01	.03	.03	.02	.02	.03	*	
Cr ₂ O ₃	*	*	.01	.01	*	.01	*	*	*	*	*	.01	.01	*	*	
FeO	.66	.92	.37	.35	.63	1.18	.79	.74	.59	.22	.22	.34	.38	.33	.33	
MgO	1.75	.72	.60	.61	.26	.25	.27	.27	.37	.17	.17	.26	.20	.09	.09	
CaO	18.7	18.9	19.2	19.2	18.5	18.5	18.5	18.8	18.8	18.6	18.6	18.8	18.8	19.2	19.2	
Na ₂ O	.26	.19	.24	.21	.43	.56	.50	.39	.78	.51	.51	.48	.61	.33	.33	
K ₂ O	.04	.04	.03	.03	.01	.02	.03	.03	.05	.13	.13	.03	.11	.09	.09	
Molecular End Members																
An	97.3	98.0	97.6	97.9	95.9	94.7	95.2	95.2	92.4	94.5	94.5	95.4	93.8	96.5	96.5	
Ab	2.4	1.8	2.2	1.9	4.0	5.2	4.7	3.6	7.2	4.7	4.7	4.4	5.5	3.0	3.0	
Or	.2	.2	.2	.2	.1	.1	.2	.2	.4	.8	.8	.2	.7	.5	.5	
Group	ANAT	ANAT	ANAT	ANAT	ANAT	MB	MB	MB	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	

TABLE 7: CONTINUED

Section 8 Continued		14		14		22		22		22		23		23		23		23	
Frag. No.	14	14	14	14	14	22	22	22	22	22	22	23	23	23	23	23	23	23	23
Grain No.	4	1	3	2	5	1	4	2	2	3	3	4	3	2	1	1	1	1	5
TiO ₂	.01	.02	.02	.03	.01	*	.02	*	*	.01	*	.02	*	.01	*	*	.01	*	.02
Cr ₂ O ₃	.01	*	.01	.01	*	*	*	*	*	*	*	*	*	*	*	*	*	*	.01
FeO	.49	.34	.32	.32	.38	.13	.16	.12	.12	.26	.26	.58	.28	.21	.25	.25	.25	.25	.26
MgO	.18	.18	.13	.20	.22	.06	.08	.02	.02	.11	.11	.13	.16	.12	.15	.15	.15	.15	.12
CaO	18.2	18.5	18.5	18.9	18.9	18.6	19.2	19.4	19.4	19.4	19.4	19.2	19.5	19.8	19.9	19.9	19.9	19.9	20.1
K ₂ O	.70	.54	.63	.53	.51	.35	.33	.31	.31	.33	.33	.42	.55	.46	.30	.30	.30	.30	20.1
K ₂ O	.23	.13	.20	.14	.15	.04	.06	.02	.02	.03	.03	.06	.06	.04	.03	.03	.03	.03	.02
Molecular End Members																			
An	92.2	94.2	93.1	94.4	94.5	95.5	96.6	97.1	97.1	96.8	95.8	95.8	94.8	95.7	96.9	96.9	96.9	96.9	97.2
Ab	6.4	5.0	5.7	4.8	4.6	3.3	3.0	2.8	2.8	3.0	3.8	3.8	4.8	4.0	2.9	2.9	2.9	2.9	2.7
Or	1.4	.8	1.2	.8	.9	.2	.4	.1	.1	.2	.4	.4	.3	.2	.2	.2	.2	.2	.1
Group	HAB	HAB	HAB	HAB	HAB	HAB	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT

TABLE 7: CONTINUED

Section 8 Continued		28		28		28		28		28		28		28		28		28	
Frag. No.	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
Grain No.	4	1	2	5	3	1	2	4	1	3	4	4	2	1	3	1	1	3	10
TiO ₂	.01	.03	.02	.01	.02	.03	.04	.01	.01	.05	.07	.07	.09	.05	.06	.06	.06	.06	.06
Cr ₂ O ₃	*	*	*	.01	.01	.01	.05	.01	.01	.01	.02	.02	.01	.01	.01	.01	.01	.01	.01
FeO	.17	.20	.20	.18	.15	.24	.27	.33	.33	.25	.40	.40	.51	.47	.42	.42	.42	.42	.42
MgO	.02	.11	.09	.08	.05	.31	.27	.04	.04	.14	.25	.25	.15	.25	.29	.29	.29	.29	.29
CaO	19.1	19.5	19.7	19.7	20.2	18.6	18.8	19.4	19.4	19.5	16.4	16.4	16.5	16.6	16.7	16.7	16.7	16.7	16.7
K ₂ O	.70	.40	.43	.54	.28	.52	.50	.43	.43	.29	1.39	1.39	1.50	1.26	1.34	1.34	1.34	1.34	1.34
K ₂ O	.09	.04	.06	.04	.04	.05	.05	.05	.05	.03	.07	.07	.09	.09	.08	.08	.08	.08	.08
Molecular End Members																			
An	93.2	96.2	95.9	95.1	97.3	94.9	95.1	95.9	95.9	97.2	86.3	85.4	85.4	87.4	86.9	86.9	86.9	86.9	86.9
Ab	6.2	3.6	3.8	4.7	2.4	4.8	4.6	3.8	3.8	2.6	13.2	14.9	14.9	12.9	12.6	12.6	12.6	12.6	12.6
Or	.5	.2	.3	.2	.2	.3	.3	.3	.3	.2	.4	.5	.5	.6	.5	.5	.5	.5	.5
Group	NATA	NATA	NATA	NATA	NATA	NAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB

TABLE 7: CONTINUED

Section 10

Frag. No.	1	1	1	1	4	4	4	4	4
Grain No.	5	1	3	2	4	1	5	3	2
TiO ₂	.02	.01	.01	.01	.01	.01	.02	*	*
Cr ₂ O ₃	*	.01	*	*	*	*	*	*	*
FeO	.17	.17	.20	.15	.21	.22	.19	.15	.16
MgO	.25	.13	.22	.09	.09	.03	.02	.05	.02
CaO	19.2	19.5	19.7	19.8	19.8	19.5	19.9	20.0	20.1
Na ₂ O	.46	.32	.41	.25	.36	.44	.22	.28	.12
K ₂ O	.05	.04	.05	.05	.05	.04	.05	.05	.05

Group	SPT	SPT	SPT	SPT	NATA	NATA	NATA	NATA	NATA
An	95.6	96.9	96.1	97.5	96.5	95.8	97.6	97.2	98.8
Ab	4.1	2.9	3.6	2.2	3.2	3.9	2.0	2.5	1.1
Or	.3	.2	.3	.3	.3	.3	.4	.3	.1

Molecular End Members

TABLE 7: CONTINUED

Section 10 Continued

Frag. No.	6	6	6	6	3	8	8	3	8	18	18	18	18
Grain No.	5	1	2	4	3	3	3	1	2	5	4	3	1
TiO ₂	.02	.01	.02	.03	*	.01	.01	.01	*	.01	.02	.02	*
Cr ₂ O ₃	*	*	*	*	*	*	*	*	*	*	*	*	*
FeO	.34	.23	.28	.30	.19	.16	.15	.11	.16	.20	.20	.23	.26
MgO	.15	.29	.18	.22	.07	.13	.12	.10	.11	.07	.08	.03	.08
CaO	18.8	19.2	19.2	19.3	19.4	19.5	19.6	19.7	20.0	18.6	18.8	19.0	19.4
Na ₂ O	.53	.52	.60	.50	.39	.37	.24	.30	.26	.52	.66	.52	.29
K ₂ O	.07	.05	.02	.07	.05	.05	.05	.02	.04	.10	.17	.11	.13

Group	HAB	HAB	HAB	HAB	HAB	ANAT	ANAT	ANAT	ANAT	SPT	SPT	SPT	SPT
An	94.8	95.0	94.4	95.1	96.3	96.4	97.5	97.2	97.5	94.6	93.1	94.7	94.5
Ab	4.8	4.7	5.3	4.5	3.5	3.3	2.2	2.7	2.3	4.8	5.9	4.7	4.8
Or	.4	.3	.2	.4	.2	.3	.3	.1	.2	.6	1.0	.7	.8

Molecular End Members

TABLE 7: CONTINUED

Section 17

Frag. No.	19		19		63		63		84		84		84		91		91		91	
	19	3	19	4	19	2	63	1	63	2	84	1	84	2	84	3	91	2	91	3
Grain No.	5	3	19	4	19	2	63	1	63	2	84	1	84	2	84	3	91	2	91	3
TiO ₂	.04	.05	.02	.06	.02	.02	.05	.02	.04	.03	.02	.03	.02	.03	.04	.21	.08	.02	.06	.06
Cr ₂ O ₃	.01	.01	.01	*	.01	.02	.01	.01	.02	.01	*	.01	.01	*	.02	.01	.01	.01	.01	.02
FeO	.32	.22	.28	.17	.28	.12	.36	.27	.38	.22	.18	.22	.18	.22	.24	1.15	.89	.18	.89	.77
MgO	.14	.13	.11	.07	.12	.12	.27	.20	.28	.14	.17	.14	.17	.14	.25	1.63	2.20	.17	2.20	2.54
CaO	18.7	18.8	19.0	19.0	19.7	19.7	16.5	18.1	18.1	19.4	19.7	19.4	19.7	19.7	17.7	17.7	17.9	19.7	17.9	18.3
Na ₂ O	.56	.50	.42	.55	.42	.24	1.59	.97	.94	.32	.21	.32	.21	.23	.63	.63	.71	.21	.71	.61
K ₂ O	.14	.12	.11	.09	.11	.09	.25	.18	.18	.02	.03	.02	.03	.03	.05	.05	.10	.03	.10	.06
Molecular End Members																				
An	94.1	94.7	94.5	95.5	97.3	97.3	83.9	90.2	90.4	97.0	97.9	97.0	97.9	97.8	93.7	92.7	92.7	97.8	92.7	94.0
Ab	5.1	4.6	5.0	3.8	2.1	2.1	14.6	8.7	8.5	2.8	1.9	2.9	1.9	2.1	6.0	6.7	6.7	2.1	6.7	5.7
Or	.8	.7	.5	.7	.5	.5	1.5	1.1	1.1	.2	.2	.1	.2	.2	.3	.6	.6	.2	.6	.4
Group	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	NATA	NATA	NATA	NATA	NATA	SPT	SPT	NATA	SPT	SPT

TABLE 7: CONTINUED

Section 18

Frag. No.	2		2		97		110		110		110		111		111		111		111		25		25		25	
	2	4	2	2	2	1	110	3	110	1	111	1	111	2	111	2	111	2	111	2	25	1	25	2	25	3
Grain No.	1	4	2	3	2	1	110	3	110	1	111	1	111	2	111	2	111	2	111	2	25	1	25	2	25	3
TiO ₂	.04	.03	.06	.01	.19	.19	.04	.04	.05	.03	.03	.05	.03	.02	.03	.02	.03	.02	.03	.02	.07	.09	.09	.02	.02	.06
Cr ₂ O ₃	.01	.02	.02	*	.01	.01	*	.01	.01	.02	.02	.01	.02	.01	.02	.01	.02	.01	.02	.01	*	*	*	.02	.02	.02
FeO	.21	.26	.21	.22	1.02	1.02	.32	.20	.26	.19	.12	.26	.19	.11	.11	.11	.12	.11	.11	.11	.44	.34	.34	.27	.27	.31
MgO	.10	.16	.07	.01	.54	.54	.13	.06	.10	.12	.09	.10	.12	.09	.09	.05	.09	.05	.09	.05	.19	.12	.12	.02	.02	.09
CaO	18.9	19.3	19.4	19.8	15.3	15.3	18.3	18.8	19.0	19.3	19.4	19.0	19.3	20.1	18.4	18.5	19.0	20.1	18.4	18.4	18.4	18.5	18.5	19.0	19.6	
Na ₂ O	.61	.35	.39	.45	1.77	1.77	.65	.57	.60	.46	.41	.60	.46	.21	.67	.67	.54	.21	.67	.54	.67	.67	.67	.54	.28	
K ₂ O	.11	.11	.13	.05	.16	.16	.21	.16	.14	.06	.06	.14	.06	.01	.26	.26	.15	.01	.26	.15	.26	.22	.22	.15	.08	
Molecular End Members																										
An	93.9	96.2	95.8	95.8	81.8	81.8	92.8	93.9	93.8	95.5	96.0	98.1	98.1	98.1	92.4	92.6	94.3	98.1	92.4	92.6	94.3	92.6	94.3	94.3	97.0	
Ab	5.5	3.2	3.5	3.9	17.1	17.1	6.0	5.2	5.4	4.1	3.7	1.9	1.9	1.9	6.1	6.1	4.8	1.9	6.1	6.1	6.1	6.1	6.1	4.8	2.5	
Or	.7	.7	.8	.3	1.0	1.0	1.3	.8	1.0	.4	.4	.1	.1	.1	1.6	1.3	.9	.1	1.6	1.3	1.3	1.3	1.3	.9	.5	
Group	ANAT	ANAT	ANAT	ANAT	HAB	HAB	HAB	HAB	HAB	HAB	SPT	SPT	SPT	SPT	HAB	HAB	HAB	SPT	HAB	HAB	HAB	HAB	HAB	HAB	HAB	

OLIVINE

TABLE 8: OLIVINE ANALYSES

Section 1			Section 2									
Frag. No.	1	1	1	3	3	3	3	3	3	3	3	
Grain No.	3	2	1	4	3	1	2	1	4	3	5	
SiO2	41.2	40.2	37.2	37.1	39.8	39.2	38.6	37.4	38.3	37.7	37.7	38.1
TiO2	.01	.09	.05	.04	.02	.03	.03	.13	.10	.11	.07	.17
Al2O3	*	.01	.15	.17	*	*	.02	.05	.03	.01	.15	.10
Cr2O3	.06	.07	.06	.07	.05	.05	.05	.08	.06	.08	.07	.09
FeO	8.6	15.7	29.0	32.5	17.7	18.0	21.6	23.4	21.3	24.2	24.4	23.8
MgO	50.1	44.3	33.5	31.0	43.4	43.4	40.1	37.4	37.1	37.6	37.6	37.8
CaO	.28	.22	.21	.25	.10	.11	.19	.28	.21	.18	.21	.29
Total	100.25	100.59	100.17	101.13	101.07	100.79	100.59	98.75	99.80	99.88	100.20	100.35
Number of Ions on the Basis of 4 (O)												
Si	1.001	1.005	.997	1.001	1.000	.990	.994	.992	1.005	.991	.989	.994
Ti	--	.001	.005	.005	--	--	.001	.002	.001	.002	.005	.003
Cr	.001	.001	.001	.002	.001	.001	.001	.002	.002	.002	.002	.002
Tl	.001	.002	.001	.001	.001	.001	.001	.003	.002	.002	.001	.003
Mg	1.814	1.650	1.338	1.246	1.624	1.634	1.539	1.478	1.451	1.473	1.470	1.470
Fe	.175	.328	.650	.733	.372	.380	.465	.519	.527	.532	.535	.519
Ca	.007	.006	.006	.007	.003	.003	.005	.008	.006	.005	.006	.008
Z	1.001	1.005	.997	1.001	1.000	.990	.994	.992	1.005	.991	.989	.994
X	1.999	1.988	2.001	1.994	2.001	2.019	2.012	2.012	1.988	2.016	2.019	2.005
Sum	3.000	2.993	2.998	2.995	3.001	3.009	3.006	3.004	2.993	3.007	3.008	2.999
Molecular End Members												
Fo	91.2	83.4	67.3	63.0	81.4	81.1	76.8	74.0	73.0	73.5	73.3	73.9
Fa	8.8	16.6	32.7	37.0	18.6	18.9	23.2	26.0	26.6	26.5	26.7	26.1
Group	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT

TABLE 8: CONTINUED

Section 2 Continued		Section 7														
Frag. No.	6	5	6	6	8	8	8	8	8	8	2	2	4	4	4	
Grain No.	4	5	2	1	3	2	1	3	4	4	2	1	3	2	1	
SiO ₂	39.3	39.4	39.3	39.6	35.1	37.3	37.3	35.7	37.4	37.4	39.8	39.9	40.0	39.6	39.8	
TiO ₂	.04	.10	.24	.21	.15	.06	.09	.06	.06	.06	n.d.	n.d.	.05	.04	.03	
Al ₂ O ₃	*	*	.03	.01	.03	.02	.04	.04	.01	.01	n.d.	n.d.	*	*	*	
Cr ₂ O ₃	.03	.01	.04	.05	.05	.08	.10	.08	.10	.10	n.d.	n.d.	.04	.01	.07	
FeO	18.6	19.0	19.1	19.4	20.2	24.6	25.7	25.9	25.9	25.9	15.1	16.1	15.5	15.6	15.6	
MgO	41.4	41.2	41.2	40.9	39.8	34.5	35.2	35.4	35.3	35.3	44.1	43.1	43.4	43.6	43.9	
CaO	.15	.18	.15	.12	.12	.18	.17	.18	.21	.21	.36	.45	.19	.17	.15	
Total	99.52	99.89	100.06	99.69	99.45	96.74	98.67	99.56	98.98	98.98	99.36	99.75	99.18	99.02	99.55	
Number of Ions on the Basis of 4 (O)																
Si	1.005	1.008	1.013	1.006	1.005	1.007	1.007	1.004	1.002	1.002	1.010	1.015	1.001	1.008	1.001	
Al	--	--	--	--	--	--	--	.001	.001	.001	.001	.001	.001	.001	.001	
Cr	--	--	.001	.001	.001	.001	.001	.001	.001	.001	.001	.002	.002	.002	.002	
Ti	--	--	.001	.001	.001	.001	.002	.005	.004	.004	.003	.001	.002	.001	.001	
Mg	1.660	1.631	1.638	1.651	1.653	1.581	1.570	1.568	1.566	1.566	1.532	1.399	1.438	1.399	1.407	
Fe	.319	.340	.328	.331	.330	.399	.406	.408	.417	.417	.436	.569	.577	.574	.580	
Ca	.010	.012	.005	.005	.040	.004	.005	.004	.003	.003	.003	.005	.005	.005	.006	
Z	1.005	1.008	1.013	1.006	1.005	1.007	1.007	1.004	1.002	1.002	1.010	1.015	1.001	1.008	1.001	
X	1.989	1.983	1.973	1.989	1.989	1.986	1.984	1.987	1.992	1.992	1.976	1.958	1.995	1.982	1.997	
Sun	2.994	2.991	2.986	2.995	2.994	2.993	2.991	2.991	2.994	2.994	2.986	2.983	2.996	2.990	2.998	
Molecular End Members																
Fo	83.9	82.7	83.3	83.3	83.4	79.9	79.4	79.4	79.0	79.0	77.8	71.4	70.3	70.9	70.8	
Fa	16.1	17.3	16.7	16.7	16.6	20.1	20.6	20.6	21.0	21.0	22.2	28.6	29.1	29.1	29.2	
Group	HAB	HAB	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	AVAT	AVAT	AVAT	AVAT	

TABLE 8: CONTINUED

Section 7 Continued

Frag. No.	8	8	6	10	10	10	12	12	12	15	15	15
Grain No.	3	2	1	2	3	1	3	2	1	2	3	1
SiO ₂	37.0	36.8	36.7	39.9	39.9	39.8	38.1	37.6	37.5	38.5	38.2	38.5
TiO ₂	.07	.07	.06	.11	.11	.25	.04	.06	.14	.06	.05	.05
Al ₂ O ₃	.19	.15	.12	*	.04	*	.12	.06	.11	.03	.02	.04
Cr ₂ O ₃	.22	.17	.15	.03	.03	.07	.02	.04	.05	.02	.04	.01
FeO	28.4	31.2	32.6	14.5	14.6	14.7	25.5	25.6	25.6	23.0	23.3	23.4
MgO	33.1	31.6	30.1	44.5	44.6	44.3	36.2	35.7	35.6	38.0	38.3	38.1
CaO	.60	.28	.34	.16	.22	.19	.24	.28	.29	.12	.13	.09
Total	99.58	100.27	100.07	99.19	99.50	99.31	100.22	99.34	99.29	99.73	100.04	100.19

Number of Ions on the Basis of 4 (O)

Si	.997	.997	1.003	1.006	1.004	1.004	1.002	1.000	.998	1.006	.997	1.003
Al	.006	.005	.004	--	.001	--	.004	.002	.004	.001	.001	.001
Cr	.005	.004	.003	.001	.001	.001	.001	.001	.001	.001	.001	.001
Ti	.001	.001	.001	.002	.002	.005	.001	.001	.003	.001	.001	.001
Mg	1.329	1.276	1.226	1.673	1.672	1.655	1.423	1.415	1.413	1.475	1.499	1.479
Fe	.640	.707	.745	.306	.307	.310	.561	.570	.570	.502	.509	.510
Ca	.017	.008	.010	.004	.006	.005	.007	.008	.008	.003	.004	.003
Z	.997	.997	1.003	1.006	1.004	1.004	1.002	1.000	.998	1.006	.997	1.003
X	1.998	2.001	1.989	1.986	1.989	1.986	1.994	1.997	1.999	1.987	2.006	1.995
Sum	2.995	2.998	2.992	2.992	2.493	2.990	2.996	2.997	2.997	2.993	3.003	2.998

Molecular End Members

Fo	67.5	64.4	62.2	84.5	84.5	84.3	71.7	71.3	71.3	74.7	74.6	74.4
Fa	32.5	35.6	37.8	15.5	15.5	15.7	28.3	28.7	28.7	25.3	25.4	25.6

Group	NB	NB	NB	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT
-------	----	----	----	-----	-----	-----	------	------	------	------	------	------

TABLE 8: CONTINUED

Section 7 Continued		18		18		18		33		33		35		35		36		36	
Frag. No.	18	18	18	18	18	33	33	33	33	33	33	35	35	35	35	36	36	36	36
Grain No.	2	1	4	3	3	2	2	1	1	2	1	2	3	1	1	3	2	2	2
SiO ₂	40.6	40.1	39.9	39.7	39.3	39.2	39.2	39.2	39.2	39.9	39.9	39.8	39.8	39.9	39.2	39.1	38.9		
TiO ₂	.07	.05	.10	.10	.28	.03	.04	.04	.04	.12	.12	.01	.01	.20	.03	.03	.01		
Al ₂ O ₃	*	*	.03	.04	.11	*	.02	.02	.02	.01	*	*	*	.01	*	*	.02		
Cr ₂ O ₃	.03	.01	.03	.04	.05	.02	.05	.05	.05	.05	.04	.04	.04	.08	.05	.04	.03		
FeO	11.7	13.3	13.3	15.1	16.3	16.4	16.4	16.4	16.4	14.7	14.3	14.3	14.3	14.6	17.9	18.0	18.3		
MgO	46.6	45.4	45.8	44.2	43.2	43.4	43.4	43.4	43.4	44.9	44.7	44.7	44.7	44.4	41.6	41.5	41.4		
CaO	.16	.20	.21	.21	.20	.19	.12	.12	.12	.17	.14	.14	.14	.13	.15	.20	.15		
Total	99.16	99.06	99.37	99.39	99.44	99.24	99.23	99.23	99.23	99.15	98.99	98.99	98.99	99.32	98.93	98.87	98.81		

Number of Ions on the Basis of 4 (0)

Si	1.010	1.007	1.000	1.003	.998	.998	.998	.998	.998	1.005	1.005	1.005	1.005	1.006	1.008	1.006	1.004		
Al	--	--	.001	.001	.003	--	.001	.001	.001	.001	.001	.001	.001	.001	--	--	.001		
Cr	.001	.001	.001	.001	.001	.001	.001	.001	.001	.001	.001	.001	.001	.002	.001	.001	.001		
Ti	.001	.001	.002	.002	.005	.001	.001	.001	.001	.002	.001	.001	.001	.004	.001	.001	.001		
Mg	1.728	1.699	1.710	1.664	1.635	1.647	1.647	1.647	1.647	1.685	1.682	1.682	1.682	1.668	1.593	1.592	1.592		
Fe	.244	.279	.279	.319	.346	.349	.349	.349	.349	.295	.302	.302	.302	.308	.345	.388	.395		
Ca	.004	.005	.006	.006	.005	.005	.003	.003	.003	.005	.004	.004	.004	.004	.004	.006	.004		
Z	1.010	1.007	1.000	1.003	.998	.998	.998	.998	.998	1.005	1.005	1.005	1.005	1.006	1.008	1.006	1.004		
X	1.978	1.985	1.999	1.993	1.995	2.003	2.002	2.002	2.002	1.989	1.990	1.990	1.990	1.987	1.944	1.988	1.994		
Sum	2.988	2.992	2.999	2.996	2.993	3.001	3.000	3.000	3.000	2.994	2.995	2.995	2.995	2.993	2.952	2.994	2.998		

Molecular End Members

Fe	87.7	85.9	86.0	83.9	82.5	82.5	82.5	82.5	82.5	85.1	84.8	84.8	84.8	84.4	80.6	80.4	80.1		
Fa	12.3	14.1	14.0	16.1	17.5	17.5	17.5	17.5	17.5	14.9	15.2	15.2	15.2	15.6	19.4	19.6	19.9		

Group	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANAT	

TABLE 8: CONTINUED

Section 7 Continued		Section 8							
Frag. No.	41	41	2	2	8	8	13	13	16
Grain No.	3	2	1	2	1	3	2	1	1
SiO ₂	37.2	36.8	37.0	38.2	38.1	38.0	38.1	41.7	38.2
TiO ₂	.03	.06	.07	.09	.21	.10	.12	.02	.04
Al ₂ O ₃	.08	.10	.10	.06	.16	.08	.09	.15	.05
Cr ₂ O ₃	.04	.05	.05	.10	.11	.06	.08	.13	.02
FeO	28.3	28.5	28.7	22.9	23.7	22.5	24.5	5.8	23.6
MgO	33.5	33.4	33.0	38.0	37.0	38.2	36.5	51.4	37.7
CaO	.17	.16	.21	.36	.28	.37	.20	.39	.25
Total	99.32	99.07	99.12	99.71	99.56	99.31	99.89	99.59	99.86

Number of Ions on the Basis of 4 (O)	
Si	1.003
Al	.003
Cr	.001
Ti	.001
Mg	1.346
Fe	.638
Ca	.005
Z	1.003
X	1.994
Sum	2.997

Molecular End Members	
Fo	67.8
Fa	32.2
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	1.001
Al	.005
Cr	.002
Ti	.004
Mg	1.449
Fe	.521
Ca	.008
Z	1.001
X	1.989
Sum	2.990

Molecular End Members	
Fo	73.6
Fa	26.4
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	1.003
Al	.003
Cr	.001
Ti	.002
Mg	1.435
Fe	5.410
Ca	.007
Z	1.003
X	1.990
Sum	2.993

Molecular End Members	
Fo	72.6
Fa	27.4
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	1.007
Al	.004
Cr	.003
Ti	.001
Mg	1.849
Fe	.117
Ca	.010
Z	1.007
X	1.984
Sum	2.991

Molecular End Members	
Fo	94.0
Fa	6.0
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	1.000
Al	.002
Cr	.001
Ti	.003
Mg	1.498
Fe	.486
Ca	.001
Z	1.000
X	1.991
Sum	2.991

Molecular End Members	
Fo	75.5
Fa	24.5
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	.999
Al	.002
Cr	.002
Ti	.002
Mg	1.481
Fe	.501
Ca	.010
Z	.999
X	1.998
Sum	2.997

Molecular End Members	
Fo	74.7
Fa	25.3
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	1.003
Al	.003
Cr	.001
Ti	.001
Mg	1.432
Fe	.548
Ca	.006
Z	1.003
X	1.991
Sum	2.994

Molecular End Members	
Fo	72.3
Fa	27.7
Group	SPT

Number of Ions on the Basis of 4 (O)	
Si	1.000
Al	.004
Cr	.002
Ti	.003
Mg	1.411
Fe	.570
Ca	.005
Z	1.000
X	1.995
Sum	2.995

Molecular End Members	
Fo	71.2
Fa	28.8
Group	SPT

TABLE 8: CONTINUED

Section 8 Continued

Frag. No.	12	12	12	12	14	14	14	22	23	23	23	28
Grain No.	4	3	2	1	1	3	2	1	1	2	3	1
SiO ₂	38.2	38.2	37.1	37.1	37.8	37.4	37.9	39.3	37.9	37.8	37.8	37.1
H ₂ O	.06	.10	.17	.10	.06	.15	.04	.15	.22	.26	.14	.06
Al ₂ O ₃	.08	.04	.09	.12	.17	.09	.06	.19	.06	.11	.13	.13
Cr ₂ O ₃	.19	.20	.12	.07	.11	.16	.09	.01	.05	.09	.04	.04
FeO	21.7	22.3	28.6	28.9	25.3	25.4	25.6	14.7	21.7	22.9	22.9	28.1
MgO	37.8	37.7	33.1	32.4	35.6	35.5	35.4	44.5	38.7	37.5	37.7	33.4
CaO	.38	.40	.48	.47	.21	.19	.20	.23	.32	.25	.20	.31
Total	99.41	98.94	99.66	99.16	99.25	98.89	99.22	99.08	98.95	98.91	98.96	99.14

Number of Ions on the Basis of 4 (O)

Si	1.007	1.005	.999	1.005	1.004	.999	1.003	.995	.994	1.009	.997	1.002
Al	.003	.001	.003	.004	.005	.003	.002	.006	.002	.003	.004	.004
Cr	.004	.004	.003	.002	.002	.003	.002	.001	.001	.002	.001	.001
Ti	.001	.002	.003	.002	.001	.003	.001	.003	.004	.005	.004	.001
Mg	1.485	1.477	1.329	1.309	1.410	1.413	1.423	1.637	1.513	1.455	1.481	1.344
Fe	.478	.490	.644	.655	.562	.568	.569	.311	.476	.499	.505	.634
Ca	.011	.011	.014	.014	.006	.005	.026	.026	.029	.007	.006	.009
Z	1.007	1.005	.999	1.005	1.004	.999	1.008	.995	.994	1.009	.997	1.002
X	1.982	1.984	1.996	1.986	1.986	1.995	1.983	2.005	2.035	1.973	2.001	1.993
Sum	2.989	2.989	2.995	2.991	2.990	2.994	2.991	3.001	2.999	2.982	2.998	2.995

Molecular End Members

Fo	75.6	75.1	67.4	66.6	71.5	71.4	71.1	84.4	76.1	74.5	74.6	67.9
Fa	24.4	24.9	32.6	33.4	28.5	28.6	28.9	15.6	23.9	25.5	25.4	32.1
Group	ANAT	ANAT	ANAT	ANAT	HAB	HAB	HAB	SPT	SPT	SPT	SPT	MAIA

TABLE 8: CONTINUED

Section 9		1		3		1		5		2		3		4		3		4		2		1	
Frag. No.	1	1	1	1	1	1	1	1	1	2	3	5	5	5	5	7	7	7	7	7	7	7	7
Grain No.	2	4	3	1	1	1	1	1	1	2	3	4	3	4	3	4	3	4	2	2	1	1	
SiO ₂	37.2	37.5	37.2	37.0	37.3	37.0	37.3	37.3	37.0	36.8	36.8	36.5	37.3	37.2	37.3	37.2	36.7	36.8					
TiO ₂	.11	.11	.07	.11	.21	.17	.21	.17	.17	.10	.10	.11	.04	.15	.04	.15	.06	.05					
Al ₂ O ₃	*	*	.04	*	*	*	*	*	*	*	*	*	.06	.06	.06	.11	.11	.05					
Cr ₂ O ₃	.14	.11	.09	.12	.07	.05	.07	.05	.05	.04	.04	.05	.19	.22	.19	.22	.20	.23					
FeO	26.5	27.5	28.3	29.3	27.8	28.5	28.5	28.5	28.5	28.5	28.5	28.5	28.3	28.7	28.3	28.7	28.7	29.4					
MgO	34.8	33.5	33.1	32.5	33.9	33.1	33.9	33.1	33.1	33.2	33.2	33.3	33.7	32.9	33.7	32.9	32.6	32.2					
CaO	.33	.36	.39	.37	.11	.17	.11	.17	.17	.22	.22	.16	.61	.59	.61	.59	.61	.54					
Total	99.08	99.08	99.19	99.40	99.39	98.99	99.39	98.99	98.86	98.86	99.03	100.20	99.82	98.98	99.27	99.82	98.98	99.27					
Number of Ions on the Basis of 4 (O)																							
Si	.998	1.009	1.005	1.002	1.002	1.002	1.002	1.002	1.002	.992	.992	1.000	.998	1.001	.998	1.001	.998	1.000					
Al	--	--	.001	--	--	--	--	--	--	--	--	.001	.002	.002	.002	.002	.004	.002					
Cr	.003	.002	.002	.003	.002	.001	.002	.001	.001	.001	.001	.001	.001	.001	.001	.001	.004	.005					
Ti	.002	.002	.001	.002	.004	.004	.004	.004	.004	.002	.002	.002	.001	.001	.001	.001	.001	.001					
Mg	1.391	1.344	1.332	1.312	1.357	1.336	1.357	1.336	1.343	1.343	1.343	1.344	1.344	1.313	1.344	1.313	1.321	1.304					
Fe	.595	.619	.639	.664	.625	.645	.625	.645	.647	.647	.646	.646	.633	.64	.646	.64	.652	.668					
Ca	.010	.010	.011	.011	.003	.005	.003	.005	.006	.006	.005	.005	.018	.017	.005	.017	.018	.016					
Z	.998	1.009	1.005	1.002	1.002	1.002	1.002	1.002	.999	.999	1.000	.998	1.001	1.001	.998	1.001	.998	1.000					
X	2.001	1.977	1.986	1.992	1.991	1.992	1.991	1.992	1.999	1.999	1.999	2.000	2.002	1.992	2.002	1.992	2.000	1.996					
Sum	2.999	2.986	2.991	2.994	2.993	2.994	2.993	2.994	2.998	2.998	2.999	3.003	2.993	2.993	2.999	2.993	2.998	2.996					
Molecular End Members																							
Fo	72.8	68.5	67.6	66.4	68.5	67.4	68.5	67.4	67.5	67.5	67.6	68.0	67.1	66.9	66.1	67.1	66.9	66.1					
Fa	27.2	31.5	32.4	33.6	31.5	32.6	31.5	32.6	32.5	32.5	32.4	32.0	32.9	33.1	33.9	32.9	33.1	33.9					
Group	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB	FAB				

TABLE 8: CONTINUED

Section 9 Continued		13		13		15		15		15		16		16		
Frag. No.	13	13	13	13	13	15	15	15	15	15	15	16	16	16	16	
Grain No.	5	1	4	2	3	1	2	3	4	3	4	2	3	1	1	
SiO ₂	41.0	40.2	39.9	39.6	38.6	39.8	39.6	39.3	39.2	39.9	39.2	39.9	40.0	39.2	39.2	
TiO ₂	.07	.03	.01	.09	.12	.09	.11	.03	.16	.03	.07	.03	.07	.02	.02	
Al ₂ O ₃	.34	*	*	*	*	.05	*	*	*	*	*	*	.06	*	*	
Cr ₂ O ₃	.01	.05	*	.05	.03	.15	.05	.03	.04	.08	.04	.08	.04	*	*	
FeO	9.2	10.6	12.2	14.9	15.7	13.2	16.0	16.8	17.9	10.3	13.8	10.3	13.8	15.1	15.1	
MgO	49.7	48.2	47.7	44.9	44.1	46.4	44.1	43.4	42.5	48.9	44.7	48.9	45.1	44.7	44.7	
CaO	.26	.16	.19	.17	.23	.21	.21	.17	.15	.15	.15	.15	.20	.18	.18	
Total	100.58	99.24	100.00	99.71	98.78	99.90	100.03	99.71	99.98	99.41	99.98	99.41	99.25	99.17	99.17	
Number of Ions on the Basis of 4 (O)																
Si	.995	.996	.989	.997	.987	.992	.998	.998	.998	.987	.998	.987	1.005	.993	.993	
Al	.010	--	--	--	--	.002	--	--	--	--	--	--	.002	--	--	
Cr	.001	.001	--	.001	.001	.003	.001	.001	.001	.002	.001	.002	.001	--	--	
Ti	.001	.001	.001	.002	.002	.002	.002	.001	.003	.001	.001	.001	.001	.001	.001	
Mg	1.798	1.781	1.763	1.684	1.680	1.724	1.656	1.642	1.612	1.803	1.612	1.803	1.689	1.688	1.688	
Fe	.187	.220	.253	.314	.336	.275	.337	.357	.381	.213	.381	.213	.290	.320	.320	
Ca	.007	.004	.005	.005	.006	.006	.005	.004	.005	.005	.005	.005	.005	.004	.004	
Z	.995	.996	.989	.997	.987	.992	.998	.998	.998	.987	.998	.987	1.005	.993	.993	
X	2.004	2.007	2.022	2.006	2.025	2.012	2.001	2.005	2.002	2.024	2.002	2.024	1.998	2.013	2.013	
Sum	2.999	3.003	3.011	3.003	3.012	3.004	2.999	3.003	3.000	3.011	3.000	3.011	2.993	3.006	3.006	
Molecular End Members																
Fo	90.6	89.0	87.5	84.3	83.4	86.2	83.1	82.2	8.1	89.4	8.1	89.4	85.3	84.1	84.1	
Fa	9.4	11.0	12.5	15.7	16.6	13.8	16.9	17.8	19.1	10.6	19.1	10.6	14.7	15.9	15.9	
Group	ANAT	ANAT	ANAT	ANAT	ANAT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	SPT	

TABLE 8: CONTINUED

Section 9 Continued

Frag. No.	18	18	19	19	19	19	19	19	20	20	20
Grain No.	2	3	1	4	2	5	3	2	1	3	
SiO ₂	39.2	38.9	38.8	39.9	40.0	39.8	39.1	39.6	39.5	38.4	
TiO ₂	.16	.01	.19	.07	.04	.14	.14	.02	*	.04	
Al ₂ O ₃	*	*	*	*	*	*	*	*	*	*	
Cr ₂ O ₃	.11	.03	.12	.09	.01	.02	.01	.16	.15	.09	
FeO	16.8	16.9	17.1	12.0	13.9	14.8	13.0	15.2	16.7	21.0	
MgO	43.5	43.9	43.4	47.3	46.2	45.0	45.5	43.8	42.6	39.6	
CaO	.15	.13	.12	.18	.16	.18	.21	.41	.46	.39	
Total	99.92	99.87	99.73	99.54	100.30	99.94	99.95	99.19	99.41	99.52	

Number of Ions on the Basis of 4 (O)

Si	.994	.988	.988	.993	.996	.998	.984	1.004	1.006	.998
Al	---	---	---	---	---	---	---	---	---	---
Cr	.002	.001	.002	.002	.001	.001	.001	.003	.003	.002
Ti	.003	.001	.004	.001	.002	.003	.003	.001	.001	.001
Mg	1.643	1.661	1.647	1.754	1.714	1.682	1.706	1.654	1.616	1.533
Fe	.356	.359	.364	.250	.289	.311	.316	.322	.356	.456
Ca	.004	.004	.003	.005	.004	.005	.006	.011	.013	.011
Z	.994	.988	.988	.993	.996	.998	.984	1.004	1.006	.998
X	2.008	2.026	2.020	2.012	2.008	2.002	2.032	1.991	1.988	2.003
Sum	3.002	3.014	3.008	3.005	3.004	3.000	3.016	2.995	2.994	3.001

Molecular End Members

For	82.2	82.2	81.9	87.5	85.6	84.4	84.4	83.7	82.0	77.1
Fa	17.8	17.8	18.1	12.5	14.4	15.6	15.6	16.3	18.0	22.9
Group	SPT	SPT	SPT	SPT	SPT	SPT	SPT	ANAI	ANAI	ANAI

TABLE 8: CONTINUED

Section 10				Section 12																
Frag. No.	1	2	3	6	4	6	2	3	1	6	1	3	1	47	47	39	59	59	59	59
Grain No.	1	2	3	4	6	6	2	3	1	6	1	3	1	3	1	1	1	3	3	2
SiO ₂	39.5	39.2	39.5	38.6	35.1	37.8	37.0	39.3	39.3	37.0	39.3	39.3	39.3	39.3	39.3	35.6	37.5	37.5	37.5	37.3
TiO ₂	.02	.19	.25	.09	.09	.10	.14	.10	.10	.14	.10	.10	.10	.10	.09	.07	.09	.08	.08	.09
Al ₂ O ₃	*	*	*	.06	*	*	*	*	*	*	*	*	*	*	.57	.03	*	*	*	*
Cr ₂ O ₃	.01	.03	.04	.23	.14	.10	.07	.02	.02	.07	.02	.02	.02	.02	.02	.04	.06	.07	.07	.07
FeO	14.5	14.6	14.6	22.6	24.4	26.9	29.8	17.5	18.3	29.8	17.5	18.3	18.3	18.3	39.4	27.6	27.6	27.6	27.6	27.9
Y ₂ O	45.0	44.9	44.7	37.9	36.6	34.9	32.3	41.9	41.2	32.3	41.9	41.2	41.2	41.2	27.6	34.0	34.0	33.9	33.8	33.8
CaO	.14	.15	.19	.34	.38	.38	.37	.38	.28	.37	.38	.28	.25	.25	.22	.24	.24	.18	.18	.23
Total	99.17	99.07	99.28	99.82	99.91	99.68	99.68	99.10	99.73	99.68	99.10	99.73	99.73	99.73	99.96	99.49	99.49	99.33	99.33	99.39

Number of Ions on the Basis of 4 (O)	
Si	.998
Al	.002
Cr	.001
Ti	.004
Mg	1.694
Fe	.306
Ca	.004
Z	.998
X	2.006
Sum	3.004

Molecular End Members	
Fo	84.7
Fa	15.3

Group	SPT	SPT	SPT	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB
	84.5	84.5	84.5	74.9	72.9	70.2	65.9	81.0	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1	80.1
	15.5	15.5	15.5	25.1	27.1	29.8	34.1	19.0	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9
	SPT	SPT	SPT	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB

TABLE 8: CONTINUED

Section 12 Continued			Section 17							
Frag. No.	61	61	82	82	86	86	86	2	2	2
Grain No.	1	3	2	1	2	2	1	3	1	2
SiO2	37.2	37.0	36.9	38.0	37.4	38.0	40.0	39.6	39.5	40.1
TiO2	.05	.05	.13	.07	.05	.09	.08	.06	.24	.05
Al2O3	*	*	.01	*	*	*	*	*	*	*
Cr2O3	.10	.12	.11	.14	.06	.06	.02	.01	.07	.02
FeO	28.4	29.3	30.7	24.9	26.3	26.4	16.7	17.0	15.4	15.4
MgO	33.0	32.7	31.5	35.8	35.0	34.7	42.8	42.5	43.6	44.1
CaO	.36	.37	.39	.31	.22	.29	.18	.17	.14	.14
Total	99.11	99.54	99.83	99.22	99.03	99.54	99.78	99.41	98.95	99.59

Number of Ions on the Basis of 4 (O)

Si	1.006	1.001	1.002	1.008	1.003	1.008	1.012	1.005	1.004	1.011	1.005
Al	---	---	.001	---	---	---	---	---	---	---	---
Cr	.002	.003	.002	.003	.001	.001	.001	.001	.001	.001	.001
Ti	.001	.001	.003	.001	.001	.001	.002	.001	.005	.001	.001
Mg	1.330	1.318	1.279	1.415	1.383	1.391	1.614	1.623	1.651	1.649	1.659
Fe	.642	.663	.697	.552	.579	.587	.353	.360	.327	.325	.325
Ca	.010	.011	.011	.009	.007	.008	.005	.004	.004	.003	.004
Z	1.006	1.001	1.002	1.008	1.003	1.008	1.012	1.005	1.004	1.011	1.005
X	1.985	1.996	1.993	1.980	1.971	1.998	1.975	1.989	1.988	1.979	1.990
Sum	2.991	2.997	2.995	2.988	2.974	2.996	2.987	2.994	2.992	2.990	2.995

Molecular End Members

Fo	67.4	66.5	64.7	71.9	70.3	70.1	82.0	81.9	83.5	83.6
Fa	32.6	33.5	35.3	28.1	29.7	29.9	18.0	18.1	16.5	16.4
Group	NATA	NATA	NATA	HAD	HAB	HAB	HAB	HAB	SPT	SPT

TABLE 8: CONTINUED

Section 17 Continued

Frag. No.	10	10	10	19	19	19	19	35	35	35	35
Grain No.	1	2	3	1	4	2	3	1	3	2	2
SiO ₂	39.5	39.5	39.4	37.9	37.9	37.6	37.6	39.8	39.5	39.9	
TiO ₂	.06	.04	.21	.04	.07	.03	.06	.03	.17	.07	
Al ₂ O ₃	*	*	*	*	*	*	*	*	*	*	
Cr ₂ O ₃	.03	.06	.13	.03	.03	.04	.04	*	.02	.01	
FeO	15.7	15.7	15.9	22.5	25.3	25.4	25.7	14.2	14.6	14.8	
MgO	43.6	43.6	43.6	38.5	36.2	36.2	35.6	44.8	45.4	44.6	
CaO	.20	.20	.23	.24	.18	.26	.24	.14	.13	.17	
Total	99.09	99.10	99.47	99.21	99.68	99.53	99.24	98.97	99.82	99.55	

Number of Ions on the Basis of 4 (0)

Si	1.004	1.004	.999	.995	1.002	.998	1.002	1.005	.992	1.004	
Al	--	--	--	--	--	--	--	--	--	--	
Cr	.001	.001	.003	.001	.001	.001	.001	--	.001	.001	
Ti	.001	.001	.004	.001	.001	.001	.001	.001	.003	.001	
Mg	1.651	1.651	1.647	1.507	1.427	1.431	1.414	1.686	1.699	1.673	
Fe	.334	.334	.337	.494	.560	.564	.573	.300	.307	.312	
Ca	.005	.005	.006	.007	.005	.007	.007	.004	.004	.005	
Z	1.004	1.004	.999	.995	1.002	.998	1.002	1.005	.992	1.004	
X	1.992	1.992	1.997	2.010	1.994	2.004	1.996	1.991	2.014	1.992	
Sum	2.996	2.996	2.996	3.005	2.996	3.002	2.998	2.996	3.005	2.996	

Molecular End Members

Fo	83.2	83.2	83.0	75.3	71.8	71.8	71.2	84.9	84.7	84.3	
Fa	16.8	16.8	17.0	24.7	28.2	28.2	28.8	15.1	15.3	15.7	
Group	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANAT	SPT	SPT	SPT	

TABLE 8: CONTINUED

Section 17 Continued

Frag. No.	40	40	40	40	48	52	52	52	52	52	63	63
Grain No.	2	1	3	4	1	3	4	2	1	2	2	1
SiO ₂	38.5	38.9	37.2	36.7	34.8	32.3	31.9	32.0	31.5	37.3	37.3	37.2
TiO ₂	.10	.12	.10	.17	.08	.07	.08	.07	.08	.04	.04	.05
Al ₂ O ₃	*	.34	*	.51	.42	.21	.23	.20	.24	.01	.01	*
Cr ₂ O ₃	.22	.16	.09	.08	.04	.10	.63	.08	.05	.03	.03	.01
FeO	21.8	22.6	28.3	29.3	40.0	56.8	57.0	58.5	59.1	28.2	28.2	28.6
MgO	38.1	36.2	33.4	32.2	18.2	8.9	9.3	7.8	7.2	33.9	33.9	33.4
CaO	.43	.82	.48	.43	.41	.57	.62	.61	.64	.14	.14	.08
Total	99.15	99.14	99.57	99.39	99.95	98.95	99.22	99.26	98.81	99.62	99.62	99.34

Number of Ions on the Basis of 4 (O)

Si	1.007	1.020	1.001	.995	1.019	1.021	1.008	1.018	1.013	1.002	1.002	1.004
Al	--	.011	--	.016	.015	.008	.009	.008	.009	.001	.001	--
Cr	.005	.003	.002	.002	.001	.003	.002	.002	.001	.001	.001	.001
Ti	.002	.002	.002	.004	.002	.002	.002	.002	.002	.002	.001	.001
Mg	1.486	1.415	1.340	1.300	.795	.419	.438	.370	.345	1.357	1.357	1.343
Fe	.477	.496	.637	.664	1.127	1.501	1.506	1.556	1.589	.633	.633	.645
Ca	.012	.023	.014	.013	.013	.019	.021	.021	.022	.004	.004	.002
Z	1.007	1.020	1.001	.995	1.019	1.021	1.008	1.018	1.013	1.002	1.002	1.004
X	1.982	1.950	1.995	1.999	1.953	1.952	1.978	1.959	1.968	1.997	1.997	1.992
Sum	2.989	2.970	2.996	2.994	2.972	2.973	2.986	2.977	2.981	2.999	2.999	2.996

Molecular End Members

Fo	75.7	74.1	67.8	66.2	41.4	21.8	22.5	19.2	17.8	68.2	67.5
Fa	24.3	25.9	32.2	33.8	58.6	78.2	77.5	80.8	82.2	31.8	32.5
Group	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	ANAT	ANAT

TABLE 8: CONTINUED

Section 17 Continued

Frag. No.	91			98			98			100			100			104			104		
	3	2	4	1	1	2	3	2	1	1	2	3	2	1	3	1	1	2	1	2	
SiO2	42.0	41.6	41.2	41.3	38.5	38.3	38.3	37.3	37.2	37.1	37.5	37.8	38.2								
TiO2	*	*	*	*	.11	.09	.08	.10	.08	.06	.13	.14	.09								
Al2O3	*	.02	.04	*	.04	*	*	.07	.17	.15	.07	.04	.17								
Cr2O3	.05	.06	.04	.08	.08	.06	.08	.08	.09	.10	.03	.03	*								
FeO	5.1	5.5	6.0	6.2	22.6	24.6	24.7	29.3	29.3	29.3	26.2	27.3	27.5								
MgO	52.3	52.1	51.4	51.1	37.5	36.0	36.3	32.4	32.2	32.0	35.5	34.0	32.6								
CaO	.33	.33	.37	.31	.18	.23	.25	.34	.26	.28	.18	.23	.56								
Total	99.78	99.61	99.05	98.99	99.01	99.28	99.72	99.59	99.30	98.99	99.61	99.54	99.12								

Number of Ions on the Basis of 4 (0)

Si	1.008	1.003	1.002	1.005	1.011	1.012	1.009	1.007	1.008	1.008	.998	1.010	1.025
Al	--	.001	.001	--	.001	--	--	.002	.005	.005	.002	.001	.005
Cr	.001	.001	.001	.002	.002	.001	.002	.002	.002	.002	.001	.001	--
Ti	--	--	--	--	.002	.002	.002	.002	.002	.001	.003	.003	.002
Mg	1.871	1.872	1.862	1.853	1.468	1.419	1.425	1.304	1.300	1.296	1.407	1.354	1.304
Fe	.102	.111	.122	.126	.496	.544	.544	.662	.664	.666	.583	.610	.617
Ca	.009	.009	.010	.008	.005	.007	.007	.010	.008	.008	.005	.007	.016
Z	1.008	1.003	1.002	1.005	1.011	1.012	1.009	1.007	1.008	1.008	.998	1.010	1.025
X	1.983	1.994	1.996	1.989	1.974	1.973	1.987	1.982	1.982	1.978	2.001	1.976	1.944
Sum	2.991	2.997	2.998	2.994	2.985	2.985	2.989	2.989	2.990	2.986	2.999	2.986	2.969

Molecular End Members

For	94.8	94.4	93.9	93.6	74.7	72.3	72.4	66.3	66.2	66.1	70.7	68.9	67.9
Fa	5.2	5.6	6.1	6.4	25.3	27.7	27.5	33.7	33.8	33.9	29.3	31.1	32.1
Group	SPT	SPT	SPT	SPT	HAB	HAB	HAB	A	A	A	HAB	HAB	HAB

TABLE 8: CONTINUED

Section 17 Continued			Section 18								
Frag. No.	108	108	111	111	111	2	2	2	12	12	12
Grain No.	2	1	1	2	3	2	1	3	2	1	3
SiO ₂	36.3	35.7	39.4	39.6	39.6	37.5	35.9	36.8	40.0	39.5	39.5
TiO ₂	.06	.06	*	.19	.10	.17	.19	.15	.09	.04	.22
Al ₂ O ₃	.10	.12	*	*	*	.15	.16	.20	.08	.02	.04
Cr ₂ O ₃	.05	.06	.02	.07	.03	.08	.11	.14	.03	.03	.07
FeO	35.0	37.8	18.8	18.9	19.0	27.6	28.3	28.4	15.3	15.9	16.1
H ₂ O	27.3	25.2	40.9	40.8	40.6	34.0	33.6	33.5	44.1	44.1	43.9
CaO	.37	.38	.15	.14	.14	.42	.31	.25	.23	.21	.18
Total	99.18	99.32	99.27	99.70	99.47	99.92	99.57	99.44	99.83	99.80	100.01
Number of Ions on the Basis of 4 (O)											
Si	1.013	1.010	1.013	1.013	1.016	1.001	.993	.993	1.002	.996	.996
Al	.003	.004	--	--	--	.075	.005	.096	.092	.071	.091
Cr	.001	.001	.001	.001	.001	.072	.002	.003	.001	.001	.001
Ti	.001	.001	--	.004	.002	.003	.004	.003	.002	.001	.004
Mg	1.136	1.063	1.566	1.566	1.522	1.353	1.348	1.347	1.653	1.660	1.650
Fe	.817	.895	.404	.404	.408	.616	.637	.641	.322	.336	.340
Ca	.011	.012	.004	.004	.004	.012	.009	.007	.006	.006	.005
Z	1.013	1.010	1.013	1.013	1.016	1.001	.993	.993	1.006	.998	.996
X	1.969	1.976	1.975	1.969	1.967	1.991	2.005	2.007	1.986	2.005	2.001
Sum	2.982	2.986	2.988	2.982	2.983	2.992	2.998	3.000	2.992	3.003	2.997
Molecular End Members											
Fo	58.2	54.3	79.5	79.4	79.2	68.7	67.9	67.8	83.7	83.2	82.9
Fa	41.8	45.7	20.5	20.6	20.8	31.3	32.1	32.2	16.3	16.8	17.1
Group			SPT	SPT	SPT	ANAT	ANAT	ANAT	SPT	SPT	SPT

TABLE 8: CONTINUED

Section 18 Continued

Frag. No.	25	25	25	27	37	48	48	48	64	64	64
Grain No.	2	1	3	1	1	3	1	2	3	2	1
SiO ₂	40.1	39.9	40.5	37.5	37.7	36.5	36.9	36.3	39.9	39.8	39.0
TiO ₂	.02	.03	.01	.06	.07	.09	.14	.08	.04	.04	.06
Al ₂ O ₃	.20	.07	.08	.11	.11	.12	.12	.11	.12	.04	.07
Cr ₂ O ₃	*	.03	.02	.22	.08	.14	.13	.11	.02	.03	.02
FeO	13.1	13.6	13.7	26.1	26.7	27.4	27.8	28.7	18.6	18.9	19.1
MgO	45.3	45.3	45.7	34.5	34.3	34.2	33.6	33.4	40.6	40.7	41.1
CaO	.29	.13	.17	.51	.29	.36	.31	.31	.27	.21	.22
Total	99.01	99.06	100.18	99.00	99.25	98.81	99.00	99.61	99.53	99.72	99.57

Number of Ions on the Basis of 4 (O)

Si	1.007	1.004	1.007	1.004	1.008	.988	.997	.995	1.023	1.018	1.002
Al	.006	.002	.002	.004	.004	.004	.004	.004	.004	.001	.002
Cr	---	.001	.001	.005	.002	.003	.003	.002	.001	.001	.001
Ti	.001	.001	.001	.001	.001	.002	.003	.002	.001	.001	.001
Mg	1.695	1.698	1.693	1.377	1.367	1.380	1.353	1.342	1.547	1.551	1.574
Fe	.275	.286	.285	.585	.597	.620	.628	.647	.398	.404	.410
Ca	.008	.004	.005	.015	.008	.010	.009	.009	.007	.006	.006
Z	1.007	1.004	1.007	1.004	1.008	.988	.997	.995	1.020	1.018	1.002
X	1.935	1.992	1.987	1.987	1.979	2.019	2.000	2.006	1.958	1.964	1.994
Sum	2.992	2.996	2.994	2.991	2.987	3.007	2.997	3.001	2.978	2.982	2.996

Molecular End Members

For	86.0	85.6	85.6	70.2	69.6	69.0	68.3	67.5	79.6	79.3	79.3
Fa	14.0	14.4	14.4	29.8	30.4	31.0	31.7	32.5	20.4	20.7	20.7
Group	A	A	A	NATA	NATA	ANAT	ANAT	ANAT	A	A	A

TABLE 8: CONTINUED

Section 18 Continued

Frag. No.	66	66	66	71	71	71	71	72	72	72	72	95	98	98
Grain No.	1	3	2	1	2	3	1	1	2	3	1	1	1	2
SIO ₂	39.8	39.0	37.8	39.4	39.8	39.3	43.0	39.9	39.9	39.8	36.4	37.7	37.7	37.7
TIO ₂	.05	.10	.14	.11	.15	.13	.36	.22	.22	.39	.13	.08	.08	.10
Al ₂ O ₃	*	.08	.18	.11	.10	*	.17	.07	.07	.07	.22	.05	.05	.06
Cr ₂ O ₃	.08	.17	.21	.06	.05	.07	.09	.12	.12	.06	.13	.10	.10	.09
FeO	15.5	19.1	25.6	17.3	17.3	17.4	15.4	15.4	15.4	15.5	32.0	24.2	24.2	24.2
MgO	43.9	40.8	35.5	42.6	42.6	42.1	43.9	43.9	43.9	43.8	30.0	36.8	36.8	37.0
CaO	.14	.40	.34	.20	.21	.21	.18	.20	.20	.23	.40	.20	.20	.29
Total	98.47	99.65	99.77	99.78	100.21	99.21	99.89	99.81	99.55	98.28	98.28	99.13	99.13	99.64

Number of Ions on the Basis of 4 (O)

Si	1.006	1.002	1.001	1.001	1.006	1.005	1.006	1.004	1.005	1.005	1.001	.999	.998
Al	--	.002	.006	.003	.003	--	.005	.002	.002	.002	.007	.002	.532
Cr	.002	.004	.004	.001	.001	.001	.002	.002	.002	.001	.003	.002	.002
Ti	.001	.002	.003	.002	.003	.003	.031	.049	.003	.002	.003	.002	.002
Hg	1.653	1.562	1.401	1.613	1.605	1.605	1.646	1.647	1.605	1.648	1.230	1.453	1.453
Fe	.328	.410	.567	.368	.366	.372	.324	.324	.372	.327	.736	.536	.533
Ca	.004	.011	.010	.005	.006	.006	.005	.005	.006	.006	.012	.006	.008
Z	1.006	1.002	1.001	1.001	1.006	1.005	1.006	1.004	1.005	1.005	1.001	.999	.998
X	1.988	1.991	1.991	1.992	1.984	1.987	1.983	1.98	1.986	1.986	1.991	2.001	2.000
Sum	2.994	2.993	2.992	2.993	2.990	2.992	2.989	2.988	2.991	2.991	2.992	3.000	2.998

Molecular End Members

Fe	83.5	79.2	71.2	81.4	81.4	81.2	83.6	81.6	83.4	83.4	62.6	73.0	73.2
Fa	16.5	20.8	28.8	18.6	18.6	18.8	16.4	16.4	16.6	16.6	37.4	27.0	26.8
Group	HAB	HAB	HAB	SPT	SPT	SPT	SPT	SPT	SPT	SPT	NATA	HAB	HAB

TABLE 8: CONTINUED

Section 18 Continued

Frag. No.	102	102	106	106	106	107	110	110	110	111	111	111
Grain No.	3	2	1	1	2	1	1	3	2	2	3	1
SiO ₂	19.8	39.6	39.4	37.4	37.0	36.4	37.3	37.1	37.0	40.0	39.7	39.4
TiO ₂	.24	.12	.29	.10	.07	.39	.10	.15	.15	.09	.13	.23
Al ₂ O ₃	.04	.08	.10	.12	.16	.82	.09	.14	.15	.08	.04	.08
Cr ₂ O ₃	.11	.07	.15	.09	.09	.16	.10	.09	.36	.08	.06	.07
FeO	15.7	15.8	15.9	27.1	27.6	28.9	25.3	25.5	26.6	11.9	13.4	14.7
MgO	43.8	43.6	43.4	34.9	33.9	32.2	35.9	35.3	34.9	46.7	45.5	44.8
CaO	.15	.18	.18	.26	.32	.38	.33	.27	.23	.29	.19	.17
Total	99.84	99.45	99.42	99.97	99.14	99.25	99.12	99.55	99.59	99.14	99.02	99.45

Number of Ions on the Basis of 4 (O)

Si	1.003	1.003	.999	.996	.997	.387	.994	.990	.989	.999	.999	.994
Al	.001	.002	.003	.004	.005	.026	.003	.004	.005	.002	.001	.002
Cr	.002	.001	.003	.002	.002	.003	.002	.002	.012	.002	.001	.001
Ti	.005	.002	.006	.002	.001	.008	.002	.003	.003	.002	.003	.004
Mg	1.645	1.645	1.640	1.385	1.361	1.301	1.426	1.434	1.390	1.737	1.706	1.684
Fe	.331	.335	.337	.604	.622	.655	.564	.592	.595	.248	.282	.310
Ca	.004	.005	.005	.007	.009	.011	.009	.008	.007	.008	.005	.005
Z	1.003	1.003	.999	.996	.997	.987	.994	.990	.989	.999	.999	.994
X	1.988	1.990	1.994	2.004	2.000	2.004	2.006	2.013	2.012	1.999	1.998	2.006
Sum	2.991	2.993	2.993	3.000	2.997	2.991	3.000	3.003	3.001	2.998	2.997	3.000

Molecular End Members

Fo	83.3	83.1	83.0	69.7	68.6	66.5	71.7	70.5	70.0	87.5	85.8	84.5
Fa	16.7	16.9	17.0	30.3	31.4	33.5	28.3	29.5	30.0	12.5	14.2	15.5
Group	SPT	SPT	SPT	ANAI	ANAI	HAB	HAB	HAB	HAB	SPT	SPT	SPT

TABLE 8: CONTINUED

Section 18 Continued

Frag. No.	112	112	112	138	138	140	140	147	147	147	147	147
Grain No.	3	2	1	3	2	1	2	3	1	3	1	2
SiO ₂	40.0	39.3	39.4	35.1	32.2	39.9	40.0	39.3	37.2	37.2	37.1	36.6
TiO ₂	.17	.06	.06	.14	.10	.38	.33	.23	.10	.10	.11	.10
Al ₂ O ₃	*	.03	.03	.18	.27	*	.01	*	*	*	.04	*
Cr ₂ O ₃	.07	.05	.05	.14	.14	.22	.21	.17	.08	.08	.08	.06
FeO	15.4	15.5	15.6	32.7	33.4	14.8	14.9	15.3	28.2	28.2	29.7	30.5
H ₂ O	44.0	44.0	43.9	29.4	33.1	43.9	44.2	44.3	33.2	33.2	32.7	31.8
CaO	.18	.14	.18	.41	.48	.21	.33	.25	.57	.57	.47	.46
Total	99.82	99.08	99.22	99.07	99.59	99.41	99.98	99.55	99.35	99.35	100.22	99.52

Number of Ions on the Basis of 4 (O)

Si	1.006	.998	1.000	.999	.973	1.006	1.003	.994	1.003	.999	.999	.997
Al	--	.001	.001	.006	.009	--	.001	--	--	.001	.001	--
Cr	.001	.001	.001	.003	.003	.004	.004	.003	.002	.002	.002	.001
Ti	.003	.001	.001	.003	.002	.007	.006	.004	.002	.002	.002	.002
Mg	1.650	1.666	1.660	1.213	1.244	1.651	1.653	1.660	1.334	1.334	1.312	1.291
Fe	.324	.329	.331	.757	.774	.312	.313	.324	.636	.636	.669	.693
Ca	.005	.004	.005	.012	.014	.006	.009	.007	.017	.017	.014	.013
Z	1.006	.998	1.000	.999	.973	1.000	1.003	.994	1.003	.999	.999	.997
X	1.983	2.002	1.999	1.994	2.046	1.979	1.986	2.007	1.991	1.991	2.000	2.002
Sum	2.929	3.000	2.999	2.993	3.019	2.995	2.997	3.001	2.994	2.999	2.999	2.999

Molecular End Members

For	83.6	83.5	83.4	61.6	61.6	84.1	84.1	83.8	57.6	66.2	65.0
Fa	16.4	16.5	16.6	38.4	38.4	15.9	15.9	16.2	32.4	33.8	35.0
Group	SPT	SPT	SPT	HAB	HAB	SPT	SPT	SPT	ANAT	ANAT	ANAT

TABLE 8: CONTINUED

Section 18 Continued		182			185			193		
Frag. No.	171	171	182	182	185	185	185	193	193	193
Grain No.	2	1	2	1	2	3	1	3	2	1
SiO ₂	39.1	32.8	39.1	37.2	37.4	37.1	39.1	39.2	37.4	37.3
TiO ₂	.06	.05	.04	.11	.08	.08	.04	.04	.10	.09
Al ₂ O ₃	*	*	*	.05	.01	*	*	*	*	.01
Cr ₂ O ₃	.03	.03	.03	.10	.12	.12	.02	.02	.10	.07
FeO	19.7	19.9	20.2	26.5	27.5	27.8	16.5	16.6	26.7	27.0
MgO	40.9	40.6	40.4	34.8	34.5	34.2	43.7	42.7	34.0	33.9
CaO	.16	.15	.21	.33	.28	.23	.15	.11	.31	.43
Total	99.95	99.53	99.98	99.09	99.89	99.53	98.81	98.51	98.81	98.80

Number of Ions on the Basis of 4 (O)

Si	1.003	1.001	1.005	.998	.999	.997	1.001	1.000	1.007	1.005
Al	---	---	---	.002	.001	---	---	---	---	.001
Cr	.001	.001	.001	.002	.002	.003	.001	.001	.002	.001
Ti	.001	.001	.001	.002	.001	.002	.001	.001	.002	.002
Mg	1.564	1.561	1.548	1.391	1.373	1.369	1.649	1.626	1.378	1.362
Fe	.423	.429	.434	.594	.614	.625	.353	.354	.606	.609
Ca	.004	.004	.006	.010	.008	.007	.004	.004	.009	.024
Z	1.003	1.001	1.005	.998	.999	.997	1.001	1.000	1.007	1.005
X	1.993	1.996	1.990	2.001	1.999	2.006	1.999	1.988	1.983	1.999
Sum	2.996	2.997	2.995	2.999	2.998	3.003	3.000	2.994	2.990	3.004

Molecular End Members

For	78.7	78.4	78.1	70.1	69.1	68.7	82.3	82.0	69.7	69.1
Fa	21.3	21.6	21.9	29.9	30.9	31.3	17.7	18.0	30.3	30.9
Group	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	KATA	KATA	ANAT	ANAT

TABLE 8: CONTINUED

Section 18 Continued

Frag. No.	196		197		208		209		209		211		211	
	3	2	1	2	3	1	2	1	3	1	3	1	3	1
Grain No.	3	2	1	2	3	1	2	1	3	1	3	1	3	1
SiO ₂	36.7	36.7	36.8	37.7	38.1	40.8	40.7	37.8	38.1	37.6	40.7	40.5	40.7	40.5
TiO ₂	.27	.06	.07	.09	.07	*	.02	.09	.15	.14	.02	.03	.02	.03
Al ₂ O ₃	.07	.02	*	.08	*	*	*	.04	*	.03	*	*	*	*
Cr ₂ O ₃	.12	.10	.09	.09	.09	*	.03	.09	.09	.12	.12	.09	.12	.09
FeO	30.7	31.1	31.2	24.8	24.3	12.5	13.0	25.8	26.3	26.3	13.3	14.1	13.3	14.1
H ₂ O	30.5	30.7	30.4	36.0	36.0	45.2	45.7	35.1	34.7	34.4	45.0	44.6	45.0	44.6
CaO	.40	.32	.32	.23	.27	.12	.10	.32	.32	.30	.35	.40	.35	.40
Total	98.76	99.00	98.88	98.99	98.83	99.62	99.62	99.24	99.66	98.89	99.49	99.72	99.49	99.72

Number of Ions on the Basis of 4 (O)

Si	1.008	1.007	1.011	1.003	1.011	1.013	1.011	1.007	1.012	1.008	1.017	1.014	1.008	1.014
Al	.02	.001	--	.003	--	--	--	.001	--	.001	--	--	.001	--
Cr	.003	.002	.002	.002	.002	--	--	.002	.002	.003	.002	.002	.003	.002
Ti	.006	.001	.001	.002	.001	--	.001	.002	.003	.003	.001	.001	.003	.001
Mg	1.249	1.256	1.245	1.427	1.424	1.710	1.704	1.394	1.374	1.375	1.675	1.663	1.375	1.663
Fe	.705	.714	.717	.552	.540	.260	.271	.575	.584	.590	.279	.295	.590	.295
Ca	.012	.009	.009	.007	.008	.003	.003	.009	.009	.009	.009	.011	.009	.011
Z	1.008	1.007	1.011	1.003	1.011	1.013	1.011	1.007	1.012	1.008	1.017	1.014	1.008	1.014
X	1.977	1.983	1.974	1.993	1.975	1.973	1.979	1.983	1.972	1.981	1.966	1.972	1.981	1.972
Sun	2.985	2.990	2.985	2.996	2.986	2.986	2.990	2.979	2.984	2.989	2.983	2.986	2.989	2.986

Molecular End Members

For	63.9	63.8	63.5	72.1	72.5	86.8	85.3	70.8	70.2	70.0	85.9	84.9	70.0	85.9
Fa	36.1	36.2	36.5	27.9	27.5	13.2	13.7	29.2	29.8	30.0	14.2	15.1	30.0	14.2
Group	HAB	HAB	HAB	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	SPT	SPT	ANAT	SPT

TABLE 8: CONTINUED

Section 18 Continued		Section 20									
Frag. No.	214	214	214	4	4	4	6	6	5		
Grain No.	3	1	2	1	2	1	1	3	2		
SiO ₂	37.7	37.7	37.9	36.9	38.1	37.5	37.2	37.2	39.9	40.0	39.0
TiO ₂	.18	.12	.09	.05	.03	.12	.12	.13	.52	.03	.05
Al ₂ O ₃	.01	.04	.02	.19	*	*	*	*	.08	.16	*
Cr ₂ O ₃	.11	.09	.07	.02	.17	.12	.09	.11	.18	.19	.12
FeO	27.3	27.5	27.6	29.2	23.4	27.1	28.4	29.7	12.9	13.0	19.5
MgO	33.8	33.7	33.6	32.6	37.1	33.7	33.4	32.3	45.7	45.2	40.3
CaO	.32	.33	.32	.22	.32	.37	.40	.40	.38	.43	.26
Total	99.42	99.42	99.60	99.18	99.12	98.91	99.51	99.33	99.20	99.01	99.23
Number of Ions on the Basis of 4 (O)											
Si	1.010	1.010	1.014	1.001	1.005	1.009	1.001	1.005	1.000	1.005	1.007
Al	.001	.001	.001	.006	--	--	--	--	.002	.005	--
Cr	.002	.002	.002	.001	.004	.003	.002	.002	.004	.004	.003
Ti	.004	.002	.002	.001	.001	.002	.002	.003	.001	.001	.001
Mg	1.349	1.345	1.339	1.318	1.458	1.352	1.340	1.300	1.768	1.692	1.551
Fe	.611	.616	.617	.662	.516	.610	.639	.671	.271	.273	.421
Ca	.009	.010	.009	.006	.009	.011	.012	.012	.010	.012	.007
Z	1.010	1.010	1.014	1.001	1.005	1.009	1.001	1.005	1.000	1.005	1.007
X	1.975	1.975	1.970	1.994	1.982	1.978	1.995	1.988	1.996	1.987	1.983
SUM	2.986	2.986	2.924	2.995	2.993	2.987	2.996	2.993	2.996	2.992	2.990
Molecular End Members											
Fo	68.8	68.6	68.5	66.6	73.9	68.9	67.7	66.0	86.3	85.1	78.6
Fa	31.2	31.4	31.5	33.4	26.1	31.1	32.3	34.0	13.7	13.9	21.4
Group	NAFA	NAFA	NAFA	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT

TABLE 8: CONTINUED

Section 20 Continued

Frag. No.	8	8	8	10	10	10	16	16	16	21	
Grain No.	1	4	3	2	1	4	3	1	2	3	
SiO ₂	40.3	39.9	39.3	38.8	38.0	36.9	35.9	38.0	38.2	38.2	39.7
TiO ₂	.17	.06	.03	.02	.06	.17	.12	.03	.04	.05	.03
Al ₂ O ₃	*	*	*	.18	*	.04	.02	*	*	*	*
Cr ₂ O ₃	.06	.04	.02	.26	.12	.14	.10	.03	.04	.07	.03
FeO	13.2	15.6	19.8	21.1	23.2	28.2	29.7	23.7	23.8	23.8	14.7
MgO	45.0	43.8	40.1	39.5	37.5	33.1	32.4	37.3	37.3	37.4	44.3
CaO	.20	.21	.23	.64	.35	.33	.29	.22	.20	.17	.19
Total	98.93	99.61	99.48	99.50	99.23	98.88	99.53	99.28	99.58	99.69	98.95

Number of Ions on the Basis of 4 (O)

Si	1.012	1.007	1.013	1.004	1.001	1.000	1.000	1.002	1.004	1.002	1.005
Al	---	---	---	---	---	.001	.001	---	---	---	---
Cr	.001	.001	.001	.005	.002	.003	.002	.001	.001	.002	.001
Ti	.003	.001	.001	.001	.001	.004	.002	.001	.001	.001	.001
Mg	1.625	1.648	1.540	1.523	1.472	1.337	1.309	1.456	1.461	1.463	1.671
Fe	.277	.329	.427	.435	.511	.639	.673	.523	.523	.523	.311
Ca	.005	.006	.006	.018	.010	.010	.008	.006	.006	.005	.005
Z	1.012	1.007	1.013	1.004	1.001	1.000	1.000	1.002	1.004	1.002	1.005
X	1.971	1.925	1.975	1.988	1.996	1.994	1.995	1.997	1.992	1.994	1.989
Sum	2.923	2.992	2.922	2.992	2.997	2.994	2.995	2.999	2.996	2.996	2.994

Molecular End Members

For	25.9	83.3	78.3	77.8	74.2	67.7	66.0	73.7	73.6	73.7	84.3
Fa	14.1	16.7	21.7	22.2	25.8	32.3	34.0	26.3	26.4	26.3	15.7

Group	ANAI	ANAI	ANAI	HAB	HAB	HAB	SPT	SPT	SPT	NATA
-------	------	------	------	-----	-----	-----	-----	-----	-----	------

TABLE 8: CONTINUED

Section 20 Continued

Frag. No.	25	25	27	27	27	29	29	29	31	31	31	33	33	33
Grain No.	1	3	2	1	3	2	1	3	2	1	2	1	3	2
SiO ₂	37.4	37.6	37.3	38.0	37.1	37.5	37.8	37.1	39.7	39.6	39.7	37.1	37.0	37.0
TiO ₂	.08	.07	.11	.10	.13	.08	.20	.09	.35	.14	.07	.07	.13	.12
Al ₂ O ₃	.05	.01	*	.02	.03	.01	*	*	*	*	*	*	*	.03
Cr ₂ O ₃	.06	.06	.08	.09	.12	.09	.07	.09	.04	.03	.04	.10	.12	.11
FeO	26.5	26.9	27.1	27.3	27.5	27.6	24.0	24.6	15.5	15.7	15.5	27.4	27.4	27.5
MgO	34.6	34.4	34.3	33.4	33.9	33.9	37.1	36.7	43.8	43.7	43.8	34.2	34.2	34.2
CaO	.27	.28	.27	.33	.26	.33	.24	.30	.22	.20	.22	.20	.23	.25
Total	98.96	99.32	99.16	99.24	99.04	99.51	99.62	98.88	99.61	99.37	99.61	99.07	99.08	99.21

Number of Ions on the Basis of 4 (O)	
Si	1.003 1.006 1.002 1.018 1.000 1.005 .993 .989 1.002 1.003 .994 .999 .997 .996
Al	.002 .001 -- .001 .001 .001 -- .001 -- .001 -- .001 -- .001 -- .001
Cr	.001 .001 .002 .002 .003 .002 .002 .002 .002 .001 .001 .002 .002 .002
Ti	.002 .001 .002 .002 .003 .002 .002 .004 .002 .007 .003 .002 .002 .003
Mg	1.383 1.372 1.373 1.334 1.362 1.355 1.466 1.458 1.458 1.648 1.650 1.662 1.373 1.370
Fe	.595 .602 .609 .612 .620 .619 .523 .529 .327 .327 .333 .617 .614 .619
Ca	.008 .008 .008 .100 .100 .100 .007 .008 .006 .006 .005 .006 .006 .007
Z	1.003 1.006 1.002 1.018 1.000 1.005 .999 .989 1.002 1.003 .994 .999 .997 .996
X	1.991 1.985 1.993 1.959 1.997 1.989 2.002 2.001 2.020 1.989 1.992 2.011 2.000 2.003
Sum	2.994 2.991 2.995 2.977 2.997 2.994 3.001 3.009 2.991 2.995 3.005 2.999 2.997 2.999

Molecular End Members	
Fo	69.9 69.5 69.3 68.6 68.7 68.6 73.7 73.4 72.7 83.4 83.2 83.0 69.0 69.0 68.9
Fa	30.1 30.5 30.7 31.4 31.3 31.4 26.3 26.6 27.3 16.6 16.8 17.0 31.0 31.0 31.1
Group	HAB HAB HAB ANAT ANAT ANAT ANAT ANAT ANAT SPT SPT SPT ANAT ANAT ANAT

PYROXENE

TABLE 9: PYROXENE ANALYSES

		Section 7											
Frag. No.	2	2	2	4	4	4	4	4	4	10	15	15	15
Grain No.	3	1	2	4	6	6	5	5	10	14	13	11	12
SiO ₂	53.1	53.0	52.5	53.1	53.5	53.6	53.9	51.2	51.0	53.1	53.2		
TiO ₂	.43	.34	.43	.83	.71	.67	.43	.82	.80	.51	.57		
Al ₂ O ₃	.81	.99	.87	1.05	1.16	1.21	1.12	1.29	1.24	.66	.85		
Cr ₂ O ₃	.45	.63	.51	.40	.41	.44	.41	.28	.29	.17	.24		
FeO	13.9	14.0	15.1	8.7	9.6	9.7	10.5	4.8	5.3	13.0	13.2		
MgO	26.0	25.7	24.7	25.9	27.4	27.0	27.3	15.9	16.6	26.2	26.2		
CaO	1.97	1.90	2.02	5.7	3.8	3.8	2.11	21.5	21.0	1.33	1.62		
Total	96.66	96.56	96.13	95.74	96.69	96.50	96.37	95.80	96.27	95.67	95.88		
Number of Ions on the Basis of 6 (O)													
Si	1.98	1.98	1.98	1.97	1.97	1.97	1.98	1.96	1.95	1.98	1.99		
Ti	.02	.01	.02	.03	.03	.03	.02	.03	.03	.02	.02		
Al	.03	.03	.03	.03	.04	.04	.03	.04	.04	.02	.03		
Cr	.01	.02	.01	.01	.01	.01	.01	.01	.01	.01	.01		
Fe	.43	.44	.48	.27	.30	.30	.32	.15	.17	.41	.41		
Mg	1.44	1.43	1.39	1.43	1.50	1.48	1.53	.91	.94	1.50	1.46		
Ca	.08	.08	.08	.23	.15	.15	.08	.88	.86	.05	.07		
Sum	4.00	3.99	3.99	3.97	4.00	3.98	3.97	3.98	4.00	3.99	3.99		
Molecular End Members													
En	73.8	73.3	71.3	74.1	76.9	76.7	79.3	46.9	47.7	76.5	76.3		
Wo	4.1	4.1	4.1	11.9	7.7	7.8	4.1	45.4	43.7	2.6	3.6		
Fs	22.1	22.6	24.6	14.0	15.4	15.5	16.6	7.7	8.6	20.9	21.1		
Group	HAB	HAB	HAB	SPT	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANAT		

TABLE 9: CONTINUED

Section 7 Continued	Section 8											
	41	41	41	2	2	8	8	8	8			
Frag. No.	35	35	35	2	2	2	2	2	2			
Grain No.	16	17	17	2	1	3	3	2	1			
SiO ₂	52.6	52.2	51.5	52.9	52.7	55.0	53.9	54.1	53.6	53.3	53.2	53.1
TiO ₂	.89	.91	1.11	.74	.62	.60	.69	.69	.74	.58	.75	.79
Al ₂ O ₃	1.58	2.57	1.58	1.08	.83	.92	1.23	1.35	1.73	1.76	1.71	1.55
Cr ₂ O ₃	.30	.43	.41	.36	.24	.22	.34	.34	.64	.66	.68	.55
FeO	6.2	7.2	8.7	15.6	16.0	12.3	12.8	13.5	13.5	13.8	14.0	14.4
MgO	20.7	23.9	16.1	24.9	24.4	25.8	25.0	26.6	24.7	24.4	24.8	24.0
CaO	14.5	9.5	17.6	1.82	1.81	4.2	3.9	1.80	3.6	3.5	2.69	3.7
Total	96.77	96.74	97.00	97.40	96.60	99.13	97.87	98.38	98.56	98.08	97.83	98.13
Number of Ions on the Basis of 6 (0)												
Si	1.96	1.93	1.96	1.97	1.98	1.99	1.98	1.97	1.97	1.97	1.96	1.96
Ti	.03	.03	.04	.03	.02	.02	.03	.03	.03	.02	.03	.03
Al	.05	.08	.05	.03	.03	.03	.04	.04	.05	.05	.05	.05
Cr	.01	.01	.01	.01	.01	.01	.01	.01	.02	.02	.02	.02
Fe	.19	.22	.28	.49	.50	.37	.39	.41	.41	.43	.43	.45
Mg	1.15	1.32	.91	1.38	1.37	1.39	1.37	1.45	1.35	1.34	1.37	1.32
Ca	.58	.38	.72	.07	.07	.17	.15	.07	.14	.14	.11	.15
Sum	3.97	3.97	3.97	3.98	3.98	3.98	3.97	3.98	3.97	3.97	3.97	3.98
Molecular End Members												
En	59.9	68.7	47.6	71.1	70.6	72.0	74.7	75.1	71.0	70.2	71.7	68.8
Wo	30.2	19.8	37.7	3.6	3.6	8.8	7.9	3.6	7.4	7.3	5.8	7.8
Fs	9.9	11.5	14.7	25.3	25.8	19.2	20.4	21.2	21.6	22.5	22.5	23.4
Group	SPT	SPT	SPT	SPT	SPT	ANAT	ANAT	ANAT	ANI	ANAT	ANAT	ANAT

TABLE 9: CONTINUED

Section 8 Continued		12		12		14		14		14		14	
Frag. No.	12	12	12	12	12	14	14	14	14	14	14	14	14
Grain No.	1	5	3	2	4	5	6	3	2	1	4	4	4
SiO ₂	52.9	52.9	51.8	53.0	52.6	51.1	50.4	51.6	53.0	53.3	53.1	53.3	53.1
H ₂ O	.85	.81	1.34	.98	1.04	1.84	2.31	1.27	.85	.81	.84	.81	.84
Al ₂ O ₃	2.37	2.39	2.07	1.83	1.66	2.58	2.72	1.90	1.49	1.17	1.49	1.17	1.49
Cr ₂ O ₃	.66	.75	.45	.44	.46	.65	.65	.54	.57	.44	.55	.44	.55
FeO	12.3	12.6	13.2	13.6	14.3	8.3	8.6	9.9	13.1	13.5	13.7	13.5	13.7
MgO	23.9	24.3	20.5	24.1	22.9	15.9	16.0	18.0	22.3	22.1	22.7	22.1	22.7
CaO	5.2	4.4	8.2	4.3	5.1	17.9	17.5	14.2	6.9	6.5	5.4	6.5	5.4
Total	98.18	98.22	97.57	98.32	98.06	98.29	98.25	97.49	98.28	97.90	98.21	97.90	98.21

Number of Ions on the Basis of 6 (0)

Si	1.95	1.95	1.95	1.95	1.95	1.92	1.90	1.95	1.96	1.98	1.97	1.98	1.97
Ti	.03	.03	.05	.04	.04	.07	.09	.05	.03	.03	.03	.03	.03
Al	.07	.07	.07	.06	.05	.08	.09	.06	.05	.04	.05	.04	.05
Cr	.02	.02	.01	.01	.01	.02	.02	.02	.02	.01	.02	.01	.02
Fe	.38	.39	.42	.42	.45	.26	.27	.31	.41	.42	.43	.42	.43
Mg	1.31	1.33	1.14	1.33	1.27	.89	.89	1.01	1.23	1.22	1.25	1.22	1.25
Ca	.21	.18	.33	.17	.20	.72	.71	.57	.28	.26	.23	.26	.23
Sum	3.97	3.97	3.97	3.98	3.97	3.96	3.97	3.97	3.98	3.96	3.98	3.96	3.98

Molecular End Members

En	69.0	70.0	60.3	69.3	66.2	47.6	47.6	53.4	64.1	64.2	65.5	64.2	65.5
Wo	11.0	9.5	17.5	8.8	10.4	38.5	38.0	30.2	14.6	13.7	12.0	13.7	12.0
Fs	20.0	20.5	22.2	21.9	23.4	13.9	14.4	16.4	21.3	22.1	22.5	22.1	22.5
Group	ANAT	ANAT	ANAT	ANAT	ANAT	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB

TABLE 9: CONTINUED

Section 17		1		3		4		5		6		8		7		
Frag. No.	1	1	1	19	19	19	19	19	19	40	40	40	40	40	40	
Grain No.	1	2	3	4	5	10	10	6	9	8	9	8	7	7	7	
SiO ₂	53.4	54.3	54.3	53.7	53.2	52.3	52.3	53.7	51.3	52.6	51.3	52.6	52.7	52.7	52.7	
TiO ₂	.45	.53	.50	.82	.53	1.21	1.21	.98	.77	.82	.77	.82	1.55	1.55	1.55	
Al ₂ O ₃	.71	1.03	.69	1.33	1.44	1.88	1.88	2.79	1.83	1.88	1.83	1.88	2.41	2.41	2.41	
Cr ₂ O ₃	.24	.28	.25	.49	.51	.39	.39	.44	.51	.53	.51	.53	.38	.38	.38	
FeO	16.2	16.2	16.6	14.2	15.0	13.1	13.5	13.5	13.5	14.5	13.5	14.5	14.9	14.9	14.9	
MgO	23.0	23.5	24.4	25.6	24.6	20.4	20.4	23.0	19.1	21.9	19.1	21.9	21.9	21.9	21.9	
CaO	2.85	2.93	2.67	2.95	3.2	7.9	7.9	5.6	9.0	4.6	9.0	4.6	5.7	5.7	5.7	
Total	96.85	98.77	99.41	99.09	98.43	97.18	97.18	100.02	96.09	96.91	96.09	96.91	99.61	99.61	99.61	
Number of Ions on the Basis of 6 (O)																
Si	2.00	1.99	1.98	1.95	1.95	1.96	1.96	1.94	1.95	1.97	1.95	1.97	1.93	1.93	1.93	
Ti	.01	.02	.01	.03	.02	.04	.04	.03	.03	.03	.03	.03	.05	.05	.05	
Al	.03	.04	.03	.05	.05	.07	.07	.10	.07	.07	.07	.07	.09	.09	.09	
Cr	.01	.01	.01	.01	.01	.01	.01	.01	.01	.02	.01	.02	.01	.01	.01	
Fe	.51	.50	.51	.43	.46	.41	.41	.41	.43	.45	.43	.45	.46	.46	.46	
Mg	1.29	1.29	1.32	1.39	1.35	1.14	1.14	1.23	1.09	1.22	1.09	1.22	1.19	1.19	1.19	
Ca	.11	.11	.11	.11	.13	.32	.32	.22	.37	.19	.37	.19	.23	.23	.23	
Sum	3.96	3.96	3.97	3.97	3.97	3.95	3.95	3.94	3.95	3.95	3.95	3.95	3.96	3.96	3.96	
Molecular End Members																
En	67.5	67.9	68.0	72.0	69.6	61.0	61.0	66.1	57.7	65.6	57.7	65.6	63.3	63.3	63.3	
Wo	5.6	5.8	5.7	5.7	6.7	17.1	17.1	11.8	19.6	10.2	19.6	10.2	12.2	12.2	12.2	
Fs	26.7	26.3	26.3	22.3	23.7	21.9	21.9	22.0	22.7	24.2	22.7	24.2	24.5	24.5	24.5	
Group	NATA	NATA	NATA	ANAT	ANAT	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	HAB	

TABLE 9: CONTINUED

Section 17 Continued		Section 18								
Frag. No.	98	98	98	19	19	22	22	22	22	
Grain No.	15	16	17	14	2	1	1	2	1	
SiO ₂	52.1	53.8	53.1	53.9	53.3	52.4	52.2	54.0	52.4	52.6
TiO ₂	.88	.71	.93	.71	.53	.71	.77	.73	.41	.43
Al ₂ O ₃	1.69	1.60	1.88	1.04	.89	1.12	1.14	1.63	.81	.86
Cr ₂ O ₃	.53	.50	.45	.35	.38	.42	.43	.34	.21	.20
FeO	14.6	14.6	14.7	14.7	12.2	16.2	16.5	8.7	20.8	20.8
MgO	23.4	23.2	23.2	23.4	28.2	22.9	22.7	14.4	21.6	21.7
CaO	3.7	4.9	4.1	4.1	2.14	3.9	4.0	21.1	1.80	1.80
Total	96.20	99.36	98.35	98.20	97.64	97.65	97.74	100.95	98.08	98.41

Number of Ions on the Basis of 6 (G)

Si	1.95	1.96	1.95	1.99	1.95	1.96	1.96	1.98	1.98	1.98
Ti	.03	.02	.03	.02	.01	.02	.02	.02	.01	.01
Al	.06	.06	.07	.04	.04	.05	.05	.07	.04	.04
Cr	.02	.01	.01	.01	.01	.01	.01	.01	.01	.01
Fe	.46	.45	.45	.45	.37	.51	.52	.27	.66	.66
Mg	1.31	1.26	1.27	1.29	1.54	1.28	1.27	.79	1.22	1.22
Ca	.15	.19	.16	.16	.08	.16	.16	.83	.08	.07
Sum	3.98	3.95	3.94	3.96	4.00	3.99	3.99	3.97	4.00	3.99

Molecular End Members

En	68.2	66.2	67.6	67.9	77.1	65.8	65.8	41.8	62.4	62.6
Wo	7.8	15.0	8.5	8.4	4.2	8.1	8.3	44.0	3.8	3.8
Fs	24.0	23.7	23.9	23.7	18.7	26.1	26.6	14.2	33.7	33.7
Group	HAB	HAB	HAB	HAB	ANAT	HAB	HAB	NATA	NATA	NATA

TABLE 9: CONTINUED

Section 18 Continued		37		48		49		55		63		
Frag. No.	37	37	1	2	3	48	1	2	1	2	3	
Grain No.	3	1	2	2	3	48	2	2	1	2	3	
SiO ₂	53.5	53.6	53.1	53.3	51.9	53.8	53.3	50.4	48.8	50.5	51.7	54.5
TiO ₂	.46	.54	.92	.95	1.31	.46	.95	.83	1.31	.48	.65	.67
Al ₂ O ₃	1.21	.89	2.48	1.42	2.31	.72	1.42	1.36	2.31	1.41	.93	1.11
Cr ₂ O ₃	.49	.38	.67	.52	.65	.36	.52	.30	.65	.51	.26	.40
FeO	8.0	15.3	15.5	15.7	10.3	15.7	15.7	26.7	33.1	20.9	21.5	9.7
MgO	17.8	22.8	22.2	24.7	17.0	25.3	24.7	8.5	3.7	18.5	17.4	30.3
CaO	17.4	5.0	5.5	2.48	15.1	2.45	2.48	11.9	13.9	4.2	4.7	1.84
Total	98.86	98.51	100.37	99.27	98.57	98.79	99.27	99.99	102.87	96.57	97.18	98.53

Number of Ions on the Basis of 6 (O)

Si	1.98	1.98	1.93	1.96	1.94	1.97	1.96	1.98	1.93	1.96	2.00	1.95
Ti	.01	.02	.03	.03	.04	.01	.03	.02	.04	.01	.02	.02
Al	.05	.04	.11	.06	.10	.03	.06	.06	.11	.06	.04	.05
Cr	.01	.01	.02	.02	.02	.01	.02	.01	.02	.02	.01	.01
Fe	.25	.47	.47	.48	.32	.48	.48	.89	1.10	.68	.69	.29
Mg	.98	1.26	1.21	1.35	.95	1.38	1.35	.50	.22	1.07	1.00	1.62
Ca	.69	.20	.21	.10	.60	.10	.10	.50	.55	.18	.20	.07
Sum	3.97	3.98	3.98	4.00	3.97	3.98	4.00	3.95	3.97	3.98	3.96	4.01

Molecular End Members

En	51.2	65.2	63.7	70.0	50.5	70.5	70.0	26.5	11.7	55.6	52.9	81.7
Wo	35.9	10.3	11.3	5.1	32.3	4.9	5.1	26.7	26.9	9.2	30.4	3.6
Fs	12.9	24.5	25.0	25.0	17.2	24.6	25.0	46.8	58.7	35.2	36.7	14.7

Group	NATA	NATA	NATA	ANAT	ANAT	ANAT

TABLE 9: CONTINUED

Section 18 Continued		98	98	98	102	126	106	110	138	138	138	138	147
Frag. No.	98.	98	98	98	102	126	106	110	138	138	138	138	147
Grain No.	1	3	4	2	1	1	2	3	5	1	4	6	3
SiO2	52.7	53.6	53.2	53.8	53.4	53.2	53.0	52.1	53.5	53.1	52.8	52.5	51.7
TiO2	1.77	.99	.80	.60	1.09	.68	.68	.75	.45	.45	.49	.41	1.14
Al2O3	2.47	1.81	.82	.62	1.92	1.20	1.29	1.02	1.31	1.19	1.35	1.20	1.86
Cr2O3	.59	.47	.28	.31	.51	.53	.45	.37	.62	.62	.59	.66	.42
FeO	7.8	8.2	15.0	15.1	10.0	14.4	14.4	15.6	13.4	13.7	14.3	14.7	14.2
MgO	16.7	17.8	23.9	25.0	29.9	25.9	26.5	22.6	26.7	23.6	24.9	22.9	22.1
CaO	17.6	16.7	3.8	3.1	2.09	2.29	1.65	3.9	2.26	4.5	2.78	4.4	6.0
Total	99.63	99.57	97.83	98.61	98.91	98.20	97.98	96.42	98.24	97.20	97.21	96.86	97.62
Number of Ions on the Basis of 6 (0)													
Si	1.94	1.96	1.97	1.98	1.91	1.96	1.95	1.97	1.96	1.98	1.96	1.97	1.93
Ti	.02	.03	.02	.02	.03	.02	.02	.02	.01	.01	.01	.01	.03
Al	.11	.08	.04	.03	.08	.05	.06	.05	.06	.05	.06	.05	.08
Cr	.02	.01	.01	.01	.01	.02	.01	.01	.02	.02	.02	.02	.01
Fe	.24	.25	.47	.46	.30	.44	.44	.49	.41	.43	.44	.46	.44
Mg	.91	.97	1.32	1.37	1.60	1.42	1.45	1.27	1.45	1.31	1.38	1.28	1.23
Ca	.69	.66	.15	.13	.08	.09	.07	.16	.09	.16	.11	.18	.24
Sum	3.96	3.96	3.98	4.00	4.01	4.00	4.00	3.97	4.00	3.98	3.98	3.97	3.96
Molecular End Members													
En	49.5	51.7	68.2	69.9	80.8	72.7	74.1	66.1	74.5	68.3	71.3	66.6	64.3
Wo	37.5	34.9	7.9	6.4	4.1	4.6	3.3	8.4	4.5	9.4	5.7	9.4	12.6
Fs	13.0	13.4	24.0	23.7	15.2	22.7	22.6	25.6	21.0	22.2	23.0	24.0	23.2
Group	HAB	HAB	HAB	HAB	SPT	ANAT	ANAT	HAB	HAB	HAB	HAB	HAB	ANAT

TABLE 10: PARTIAL ANALYSES OF PYROXENE

Section 1		Section 9											
Frag. No.	3	3	3	5	5	5	7	7	20				
Grain No.	6 *	8 **	7	5	13	9	10	11	12				
Cr ₂ O ₃	n.d.	1.32	.27	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	.83	.18	n.d.	
FeO	16.0	17.2	23.7	32.0	30.0	15.6	16.1	16.9	17.8	14.4	25.8	15.8	
MgO	11.0	21.0	17.3	12.4	15.8	25.0	25.1	24.3	13.8	19.7	25.2	24.3	
CaO	17.6	4.7	3.9	2.65	17.7	1.93	1.67	1.81	12.2	7.9	2.82	2.31	
Molecular End Members													
En	33.7	31.6	51.8	38.4	46.3	71.1	71.0	69.3	42.4	58.9	60.4	69.8	
Wo	36.8	10.0	8.4	5.9	37.3	3.9	3.4	3.7	26.9	17.0	4.9	4.8	
Fs	27.5	28.3	39.8	55.7	16.4	24.9	25.6	27.0	30.7	24.1	34.7	25.5	
Group	ANAT	ANAT	ANAT	ANAT	ANAT	** TiO ₂	TiO ₂	.76	Al ₂ O ₃	.81	NATA	NATA	ANAT
* TiO ₂	.10	Al ₂ O ₃	.72										

TABLE 10: CONTINUED

Section 10		Section 9										
Frag. No.	4	4	4	4	4	4	8	8	8			
Grain No.	1	5	2	7	6	3	8	4	10			
TiO ₂	.71	1.70	.99	1.40	.29	.43	.65	1.05	.23	.22	.25	.25
Al ₂ O ₃	1.72	2.16	1.74	1.99	1.02	.96	.82	1.44	1.71	1.71	1.24	1.24
Cr ₂ O ₃	.67	.50	.52	.48	.53	.40	.28	.35	.69	.69	.50	.50
FeO	12.6	13.9	14.5	17.6	17.7	18.3	18.7	18.9	10.4	10.4	11.4	11.4
MgO	17.2	16.9	17.5	18.8	21.1	21.4	20.5	20.0	28.9	28.9	27.8	27.8
CaO	13.3	11.5	11.2	6.2	4.1	3.8	4.4	4.4	2.42	2.41	3.1	3.1
Molecular End Members												
En	50.8	51.3	51.9	56.7	52.0	62.2	60.0	59.2	79.2	78.9	76.3	76.3
Wo	28.3	25.1	23.9	13.5	8.8	7.9	9.3	9.4	4.8	4.7	6.1	6.1
Fs	20.9	23.7	24.1	29.8	29.2	29.8	30.7	31.4	16.0	16.4	17.5	17.5
Group	NATA	NATA	NATA	NATA	NATA	NATA	NATA	NATA	ANAT	ANAT	ANAT	ANAT

TABLE 10: CONTINUED

Section 10 Continued		Section 12							
Frag. No.	18	18	18	39	39	61	61	61	
Grain No.	15	12	14	13	7	6	5	2	
TiO ₂	n.d.	.55	.74	.87	n.d.	n.d.	n.d.	n.d.	n.d.
Al ₂ O ₃	n.d.	1.00	1.11	.97	n.d.	n.d.	n.d.	n.d.	n.d.
Cr ₂ O ₃	n.d.	.40	.43	.35	.14	.20	.19	.63	.57
FeO	12.4	15.5	15.9	16.0	22.8	23.0	23.2	14.5	14.8
HgO	25.5	24.5	24.4	24.6	18.4	18.1	18.5	22.5	20.5
CaO	2.06	2.51	2.35	2.04	2.66	2.90	2.22	4.9	6.4
Molecular End Members									
En	75.1	70.0	69.7	70.2	55.6	54.7	55.9	65.9	61.4
Wo	4.4	5.1	4.8	4.2	5.8	6.3	4.8	10.3	13.8
Fs	20.5	24.8	25.5	25.6	38.6	39.0	39.3	23.8	24.9
Group	HAB	HAB	HAB	HAB	NATA	NATA	NATA	NATA	NATA

TABLE 10: CONTINUED

Section 17		Section 18							
Frag. No.	1	1	1	48	48	84	22	22	22
Grain No.	6	4	7	5	8	1	7	5	6
Cr ₂ O ₃	.27	.27	.27	.28	.18	.10	.18	.19	.29
FeO	15.8	16.1	16.5	16.7	15.7	22.7	22.8	22.8	9.4
HgO	24.0	23.3	23.2	23.1	13.2	15.1	14.8	14.8	14.9
CaO	2.43	2.76	2.50	2.60	15.6	6.1	5.5	8.2	18.8
Molecular End Members									
En	69.3	67.9	67.7	67.3	39.7	46.2	46.9	46.9	44.2
Wo	5.0	5.8	5.2	5.4	33.8	13.6	12.5	12.5	40.1
Fs	25.6	26.3	27.0	27.3	26.5	39.5	40.6	40.6	15.7
Group	NATA	NATA	NATA	NATA	A	A	A	A	NATA

TABLE 10: CONTINUED

Section 18 Continued

Frag. No.	37	37	37	37	37	37	64	64	95	95	95	95
Grain No.	4	7	5	6	8	1	2	1A	1	3	2	2
Cr ₂ O ₃	.62	.65	.34	.39	.40	.51	.66	.77	.70	.89	.74	.72
FeO	9.4	9.5	15.3	15.8	16.1	7.9	11.1	5.0	5.2	14.1	15.7	15.9
MgO	16.8	17.0	21.1	22.9	22.7	12.5	15.0	16.8	17.0	16.9	15.0	14.7
CaO	16.2	15.7	4.0	4.5	4.7	12.6	16.2	20.1	20.2	11.3	12.7	12.5
Molecular End Members												
En	49.8	50.6	64.8	65.4	64.7	48.1	45.6	49.3	48.1	51.3	45.5	45.0
Wo	34.5	33.6	8.8	9.2	9.6	34.8	35.4	42.4	43.6	24.7	27.7	27.6
Fs	15.6	15.9	26.4	25.3	25.7	17.1	18.9	8.2	8.4	24.0	26.7	27.4
Group	NATA	NATA	NATA	NATA	NATA	NATA	NATA	A	A	A	A	A

TABLE 10: CONTINUED

Section 18 Continued

Frag. No.	147	147	162A	162A	162A	171	171	171	182	182	182	182
Grain No.	1	4	3	2	1	2	3	1	2	3	4	4
Cr ₂ O ₃	n.d.	n.d.	.15	.25	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
FeO	13.3	18.7	7.6	9.1	11.7	11.9	11.9	10.1	13.5	14.1	14.2	14.2
MnO	.21	.21	n.d.	n.d.	n.d.	n.d.	n.d.	.21	.21	.22	.17	.17
MgO	20.1	27.3	10.4	10.5	27.3	27.8	28.6	16.7	19.4	20.8	23.8	23.8
CaO	6.4	3.4	12.8	11.9	12.6	2.23	1.85	15.1	9.5	7.7	3.0	3.0
Molecular End Members												
En	62.5	67.8	43.6	43.5	76.9	77.1	78.1	50.3	57.4	60.7	70.1	70.1
Wo	14.3	6.1	38.6	35.4	4.5	4.4	3.6	32.7	20.2	16.2	6.5	6.5
Fs	23.2	26.1	17.8	21.1	18.5	18.5	18.2	17.1	22.4	23.1	23.5	23.5
Group	A	A	A	A	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT

TABLE 10: CONTINUED

Section 18 Continued		193	193	193	195	196	196	196	196	197	197	197	197
Frag. No.	193	193	193	193	195	196	196	196	196	197	197	197	197
Grain No.	3	2	4	1	1	4	2	1	3	3	2	4	1
TiO ₂	n.d.	.68	.57	.66	.57	n.d.	.72	n.d.	.74	n.d.	n.d.	n.d.	n.d.
Al ₂ O ₃	n.d.	1.11	.90	.88	1.46	n.d.	1.04	n.d.	1.10	n.d.	n.d.	n.d.	n.d.
Cr ₂ O ₃	n.d.	.40	.48	.36	.59	n.d.	.35	n.d.	.33	n.d.	n.d.	n.d.	n.d.
FeO	16.0	16.1	16.6	16.7	14.1	14.3	16.3	17.7	19.0	14.2	14.3	14.3	14.5
MgO	22.8	22.9	23.6	22.9	17.0	18.3	22.2	20.8	20.4	23.3	23.0	23.5	23.4
CaO	3.3	3.5	3.3	3.4	12.9	9.6	5.5	12.2	4.1	4.1	4.5	3.7	3.9
Molecular End Members													
En	66.7	66.7	68.2	66.7	50.4	55.0	60.6	61.7	60.0	68.0	67.1	68.8	68.1
Wo	7.0	7.4	6.9	7.2	27.5	29.9	12.9	8.9	8.6	8.7	9.5	7.8	8.2
Fs	26.3	25.8	25.0	26.1	22.1	24.1	27.4	29.4	31.3	23.3	23.4	23.5	23.7
Group	ANAT	ANAT	ANAT	ANAT	MB	HAB	UAB	HAB	HAB	AVAT	ANAT	ANAT	ANAT

TABLE 10: CONTINUED

Section 18 Continued		209	209	209	210	214	214	214	214	214	214	214	214
Frag. No.	209	209	209	209	210	214	214	214	214	214	214	214	214
Grain No.	3	2	4	1	1	2	1	3	4	3	1	4	4
Cr ₂ O ₃	n.d.	n.d.	n.d.	n.d.	.52	n.d.	n.d.	n.d.	.66	n.d.	n.d.	n.d.	.60
FeO	13.8	14.2	14.4	14.5	13.9	8.6	8.9	8.9	9.7	8.9	8.9	9.7	9.7
MgO	20.6	24.3	23.3	22.6	27.0	16.3	16.6	15.9	17.4	16.6	16.7	17.4	17.4
CaO	5.8	3.2	4.2	3.0	1.52	16.9	16.7	17.4	15.8	16.7	17.4	15.8	15.8
Molecular End Members													
En	63.4	70.3	67.7	68.4	75.3	49.0	49.5	47.6	50.9	49.5	47.6	50.9	50.9
Wo	12.8	6.7	8.8	6.7	3.0	36.5	35.7	37.4	33.2	35.7	37.4	33.2	33.2
Fs	23.8	23.0	23.5	24.9	21.7	14.5	14.8	15.0	15.9	14.8	15.0	15.9	15.9
Group	ANAT	ANAT	ANAT	ANAT	NATA	NATA	NATA	NATA	NATA	AVAT	ANAT	ANAT	NATA

TABLE 10: CONTINUED

Section 20 Continued										
Frag. No.	30	30	30	30	30	30	30	30	30	30
Grain No.	3	7	9	1	10	5	4	2	6	8
Cr ₂ O ₃	n.d.	.46	.43	n.d.	.37	.32	n.d.	n.d.	.31	.29
FeO	7.8	9.1	9.1	9.8	13.9	15.2	16.0	16.8	16.9	17.0
MgO	14.4	15.6	16.0	16.4	20.5	21.3	21.6	22.9	22.0	22.9
CaO	18.5	17.3	17.4	15.0	8.2	6.3	4.3	2.95	3.6	3.6
Molecular End Members										
En	44.9	47.1	47.6	50.2	60.0	62.0	64.2	66.5	64.6	65.4
Wo	41.5	37.5	33.2	33.0	19.2	13.2	9.1	6.1	7.6	7.4
Fs	13.6	15.4	15.2	16.8	22.8	24.8	26.7	27.4	27.8	27.2
Group	JATA	NATA	NATA	NATA	NATA	NATA	NATA	NATA	NATA	NATA

TABLE 10: CONTINUED

Section 21										
Frag. No.	6	6	10	10	10	10	10	15	15	17
Grain No.	1	2	4	1	2	3	5	2	1	1
Cr ₂ O ₃	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
FeO	11.0	11.0	11.6	13.7	14.0	14.7	15.9	8.4	15.1	16.3
MgO	29.5	29.6	20.3	23.6	23.1	20.1	23.0	16.8	23.3	24.0
CaO	1.82	1.85	9.8	4.3	4.8	8.1	3.9	16.8	3.9	2.4
Molecular End Members										
En	79.8	79.8	59.9	68.6	67.1	58.9	66.2	49.9	67.4	68.8
Wo	3.5	3.6	20.9	9.1	10.1	17.0	8.1	35.9	8.1	4.9
Fs	16.7	16.6	19.2	22.3	22.8	24.1	25.7	14.1	24.5	26.2
Group	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	NATA	NATA	NATA

TABLE 10: CONTINUED

Section 20		1		1		1		4		4		16		21		
Frag. No.	1	1	1	1	1	1	1	4	4	4	4	1	1	21	21	
Grain No.	6	3	7	1	5	4	2	2	1	3	1	1	1	1	2	
TiO ₂	n.d.	n.d.	.58	.29	.19	.23	.47	.81	.79	.80	.91	n.d.	n.d.	n.d.	n.d.	
Al ₂ O ₃	n.d.	n.d.	5.0	.46	.33	.37	.36	2.56	2.07	1.89	1.18	n.d.	n.d.	n.d.	n.d.	
Cr ₂ O ₃	n.d.	n.d.	.30	.10	.09	.11	.09	.63	.56	.49	.33	.37	.37	.37	.37	
FeO	10.6	10.6	12.2	19.9	24.9	25.6	26.1	12.5	13.3	13.4	13.7	12.9	12.9	16.6	16.6	
MgO	12.4	13.3	26.7	15.7	17.3	17.9	17.6	21.2	23.7	23.0	26.4	26.4	26.4	24.3	24.3	
CaO	20.3	20.8	1.56	8.9	2.31	2.50	1.21	5.7	4.3	5.0	1.86	1.74	1.74	1.71	1.71	
Molecular End Members																
En	37.6	38.9	77.0	47.2	52.5	51.3	53.1	65.6	69.1	67.4	74.5	75.6	75.6	65.7	65.7	
Wo	44.3	43.7	3.2	19.2	5.0	5.4	2.7	12.6	9.1	10.6	3.8	3.6	3.6	3.5	3.5	
Fs	18.1	17.4	19.7	33.6	42.4	43.3	44.2	21.7	21.8	22.0	21.7	20.7	20.7	26.7	26.7	
Group	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	SPT	NATA	NATA	NATA	NATA	

TABLE 10: CONTINUED

Section 20 Continued		25		25		27		27		27		27		29		
Frag. No.	25	25	25	25	27	27	27	27	27	27	27	27	27	29	29	
Grain No.	1	3	2	4	2	6	4	5	3	1	2	1	1	1	1	
TiO ₂	n.d.	n.d.	n.d.	n.d.	1.98	1.79	1.47	.88	.84	.85	n.d.	n.d.	n.d.	n.d.	n.d.	
Al ₂ O ₃	n.d.	n.d.	n.d.	n.d.	2.48	2.47	2.15	1.10	.95	.95	n.d.	n.d.	n.d.	n.d.	n.d.	
Cr ₂ O ₃	n.d.	n.d.	n.d.	n.d.	.56	.64	.65	.41	.35	.30	n.d.	n.d.	n.d.	n.d.	n.d.	
FeO	13.6	15.8	15.9	15.9	8.5	8.7	9.0	15.1	15.2	15.8	12.5	14.0	14.0	14.0	14.0	
MgO	19.6	22.9	22.4	22.9	16.3	16.3	16.7	24.7	24.3	24.4	25.5	24.5	24.5	24.5	24.5	
CaO	6.1	4.4	4.3	4.3	17.4	17.5	16.8	2.34	2.41	2.17	4.2	4.3	4.3	4.3	4.3	
Molecular End Members																
En	62.0	65.6	65.1	65.6	48.5	48.3	49.3	70.0	70.3	70.1	71.8	69.1	69.1	69.1	69.1	
Wo	13.8	9.0	8.9	8.8	37.2	37.2	35.7	4.8	5.0	4.5	8.5	8.8	8.8	8.8	8.8	
Fs	24.1	25.4	25.9	25.6	14.2	14.5	15.0	24.3	24.7	25.5	19.7	22.1	22.1	22.1	22.1	
Group	HAB	HAB	HAB	HAB	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	ANAT	

PYROXENE

K-FELDSPAR

SiO₂-K₂O-RICH RESIDUAL GLASS

TABLE 11: PARTIAL ANALYSES OF K-FELDSPAR

Section 17		Section 18	
Frag. No.	95	95	48
Grain No.	2	3	4
TiO ₂	.08	.10	.25
Cr ₂ O ₃	.02	*	n.d.
FeO	.10	.12	.17
MgO	*	*	.04
CaO	.37	.41	4.2
Na ₂ O	2.04	1.82	.57
K ₂ O	12.3	12.8	11.9
BaO	.31	.31	2.36
Molecular End Members			
An	2.0	2.2	21.6
Ab	19.7	17.7	5.0
Or	78.3	79.8	73.3

TABLE 12: SiO₂-K₂O-RICH RESIDUAL GLASS

Section 1		Section 9	
Frag. No.	1	1	10
Grain No.	61	63	61
SiO ₂	73.3	79.0	81.0
TiO ₂	.66	.63	.32
Al ₂ O ₃	12.4	11.8	11.2
FeO	3.3	.17	.70
MgO	.24	*	.01
CaO	1.92	.31	.86
Na ₂ O	.93	.36	.48
K ₂ O	5.9	9.0	5.6
BaO	.01	.96	.48
P ₂ O ₅	.20	.07	.10
Total	98.86	102.30	100.73

SiO₂-K₂O-RICH RESIDUAL GLASS

ZIRKELITE

ZIRKELITE

TABLE 13: PARTIAL ANALYSES OF ZIRKELITE

Section 2		Section 8	
Frag. No.	8	8	27
Grain No.	15	14	
SiO ₂	n.d.	1.20	.50
TiO ₂	32.4	32.2	35.0
Al ₂ O ₃	6.6	3.8	1.74
Cr ₂ O ₃	.75	.79	.95
V ₂ O ₃	n.d.	n.d.	.36
FeO	6.1	4.5	2.86
MnO	n.d.	n.d.	.16
MgO	.87	.92	.86
CaO	n.d.	10.1	12.4
ZrO ₂	32.2	32.5	38.8
Ce ₂ O ₃	.46	.50	n.d.