



Supermolecular-Chromophore-Sensitized Near-Infrared-to-Visible Photon Upconversion

Submitted by Emmanuel Lemoine on Tue, 02/04/2014 - 16:15

Titre	Supermolecular-Chromophore-Sensitized Near-Infrared-to-Visible Photon Upconversion
Type de publication	Article de revue
Auteur	Singh-Rachford, Tanya-N. [1], Nayak, Animesh [2], Muro-Small, Maria-L. [3], Goeb, Sébastien [4], Therien, Michael-J. [5], Castellano, Felix-N. [6]
Editeur	American Chemical Society
Type	Article scientifique dans une revue à comité de lecture
Année	2010
Langue	Anglais
Date	2010/10/13
Numéro	40
Pagination	14203 - 14211
Volume	132
Titre de la revue	Journal of the American Chemical Society
ISSN	0002-7863
Résumé en anglais	Selective near-IR (NIR) excitation (780 nm) of the conjugated supermolecule ruthenium(II) [15-(4 ² -ethynyl-(2,2 ² ;6 ² ,2 ² ?-terpyridinyl))-bis((5,5?,10,20-di(2,2 ² ;6 ² -bis(3,3-dimethylbutoxy)phenyl)porphinato)zinc(II)]ethyne)[4 ² -pyrrolidin-1-yl-2,2 ² ;6 ² ,2 ² ?-terpyridine] bis(hexafluorophosphate) (Pyr1RuPZn2) in solutions containing N,N-bis(ethylpropyl)perylene-3,4,9,10-tetracarboxylic diimide (PDI) or tetracene gives rise to a substantial anti-Stokes energy gain (PDI, 0.70 eV; tetracene, 0.86 eV). Experimental data clearly demonstrate that this upconverted fluorescence signal is produced via Pyr1RuPZn2-sensitized triplet?triplet annihilation (TTA) photochemistry. The TTA process was confirmed by the quadratic dependence of the integrated 1PDI* emission centered at 541 nm derived from 780 nm laser excitation. The T1?Tn excited state absorption decay of Pyr1RuPZn2, monitored at 900 nm as a function of PDI concentration, revealed Stern?Volmer and bimolecular quenching constants of 10?048 M?1 and 5.9 ? 108 M?1 s?1, respectively, for the PDI triplet sensitization process. The T1?Tn PDI extinction coefficient at 560 nm ($\epsilon_T = 6.6 \pm 104 \text{ M}^{-1} \text{ cm}^{-1}$) was determined through the triplet energy transfer method utilizing anthracene as the donor chromophore. 3PDI* transient triplet absorption dynamics observed as a function of 485 nm incident nanosecond pump laser fluence demonstrate a bimolecular 3PDI*?3PDI* TTA rate constant ($k_{TT} = 1.0 \pm 0.2 \pm 109 \text{ M}^{-1} \text{ s}^{-1}$). The maximum quantum yield of the supermolecule-sensitized PDI upconverted emission ($\Phi_{UC} = 0.0075 \pm 0.0002$) was determined relative to [Ost(phen)3][PF6]2 at an incident laser power of 22 mW at 780 nm. This study successfully demonstrates NIR-to-visible photon upconversion and achieves a new record anti-Stokes shift of 0.86 eV for sensitized TTA, using the supermolecular Pyr1RuPZn2 sensitizer. The stability of the Pyr1RuPZn2/PDI chromophore combination is readily apparent as continuous irradiation at 780 nm produces 541 nm centered fluorescence with no significant decrease in intensity measured over time domains exceeding several hours. The molecular components of these NIR-to-vis upconverting compositions illustrate that substantial anti-Stokes energy gains via a TTA process can be effortlessly realized.
URL de la notice	http://okina.univ-angers.fr/publications/ua2101 [7]
DOI	10.1021/ja105510k [8]
Lien vers le document	http://dx.doi.org/10.1021/ja105510k [8]

Liens

- [1] [http://okina.univ-angers.fr/publications?f\[author\]=2986](http://okina.univ-angers.fr/publications?f[author]=2986)
- [2] [http://okina.univ-angers.fr/publications?f\[author\]=2987](http://okina.univ-angers.fr/publications?f[author]=2987)
- [3] [http://okina.univ-angers.fr/publications?f\[author\]=2988](http://okina.univ-angers.fr/publications?f[author]=2988)
- [4] <http://okina.univ-angers.fr/s.goeb/publications>
- [5] [http://okina.univ-angers.fr/publications?f\[author\]=2990](http://okina.univ-angers.fr/publications?f[author]=2990)
- [6] [http://okina.univ-angers.fr/publications?f\[author\]=2685](http://okina.univ-angers.fr/publications?f[author]=2685)
- [7] <http://okina.univ-angers.fr/publications/ua2101>
- [8] <http://dx.doi.org/10.1021/ja105510k>

Publié sur *Okina* (<http://okina.univ-angers.fr>)