CORE



Available online at www.sciencedirect.com



Nuclear Physics B 904 (2016) 348-366



www.elsevier.com/locate/nuclphysb

# (Pseudo-)Goldstone boson interaction in D = 2 + 1systems with a spontaneously broken internal rotation symmetry

Christoph P. Hofmann

Facultad de Ciencias, Universidad de Colima, Bernal Díaz del Castillo 340, Colima C.P. 28045, Mexico

Received 29 October 2015; received in revised form 14 January 2016; accepted 18 January 2016

Available online 22 January 2016

Editor: Hubert Saleur

# Abstract

The low-temperature properties of systems characterized by a spontaneously broken internal rotation symmetry,  $O(N) \rightarrow O(N-1)$ , are governed by Goldstone bosons and can be derived systematically within effective Lagrangian field theory. In the present study we consider systems living in two spatial dimensions, and evaluate their partition function at low temperatures and weak external fields up to three-loop order. Although our results are valid for any such system, here we use magnetic terminology, i.e., we refer to quantum spin systems. We discuss the sign of the (pseudo-)Goldstone boson interaction in the pressure, staggered magnetization, and susceptibility as a function of an external staggered field for general N. As it turns out, the d = 2 + 1 quantum XY model (N = 2) and the d = 2 + 1 Heisenberg antiferromagnet (N = 3), are rather special, as they represent the only cases where the spin-wave interaction in the pressure is repulsive in the whole parameter regime where the effective expansion applies. Remarkably, the d = 2 + 1 XY model is the only system where the interaction contribution in the staggered magnetization (susceptibility) tends to positive (negative) values at low temperatures and weak external field.

© 2016 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/). Funded by SCOAP<sup>3</sup>.

http://dx.doi.org/10.1016/j.nuclphysb.2016.01.018

0550-3213/© 2016 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/). Funded by SCOAP<sup>3</sup>.

E-mail address: christoph.peter.hofmann@gmail.com.

# 1. Introduction

The present study is devoted to (pseudo-)Lorentz-invariant systems that are defined in two spatial dimensions and – at T = 0 – are characterized by a spontaneously broken rotation symmetry  $O(N) \rightarrow O(N - 1)$ . We focus on the low-energy dynamics which is dominated by the corresponding N - 1 Goldstone bosons. The most prominent physical realizations are the d = 2 + 1 quantum XY model (N = 2) and the d = 2 + 1 Heisenberg antiferromagnet (N = 3). In either case the relevant low-energy degrees of freedom are the spin waves or magnons.

Although there exists a vast number of publications – in particular for  $N = \{2, 3\}$  – the impact of the Goldstone boson interaction onto the low-temperature behavior of these systems has been largely neglected. While the specific cases  $N = \{2, 3\}$  have been addressed within effective Lagrangian field theory in Refs. [1–8], a systematic study of the nature of the interaction in systems with general N, seems to be lacking. It is the aim of the present investigation to rigorously analyze the effect of the Goldstone boson interaction in the pressure, in the staggered magnetization, and in the susceptibility, using the systematic and model-independent effective Lagrangian technique.

A method widely used to analyze the low-temperature behavior of spin systems with a spontaneously broken internal rotation symmetry is spin-wave theory, or its modified versions adapted to two spatial dimensions [9–12]. With respect to the d = 2+1 quantum XY model, the interested reader may also consult Refs. [13–16]. The finite-temperature properties of the d = 2+1 Heisenberg antiferromagnet and the d = 2+1 quantum XY model have furthermore been analyzed with alternative methods that include Schwinger-boson mean-field theory, Green's functions, renormalization group methods, and Monte-Carlo simulations. Concerning the d = 2+1 quantum XY model we refer to Refs. [17–27], while for the d = 2+1 Heisenberg antiferromagnet we point to Refs. [28–41]. For the general case, i.e., for arbitrary N, see Refs. [42–48].

Here we do not use spin-wave theory or any other microscopic method. Rather, our approach relies on the effective Lagrangian technique which systematically captures the low-energy physics of the system that is governed by the Goldstone bosons. Low energy – or low temperature – means that we are interested in the properties of the system below the intrinsic scale defined by the underlying microscopic model. In connection with the Heisenberg antiferromagnet or the quantum XY model, this scale is given by the exchange coupling J. Note that the spontaneously broken rotation symmetry O(N) is only approximate, since we incorporate a weak external field into the low-energy description. As we discuss below, this field cannot be completely switched off in two spatial dimensions in the effective approach we pursue. Since the spontaneously broken rotation symmetry is only approximate, the Goldstone bosons are not strictly massless, but pick up a small mass or energy gap – and are hence referred to as (pseudo-)Goldstone bosons. In what follows, however, we prefer to call them Goldstone bosons, keeping in mind that they are not exactly massless.

The d = 2 + 1 quantum XY model (N = 2) and the d = 2 + 1 Heisenberg antiferromagnet (N = 3) turn out to be rather peculiar cases: they represent the only systems where the spin-waveinteraction contribution in the pressure is repulsive at low temperatures in the entire parameter regime where our effective analysis applies. Furthermore, considering the impact of the spinwave interaction in the staggered magnetization and susceptibility, the low-temperature behavior of the d = 2 + 1 quantum XY model is quite different from any other d = 2 + 1 (pseudo-)Lorentzinvariant system with a spontaneously broken internal rotation symmetry O(N): it is the only system where the interaction contribution in the staggered magnetization (susceptibility) tends to positive (negative) values at low temperatures and weak external field. Interestingly, for systems with  $N \ge 4$  the staggered magnetization (susceptibility) also becomes positive (negative) at very low temperatures and not too weak external fields. This means that here the Goldstone boson interaction at finite temperature tends to reinforce the antialignment of the spins and enhances the staggered spin pattern.

We emphasize that the physical realizations for  $N = \{2, 3\}$  are not restricted to quantum magnetism. Rather, any two-dimensional system with a spontaneously broken rotation symmetry,  $O(3) \rightarrow O(2)$ , or  $O(2) \rightarrow 1$ , exhibits the same characteristic features determined by the universal physics of its Goldstone bosons. Most remarkably, the question of whether the Goldstone boson interaction in the pressure and the other observables we consider, is repulsive or attractive at low temperatures, applies to any d = 2 + 1 (pseudo-)Lorentz-invariant system that exhibits a spontaneously broken rotation symmetry. In this sense, our results on the nature of the Goldstone boson interaction are universal. To the best of our knowledge, our three-loop results are far beyond any analogous calculation based on more conventional condensed matter methods like spin-wave theory.

The rest of the paper is organized as follows. In Sec. 2 we comment on some essential aspects of the effective Lagrangian method and the evaluation of the partition function. The low-temperature series for the pressure, the staggered magnetization, and the susceptibility for d = 2 + 1 (pseudo-)Lorentz-invariant systems with a spontaneously broken symmetry,  $O(N) \rightarrow O(N-1)$ , are discussed in Sec. 3. Our focus is the manifestation of the Goldstone boson interaction in the low-temperature behavior of these systems in a weak external field. Finally, in Sec. 4 we present our conclusions.

# 2. Effective field theory and partition function

The basic principles underlying the effective Lagrangian method, as well as the perturbative evaluation of the partition function, have been outlined on various occasions, and will not be repeated here. The interested reader may find details in Appendix A of Ref. [50] or in Section 2 of Ref. [51]. For pedagogic introductions to the effective Lagrangian technique we refer to Refs. [52–54].

The basic degrees of freedom are the N - 1 Goldstone bosons, which result from the spontaneously broken rotation symmetry  $O(N) \rightarrow O(N - 1)$ . The low-energy dynamics of the system is described by a Euclidean effective Lagrangian – see Eqs. (2.8) and (2.12) in Ref. [8] – where the different pieces therein are organized according to the number of derivatives they contain. The leading contribution  $\mathcal{L}_{eff}^2$  contains two space–time derivatives (order  $p^2$ ), while the next-to-leading contribution  $\mathcal{L}_{eff}^4$  is of order  $p^4$ .

A physical realization for N = 2 and N = 3 is provided by the d = 2 + 1 quantum XY model and the d = 2 + 1 Heisenberg antiferromagnet, respectively. The O(2) spin symmetry of the quantum XY Hamiltonian, and the O(3) spin symmetry of the Heisenberg Hamiltonian, are spontaneously broken according to O(2)  $\rightarrow 1$  and O(3)  $\rightarrow$  O(2), respectively. The Goldstone bosons in these cases are identified with the spin waves or magnons, and the external field  $\vec{H}_s =$  $(0, \ldots, 0, H_s)$  is the staggered field that couples to the staggered magnetization vector. Note that there exists a mapping between the antiferromagnetic and the ferromagnetic quantum XY model on a bipartite lattice, such that for N = 2 the external field may also be interpreted as the magnetic field that couples to the magnetization vector of the quantum XY ferromagnet. Regarding the transition from the staggered magnetization and staggered field – defined on a lattice – to the definition in the continuum effective field theory, the reader is referred to section X of Ref. [55]. An important point to emphasize is that the effective Lagrangian is written in a Lorentzinvariant form. One may thus be very skeptical about its applicability to the d = 2 + 1 quantum XY model or the Heisenberg antiferromagnet, whose underlying two-dimensional lattices are not even invariant under continuous space rotations. First of all, the leading piece  $\mathcal{L}_{eff}^2$  does not depend on the specific geometry – the lattice structure only starts manifesting itself at subleading orders in the effective Lagrangian [5]. Hence  $\mathcal{L}_{eff}^2$  may be written in a (pseudo-)Lorentz-invariant form, where the spin-wave velocity takes over the role of the velocity of light. Note that (pseudo-)Lorentz-invariance is an accidental symmetry of  $\mathcal{L}_{eff}^2$ , and is not present in the microscopic XY or Heisenberg Hamiltonian. As far as the next-to-leading piece  $\mathcal{L}_{eff}^4$  is concerned, indeed, lattice anisotropies start to show up at this order: these contributions are still invariant under the discrete spatial symmetries of the lattice, but break continuous space rotation invariance and thus (pseudo-)Lorentz invariance. As will become clear below, these extra contributions do not affect our conclusions concerning the impact of the spin-wave interaction in thermodynamic quantities. In other words, it is perfectly safe for our purposes to also write  $\mathcal{L}_{eff}^4$  in a (pseudo-)Lorentz-invariant form.

Since we are dealing with relativistic kinematics, the external field  $H_s$  induces a mass term – or energy gap – in the dispersion relation of the Goldstone bosons,

$$\omega = \sqrt{v^2 \vec{k}^2 + v^4 M^2}, \qquad M^2 = \frac{\Sigma_s H_s}{F^2}, \tag{2.1}$$

where v is the spin-wave velocity. These low-energy degrees of freedom are often referred to as (pseudo-)Goldstone bosons. As long as the external field  $H_s$ , and therefore  $M^2$ , are small compared to the intrinsic scale occurring in the underlying microscopic model, these quantities may be treated as perturbations within the effective Lagrangian framework. In the case of the quantum XY model or the Heisenberg antiferromagnet, this scale is given by the exchange integral J that appears in the corresponding microscopic Hamiltonians.

We quote the final result for the free energy density  $(N \ge 2)$  up to three-loop order (for details see Ref. [8]),

$$z = z_0 - \frac{1}{2}(N-1)h_0(\sigma) T^3 + \frac{1}{8}(N-1)(N-3)\frac{1}{F^2\tau^2}h_1(\sigma)^2 T^4$$
  
-  $\frac{1}{128\pi}(N-1)(N-3)(5N-11)\frac{1}{F^4\tau^3}h_1(\sigma)^2 T^5$   
+  $\frac{1}{48}(N-1)(N-3)(3N-7)\frac{1}{F^4\tau^2}h_1(\sigma)^3 T^5$   
-  $\frac{1}{16}(N-1)(N-3)^2\frac{1}{F^4\tau^4}h_1(\sigma)^2h_2(\sigma) T^5 + \frac{1}{F^4}q(\sigma) T^5 + \mathcal{O}(T^6),$  (2.2)

where the ratios

$$\tau = \frac{T}{M_{\pi}}, \qquad \sigma = \frac{M_{\pi}}{2\pi T}, \qquad (2.3)$$

define dimensionless variables, and  $z_0$  is the free energy density at zero temperature. The quantity  $M_{\pi}$  is the renormalized mass of the N-1 pseudo-Goldstone bosons,

$$M_{\pi}^{2}(H_{s}) = \frac{\sum_{s} H_{s}}{F^{2}} - \frac{(N-3)}{8\pi} \frac{\sum_{s}^{3/2} H_{s}^{3/2}}{F^{5}} + \left\{ 2(k_{2}-k_{1}) + \frac{b_{1}}{F^{2}} + \frac{b_{2}}{64\pi^{2}F^{2}} \right\} \frac{\sum_{s}^{2} H_{s}^{2}}{F^{6}} + \mathcal{O}(H_{s}^{5/2}), \qquad (2.4)$$




Fig. 1. The kinematical functions  $h_k(\sigma)$ : k = 0 (continuous curve), k = 1 (dashed curve), and k = 2 (dotted curve), in terms of the parameter  $\sigma = M_{\pi}/2\pi T$ .

or, equivalently, the energy gap in the presence of the external field  $H_s$ . Note that the first term on the RHS is the leading mass contribution (order  $p^2 \propto H_s$ ) defined in Eq. (2.1), while the remaining two contributions in Eq. (2.4) are subleading corrections of order  $p^3$  and  $p^4$ , respectively. The quantities  $k_1$  and  $k_2$  are next-to-leading-order effective constants, and the explicit expressions for the coefficients  $b_1$  and  $b_2$  are listed in Appendix B of Ref. [7].

The quantities  $h_0$ ,  $h_1$  and  $h_2$  that appear in Eq. (2.2), are dimensionless kinematical functions, defined in Ref. [8]. Graphs are provided in Fig. 1. Note that in the limit  $\sigma \rightarrow 0$ , the functions  $h_1$  and  $h_2$  diverge, whereas  $h_0$  tends to a finite value. Finally, the function q appearing in the last term of Eq. (2.2) is given by

$$T^{5}q(\sigma) = \frac{1}{48}(N-1)(N-3)q_{1}(\sigma)T^{5} - \frac{1}{4}(N-1)(N-2)q_{2}(\sigma)T^{5}.$$
(2.5)

Plots for the function q, in terms of the parameter  $\sigma = M_{\pi}/2\pi T$ , are provided in Fig. 3 of Ref. [8] (N = 2), and Fig. 3 of Ref. [7] (N = 3).

The low-temperature series for the free energy density of (pseudo-)Lorentz-invariant systems, defined in two spatial dimensions and displaying a spontaneously broken symmetry  $O(N) \rightarrow O(N-1)$ , thus exhibits the following general structure. The leading contribution is of order  $T^3$  – this is the free Bose gas term which originates from the one-loop graph 3 (all graphs are depicted in Fig. 1 of Ref. [8]). The interaction sets in at order  $T^4$  and corresponds to the two-loop graph 4b. We then have four interaction contributions of order  $T^5$  that come from graphs 5a–c.

Note that the one-loop graph 5d (Fig. 1 of Ref. [8]) that describes noninteracting Goldstone bosons, is the only loop graph that involves an insertion from  $\mathcal{L}_{eff}^4$  where lattice anisotropies start to show up – it is important to stress that the low-temperature structure of the interaction terms is therefore not affected by these anisotropies. There exists, however, a subtle effect as the one-loop graph 5d manifests itself in the renormalized Goldstone boson mass  $M_{\pi}$  given in Eq. (2.4): the combination  $k_2$ – $k_1$  of next-to-leading effective constants in the curly bracket originates from graph 5d, indicating that lattice anisotropies start showing up at this order. But note that we are dealing with a next-to-next-to-leading order effect in a temperature-*independent* quantity which does not affect our conclusions regarding the nature of the Goldstone boson interaction.

#### 3. Nature of Goldstone boson interaction

Let us explain what we mean by *nature* of the Goldstone boson interaction. First of all, we refer to a diagrammatic definition of the interaction. Tree graphs or one-loop graphs related to the partition function describe free Goldstone bosons. But any partition function diagram that contains two or more loops, represents an interaction diagram: here, four or more Goldstone boson lines meet at one vertex.

Then we adopt a thermodynamically motivated interpretation of the interaction, which refers to the sign of the interaction contribution in the low-temperature series of the various quantities we consider – this is what we mean by *nature* of Goldstone boson interaction. Regarding the pressure, a positive (negative) interaction contribution is interpreted as repulsive (attractive), since it is the picture of the non-ideal Goldstone boson gas we have in mind. Concerning the low-temperature series for the staggered magnetization (order parameter) and the staggered susceptibility, the sign of the interaction contribution is related to the antialignment of the spins, as we will discuss.

# 3.1. Effective expansion: domain of validity

Before submerging into the analysis of the interaction, we should point out in which parameter regime – defined by T,  $H_s$  (or  $M_{\pi}$ ), F, J – the effective series are valid. To explore this domain, we introduce the two dimensionless ratios

$$\frac{T}{2\pi F^2}, \qquad \frac{H_s}{2\pi F^2}. \tag{3.1}$$

Note that, at leading order, the external field  $H_s$  is proportional to the square of the Goldstone boson mass  $M_{\pi}$  according to Eq. (2.4).

For the effective expansion to be valid, both the temperature and the external field must be small with respect to the underlying scale of the system. In chiral perturbation theory, i.e., the effective field theory of quantum chromodynamics (QCD), this underlying scale – the chiral symmetry breaking scale  $\Lambda_{QCD}$  – is of the order of  $\Lambda_{QCD} = 4\pi \mathcal{F}$ , where  $\mathcal{F} \approx 93$  MeV is the pion decay constant. In the present study, we adopt this definition of the scale, bearing in mind that in connection with spin systems with a spontaneously broken rotation symmetry (and in two spatial dimensions), the analog of the pion decay constant is the helicity modulus or spin stiffness  $F^2$ . This quantity has been measured in high-precision Monte Carlo simulations, both for the d = 2 + 1 quantum XY model and the d = 2 + 1 Heisenberg antiferromagnet on the square lattice, with the result [20,38,49]:

$$F_{XY}^2 = 0.26974(5)J, \quad F_{AF}^2 = 0.1808(4)J.$$
 (3.2)

Here the underlying scale – the exchange constant J of the microscopic theory – can thus be expressed in terms of the effective coupling constant F as  $J \approx 2\pi F^2$  [7]. Accordingly, the two dimensionless quantities defined in Eq. (3.1) simply are

$$\frac{T}{J}, \qquad \frac{H_s}{J}.$$
 (3.3)

In order to define "low temperature", we consider again the situation in quantum chromodynamics. Unlike in the present case (d = 2 + 1), in QCD we are dealing with three spatial dimensions. QCD is characterized by a chiral phase transition taking place at  $T_{OCD} \approx 190$  MeV where the Goldstone boson picture definitely ceases to be valid. Compared to the scale of QCD,  $\Lambda_{QCD} \approx 1$  GeV, we obtain the ratio

$$r_{\rm T} = \frac{T_{QCD}}{\Lambda_{QCD}} \approx 0.2 \,. \tag{3.4}$$

If we define low temperature in relation to the critical temperature, let us say,  $T \lesssim 0.4 T_{QCD}$ , in terms of the QCD scale, low temperature means

$$T \lesssim 0.08 \Lambda_{OCD} \approx 0.08 \cdot 4\pi \mathcal{F}.$$
(3.5)

For our systems in d = 2 + 1 with a spontaneously broken rotation symmetry, we conclude that the low-temperature region where the effective expansion applies, is

$$T \lesssim 0.08 J \approx 0.08 \cdot 2\pi F^2.$$
 (3.6)

In order to check consistency, consider the d = 2 + 1 quantum XY model that is characterized by the Kosterlitz–Thouless phase transition which marks the breakdown of the spin-wave picture. On the square lattice, the Kosterlitz–Thouless transition occurs at  $T_{KT} = 0.343J$  [56]. If we define low temperature again in relation to the critical temperature,  $T \leq 0.4 T_{KT}$ , in terms of the microscopic scale J, we get  $T \leq 0.1 J$  which is perfectly consistent with Eq. (3.6).

Regarding the magnitude of the Goldstone boson mass (and hence  $H_s$ ), recall that in QCD the pion masses are roughly  $M_{\Pi} \approx 140$  MeV, leading to the ratio

$$r_M = \frac{M_{\Pi}}{\Lambda_{QCD}} \approx 0.1.$$
(3.7)

In fact, the effective theory of QCD even works for kaon masses ( $M_K \approx 500$  MeV) and the  $\eta$ -mass ( $M_\eta \approx 550$  MeV) – these particles, much like the pions, represent Goldstone bosons. We thus conclude that the effective series derived in the present paper are certainly valid in the region

$$H_s, M_\pi \lesssim 0.1 J \approx 0.1 \cdot 2\pi F^2, \tag{3.8}$$

which defines weak external field  $H_s$ , or low mass  $M_{\pi}$ . Again, the two quantities are connected by Eq. (2.4). Note that the Goldstone boson mass is given in units of  $[M_{\pi}v^2] = J$ , where the spin-wave velocity v has been set to one.

However, there is an important caveat: although the ratio  $H_s/J$  must be small, it cannot be arbitrarily small, because of the subtleties arising in two spatial dimensions. In the absence of an external field, spontaneous symmetry breaking does not take place in two spatial dimensions at finite temperature (Mermin–Wagner theorem [57]). Formally this means that the limit  $H_s \rightarrow 0$  in the low-temperature series is problematic, as we have discussed on various occasions [7,8]: if the external field is very weak, we leave the domain of validity of the present effective expansion. Still, the excluded region in the plane  $H_s/J$  versus T/J is tiny, as we illustrate in Fig. 2 for the square lattice quantum XY model and the Heisenberg antiferromagnet.<sup>1</sup> In the parameter region above these curves, the effective analysis presented here perfectly applies. It is understood that we are always in this parameter regime, where the low-energy physics is dominated by

<sup>&</sup>lt;sup>1</sup> In Sec. 3.3 where we consider the staggered magnetization, we explain how we have generated these curves.




Fig. 2. Domain of validity of the effective low-temperature expansion of the square lattice quantum XY model (bottom) and the square lattice Heisenberg antiferromagnet (top). The effective expansion is safe in the parameter region above these curves.

(pseudo-)Goldstone bosons. Since the spontaneously broken symmetry is only approximate due to the presence of the external field, the theorem by Mermin–Wagner does not apply.

In order to illustrate the restrictions imposed by very small Goldstone boson masses for general systems (not necessarily spin models where the  $M_{\pi}$  is determined by the staggered field), we follow another strategy. According to Refs. [58,59], for  $N \ge 3$  a nonperturbative mass gap m is generated for the Goldstone bosons at finite temperature for d = 2 + 1 dimensional O(N) symmetric theories,

$$m = \left(\frac{8}{e}\right)^{X} \frac{T}{\Gamma(1+X)} \left(\frac{2\pi X F^{2}}{T}\right)^{X} \exp\left[-\frac{2\pi X F^{2}}{T}\right] \left\{1 - \frac{1}{2} \frac{T}{2\pi F^{2}} + \mathcal{O}\left(\frac{T^{2}}{F^{4}}\right)\right\}, \quad (3.9)$$

which depends on N through the parameter X = 1/(N-2). As discussed in detail in Ref. [7], the correlation length of the Goldstone bosons  $\xi = 1/M_{\pi}$  must be much smaller than the correlation length  $\xi_{np} = 1/m$  defined by the nonperturbatively generated mass, in order for the effective expansion to be valid. This condition then leads to a relation between the two ratios  $T/2\pi F^2$  and  $M_{\pi}/2\pi F^2$ , allowing one to identify the parameter domain where the effective series are valid. This is illustrated for various values of N in Fig. 3. The region below these curves corresponds to the parameter domain where the effective analysis presented here cannot be applied. While this excluded region is tiny for  $N = \{3, 4, 5, 8\}$ , it grows as N increases.

We emphasize that the spontaneously broken internal symmetry  $O(N) \rightarrow O(N-1)$  not necessarily refers to quantum spin systems. Just for concreteness we continue using magnetic terminology, assuming that the underlying system is described by the d = 2 + 1 antiferromagnetic Heisenberg Hamiltonian for spins in arbitrary dimension N, and that the underlying scale can be identified with the exchange integral J.

#### 3.2. Manifestation of the interaction in the pressure

If the interaction contribution in the pressure has a positive (negative) sign, we are dealing with a repulsive (attractive) interaction. Up to three-loop order and for general N ( $N \ge 2$ ), the pressure is




Fig. 3. Domain of validity of the effective low-temperature expansion of d = 2 + 1 systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$ . The effective expansion is safe in the parameter region above the curves that refer to  $N = \{3, 4, 5, 8\}$ , from bottom to top in the figure.

$$P = \frac{N-1}{2}h_0(\sigma)T^3 - \frac{(N-1)(N-3)}{8F^2\tau^2}h_1(\sigma)^2T^4 + \frac{(N-1)(N-3)(5N-11)}{128\pi F^4\tau^3}h_1(\sigma)^2T^5 - \frac{(N-1)(N-3)(3N-7)}{48F^4\tau^2}h_1(\sigma)^3T^5 + \frac{(N-1)(N-3)^2}{16F^4\tau^4}h_1(\sigma)^2h_2(\sigma)T^5 - \frac{1}{F^4}q(\sigma)T^5 + \mathcal{O}(T^6).$$
(3.10)

In Fig. 4 we have plotted the sum of the two-loop ( $\propto T^4$ ) and three-loop ( $\propto T^5$ ) contributions to the pressure as a function of the ratio  $M_{\pi}/2\pi F^2$ . In connection with spin systems, this explicit symmetry breaking parameter measures the strength of the external staggered field. Note that we have scaled the pressure by the number of Goldstone bosons that appear in a given system, i.e., we have plotted the dimensionless quantity

$$\frac{1}{N-1}\frac{P}{T^3}.$$
(3.11)

For the temperature  $T/2\pi F^2 = 0.05$  that we have chosen in Fig. 4, the interaction in the pressure is repulsive for any of the systems  $N = \{2, 3, 4, 5, 6\}$  considered.

However, the situation becomes more subtle if we go to lower temperatures. For  $N = \{2, 3\}$ , the interaction remains repulsive, independently of the ratio  $T/2\pi F^2$ . But the behavior of the systems with  $N \ge 4$  is more complicated as we illustrate in Fig. 5 for the case N = 4. By reducing the temperature, the Goldstone boson interaction in the pressure becomes attractive in an intermediate region that depends on the parameter  $M_{\pi}/2\pi F^2$ . This region keeps growing as the temperature drops.

These effects are an immediate consequence of the N-dependence of the low-temperature expansion for the pressure. At the two-loop level, there is just one term ( $\propto T^4$ ) in Eq. (3.10). As it involves a factor of N-3, one may identify three classes of systems regarding the Goldstone boson interaction: the Heisenberg antiferromagnet (N = 3) where the interaction term vanishes, the quantum XY model (N = 2), where the interaction is repulsive, and systems with  $N \ge 4$  where the interaction in the pressure is attractive at two-loop order. Then, at the three-loop level, the




Fig. 4. (Color online.) Manifestation of the interaction in the pressure of (2 + 1)-dimensional systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$  for  $N = \{2, 3, 4, 5, 6\}$  from bottom to top in the figure (vertical cut at  $M_{\pi}/2\pi F^2 = 0.02$ ) in the figure. The curves have been evaluated at  $T/2\pi F^2 = 0.05$ .




Fig. 5. Manifestation of the interaction in the pressure of (2 + 1)-dimensional systems with a spontaneously broken symmetry O(4)  $\rightarrow$  O(3). The curves have been evaluated at the temperatures  $T/2\pi F^2 = \{0.028, 0.025, 0.022, 0.019, 0.016\}$ , from top to bottom in the figure.

*N*-dependence is more complicated, but overall leads to positive contributions to the pressure. The Heisenberg antiferromagnet receives a repulsive contribution, while the repulsive interaction in the quantum XY model gets enhanced. For systems with  $N \ge 4$ , the three-loop corrections are quite large at low temperatures, and involve opposite signs compared to the two-loop contribution. This leads to the interesting behavior we discussed before, and which we have depicted again in Fig. 6 for the temperature  $T/2\pi F^2 = 0.02$  for  $N = \{2, 3, 4, 5, 6\}$ . For quantum spin systems with  $N \ge 4$ , depending on the strength of the external staggered field and the temperature, the Goldstone boson the interaction in the pressure may be attractive, repulsive, or zero.

Note that the curves in Fig. 5 and Fig. 6 do not diverge in the limit  $M_{\pi}/2\pi F^2 \rightarrow 0$ , i.e., when the external field is switched off: they tend to a finite value as in Fig. 4 where the temperature is




Fig. 6. (Color online.) Manifestation of the interaction in the pressure of (2 + 1)-dimensional systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$  for  $N = \{2, 3, 4, 5, 6\}$  from top to bottom in the figure (vertical cut at  $M_{\pi}/2\pi F^2 = 0.02$ ). The curves have been evaluated at  $T/2\pi F^2 = 0.02$ .

more elevated. This value is positive, except for N = 2, where the Goldstone boson interaction tends to zero and the system behaves as ideal gas. While the limit  $M_{\pi}/2\pi F^2 \rightarrow 0$  is mathematically well-defined in the series for the pressure, one should keep in mind that, due to the Mermin–Wagner theorem, or the nonperturbatively generated mass gap, one eventually leaves the domain of validity of the effective expansion if  $M_{\pi}$  decreases. However, for the temperature  $T/2\pi F^2 = 0.02$  chosen in Fig. 6, the parameter  $M_{\pi}/2\pi F^2$  must be really tiny in order for the effective series to break down. This can be easily verified by inspecting Fig. 3. Therefore, although it is conceptually inconsistent to take the limit  $M_{\pi}/2\pi F^2 \rightarrow 0$ , numerically the pressure is not affected.

We thus emphasize that the effects described above occur in a parameter region where our approach perfectly applies. The systematic effective field theory analysis predicts that for systems with  $N \ge 4$ , depending on the ratios  $T/2\pi F^2$  and  $M_{\pi}/2\pi F^2$ , the Goldstone boson interaction in the pressure may be repulsive, attractive or zero. On the other hand, for  $N = \{2, 3\}$ , the interaction always is repulsive.

Finally we mention a subtlety related to the quantities M and  $M_{\pi}$  that both depend on the external field  $H_s$ , and are related by Eq. (2.4). The point is that the interaction already manifests itself at zero temperature: in the presence of an external field, the bare Goldstone boson mass  $M = \sqrt{\sum_s H_s}/F$  receives one-loop and two-loop contributions:  $M \to M_{\pi}$ . In the figures shown in the present subsection, we have plotted the *finite-temperature* interaction contribution in the pressure as a function of the quantity  $M_{\pi}/2\pi F^2$  that involves  $M_{\pi}$ , and thus takes into account the effect of the interaction at zero temperature. The figures for the pressure, that all refer to finite temperature, have thus to be interpreted as follows: we start at T = 0 and switch on the external field. Then we switch on the temperature (e.g., in Fig. 6 the temperature is  $T/2\pi F^2 = 0.02$ ), and observe whether the interaction at *finite temperature* is repulsive, attractive, or zero.

Note again that the systems under consideration not necessarily are quantum spin models – the effects discussed above apply to any (pseudo-)Lorentz-invariant system in two spatial dimensions exhibiting a spontaneously broken internal symmetry  $O(N) \rightarrow O(N-1)$ . We find it remarkable

that the effects concerning the nature of the interaction follow from symmetry considerations alone: they neither depend on the concrete realization of the system nor on its microscopic details.

## 3.3. Manifestation of the interaction in the staggered magnetization

The staggered magnetization at finite temperature is defined by

$$\Sigma_s(T, H_s) = -\frac{\partial z}{\partial H_s}.$$
(3.12)

It represents the order parameter, signaling that the internal rotation symmetry is spontaneously broken.<sup>2</sup> Using the expression for the free energy density (2.2), the low-temperature expansion takes the form

$$\begin{split} \Sigma_{s}(T,H_{s}) &= \Sigma_{s}(0,H_{s}) - \frac{(N-1)}{2} \frac{\Sigma_{s}b}{F^{2}} h_{1}(\sigma)T \\ &- \frac{(N-1)(N-3)}{8} \frac{\Sigma_{s}b}{F^{4}} \Big\{ h_{1}(\sigma)^{2} - \frac{2}{\tau^{2}} h_{1}(\sigma)h_{2}(\sigma) \Big\} T^{2} \\ &+ \frac{(N-1)(N-3)(5N-11)}{128\pi} \frac{\Sigma_{s}b}{F^{6}} \Big\{ \frac{3}{2\tau} h_{1}(\sigma)^{2} - \frac{2}{\tau^{3}} h_{1}(\sigma)h_{2}(\sigma) \Big\} T^{3} \\ &- \frac{(N-1)(N-3)(3N-7)}{48} \frac{\Sigma_{s}b}{F^{6}} \Big\{ h_{1}(\sigma)^{3} - \frac{3}{\tau^{2}} h_{1}(\sigma)^{2} h_{2}(\sigma) \Big\} T^{3} \\ &+ \frac{(N-1)(N-3)^{2}}{16} \frac{\Sigma_{s}b}{F^{6}} \Big\{ \frac{2}{\tau^{2}} h_{1}(\sigma)^{2} h_{2}(\sigma) - \frac{2}{\tau^{4}} h_{1}(\sigma)h_{2}(\sigma)^{2} \\ &- \frac{1}{\tau^{4}} h_{1}(\sigma)^{2} h_{3}(\sigma) \Big\} T^{3} - \frac{\Sigma_{s}b}{8\pi^{2}F^{6}\sigma} \frac{\partial q(\sigma)}{\partial \sigma} T^{3} + \mathcal{O}(T^{4}), \end{split}$$
(3.13)

where b is given by

$$b(H_s) = \frac{\partial M_{\pi}^2}{\partial M^2} = 1 - \frac{3(N-3)\sqrt{\Sigma_s}}{16\pi F^3} \sqrt{H_s} + \frac{2\tilde{k}_0 \Sigma_s}{F^4} H_s + \mathcal{O}(H_s^{3/2}),$$
  
$$\tilde{k}_0 = 2(k_2 - k_1) + \frac{b_1}{F^2} + \frac{b_2}{64\pi^2 F^2}.$$
(3.14)

In the two figures of this subsection, we plot the sum of the two- and three-loop contributions in the dimensionless quantity

$$\delta \Sigma_s \equiv \frac{1}{N-1} \frac{\Sigma_s(T, H_s) - \Sigma_s(0, H_s)}{\Sigma_s},\tag{3.15}$$

which measures the strength and the sign of the Goldstone boson interaction in the temperaturedependent part of the staggered magnetization. Note that the *T*-independent part of the staggered magnetization in the presence of an external field is given by

$$\Sigma_{s}(0, H_{s}) = \Sigma_{s} + \frac{(N-1) \Sigma_{s}^{3/2}}{8\pi F^{3}} \sqrt{H_{s}} + \mathcal{O}(H_{s}),$$
  

$$\Sigma_{s} = \Sigma_{s}(0, 0).$$
(3.16)

<sup>&</sup>lt;sup>2</sup> Strictly speaking, there is no spontaneous symmetry breaking at finite temperature and zero external field in two spatial dimensions due to the theorem by Mermin–Wagner. But the staggered magnetization still takes nonzero values at finite and low temperatures and weak external field. In this sense we refer to the quantity  $\Sigma_s(T, H_s)$  as order parameter.




Fig. 7. (Color online.) Manifestation of the temperature-dependent interaction contribution in the order parameter (staggered magnetization) of (2 + 1)-dimensional systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$  for  $N = \{2, 3, 4, 5, 6\}$  from bottom to top in the figure (vertical cut at  $M_{\pi}/2\pi F^2 = 0.08$ ). The curves have been evaluated at  $T/2\pi F^2 = 0.05$ .

Since we are at zero temperature, the limit  $H_s \rightarrow 0$  in Eq. (3.16) raises no problems: the Mermin–Wagner theorem does not apply.

As can be appreciated in Fig. 7, the d = 2 + 1 quantum XY model (or any other physical realization of N = 2) is quite different from systems with  $N \ge 3$ : while the sign of the interaction is negative in most of the parameter domain, for small external fields (small  $M_{\pi}$ ) it is positive. For all other systems ( $N \ge 3$ ) the temperature-dependent interaction contribution in the order parameter tends to large negative values if the external field is weak.

Note that Fig. 7 corresponds to  $T/2\pi F^2 = 0.05$ . If we go to lower temperatures, effects similar to those observed for the pressure take place: while the properties of the quantum XY model and the Heisenberg antiferromagnet qualitatively remain the same, systems with  $N \ge 4$  develop positive values for the interaction part in the staggered magnetization, as we illustrate in Fig. 8 that refers to  $T/2\pi F^2 = 0.02$ . In particular, since the curves for  $N \ge 4$  now exhibit a maximum, the staggered susceptibility for these systems vanishes at this point in parameter space (see next subsection). Remarkably, in the case of the Heisenberg antiferromagnet, the quantity  $\delta \Sigma_s$  always takes negative values and never presents an extremum, independently of the temperature or the external field.

The subleading effects discussed here are quite small, and the behavior of the staggered magnetization is in fact dominated by the one-loop contribution. As one would expect, the one-loop contribution in  $\delta \Sigma_s$  is negative for any of the systems: the corresponding term, proportional to one power of the temperature in Eq. (3.13), is governed by  $-h_1$  (which is negative), where  $h_1$  is the kinematical function that we have depicted in Fig. 1. If the temperature is switched on while the external field is held fixed ( $M_{\pi}$  constant), indeed the order parameter decreases. Remember that we first switch on the external field  $H_s$  at T = 0, and then go to finite temperature, keeping  $H_s$  fixed.

Interestingly, the effect of the Goldstone boson interaction, as witnessed by Fig. 7 and Fig. 8, does not necessarily follow this behavior observed for the one-loop contribution. For the d = 2 + 1 quantum XY model at low temperatures and weak external field, the effect is just the opposite: the interaction at finite temperature leads to an increase of the staggered magne-




Fig. 8. (Color online.) Manifestation of the temperature-dependent interaction contribution in the order parameter (staggered magnetization) of (2 + 1)-dimensional systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$  for  $N = \{2, 3, 4, 5, 6\}$  from bottom to top in the figure (vertical cut at  $M_{\pi}/2\pi F^2 = 0.03$ ). The curves have been evaluated at  $T/2\pi F^2 = 0.02$ .

tization, meaning that here the interaction tends to reinforce the antialignment of the spins and enhances the staggered spin pattern. Similarly, for systems with  $N \ge 4$ , the interaction leads to a slight increase of the order parameter at low temperatures for not too weak external fields (see Fig. 8). Overall, of course, the one-loop contribution dominates, such that the order parameter still decreases when the temperature is switched on.

It should be pointed out that the low-temperature series for the staggered magnetization – in contrast to the series for the pressure – formally diverges if the external field is switched off. As we have explained before, taking this limit in any observable is problematic, as we leave the domain of validity of the effective expansion. Taking this limit in the pressure did not numerically affect the series. However, in the staggered magnetization and the staggered susceptibility (see below), this limit is divergent. But note that the curves displayed in Fig. 7 and Fig. 8 can be trusted to very low values of  $M_{\pi}/2\pi F^2$  (very weak external field) according to Fig. 3, such that the finite-temperature interaction contribution in the order parameter indeed tends to large positive (negative) values for N = 2 ( $N \ge 3$ ) in a regime where the effective expansion still applies.

At the end of this section, let us explain how we have generated the curves concerning the range of validity of the effective expansion that we have depicted in Fig. 2. For a fixed value of the external field  $H_s$ , the order parameter  $\Sigma_s(T, H_s)$  drops to zero when the temperature is raised sufficiently: at this point the effective expansion certainly no longer applies – we are now in a region of elevated temperature where the Goldstone boson picture ceases to be valid. To estimate this "critical" temperature for a given constant value of  $H_s$ , we take the first two terms in the expansion for the staggered magnetization, Eq. (3.13), and solve the equation

$$\Sigma_s(T, H_s) = \Sigma_s + \frac{N-1}{8\pi} \frac{\Sigma_s^{3/2}}{F^3} \sqrt{H_s} - \frac{N-1}{2} \frac{\Sigma_s b}{F^2} h_1(\sigma) T \equiv 0, \qquad (3.17)$$

with the kinematical function  $h_1$ 

$$h_1(\sigma) = -\frac{1}{2\pi} \ln\left(1 - e^{-M_\pi/T}\right) \approx -\frac{1}{2\pi} \ln\left(1 - e^{-\sqrt{\Sigma_s H_s}/FT}\right).$$
(3.18)

For a given ratio of  $H_s/2\pi F^2$  (i.e.,  $H_s/J$ ) we thus obtain a "critical" temperature  $T_c/J$  that signals the breakdown of the effective expansion. While in Fig. 2 we have shown the situation for the d = 2 + 1 quantum XY model and the Heisenberg antiferromagnet (where the specific values for  $F^2$ ,  $\Sigma_s$  and the spin-wave velocity  $v_s$  have been measured), the situation for  $N \ge 4$  is similar: the effective expansion only breaks down when the external field is tiny, as depicted in Fig. 3.

# 3.4. Manifestation of the interaction in the staggered susceptibility

In connection with spin systems, the staggered susceptibility

$$\chi(T, H_s) = \frac{\partial \Sigma_s(T, H_s)}{\partial H_s} = \frac{\Sigma_s}{F^2} \frac{\partial \Sigma_s(T, M)}{\partial M^2}$$
(3.19)

is the response of the staggered magnetization to the applied external field. Rather than providing lengthy expressions for  $\chi(T, H_s)$  that can trivially be obtained from the low-temperature expansion of the order parameter, Eq. (3.13), we just exhibit the general structure of the series:

$$\chi(T, H_s) = \chi(0, H_s) + \chi_1(\tau) \frac{1}{T} + \chi_2(\tau) + \chi_3(\tau)T + \mathcal{O}(T^2).$$
(3.20)

The coefficients  $\chi_i$ , much like the analogous coefficients in the pressure and the staggered magnetization, depend in a nontrivial way on the dimensionless ratio  $\tau = T/M_{\pi}$ .

Regarding quantum spin systems, the staggered field  $\hat{H}_s = (0, ..., 0, H_s)$  tends to align the spins in an antiparallel pattern and hence increases the staggered magnetization. One thus expects the staggered susceptibility  $\chi(T, H_s)$  in general to be positive. This is indeed true for the noninteracting (one-loop) contribution in Eq. (3.20), i.e., the leading temperature-dependent term that involves an inverse power of T. However, the effects related to the interaction are more subtle.

In the subsequent two figures, we plot the sum of the two- and three-loop contributions in the dimensionless quantity

$$\delta\chi \equiv \frac{TF^4}{N-1} \frac{\chi(T, H_s) - \chi(0, H_s)}{\Sigma_s^2},\tag{3.21}$$

which measures the strength and the sign of the Goldstone boson interaction in the temperaturedependent part of the staggered susceptibility.

The behavior of the d = 2 + 1 quantum XY model is peculiar, as the finite-temperature interaction contribution in the staggered susceptibility – in contrast to all other systems ( $N \ge 3$ ) – becomes negative for small values of  $M_{\pi}/2\pi F^2$ , as shown in Fig. 9 and Fig. 10. The d = 2 + 1Heisenberg antiferromagnet also plays a special role as it is the only system with a positive interaction contribution in the staggered susceptibility, independent of the strength of the staggered field (or magnitude of  $M_{\pi}/2\pi F^2$ ) and temperature. For  $N \ge 4$  the behavior at  $T/2\pi F^2 = 0.05$ is qualitatively the same as for the antiferromagnet (see Fig. 9), but for lower temperatures the quantity  $\delta \chi$  becomes negative for not too weak external fields (see Fig. 10). But note that for small values of  $M_{\pi}/2\pi F^2$ , the staggered susceptibility ( $N \ge 3$ ) tends to large positive values for any temperature – the d = 2 + 1 quantum XY model really is the exception.

Analogous to the staggered magnetization, the manifestation of the Goldstone boson interaction in the staggered susceptibility is thus quite subtle. In many cases the temperature-dependent interaction contribution in  $\chi(T, H_s)$  is positive, implying that the external field reinforces the staggered spin pattern. In some cases, however, the *T*-dependent interaction part in  $\chi(T, H_s)$  is




Fig. 9. (Color online.) Manifestation of the temperature-dependent interaction contribution in the staggered susceptibility of (2 + 1)-dimensional systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$  for  $N = \{2, 3, 4, 5, 6\}$  from bottom to top in the figure (vertical cut at  $M_{\pi}/2\pi F^2 = 0.06$ ). The curves have been evaluated at  $T/2\pi F^2 = 0.05$ .




Fig. 10. (Color online.) Manifestation of the temperature-dependent interaction contribution in the staggered susceptibility of (2 + 1)-dimensional systems with a spontaneously broken symmetry  $O(N) \rightarrow O(N - 1)$  for  $N = \{2, 3, 4, 5, 6\}$  from top to bottom in the figure (vertical cut at  $M_{\pi}/2\pi F^2 = 0.04$ ). The curves have been evaluated at  $T/2\pi F^2 = 0.02$ .

negative, meaning that here the effect of the staggered field is to perturb the antialignment of the spins and to decrease the staggered magnetization – or the order parameter in general. This happens for the d = 2 + 1 quantum XY model at weak external field (and finite temperature), and for systems with  $N \ge 4$  at low temperatures and not too weak external fields. It should be pointed out again that these subtle effects regarding the nature of the interaction at finite temperature are rather weak – the noninteracting part in fact dominates, and leads to positive staggered susceptibilities, as one would expect.

# 4. Conclusions

Our main results concern the universal nature of the Goldstone boson interaction in d = 2 + 1 (pseudo-)Lorentz-invariant systems with a spontaneously broken internal rotation symmetry  $O(N) \rightarrow O(N - 1)$ . Our effective field theory calculations are valid at low temperatures and in presence of a weak external field that explicitly breaks internal rotation invariance and thus invalidates the Mermin–Wagner theorem. As concrete physical realizations we have considered quantum spin systems.

The d = 2 + 1 quantum XY model and Heisenberg antiferromagnet – or any other physical realizations of  $N = \{2, 3\}$  – are rather special, since the interaction in the pressure is always repulsive, independent of the ratio  $T/2\pi F^2$  and  $M_{\pi}/2\pi F^2$  that measure the temperature and the strength of the external field, respectively. For all other systems ( $N \ge 4$ ), the interaction in the pressure may be repulsive, attractive, or zero, depending on the strength of the external field and the temperature that hence control the nature of the Goldstone boson interaction.

Regarding the staggered magnetization  $\Sigma_s(T, H_s)$  – the order parameter – the interaction may lead to interesting and subtle effects. When the temperature is switched on while keeping the strength of the external field fixed, in most scenarios the interaction tends to decrease the staggered magnetization  $\Sigma_s(T, H_s)$ , as one would expect. However, the d = 2 + 1 quantum XY model represents an exception, because in very weak external fields and at finite temperature, the interaction tends to reinforce the staggered pattern, rather than to destroy the antialignment of the spins. Systems with  $N \ge 4$  exhibit a similar behavior at very low temperatures in case the external field is not too weak: the order parameter is increased in this parameter regime, when we go from zero to finite temperature while keeping the staggered field constant.

These effects also manifest themselves in the staggered susceptibility  $\chi(T, H_s)$ . In weak external fields, the temperature-dependent interaction part in  $\chi(T, H_s)$  tends to positive values for  $N \ge 3$ , but in the case of the d = 2 + 1 quantum XY model it becomes negative. For systems with  $N \ge 4$ , the *T*-dependent interaction contribution in the staggered susceptibility takes positive values, but for very low temperatures it may drop to negative values provided that the external field is not too weak.

Although the calculation was performed within a (pseudo-)Lorentz-invariant framework, it readily applies to the d = 2 + 1 quantum XY model or the d = 2 + 1 Heisenberg antiferromagnet. The crucial point is that the effective theory predictions regarding the nature of the Goldstone boson interaction are not affected by Lorentz-non-invariant terms, that would indeed be present in the next-to-leading order Lagrangian  $\mathcal{L}_{eff}^4$ , and that have not been taken into account. These terms are only relevant for a one-loop graph and are contained in the temperature-independent quantity  $M_{\pi}$ . Only in this trivial way, and only at next-to-next-to-leading order, do these anisotropies emerge in our expressions. In particular, they cannot change the sign of the interaction – and hence alter our conclusions – in any of the observables considered. In this sense, the effective field theory predictions are universal or model-independent. We find it indeed quite remarkable that the nature of the Goldstone boson interaction is fully determined by the symmetries of the system.

While we have explicitly referred to the quantum XY model and the Heisenberg antiferromagnet – or spin systems characterized by higher values N of spin vector components – the results presented here go beyond quantum spin models. Our low-temperature series are valid for any d = 2 + 1 (pseudo-)Lorentz-invariant system with a spontaneously broken internal rotation symmetry  $O(N) \rightarrow O(N-1)$  in presence of a weak external field. It is our hope that these subtle effects may be confirmed in future studies, e.g., by Monte Carlo simulations.

## Acknowledgements

The author would like to thank H. Leutwyler and U.-J. Wiese for stimulating discussions.

#### References

- [1] S. Chakravarty, B.I. Halperin, D.R. Nelson, Phys. Rev. B 39 (1989) 2344.
- [2] H. Neuberger, T. Ziman, Phys. Rev. B 39 (1989) 2608.
- [3] D.S. Fisher, Phys. Rev. B 39 (1989) 11783.
- [4] P. Hasenfratz, H. Leutwyler, Nucl. Phys. B 343 (1990) 241.
- [5] P. Hasenfratz, F. Niedermayer, Phys. Lett. B 268 (1991) 231.
- [6] P. Hasenfratz, F. Niedermayer, Z. Phys. B 92 (1993) 91.
- [7] C.P. Hofmann, Phys. Rev. B 81 (2010) 014416.
- [8] C.P. Hofmann, J. Stat. Mech. Theory Exp. (2014) P02006.
- [9] M. Uchinami, S. Takada, F. Takano, J. Phys. Soc. Jpn. 47 (1979) 1047.
- [10] M. Takahashi, Prog. Theor. Phys. Suppl. 87 (1986) 233.
- [11] G. Gomez-Santos, J.D. Joannopoulos, Phys. Rev. B 36 (1987) 8707.
- [12] M. Kollar, I. Spremo, P. Kopietz, Phys. Rev. B 67 (2003) 104427.
- [13] C.J. Hamer, J. Oitmaa, Z. Weihong, Phys. Rev. B 43 (1991) 10789.
- [14] Z. Weihong, J. Oitmaa, C.J. Hamer, Phys. Rev. B 44 (1991) 11869.
- [15] L. Zhang, Phys. Rev. B 47 (1993) 14364.
- [16] C.J. Hamer, T. Hövelborn, M. Bachhuber, J. Phys. A, Math. Gen. 32 (1999) 51.
- [17] H. De Raedt, B. De Raedt, Z. Phys. B, Condens. Matter 57 (1984) 209.
- [18] H.-Q. Ding, Phys. Rev. B 45 (1992) 230.
- [19] M.S. Makivić, Phys. Rev. B 46 (1992) 3167.
- [20] D. Ji, H. Ying, Chin. Phys. Lett. 11 (1994) 49.
- [21] A.S.T. Pires, Phys. Rev. B 53 (1996) 235.
- [22] A.W. Sandvik, C.J. Hamer, Phys. Rev. B 60 (1999) 6588.
- [23] P. Tomczak, J. Richter, J. Phys. A, Math. Gen. 34 (2001) L461.
- [24] C. Schindelin, H. Fehske, H. Büttner, D. Ihle, J. Magn. Magn. Mater. 226-230 (2001) 403.
- [25] R.G. Melko, A.W. Sandvik, D.J. Scalapino, Phys. Rev. B 69 (2004) 014509.
- [26] G. Ceccarelli, J. Nespolo, A. Pelissetto, E. Vicari, Phys. Rev. B 88 (2013) 024517.
- [27] A. Rançon, N. Dupuis, Europhys. Lett. 104 (2013) 16002.
- [28] S. Chakravarty, B.I. Halperin, D.R. Nelson, Phys. Rev. Lett. 60 (1988) 1057.
- [29] D.P. Arovas, A. Auerbach, Phys. Rev. B 38 (1988) 316.
- [30] A. Auerbach, D.P. Arovas, Phys. Rev. Lett. 61 (1988) 617.
- [31] G. Gomez-Santos, J.D. Joannopoulos, J.W. Negele, Phys. Rev. B 39 (1989) 4435.
- [32] T. Barnes, Int. J. Mod. Phys. C 2 (1991) 659.
- [33] E. Manousakis, Rev. Mod. Phys. 63 (1991) 1.
- [34] A.V. Chubukov, S. Sachdev, J. Ye, Phys. Rev. B 49 (1994) 11919.
- [35] U.-J. Wiese, H.-P. Ying, Z. Phys. B 93 (1994) 147.
- [36] A.W. Sandvik, Phys. Rev. B 56 (1997) 11678.
- [37] A. Cuccoli, V. Tognetti, R. Vaia, P. Verrucchi, Phys. Rev. B 56 (1997) 14456.
- [38] B.B. Beard, R.J. Birgeneau, M. Greven, U.-J. Wiese, Phys. Rev. Lett. 80 (1998) 1742.
- [39] J.-K. Kim, M. Troyer, Phys. Rev. Lett. 80 (1998) 2705.
- [40] E.C. Marino, M.B. Silva Neto, Phys. Rev. B 62 (2000) 142.
- [41] A. Sherman, M. Schreiber, Phys. Rev. B 63 (2001) 214421.
- [42] C.J. Hamer, J.B. Kogut, Phys. Rev. B 20 (1979) 3859.
- [43] M.E. Fisher, V. Privman, Phys. Rev. B 32 (1985) 447.
- [44] M. Göckeler, H. Leutwyler, Phys. Lett. B 253 (1991) 193.
- [45] M. Göckeler, H. Leutwyler, Nucl. Phys. B 350 (1991) 228.
- [46] M. Göckeler, H. Leutwyler, Nucl. Phys. B 361 (1991) 392.
- [47] I. Dimitrović, J. Nager, K. Jansen, T. Neuhaus, Phys. Lett. B 268 (1991) 408.
- [48] V.Y. Irkhin, A.A. Katanin, Phys. Rev. B 55 (1997) 12318.
- [49] U. Gerber, C.P. Hofmann, F.-J. Jiang, G. Palma, P. Stebler, U.-J. Wiese, J. Stat. Mech. Theory Exp. (2011) P06002.

- [50] C.P. Hofmann, Phys. Rev. B 84 (2011) 064414.
- [51] C.P. Hofmann, Phys. Rev. B 86 (2012) 054409.
- [52] T. Brauner, Symmetry 2 (2010) 609.
- [53] C.P. Burgess, Annu. Rev. Nucl. Part. Sci. 57 (2007) 329;
   C.P. Burgess, Phys. Rep. 330 (2000) 193.
- [54] H. Leutwyler, in: V.E. Herscovitz, C.A.Z. Vasconcellos, E. Ferreira (Eds.), Hadron Physics 94 Topics on the Structure and Interaction of Hadronic Systems, World Scientific, Singapore, 1995, p. 1.
- [55] C.P. Hofmann, Phys. Rev. B 60 (1999) 388.
- [56] K. Harada, N. Kawashima, J. Phys. Soc. Jpn. 67 (1998) 2768.
- [57] N.D. Mermin, H. Wagner, Phys. Rev. Lett. 17 (1966) 1133.
- [58] P. Hasenfratz, F. Niedermayer, Phys. Lett. B 245 (1990) 529.
- [59] I. Dimitrović, P. Hasenfratz, K. Jansen, Y. Shen, Phys. Lett. B 264 (1991) 120.