

N71-34262

June 1971

M.J. Miller

T. Skånberg

CASE FILE  
COPY

# REFERENCE INCIDENCE ANGLES IN CONSTANT STAGGER CASCADES

TURBOMACHINERY  
COMPONENTS RESEARCH PROGRAM

Interim Report for National Aeronautics and Space Administration  
Grant <sup>N71-</sup>16-002-005

ISU-ERI-AMES-99985 Project 626

ENGINEERING RESEARCH INSTITUTE  
IOWA STATE UNIVERSITY  
AMES, IOWA 50010 USA

**ENGINEERING  
RESEARCH**  
**ENGINEERING  
RESEARCH**  
**ENGINEERING  
RESEARCH**  
**ENGINEERING  
RESEARCH**  
**ENGINEERING  
RESEARCH**

**REFERENCE INCIDENCE ANGLES  
IN CONSTANT STAGGER CASCADES**

M. J. Miller  
T. Skånberg

June 1971

Interim report submitted to  
National Aeronautics and Space Administration  
Grant NGL 16-002-005

*ISU-ERI-AMES-99985  
ERI Project 626*

**ENGINEERING RESEARCH INSTITUTE  
IOWA STATE UNIVERSITY AMES**

## ABSTRACT

The reference incidence angle is an approximation to the minimum-loss incidence angle for a given blade cascade. An empirically derived method of estimating the reference incidence angle for two-dimensional, plane cascades has been available for some time. This method incorporates inlet flow angle as an independent variable and is quite convenient for design applications. For convenience in analysis applications this method has been reformulated with stagger angle replacing inlet flow angle as an independent variable. The new method is presented in graphical form and as a FORTRAN IV computer program.

REFERENCE INCIDENCE ANGLES IN  
CONSTANT STAGGER CASCADES

M. J. Miller and T. Skånberg

Introduction

The reference incidence angle is an approximation to the minimum-loss incidence angle for a given blade cascade. It has several applications in the design and analysis problems of axial-flow turbomachinery. In design it locates the center of the low-loss incidence angle interval and is useful as a base point in selecting the design point incidence angle although it is not always chosen as the design value because of range requirements or other considerations. It has also been useful in the development of blade-element loss correlations for design (Refs. 1 and 2) and off-design (Ref. 3) performance prediction. The reference incidence angle has also been used as a parameter in deviation angle prediction methods for both design and off-design use (Refs. 2 and 4).

An empirical method of predicting reference incidence angles was first presented by Johnsen et al. (Ref. 2), and was developed by correlating the plane cascade data of Emery et al. (Ref. 5). Because these cascade data were obtained with fixed inlet flow angles, i.e., the incidence angle was varied by restaggering the blades, the correlation incorporates inlet flow angle as a parameter rather than stagger angle (See Fig. 1 for definition of blade and flow parameters.). This is a particularly convenient formulation in design applications where the inlet flow angle is known while the stagger angle is not. However, in analysis applications the blade row geometry (including stagger angle) is fixed, and the inlet flow angle varies




Fig. 1. Typical double-circular-arc blade elements and accompanying velocity diagram notation.

significantly over the useful operating range of the machine. In this case it is desirable to be able to predict the reference incidence angle knowing only the blade row geometry, particularly the stagger angle, rather than the inlet flow angle.

A new correlation has been developed to predict reference incidence angles for constant stagger cascades. This correlation is based on and is similar to the original correlation (Ref. 2) for constant inlet flow angle cascades, but inlet flow angle is replaced by stagger angle as an independent variable. The new method is presented in graphical form and as a FORTRAN IV computer program.

#### Nomenclature and Definitions

Blade-element geometrical and velocity diagram parameters are defined in Fig. 1. All symbols are defined in Appendix A.

The definition of reference incidence angle given in Reference 2 is repeated here for completeness. Loss coefficient data over a range of incidence angles are required to define the reference incidence angle as illustrated in Fig. 2. Here the reference incidence angle is taken as




Fig. 2. Blade-element loss coefficient data for which a reference incidence angle may be defined.

the midpoint of the incidence angle interval in which the loss coefficient is less than twice the minimum loss coefficient.

This definition was taken as a practical way of approximating the minimum-loss incidence angle, and determines it exactly for a symmetrical loss coefficient curve.

### Correlations

#### Constant Inlet Fluid Angle

The low-speed cascade data for NACA 65-series blades (Ref. 5) formed the basis for the correlation of reference incidence angle presented by Johnsen et al. (Ref. 2). This cascade flow differs from the flow in real machines in at least two important features. First, great pains were taken to maintain two-dimensional flow in the cascades which resulted in an axial velocity ratio (AVR) of 1.0, while generally  $AVR \neq 1.0$  for real machines even at design incidence. Second, the incidence angle was varied in the cascade by fixing the inlet fluid angle,  $\beta_1$ , and varying the stagger angle,  $\gamma$ , while in practice the stagger angle is fixed and the inlet fluid angle varies. The reference incidence angles obtained with constant stagger angle

cascades would be expected to differ somewhat from those obtained with constant inlet fluid angle cascades as noted in Reference 2. This is illustrated in Fig. 3 where loss data for constant  $\beta_1$  from Reference 5 is compared with loss data for constant  $\gamma$  obtained by crossplotting data from the same source. Based on limited comparisons similar to that in Fig. 3, the difference in  $(i_{\text{ref}})_{\beta}$  and  $(i_{\text{ref}})_{\gamma}$  was expected to be of the order of 1 degree (Ref. 2). Because of this small difference, the cascade data can be used to approximately determine reference incidence angles for constant stagger blade rows.

To facilitate determination of  $i_{\text{ref}}$ , the data of Reference 5 were organized into a correlation (Ref. 2) which expresses  $i_{\text{ref}}$  as a function of  $\beta_1$ ,  $\sigma$ ,  $\phi^{\circ}$ , thickness distribution, and  $t_{\text{max}}/c$ . Reference incidence




Fig. 3. Variation of loss coefficient with incidence angle at constant inlet flow angle and constant blade stagger angle (data from Ref. 5).

angle is calculated as

$$i_{\text{ref}} = (K_i)_{\text{SH}} (K_i)_t (i_o)_{10} + n\phi^o \quad (1)$$

where  $(K_i)_{\text{SH}}$  is a correction for blade shapes with thickness distributions other than the NACA 65-series,  $(K_i)_t$  is a correction for a  $t_{\text{max}}/c \neq 10\%$ ,  $(i_o)_{10}$  is the reference incidence angle for a zero-camber, 10% thick 65-series profile (function of  $\sigma$  and  $\beta_1$ ), and  $n$  is the slope of reference incidence angle vs camber plots (function of  $\sigma$  and  $\beta_1$ ). Functional relations for  $(K_i)_t$ ,  $(i_o)_{10}$ , and  $n$  are presented graphically in Reference 2. Suggested values (Ref. 2) for  $(K_i)_{\text{SH}}$  are 1.0: 65-series, 1.1: C-series, and 0.7: double-circular arc blades. This correlation has been especially useful in design work where  $\beta_1$  is known from given or assumed inlet conditions, and  $\sigma$ , profile shape,  $t_{\text{max}}/c$ , and  $\phi^o$  are either known or may be computed.

#### Constant Stagger Angle

Unfortunately, in off-design applications the above method does not directly yield a unique reference incidence angle for a given blade section since  $\beta_1$  takes on a range of values, stagger being constant. However, a unique reference angle can be obtained (Ref. 6) by an iterative procedure as follows:

1. An initial estimate of  $i_{\text{ref}}$  is made.
2. From the known blade angle and the estimated  $i_{\text{ref}}$ , a corresponding inlet relative flow angle is calculated.
3. Using the calculated relative flow angle and the correlations of Ref. 2, a new value of  $i_{\text{ref}}$  is obtained and compared with the estimated value.



4. If the calculated and estimated values of  $i_{ref}$  are different, the estimated value is revised and steps 2, 3 and 4 are repeated until convergence is obtained.

Reference incidence angles obtained this way, although unique, are still approximations to  $(i_{ref})_{\gamma}$  because the original correlation of Reference 2 was based on constant  $\beta_1$  cascade data as mentioned before. Until sufficient data from constant stagger cascades are produced, this approximation must be accepted.

A FORTRAN IV computer program called IREF1 was written to perform the iterative calculation described above. A listing of the program, sample input, and output is presented in Appendix B.

IREF1 was used to develop a noniterative method of predicting  $i_{ref}$  for constant stagger cascades which allows rapid calculation either by hand or by computer. The expression for  $i_{ref}$  is

$$i_{ref} = (K_i)_{SH} (K_i)_t (i_o)_{10\gamma} + n_{1\gamma} \phi^o + n_{2\gamma} (\phi^o)^2 \quad (2)$$

which is quite similar to Equation (1) except for the last term. Also  $(i_o)_{10\gamma}$ ,  $n_{1\gamma}$ , and  $n_{2\gamma}$  are functions of  $\gamma$  and  $\sigma$  while corresponding parameters in Equation (1) depend on  $\beta_1$  and  $\sigma$ . This expression was developed by the following procedure:

1. Using IREF1, systematic calculations of  $i_{ref}$  were made for 10% thick 65-series blade sections with  $0 \leq \phi^o \leq 75^o$ ,  $0 \leq \gamma \leq 70^o$ ,  $0.4 \leq \sigma \leq 2.6$ . (This required extrapolation of curves in Ref. 2, so caution is advised in cases where  $\sigma > 2.0$  or  $\beta_1 > 70^o$ .)
2. Plots of  $i_{ref}$  vs  $\phi^o$  over the range of  $\gamma$  and  $\sigma$  were made (see Fig. 4).




Fig. 4. Reference incidence angle as a function of camber angle and solidity for  $\gamma = 0^\circ$ .

3. Parabolas were fitted to the type of data shown in Fig. 4 by the least squares method to obtain values of  $(i_o)_{10\gamma}$ ,  $n_{1\gamma}$ , and  $n_{2\gamma}$  which depend on  $\gamma$  and  $\sigma$ .

The deduced curves of  $(i_o)_{10\gamma}$  are given in Fig. 5 as a function of  $\gamma$  and  $\sigma$ . These curves do not pass exactly through the origin because of the least square curve fit process. Since the  $(K_i)_t$  function was considered dependent on  $t_{\max}/c$  only in Reference 2, it should be equally valid for use in this procedure. For completeness Fig. 142 of Reference 2 is reproduced here as Fig. 6. Also the same set of  $(K_i)_{SH}$  values, 1.0 for 65-series, 1.1 for C-series, and 0.7 for double-circular arc are recommended. Curves of  $n_{1\gamma}$  and  $n_{2\gamma}$  are presented in Figs. 7a, 7b, and 7c. Using Figs. 5-7 and given  $\gamma$ ,  $\sigma$ , and  $t_{\max}/c$ , a unique value of  $i_{\text{ref}}$  can now be calculated by Equation 2.

The data of Figs. 5-7 and Equation (2) were incorporated into a simple program to compute  $i_{\text{ref}}$  directly, given  $\gamma$ ,  $\sigma$ ,  $t_{\max}/c$ , and  $(K_i)_{SH}$ . The program, IREF2, is documented in Appendix C. A strong word of caution is in order regarding the use of IREF2 for high stagger, high solidity blade elements. The data of Reference 2 are presented only for  $\beta_1 \leq 70^\circ$  and  $\sigma \leq 2.0$ ; therefore any  $i_{\text{ref}}$  values calculated for geometries exceeding these values must be used with extreme caution if at all.

To test the closeness and appropriateness of the parabolic fit, values of  $i_{\text{ref}}$  were calculated using IREF1 and IREF2 for the range of  $\gamma$ ,  $\phi^\circ$ , and  $\sigma$  considered. These comparisons, together with 12 values of  $i_{\text{ref}}$  calculated using the curves of Reference 2 and  $\beta_1$  values from IREF1, are presented in Appendix D. In general the parabolic equation used in IREF2 gives a value for  $i_{\text{ref}}$  which compares closely with the values from IREF1 and Reference 2.




Fig. 5. Zero-camber incidence angle for 10% thick NACA 65-series blade sections in a constant stagger cascade.




Fig. 6. Deduced blade maximum-thickness correction for zero-camber reference minimum-loss incidence angle from Reference 2.




Fig. 7a. Coefficient of linear camber term in expression for reference incidence angle of 10% thick NACA 65-series blade section in constant stagger cascade.




Fig. 7b. Coefficient of second-order camber term,  $0.4 \leq \sigma \leq 1.2$ .




Fig. 7c. Coefficient of second-order camber term,  $1.2 \leq \sigma \leq 2.6$ .



Acknowledgments

This work was supported by the National Aeronautics and Space Administration through Grant NGL 16-002-005 as part of the research on development of improved methods for hydrodynamic design and prediction of performance of axial-flow turbomachinery conducted by the Engineering Research Institute Iowa State University. The efforts of Lennart Gustafsson in crossplotting data to obtain comparisons of reference incidence angles at constant inlet flow angle and constant stagger angle are gratefully acknowledged. Special credit is due Patrick Kavanagh for a key suggestion made during the development of this work.

References

1. Lieblein, Seymour; Schwenk, Francis, C.; and Broderick, Robert L.: Diffusion Factor for Estimating Losses and Limiting Blade Loadings in Axial-Flow-Compressor Blade Elements. U.S. National Advisory Committee for Aeronautics Research Memorandum E53 D01, 1953.
2. Johnsen, Irving A.; and Bullock, Robert O., Eds.: Aerodynamic Design of Axial-Flow Compressors. U.S. National Aeronautics and Space Administration Special Publication 36, 1965.
3. Lieblein, Seymour: Analysis of Experimental Low-Speed Loss and Stall Characteristics of Two-Dimensional Compressor Blade Cascades. U.S. National Advisory Committee for Aeronautics Research Memorandum E57A28, 1957.
4. Okiishi, T. H.; Miller, M. J.; Kavanagh, P.; and Serovy, G. K.: Application of Blade-Element Techniques to Design and Performance Prediction Problems for Axial-Flow Turbomachinery. Iowa State University, Engineering Research Institute, Progress Report ISU-ERI-AMES-92800, 1970.
5. Emery, James C.; Herrig, L. Joseph; Erwin, John R.; and Felix, A. Richard: Systematic Two-Dimensional Cascade Tests of NACA 65-Series Compressor Blades at Low Speeds. U.S. National Advisory Committee for Aeronautics Report 1368, 1958.
6. Miller, M. J.; Okiishi, T. H.; Kavanagh, P.; and Serovy, G. K.: Application of Blade-Element Techniques to Design and Performance Prediction Problems for Axial-Flow Turbomachinery. Iowa State University, Engineering Research Institute, Progress Report ISU-ERI-AMES-77900, 1970.

## APPENDIX A

Nomenclature

AVR	Axial velocity ratio, $V_{z,2}/V_{z,1}$
c	Chord length
i	Incidence angle, deg
$(i_o)_{10}$	Reference incidence angle for zero-camber, 10% thick NACA 65-series blades in constant inlet flow angle cascade, deg
$(i_o)_{10\gamma}$	Reference incidence angle for zero-camber, 10% thick NACA 65-series blades in constant stagger cascade, deg
$(K_i)_{SH}$	Blade shape correction factor
$(K_i)_t$	Blade thickness correction factor
n	Reference incidence angle slope factor
$n_1$	Coefficient of linear camber term in constant stagger reference incidence angle expression
$n_2$	Coefficient of quadratic camber term in constant stagger reference incidence angle expression
P	Total pressure, psia
p	Static pressure, psia
s	Blade spacing
t	Blade section thickness
V	Fluid velocity
$\beta$	Flow angle, angle between flow, and axial direction, deg
$\gamma$	Blade stagger angle, angle between blade chord, and axial direction, deg
$\delta$	Deviation angle, deg
$\kappa$	Blade angle, angle between tangent to blade mean camber line, and axial direction, deg
$\sigma$	Blade solidity, c/s
$\phi^o$	Blade camber angle, $\kappa_1 - \kappa_2$ , deg
$\bar{w}$	Total pressure loss coefficient, $\frac{P_1 - P_2}{P_1 - P_1}$

Subscripts

max	maximum value
min	minimum value
ref	reference value
z	axial direction
$\beta$	constant inlet fluid angle
$\gamma$	constant stagger angle
$\theta$	tangential direction
1	inlet station
2	outlet station



C	IS	SOLIDITY INDEX.
C	J	INDEX.
C	K	INDEX.
C	KDAMP	ITERATION DAMPING FACTOR.
C	KKK	CAMBER INDEX.
C	M	DEGREE OF LEAST-SQUARE POLYNOMIAL.
C	N	INDEX USED TO SPACE OUTPUT.
C	NN	NUMBER OF POINTS TO BE FITTED WITH A LEAST-SQUARE POLYNOMIAL.
C	NNN	INDEX USED TO SPACE OUTPUT.
C	N1,N2	COEFFICIENTS OF CAMBER TERMS IN POLYNOMIAL EXPRESSION FOR REFERENCE INCIDENCE ANGLE.
C	PHI(IC)	BLADE CAMBER ANGLE, DEG.
C	SGMA(IS)	BLADE ROW SOLIDITY.
C	SGMBB(K)	SOLIDITY; INPUT VALUES FOR (IO)10 AND N CURVES PAGES 195-196, NASA SP-36.
C	SLOP(J)	REFERENCE INCIDENCE ANGLE SLOPE FACTOR, N.
C	SLOPB(J,K)	INPUT VALUE OF SLOPE FACTOR, CORRESPONDING TO THE VALUES OF BTP1B(J) AND SGMBB(K), OBTAINED FROM FIGURE 138, PAGE 196, NASA SP-36.
C	STAR(J,K)	TRIAL VALUE OF REFERENCE INCIDENCE ANGLE, DEG.
C	STARI(J)	CONSTANT STAGGER REFERENCE INCIDENCE ANGLE, DEG.
C	STARO(J)	INCIDENCE ANGLE OF UNCAMBERED BLADE SECTION, DEG.
C	TMAXC(K,J)	RATIO OF BLADE SECTION MAXIMUM THICKNESS TO CHORD.
C	TMAXCB(K,J)	INPUT VALUES OF TMAXC CORRESPONDING TO FK1B VALUES FROM FIGURE 142, PAGE 199 OF NASA SP-36.
C	XMN(J)	ESTIMATE OF MEANS FOR INDEPENDENT VARIABLES IN LEAST-SQUARE POLYNOMIAL.
C	XX	A DOUBLE PRECISION WORK VECTOR.
C	YSGM(J)	BLADE ROW SOLIDITY.
C		

```

C
DIMENSION TMAXC(1,1),SGMA(9),ANGST(9),FKSHA(1) 0001
DIMENSION ALF1(1,1),ALF2(1,1) 0002
DIMENSION FKI(1),PHI(10),STARI(1),STARO(1),SLOPB(1),SLOPB(10,9) 0003
DIMENSION TMAXCB(1,7),FKIB(1,7),BTP1(1),FI10(1),STAR(100,1) 0004
DIMENSION BTP1B(10),SGMBB(9),FI10B(10,9),YSGM(1) 0005
DIMENSION B(4),XX(10),XMN(2),FIREF(10),A0(9,9),A1(9,9),A2(9,9) 0006
DIMENSION IIER(9,9) 0007
COMMON FIREF,PHI,IC,KKK 0008
DOUBLE PRECISION XX 0009
C
C
II=5 0010
IO=6 0011
C
C
READ AND WRITE INPUT TABLES TAKEN FROM NASA SP-36. 0012
C
C
READ(II,115)(SGMBB(J),J=1,9) 0013
READ(II,401)(BTP1B(J),J=1,10) 0014
READ(II,105)(TMAXCB(1,J),FKIB(1,J),J=1,7) 0015
DO 10 J=1,10 0016
10 READ(II,120)(FI10B(J,K),SLOPB(J,K),K=1,9) 0017
WRITE(IO,700) 0018
WRITE(IO,820) 0019
WRITE(IO,105)(TMAXCB(1,J),FKIB(1,J),J=1,7) 0020
WRITE(IO,800) 0021
WRITE(IO,115)(SGMBB(J),J=1,9) 0022
WRITE(IO,810) 0023
WRITE(IO,125)(BTP1B(J),J=1,10) 0024
WRITE(IO,830) 0025
DO 40 J=1,10 0026
40 WRITE(IO,120)(FI10B(J,K),SLOPB(J,K),K=1,9) 0027
C
C
READ GEOMETRY FOR WHICH REFERENCE INCIDENCE ANGLES ARE 0028
TO BE CALCULATED. 0029
C
C
READ(II,201)TMAXC(1,1),FKSHA(1) 0030
CALL FIT1D(TMAXC,FKI,TMAXCB,FKIB,1,7,1,1) 0031
READ(II,401)(ANGST(J),J=1,9) 0032
READ(II,202)(SGMA(J),J=1,9) 0033
READ(II,402)(PHI(J),J=1,10) 0034
WRITE(IO,700) 0035
WRITE(IO,130) 0036
WRITE(IO,140)TMAXC(1,1),FKSHA(1) 0037
DO 300 IG=1,9 0038
N=0 0039
NN=0 0040
NNN=0 0041
WRITE(IO,700) 0042
WRITE(IO,720) 0043
DO 300 IS=1,9 0044
DO 50 IC=1,10 0045
ALF1(1,1)=ANGST(IG)+PHI(IC)/2 0046
ALF2(1,1)=ANGST(IG)-PHI(IC)/2 0047
NN=NN+1 0048
STAR(1,1)=0. 0049
KDAMP=3 0050
YSGM(1)=SGMA(IS) 0051
0052
0053
0054
0055
0056
0057

```





C		0113
C	WRITE OUT INTERCEPT AND COEFFICIENTS FOR LEAST-SQUARE	0114
C	POLYNOMIALS.	0115
C		0116
	WRITE(IO,700)	0117
	WRITE(IO,850)	0118
	N=0	0119
	DO 310 IG=1,9	0120
	DO 310 IS=1,9	0121
	N=N+1	0122
	IF((N.NE.10).AND.(N.NE.19).AND.(N.NE.28).AND.(N.NE.37)	0123
	X .AND.(N.NE.46)) GO TO 310	0124
	WRITE(IO,710)	0125
	IF ((N.NE.46)) GO TO 310	0126
	N=1	0127
	WRITE(IO,700)	0128
	WRITE(IO,850)	0129
310	WRITE(IO,11) IIER(IG,IS),ANGST(IG),SGMA(IS),AO(IG,IS),AI(IG,IS),	0130
	IA2(IG,IS)	0131
	11 FORMAT(I4,2F10.3,3F15.10)	0132
100	FORMAT(5F10.4)	0133
105	FORMAT(8F10.3)	0134
115	FORMAT(9F8.3)	0135
120	FORMAT(8F10.3)	0136
125	FORMAT(10F6.1)	0137
130	FORMAT(' TMAXC FKSHA'//)	0138
140	FORMAT(2F10.4///)	0139
200	FORMAT(I4)	0140
201	FORMAT(2F10.2)	0141
202	FORMAT(9F8.2)	0142
401	FORMAT(10F8.2)	0143
402	FORMAT(10F8.2)	0144
700	FORMAT(1H1)	0145
710	FORMAT(1H )	0146
720	FORMAT(' IREF STAGGER CAMBER SOLIDITY ALF1 ALF2 BTP1	0147
	X FKI F1010 SLOP'//)	0148
730	FORMAT(F7.1,F9.2,F8.2,F10.2,3F7.2,2F7.3,F9.4)	0149
800	FORMAT(/' INPUT DATA: SGMBB(L),L=1,9')	0150
810	FORMAT(/' INPUT DATA: BTP1B(K), K=1,10')	0151
820	FORMAT(/' INPUT DATA: TMAXC(K),FKIB(K),K=1,7')	0152
830	FORMAT(/' INPUT DATA: F10B(K,L),SLOPB(K,L), K=1,10, L=1,9')	0153
840	FORMAT(/' CONVERGED SOLUTION FOR IREF NOT OBTAINED IN 99 ITER	0154
	XATIONS'//)	0155
850	FORMAT(' IER STAGGER SOLIDITY INCO10 N1	0156
	X N2'//)	0157
	STOP	0158
	END	0159

	SUBROUTINE SRT(N,M,X)	0160
C		0161
C	SRT IS A SUBPROGRAM REQUIRED BY ULSQ.	0162
C		0163
	DIMENSION X(1),FIREF(10),PHI(10)	0164
	COMMON FIREF,PHI,IC,KKK	0165
C		0166
C		0167
	KKK=KKK+1	0168
	IC=KKK	0169
	X(1)=FIREF(IC)	0170
	X(2)=PHI(IC)	0171
	X(3)=X(2)*X(2)	0172
	RETURN	0173
	END	0174

	SUBROUTINE FIT1D(X,Y,XB,YB,JP,KP,I,K)	0175
C		0176
C	3-POINT LAGRANGIAN INTERPOLATION FOR Y=FCN(X) FROM	0177
C	DATA TABLES XB,YB. XB-ARRAY VALUES ARE ARBITRARILY	0178
C	SPACED, MONOTONE NON-DECREASING. JP IS GIVEN NUMBER	0179
C	OF XB- OR YB-ARRAY ELEMENTS	0180
C		0181
	DIMENSION X(1,1),Y(1),XB(1,7),YB(1,7)	0182
C		0183
C		0184
	IO=6	0185
	10 IF(JP-20)11,11,14	0186
	11 IF(KP-3)14,12,12	0187
	12 IF(KP-20)13,13,14	0188
	13 DO 3 J=1,JP	0189
	DO 1 M=3,KP	0190
	L=M	0191
	IF(X(K,J)-XB(I,L))2,2,1	0192
	1 CONTINUE	0193
	2 X0=XB(I,L-2)	0194
	X1=XB(I,L-1)	0195
	X2=XB(I,L)	0196
	3 Y(J)=(X(K,J)-X1)*(X(K,J)-X2)*YB(I,L-2)/((X0-X1)*(X0-X2))	0197
	1+(X(K,J)-X2)*(X(K,J)-X0)*YB(I,L-1)/((X1-X2)*(X1-X0))	0198
	2+(X(K,J)-X0)*(X(K,J)-X1)*YB(I,L)/((X2-X0)*(X2-X1))	0199
	RETURN	0200
	14 WRITE(IO,500)JP,KP	0201
	500 FORMAT(10X,' INCORRECT ARRAY SIZE IN FIT1D, JP=',I2,' KP=',I2)	0202
	STOP	0203
	END	0204

	SUBROUTINE FIT2D(X,Y,Z,XB,YB,ZB,IP,JP,JL,IQ,JQ,KQ)	0205
C		0206
C	3-POINT LAGRANGIAN INTERPOLATION FOR Y=FCN(X,Z)	0207
C	FROM DATA TABLES XB,YB,ZB. XB-AND ZB-ARRAY VALUES	0208
C	ARE ARBITRARILY SPACED, MONOTONE NON-DECREASING.	0209
C	IP,JP ARE NUMBER OF ELEMENTS IN XB,ZB ARRAYS,RE-	0210
C	SPECTIVELY.	0211
C		0212
	DIMENSION X(1),Y(1),Z(1),YST(3)	0213
	REAL XB(IQ),YB(IQ,JQ),ZB(KQ)	0214
C		0215
C		0216
	IO=6	0217
	IF(IP-3)15,10,10	0218
10	IF(IP-20)11,11,15	0219
11	IF(JP-3)15,12,12	0220
12	IF(JP-20)13,13,15	0221
13	IF(JL-20)14,14,15	0222
14	DO 6 N=1,JL	0223
	DO 1 M=3,IP	0224
	I=M	0225
	IF(X(N)-XB(I))2,2,1	0226
1	CONTINUE	0227
2	DO 3 M=3,JP	0228
	J=M	0229
	IF(Z(N)-ZB(J))4,4,3	0230
3	CONTINUE	0231
4	X0=ZB(J-2)	0232
	X1=ZB(J-1)	0233
	X2=ZB(J)	0234
	DO 5 K=1,3	0235
	L=I+K	0236
	Y0=YB(L-3,J-2)	0237
	Y1=YB(L-3,J-1)	0238
	Y2=YB(L-3,J)	0239
5	YST(K)=(Z(N)-X1)*(Z(N)-X2)*Y0/((X0-X1)*(X0-X2))	0240
	1+(Z(N)-X2)*(Z(N)-X0)*Y1/((X1-X2)*(X1-X0))	0241
	2+(Z(N)-X0)*(Z(N)-X1)*Y2/((X2-X0)*(X2-X1))	0242
	X0=XB(I-2)	0243
	X1=XB(I-1)	0244
	X2=XB(I)	0245
6	Y(N)=(X(N)-X1)*(X(N)-X2)*YST(1)/((X0-X1)*(X0-X2))	0246
	1+(X(N)-X2)*(X(N)-X0)*YST(2)/((X1-X2)*(X1-X0))	0247
	2+(X(N)-X0)*(X(N)-X1)*YST(3)/((X2-X0)*(X2-X1))	0248
	RETURN	0249
15	WRITE(IO,500)IP,JP,JL	0250
500	FORMAT(10X,' INCORRECT ARRAY SIZE IN FIT2D, IP=',I2,' JP=',I2,' JL	0251
	1=',I2)	0252
	STOP	0253
	END	0254

Input Data

Input consists of tables derived from Figs. 137, 138, and 142 of Reference 2,  $t_{\max}/c$ ,  $(K_i)_{SH}$ ,  $\phi^0$ ,  $\gamma$ , and  $\sigma$ . A listing of data cards used to develop Fig. 4 are listed on the following page.

	.400	.600	.800	1.	1.200	1.400	1.600	2.000	2.600		
SGMBB(J)	.400	.600	.800	1.	1.200	1.400	1.600	2.000	2.600		
BTPLB(J)	.000	10.	20.	30.	40.	50.	55.	60.	70.	75.	
TMAXCB(1, J)	0.0	0.0	0.0	.020	.334	.040	.589	.589	.06	.772	
FKIB(1, J)	.08	.903	.100	1.000	1.000	1.120	1.080	1.080	0.0	-0.036	
	0.0	-0.050	0.0	-0.045	0.0	-0.040	-0.040	0.0	0.0	-0.010	
	0.0	-0.030	0.0	-0.025	0.0	-0.020	-0.020	0.0	0.0	-0.051	
	0.0	0.0	0.0	-0.073	.68	-0.061	-0.061	.80	.80	-0.010	
	.35	-0.088	1.13	-0.030	1.30	-0.022	-0.022	1.64	1.64	-0.072	
	1.00	-0.040	1.00	-0.041	1.30	-0.088	-0.088	1.60	1.60	-0.012	
	2.05	0.0	2.25	-0.041	2.55	-0.028	-0.028	3.20	3.20	-0.100	
	.65	-0.130	1.00	-0.146	1.93	-0.120	-0.120	2.40	2.40	-0.020	
	1.95	-0.055	3.35	-0.060	3.82	-0.045	-0.045	4.78	4.78	-0.135	
	4.10	0.0	1.45	-0.193	2.55	-0.162	-0.162	3.20	3.20	-0.037	
	.95	-0.180	4.45	-0.087	5.07	-0.069	-0.069	6.34	6.34	-0.180	
	2.85	-0.079	1.90	-0.250	3.12	-0.212	-0.212	3.90	3.90	-0.069	
	6.20	0.0	2.32	-0.125	6.28	-0.106	-0.106	7.86	7.86	-0.208	
	1.26	-0.235	2.52	-0.283	3.40	-0.242	-0.242	4.25	4.25	-0.090	
	3.80	-0.112	6.00	-0.152	6.86	-0.131	-0.131	8.61	8.61	-0.241	
	8.20	-0.010	2.70	-0.320	3.63	-0.277	-0.277	4.58	4.58	-0.120	
	1.55	-0.298	6.43	-0.182	7.42	-0.161	-0.161	9.32	9.32	-0.339	
	4.70	-0.151	3.0	-0.416	4.02	-0.375	-0.375	5.10	5.10	-0.190	
	10.20	-0.030	7.10	-0.268	8.10	-0.242	-0.242	10.10	10.10	-0.420	
	1.69	-0.335	2.70	-0.482	4.15	-0.458	-0.458	5.25	5.25	-0.235	
	5.10	-0.178	6.00	-0.331	8.35	-0.300	-0.300	10.45	10.45		
	11.20	-0.050	3.0	-0.416	4.02	-0.375	-0.375	5.10	5.10		
	1.80	-0.372	7.10	-0.268	8.10	-0.242	-0.242	10.10	10.10		
	5.50	-0.210	2.70	-0.482	4.15	-0.458	-0.458	5.25	5.25		
	12.05	-0.075	6.43	-0.331	8.35	-0.300	-0.300	10.45	10.45		
	2.0	-0.460	3.0	-0.416	4.02	-0.375	-0.375	5.10	5.10		
	6.08	-0.300	7.10	-0.268	8.10	-0.242	-0.242	10.10	10.10		
	13.10	-0.135	3.0	-0.416	4.02	-0.375	-0.375	5.10	5.10		
	2.10	-0.520	3.15	-0.482	4.15	-0.458	-0.458	5.25	5.25		
	6.30	-0.375	7.30	-0.331	8.35	-0.300	-0.300	10.45	10.45		
	13.60	-0.175	1.0	-0.416	4.02	-0.375	-0.375	5.10	5.10		
	.1	1.0	1.0	30.	40.	50.	60.	60.	70.		
	0.	5.	10.	20.	30.	40.	50.	60.	70.		
	.4	.6	.8	1.	1.2	1.4	1.6	2.0	2.6		
	0.	5.	10.	20.	30.	40.	50.	60.	70.	75.	
TMAXC(1, 1) FKSHA(1)											
ANGST(J)											
SGMA(J)											
PHI(J)											

FI10B(J, K)

SLOPB(J, K)

TMAXC(1, 1) FKSHA(1)

ANGST(J)

SGMA(J)

PHI(J)

Output

Output corresponding to the input data given on the previous page is presented on pages 29-50. The first group of output is simply the input tables of  $(K_i)_t$ ,  $t_{\max}/c$ ,  $(i_o)_{10}$ ,  $n$ ,  $\beta_1$ , and  $\sigma$ . Next  $i_{\text{ref}}$  is given for specified  $\gamma$ ,  $\phi^o$ , and  $t_{\max}/c = 0.1$ . The last group of output gives a table of  $(i_o)_{10\gamma}$ ,  $n_{1\gamma}$ , and  $n_{2\gamma}$  for the indicated  $\gamma$  and  $\sigma$  values.

INPUT DATA: TMAXC(K),FKIB(K),K=1,7

0.000	0.000	0.020	0.334	0.040	0.589	0.060	0.772
0.080	0.903	0.100	1.000	0.120	1.080		

INPUT DATA: SGMBB(L),L=1,9

0.400	0.600	0.800	1.000	1.200	1.400	1.600	2.000	2.600
-------	-------	-------	-------	-------	-------	-------	-------	-------

INPUT DATA: BTP18(K), K=1,10

0.0	10.0	20.0	30.0	40.0	50.0	55.0	60.0	70.0	75.0
-----	------	------	------	------	------	------	------	------	------

INPUT DATA: F1108(K,L),SLOPB(K,L), K=1,10, L=1,9

0.000	-0.050	0.000	-0.045	0.000	-0.040	0.000	-0.036
0.000	-0.030	0.000	-0.025	0.000	-0.020	0.000	-0.010
0.000	0.000						
0.350	-0.088	0.500	-0.073	0.680	-0.061	0.800	-0.051
1.000	-0.040	1.130	-0.030	1.300	-0.022	1.640	-0.010
2.050	0.000						
0.650	-0.130	1.000	-0.107	1.300	-0.088	1.600	-0.072
1.950	-0.055	2.250	-0.041	2.550	-0.028	3.200	-0.012
4.100	0.000						
0.950	-0.180	1.450	-0.146	1.930	-0.120	2.400	-0.100
2.850	-0.079	3.350	-0.060	3.820	-0.045	4.780	-0.020
6.200	0.000						
1.260	-0.235	1.900	-0.193	2.550	-0.162	3.200	-0.135
3.800	-0.112	4.450	-0.087	5.070	-0.069	6.340	-0.037
8.200	-0.010						
1.550	-0.298	2.320	-0.250	3.120	-0.212	3.900	-0.180
4.700	-0.151	5.500	-0.125	6.280	-0.106	7.860	-0.069
10.200	-0.030						
1.690	-0.335	2.520	-0.283	3.400	-0.242	4.250	-0.208
5.100	-0.178	6.000	-0.152	6.860	-0.131	8.610	-0.090
11.200	-0.050						
1.800	-0.372	2.700	-0.320	3.630	-0.277	4.580	-0.241
5.500	-0.210	6.430	-0.182	7.420	-0.161	9.320	-0.120
12.050	-0.075						
2.000	-0.460	3.000	-0.416	4.020	-0.375	5.100	-0.339
6.080	-0.300	7.100	-0.268	8.100	-0.242	10.100	-0.190
13.100	-0.135						
2.100	-0.520	3.150	-0.482	4.150	-0.458	5.250	-0.420
6.300	-0.375	7.300	-0.331	8.350	-0.300	10.450	-0.235
13.600	-0.175						

TMAXC FKSHA

0.1000 1.0000



IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	F1010	SLOP
0.0	0.00	0.00	0.40	0.00	-0.00	0.00	1.000	0.000	-0.0500
-0.2	0.00	5.00	0.40	2.50	-2.50	2.31	1.000	0.085	-0.0584
-0.5	0.00	10.00	0.40	5.00	-5.00	4.51	1.000	0.164	-0.0666
-1.3	0.00	20.00	0.40	10.00	-10.00	8.67	1.000	0.306	-0.0827
-2.5	0.00	30.00	0.40	15.00	-15.00	12.50	1.000	0.430	-0.0981
-4.0	0.00	40.00	0.40	20.00	-20.00	16.04	1.000	0.537	-0.1129
-5.7	0.00	50.00	0.40	25.00	-25.00	19.29	1.000	0.630	-0.1269
-7.7	0.00	60.00	0.40	30.00	-30.00	22.28	1.000	0.718	-0.1407
-10.0	0.00	70.00	0.40	35.00	-35.00	25.01	1.000	0.800	-0.1541
-11.2	0.00	75.00	0.40	37.50	-37.50	26.30	1.000	0.839	-0.1606
0.0	0.00	0.00	0.60	0.00	-0.00	0.00	1.000	0.000	-0.0450
-0.1	0.00	5.00	0.60	2.50	-2.50	2.37	1.000	0.119	-0.0511
-0.3	0.00	10.00	0.60	5.00	-5.00	4.67	1.000	0.233	-0.0573
-0.9	0.00	20.00	0.60	10.00	-10.00	9.06	1.000	0.453	-0.0701
-1.8	0.00	30.00	0.60	15.00	-15.00	13.18	1.000	0.659	-0.0832
-3.0	0.00	40.00	0.60	20.00	-20.00	17.02	1.000	0.851	-0.0962
-4.4	0.00	50.00	0.60	25.00	-25.00	20.59	1.000	1.028	-0.1091
-6.1	0.00	60.00	0.60	30.00	-30.00	23.89	1.000	1.181	-0.1216
-8.0	0.00	70.00	0.60	35.00	-35.00	26.97	1.000	1.319	-0.1336
-9.1	0.00	75.00	0.60	37.50	-37.50	28.43	1.000	1.383	-0.1396
0.0	0.00	0.00	0.80	0.00	-0.00	0.00	1.000	0.000	-0.0400
-0.0	0.00	5.00	0.80	2.50	-2.50	2.46	1.000	0.173	-0.0446
-0.2	0.00	10.00	0.80	5.00	-5.00	4.86	1.000	0.338	-0.0494
-0.5	0.00	20.00	0.80	10.00	-10.00	9.46	1.000	0.645	-0.0597
-1.2	0.00	30.00	0.80	15.00	-15.00	13.82	1.000	0.924	-0.0706
-2.1	0.00	40.00	0.80	20.00	-20.00	17.92	1.000	1.176	-0.0819
-3.3	0.00	50.00	0.80	25.00	-25.00	21.75	1.000	1.410	-0.0932
-4.6	0.00	60.00	0.80	30.00	-30.00	25.38	1.000	1.638	-0.1046
-6.3	0.00	70.00	0.80	35.00	-35.00	28.76	1.000	1.851	-0.1158
-7.1	0.00	75.00	0.80	37.50	-37.50	30.36	1.000	1.952	-0.1213
0.0	0.00	0.00	1.00	0.00	-0.00	0.00	1.000	0.000	-0.0360
0.0	0.00	5.00	1.00	2.50	-2.50	2.50	1.000	0.200	-0.0392
-0.0	0.00	10.00	1.00	5.00	-5.00	4.98	1.000	0.398	-0.0427
-0.2	0.00	20.00	1.00	10.00	-10.00	9.79	1.000	0.783	-0.0506
-0.6	0.00	30.00	1.00	15.00	-15.00	14.38	1.000	1.150	-0.0595
-1.3	0.00	40.00	1.00	20.00	-20.00	18.76	1.000	1.500	-0.0691
-2.1	0.00	50.00	1.00	25.00	-25.00	22.87	1.000	1.829	-0.0793
-3.3	0.00	60.00	1.00	30.00	-30.00	26.75	1.000	2.140	-0.0901
-4.7	0.00	70.00	1.00	35.00	-35.00	30.36	1.000	2.429	-0.1011
-5.4	0.00	75.00	1.00	37.50	-37.50	32.08	1.000	2.566	-0.1067
0.0	0.00	0.00	1.20	0.00	-0.00	0.00	1.000	0.000	-0.0300
0.1	0.00	5.00	1.20	2.50	-2.50	2.59	1.000	0.264	-0.0321
0.2	0.00	10.00	1.20	5.00	-5.00	5.16	1.000	0.522	-0.0345
0.2	0.00	20.00	1.20	10.00	-10.00	10.20	1.000	1.019	-0.0402
0.1	0.00	30.00	1.20	15.00	-15.00	15.07	1.000	1.488	-0.0470
-0.3	0.00	40.00	1.20	20.00	-20.00	19.76	1.000	1.928	-0.0546
-0.9	0.00	50.00	1.20	25.00	-25.00	24.15	1.000	2.329	-0.0639
-1.8	0.00	60.00	1.20	30.00	-30.00	28.26	1.000	2.697	-0.0742
-2.9	0.00	70.00	1.20	35.00	-35.00	32.10	1.000	3.045	-0.0852
-3.6	0.00	75.00	1.20	37.50	-37.50	33.91	1.000	3.216	-0.0908

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
0.0	0.00	0.00	1.40	0.00	-0.00	0.00	1.000	0.000	-0.0250
0.2	0.00	5.00	1.40	2.50	-2.50	2.66	1.000	0.301	-0.0257
0.3	0.00	10.00	1.40	5.00	-5.00	5.32	1.000	0.603	-0.0269
0.6	0.00	20.00	1.40	10.00	-10.00	10.57	1.000	1.194	-0.0305
0.7	0.00	30.00	1.40	15.00	-15.00	15.68	1.000	1.768	-0.0355
0.6	0.00	40.00	1.40	20.00	-20.00	20.63	1.000	2.320	-0.0420
0.3	0.00	50.00	1.40	25.00	-25.00	25.33	1.000	2.838	-0.0501
-0.2	0.00	60.00	1.40	30.00	-30.00	29.77	1.000	3.325	-0.0595
-1.1	0.00	70.00	1.40	35.00	-35.00	33.92	1.000	3.781	-0.0696
-1.6	0.00	75.00	1.40	37.50	-37.50	35.89	1.000	3.998	-0.0749
0.0	0.00	0.00	1.60	0.00	-0.00	0.00	1.000	0.000	-0.0200
0.3	0.00	5.00	1.60	2.50	-2.50	2.75	1.000	0.363	-0.0202
0.5	0.00	10.00	1.60	5.00	-5.00	5.50	1.000	0.721	-0.0206
1.0	0.00	20.00	1.60	10.00	-10.00	10.96	1.000	1.423	-0.0224
1.3	0.00	30.00	1.60	15.00	-15.00	16.32	1.000	2.096	-0.0253
1.5	0.00	40.00	1.60	20.00	-20.00	21.54	1.000	2.744	-0.0299
1.5	0.00	50.00	1.60	25.00	-25.00	26.47	1.000	3.370	-0.0378
1.1	0.00	60.00	1.60	30.00	-30.00	31.10	1.000	3.959	-0.0473
0.5	0.00	70.00	1.60	35.00	-35.00	35.49	1.000	4.509	-0.0573
0.1	0.00	75.00	1.60	37.50	-37.50	37.56	1.000	4.767	-0.0625
0.0	0.00	0.00	2.00	0.00	-0.00	0.00	1.000	0.000	-0.0100
0.4	0.00	5.00	2.00	2.50	-2.50	2.92	1.000	0.487	-0.0098
0.9	0.00	10.00	2.00	5.00	-5.00	5.86	1.000	0.971	-0.0098
1.7	0.00	20.00	2.00	10.00	-10.00	11.70	1.000	1.910	-0.0102
2.5	0.00	30.00	2.00	15.00	-15.00	17.46	1.000	2.811	-0.0113
3.1	0.00	40.00	2.00	20.00	-20.00	23.12	1.000	3.691	-0.0139
3.6	0.00	50.00	2.00	25.00	-25.00	28.62	1.000	4.561	-0.0185
3.9	0.00	60.00	2.00	30.00	-30.00	33.85	1.000	5.382	-0.0255
3.7	0.00	70.00	2.00	35.00	-35.00	38.72	1.000	6.142	-0.0343
3.5	0.00	75.00	2.00	37.50	-37.50	41.02	1.000	6.497	-0.0396
0.0	0.00	0.00	2.60	0.00	-0.00	0.00	1.000	0.000	0.0000
0.6	0.00	5.00	2.60	2.50	-2.50	3.13	1.000	0.641	0.0000
1.3	0.00	10.00	2.60	5.00	-5.00	6.28	1.000	1.286	0.0000
2.6	0.00	20.00	2.60	10.00	-10.00	12.57	1.000	2.576	0.0000
3.9	0.00	30.00	2.60	15.00	-15.00	18.85	1.000	3.864	0.0000
5.2	0.00	40.00	2.60	20.00	-20.00	25.16	1.000	5.177	0.0000
6.5	0.00	50.00	2.60	25.00	-25.00	31.43	1.000	6.493	-0.0008
7.3	0.00	60.00	2.60	30.00	-30.00	37.28	1.000	7.665	-0.0063
7.7	0.00	70.00	2.60	35.00	-35.00	42.73	1.000	8.745	-0.0145
7.8	0.00	75.00	2.60	37.50	-37.50	45.29	1.000	9.258	-0.0193

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
0.2	5.00	0.00	0.40	5.00	5.00	5.17	1.000	0.187	-0.0692
-0.1	5.00	5.00	0.40	7.50	2.50	7.38	1.000	0.263	-0.0777
-0.5	5.00	10.00	0.40	10.00	-0.00	9.48	1.000	0.333	-0.0859
-1.6	5.00	20.00	0.40	15.00	-5.00	13.43	1.000	0.459	-0.1020
-3.0	5.00	30.00	0.40	20.00	-10.00	17.07	1.000	0.567	-0.1173
-4.6	5.00	40.00	0.40	25.00	-15.00	20.40	1.000	0.662	-0.1318
-6.6	5.00	50.00	0.40	30.00	-20.00	23.44	1.000	0.753	-0.1463
-8.8	5.00	60.00	0.40	35.00	-25.00	26.24	1.000	0.837	-0.1603
-11.2	5.00	70.00	0.40	40.00	-30.00	28.77	1.000	0.913	-0.1734
-12.5	5.00	75.00	0.40	42.50	-32.50	29.96	1.000	0.949	-0.1798
0.3	5.00	0.00	0.60	5.00	5.00	5.26	1.000	0.263	-0.0590
0.0	5.00	5.00	0.60	7.50	2.50	7.54	1.000	0.377	-0.0655
-0.2	5.00	10.00	0.60	10.00	-0.00	9.78	1.000	0.489	-0.0723
-1.0	5.00	20.00	0.60	15.00	-5.00	14.00	1.000	0.700	-0.0859
-2.1	5.00	30.00	0.60	20.00	-10.00	17.93	1.000	0.897	-0.0995
-3.4	5.00	40.00	0.60	25.00	-15.00	21.58	1.000	1.074	-0.1128
-5.1	5.00	50.00	0.60	30.00	-20.00	24.96	1.000	1.229	-0.1257
-6.9	5.00	60.00	0.60	35.00	-25.00	28.09	1.000	1.368	-0.1381
-9.0	5.00	70.00	0.60	40.00	-30.00	30.98	1.000	1.494	-0.1502
-10.2	5.00	75.00	0.60	42.50	-32.50	32.34	1.000	1.555	-0.1563
0.4	5.00	0.00	0.80	5.00	5.00	5.36	1.000	0.372	-0.0505
0.3	5.00	5.00	0.80	7.50	2.50	7.75	1.000	0.532	-0.0557
0.1	5.00	10.00	0.80	10.00	-0.00	10.05	1.000	0.683	-0.0611
-0.5	5.00	20.00	0.80	15.00	-5.00	14.53	1.000	0.968	-0.0725
-1.3	5.00	30.00	0.80	20.00	-10.00	18.71	1.000	1.224	-0.0842
-2.4	5.00	40.00	0.80	25.00	-15.00	22.63	1.000	1.465	-0.0959
-3.7	5.00	50.00	0.80	30.00	-20.00	26.32	1.000	1.697	-0.1076
-5.2	5.00	60.00	0.80	35.00	-25.00	29.78	1.000	1.916	-0.1192
-7.1	5.00	70.00	0.80	40.00	-30.00	32.93	1.000	2.113	-0.1313
-8.1	5.00	75.00	0.80	42.50	-32.50	34.41	1.000	2.205	-0.1373
0.4	5.00	0.00	1.00	5.00	5.00	5.42	1.000	0.434	-0.0434
0.4	5.00	5.00	1.00	7.50	2.50	7.88	1.000	0.631	-0.0473
0.3	5.00	10.00	1.00	10.00	-0.00	10.30	1.000	0.824	-0.0515
-0.2	5.00	20.00	1.00	15.00	-5.00	15.00	1.000	1.200	-0.0607
-0.6	5.00	30.00	1.00	20.00	-10.00	19.44	1.000	1.556	-0.0707
-1.4	5.00	40.00	1.00	25.00	-15.00	23.65	1.000	1.892	-0.0814
-2.4	5.00	50.00	1.00	30.00	-20.00	27.60	1.000	2.208	-0.0926
-3.7	5.00	60.00	1.00	35.00	-25.00	31.28	1.000	2.502	-0.1041
-5.3	5.00	70.00	1.00	40.00	-30.00	34.70	1.000	2.776	-0.1156
-6.2	5.00	75.00	1.00	42.50	-32.50	36.32	1.000	2.905	-0.1213
0.6	5.00	0.00	1.20	5.00	5.00	5.54	1.000	0.560	-0.0349
0.6	5.00	5.00	1.20	7.50	2.50	8.11	1.000	0.815	-0.0377
0.7	5.00	10.00	1.20	10.00	-0.00	10.64	1.000	1.062	-0.0408
0.6	5.00	20.00	1.20	15.00	-5.00	15.57	1.000	1.535	-0.0477
0.3	5.00	30.00	1.20	20.00	-10.00	20.30	1.000	1.978	-0.0556
-0.2	5.00	40.00	1.20	25.00	-15.00	24.79	1.000	2.387	-0.0654
-1.0	5.00	50.00	1.20	30.00	-20.00	28.96	1.000	2.759	-0.0761
-2.1	5.00	60.00	1.20	35.00	-25.00	32.88	1.000	3.118	-0.0876
-3.5	5.00	70.00	1.20	40.00	-30.00	36.51	1.000	3.463	-0.0995
-4.3	5.00	75.00	1.20	42.50	-32.50	38.22	1.000	3.628	-0.1055

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
0.6	5.00	0.00	1.40	5.00	5.00	5.63	1.000	0.637	-0.0271
0.8	5.00	5.00	1.40	7.50	2.50	8.28	1.000	0.937	-0.0287
0.9	5.00	10.00	1.40	10.00	-0.00	10.92	1.000	1.233	-0.0308
1.1	5.00	20.00	1.40	15.00	-5.00	16.08	1.000	1.812	-0.0360
1.1	5.00	30.00	1.40	20.00	-10.00	21.08	1.000	2.370	-0.0427
0.8	5.00	40.00	1.40	25.00	-15.00	25.83	1.000	2.894	-0.0511
0.3	5.00	50.00	1.40	30.00	-20.00	30.34	1.000	3.388	-0.0608
-0.4	5.00	60.00	1.40	35.00	-25.00	34.58	1.000	3.853	-0.0714
-1.5	5.00	70.00	1.40	40.00	-30.00	38.52	1.000	4.287	-0.0825
-2.1	5.00	75.00	1.40	42.50	-32.50	40.38	1.000	4.491	-0.0882
0.8	5.00	0.00	1.60	5.00	5.00	5.74	1.000	0.753	-0.0207
1.0	5.00	5.00	1.60	7.50	2.50	8.49	1.000	1.107	-0.0214
1.2	5.00	10.00	1.60	10.00	-0.00	11.21	1.000	1.454	-0.0225
1.6	5.00	20.00	1.60	15.00	-5.00	16.60	1.000	2.131	-0.0255
1.9	5.00	30.00	1.60	20.00	-10.00	21.86	1.000	2.784	-0.0303
1.9	5.00	40.00	1.60	25.00	-15.00	26.87	1.000	3.420	-0.0385
1.6	5.00	50.00	1.60	30.00	-20.00	31.60	1.000	4.021	-0.0484
1.1	5.00	60.00	1.60	35.00	-25.00	36.04	1.000	4.578	-0.0587
0.2	5.00	70.00	1.60	40.00	-30.00	40.21	1.000	5.096	-0.0697
-0.4	5.00	75.00	1.60	42.50	-32.50	42.15	1.000	5.334	-0.0759
1.0	5.00	0.00	2.00	5.00	5.00	5.97	1.000	0.989	-0.0098
1.4	5.00	5.00	2.00	7.50	2.50	8.91	1.000	1.465	-0.0099
1.8	5.00	10.00	2.00	10.00	-0.00	11.82	1.000	1.929	-0.0102
2.6	5.00	20.00	2.00	15.00	-5.00	17.59	1.000	2.832	-0.0113
3.3	5.00	30.00	2.00	20.00	-10.00	23.28	1.000	3.716	-0.0140
3.8	5.00	40.00	2.00	25.00	-15.00	28.83	1.000	4.594	-0.0188
4.1	5.00	50.00	2.00	30.00	-20.00	34.12	1.000	5.425	-0.0259
4.1	5.00	60.00	2.00	35.00	-25.00	39.09	1.000	6.198	-0.0351
3.6	5.00	70.00	2.00	40.00	-30.00	43.61	1.000	6.893	-0.0468
3.2	5.00	75.00	2.00	42.50	-32.50	45.70	1.000	7.212	-0.0534
1.3	5.00	0.00	2.60	5.00	5.00	6.28	1.000	1.286	0.0000
1.9	5.00	5.00	2.60	7.50	2.50	9.41	1.000	1.930	0.0000
2.6	5.00	10.00	2.60	10.00	-0.00	12.57	1.000	2.576	0.0000
3.9	5.00	20.00	2.60	15.00	-5.00	18.85	1.000	3.864	0.0000
5.2	5.00	30.00	2.60	20.00	-10.00	25.16	1.000	5.177	0.0000
6.5	5.00	40.00	2.60	25.00	-15.00	31.44	1.000	6.495	-0.0008
7.4	5.00	50.00	2.60	30.00	-20.00	37.35	1.000	7.679	-0.0064
7.9	5.00	60.00	2.60	35.00	-25.00	42.88	1.000	8.777	-0.0147
8.0	5.00	70.00	2.60	40.00	-30.00	48.02	1.000	9.804	-0.0253
7.9	5.00	75.00	2.60	42.50	-32.50	50.42	1.000	10.284	-0.0314

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
0.4	10.00	0.00	0.40	10.00	10.00	10.35	1.000	0.261	-0.0894
-0.1	10.00	5.00	0.40	12.50	7.50	12.45	1.000	0.428	-0.0979
-0.6	10.00	10.00	0.40	15.00	5.00	14.44	1.000	0.489	-0.1061
-1.8	10.00	20.00	0.40	20.00	-0.00	18.18	1.000	0.599	-0.1220
-3.4	10.00	30.00	0.40	25.00	-5.00	21.59	1.000	0.698	-0.1374
-5.3	10.00	40.00	0.40	30.00	-10.00	24.70	1.000	0.791	-0.1525
-7.5	10.00	50.00	0.40	35.00	-15.00	27.53	1.000	0.876	-0.1669
-9.9	10.00	60.00	0.40	40.00	-20.00	30.13	1.000	0.954	-0.1807
-12.5	10.00	70.00	0.40	45.00	-25.00	32.50	1.000	1.027	-0.1933
-13.9	10.00	75.00	0.40	47.50	-27.50	33.61	1.000	1.061	-0.1993
0.5	10.00	0.00	0.60	10.00	10.00	10.51	1.000	0.526	-0.0746
0.2	10.00	5.00	0.60	12.50	7.50	12.71	1.000	0.636	-0.0816
-0.1	10.00	10.00	0.60	15.00	5.00	14.87	1.000	0.743	-0.0888
-1.1	10.00	20.00	0.60	20.00	-0.00	18.90	1.000	0.945	-0.1030
-2.4	10.00	30.00	0.60	25.00	-5.00	22.64	1.000	1.124	-0.1168
-3.9	10.00	40.00	0.60	30.00	-10.00	26.09	1.000	1.280	-0.1302
-5.7	10.00	50.00	0.60	35.00	-15.00	29.28	1.000	1.419	-0.1430
-7.8	10.00	60.00	0.60	40.00	-20.00	32.21	1.000	1.550	-0.1557
-10.1	10.00	70.00	0.60	45.00	-25.00	34.91	1.000	1.671	-0.1681
-11.3	10.00	75.00	0.60	47.50	-27.50	36.17	1.000	1.728	-0.1741
0.7	10.00	0.00	0.80	10.00	10.00	10.71	1.000	0.726	-0.0627
0.5	10.00	5.00	0.80	12.50	7.50	13.02	1.000	0.873	-0.0685
0.3	10.00	10.00	0.80	15.00	5.00	15.25	1.000	1.013	-0.0744
-0.5	10.00	20.00	0.80	20.00	-0.00	19.55	1.000	1.273	-0.0866
-1.4	10.00	30.00	0.80	25.00	-5.00	23.58	1.000	1.524	-0.0989
-2.7	10.00	40.00	0.80	30.00	-10.00	27.33	1.000	1.761	-0.1110
-4.2	10.00	50.00	0.80	35.00	-15.00	30.84	1.000	1.983	-0.1231
-6.0	10.00	60.00	0.80	40.00	-20.00	34.04	1.000	2.182	-0.1358
-8.0	10.00	70.00	0.80	45.00	-25.00	36.99	1.000	2.364	-0.1483
-9.1	10.00	75.00	0.80	47.50	-27.50	38.37	1.000	2.450	-0.1545
0.9	10.00	0.00	1.00	10.00	10.00	10.86	1.000	0.869	-0.0526
0.8	10.00	5.00	1.00	12.50	7.50	13.25	1.000	1.060	-0.0572
0.6	10.00	10.00	1.00	15.00	5.00	15.61	1.000	1.249	-0.0620
0.2	10.00	20.00	1.00	20.00	-0.00	20.15	1.000	1.612	-0.0724
-0.6	10.00	30.00	1.00	25.00	-5.00	24.46	1.000	1.957	-0.0836
-1.5	10.00	40.00	1.00	30.00	-10.00	28.48	1.000	2.279	-0.0953
-2.8	10.00	50.00	1.00	35.00	-15.00	32.24	1.000	2.579	-0.1072
-4.3	10.00	60.00	1.00	40.00	-20.00	35.72	1.000	2.858	-0.1192
-6.1	10.00	70.00	1.00	45.00	-25.00	38.95	1.000	3.116	-0.1310
-7.0	10.00	75.00	1.00	47.50	-27.50	40.47	1.000	3.235	-0.1369
1.1	10.00	0.00	1.20	10.00	10.00	11.10	1.000	1.107	-0.0414
1.1	10.00	5.00	1.20	12.50	7.50	13.61	1.000	1.349	-0.0448
1.1	10.00	10.00	1.20	15.00	5.00	16.09	1.000	1.584	-0.0485
0.9	10.00	20.00	1.20	20.00	-0.00	20.89	1.000	2.032	-0.0568
0.4	10.00	30.00	1.20	25.00	-5.00	25.43	1.000	2.445	-0.0669
-0.3	10.00	40.00	1.20	30.00	-10.00	29.71	1.000	2.825	-0.0782
-1.3	10.00	50.00	1.20	35.00	-15.00	33.70	1.000	3.196	-0.0902
-2.6	10.00	60.00	1.20	40.00	-20.00	37.41	1.000	3.549	-0.1026
-4.2	10.00	70.00	1.20	45.00	-25.00	40.83	1.000	3.877	-0.1150
-5.1	10.00	75.00	1.20	47.50	-27.50	42.46	1.000	4.026	-0.1210

IREF	STAGGER	CAMBR	SOLIDITY	ALF1	ALF2	BTPI	FKI	FI010	SLOP
1.3	10.00	0.00	1.40	10.00	10.00	11.26	1.000	1.271	-0.0311
1.4	10.00	5.00	1.40	12.50	7.50	13.88	1.000	1.566	-0.0336
1.5	10.00	10.00	1.40	15.00	5.00	16.48	1.000	1.857	-0.0364
1.6	10.00	20.00	1.40	20.00	-0.00	21.54	1.000	2.421	-0.0434
1.4	10.00	30.00	1.40	25.00	-5.00	26.38	1.000	2.954	-0.0522
1.0	10.00	40.00	1.40	30.00	-10.00	30.95	1.000	3.454	-0.0622
0.3	10.00	50.00	1.40	35.00	-15.00	35.25	1.000	3.928	-0.0732
-0.7	10.00	60.00	1.40	40.00	-20.00	39.29	1.000	4.372	-0.0848
-2.0	10.00	70.00	1.40	45.00	-25.00	42.97	1.000	4.767	-0.0971
-2.8	10.00	75.00	1.40	47.50	-27.50	44.69	1.000	4.949	-0.1035
1.5	10.00	0.00	1.60	10.00	10.00	11.47	1.000	1.487	-0.0226
1.7	10.00	5.00	1.60	12.50	7.50	14.20	1.000	1.832	-0.0240
1.9	10.00	10.00	1.60	15.00	5.00	16.90	1.000	2.168	-0.0257
2.2	10.00	20.00	1.60	20.00	-0.00	22.21	1.000	2.828	-0.0308
2.3	10.00	30.00	1.60	25.00	-5.00	27.28	1.000	3.472	-0.0393
2.1	10.00	40.00	1.60	30.00	-10.00	32.09	1.000	4.083	-0.0494
1.6	10.00	50.00	1.60	35.00	-15.00	36.64	1.000	4.652	-0.0602
0.9	10.00	60.00	1.60	40.00	-20.00	40.87	1.000	5.177	-0.0717
-0.3	10.00	70.00	1.60	45.00	-25.00	44.71	1.000	5.645	-0.0848
-1.0	10.00	75.00	1.60	47.50	-27.50	46.51	1.000	5.862	-0.0916
1.9	10.00	0.00	2.00	10.00	10.00	11.94	1.000	1.948	-0.0102
2.4	10.00	5.00	2.00	12.50	7.50	14.84	1.000	2.405	-0.0107
2.7	10.00	10.00	2.00	15.00	5.00	17.72	1.000	2.852	-0.0114
3.5	10.00	20.00	2.00	20.00	-0.00	23.44	1.000	3.742	-0.0141
4.1	10.00	30.00	2.00	25.00	-5.00	29.04	1.000	4.628	-0.0190
4.4	10.00	40.00	2.00	30.00	-10.00	34.40	1.000	5.469	-0.0264
4.5	10.00	50.00	2.00	35.00	-15.00	39.45	1.000	6.255	-0.0358
4.1	10.00	60.00	2.00	40.00	-20.00	44.06	1.000	6.962	-0.0482
3.2	10.00	70.00	2.00	45.00	-25.00	48.22	1.000	7.592	-0.0622
2.7	10.00	75.00	2.00	47.50	-27.50	50.15	1.000	7.883	-0.0696
2.6	10.00	0.00	2.60	10.00	10.00	12.57	1.000	2.576	0.0000
3.2	10.00	5.00	2.60	12.50	7.50	15.71	1.000	3.220	0.0000
3.9	10.00	10.00	2.60	15.00	5.00	18.85	1.000	3.864	0.0000
5.2	10.00	20.00	2.60	20.00	-0.00	25.16	1.000	5.177	0.0000
6.5	10.00	30.00	2.60	25.00	-5.00	31.45	1.000	6.497	-0.0008
7.4	10.00	40.00	2.60	30.00	-10.00	37.42	1.000	7.694	-0.0065
8.1	10.00	50.00	2.60	35.00	-15.00	43.05	1.000	8.809	-0.0150
8.3	10.00	60.00	2.60	40.00	-20.00	48.29	1.000	9.857	-0.0259
7.9	10.00	70.00	2.60	45.00	-25.00	52.91	1.000	10.782	-0.0408
7.5	10.00	75.00	2.60	47.50	-27.50	54.95	1.000	11.190	-0.0498

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
0.7	20.00	0.00	0.40	20.00	20.00	20.66	1.000	0.670	-0.1320
0.0	20.00	5.00	0.40	22.50	17.50	22.50	1.000	0.725	-0.1417
-0.7	20.00	10.00	0.40	25.00	15.00	24.28	1.000	0.779	-0.1504
-2.5	20.00	20.00	0.40	30.00	10.00	27.56	1.000	0.877	-0.1670
-4.5	20.00	30.00	0.40	35.00	5.00	30.50	1.000	0.965	-0.1827
-6.8	20.00	40.00	0.40	40.00	-0.00	33.18	1.000	1.047	-0.1969
-9.4	20.00	50.00	0.40	45.00	-5.00	35.61	1.000	1.123	-0.2103
-12.2	20.00	60.00	0.40	50.00	-10.00	37.83	1.000	1.192	-0.2226
-15.1	20.00	70.00	0.40	55.00	-15.00	39.86	1.000	1.256	-0.2342
-16.7	20.00	75.00	0.40	57.50	-17.50	40.80	1.000	1.284	-0.2397
1.0	20.00	0.00	0.60	20.00	20.00	21.04	1.000	1.049	-0.1108
0.6	20.00	5.00	0.60	22.50	17.50	23.04	1.000	1.142	-0.1183
-0.0	20.00	10.00	0.60	25.00	15.00	24.98	1.000	1.230	-0.1258
-1.4	20.00	20.00	0.60	30.00	10.00	28.60	1.000	1.390	-0.1402
-3.1	20.00	30.00	0.60	35.00	5.00	31.91	1.000	1.536	-0.1544
-5.1	20.00	40.00	0.60	40.00	-0.00	34.96	1.000	1.673	-0.1683
-7.3	20.00	50.00	0.60	45.00	-5.00	37.72	1.000	1.798	-0.1816
-9.8	20.00	60.00	0.60	50.00	-10.00	40.26	1.000	1.911	-0.1944
-12.5	20.00	70.00	0.60	55.00	-15.00	42.55	1.000	2.010	-0.2066
-13.9	20.00	75.00	0.60	57.50	-17.50	43.62	1.000	2.055	-0.2125
1.4	20.00	0.00	0.80	20.00	20.00	21.38	1.000	1.386	-0.0921
1.0	20.00	5.00	0.80	22.50	17.50	23.52	1.000	1.521	-0.0987
0.6	20.00	10.00	0.80	25.00	15.00	25.59	1.000	1.651	-0.1053
-0.5	20.00	20.00	0.80	30.00	10.00	29.54	1.000	1.901	-0.1184
-1.8	20.00	30.00	0.80	35.00	5.00	33.18	1.000	2.128	-0.1323
-3.5	20.00	40.00	0.80	40.00	-0.00	36.50	1.000	2.334	-0.1462
-5.5	20.00	50.00	0.80	45.00	-5.00	39.54	1.000	2.522	-0.1598
-7.7	20.00	60.00	0.80	50.00	-10.00	42.32	1.000	2.687	-0.1729
-10.1	20.00	70.00	0.80	55.00	-15.00	44.86	1.000	2.833	-0.1853
-11.4	20.00	75.00	0.80	57.50	-17.50	46.05	1.000	2.901	-0.1913
1.7	20.00	0.00	1.00	20.00	20.00	21.72	1.000	1.738	-0.0763
1.5	20.00	5.00	1.00	22.50	17.50	24.00	1.000	1.920	-0.0824
1.2	20.00	10.00	1.00	25.00	15.00	26.20	1.000	2.096	-0.0885
0.4	20.00	20.00	1.00	30.00	10.00	30.40	1.000	2.432	-0.1013
-0.7	20.00	30.00	1.00	35.00	5.00	34.33	1.000	2.746	-0.1143
-2.1	20.00	40.00	1.00	40.00	-0.00	37.96	1.000	3.037	-0.1273
-3.7	20.00	50.00	1.00	45.00	-5.00	41.30	1.000	3.296	-0.1403
-5.7	20.00	60.00	1.00	50.00	-10.00	44.33	1.000	3.515	-0.1532
-7.9	20.00	70.00	1.00	55.00	-15.00	47.10	1.000	3.708	-0.1659
-9.1	20.00	75.00	1.00	57.50	-17.50	48.38	1.000	3.794	-0.1720
2.1	20.00	0.00	1.20	20.00	20.00	22.14	1.000	2.147	-0.0594
2.0	20.00	5.00	1.20	22.50	17.50	24.52	1.000	2.363	-0.0647
1.9	20.00	10.00	1.20	25.00	15.00	26.85	1.000	2.572	-0.0705
1.3	20.00	20.00	1.20	30.00	10.00	31.31	1.000	2.971	-0.0828
0.5	20.00	30.00	1.20	35.00	5.00	35.48	1.000	3.364	-0.0960
-0.6	20.00	40.00	1.20	40.00	-0.00	39.36	1.000	3.738	-0.1096
-2.1	20.00	50.00	1.20	45.00	-5.00	42.94	1.000	4.070	-0.1228
-3.8	20.00	60.00	1.20	50.00	-10.00	46.24	1.000	4.367	-0.1356
-5.7	20.00	70.00	1.20	55.00	-15.00	49.28	1.000	4.637	-0.1480
-6.8	20.00	75.00	1.20	57.50	-17.50	50.68	1.000	4.756	-0.1544

IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
2.5	20.00	0.00	1.40	20.00	20.00	22.52	1.000	2.529	-0.0450
2.6	20.00	5.00	1.40	22.50	17.50	25.05	1.000	2.808	-0.0496
2.5	20.00	10.00	1.40	25.00	15.00	27.53	1.000	3.080	-0.0546
2.3	20.00	20.00	1.40	30.00	10.00	32.27	1.000	3.600	-0.0654
1.8	20.00	30.00	1.40	35.00	5.00	36.76	1.000	4.094	-0.0774
0.9	20.00	40.00	1.40	40.00	-0.00	40.93	1.000	4.550	-0.0901
-0.2	20.00	50.00	1.40	45.00	-5.00	44.78	1.000	4.958	-0.1038
-1.7	20.00	60.00	1.40	50.00	-10.00	48.27	1.000	5.322	-0.1176
-3.6	20.00	70.00	1.40	55.00	-15.00	51.41	1.000	5.642	-0.1321
-4.7	20.00	75.00	1.40	57.50	-17.50	52.82	1.000	5.784	-0.1396
2.9	20.00	0.00	1.60	20.00	20.00	22.90	1.000	2.917	-0.0318
3.1	20.00	5.00	1.60	22.50	17.50	25.56	1.000	3.254	-0.0361
3.2	20.00	10.00	1.60	25.00	15.00	28.16	1.000	3.585	-0.0411
3.2	20.00	20.00	1.60	30.00	10.00	33.17	1.000	4.219	-0.0519
2.9	20.00	30.00	1.60	35.00	5.00	37.89	1.000	4.808	-0.0634
2.3	20.00	40.00	1.60	40.00	-0.00	42.29	1.000	5.351	-0.0763
1.3	20.00	50.00	1.60	45.00	-5.00	46.29	1.000	5.835	-0.0907
-0.1	20.00	60.00	1.60	50.00	-10.00	49.94	1.000	6.273	-0.1057
-1.8	20.00	70.00	1.60	55.00	-15.00	53.17	1.000	6.649	-0.1213
-2.9	20.00	75.00	1.60	57.50	-17.50	54.64	1.000	6.819	-0.1291
3.8	20.00	0.00	2.00	20.00	20.00	23.79	1.000	3.796	-0.0143
4.2	20.00	5.00	2.00	22.50	17.50	26.66	1.000	4.250	-0.0167
4.5	20.00	10.00	2.00	25.00	15.00	29.50	1.000	4.700	-0.0195
5.0	20.00	20.00	2.00	30.00	10.00	35.01	1.000	5.564	-0.0274
5.2	20.00	30.00	2.00	35.00	5.00	40.23	1.000	6.376	-0.0376
5.1	20.00	40.00	2.00	40.00	-0.00	45.05	1.000	7.113	-0.0513
4.4	20.00	50.00	2.00	45.00	-5.00	49.42	1.000	7.774	-0.0668
3.4	20.00	60.00	2.00	50.00	-10.00	53.38	1.000	8.368	-0.0828
1.9	20.00	70.00	2.00	55.00	-15.00	56.86	1.000	8.879	-0.1001
0.9	20.00	75.00	2.00	57.50	-17.50	58.38	1.000	9.095	-0.1093
5.2	20.00	0.00	2.60	20.00	20.00	25.16	1.000	5.177	0.0000
5.8	20.00	5.00	2.60	22.50	17.50	28.34	1.000	5.848	0.0000
6.5	20.00	10.00	2.60	25.00	15.00	31.49	1.000	6.504	-0.0009
7.6	20.00	20.00	2.60	30.00	10.00	37.57	1.000	7.723	-0.0067
8.4	20.00	30.00	2.60	35.00	5.00	43.39	1.000	8.879	-0.0157
8.9	20.00	40.00	2.60	40.00	-0.00	48.87	1.000	9.975	-0.0272
8.7	20.00	50.00	2.60	45.00	-5.00	53.72	1.000	10.945	-0.0443
7.9	20.00	60.00	2.60	50.00	-10.00	57.87	1.000	11.707	-0.0638
6.5	20.00	70.00	2.60	55.00	-15.00	61.45	1.000	12.256	-0.0829
5.6	20.00	75.00	2.60	57.50	-17.50	63.06	1.000	12.463	-0.0919



IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
1.0	30.00	0.00	0.40	30.00	30.00	30.96	1.000	0.979	-0.1851
0.1	30.00	5.00	0.40	32.50	27.50	32.55	1.000	1.028	-0.1935
-0.9	30.00	10.00	0.40	35.00	25.00	34.07	1.000	1.075	-0.2018
-3.2	30.00	20.00	0.40	40.00	20.00	36.82	1.000	1.160	-0.2170
-5.7	30.00	30.00	0.40	45.00	15.00	39.32	1.000	1.239	-0.2311
-8.5	30.00	40.00	0.40	50.00	10.00	41.54	1.000	1.306	-0.2442
-11.5	30.00	50.00	0.40	55.00	5.00	43.55	1.000	1.365	-0.2565
-14.6	30.00	60.00	0.40	60.00	-0.00	45.36	1.000	1.418	-0.2678
-18.0	30.00	70.00	0.40	65.00	-5.00	46.98	1.000	1.465	-0.2781
-19.7	30.00	75.00	0.40	67.50	-7.50	47.75	1.000	1.487	-0.2832
1.5	30.00	0.00	0.60	30.00	30.00	31.51	1.000	1.518	-0.1526
0.8	30.00	5.00	0.60	32.50	27.50	33.28	1.000	1.598	-0.1605
-0.0	30.00	10.00	0.60	35.00	25.00	35.00	1.000	1.675	-0.1685
-1.9	30.00	20.00	0.60	40.00	20.00	38.16	1.000	1.817	-0.1838
-4.0	30.00	30.00	0.60	45.00	15.00	41.01	1.000	1.944	-0.1983
-6.4	30.00	40.00	0.60	50.00	10.00	43.57	1.000	2.054	-0.2122
-9.1	30.00	50.00	0.60	55.00	5.00	45.89	1.000	2.151	-0.2253
-12.0	30.00	60.00	0.60	60.00	-0.00	47.97	1.000	2.237	-0.2376
-15.1	30.00	70.00	0.60	65.00	-5.00	49.87	1.000	2.315	-0.2492
-16.8	30.00	75.00	0.60	67.50	-7.50	50.75	1.000	2.350	-0.2547
2.1	30.00	0.00	0.80	30.00	30.00	32.04	1.000	2.057	-0.1278
1.5	30.00	5.00	0.80	32.50	27.50	33.99	1.000	2.179	-0.1356
0.9	30.00	10.00	0.80	35.00	25.00	35.84	1.000	2.294	-0.1433
-0.7	30.00	20.00	0.80	40.00	20.00	39.34	1.000	2.509	-0.1589
-2.5	30.00	30.00	0.80	45.00	15.00	42.50	1.000	2.697	-0.1738
-4.7	30.00	40.00	0.80	50.00	10.00	45.36	1.000	2.862	-0.1878
-7.0	30.00	50.00	0.80	55.00	5.00	47.96	1.000	3.008	-0.2011
-9.7	30.00	60.00	0.80	60.00	-0.00	50.31	1.000	3.137	-0.2138
-12.6	30.00	70.00	0.80	65.00	-5.00	52.43	1.000	3.256	-0.2261
-14.1	30.00	75.00	0.80	67.50	-7.50	53.40	1.000	3.311	-0.2320
2.6	30.00	0.00	1.00	30.00	30.00	32.60	1.000	2.608	-0.1084
2.2	30.00	5.00	1.00	32.50	27.50	34.68	1.000	2.774	-0.1155
1.7	30.00	10.00	1.00	35.00	25.00	36.70	1.000	2.936	-0.1227
0.5	30.00	20.00	1.00	40.00	20.00	40.49	1.000	3.237	-0.1370
-1.1	30.00	30.00	1.00	45.00	15.00	43.95	1.000	3.488	-0.1516
-2.9	30.00	40.00	1.00	50.00	10.00	47.09	1.000	3.706	-0.1659
-5.1	30.00	50.00	1.00	55.00	5.00	49.92	1.000	3.895	-0.1796
-7.5	30.00	60.00	1.00	60.00	-0.00	52.48	1.000	4.073	-0.1934
-10.2	30.00	70.00	1.00	65.00	-5.00	54.77	1.000	4.234	-0.2067
-11.7	30.00	75.00	1.00	67.50	-7.50	55.82	1.000	4.305	-0.2131
3.1	30.00	0.00	1.20	30.00	30.00	33.13	1.000	3.142	-0.0884
2.9	30.00	5.00	1.20	32.50	27.50	35.37	1.000	3.354	-0.0956
2.5	30.00	10.00	1.20	35.00	25.00	37.51	1.000	3.559	-0.1020
1.6	30.00	20.00	1.20	40.00	20.00	41.58	1.000	3.946	-0.1178
0.3	30.00	30.00	1.20	45.00	15.00	45.31	1.000	4.284	-0.1320
-1.2	30.00	40.00	1.20	50.00	10.00	48.77	1.000	4.592	-0.1459
-3.2	30.00	50.00	1.20	55.00	5.00	51.84	1.000	4.851	-0.1603
-5.5	30.00	60.00	1.20	60.00	-0.00	54.55	1.000	5.065	-0.1754
-8.0	30.00	70.00	1.20	65.00	-5.00	56.97	1.000	5.258	-0.1900
-9.4	30.00	75.00	1.20	67.50	-7.50	58.06	1.000	5.345	-0.1970

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
2.8	30.00	0.00	1.40	30.00	30.00	33.75	1.000	3.762	-0.0692
3.6	30.00	5.00	1.40	32.50	27.50	36.14	1.000	4.025	-0.0756
3.5	30.00	10.00	1.40	35.00	25.00	38.45	1.000	4.279	-0.0823
2.8	30.00	20.00	1.40	40.00	20.00	42.80	1.000	4.749	-0.0965
1.8	30.00	30.00	1.40	45.00	15.00	46.81	1.000	5.171	-0.1117
0.5	30.00	40.00	1.40	50.00	10.00	50.44	1.000	5.545	-0.1272
-1.3	30.00	50.00	1.40	55.00	5.00	53.67	1.000	5.869	-0.1443
-3.5	30.00	60.00	1.40	60.00	-0.00	56.50	1.000	6.137	-0.1607
-6.0	30.00	70.00	1.40	65.00	-5.00	59.04	1.000	6.353	-0.1760
-7.3	30.00	75.00	1.40	67.50	-7.50	60.19	1.000	6.445	-0.1833
4.4	30.00	0.00	1.60	30.00	30.00	34.35	1.000	4.366	-0.0546
4.4	30.00	5.00	1.60	32.50	27.50	36.86	1.000	4.680	-0.0607
4.3	30.00	10.00	1.60	35.00	25.00	39.30	1.000	4.983	-0.0671
3.9	30.00	20.00	1.60	40.00	20.00	43.90	1.000	5.547	-0.0819
3.1	30.00	30.00	1.60	45.00	15.00	48.10	1.000	6.053	-0.0980
1.9	30.00	40.00	1.60	50.00	10.00	51.89	1.000	6.501	-0.1149
0.3	30.00	50.00	1.60	55.00	5.00	55.26	1.000	6.890	-0.1324
-1.8	30.00	60.00	1.60	60.00	-0.00	58.24	1.000	7.225	-0.1499
-4.2	30.00	70.00	1.60	65.00	-5.00	60.83	1.000	7.499	-0.1667
-5.5	30.00	75.00	1.60	67.50	-7.50	61.98	1.000	7.601	-0.1748
5.7	30.00	0.00	2.00	30.00	30.00	35.65	1.000	5.664	-0.0285
5.9	30.00	5.00	2.00	32.50	27.50	38.41	1.000	6.094	-0.0337
6.1	30.00	10.00	2.00	35.00	25.00	41.10	1.000	6.509	-0.0398
6.2	30.00	20.00	2.00	40.00	20.00	46.17	1.000	7.282	-0.0550
5.8	30.00	30.00	2.00	45.00	15.00	50.81	1.000	7.982	-0.0722
5.0	30.00	40.00	2.00	50.00	10.00	55.00	1.000	8.609	-0.0900
3.6	30.00	50.00	2.00	55.00	5.00	58.58	1.000	9.123	-0.1106
1.7	30.00	60.00	2.00	60.00	-0.00	61.66	1.000	9.509	-0.1307
-0.7	30.00	70.00	2.00	65.00	-5.00	64.35	1.000	9.764	-0.1488
-1.9	30.00	75.00	2.00	67.50	-7.50	65.56	1.000	9.859	-0.1573
7.8	30.00	0.00	2.60	30.00	30.00	37.75	1.000	7.758	-0.0069
8.3	30.00	5.00	2.60	32.50	27.50	40.79	1.000	8.358	-0.0112
8.8	30.00	10.00	2.60	35.00	25.00	43.78	1.000	8.957	-0.0164
9.5	30.00	20.00	2.60	40.00	20.00	49.51	1.000	10.101	-0.0288
9.7	30.00	30.00	2.60	45.00	15.00	54.67	1.000	11.135	-0.0485
9.1	30.00	40.00	2.60	50.00	10.00	59.10	1.000	11.908	-0.0701
7.9	30.00	50.00	2.60	55.00	5.00	62.89	1.000	12.443	-0.0910
6.2	30.00	60.00	2.60	60.00	-0.00	66.17	1.000	12.800	-0.1105
4.0	30.00	70.00	2.60	65.00	-5.00	69.03	1.000	13.036	-0.1286
2.8	30.00	75.00	2.60	67.50	-7.50	70.33	1.000	13.133	-0.1374

IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
1.3	40.00	0.00	0.40	40.00	40.00	41.29	1.000	1.299	-0.2427
0.1	40.00	5.00	0.40	42.50	37.50	42.58	1.000	1.337	-0.2505
-1.2	40.00	10.00	0.40	45.00	35.00	43.81	1.000	1.373	-0.2580
-4.0	40.00	20.00	0.40	50.00	30.00	46.00	1.000	1.436	-0.2719
-7.0	40.00	30.00	0.40	55.00	25.00	47.97	1.000	1.493	-0.2846
-10.3	40.00	40.00	0.40	60.00	20.00	49.70	1.000	1.542	-0.2960
-13.8	40.00	50.00	0.40	65.00	15.00	51.24	1.000	1.585	-0.3068
-17.4	40.00	60.00	0.40	70.00	10.00	52.61	1.000	1.623	-0.3168
-21.2	40.00	70.00	0.40	75.00	5.00	53.84	1.000	1.658	-0.3261
-23.1	40.00	75.00	0.40	77.50	2.50	54.39	1.000	1.673	-0.3303
2.0	40.00	0.00	0.60	40.00	40.00	41.97	1.000	1.985	-0.2035
1.0	40.00	5.00	0.60	42.50	37.50	43.47	1.000	2.049	-0.2117
-0.1	40.00	10.00	0.60	45.00	35.00	44.92	1.000	2.110	-0.2198
-2.5	40.00	20.00	0.60	50.00	30.00	47.54	1.000	2.219	-0.2350
-5.2	40.00	30.00	0.60	55.00	25.00	49.86	1.000	2.314	-0.2491
-8.1	40.00	40.00	0.60	60.00	20.00	51.91	1.000	2.397	-0.2623
-11.3	40.00	50.00	0.60	65.00	15.00	53.74	1.000	2.470	-0.2744
-14.6	40.00	60.00	0.60	70.00	10.00	55.39	1.000	2.535	-0.2857
-18.1	40.00	70.00	0.60	75.00	5.00	56.86	1.000	2.589	-0.2963
-20.0	40.00	75.00	0.60	77.50	2.50	57.52	1.000	2.613	-0.3012
2.7	40.00	0.00	0.80	40.00	40.00	42.69	1.000	2.708	-0.1747
1.9	40.00	5.00	0.80	42.50	37.50	44.38	1.000	2.806	-0.1829
1.0	40.00	10.00	0.80	45.00	35.00	45.97	1.000	2.896	-0.1909
-1.1	40.00	20.00	0.80	50.00	30.00	48.95	1.000	3.062	-0.2064
-3.4	40.00	30.00	0.80	55.00	25.00	51.59	1.000	3.209	-0.2212
-6.1	40.00	40.00	0.80	60.00	20.00	53.93	1.000	3.341	-0.2353
-9.0	40.00	50.00	0.80	65.00	15.00	56.01	1.000	3.450	-0.2487
-12.1	40.00	60.00	0.80	70.00	10.00	57.85	1.000	3.537	-0.2614
-15.5	40.00	70.00	0.80	75.00	5.00	59.49	1.000	3.609	-0.2732
-17.3	40.00	75.00	0.80	77.50	2.50	60.22	1.000	3.640	-0.2788
3.5	40.00	0.00	1.00	40.00	40.00	43.44	1.000	3.452	-0.1494
2.8	40.00	5.00	1.00	42.50	37.50	45.28	1.000	3.582	-0.1575
2.0	40.00	10.00	1.00	45.00	35.00	47.04	1.000	3.703	-0.1656
0.3	40.00	20.00	1.00	50.00	30.00	50.28	1.000	3.919	-0.1814
-1.8	40.00	30.00	1.00	55.00	25.00	53.21	1.000	4.125	-0.1975
-4.2	40.00	40.00	1.00	60.00	20.00	55.79	1.000	4.304	-0.2129
-6.9	40.00	50.00	1.00	65.00	15.00	58.07	1.000	4.455	-0.2276
-9.9	40.00	60.00	1.00	70.00	10.00	60.08	1.000	4.585	-0.2416
-13.2	40.00	70.00	1.00	75.00	5.00	61.81	1.000	4.688	-0.2556
-14.9	40.00	75.00	1.00	77.50	2.50	62.57	1.000	4.731	-0.2621
4.2	40.00	0.00	1.20	40.00	40.00	44.17	1.000	4.181	-0.1275
3.7	40.00	5.00	1.20	42.50	37.50	46.18	1.000	4.362	-0.1354
3.1	40.00	10.00	1.20	45.00	35.00	48.08	1.000	4.531	-0.1430
1.6	40.00	20.00	1.20	50.00	30.00	51.64	1.000	4.835	-0.1593
-0.2	40.00	30.00	1.20	55.00	25.00	54.79	1.000	5.084	-0.1768
-2.4	40.00	40.00	1.20	60.00	20.00	57.56	1.000	5.305	-0.1938
-5.0	40.00	50.00	1.20	65.00	15.00	60.00	1.000	5.500	-0.2100
-7.9	40.00	60.00	1.20	70.00	10.00	62.09	1.000	5.645	-0.2259
-11.1	40.00	70.00	1.20	75.00	5.00	63.91	1.000	5.761	-0.2410
-12.8	40.00	75.00	1.20	77.50	2.50	64.70	1.000	5.809	-0.2480

IRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
5.0	40.00	0.00	1.40	40.00	40.00	44.96	1.000	4.977	-0.1045
4.6	40.00	5.00	1.40	42.50	37.50	47.13	1.000	5.203	-0.1130
4.2	40.00	10.00	1.40	45.00	35.00	49.19	1.000	5.417	-0.1215
3.0	40.00	20.00	1.40	50.00	30.00	52.98	1.000	5.800	-0.1405
1.3	40.00	30.00	1.40	55.00	25.00	56.32	1.000	6.120	-0.1596
-0.7	40.00	40.00	1.40	60.00	20.00	59.28	1.000	6.373	-0.1775
-3.2	40.00	50.00	1.40	65.00	15.00	61.82	1.000	6.571	-0.1951
-6.0	40.00	60.00	1.40	70.00	10.00	63.99	1.000	6.728	-0.2122
-9.1	40.00	70.00	1.40	75.00	5.00	65.88	1.000	6.855	-0.2284
-10.8	40.00	75.00	1.40	77.50	2.50	66.71	1.000	6.907	-0.2358
5.8	40.00	0.00	1.60	40.00	40.00	45.76	1.000	5.772	-0.0887
5.6	40.00	5.00	1.60	42.50	37.50	48.04	1.000	6.046	-0.0977
5.2	40.00	10.00	1.60	45.00	35.00	50.22	1.000	6.306	-0.1070
4.2	40.00	20.00	1.60	50.00	30.00	54.22	1.000	6.770	-0.1268
2.8	40.00	30.00	1.60	55.00	25.00	57.76	1.000	7.171	-0.1469
0.8	40.00	40.00	1.60	60.00	20.00	60.82	1.000	7.498	-0.1666
-1.6	40.00	50.00	1.60	65.00	15.00	63.45	1.000	7.721	-0.1858
-4.3	40.00	60.00	1.60	70.00	10.00	65.67	1.000	7.877	-0.2035
-7.4	40.00	70.00	1.60	75.00	5.00	67.60	1.000	7.990	-0.2200
-9.0	40.00	75.00	1.60	77.50	2.50	68.45	1.000	8.033	-0.2276
7.5	40.00	0.00	2.00	40.00	40.00	47.46	1.000	7.478	-0.0595
7.5	40.00	5.00	2.00	42.50	37.50	50.00	1.000	7.861	-0.0690
7.4	40.00	10.00	2.00	45.00	35.00	52.43	1.000	8.225	-0.0788
6.9	40.00	20.00	2.00	50.00	30.00	56.87	1.000	8.880	-0.1001
5.7	40.00	30.00	2.00	55.00	25.00	60.66	1.000	9.398	-0.1242
3.9	40.00	40.00	2.00	60.00	20.00	63.89	1.000	9.725	-0.1457
1.7	40.00	50.00	2.00	65.00	15.00	66.67	1.000	9.935	-0.1652
-0.9	40.00	60.00	2.00	70.00	10.00	69.09	1.000	10.064	-0.1830
-3.8	40.00	70.00	2.00	75.00	5.00	71.18	1.000	10.185	-0.2001
-5.4	40.00	75.00	2.00	77.50	2.50	72.14	1.000	10.253	-0.2084
10.2	40.00	0.00	2.60	40.00	40.00	50.23	1.000	10.247	-0.0208
10.6	40.00	5.00	2.60	42.50	37.50	53.10	1.000	10.820	-0.0416
10.8	40.00	10.00	2.60	45.00	35.00	55.79	1.000	11.344	-0.0536
10.6	40.00	20.00	2.60	50.00	30.00	60.57	1.000	12.133	-0.0780
9.6	40.00	30.00	2.60	55.00	25.00	64.61	1.000	12.641	-0.1010
8.1	40.00	40.00	2.60	60.00	20.00	68.07	1.000	12.965	-0.1224
6.1	40.00	50.00	2.60	65.00	15.00	71.06	1.000	13.207	-0.1429
3.7	40.00	60.00	2.60	70.00	10.00	73.65	1.000	13.466	-0.1635
0.9	40.00	70.00	2.60	75.00	5.00	75.89	1.000	13.687	-0.1828
-0.6	40.00	75.00	2.60	77.50	2.50	76.89	1.000	13.785	-0.1918

IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
1.6	50.00	0.00	0.40	50.00	50.00	51.59	1.000	1.595	-0.3093
0.0	50.00	5.00	0.40	52.50	47.50	52.53	1.000	1.621	-0.3163
-1.6	50.00	10.00	0.40	55.00	45.00	53.43	1.000	1.646	-0.3230
-5.0	50.00	20.00	0.40	60.00	40.00	54.99	1.000	1.690	-0.3350
-8.6	50.00	30.00	0.40	65.00	35.00	56.38	1.000	1.723	-0.3452
-12.4	50.00	40.00	0.40	70.00	30.00	57.59	1.000	1.751	-0.3542
-16.3	50.00	50.00	0.40	75.00	25.00	58.67	1.000	1.774	-0.3621
-20.4	50.00	60.00	0.40	80.00	20.00	59.64	1.000	1.793	-0.3693
-24.5	50.00	70.00	0.40	85.00	15.00	60.49	1.000	1.810	-0.3759
-26.6	50.00	75.00	0.40	87.50	12.50	60.88	1.000	1.819	-0.3790
2.4	50.00	0.00	0.60	50.00	50.00	52.40	1.000	2.417	-0.2655
1.1	50.00	5.00	0.60	52.50	47.50	53.58	1.000	2.464	-0.2733
-0.3	50.00	10.00	0.60	55.00	45.00	54.71	1.000	2.509	-0.2810
-3.3	50.00	20.00	0.60	60.00	40.00	56.70	1.000	2.583	-0.2951
-6.6	50.00	30.00	0.60	65.00	35.00	58.42	1.000	2.645	-0.3079
-10.1	50.00	40.00	0.60	70.00	30.00	59.92	1.000	2.697	-0.3193
-13.8	50.00	50.00	0.60	75.00	25.00	61.23	1.000	2.741	-0.3302
-17.6	50.00	60.00	0.60	80.00	20.00	62.38	1.000	2.779	-0.3402
-21.6	50.00	70.00	0.60	85.00	15.00	63.36	1.000	2.810	-0.3490
-23.7	50.00	75.00	0.60	87.50	12.50	63.84	1.000	2.825	-0.3534
3.3	50.00	0.00	0.80	50.00	50.00	53.30	1.000	3.305	-0.2314
2.2	50.00	5.00	0.80	52.50	47.50	54.67	1.000	3.382	-0.2399
1.0	50.00	10.00	0.80	55.00	45.00	55.95	1.000	3.448	-0.2483
-1.7	50.00	20.00	0.80	60.00	40.00	58.28	1.000	3.556	-0.2644
-4.7	50.00	30.00	0.80	65.00	35.00	60.27	1.000	3.642	-0.2792
-8.0	50.00	40.00	0.80	70.00	30.00	61.97	1.000	3.714	-0.2934
-11.5	50.00	50.00	0.80	75.00	25.00	63.44	1.000	3.775	-0.3065
-15.3	50.00	60.00	0.80	80.00	20.00	64.71	1.000	3.825	-0.3185
-19.2	50.00	70.00	0.80	85.00	15.00	65.82	1.000	3.868	-0.3295
-21.2	50.00	75.00	0.80	87.50	12.50	66.30	1.000	3.887	-0.3344
4.2	50.00	0.00	1.00	50.00	50.00	54.18	1.000	4.193	-0.2032
3.2	50.00	5.00	1.00	52.50	47.50	55.72	1.000	4.299	-0.2124
2.2	50.00	10.00	1.00	55.00	45.00	57.17	1.000	4.396	-0.2217
-0.2	50.00	20.00	1.00	60.00	40.00	59.79	1.000	4.566	-0.2395
-3.0	50.00	30.00	1.00	65.00	35.00	61.99	1.000	4.698	-0.2571
-6.1	50.00	40.00	1.00	70.00	30.00	63.85	1.000	4.802	-0.2737
-9.6	50.00	50.00	1.00	75.00	25.00	65.42	1.000	4.885	-0.2889
-13.2	50.00	60.00	1.00	80.00	20.00	66.78	1.000	4.953	-0.3028
-17.1	50.00	70.00	1.00	85.00	15.00	67.93	1.000	5.008	-0.3152
-19.1	50.00	75.00	1.00	87.50	12.50	68.46	1.000	5.032	-0.3211
5.1	50.00	0.00	1.20	50.00	50.00	55.09	1.000	5.108	-0.1786
4.3	50.00	5.00	1.20	52.50	47.50	56.79	1.000	5.243	-0.1889
3.4	50.00	10.00	1.20	55.00	45.00	58.36	1.000	5.369	-0.1990
1.2	50.00	20.00	1.20	60.00	40.00	61.20	1.000	5.585	-0.2189
-1.4	50.00	30.00	1.20	65.00	35.00	63.61	1.000	5.743	-0.2385
-4.4	50.00	40.00	1.20	70.00	30.00	65.61	1.000	5.862	-0.2562
-7.7	50.00	50.00	1.20	75.00	25.00	67.32	1.000	5.953	-0.2725
-11.2	50.00	60.00	1.20	80.00	20.00	68.79	1.000	6.025	-0.2872
-15.0	50.00	70.00	1.20	85.00	15.00	70.05	1.000	6.082	-0.3006
-16.9	50.00	75.00	1.20	87.50	12.50	70.56	1.000	6.107	-0.3074

IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
6.1	50.00	0.00	1.40	50.00	50.00	56.08	1.000	6.099	-0.1582
5.4	50.00	5.00	1.40	52.50	47.50	57.90	1.000	6.258	-0.1690
4.6	50.00	10.00	1.40	55.00	45.00	59.60	1.000	6.398	-0.1795
2.6	50.00	20.00	1.40	60.00	40.00	62.59	1.000	6.628	-0.2009
0.2	50.00	30.00	1.40	65.00	35.00	65.13	1.000	6.806	-0.2218
-2.7	50.00	40.00	1.40	70.00	30.00	67.29	1.000	6.943	-0.2412
-5.9	50.00	50.00	1.40	75.00	25.00	69.10	1.000	7.050	-0.2588
-9.4	50.00	60.00	1.40	80.00	20.00	70.62	1.000	7.129	-0.2750
-13.1	50.00	70.00	1.40	85.00	15.00	71.88	1.000	7.186	-0.2902
-15.1	50.00	75.00	1.40	87.50	12.50	72.43	1.000	7.208	-0.2969
7.1	50.00	0.00	1.60	50.00	50.00	57.09	1.000	7.096	-0.1429
6.5	50.00	5.00	1.60	52.50	47.50	59.02	1.000	7.312	-0.1547
5.8	50.00	10.00	1.60	55.00	45.00	60.82	1.000	7.498	-0.1666
4.0	50.00	20.00	1.60	60.00	40.00	63.96	1.000	7.759	-0.1897
1.6	50.00	30.00	1.60	65.00	35.00	66.59	1.000	7.934	-0.2113
-1.2	50.00	40.00	1.60	70.00	30.00	68.82	1.000	8.050	-0.2309
-4.3	50.00	50.00	1.60	75.00	25.00	70.67	1.000	8.137	-0.2491
-7.8	50.00	60.00	1.60	80.00	20.00	72.23	1.000	8.219	-0.2664
-11.4	50.00	70.00	1.60	85.00	15.00	73.54	1.000	8.283	-0.2818
-13.4	50.00	75.00	1.60	87.50	12.50	74.13	1.000	8.311	-0.2890
9.2	50.00	0.00	2.00	50.00	50.00	59.19	1.000	9.208	-0.1145
8.8	50.00	5.00	2.00	52.50	47.50	61.32	1.000	9.472	-0.1285
8.3	50.00	10.00	2.00	55.00	45.00	63.24	1.000	9.666	-0.1412
6.6	50.00	20.00	2.00	60.00	40.00	66.62	1.000	9.932	-0.1649
4.5	50.00	30.00	2.00	65.00	35.00	69.49	1.000	10.081	-0.1861
2.0	50.00	40.00	2.00	70.00	30.00	71.96	1.000	10.240	-0.2069
-0.9	50.00	50.00	2.00	75.00	25.00	74.08	1.000	10.388	-0.2262
-4.1	50.00	60.00	2.00	80.00	20.00	75.89	1.000	10.510	-0.2437
-7.5	50.00	70.00	2.00	85.00	15.00	77.44	1.000	10.611	-0.2594
-9.4	50.00	75.00	2.00	87.50	12.50	78.16	1.000	10.657	-0.2668
12.4	50.00	0.00	2.60	50.00	50.00	62.37	1.000	12.377	-0.0880
12.1	50.00	5.00	2.60	52.50	47.50	64.63	1.000	12.643	-0.1011
11.7	50.00	10.00	2.60	55.00	45.00	66.71	1.000	12.850	-0.1138
10.4	50.00	20.00	2.60	60.00	40.00	70.38	1.000	13.138	-0.1378
8.6	50.00	30.00	2.60	65.00	35.00	73.57	1.000	13.459	-0.1629
6.3	50.00	40.00	2.60	70.00	30.00	76.27	1.000	13.725	-0.1862
3.6	50.00	50.00	2.60	75.00	25.00	78.56	1.000	13.946	-0.2076
0.5	50.00	60.00	2.60	80.00	20.00	80.51	1.000	14.132	-0.2268
-2.8	50.00	70.00	2.60	85.00	15.00	82.20	1.000	14.291	-0.2443
-4.6	50.00	75.00	2.60	87.50	12.50	82.93	1.000	14.359	-0.2521

IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
1.8	60.00	0.00	0.40	60.00	60.00	61.83	1.000	1.839	-0.3867
-0.1	60.00	5.00	0.40	62.50	57.50	62.40	1.000	1.850	-0.3914
-2.1	60.00	10.00	0.40	65.00	55.00	62.92	1.000	1.861	-0.3958
-6.2	60.00	20.00	0.40	70.00	50.00	63.83	1.000	1.880	-0.4035
-10.4	60.00	30.00	0.40	75.00	45.00	64.59	1.000	1.895	-0.4101
-14.7	60.00	40.00	0.40	80.00	40.00	65.26	1.000	1.909	-0.4160
-19.1	60.00	50.00	0.40	85.00	35.00	65.86	1.000	1.920	-0.4213
-23.6	60.00	60.00	0.40	90.00	30.00	66.37	1.000	1.931	-0.4259
2.8	60.00	0.00	0.60	60.00	60.00	62.78	1.000	2.791	-0.3437
1.1	60.00	5.00	0.60	62.50	57.50	63.55	1.000	2.816	-0.3507
-0.7	60.00	10.00	0.60	65.00	55.00	64.27	1.000	2.838	-0.3574
-4.5	60.00	20.00	0.60	70.00	50.00	65.50	1.000	2.875	-0.3692
-8.5	60.00	30.00	0.60	75.00	45.00	66.52	1.000	2.905	-0.3792
-12.6	60.00	40.00	0.60	80.00	40.00	67.40	1.000	2.930	-0.3882
-16.9	60.00	50.00	0.60	85.00	35.00	68.16	1.000	2.951	-0.3961
-21.2	60.00	60.00	0.60	90.00	30.00	68.80	1.000	2.968	-0.4029
3.8	60.00	0.00	0.80	60.00	60.00	63.78	1.000	3.788	-0.3097
2.2	60.00	5.00	0.80	62.50	57.50	64.72	1.000	3.826	-0.3186
0.6	60.00	10.00	0.80	65.00	55.00	65.58	1.000	3.859	-0.3271
-2.9	60.00	20.00	0.80	70.00	50.00	67.07	1.000	3.915	-0.3424
-6.7	60.00	30.00	0.80	75.00	45.00	68.28	1.000	3.959	-0.3554
-10.7	60.00	40.00	0.80	80.00	40.00	69.30	1.000	3.996	-0.3670
-14.8	60.00	50.00	0.80	85.00	35.00	70.16	1.000	4.025	-0.3774
-19.2	60.00	60.00	0.80	90.00	30.00	70.83	1.000	4.045	-0.3872
4.9	60.00	0.00	1.00	60.00	60.00	64.85	1.000	4.855	-0.2832
3.4	60.00	5.00	1.00	62.50	57.50	65.93	1.000	4.911	-0.2939
1.9	60.00	10.00	1.00	65.00	55.00	66.90	1.000	4.959	-0.3041
-1.4	60.00	20.00	1.00	70.00	50.00	68.59	1.000	5.038	-0.3226
-5.1	60.00	30.00	1.00	75.00	45.00	69.94	1.000	5.097	-0.3383
-9.0	60.00	40.00	1.00	80.00	40.00	71.01	1.000	5.136	-0.3536
-13.2	60.00	50.00	1.00	85.00	35.00	71.84	1.000	5.164	-0.3663
-17.5	60.00	60.00	1.00	90.00	30.00	72.54	1.000	5.185	-0.3775
5.9	60.00	0.00	1.20	60.00	60.00	65.86	1.000	5.876	-0.2586
4.6	60.00	5.00	1.20	62.50	57.50	67.07	1.000	5.940	-0.2700
3.2	60.00	10.00	1.20	65.00	55.00	68.18	1.000	5.996	-0.2810
0.1	60.00	20.00	1.20	70.00	50.00	70.06	1.000	6.083	-0.3008
-3.5	60.00	30.00	1.20	75.00	45.00	71.54	1.000	6.153	-0.3209
-7.3	60.00	40.00	1.20	80.00	40.00	72.70	1.000	6.205	-0.3380
-11.4	60.00	50.00	1.20	85.00	35.00	73.62	1.000	6.244	-0.3523
-15.6	60.00	60.00	1.20	90.00	30.00	74.40	1.000	6.276	-0.3649

TRFF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
6.9	60.00	0.00	1.40	60.00	60.00	66.90	1.000	6.920	-0.2377
5.7	60.00	5.00	1.40	62.50	57.50	68.24	1.000	7.001	-0.2504
4.4	60.00	10.00	1.40	65.00	55.00	69.44	1.000	7.069	-0.2622
1.5	60.00	20.00	1.40	70.00	50.00	71.45	1.000	7.167	-0.2849
-1.9	60.00	30.00	1.40	75.00	45.00	73.08	1.000	7.234	-0.3052
-5.6	60.00	40.00	1.40	80.00	40.00	74.38	1.000	7.280	-0.3225
-9.6	60.00	50.00	1.40	85.00	35.00	75.45	1.000	7.314	-0.3374
-13.7	60.00	60.00	1.40	90.00	30.00	76.34	1.000	7.338	-0.3502
8.0	60.00	0.00	1.60	60.00	60.00	67.99	1.000	8.011	-0.2235
6.9	60.00	5.00	1.60	62.50	57.50	69.39	1.000	8.075	-0.2362
5.6	60.00	10.00	1.60	65.00	55.00	70.64	1.000	8.135	-0.2487
2.8	60.00	20.00	1.60	70.00	50.00	72.78	1.000	8.247	-0.2729
-0.5	60.00	30.00	1.60	75.00	45.00	74.51	1.000	8.328	-0.2938
-4.1	60.00	40.00	1.60	80.00	40.00	75.91	1.000	8.389	-0.3118
-7.9	60.00	50.00	1.60	85.00	35.00	77.06	1.000	8.436	-0.3273
-12.0	60.00	60.00	1.60	90.00	30.00	78.02	1.000	8.472	-0.3406
10.1	60.00	0.00	2.00	60.00	60.00	70.10	1.000	10.107	-0.1908
9.2	60.00	5.00	2.00	62.50	57.50	71.69	1.000	10.221	-0.2044
8.1	60.00	10.00	2.00	65.00	55.00	73.14	1.000	10.323	-0.2175
5.7	60.00	20.00	2.00	70.00	50.00	75.66	1.000	10.494	-0.2415
2.8	60.00	30.00	2.00	75.00	45.00	77.74	1.000	10.630	-0.2625
-0.5	60.00	40.00	2.00	80.00	40.00	79.50	1.000	10.742	-0.2812
-4.0	60.00	50.00	2.00	85.00	35.00	80.95	1.000	10.832	-0.2973
-7.8	60.00	60.00	2.00	90.00	30.00	82.20	1.000	10.907	-0.3116
13.4	60.00	0.00	2.60	60.00	60.00	73.43	1.000	13.445	-0.1617
12.7	60.00	5.00	2.60	62.50	57.50	75.23	1.000	13.623	-0.1770
11.9	60.00	10.00	2.60	65.00	55.00	76.85	1.000	13.781	-0.1915
9.7	60.00	20.00	2.60	70.00	50.00	79.67	1.000	14.052	-0.2184
7.0	60.00	30.00	2.60	75.00	45.00	82.00	1.000	14.272	-0.2422
3.9	60.00	40.00	2.60	80.00	40.00	83.93	1.000	14.452	-0.2630
0.5	60.00	50.00	2.60	85.00	35.00	85.53	1.000	14.599	-0.2811
-3.1	60.00	60.00	2.60	90.00	30.00	86.91	1.000	14.724	-0.2971



IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
2.7	70.00	0.00	0.40	70.00	70.00	72.03	1.000	2.041	-0.4831
-0.4	70.00	5.00	0.40	72.50	67.50	72.14	1.000	2.043	-0.4844
-2.8	70.00	10.00	0.40	75.00	65.00	72.21	1.000	2.044	-0.4852
-7.7	70.00	20.00	0.40	80.00	60.00	72.32	1.000	2.046	-0.4865
-12.6	70.00	30.00	0.40	85.00	55.00	72.42	1.000	2.048	-0.4877
-17.5	70.00	40.00	0.40	90.00	50.00	72.50	1.000	2.050	-0.4887
3.1	70.00	0.00	0.60	70.00	70.00	73.08	1.000	3.092	-0.4552
0.8	70.00	5.00	0.60	72.50	67.50	73.30	1.000	3.099	-0.4582
-1.5	70.00	10.00	0.60	75.00	65.00	73.50	1.000	3.105	-0.4610
-6.2	70.00	20.00	0.60	80.00	60.00	73.81	1.000	3.114	-0.4652
-10.9	70.00	30.00	0.60	85.00	55.00	74.06	1.000	3.122	-0.4687
-15.7	70.00	40.00	0.60	90.00	50.00	74.28	1.000	3.128	-0.4717
4.1	70.00	0.00	0.80	70.00	70.00	74.12	1.000	4.130	-0.4418
1.9	70.00	5.00	0.80	72.50	67.50	74.39	1.000	4.136	-0.4466
-0.4	70.00	10.00	0.80	75.00	65.00	74.64	1.000	4.142	-0.4512
-5.0	70.00	20.00	0.80	80.00	60.00	75.00	1.000	4.150	-0.4579
-9.7	70.00	30.00	0.80	85.00	55.00	75.27	1.000	4.156	-0.4632
-14.5	70.00	40.00	0.80	90.00	50.00	75.47	1.000	4.160	-0.4670
5.3	70.00	0.00	1.00	70.00	70.00	75.25	1.000	5.256	-0.4246
3.1	70.00	5.00	1.00	72.50	67.50	75.60	1.000	5.263	-0.4312
0.9	70.00	10.00	1.00	75.00	65.00	75.89	1.000	5.269	-0.4366
-3.6	70.00	20.00	1.00	80.00	60.00	76.37	1.000	5.278	-0.4459
-8.3	70.00	30.00	1.00	85.00	55.00	76.72	1.000	5.285	-0.4528
-13.0	70.00	40.00	1.00	90.00	50.00	76.97	1.000	5.289	-0.4577
6.4	70.00	0.00	1.20	70.00	70.00	76.34	1.000	6.351	-0.3985
4.3	70.00	5.00	1.20	72.50	67.50	76.82	1.000	6.369	-0.4073
2.2	70.00	10.00	1.20	75.00	65.00	77.23	1.000	6.383	-0.4149
-2.1	70.00	20.00	1.20	80.00	60.00	77.87	1.000	6.405	-0.4270
-6.7	70.00	30.00	1.20	85.00	55.00	78.34	1.000	6.421	-0.4363
-11.3	70.00	40.00	1.20	90.00	50.00	78.69	1.000	6.433	-0.4432

IREF	STAGGER	CAMBER	SOLIDITY	ALF1	ALF2	BTP1	FKI	FI010	SLOP
7.4	70.00	0.00	1.40	70.00	70.00	77.35	1.000	7.363	-0.3653
5.5	70.00	5.00	1.40	72.50	67.50	77.99	1.000	7.377	-0.3750
3.6	70.00	10.00	1.40	75.00	65.00	78.54	1.000	7.387	-0.3836
-0.6	70.00	20.00	1.40	80.00	60.00	79.45	1.000	7.402	-0.3982
-4.9	70.00	30.00	1.40	85.00	55.00	80.12	1.000	7.411	-0.4093
-9.3	70.00	40.00	1.40	90.00	50.00	80.66	1.000	7.418	-0.4184
8.5	70.00	0.00	1.60	70.00	70.00	78.47	1.000	8.488	-0.3472
6.7	70.00	5.00	1.60	72.50	67.50	79.21	1.000	8.514	-0.3578
4.9	70.00	10.00	1.60	75.00	65.00	79.86	1.000	8.535	-0.3675
0.9	70.00	20.00	1.60	80.00	60.00	80.90	1.000	8.568	-0.3834
-3.3	70.00	30.00	1.60	85.00	55.00	81.70	1.000	8.591	-0.3961
-7.6	70.00	40.00	1.60	90.00	50.00	82.35	1.000	8.608	-0.4064
10.8	70.00	0.00	2.00	70.00	70.00	80.82	1.000	10.824	-0.2957
9.2	70.00	5.00	2.00	72.50	67.50	81.84	1.000	10.886	-0.3073
7.8	70.00	10.00	2.00	75.00	65.00	82.74	1.000	10.939	-0.3179
4.3	70.00	20.00	2.00	80.00	60.00	84.29	1.000	11.030	-0.3364
0.5	70.00	30.00	2.00	85.00	55.00	85.54	1.000	11.100	-0.3517
-3.4	70.00	40.00	2.00	90.00	50.00	86.57	1.000	11.157	-0.3647
14.5	70.00	0.00	2.60	70.00	70.00	84.49	1.000	14.503	-0.2692
13.2	70.00	5.00	2.60	72.50	67.50	85.69	1.000	14.613	-0.2829
11.8	70.00	10.00	2.60	75.00	65.00	86.75	1.000	14.709	-0.2952

TER	STAGGER	SOLIDITY	INCC1C	N1	N2
0	0.000	0.400	0.0416902900	-0.0427583000	-0.0014350800
0	0.000	0.600	0.0120052100	-0.0224471500	-0.0013213330
0	0.000	0.800	0.0033277190	-0.0036197210	-0.0012249160
0	0.000	1.000	-0.0412259200	0.0156554300	-0.0011635870
0	0.000	1.200	-0.0736750300	0.0414940100	-0.0011712410
0	0.000	1.400	-0.0973271700	0.0599010200	-0.0010576630
0	0.000	1.600	-0.1235253000	0.0821846700	-0.0010451220
0	0.000	2.000	-0.1316787000	0.1163592000	-0.0008748404
0	0.000	2.600	-0.1858187000	0.1628771000	-0.0007099751
0	5.000	0.400	0.2297837000	-0.0640125200	-0.0014231350
0	5.000	0.600	0.2842988000	-0.0396976200	-0.0013324960
0	5.000	0.800	0.3739323000	-0.0177345800	-0.0012673920
0	5.000	1.000	0.4049863000	0.0048778050	-0.0012358980
0	5.000	1.200	0.5032458000	0.0319819400	-0.0012726660
0	5.000	1.400	0.5569412000	0.0543362400	-0.0011927410
0	5.000	1.600	0.6445162000	0.0780658700	-0.0012044250
0	5.000	2.000	0.8256406000	0.1210635000	-0.0011611520
0	5.000	2.600	1.0552710000	0.1758870000	-0.0010869910
0	10.000	0.400	0.4126161000	-0.0875344800	-0.0013846100
0	10.000	0.600	0.5538513000	-0.0581258300	-0.0013420850
0	10.000	0.800	0.7211202000	-0.0319995700	-0.0013250670
0	10.000	1.000	0.8530855000	-0.0081632840	-0.0012927040
0	10.000	1.200	1.0720830000	0.0190007000	-0.0013405990
0	10.000	1.400	1.2028930000	0.0468891800	-0.0013299450
0	10.000	1.600	1.3868070000	0.0730901900	-0.0013863100
0	10.000	2.000	1.7638680000	0.1236189000	-0.0014623570
0	10.000	2.600	2.2032050000	0.1894074000	-0.0015638340
0	20.000	0.400	0.7376582000	-0.1380430000	-0.0012681910
0	20.000	0.600	1.0853300000	-0.1001535000	-0.0013312470
0	20.000	0.800	1.4048630000	-0.0672025600	-0.0013946710
0	20.000	1.000	1.7354430000	-0.0379282200	-0.0014243780
0	20.000	1.200	2.1455200000	-0.0132385200	-0.0014182240
0	20.000	1.400	2.4758310000	0.0253755600	-0.0016036250
0	20.000	1.600	2.8444100000	0.0552779400	-0.0017440390
0	20.000	2.000	3.6626240000	0.1133674000	-0.0019869590
0	20.000	2.600	4.9443780000	0.1934199000	-0.0024445860
0	30.000	0.400	1.0429590000	-0.1909008000	-0.0011606470
0	30.000	0.600	1.5706100000	-0.1483116000	-0.0012890710
0	30.000	0.800	2.1047840000	-0.1137223000	-0.0013703430
0	30.000	1.000	2.6359450000	-0.0790304500	-0.0014965470
0	30.000	1.200	3.1358840000	-0.0437543100	-0.0016531880
0	30.000	1.400	3.7512950000	-0.0095858830	-0.0018434300
0	30.000	1.600	4.3458020000	0.0185054800	-0.0020008320
0	30.000	2.000	5.6058840000	0.0792661900	-0.0024027510
0	30.000	2.600	7.6935130000	0.1477140000	-0.0028510140

IER	STAGGER	SOLIDITY	INCO10	N1	N2
0	40.000	0.400	1.3596850000	-0.2504424000	-0.0010188180
0	40.000	0.600	2.0498990000	-0.2060588000	-0.0011779050
0	40.000	0.800	2.7585630000	-0.1666613000	-0.0013473710
0	40.000	1.000	3.4878150000	-0.1309638000	-0.0015333350
0	40.000	1.200	4.2194570000	-0.0963556100	-0.0017488190
0	40.000	1.400	5.0288170000	-0.0662726100	-0.0019399010
0	40.000	1.600	5.8268590000	-0.0404719300	-0.0021195640
0	40.000	2.000	7.5907050000	0.0034571700	-0.0023773840
0	40.000	2.600	10.4583700000	0.0468881600	-0.0026230370
0	50.000	0.400	1.6624880000	-0.3216925000	-0.0007443703
0	50.000	0.600	2.4853590000	-0.2728887000	-0.0010221160
0	50.000	0.800	3.3862920000	-0.2345634000	-0.0012556970
0	50.000	1.000	4.2834930000	-0.2006316000	-0.0014892760
0	50.000	1.200	5.2151870000	-0.1737083000	-0.0016393060
0	50.000	1.400	6.2137850000	-0.1502695000	-0.0017974680
0	50.000	1.600	7.2545690000	-0.1338569000	-0.0019038560
0	50.000	2.000	9.3978750000	-0.1078427000	-0.0019187790
0	50.000	2.600	12.5352900000	-0.0715401100	-0.0021075800
0	60.000	0.400	1.8643060000	-0.3928702000	-0.0005379459
0	60.000	0.600	2.8235840000	-0.3523778000	-0.0008143338
0	60.000	0.800	3.8351140000	-0.3177559000	-0.0011074280
0	60.000	1.000	4.9188610000	-0.2914840000	-0.0013762940
0	60.000	1.200	5.9551110000	-0.2676403000	-0.0015514960
0	60.000	1.400	7.0160680000	-0.2491214000	-0.0016166670
0	60.000	1.600	8.1002690000	-0.2363350000	-0.0016559400
0	60.000	2.000	10.1970500000	-0.1948113000	-0.0017687140
0	60.000	2.600	13.5489100000	-0.1567400000	-0.0020364330
0	70.000	0.400	2.0424290000	-0.4840408000	-0.0001128001
0	70.000	0.600	3.0989080000	-0.4576027000	-0.0003365912
0	70.000	0.800	4.1454450000	-0.4483525000	-0.0004633025
0	70.000	1.000	5.2759590000	-0.4334465000	-0.0006069876
0	70.000	1.200	6.3768570000	-0.4084233000	-0.0008461114
0	70.000	1.400	7.3895730000	-0.3762198000	-0.0010475440
0	70.000	1.600	8.5167980000	-0.3565449000	-0.0011996070
0	70.000	2.000	10.8515400000	-0.2968715000	-0.0015144750
0	70.000	2.600	14.5029900000	-0.2470979000	-0.0027492520

## APPENDIX C

IREF 2: Program to Calculate Reference  
Incidence Angle for a Constant  
Stagger Cascade

THIS PROGRAM COMPUTES REFERENCE INCIDENCE ANGLE FOR CONSTANT STAGGER CASCADES. REQUIRED INPUT DATA ARE CAMBER ANGLE, STAGGER ANGLE, MAXIMUM THICKNESS TO CHORD RATIO, SOLIDITY, AND A CORRECTION FACTOR FOR THICKNESS DISTRIBUTION. SEE REPORT ISU-ERI-AMES-99985 FOR FURTHER DESCRIPTION.

## DEFINITION OF VARIABLES

ALF1	LEADING EDGE BLADE ELEMENT CAMBER-LINE TANGENT ANGLE, DEG.
ANGST(IG)	STAGGER ANGLE, DEG.
ANGSTB(K)	VALUE OF STAGGER ANGLE, DEG. FOR WHICH INPUT VALUES OF FI10GB(K,L), SLP1GB(K,L), AND SLP2GB(K,L) WERE OBTAINED FROM FIGURES 5 AND 7 ISU-ERI-AMES-99985
BTP1	RELATIVE ENTERING FLUID FLOW ANGLE, DEG.
FI010G(J)	CONSTANT STAGGER, ZERO-CAMBER REFERENCE INCIDENCE ANGLE FOR NACA 65-(A10)-SERIES BLADES WITH 10% MAXIMUM THICKNESS RATIO, DEG.
FI101G(J)	ZERO-CAMBER, CONSTANT-STAGGER REFERENCE INCIDENCE ANGLE, FOR NACA 65-(A10)-SERIES BLADES WITH 10% MAXIMUM THICKNESS RATIO, DEG.
FI10GB(K,L)	INPUT VALUE OF ZERO-CAMBER, CONSTANT-STAGGER REFERENCE INCIDENCE ANGLE, CORRESPONDING TO THE VALUES OF ANGSTB(K) AND SGMGBB(L), OBTAINED FROM FIGURE 5, ISU-ERI-AMES-99985, DEG.
FI10I1(M), FI10I2(M)	VARIABLE USED TO INITIALIZE THE FI10GB(K,L) ARRAY.
FKI(J)	INCIDENCE ANGLE CORRECTION FACTOR FOR MAXIMUM THICKNESS TO CHORD RATIO AND BLADE THICKNESS DISTRIBUTION.
FKIB(K,J)	INPUT VALUES OF THICKNESS CORRECTION FACTOR, FIGURE 142, PAGE 199, NASA SP-36.
FKSHA(J)	SHAPE CORRECTION FACTOR, 1.0 FOR 65-SERIES, 1.1 FOR C-SERIES, 0.7 FOR DOUBLE-CIRCULAR-ARC PROFILES.
IC	CAMBER INDEX.

C	IG	STAGGER ANGLE INDEX.
C	II	CARD READER REFERENCE NUMBER.
C	IO	LINE PRINTER REFERENCE NUMBER.
C	IS	SOLIDITY INDEX.
C	J	INDEX.
C	K	INDEX.
C	L	INDEX.
C	M	INDEX.
C	N	INDEX USED TO SPACE OUTPUT.
C	NNN	INDEX USED TO SPACE OUTPUT.
C	PHI(IC)	BLADE CAMBER ANGLE, DEG.
C	SGMA(IS)	BLADE ROW SOLIDITY.
C	SGMGBB(L)	SOLIDITY; INPUT VALUES FOR (IO)10G, N1G, AND N2G CURVES FIGURE 7, ISU-ERI-AMES-99985.
C	SLOP1G(J)	COEFFICIENT OF LINEAR CAMBER TERM IN EXPRESSION FOR CONSTANT STAGGER REFERENCE INCIDENCE ANGLE.
C	SLOP2G(J)	COEFFICIENT OF SECOND DEGREE CAMBER TERM IN EXPRESSION FOR CONSTANT STAGGER REFERENCE INCIDENCE ANGLE.
C	SLP1GB(K,L)	INPUT VALUE OF LINEAR CAMBER COEFF- ICIENT IN CONSTANT-STAGGER REFERENCE INCIDENCE ANGLE RELATION CORRESPOND- ING TO VALUES OF ANGSTB(K) AND SGMGBB(L), OBTAINED FROM FIGURE 7, ISU-ERI-AMES-99985
C	SLP1I1,SLP1I2, SLP1I3,SLP1I4, SLP1I5	VARIABLES USED TO INITIALIZE THE SLP1GB(K,L) ARRAY.
C	SLP2GB(K,L)	INPUT VALUE OF QUADRATIC CAMBER COEFFICIENT IN CONSTANT-STAGGER REF- ERENCE ANGLE RELATION, CORRESPONDING TO VALUES OF ANGSTB(K) AND SGMGBB(L), OBTAINED FROM FIGURE 7, ISU-ERI-AMES-99985.
C	SLP2I1,SLP2I2, SLP2I3,SLP2I4, SLP2I5	VARIABLES USED TO INITIALIZE THE SLP2GB(K,L) ARRAY.
C	STARI(J)	CONSTANT STAGGER REFERENCE INCIDENCE ANGLE, DEG.

```

C      TMAXC(K,J)          RATIO OF BLADE SECTION MAXIMUM
C      THICKNESS TO CHORD.
C
C      TMAXCB(K,J)        INPUT VALUES OF TMAXC CORRESPONDING
C      TO FKIB VALUES FROM FIGURE 142,
C      PAGE 199 OF NASA SP-36.
C
C      YANGS(J)           STAGGER ANGLE, DEG.
C
C      YSGM(J)           BLADE ROW SOLIDITY.
C
COMMON/BLOCKI/ ANGSTB(8),FI10I1(40),FI10I2(32),FKIB(1,7),
X SGMGBB(9),SLP1I1(16),SLP1I2(16),SLP1I3(16),SLP1I4(16),
X SLP1I5(8),SLP2I1(16),SLP2I2(16),SLP2I3(16),SLP2I4(16),
X SLP2I5(8),TMAXCB(1,7)
DIMENSION ANGST(9),FIG10G(1),FI10GB(8,9),FKSHA(1),FKI(1),
X PHI(10),SGMA(9),SLOP1G(1),SLOP2G(1),SLP1GB(8,9),SLP2GB(8,9),
X STARI(1),TMAXC(1,1),YANGS(1),YSGM(1)
C
C
      II=5
      IO=6
      M=0
      DO 30 L=1,5
      DO 30 K=1,8
      M=M+1
30  FI10GB(K,L)=FI10I1(M)
      M=0
      DO 35 L=6,9
      DO 35 K=1,8
      M=M+1
35  FI10GB(K,L)=FI10I2(M)
      M=0
      DO 40 L=1,2
      DO 40 K=1,8
      M=M+1
      SLP1GB(K,L)=SLP1I1(M)
      SLP2GB(K,L)=SLP2I1(M)
      SLP1GB(K,L+2)=SLP1I2(M)
      SLP2GB(K,L+2)=SLP2I2(M)
      SLP1GB(K,L+4)=SLP1I3(M)
      SLP2GB(K,L+4)=SLP2I3(M)
      SLP1GB(K,L+6)=SLP1I4(M)
40  SLP2GB(K,L+6)=SLP2I4(M)
      M=0
      DO 45 K=1,8
      M=M+1
      SLP1GB(K,9)=SLP1I5(M)
45  SLP2GB(K,9)=SLP2I5(M)
C
C      READ GEOMETRY FOR WHICH REFERENCE INCIDENCE ANGLES
C      ARE TO BE COMPUTED.
C
      READ(II,201)TMAXC(1,1),FKSHA(1)
      READ(II,401)(ANGST(J),J=1,9)
      READ(II,202)(SGMA(J),J=1,9)
      READ(II,402)(PHI(J),J=1,10)
      WRITE(IO,700)
      WRITE(IO,130)

```

```

001
002
003
004
005
006
007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022
023
024
025
026
027
028
029
030
031
032
033
034
035
036
037
038
039
040
041
042
043
044
045
046
047
048

```





C		108
C	IF A MACHINE OTHER THAN AN IBM 360 IS USED, THIS	109
C	FORMAT STATEMENT MAY NEED TO BE CHANGED TO A	110
C	STANDARD HOLLERITH FORM.	111
C		112
	510 FORMAT(' REF INC CAMBER STAGGER SOLID. TM/C FKSHA',	113
	X' FKI FIO10G SLOP1G SLOP2G '/')	114
	520 FORMAT(5F10.5)	115
	530 FORMAT(1F8.1,1F7.2,1F8.2,1F7.2,1F5.2,2F6.2,F7.2,	116
	X 2F9.4)	117
	700 FORMAT(1H1)	118
	710 FORMAT(1H )	119
	STOP	120
	END	121

	BLOCK DATA	122
C	COMMON/BLOCKI/ ANGSTB(8),FI10I1(40),FI10I2(32),FKIB(1,7),	123
	X SGMGRB(9),SLP1I1(16),SLP1I2(16),SLP1I3(16),SLP1I4(16),	124
	X SLP1I5(8),SLP2I1(16),SLP2I2(16),SLP2I3(16),SLP2I4(16),	125
	X SLP2I5(8),TMAXCB(1,7)	126
		127
C		128
C		129
	DATA ANGSTB /0.0,10.,20.,30.,40.,50.,60.,70./	130
	DATA SGMGRB /0.4,0.6,0.8,1.0,1.2,1.4,1.6,2.0,2.6/	131
	DATA TMAXCB /0.0,0.02,0.04,0.06,0.08,0.10,0.12/	132
	DATA FKIB /0.0,0.334,0.589,0.772,0.903,1.0,1.08/	133
	DATA FI10I1 / 0.042,0.413,0.738,1.043,1.360 ,1.662,	134
	X 1.864,2.042,0.012,0.554,1.085,1.571,2.050,2.485,	135
	X 2.834,3.099,0.003,0.721,1.405,2.105,2.759,3.386,	136
	X 3.835,4.145,-.041,0.853,1.735,2.636,3.488,4.283,	137
	X 4.919,5.276,-.074,1.072,2.146,3.136,4.219,5.215,	138
	X 5.955,6.377/	139
	DATA FI10I2 / -.097,1.203,2.476,3.751,5.029,6.214,	140
	X 7.016,7.390,-.124,1.387,2.844,4.346,5.827,7.255,	141
	X 8.100,8.517,-.132,1.764,3.663,5.606,7.591,9.398,	142
	X 10.20,10.85,-.186,2.303,4.944,7.694,10.46,12.54,	143
	X 13.55,14.50/	144
	DATA SLP1I1 / -.042758,-.087534,-.138043,-.190901,	145
	X -.250442,-.321693,-.392870,-.484041,-.022447,	146
	X -.058126,-.100154,-.148312,-.206059,-.272889,-.352378,	147
	X -.457603/	148
	DATA SLP1I2 / -.003620,-.032000,-.067203,-.113722,	149
	X -.166661,-.234563,-.317756,-.448353,0.015655,	150
	X -.008163,-.037928,-.079030,-.130964,-.200632,-.291484,	151
	X -.433447/	152
	DATA SLP1I3 / 0.041494,0.019001,-.013239,-.043754,	153
	X -.096356,-.173708,-.267640,-.408423,0.059901,	154
	X 0.046889,0.025376,-.009586,-.066273,-.150270,	155
	X -.249121,-.376220/	156
	DATA SLP1I4 / 0.082185,0.073090,0.055278,0.018505,	157
	X -.040472,-.133857,-.236335,-.356545,0.116359,	158
	X 0.123619,0.113367,0.079266,0.003457,-.107843,-.194811,	159
	X -.296872/	160
	DATA SLP1I5 / 0.162877,0.189407,0.193420,0.147714,	161
	X 0.046888,-.071540,-.156740,-.247098/	162
	DATA SLP2I1 / -.001435,-.001385,-.001268,-.001161,	163
	X -.001019,-.000744,-.000538,-.000113,-.001321,	164
	X -.001342,-.001331,-.001289,-.001178,-.001022,-.000814,	165
	X -.000337/	166
	DATA SLP2I2 / -.001225,-.001325,-.001395,-.001370,	167
	X -.001347,-.001256,-.001107,-.000463,-.001164,	168
	X -.001293,-.001424,-.001497,-.001533,-.001489,-.001376,	169
	X -.000607/	170
	DATA SLP2I3 / -.001171,-.001341,-.001418,-.001653,	171
	X -.001749,-.001639,-.001551,-.000846,-.001058,	172
	X -.001330,-.001604,-.001843,-.001940,-.001797,-.001617,	173
	X -.001048/	174
	DATA SLP2I4 / -.001045,-.001386,-.001744,-.002001,	175
	X -.002120,-.001904,-.001656,-.001200,-.000875,	176
	X -.001462,-.001987,-.002403,-.002377,-.001919,-.001769,	177
	X -.001514/	178
	DATA SLP2I5 / -.000710,-.001564,-.002445,-.002851,	179
	X -.002623,-.002108,-.002036,-.002749/	180
	END	181

	SUBROUTINE FIT1D(X,Y,XB,YB,JP,KP,I,K)	182
C		183
C	3-POINT LAGRANGIAN INTERPOLATION FOR Y=FCN(X) FROM	184
C	DATA TABLES XB,YB. XB-ARRAY VALUES ARE ARBITRARILY	185
C	SPACED, MONOTONE NON-DECREASING. JP IS GIVEN NUMBER	186
C	OF XB- OR YB-ARRAY ELEMENTS	187
C		188
	DIMENSION X(1,1),Y(1),XB(1,7),YB(1,7)	189
C		190
C		191
	IO=6	192
	10 IF(JP-20)11,11,14	193
	11 IF(KP-3)14,12,12	194
	12 IF(KP-20)13,13,14	195
	13 DO 3 J=1,JP	196
	DO 1 M=3,KP	197
	L=M	198
	IF(X(K,J)-XB(I,L))2,2,1	199
	1 CONTINUE	200
	2 X0=XB(I,L-2)	201
	X1=XB(I,L-1)	202
	X2=XB(I,L)	203
	3 Y(J)=(X(K,J)-X1)*(X(K,J)-X2)*YB(I,L-2)/((X0-X1)*(X0-X2))	204
	1+(X(K,J)-X2)*(X(K,J)-X0)*YB(I,L-1)/((X1-X2)*(X1-X0))	205
	2+(X(K,J)-X0)*(X(K,J)-X1)*YB(I,L)/((X2-X0)*(X2-X1))	206
	RETURN	207
	14 WRITE(IO,500)JP,KP	208
500	FORMAT(10X,' INCORRECT ARRAY SIZE IN FIT1D, JP=',I2,' KP=',I2)	209
	STOP	210
	END	211

```

SUBROUTINE FIT2D(X,Y,Z,XB,YB,ZB,IP,JP,JL,IQ,JQ,KQ) 212
C 3-POINT LAGRANGIAN INTERPOLATION FOR Y=FCN(X,Z) 213
C FROM DATA TABLES XB,YB,ZB. XB-AND ZB-ARRAY VALUES 214
C APE ARBITRARILY SPACED, MONOTONE NON-DECREASING. 215
C IP,JP ARE NUMBER OF ELEMENTS IN XB,ZB ARRAYS,RE- 216
C SPECTIVELY. 217
C 218
C 219
DIMENSION X(1),Y(1),Z(1),YST(3) 220
REAL XB(IQ),YB(IQ,JQ),ZB(KQ) 221
C 222
C 223
IO=6 224
IF(IP-3)15,10,10 225
10 IF(IP-2)11,11,15 226
11 IF(JP-3)15,12,12 227
12 IF(JP-2)13,13,15 228
13 IF(JL-2)14,14,15 229
14 DO 6 N=1,JL 230
DO 1 M=3,IP 231
I=M 232
IF(X(N)-XB(I))2,2,1 233
1 CONTINUE 234
2 DO 3 M=3,JP 235
J=M 236
IF(Z(N)-ZB(J))4,4,3 237
3 CONTINUE 238
4 XC=ZB(J-2) 239
X1=ZB(J-1) 240
X2=ZB(J) 241
DO 5 K=1,3 242
L=I+K 243
YC=YB(L-3,J-2) 244
Y1=YB(L-3,J-1) 245
Y2=YB(L-3,J) 246
5 YST(K)=(Z(N)-X1)*(Z(N)-X2)*Y0/((X0-X1)*(X0-X2)) 247
1+(Z(N)-X2)*(Z(N)-X0)*Y1/((X1-X2)*(X1-X0)) 248
2+(Z(N)-X0)*(Z(N)-X1)*Y2/((X2-X0)*(X2-X1)) 249
X0=XB(I-2) 250
X1=XB(I-1) 251
X2=XB(I) 252
6 Y(N)=(X(N)-X1)*(X(N)-X2)*YST(1)/((X0-X1)*(X0-X2)) 253
1+(X(N)-X2)*(X(N)-X0)*YST(2)/((X1-X2)*(X1-X0)) 254
2+(X(N)-X0)*(X(N)-X1)*YST(3)/((X2-X0)*(X2-X1)) 255
RETURN 256
15 WRITE(IO,500)IP,JP,JL 257
500 FORMAT(10X,' INCORRECT ARRAY SIZE IN FIT2D, IP=',I2,' JP=',I2,' JL 258
1=',I2) 259
STOP 260
END 261

```

## INPUT DATA CARDS

```

.1      1.
0.      5.      10.      20.      30.      40.      50.      60.      70.
.4      .6      .8      1.      1.2      1.4      1.6      2.0      2.6
0.      5.      10.      20.      30.      40.      50.      60.      70.      75.

```

Reference incidence angles which were computed are presented in APPENDIX D. The first page of output is given below as an example of the output format.

REF	INC	CAMBER	STAGGER	SOLID.	TM/C	FKSHA	FKI	FI010G	SLOP1G	SLOP2G
0.0	0.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-0.2	5.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-0.5	10.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-1.4	20.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-2.5	30.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-4.0	40.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-5.7	50.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-7.7	60.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-10.0	70.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
-11.2	75.00	0.00	0.40	0.10	1.00	1.00	0.04	-0.0428	-0.0014	
0.0	0.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-0.1	5.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-0.3	10.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-1.0	20.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-1.9	30.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-3.0	40.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-4.4	50.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-6.1	60.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-8.0	70.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
-9.1	75.00	0.00	0.60	0.10	1.00	1.00	0.01	-0.0224	-0.0013	
0.0	0.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-0.0	5.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-0.2	10.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-0.6	20.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-1.2	30.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-2.1	40.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-3.2	50.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-4.6	60.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-6.3	70.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-7.2	75.00	0.00	0.80	0.10	1.00	1.00	0.00	-0.0036	-0.0012	
-0.0	0.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
0.0	5.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-0.0	10.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-0.2	20.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-0.6	30.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-1.3	40.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-2.2	50.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-3.3	60.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-4.6	70.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-5.4	75.00	0.00	1.00	0.10	1.00	1.00	-0.04	0.0157	-0.0012	
-0.1	0.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
0.1	5.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
0.2	10.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
0.3	20.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
0.1	30.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
-0.3	40.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
-0.9	50.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
-1.8	60.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
-2.9	70.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	
-3.5	75.00	0.00	1.20	0.10	1.00	1.00	-0.07	0.0415	-0.0012	

## APPENDIX D

COMPARISON OF VALUES OF REFERENCE INCIDENCE ANGLE FROM NONITERATIVE METHOD WITH THOSE FROM PROGRAM IREF1 AND THOSE HAND CALCULATED FROM REFERENCE 2.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	REFERENCE INCIDENCE ANGLE, DEG.		
			FROM IREF1	FROM IREF2	HAND CALCULATED
0.0	0.0	0.40	0.0	0.0	
0.0	5.0	0.40	-0.2	-0.2	
0.0	10.0	0.40	-0.5	-0.5	
0.0	20.0	0.40	-1.3	-1.4	
0.0	30.0	0.40	-2.5	-2.5	
0.0	40.0	0.40	-4.0	-4.0	
0.0	50.0	0.40	-5.7	-5.7	
0.0	60.0	0.40	-7.7	-7.7	
0.0	70.0	0.40	-10.0	-10.0	-10.0
0.0	75.0	0.40	-11.2	-11.2	
0.0	0.0	0.60	0.0	0.0	
0.0	5.0	0.60	-0.1	-0.1	
0.0	10.0	0.60	-0.3	-0.3	
0.0	20.0	0.60	-0.9	-1.0	
0.0	30.0	0.60	-1.8	-1.9	
0.0	40.0	0.60	-3.0	-3.0	
0.0	50.0	0.60	-4.4	-4.4	
0.0	60.0	0.60	-6.1	-6.1	
0.0	70.0	0.60	-8.0	-8.0	
0.0	75.0	0.60	-9.1	-9.1	
0.0	0.0	0.80	0.0	0.0	
0.0	5.0	0.80	-0.1	-0.0	
0.0	10.0	0.80	-0.2	-0.2	
0.0	20.0	0.80	-0.5	-0.6	
0.0	30.0	0.80	-1.2	-1.2	
0.0	40.0	0.80	-2.1	-2.1	
0.0	50.0	0.80	-3.3	-3.2	
0.0	60.0	0.80	-4.6	-4.6	
0.0	70.0	0.80	-6.3	-6.3	
0.0	75.0	0.80	-7.1	-7.2	
0.0	0.0	1.00	0.0	-0.0	
0.0	5.0	1.00	0.0	0.0	
0.0	10.0	1.00	-0.0	-0.0	
0.0	20.0	1.00	-0.2	-0.2	
0.0	30.0	1.00	-0.6	-0.6	
0.0	40.0	1.00	-1.3	-1.3	
0.0	50.0	1.00	-2.1	-2.2	
0.0	60.0	1.00	-3.3	-3.3	
0.0	70.0	1.00	-4.7	-4.6	
0.0	75.0	1.00	-5.4	-5.4	

## REFERENCE INCIDENCE ANGLE, DEG.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
0.0	0.0	1.20	0.0	-0.1	
0.0	5.0	1.20	0.1	0.1	
0.0	10.0	1.20	0.2	0.2	
0.0	20.0	1.20	0.2	0.3	
0.0	30.0	1.20	0.1	0.1	
0.0	40.0	1.20	-0.3	-0.3	
0.0	50.0	1.20	-0.9	-0.9	
0.0	60.0	1.20	-1.8	-1.8	
0.0	70.0	1.20	-2.9	-2.9	
0.0	75.0	1.20	-3.6	-3.5	
0.0	0.0	1.40	0.0	-0.1	
0.0	5.0	1.40	0.2	0.2	
0.0	10.0	1.40	0.3	0.4	
0.0	20.0	1.40	0.6	0.7	
0.0	30.0	1.40	0.7	0.7	0.7
0.0	40.0	1.40	0.6	0.6	
0.0	50.0	1.40	0.3	0.3	
0.0	60.0	1.40	-0.2	-0.3	
0.0	70.0	1.40	-1.1	-1.1	
0.0	75.0	1.40	-1.6	-1.6	
0.0	0.0	1.60	0.0	-0.1	
0.0	5.0	1.60	0.3	0.3	
0.0	10.0	1.60	0.5	0.6	
0.0	20.0	1.60	1.0	1.1	
0.0	30.0	1.60	1.3	1.4	
0.0	40.0	1.60	1.5	1.5	
0.0	50.0	1.60	1.5	1.4	
0.0	60.0	1.60	1.1	1.0	
0.0	70.0	1.60	0.5	0.5	
0.0	75.0	1.60	0.1	0.2	
0.0	0.0	2.00	0.0	-0.1	
0.0	5.0	2.00	0.4	0.4	
0.0	10.0	2.00	0.9	0.9	
0.0	20.0	2.00	1.7	1.8	
0.0	30.0	2.00	2.5	2.6	
0.0	40.0	2.00	3.1	3.1	
0.0	50.0	2.00	3.6	3.5	
0.0	60.0	2.00	3.9	3.7	
0.0	70.0	2.00	3.7	3.7	
0.0	75.0	2.00	3.5	3.7	
0.0	0.0	2.60	0.0	-0.2	
0.0	5.0	2.60	0.6	0.6	
0.0	10.0	2.60	1.3	1.4	
0.0	20.0	2.60	2.6	2.8	
0.0	30.0	2.60	3.9	4.1	
0.0	40.0	2.60	5.2	5.2	
0.0	50.0	2.60	6.5	6.2	
0.0	60.0	2.60	7.3	7.0	
0.0	70.0	2.60	7.7	7.7	
0.0	75.0	2.60	7.8	8.0	

REFERENCE INCIDENCE ANGLE, DEG.					
STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
10.0	0.0	0.40	0.4	0.4	
10.0	5.0	0.40	-0.1	-0.1	
10.0	10.0	0.40	-0.6	-0.6	
10.0	20.0	0.40	-1.8	-1.9	
10.0	30.0	0.40	-3.4	-3.5	
10.0	40.0	0.40	-5.3	-5.3	
10.0	50.0	0.40	-7.5	-7.4	
10.0	60.0	0.40	-9.9	-9.8	
10.0	70.0	0.40	-12.5	-12.5	
10.0	75.0	0.40	-13.9	-13.9	
10.0	0.0	0.60	0.5	0.6	
10.0	5.0	0.60	0.2	0.2	
10.0	10.0	0.60	-0.1	-0.2	
10.0	20.0	0.60	-1.1	-1.1	
10.0	30.0	0.60	-2.4	-2.4	
10.0	40.0	0.60	-3.9	-3.9	
10.0	50.0	0.60	-5.7	-5.7	
10.0	60.0	0.60	-7.8	-7.8	-7.8
10.0	70.0	0.60	-10.1	-10.1	
10.0	75.0	0.60	-11.3	-11.4	
10.0	0.0	0.80	0.7	0.7	
10.0	5.0	0.80	0.5	0.5	
10.0	10.0	0.80	0.3	0.3	
10.0	20.0	0.80	-0.5	-0.4	
10.0	30.0	0.80	-1.4	-1.4	
10.0	40.0	0.80	-2.7	-2.7	
10.0	50.0	0.80	-4.2	-4.2	
10.0	60.0	0.80	-6.0	-6.0	
10.0	70.0	0.80	-8.0	-8.0	
10.0	75.0	0.80	-9.1	-9.1	
10.0	0.0	1.00	0.9	0.9	
10.0	5.0	1.00	0.8	0.8	
10.0	10.0	1.00	0.6	0.6	
10.0	20.0	1.00	0.2	0.2	
10.0	30.0	1.00	-0.6	-0.6	
10.0	40.0	1.00	-1.5	-1.5	
10.0	50.0	1.00	-2.8	-2.8	
10.0	60.0	1.00	-4.3	-4.3	
10.0	70.0	1.00	-6.1	-6.1	
10.0	75.0	1.00	-7.0	-7.0	
10.0	0.0	1.20	1.1	1.1	
10.0	5.0	1.20	1.1	1.1	
10.0	10.0	1.20	1.1	1.1	
10.0	20.0	1.20	0.9	0.9	
10.0	30.0	1.20	0.4	0.4	
10.0	40.0	1.20	-0.3	-0.3	
10.0	50.0	1.20	-1.3	-1.3	
10.0	60.0	1.20	-2.6	-2.6	
10.0	70.0	1.20	-4.2	-4.2	
10.0	75.0	1.20	-5.1	-5.0	



## REFERENCE INCIDENCE ANGLE, DEG.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
10.0	0.0	1.40	1.3	1.2	
10.0	5.0	1.40	1.4	1.4	
10.0	10.0	1.40	1.5	1.5	
10.0	20.0	1.40	1.6	1.6	
10.0	30.0	1.40	1.4	1.4	
10.0	40.0	1.40	1.0	1.0	
10.0	50.0	1.40	0.3	0.2	
10.0	60.0	1.40	-0.7	-0.8	
10.0	70.0	1.40	-2.0	-2.0	
10.0	75.0	1.40	-2.8	-2.8	
10.0	0.0	1.60	1.5	1.4	
10.0	5.0	1.60	1.7	1.7	
10.0	10.0	1.60	1.9	2.0	1.9
10.0	20.0	1.60	2.2	2.3	
10.0	30.0	1.60	2.3	2.3	
10.0	40.0	1.60	2.1	2.1	
10.0	50.0	1.60	1.6	1.6	
10.0	60.0	1.60	0.9	0.8	
10.0	70.0	1.60	-0.3	-0.3	
10.0	75.0	1.60	-1.0	-0.9	
10.0	0.0	2.00	1.9	1.8	
10.0	5.0	2.00	2.4	2.3	
10.0	10.0	2.00	2.7	2.9	
10.0	20.0	2.00	3.5	3.7	
10.0	30.0	2.00	4.1	4.2	
10.0	40.0	2.00	4.4	4.4	
10.0	50.0	2.00	4.5	4.3	
10.0	60.0	2.00	4.1	3.9	
10.0	70.0	2.00	3.2	3.3	
10.0	75.0	2.00	2.7	2.8	
10.0	0.0	2.60	2.6	2.3	
10.0	5.0	2.60	3.2	3.2	
10.0	10.0	2.60	3.9	4.0	
10.0	20.0	2.60	5.2	5.5	
10.0	30.0	2.60	6.5	6.6	
10.0	40.0	2.60	7.4	7.4	
10.0	50.0	2.60	8.1	7.9	
10.0	60.0	2.60	8.3	8.0	
10.0	70.0	2.60	7.9	7.9	
10.0	75.0	2.60	7.5	7.7	

		REFERENCE INCIDENCE ANGLE, DEG.			
STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
20.0	0.0	0.40	0.7	0.7	
20.0	5.0	0.40	0.0	0.0	
20.0	10.0	0.40	-0.7	-0.8	
20.0	20.0	0.40	-2.5	-2.5	
20.0	30.0	0.40	-4.5	-4.5	
20.0	40.0	0.40	-6.8	-6.8	
20.0	50.0	0.40	-9.4	-9.3	
20.0	60.0	0.40	-12.2	-12.1	
20.0	70.0	0.40	-15.1	-15.1	
20.0	75.0	0.40	-16.7	-16.7	
20.0	0.0	0.60	1.0	1.1	
20.0	5.0	0.60	0.6	0.6	
20.0	10.0	0.60	-0.0	-0.0	
20.0	20.0	0.60	-1.4	-1.5	
20.0	30.0	0.60	-3.1	-3.1	
20.0	40.0	0.60	-5.1	-5.1	
20.0	50.0	0.60	-7.3	-7.3	
20.0	60.0	0.60	-9.8	-9.7	
20.0	70.0	0.60	-12.5	-12.4	
20.0	75.0	0.60	-13.9	-13.9	
20.0	0.0	0.80	1.4	1.4	
20.0	5.0	0.80	1.0	1.0	
20.0	10.0	0.80	0.6	0.6	
20.0	20.0	0.80	-0.5	-0.5	
20.0	30.0	0.80	-1.8	-1.9	
20.0	40.0	0.80	-3.5	-3.5	
20.0	50.0	0.80	-5.5	-5.4	-5.5
20.0	60.0	0.80	-7.7	-7.6	
20.0	70.0	0.80	-10.1	-10.1	
20.0	75.0	0.80	-11.4	-11.5	
20.0	0.0	1.00	1.7	1.7	
20.0	5.0	1.00	1.5	1.5	
20.0	10.0	1.00	1.2	1.2	
20.0	20.0	1.00	0.4	0.4	
20.0	30.0	1.00	-0.7	-0.7	
20.0	40.0	1.00	-2.1	-2.1	
20.0	50.0	1.00	-3.7	-3.7	
20.0	60.0	1.00	-5.7	-5.7	
20.0	70.0	1.00	-7.9	-7.9	
20.0	75.0	1.00	-9.1	-9.1	
20.0	0.0	1.20	2.1	2.1	
20.0	5.0	1.20	2.0	2.0	
20.0	10.0	1.20	1.9	1.9	
20.0	20.0	1.20	1.3	1.3	
20.0	30.0	1.20	0.5	0.5	
20.0	40.0	1.20	-0.6	-0.7	
20.0	50.0	1.20	-2.1	-2.1	
20.0	60.0	1.20	-3.8	-3.8	
20.0	70.0	1.20	-5.7	-5.7	
20.0	75.0	1.20	-6.8	-6.8	

## REFERENCE INCIDENCE ANGLE, DEG.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
20.0	0.0	1.40	2.5	2.5	
20.0	5.0	1.40	2.6	2.6	
20.0	10.0	1.40	2.5	2.6	
20.0	20.0	1.40	2.3	2.3	
20.0	30.0	1.40	1.8	1.8	
20.0	40.0	1.40	0.9	0.9	
20.0	50.0	1.40	-0.2	-0.3	
20.0	60.0	1.40	-1.7	-1.8	
20.0	70.0	1.40	-3.6	-3.6	
20.0	75.0	1.40	-4.7	-4.6	
20.0	0.0	1.60	2.9	2.8	
20.0	5.0	1.60	3.1	3.1	
20.0	10.0	1.60	3.2	3.2	
20.0	20.0	1.60	3.2	3.3	
20.0	30.0	1.60	2.9	2.9	
20.0	40.0	1.60	2.3	2.3	
20.0	50.0	1.60	1.3	1.2	
20.0	60.0	1.60	-0.1	-0.1	
20.0	70.0	1.60	-1.8	-1.8	
20.0	75.0	1.60	-2.9	-2.8	
20.0	0.0	2.00	3.8	3.7	
20.0	5.0	2.00	4.2	4.2	
20.0	10.0	2.00	4.5	4.6	
20.0	20.0	2.00	5.0	5.1	5.1
20.0	30.0	2.00	5.2	5.3	
20.0	40.0	2.00	5.1	5.0	
20.0	50.0	2.00	4.4	4.4	
20.0	60.0	2.00	3.4	3.3	
20.0	70.0	2.00	1.9	1.9	
20.0	75.0	2.00	0.9	1.0	
20.0	0.0	2.60	5.2	4.9	
20.0	5.0	2.60	5.8	5.9	
20.0	10.0	2.60	6.5	6.6	
20.0	20.0	2.60	7.6	7.8	
20.0	30.0	2.60	8.4	8.5	
20.0	40.0	2.60	8.9	8.8	
20.0	50.0	2.60	8.7	8.5	
20.0	60.0	2.60	7.9	7.7	
20.0	70.0	2.60	6.5	6.5	
20.0	75.0	2.60	5.6	5.7	

		REFERENCE INCIDENCE ANGLE, DEG.			
STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
30.0	0.0	0.40	1.0	1.0	
30.0	5.0	0.40	0.1	0.1	
30.0	10.0	0.40	-0.9	-1.0	
30.0	20.0	0.40	-3.2	-3.2	
30.0	30.0	0.40	-5.7	-5.7	
30.0	40.0	0.40	-8.5	-8.5	
30.0	50.0	0.40	-11.5	-11.4	
30.0	60.0	0.40	-14.6	-14.6	
30.0	70.0	0.40	-18.0	-18.0	
30.0	75.0	0.40	-19.7	-19.8	
30.0	0.0	0.60	1.5	1.6	
30.0	5.0	0.60	0.8	0.8	
30.0	10.0	0.60	-0.0	-0.0	
30.0	20.0	0.60	-1.9	-1.9	
30.0	30.0	0.60	-4.0	-4.0	
30.0	40.0	0.60	-6.4	-6.4	
30.0	50.0	0.60	-9.1	-9.1	
30.0	60.0	0.60	-12.0	-12.0	
30.0	70.0	0.60	-15.1	-15.1	
30.0	75.0	0.60	-16.8	-16.8	
30.0	0.0	0.80	2.1	2.1	
30.0	5.0	0.80	1.5	1.5	
30.0	10.0	0.80	0.9	0.8	
30.0	20.0	0.80	-0.7	-0.7	
30.0	30.0	0.80	-2.5	-2.5	
30.0	40.0	0.80	-4.7	-4.6	
30.0	50.0	0.80	-7.0	-7.0	
30.0	60.0	0.80	-9.7	-9.7	
30.0	70.0	0.80	-12.6	-12.6	
30.0	75.0	0.80	-14.1	-14.1	
30.0	0.0	1.00	2.6	2.6	
30.0	5.0	1.00	2.2	2.2	
30.0	10.0	1.00	1.7	1.7	
30.0	20.0	1.00	0.5	0.5	
30.0	30.0	1.00	-1.1	-1.1	
30.0	40.0	1.00	-2.9	-2.9	-2.9
30.0	50.0	1.00	-5.1	-5.1	
30.0	60.0	1.00	-7.5	-7.5	
30.0	70.0	1.00	-10.2	-10.2	
30.0	75.0	1.00	-11.7	-11.7	
30.0	0.0	1.20	3.1	3.1	
30.0	5.0	1.20	2.9	2.9	
30.0	10.0	1.20	2.5	2.5	2.6
30.0	20.0	1.20	1.6	1.6	
30.0	30.0	1.20	0.3	0.3	
30.0	40.0	1.20	-1.2	-1.3	
30.0	50.0	1.20	-3.2	-3.2	
30.0	60.0	1.20	-5.5	-5.4	
30.0	70.0	1.20	-8.0	-8.0	
30.0	75.0	1.20	-9.4	-9.4	

## REFERENCE INCIDENCE ANGLE, DEG.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
30.0	0.0	1.40	3.8	3.8	
30.0	5.0	1.40	3.6	3.7	
30.0	10.0	1.40	3.5	3.5	
30.0	20.0	1.40	2.8	2.8	
30.0	30.0	1.40	1.8	1.8	
30.0	40.0	1.40	0.5	0.4	
30.0	50.0	1.40	-1.3	-1.3	
30.0	60.0	1.40	-3.5	-3.5	
30.0	70.0	1.40	-6.0	-6.0	
30.0	75.0	1.40	-7.3	-7.3	
30.0	0.0	1.60	4.4	4.3	
30.0	5.0	1.60	4.4	4.4	
30.0	10.0	1.60	4.3	4.3	
30.0	20.0	1.60	3.9	3.9	
30.0	30.0	1.60	3.1	3.1	
30.0	40.0	1.60	1.9	1.9	
30.0	50.0	1.60	0.3	0.3	
30.0	60.0	1.60	-1.8	-1.7	
30.0	70.0	1.60	-4.2	-4.2	
30.0	75.0	1.60	-5.5	-5.5	
30.0	0.0	2.00	5.7	5.6	
30.0	5.0	2.00	5.9	5.9	
30.0	10.0	2.00	6.1	6.2	
30.0	20.0	2.00	6.2	6.2	
30.0	30.0	2.00	5.8	5.8	
30.0	40.0	2.00	5.0	4.9	
30.0	50.0	2.00	3.6	3.6	
30.0	60.0	2.00	1.7	1.7	
30.0	70.0	2.00	-0.7	-0.6	
30.0	75.0	2.00	-1.9	-2.0	
30.0	0.0	2.60	7.8	7.7	
30.0	5.0	2.60	8.3	8.4	
30.0	10.0	2.60	8.8	8.9	
30.0	20.0	2.60	9.5	9.5	
30.0	30.0	2.60	9.7	9.6	
30.0	40.0	2.60	9.1	9.0	
30.0	50.0	2.60	7.9	8.0	
30.0	60.0	2.60	6.2	6.3	
30.0	70.0	2.60	4.0	4.1	
30.0	75.0	2.60	2.8	2.7	

REFERENCE INCIDENCE ANGLE, DEG.					
STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
40.0	0.0	0.40	1.3	1.4	
40.0	5.0	0.40	0.1	0.1	
40.0	10.0	0.40	-1.2	-1.2	
40.0	20.0	0.40	-4.0	-4.1	
40.0	30.0	0.40	-7.0	-7.1	
40.0	40.0	0.40	-10.3	-10.3	
40.0	50.0	0.40	-13.8	-13.7	
40.0	60.0	0.40	-17.4	-17.3	
40.0	70.0	0.40	-21.2	-21.2	
40.0	75.0	0.40	-23.1	-23.2	
40.0	0.0	0.60	2.0	2.1	
40.0	5.0	0.60	1.0	1.0	
40.0	10.0	0.60	-0.1	-0.1	
40.0	20.0	0.60	-2.5	-2.5	
40.0	30.0	0.60	-5.2	-5.2	
40.0	40.0	0.60	-8.1	-8.1	
40.0	50.0	0.60	-11.3	-11.2	
40.0	60.0	0.60	-14.6	-14.6	
40.0	70.0	0.60	-18.1	-18.1	
40.0	75.0	0.60	-20.0	-20.0	
40.0	0.0	0.80	2.7	2.8	
40.0	5.0	0.80	1.9	1.9	
40.0	10.0	0.80	1.0	1.0	
40.0	20.0	0.80	-1.1	-1.1	
40.0	30.0	0.80	-3.4	-3.5	
40.0	40.0	0.80	-6.1	-6.1	
40.0	50.0	0.80	-9.0	-8.9	
40.0	60.0	0.80	-12.1	-12.1	
40.0	70.0	0.80	-15.5	-15.5	
40.0	75.0	0.80	-17.3	-17.3	
40.0	0.0	1.00	3.5	3.5	
40.0	5.0	1.00	2.8	2.8	
40.0	10.0	1.00	2.0	2.0	
40.0	20.0	1.00	0.3	0.3	
40.0	30.0	1.00	-1.8	-1.8	
40.0	40.0	1.00	-4.2	-4.2	
40.0	50.0	1.00	-6.9	-6.9	
40.0	60.0	1.00	-9.9	-9.9	
40.0	70.0	1.00	-13.2	-13.2	
40.0	75.0	1.00	-14.9	-15.0	
40.0	0.0	1.20	4.2	4.2	
40.0	5.0	1.20	3.7	3.7	
40.0	10.0	1.20	3.1	3.1	
40.0	20.0	1.20	1.6	1.6	
40.0	30.0	1.20	-0.2	-0.2	-0.2
40.0	40.0	1.20	-2.4	-2.4	
40.0	50.0	1.20	-5.0	-5.0	
40.0	60.0	1.20	-7.9	-7.9	
40.0	70.0	1.20	-11.1	-11.1	
40.0	75.0	1.20	-12.8	-12.8	

## REFERENCE INCIDENCE ANGLE, DEG.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
40.0	0.0	1.40	5.0	5.0	
40.0	5.0	1.40	4.6	4.6	
40.0	10.0	1.40	4.2	4.2	
40.0	20.0	1.40	3.0	2.9	
40.0	30.0	1.40	1.3	1.3	
40.0	40.0	1.40	-0.7	-0.7	
40.0	50.0	1.40	-3.2	-3.1	
40.0	60.0	1.40	-6.0	-5.9	
40.0	70.0	1.40	-9.1	-9.1	
40.0	75.0	1.40	-10.8	-10.9	
40.0	0.0	1.60	5.8	5.8	
40.0	5.0	1.60	5.6	5.6	
40.0	10.0	1.60	5.2	5.2	
40.0	20.0	1.60	4.2	4.2	
40.0	30.0	1.60	2.8	2.7	
40.0	40.0	1.60	0.8	0.8	
40.0	50.0	1.60	-1.6	-1.5	
40.0	60.0	1.60	-4.3	-4.2	
40.0	70.0	1.60	-7.4	-7.4	
40.0	75.0	1.60	-9.0	-9.1	
40.0	0.0	2.00	7.5	7.6	
40.0	5.0	2.00	7.5	7.5	
40.0	10.0	2.00	7.4	7.4	
40.0	20.0	2.00	6.9	6.7	
40.0	30.0	2.00	5.7	5.6	
40.0	40.0	2.00	3.9	3.9	
40.0	50.0	2.00	1.7	1.8	
40.0	60.0	2.00	-0.9	-0.8	
40.0	0.0	2.60	10.2	10.5	
40.0	5.0	2.60	10.6	10.6	
40.0	10.0	2.60	10.8	10.7	
40.0	20.0	2.60	10.6	10.3	
40.0	30.0	2.60	9.6	9.5	
40.0	40.0	2.60	8.1	8.1	

## REFERENCE INCIDENCE ANGLE, DEG.

STAGGER ANG., DEG.	CAMBER ANG., DEG.	SOLIDITY	FROM IREF1	FROM IREF2	HAND CALCULATED
50.0	0.0	0.40	1.6	1.7	
50.0	5.0	0.40	0.0	0.0	
50.0	10.0	0.40	-1.6	-1.6	
50.0	20.0	0.40	-5.0	-5.1	
50.0	30.0	0.40	-8.6	-8.7	
50.0	40.0	0.40	-12.4	-12.4	
50.0	50.0	0.40	-16.3	-16.3	
50.0	60.0	0.40	-20.4	-20.3	
50.0	70.0	0.40	-24.5	-24.5	
50.0	75.0	0.40	-26.6	-26.6	
50.0	0.0	0.60	2.4	2.5	
50.0	5.0	0.60	1.1	1.1	
50.0	10.0	0.60	-0.3	-0.3	
50.0	20.0	0.60	-3.3	-3.4	
50.0	30.0	0.60	-6.6	-6.6	
50.0	40.0	0.60	-10.1	-10.1	
50.0	50.0	0.60	-13.8	-13.7	
50.0	60.0	0.60	-17.6	-17.6	
50.0	70.0	0.60	-21.6	-21.6	
50.0	75.0	0.60	-23.7	-23.7	
50.0	0.0	0.80	3.3	3.4	
50.0	5.0	0.80	2.2	2.2	
50.0	10.0	0.80	1.0	0.9	
50.0	20.0	0.80	-1.7	-1.8	
50.0	30.0	0.80	-4.7	-4.8	
50.0	40.0	0.80	-8.0	-8.0	
50.0	50.0	0.80	-11.5	-11.5	
50.0	60.0	0.80	-15.3	-15.2	
50.0	70.0	0.80	-19.2	-19.2	
50.0	75.0	0.80	-21.2	-21.3	
50.0	0.0	1.00	4.2	4.3	
50.0	5.0	1.00	3.2	3.2	
50.0	10.0	1.00	2.2	2.1	
50.0	20.0	1.00	-0.2	-0.3	
50.0	30.0	1.00	-3.0	-3.1	
50.0	40.0	1.00	-6.1	-6.1	
50.0	50.0	1.00	-9.6	-9.5	
50.0	60.0	1.00	-13.2	-13.1	-13.2
50.0	70.0	1.00	-17.1	-17.1	
50.0	75.0	1.00	-19.1	-19.1	
50.0	0.0	1.20	5.1	5.2	
50.0	5.0	1.20	4.3	4.3	
50.0	10.0	1.20	3.4	3.3	
50.0	20.0	1.20	1.2	1.1	
50.0	30.0	1.20	-1.4	-1.5	
50.0	40.0	1.20	-4.4	-4.4	
50.0	50.0	1.20	-7.7	-7.6	
50.0	60.0	1.20	-11.2	-11.1	
50.0	70.0	1.20	-15.0	-15.0	
50.0	75.0	1.20	-16.9	-17.0	