

GENERAL ATOMIC

DIVISION OF GENERAL DYNAMICS

GPO PRICE \$ _____

GA-6637

CFSTI PRICE(S) \$ _____

Hard copy (HC) 4.00

Microfiche (MF) 1.00

NASA CR71162

ff 653 July 65

GAROL

A COMPUTER PROGRAM FOR EVALUATING RESONANCE
ABSORPTION INCLUDING RESONANCE OVERLAP

by

C. A. Stevens and C. V. Smith

FACILITY FORM 602

N66-20895

(ACCESSION NUMBER)

143

(PAGES)

CR 71162

(NASA CR OR TMX OR AD NUMBER)

(THRU)

(CODE)

24
(CATEGORY)

August 24, 1965

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the National Aeronautics and Space Administration (NASA), nor any person acting on behalf of NASA:

A.) Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B.) Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method or process disclosed in this report.

As used above, "person acting on behalf of NASA" includes any employee or contractor of NASA, or employee of such contractor, to the extent that such employee or contractor of NASA, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with NASA, or his employment with such contractor.

Requests for copies of this report should be referred to

National Aeronautics and Space Administration
Office of Scientific and Technical Information
Attention: AFSS-A
Washington, D. C. 20546

GENERAL ATOMIC
DIVISION OF
GENERAL DYNAMICS

JOHN JAY HOPKINS LABORATORY FOR PURE AND APPLIED SCIENCE

P.O. BOX 608, SAN DIEGO, CALIFORNIA 92112

GA-6637

GAROL
A COMPUTER PROGRAM FOR EVALUATING RESONANCE
ABSORPTION INCLUDING RESONANCE OVERLAP

by

C. A. Stevens and C. V. Smith

This research was initiated under General Atomic sponsorship and continued under National Aeronautics and Space Administration Contract SNPC-27 and U.S. Atomic Energy Commission Contract AT(04-3)-167, P. A. 17.

August 24, 1965

The GAROL computer code is described herein as it existed on August 24, 1965 .

General Atomic has exercised due care in preparation, but does not warrant the merchantability, accuracy, and completeness of the code or of its description contained herein. The complexity of this kind of program precludes any guarantee to that effect. Therefore, any user must make his own determination of the suitability of the code for any specific use, and of the validity of the information produced by use of the code.

TABLE OF CONTENTS

ABSTRACT	1
INTRODUCTION	2
DESCRIPTION OF THE GAROL PROGRAM	3
General Features	3
Equations to be Solved	3
Collision Probabilities	6
Cross Sections	9
The Numerical Flux Computation	15
Averaging of Cross Sections	20
An Application of the GAROL Program	22
Output from GAROL	25
Efficient Use of GAROL	25
OPERATING INSTRUCTIONS	26
Computer and Tape Requirements	26
Input Specifications for GAROL	27
GAROL Error Table	35
GAROL Starter Deck and Sample Problem	36
Listing of the GAROL Program	65
References	126

LIST OF TABLES

I.	Resonance Integral of Thorium Doublet in Th Metal Rods	23
II.	Doppler Effect in Thorium Doublet for Th Metal Rods	24
III.	Resonance Integral of Thorium Doublet in ThO ₂ Rods	24
IV.	Doppler Effect in Thorium Doublet for ThO ₂ Rods	24

ABSTRACT

20895

A computer program, GAROL, has been written to study resonance absorption. The program is an improvement over other programs, presently in use, by virtue of its ability to handle overlap effects between resonances of a resonance absorber and of mixtures of resonance absorbers. In addition, a wide choice of geometry, energy mesh spacings, and cross section representation is available to the user.

Quinn

INTRODUCTION

Resonance absorption is a subject of considerable interest to designers of nuclear reactors. Accordingly, a considerable amount of work has been done in this area. For a good, up-to-date, summary the reader is referred to the work of Nordheim.⁽¹⁾

One of the assumptions which has been included in most treatments of resonance absorption is that, in a mixture of resonance absorbers, the total absorption may be obtained by summing the absorptions in each resonance of each nuclide, each being computed as if the other resonances were not present. The GAROL computer program does not make this assumption; it explicitly takes into account those effects which arise from resonance overlap of an individual resonance absorber and of mixtures of different resonance absorbers. It is conventional to consider the problem as a lattice of absorber imbedded in a purely scattering medium in which the flux is taken to be $\frac{1}{E}$. Thus the flux dips in the scattering medium due to absorptions in the lump are neglected. For tight lattices, this approximation can be poor. The GAROL program does not make this assumption; it solves two coupled integral equations for the fluxes in each region.

It is in these respects that this work represents an improvement over other computer programs used for computing resonance absorption; see for instance reference (2).

DESCRIPTION OF THE GAROL PROGRAM

General Features

The GAROL computer program is quite versatile. It allows an unlimited number of energy points, with flexibility regarding the layout of the mesh. The mesh may be chosen at equal energy or lethargy intervals; it may be chosen to be proportional to the neutron velocity ($\Delta E \sim \sqrt{E}$), or it may be an arbitrary table of mesh points. The program allows a choice of geometries: homogeneous, cylindrical, plane, spherical, or it can accept an arbitrary table of escape probabilities. Regardless of the geometry, a Dancoff correction may be used to account for shadowing effects in a tight lattice. The program can accommodate a mixture of up to ten isotopes. A cross section tape generated in a GAROL run can be used again in subsequent runs, thus allowing a saving of computer time. Cross sections may be $\frac{1}{v}$, constant, computed from single level Breit-Wigner resonance parameters, or they may be given in tabular form.

The output includes integrated fluxes over desired energy bands, for each region and for the cell. It contains average microscopic cross sections for capture, fission, and scattering for each isotope, for each region and for the cell. At the user's option, one can obtain pointwise values for the flux, source, total cross section, and collision density $[E\Sigma_t(E)\phi(E)]$ for each region. Also at the user's option, he may obtain graphical results, automatically generated on an electronic plotter.

Equations to be Solved

Consider a lattice of absorber lumps, denoted by the index 1, imbedded in another medium, not necessarily a pure scatterer, which is denoted by index 2. The average flux in the two media may be obtained as the solutions of the integral equation

$$\begin{aligned} V_1 \Sigma_{T1} \phi_1(E) = & (1 - P_1) V_1 \sum_{i=1}^M \frac{N_{1i}}{1 - \alpha_i} \int_E^{E/\alpha_i} \frac{\sigma_{si}(E')}{E'} \phi_1(E') dE' \\ & + P_2 V_2 \sum_{i=1}^M \frac{N_{2i}}{1 - \alpha_i} \int_E^{E/\alpha_i} \frac{\sigma_{si}(E')}{E'} \phi_2(E') dE' \\ & + V_1 (1 - P_1) Q_1(E) + V_2 P_2 Q_2(E) \end{aligned} \quad (1)$$

and another one just like it, but with the subscripts 1 and 2 reversed. The notation of Equation (1) is as follows:

V_k is the volume of region k.

$\Sigma_{tk}(E)$ is the total macroscopic cross section of region k.

$\phi_k(E)$ is the average flux in region k.

P_k is the escape probability from region k.

N_{ki} is the number density of isotope i in region k.

$\sigma_{si}(E')$ is the microscopic scattering cross section of isotope i.

$\alpha_i = \left(\frac{A_i - 1}{A_i + 1} \right)^2$, where A_i is the atomic weight of isotope i.

$Q_k(E)$ = source in region k.

We wish to restrict the energy range of interest to the interval (E_1, E_N) , with $E_1 > E_N$, such that below E_1 , we may ignore such high energy processes as inelastic scattering, anisotropic scattering in the center of mass coordinate system, and birth of neutrons from fission. In fact, we would like this to be true even for an energy range above E_1 so that in the absence of absorption in that range, we would have a $1/E$ flux. Above E_N , we assume that the velocity of the neutrons is sufficiently large so that the scattering kernel may be obtained from the mechanics of neutrons colliding with free and stationary atoms. In other words, upscattering and binding effects may be ignored, as is already implied by Equation (1).

By use of the Heaviside function $H(x)$, defined by

$$\begin{aligned} H(x) &= 1 \quad \text{for } x \geq 0 \\ &= 0 \quad \text{for } x < 0, \end{aligned}$$

we can rewrite Equation (1) in a more convenient form,

$$\begin{aligned}
V_1 \Sigma_{T1} \phi_1(E) &= (1 - P_1) V_1 \sum_{i=1}^M \frac{N_{1i}}{1 - \alpha_i} \int_E^{E_1} \frac{\sigma_{si}(E')}{E'} H(E - \alpha_i E') \phi_1(E') dE' \\
&+ P_2 V_2 \sum_{i=1}^M \frac{N_{2i}}{1 - \alpha_i} \int_E^{E_1} \frac{\sigma_{si}(E')}{E'} H(E - \alpha_i E') \phi_2(E') dE' \quad (2) \\
&+ V_1 (1 - P_1) S_1(E) + V_2 P_2 S_2(E),
\end{aligned}$$

where we have removed the direct sources Q_k , and where

$$S_k(E) = \sum_{i=1}^M \frac{N_{ki}}{1 - \alpha_i} \int_{E_1}^{E/\alpha_i} \frac{\sigma_{si}(E')}{E'} H(E - \alpha_i E') \phi_k(E') dE' \quad (3)$$

If we assume that in the interval $(E_1, E_1/\alpha)$ the flux has the magnitude $1/E$, that it is spatially flat and isotropic, and that the scattering cross section is independent of energy, we can easily evaluate the integral in Equation (3) to obtain

$$S_k(E) = \sum_{i=1}^M \frac{N_{ki} \sigma_{si}}{1 - \alpha_i} \left(\frac{1}{E_1} - \frac{\alpha_i}{E} \right) H(E - \alpha_i E_1) \quad (4)$$

The quantity $S_k(E)$ may now be considered as an external source which is normalized so that

$$\int_0^{E_1} S_k(E) dE = \sum_{i=1}^M \frac{N_{ki} \sigma_{si}}{1 - \alpha_i} \int_{\alpha E_1}^{E_1} \left(\frac{1}{E_1} - \frac{\alpha_i}{E} \right) dE = \sum_{i=1}^M N_{ki} \sigma_{si} \xi_i \quad (5)$$

where ξ_i is the usual

$$\xi_i = 1 + \frac{\alpha_i}{1 - \alpha_i} \ln \alpha_i \quad (6)$$

From Equation (5), we see that the integrated source from each isotope is proportional to $\sigma_s \xi$ for that isotope. In addition to this source, another source of arbitrary energy dependence may be superposed on it by the user of the GAROL program.

Collision Probabilities

The manner by which the collision probabilities ($1.0 - P_k$) are computed is based upon the frequently used assumption that they may be computed for a flat source in each region. For standard geometries, these are obtained directly from Case, de Hoffmann, and Placzek.⁽³⁾ For more complicated geometries it is possible to generate collision probabilities by other means, usually with one velocity transport theory solutions, and to use these directly in the GAROL program.

The collision probabilities for the two regions are related in a very simple manner. In order to see this, let $G(x, x')$ be the flux at the point x due to a unit source at point x' in a one velocity problem. The well known reciprocity theorem⁽⁵⁾ states that

$$G(x, x') = G(x', x) \quad (7)$$

If we consider a two region problem in which region 1 has a source $S_1(x)$, the total flux at any point x will be

$$\varphi(x) = \int_{V_1} S_1(x') G(x, x') d^3x'$$

where V_1 denotes that the integral is carried out over region 1.

The collision rate in region 2, which is equal to the escape rate from region 1 since all collisions effectively remove neutrons from the velocity of interest, is

$$\int_{V_2} \Sigma_{t2} \varphi(x) d^3x = \int_{V_2} d^3x \int_{V_1} d^3x' \Sigma_{t2}(x) S_1(x') G(x, x')$$

The escape probability is given by

$$P_1 = \frac{\int_{V_2} \Sigma_{t2} \varphi(x) d^3x}{\int_{V_1} S_1(x) d^3x} = \frac{\int_{V_2} d^3x \int_{V_1} d^3x' \Sigma_{t2}(x) S_1(x') G(x, x')}{\int_{V_1} S_1(x) d^3x} \quad (10)$$

If Σ_{t2} and S_1 are constants, the escape probability becomes

$$P_1 = \frac{\Sigma_{t2} \int_{V_2} d^3x \int_{V_1} d^3x' G(x, x')}{V_1} \quad (11)$$

or

$$\int_{V_2} d^3x \int_{V_1} d^3x' G(x, x') = \frac{P_1 V_1}{\Sigma_{t2}} \quad (12)$$

In exactly the same way, we obtain

$$\int_{V_1} d^3x \int_{V_2} d^3x' G(x, x') = \int_{V_2} d^3x \int_{V_1} d^3x' G(x', x) = \frac{P_2 V_2}{\Sigma_{t1}} \quad (13)$$

Now, by using the reciprocity relation, Equation (7), and comparing Equations (12) and (13), we obtain

$$P_1 V_1 \Sigma_{t1} = P_2 V_2 \Sigma_{t2} \quad (14)$$

So, once P_1 has been computed, P_2 may be obtained simply by use of Equation (14).

The escape probabilities in the GAROL program are computed from the flat source assumption. For the simple geometries, these have been developed by Case, et. al.⁽³⁾ We summarize their results as they are applicable to the GAROL program.

Let $\bar{\ell}_1$ denote the mean chord length of region 1, and Σ_{t1} be the total macroscopic cross section in the region.

For a sphere of radius r :

$$r = \frac{3}{4} \bar{\ell}_1 \quad (15)$$

With $x = r\Sigma_{t1}$, we have for

$x \leq 0.02$

$$P_1(x) = 1 - \frac{3x}{4} \quad (16)$$

$$\underline{0.02 < x < 5.0}$$

$$P_1(x) = \frac{3}{8x^3} [2x^2 - 1 + (1 + 2x)e^{-2x}] \quad (17)$$

$$\underline{x \geq 5.0}$$

$$P_1(x) = \frac{3}{4x} \left[1 - \frac{1}{2x^2}\right] \quad (18)$$

For an infinite cylinder with radius r:

$$r = \frac{\bar{l}_1}{2} \quad (19)$$

With $x = r\Sigma_{t1}$, we have for

$$\underline{x < 0.1}$$

$$P_1(x) = 1 - \frac{4x}{3} + \frac{x^2}{2} \ln \frac{2}{x} + \frac{x^2}{2} \left(\frac{5}{4} - \gamma\right) \quad (20)$$

in which Euler's constant $\gamma = 0.577216 \dots$

$$\underline{0.1 \leq x \leq 6.0}$$

Interpolation from tables.

$$\underline{x \geq 6.0}$$

$$P_1(x) = \frac{1}{2x} - \frac{3}{32x^3} \quad (21)$$

For a slab of half thickness a:

$$a = \frac{\bar{l}_1}{4} \quad (22)$$

With $x = a\Sigma_{t1}$, we have for

$$\underline{x < 0.05}$$

$$P_1(x) = 1 - x \ln \frac{1}{2x} - x \left(\frac{3}{2} - \gamma\right) - \frac{2x^2}{3} \quad (23)$$

again with $\gamma = 0.577216 \dots$

$$\underline{0.05 \leq x \leq 5.0}$$

Interpolation from tables.

$$\underline{x > 5.0}$$

$$P_1(x) = \frac{1}{4x} \quad (24)$$

For an arbitrary geometry:

$$\text{with } x = \frac{\bar{l}_1 \Sigma_{t1}}{2}$$

we use for

$$\underline{0.0 \leq x \leq 6.0}$$

Interpolation from tables which are supplied by the user.

$$\underline{x \geq 6.0}$$

$$P_1(x) = \frac{C_1}{x} + \frac{C_2}{x^2} + \frac{C_3}{x^3} \quad (25)$$

in which the constants C_1 , C_2 , and C_3 are supplied by the user.

A Dancoff correction factor, C , can be applied for tight lattice calculations. It is used to modify the escape probability P_1 by the formula

$$P_1^* = P_1 \frac{1 - C}{1 - (1 - \Sigma_t \bar{l}_1 P_1) C} \quad (26)$$

where \bar{l}_1 is the mean chord length of region 1. Equation (26) is due to Nordheim.⁽⁴⁾ It is a good approximation for lumps of any degree of grayness. If region 2 contains cross sections which vary with energy, the factor C depends upon energy. The GAROL program at present allows only one constant number for C , so it should be used with reservation on a tight lattice problem with a variable cross section in region 2.

Cross Sections

Cross sections may be used in a number of ways. These include:

- 1) one number, to represent a $\frac{1}{v}$ capture cross section, or a constant scattering cross section

- 2) a tabulated set of pointwise cross sections
- 3) a set of single level Breit-Wigner parameters, from which the GAROL program computes pointwise cross sections.

If it is desired to have the program compute cross sections from resonance parameters, the following computations are carried out within the computer program.

The cross sections are given by the usual formulae,

$$\sigma_a = \frac{\Gamma_Y}{\Gamma} \sqrt{\frac{E_0}{E}} \sigma_0 \psi(\xi, x), \quad (27)$$

$$\sigma_f = \frac{\Gamma_f}{\Gamma} \sqrt{\frac{E_0}{E}} \sigma_0 \psi(\xi, x), \quad (28)$$

$$\sigma_s = \frac{\Gamma_n^0 \sqrt{E_0}}{\Gamma} \sigma_0 \psi(\xi, x) + \left(\sigma_0 \sigma_p g \frac{\Gamma_n^0 \sqrt{E_0}}{\Gamma} \right)^{1/2} \chi(\xi, x) + \sigma_p \quad (29)$$

where

$$\xi = \frac{\Gamma}{\Gamma_D} = \sqrt{\frac{A\Gamma^2}{4EkT}} \quad (30)$$

is the ratio of the natural width to the Doppler width,

$$\sigma_0 = \frac{2.6 \times 10^6}{\sqrt{E_0}} g \frac{\Gamma_n^0}{\Gamma} \quad (31)$$

is the value of the peak of the total cross section at zero temperature,

$$\Gamma_n = \Gamma_n^0 \sqrt{E} \quad (32)$$

is the neutron width, Γ_n^0 being the reduced neutron width. Γ_Y , Γ_f , and Γ are the capture, fission and total widths, respectively. g is the statistical factor,

$$g = \frac{2J + 1}{2(2I + 1)} \quad (33)$$

where I is the nuclear spin and J is the spin of the compound nucleus. σ_p is the potential cross section and the shape functions ψ and χ are given by

$$\psi(\xi, x) = \frac{\xi}{\sqrt{4\pi}} \int_{-\infty}^{\infty} \frac{e^{-(x-y)^2 \xi^2/4}}{1+y^2} dy \quad (34)$$

and

$$\chi(\xi, x) = \frac{2\xi}{\sqrt{4\pi}} \int_{-\infty}^{\infty} \frac{y e^{-(x-y)^2 \xi^2/4}}{1+y^2} dy. \quad (35)$$

x is given by

$$x = \frac{2(E - E_0)}{\Gamma}, \quad (36)$$

E_0 is the position of the center of the resonance, E is the neutron energy and T is the absolute temperature.

The method used to evaluate the shape functions is one devised by Triplett, Merrill, and Burr.⁽⁵⁾

Whenever accuracy permits it, five terms of an asymptotic series expansion are used to evaluate the line shapes.

The asymptotic series for ψ is

$$\psi(x, \xi) = \sum_{k=0}^{\infty} \alpha_k \left(\frac{4}{\xi^2}\right)^k (x^2 + 1)^{-\left(\frac{2k+1}{2}\right)} \sin[(2k+1) \sin^{-1}(x^2 + 1)^{-\frac{1}{2}}] \quad (37)$$

where

$$\alpha_0 = 1$$

$$\alpha_k = \frac{1.3.5 \dots (2k-1)}{2^k}, \quad k=1, 2, \dots \quad (38)$$

From the relation,

$$\chi(x, \xi) = 2x\psi(x, \xi) + \frac{4}{\xi^2} \frac{\partial \psi}{\partial x}(x, \xi) \quad (39)$$

we obtain

$$\chi(x, \xi) = \sum_{k=0}^{\infty} 2\alpha_k \left(\frac{4}{\xi^2}\right)^k (x^2 + 1)^{-\frac{2k+1}{2}} \left\{ \frac{-2(2k+1)}{\xi^2(1+x^2)} \cos[(2k+1)\sin^{-1}(x^2+1)^{\frac{1}{2}}] \right. \\ \left. + x \left(1 - \frac{2(2k+1)}{\xi^2(1+x^2)} \sin[(2k+1)\sin^{-1}(x^2+1)^{\frac{1}{2}}] \right) \right\} \quad (40)$$

If we set

$$J_k(x) = (x^2 + 1)^{-\frac{1}{2}} \sin[(2k+1)\sin^{-1}(x^2+1)^{\frac{1}{2}}] \quad (41)$$

and

$$H_k(x) = (x^2 + 1)^{-\frac{1}{2}} \cos[(2k+1)\sin^{-1}(x^2+1)^{\frac{1}{2}}], \quad (42)$$

we have

$$\psi(x, \xi) = \sum_{k=0}^{\infty} \alpha_k \left[\frac{4}{\xi^2(x^2+1)} \right]^k J_k(x) \quad (43)$$

and

$$\chi(x, \xi) = \sum_{k=0}^{\infty} 2\alpha_k \left[\frac{4}{\xi^2(x^2+1)} \right]^k x J_k(x) - \frac{2}{\xi^2} \frac{(2k+1)}{(1+x^2)} (x J_k(x) + H_k(x)) \quad (44)$$

By using elementary trigonometric formulae, it can be shown that Equations (41) and (42) are easily evaluated by the recursion equations

$$J_0(x) = \frac{1}{1+x^2} \quad (45)$$

$$H_0(x) = \frac{x}{1+x^2} \quad (46)$$

$$J_{k+1}(x) = \frac{x^2-1}{x^2+1} J_k(x) + \frac{2x}{x^2+1} H_k(x) \quad (47)$$

$$H_{k+1}(x) = \frac{x^2 - 1}{x^2 + 1} H_k(x) - \frac{2x}{x^2 + 1} J_k(x) \quad (48)$$

In the GAROL program, the first five terms of Equations (43) and (44) are used, and Equations (45) to (48) are used to compute individual terms of the series.

When it is not sufficiently accurate to use the asymptotic series, a convergent series is used. The latter is not used for all x and ξ values because of computer time considerations.

The convergent series for ψ is

$$\psi(x, \xi) = \exp[-x^2 z] \sum_{k=0}^{\infty} \frac{1}{k!} (xz)^{2k} \Gamma_k(z) \quad (49)$$

where

$$z = \frac{\xi^2}{4}$$

and

$$\Gamma_k(z) = \sqrt{z} e^z \int_z^{\infty} e^{-u} u^{-(k+\frac{1}{2})} du \quad (50)$$

By using Equation (39), we also have

$$\chi(x, \xi) = 2xz \exp[-x^2 z] \sum_{k=0}^{\infty} \frac{1}{k!} (xz)^{2k} \Gamma_{k+1}(z) \quad (51)$$

$\Gamma_k(z)$ may be obtained from the recursion relation

$$\Gamma_{k+1}(z) = \frac{2}{2k+1} \left[\left(\frac{1}{z}\right)^k - \Gamma_k(z) \right] \quad (52)$$

and

$$\Gamma_0(z) = z^{\frac{1}{2}} e^z \int_z^{\infty} e^{-u} u^{-\frac{1}{2}} du \quad (53)$$

The quantity $\Gamma_0(z)$ may also be written as

$$\Gamma_0(z) = z^{\frac{1}{2}} e^z (\sqrt{\pi} - \gamma(\frac{1}{2}, z)) \quad (54)$$

where

$$\gamma(a, z) = \int_0^z e^{-u} u^{a-1} du \quad (55)$$

is the incomplete gamma function, or it may be expressed in terms of the normalized error function as

$$\Gamma_0(z) = \sqrt{\pi z} e^z (1 - \text{erf}(\sqrt{z})) \quad (56)$$

In the GAROL computer program $\Gamma_0(z)$ is computed from Equation (56) using the expansion

$$\text{erf}(x) = \frac{2}{\sqrt{\pi}} \left(x - \frac{x^3}{1!3} + \frac{x^5}{2!5} - \frac{x^7}{3!7} + \dots \right) \quad (57)$$

whenever $z \leq 8.4$.

$\Gamma_0(z)$ is computed from the continued fraction

$$\Gamma_0(z) = \frac{1}{\frac{1}{1} + \frac{1}{\frac{2z}{2z} + \frac{2}{\frac{z}{z} + \frac{3}{\frac{2z}{2z} + \frac{4}{\frac{z}{z} + \frac{5}{\frac{2z}{2z} + \frac{6}{\frac{z}{z} + \frac{7}{\frac{2z}{2z} + 2.5}}}}}}}}}} \quad (58)$$

if $z > 8.4$.

When the convergent series is used for a given x and ξ , $\Gamma_0(z)$ needs to be computed only once. The remaining $\Gamma_k(z)$ are obtained rapidly from Equation (52).

The regions in the x, ξ plane for which the convergent or asymptotic series are to be used must be determined experimentally. The division which is given in Reference (5) has been found to be unsatisfactory. In the GAROL program, the convergent series is used whenever

$$\begin{array}{ll}
0 \leq x < 1.2 & \text{and} \quad \frac{4}{\xi^2} \geq 0.275 x^2 + 0.05 \\
1.2 \leq x < 10 & \text{and} \quad \frac{4}{\xi^2} \geq 0.12 x^2 + 0.28 \\
10 \leq x < 100 & \text{and} \quad \frac{4}{\xi^2} > 0.08 x^2 + 1.8 \\
100 \leq x < 500 & \text{and} \quad \frac{4}{\xi^2} > 0.0717 x^2 + 83 \\
500 < x < 2500 & \text{and} \quad \frac{4}{\xi^2} > 0.0635 x^2 + 2100 \\
x > 2500 & \text{and} \quad \frac{4}{\xi^2} \geq 0.111 x^{1.93}
\end{array} \tag{59}$$

For other values the asymptotic series has good accuracy and is therefore used.

Cross sections are computed in this manner for a finite interval around each resonance; that is, the method just described is used whenever

$$|x| \min(\xi, 1) < 150 \tag{60}$$

Outside of this interval, the scattering cross section is taken to be constant and equal to the potential cross sections. When computing the capture cross section for $x \min(\xi, 1) < -150$ the line shape ψ is taken to be first term of its asymptotic series, or

$$\psi(x, \xi) = \frac{1}{1 + x^2} . \tag{61}$$

For neutron energies such that $x \min(\xi, 1) > 150$, the capture cross section is assumed to be zero.

The Numerical Flux Computation

Let us first evaluate the integral

$$\int_E^{E_1} \frac{\sigma_s(E')}{E'} H(E - \alpha E') \varphi(E') dE'$$

numerically. This integral is typical of the type which appears in Equation (2). Break up the integral into a sum of integrals,

$$\int_E^{E/\alpha} \frac{\sigma_s(E')}{E'} H(E - \alpha E') \varphi(E') dE' = \sum_{j=p+1}^i \int_{E_j}^{E_{j-1}} \frac{\sigma_s(E')}{E'} \varphi(E') dE' + \int_{E_p}^{E_1} \frac{\sigma_s(E')}{E'} H(E_1 - \alpha E') \varphi(E') dE' \quad (62)$$

where the discrete variable E_i replaces E , and E_p is the discrete energy mesh point just below E_1/α . Note that if $E_1/\alpha > E_1$, $p=1$, and the last integral contributes nothing. For each interval (E_j, E_{j-1}) assume that $\sigma_s(E)\varphi(E)$ is linear; that is

$$\sigma_s(E)\varphi(E) = \frac{1}{E_{j-1} - E_j} [(E - E_j)\sigma_{s,j-1}\varphi_{j-1} + (E_{j-1} - E)\sigma_{s,j}\varphi_j] \quad (63)$$

where $\sigma_{s,j}$ and φ_j are the scattering cross section and flux at the energy E_j .

For the integral whose limits are (E_p, E_1) assume that $\sigma_s\varphi$ is linear in the interval $(E_p, E_1/\alpha)$,

$$\sigma_s(E)\varphi(E) = \frac{1}{E_1/\alpha - E_p} [(E - E_p)\sigma_s(\frac{E_1}{\alpha})\varphi(\frac{E_1}{\alpha}) + (\frac{E_1}{\alpha} - E)\sigma_{s,p}\varphi_p] \quad (64)$$

But E_1/α generally does not correspond to a mesh point and so we express $\sigma_s(\frac{E_1}{\alpha})\varphi(\frac{E_1}{\alpha}) \equiv \sigma_{s,p}^*\varphi_p^*$, by linear interpolation, in terms of its value at the two surrounding mesh points p and $p-1$. Then

$$\sigma_{s,p}^*\varphi_p^* = \frac{1}{E_{p-1} - E_p} [(E_{p-1} - \frac{E_1}{\alpha})\sigma_{s,p}\varphi_p + (\frac{E_1}{\alpha} - E_p)\sigma_{s,p-1}\varphi_{p-1}] \quad (65)$$

Inserting Equations (63) and (64) into Equation (62) gives

$$\int_E^{E/\alpha} \frac{\sigma_s(E')}{E'} H(E - \alpha E') \varphi(E') dE' = \sigma_{s,p} \varphi_p \beta_p + \sigma_{s,i} \varphi_i \gamma_i \quad (66)$$

$$+ \sum_{j=p+1}^{i-1} \sigma_{s,j} \varphi_j \delta_j + C_p$$

where

$$\beta_k = 1 - \frac{E_{k+1}}{E_k - E_{k+1}} \ln \frac{E_k}{E_{k+1}} \quad (67)$$

$$\gamma_k = \frac{E_{k-1}}{E_{k-1} - E_k} \ln \frac{E_{k-1}}{E_k} - 1 \quad (68)$$

$$\delta_k = \beta_k + \gamma_k \quad (69)$$

and

$$C_p = \frac{1}{2} \left(\frac{E_i}{\alpha} - E_p \right) \left(\frac{\sigma_{s,p} \varphi_p}{E_p} + \frac{\sigma_{s,p}^* \varphi_p^* \alpha}{E_i} \right) \quad (70)$$

unless $p = 1$, in which case

$$C_p = 0. \quad (71)$$

C_p is the evaluation of the last integral of Equation (62).

The special case for which $p=i$ corresponds to mesh points that are spaced sufficiently wide apart so that, for some isotope, $\alpha E_{i-1} > E_i$. For this case, the integral on the left hand side of Equation (62) is

$$\int_E^{E/\alpha} \frac{\sigma_s(E')}{E'} H(E - \alpha E') \varphi(E') dE' = C_i = \frac{1}{2} \left(\frac{1}{\alpha} - 1 \right) (\sigma_{s,i} \varphi_i + \sigma_{s,i}^* \varphi_i^* \alpha) \quad (72)$$

and, from Equation (65),

$$\sigma_{s,i}^* \varphi_i^* = \frac{1}{E_{i-1} - E_i} \left[(E_{i-1} - \frac{E_i}{\alpha}) \sigma_{s,i} \varphi_i + E_i \left(\frac{1}{\alpha} - 1 \right) \sigma_{s,i-1} \varphi_{i-1} \right] \quad (73)$$

Insertion of Equation (73) into Equation (72) gives, for the special case $p=i$,

$$\int_E^{E/\alpha} \frac{\sigma_s(E')}{E'} H(E - \alpha E') \varphi(E') dE' = a_i \sigma_{s,i} \varphi_i + b_i \sigma_{s,i-1} \varphi_{i-1} \quad (74)$$

where

$$a_i = \frac{1 - \alpha}{2\alpha} \left[1 + \frac{\alpha E_{i-1} - E_i}{E_{i-1} - E_i} \right] \quad (75)$$

and

$$b_i = \frac{(1 - \alpha)^2}{2\alpha} \frac{E_i}{E_{i-1} - E_i} \quad (76)$$

We are now ready to write Equation (2) in its finite differenced form. The equation is

$$\begin{aligned} V_1 \Sigma_{t1,i} \varphi_{1i} &= (1 - P_1) V_1 \sum_{k=1}^M \frac{N_{1k}}{1 - \alpha_k} (Z_{1ki} + W_{1ki} \varphi_{1i}) \\ &+ P_2 V_2 \sum_{k=1}^M \frac{N_{2k}}{1 - \alpha_k} (Z_{2ki} + W_{2ki} \varphi_{2i}) \\ &+ V_1 (1 - P_1) S_{1i} + V_2 P_2 S_{2i} \end{aligned} \quad (77)$$

where

$$Z_{nki} = \sigma_{s,kp} \varphi_p \beta_p + \sum_{j=p+1}^{i-1} \sigma_{s,kj} \varphi_j \delta_j + C_{pk} \quad (78)$$

and

$$W_{nki} = \sigma_{s,ki} \gamma_i \quad (79)$$

if $p \neq i$. If $p = i$, that is if $\alpha_k E_{i-1} > E_i$, we have instead

$$Z_{nki} = b_{ik} = \frac{(1 - \alpha_k)^2}{2\alpha_k} \frac{E_i}{E_{i-1} - E_i} \quad (80)$$

and

$$W_{nki} = \frac{1 - \alpha_k}{2\alpha_k} \left[1 + \frac{\alpha_k E_{i-1} - E_i}{E_{i-1} - E_i} \right] \quad (81)$$

In Equations (78) and (81) the subscripts n and k denote the region and the isotope, respectively. With some additional abbreviated notation, we can write Equation (77) in a more compact manner. Define

$$D_{ni} = V_n \left\{ \Sigma_{tn,i} - (1 - P_n) \sum_{k=1}^M \frac{N_{nk}}{1 - \alpha_k} W_{nki} \right\} \quad (82)$$

$$Q_{ni} = V_n P_n \sum_{k=1}^M \frac{N_{nk}}{1 - \alpha_k} W_{nki} \quad (83)$$

and

$$\begin{aligned} T_{nmi} = & V_n (1 - P_n) \sum_{k=1}^M \frac{N_{nk}}{1 - \alpha_k} Z_{nki} + V_m P_m \sum_{k=1}^M \frac{N_{mk}}{1 - \alpha_k} Z_{mki} \\ & + V_n (1 - P_n) S_{ni} + V_m P_m S_{mi} \end{aligned} \quad (84)$$

In terms of these, Equation (77) becomes

$$D_{1i} \phi_{1i} - Q_{2i} \phi_{2i} = T_{12i} \quad (85)$$

As was mentioned below Equation (1), there exists another equation like it, but with the subscripts 1 and 2 reversed. In the notation of Equation (85) that second equation is

$$D_{2i} \phi_{2i} - Q_{1i} \phi_{1i} = T_{21i} \quad (86)$$

We may solve Equations (85) and (86) simultaneously to obtain

$$\phi_{1i} = \frac{T_{12i} D_{2i} + Q_{2i} T_{21i}}{D_{2i} D_{1i} - Q_{1i} Q_{2i}} \quad (87)$$

and

$$\phi_{2i} = \frac{T_{21i} D_{1i} + Q_{1i} T_{12i}}{D_{2i} D_{1i} - Q_{1i} Q_{2i}} \quad (88)$$

The GAROL computer program evaluates Equations (87) and (88) for each i , one at a time beginning with $i=1$, until the complete flux solution has been obtained.

Averaging of Cross Sections

With the GAROL computer program, it is possible to obtain flux weighted cross sections over any desired energy bands. In addition a one group average, covering the entire range of the calculation, is always obtained. All of the integrals are carried out by the trapezoidal approximation. Let Σ_{α} denote the cross section for any reaction. This may be capture, scattering, or fission. Quite generally, a cell averaged macroscopic cross section may be defined by

$$\Sigma_{\alpha} = \frac{\int dE \int dV \int d\Omega \Sigma_{\alpha}(r, E, \Omega) \phi(r, E, \Omega)}{\int dE \int dV \int d\Omega \phi(r, E, \Omega)} \quad (89)$$

where the angular integration is carried out over the full range, the volume is taken over the entire cell, and the energy integration is carried out over the energy group limits of interest.

For our two region cell, we define the integrated quantities

$$V_1 \phi_1(E) = \int_{V_1} dV \int d\Omega \phi(r, E, \Omega) \quad (90)$$

$$V_2 \varphi_2(E) = \int_{V_2} dV \int d\Omega \varphi(r, E, \Omega). \quad (91)$$

The energy dependent fluxes $\varphi_1(E)$ and $\varphi_2(E)$ are the fluxes of Equation (1). If $\Sigma_\alpha(r, E)$ has the simple form

$$\Sigma_\alpha(r, E) = N_1 \sigma_\alpha(E) \quad (92)$$

in V_1 and

$$\Sigma_\alpha(r, E) = N_2 \sigma_\alpha(E) \quad (93)$$

in V_2 , in which the number densities of the isotopes of interest are constant in each region, Equation (89) may be greatly simplified. Usually Equations (92) and (93) are satisfied; in fact, most often $N_2 = 0$. Using Equations (90) to (93) in (89) gives

$$\bar{\Sigma}_\alpha = \frac{N_1 V_1 \int \sigma_\alpha(E) \varphi_1(E) dE + N_2 V_2 \int \sigma_\alpha(E) \varphi_2(E) dE}{V_1 \int \varphi_1(E) dE + V_2 \int \varphi_2(E) dE} \quad (94)$$

If we define a flux weighted cross section for each region i by

$$\bar{\sigma}_{\alpha, i} = \frac{\int \sigma_\alpha(E) \varphi_i(E) dE}{\bar{\varphi}_i} \quad (95)$$

where $\bar{\varphi}_i$ is the group integrated flux

$$\bar{\varphi}_i = \int \varphi_i(E) dE, \quad (96)$$

Equation (94) becomes

$$\bar{\Sigma}_\alpha = \frac{N_1 V_1 \bar{\sigma}_{\alpha, 1} \bar{\varphi}_1 + N_2 V_2 \bar{\sigma}_{\alpha, 2} \bar{\varphi}_2}{V_1 \bar{\varphi}_1 + V_2 \bar{\varphi}_2} \quad (97)$$

We wish to compute a cell averaged microscopic cross section such that when it is multiplied by the number density of the isotope, homogenized over the entire cell, we obtain the correct macroscopic cross section. Thus we want $\bar{\sigma}_\alpha$ to satisfy

$$\bar{\Sigma}_\alpha = \frac{N_1 V_1 + N_2 V_2}{V_1 + V_2} \bar{\sigma}_\alpha \quad (98)$$

Hence, the cell averaged microscopic cross section is

$$\bar{\sigma}_\alpha = \frac{N_1 V_1 \bar{\sigma}_{\alpha,1} \bar{\varphi}_1 + N_2 V_2 \bar{\sigma}_{\alpha,2} \bar{\varphi}_2}{V_1 \bar{\varphi}_1 + V_2 \bar{\varphi}_2} \frac{V_1 + V_2}{N_1 V_1 + N_2 V_2} \quad (99)$$

The GAROL output includes the groupwise averages of capture, scattering and, if present, fission cross sections as given by Equations (95), for each region, and by Equation (99) for the cell. In the presence of fission, the quantity α , the ratio of capture to fission cross sections is also computed. If, as is usually the case, $N_2 = 0$ (the resonance absorber is present only in region 1), Equation (99) simplifies to

$$\bar{\sigma}_\alpha = \frac{\bar{\sigma}_{\alpha,1} \bar{\varphi}_1}{\bar{\varphi}_c} \quad (100)$$

where $\bar{\varphi}_c$ is the average flux in the cell given by

$$\bar{\varphi}_c = \frac{V_1 \bar{\varphi}_1 + V_2 \bar{\varphi}_2}{V_1 + V_2} \quad (101)$$

An Application of the GAROL Program

As an application of the GAROL computer program, we include a study of the effect of overlap of the resonances of the thorium doublet on the resonance integral and on the Doppler effect for thorium and thorium oxide rods.

The two resonances which were investigated had the parameters

$E_o = 21.8 \text{ eV}$	$E_o = 23.47$
$\Gamma_n = 2.1 \text{ mv}$	$\Gamma_n = 4.0 \text{ mv}$
$\Gamma_\gamma = 24.5 \text{ mv}$	$\Gamma_\gamma = 24.5 \text{ mv}$
$g = 1.0$	$g = 1.0$

In order to compute the resonance overlap, the cross sections for three thorium "isotopes" were computed: one isotope had both resonances, another had only the 21.8 eV resonance, while the third had only the 23.47 eV resonance. Separate problems were run for each of these isotopes. The resonance integral for the first isotope was compared with the sum of the resonance integrals of the second and third isotopes. The latter corresponds to the usual methods of computation. This comparison gives a direct indication of the influence of resonance overlap.

The results are summarized in Tables I to IV. All of the total resonance integrals referred to have been evaluated by standard procedures.⁽⁴⁾ The GAROL computer program was used only for an energy range covering the resonance doublet. It can be seen that the usual neglect of resonance overlap is justified for thin rods. But for larger rods the errors introduced can be significant.

Table I
Resonance Integral of Thorium Doublet
in Th Metal Rods

Rod Size (cm)	T = 300°K				T = 2000°K		
	No Overlap	With Overlap	% Diff.	% Diff. in Total Resonance Integral	No Overlap	With Overlap	% Diff.
0.138	6.05	6.00	1	0.25	9.08	9.44	1
0.275	4.02	3.94	1.8	0.5	5.85	5.74	1.9
0.55	2.72	2.62	3.5	0.8	3.58	3.45	3.7
1.1	1.87	1.75	6.7	1.3	2.24	2.09	7.3
2.2	1.30	1.15	12.6	2	1.45	1.27	13.6

Table II

Doppler Effect in Thorium Doublet
for Th Metal Rods

<u>Rod Size (cm)</u>	<u>(ΔI)₂₀₀₀₋₃₀₀ With No Overlap</u>	<u>(ΔI)₂₀₀₀₋₃₀₀ With Overlap</u>	<u>% Diff.</u>
0.138	3.47	3.45	0.9
0.275	1.87	1.80	2
0.55	0.86	0.83	4.5
1.1	0.37	0.34	10
2.2	0.15	0.12	23

Table III

Resonance Integral of Thorium Doublet in ThO₂ Rods

T = 300°K

T = 2000°K

<u>Rod Size (cm)</u>	T = 300°K			<u>% Diff. in Total Resonance Integral</u>	T = 2000°K		
	<u>No Overlap</u>	<u>With Overlap</u>	<u>% Diff.</u>		<u>No Overlap</u>	<u>With Overlap</u>	<u>% Diff.</u>
0.25	6.35	6.28	1	0.3	10.0	9.9	1
0.50	4.30	4.21	2	0.6	6.33	6.18	2.4
1.0	3.02	2.90	4	0.9	4.09	3.90	5
2.0	2.21	2.05	8	1.6	2.78	2.55	9

Table IV

Doppler Effect in Thorium Doublet for ThO₂ Rods

<u>Rod Size (cm)</u>	<u>(ΔI)₂₀₀₀₋₃₀₀ With No Overlap</u>	<u>(ΔI)₂₀₀₀₋₃₀₀ With Overlap</u>	<u>% Diff.</u>
0.25	3.66	3.62	1.3
0.50	2.03	1.97	3
1.0	1.07	1.00	7
2.0	0.57	0.50	14

Output from GAROL

Standard output from a GAROL problem includes a description of the nuclides present on the cross section tape, if one has been generated, and a listing of the input options and limits specified for the calculation. Further printed output is given if requested. This includes:

1. Pointwise cross-sections calculated from resonance parameters or interpolated from input cross sections, by isotope.
2. Pointwise flux, source, total macroscopic cross section, and collision density, all by region.
3. Broad group averaged cross sections.
4. Plotting description.

Output from the sample problem selects all of these options.

Two types of plotting may be done automatically from a GAROL problem. For region 1, the pointwise flux, total cross section, and collision density may be plotted. As an additional option, graphs of capture and fission rates, for each material, may be obtained. Samples of each of these are included. The plotting routines in GAROL were adapted from the two-dimensional plot routine described in reference 6.

Efficient Use of GAROL

Some hints regarding the efficient use of GAROL are included here. There are a number of ways in which the program may be used to do a homogeneous calculation. The most efficient is to choose the no geometry option, put the homogeneous mixture into region 1, and put 0.0 for the mean chord length of region 2 and for the number density of all materials in region 2. It is possible to run two homogeneous problems simultaneously by using the no geometry option, and by putting one mixture into each region. In such cases the mean chord lengths may be chosen to be equal to unity.

Generally speaking, the computer time is greatest for lighter materials. The only exception is for $A=1.0$ which is fastest of all because it is programmed differently. In practical applications, one frequently has a case in which he wants the flux to be $\frac{1}{E}$ in region 2. In such a case, it can be shown that the resonance integral of the isotopes in region 1 is independent of the choice of moderator in region 2. Thus, to simulate a $\frac{1}{E}$ flux in

region 2, it is best to let it be a large region in which the only material present has $A=1.0$, a constant scattering cross section, and no capture cross section.

OPERATING INSTRUCTIONS

Computer and Tape Requirements

The GAROL program is run on the IBM 7044 (32K) computer from a program tape and a starter deck, behind which is placed punched card input describing the problem(s) to be run.

In addition to the tapes required by the GA system, GAROL makes use of three special tapes: B4 for the GAROL Program Tape, B5 for GAROL cross section storage, and C6 for plotting. The B4 and B5 tapes must be mounted in all cases, and the B5 tape may be saved for subsequent runs. Thus, the tape configuration is as follows:

<u>GA Tape Unit</u>	<u>Fortran Logical Tape Number</u>	<u>Tape Function</u>
C1	1	General Atomic version of the IBM 7044 IBSYS Monitor (Version 9)
C2	5	Standard input tape
C3	6	Standard output tape
B4	7	GAROL program tape
B5	9	GAROL cross section tape
C6	11	GAROL plot tape, if any

If any plotting is done, instructions for the Stromberg-Carlson S-C 4020 High Speed Microfilm Recorder are written on tape C6. The number of graphs for which instructions have been generated will be printed on the on-line printer and will be transferred by the GA computer operator to the tape label provided by the user. The tape will then be sent to the S-C 4020 for plotting.

Thus, the deck setup for a sample GAROL problem consists of a six card starter deck followed by data cards prepared according to the Input Specifications for GAROL.

INPUT SPECIFICATIONS FOR GAROL

CARD	COLUMNS	FORMAT	NAME	DESCRIPTION
1	12	I12	INDEX	Source of cross sections for this problem(s) 0 = cross sections have been calculated and written on tape during an earlier run. This tape will be mounted on unit (B5). 1 = cross-sections will be calculated and written on tape (B5). This tape may be saved and reused for future calculations, if desired.
2	1-72	12A6	TLABEL	Tape label for data tape (B5). If INDEX = 0, this card must be identical to that used when the data tape was written.
If INDEX = 0, go to card 13.				
3	12	I12	NINDEX	Energy specification index 1 = Energies will be read from input cards (card 4A) 2 = Energies will be calculated by equal mesh spacing (card 4B) 3 = Energies will be calculated with mesh spacing proportion to velocity (card 4C) 4 = Energies will be calculated with equal lethargy mesh spacing (card 4D) 5 = Energies will be generated by a special subroutine ENRG (NPTS,E) supplied by the user (card 4E).
	13-24	I12	NPTS	Number of energy points. This value is needed for NINDEX = 1, and may be used when NINDEX = 5, if desired.
If NINDEX = 1, card 4A is needed.				
4A		6E12.6	E(i)	Energy points, in eV, from high to low. (NPTS entries)
If NINDEX = 2, card 4B is needed.				
4B	1-12	E12.6	EMAX	Maximum energy, eV
	13-24	E12.6	EMIN	Minimum energy, eV
	25-36	E12.6	DELTA E	ΔE , eV

INPUT SPECIFICATIONS FOR GAROL

CARD	COLUMNS	FORMAT	NAME	DESCRIPTION
If NINDEX = 3, card 4C is needed.				
4C	1-12	E12.6	EMAX	Maximum energy, eV
	13-24	E12.6	EMIN	Minimum energy, eV
	25-36	E12.6	CONST	C, where $E_{i+1} = E_i - C\sqrt{E_i}$ (equal velocity intervals)
If NINDEX = 4, card 4D is needed.				
4D	1-12	E12.6	EMAX	Maximum energy, eV
	13-24	E12.6	EMIN	Minimum energy, eV
	25-36	E12.6	DELTAU	Δu
If NINDEX = 5, the user supplies his own ENRG (NPTS,E) subroutine to compute, or read, his energy mesh. The number of energy points, NPTS, must not exceed 8000. The array E, which must be dimensioned, contains the energy points which are returned to the main program. If any input cards are required by the user's subroutine, they are inserted here (card 4E).				
4E				Variables and formats determined by the user.
5	1-12	I12	MAT	Number of nuclides for which cross sections will be calculated and written on tape (≤ 20)
	13-24	I12	JHYD	Will an A = 1.0 isotope be included on this tape? 0 = no 1 = yes
Cards 6 to 8 are repeated for each nuclide (MAT times).				
6	1-12	F12.6	TID	Identification number of this nuclide, given by Z and A, in the form 92.235000 for uranium 235. Nuclides should be given in ascending numerical order. Different sets of data for one nuclide may be distinguished in the fourth through six decimal places.
	13-42	5A6	CNAME	Nuclide description.
7	1-12	E12.6	AMASS	Atomic mass
	13-24	E12.6	ASYMSC	Asymptotic scattering cross section, used for computing source only.

INPUT SPECIFICATIONS FOR GAROL

CARD	COLUMNS	FORMAT	NAME	DESCRIPTION
	25-36	E12.6	SCAP	<p>Capture cross section index. If SCAP ≥ 0.0, SCAP is the value of the capture cross section at 0.0253 eV, and the cross section is $1/v$.</p> <p>If SCAP = -1.0, pointwise capture cross sections will be calculated from resonance parameters. If SCAP = -2.0, pointwise cross sections will be read from cards (card 12).</p>
	37-48	E12.6	SFIS	<p>Fission cross section index. If SFIS ≥ 0.0, no fission. If SFIS = -1.0, pointwise fission will be calculated from resonance parameters. If SCAP = -2.0, this index is not used; pointwise fission cross sections will be read from cards (card 12).</p>
	49-60	E12.6	SCAT	<p>Scattering cross section index. If SCAT ≥ 0.0, scattering is constant at that value. If SCAT = -1.0, pointwise scattering cross sections will be calculated from resonance parameters. If SCAP = -2.0, this index is not used; pointwise scattering cross sections will be read from cards (card 12).</p>
	61-72	E12.6	PRINT	<p>Print index, for this nuclide.</p> <p>0.0 = no printing 1.0 = the calculated or read capture, scattering, and fission (if present) cross sections for this nuclide will be printed. Up to nine sets of cross sections may be printed; if more than nine are specified, only the first nine will be printed. If any printing is done, the computer time estimate is doubled.</p>
If SCAP = -2.0, card 8 is required.				
8	1-12	E12.6	ENPTS	<p>Number of energies at which cross sections will be read.</p>

Cards 9-11 (resonance parameters) are required for each material for which any cross sections will be calculated, and in the order specified by cards 6 and 7.

INPUT SPECIFICATIONS FOR GAROL

CARD	COLUMNS	FORMAT	NAME	DESCRIPTION
9	1-12	E12.6	WGT	Atomic mass. (This number will be checked against card 7, col. 1-12, to be sure that resonance parameters are given in the order specified).
	13-24	E12.6	STAT	Statistical factor indicator. If the statistical factor, g, is to have a constant value for all resonances, then STAT is the value used for the statistical factor. If $STAT \leq 0.0$, the statistical factor must be specified for each resonance.
	25-36	E12.6	SPOT	Potential scattering cross-section, barns.
	37-48	E12.6	TEMP	Temperature, °K.
10	1-12	I12	NEZ	Number of resolved resonances (maximum = 500).
	24	I12	NFIS	Will fission widths be specified? 0 - No. 1 - Yes.
	36	I12	NGN	Γ_n form index. 0 - Neutron half-widths to be specified are standard values, not reduced. 1 - Neutron half-widths to be specified are reduced widths, Γ_n^0 .

Card 11 is given for each resonance. The format of card 11 is one of four types, depending on the NFIS and STAT values.

If NFIS = 0 and $STAT \leq 0.0$, supply one card 11A for each resonance.

11A	1-12	E12.6	EO	Resonance energy, eV.
	13-24	E12.6	GI	Either the spin (I) of the target nucleus, or the statistical factor, g, for this resonance, depending on the specification for GJ in the next field of this input card.
	25-36	E12.6	GJ	If GJ > 0.0, it is taken to be the spin (J) of the compound nucleus for this resonance, and the statistical factor is calculated as:

INPUT SPECIFICATIONS FOR GAROL

CARD	COLUMNS	FORMAT	NAME	DESCRIPTION
				$g = \frac{1}{2} \frac{(2J + 1)}{(2I + 1)}$ If GJ < 0.0, then GI in the previous field is taken to be the statistical factor, g, for this resonance.
	37-48	E12.6	GG	Γ_{γ} in millivolts.
	49-60	E12.6	GN	Γ_n , or Γ_n^0 , mv, depending on NGN specified on card 10, Col. 36.
If NFIS = 0 and STAT > 0.0, supply one card 11B for each resonance.				
11B	1-12	E12.6	EO	Resonance energy, eV.
	13-24	E12.6	GG	Γ_{γ} , mv.
	25-36	E12.6	GN	Γ_n or Γ_n^0 , mv.
If NFIS = 1, and STAT ≤ 0.0, supply one card 11C for each resonance.				
11C	1-12	E12.6	EO	Resonance energy, eV.
	13-24	E12.6	GI	As on card 11A.
	25-36	E12.6	GJ	As on card 11A.
	37-48	E12.6	GG	Γ_{γ} , mv.
	49-60	E12.6	GN	Γ_n or Γ_n^0 , mv.
	61-72	E12.6	GF	Γ_F , mv.
If NFIS = 1 and STAT > 0.0, supply one card 11D for each resonance.				
11D	1-12	E12.6	EO	Resonance energy, eV.
	13-24	E12.6	GG	Γ_{γ} , mv.
	25-36	E12.6	GN	Γ_n or Γ_n^0 , mv.
	37-48	E12.6	GF	Γ_F , mv.
If cross-sections will be read from cards, (SCAP = -2.0), for any nuclide, card 12, repeated at each energy, is required.				
Cross sections for up to 3 nuclides may be read from cards, and must be in the order specified by cards 6 to 8.				

INPUT SPECIFICATIONS FOR GAROL

<u>CARD</u>	<u>COLUMNS</u>	<u>FORMAT</u>	<u>NAME</u>	<u>DESCRIPTION</u>
12	1-12	E12.6	E	Energy, eV (high to low)
	13-24	E12.6	CAP	Capture cross section (barns)
	25-36	E12.6	SCAT	Scatter cross section (barns)
	37-48	E12.6	FISS	Fission cross section (barns)
Cross sections on the GAROL mesh are computed from this table by linear interpolation.				
13	1-72	12A6	TITLE	Problem description for flux calculation.
14	1-12	E12.6	EST	Upper boundary of energy range of interest (eV). If EST = 0.0, the first energy point present on the data tape will be used.
	13-24	E12.6	EEND	Lower boundary of energy range of interest (eV). If EEND = 0.0, the last energy point present on the data tape will be used.
	25-36	F12.1	GEOM	Geometry 1.0 = none (homogeneous) 2.0 = slab 3.0 = cylinder 4.0 = sphere 5.0 = Read your own escape probability table and coefficients (cards 18 and 19). 6.0 = Use the previously read tables.
	37-48	F12.1	ELEMS	Number of nuclides.
	49-60	F12.1	PRINT	Shall pointwise flux, external source, total cross section, and collision density be printed? 0.0 = no 1.0 = yes
	61-72	F12.1	PLOT	Shall flux, total cross section and collision density be plotted? 0.0 = no 1.0 = yes

INPUT SPECIFICATIONS FOR GAROL

CARD	COLUMNS	FORMAT	NAME	DESCRIPTION
15	1-12	E12.6	ELBAR(1)	\bar{l}_1 = Mean chord length, region 1
	13-24	E12.6	ELBAR(2)	\bar{l}_2 = Mean chord length, region 2: $\bar{l}_2 = 4V_2/S$ where V_2 is volume and S is common surface.
	25-36	E12.6	CC	Dancoff correction factor, if any.
	37-48	E12.6	XSORC	Will extra source terms be read? 0.0 = no 1.0 = yes
16	1-12	F12.1	ENBG	Number of broad groups. If ENBG = 0.0, there is no group averaging.
If ENBG \neq 0.0, card 17 is needed.				
17		6E12.6	BEG(i)	Broad group lower boundaries in eV, from high to low.
Card 18 is repeated for each nuclide.				
18	1-12	F12.6	TID	Tape identification number for nuclide wanted.
	13-24	E12.6	DENS(1)	Density of this nuclide in region 1.
	25-36	E12.6	DENS(2)	Density of this nuclide in region 2.
	37-48	E12.6	PLOTS	0.0 = absorption rate for this isotope will not be plotted. 1.0 = absorption rate for this isotope will be plotted.
If GEOM = 5.0, cards 19 and 20 are needed.				
19	1-12	E12.6	C1	The constants C_1 , C_2 and C_3 .
	13-24	E12.6	C2	
	25-36	E12.6	C3	
			6E12.6	CYLT(i)
If XSORC = 1.0, cards 21 and 22 are needed.				
21	1-12	E12.6	ZSORC	Number of source points to be read. (ZSORC \geq 2.0)

INPUT SPECIFICATIONS FOR GAROL

<u>CARD</u>	<u>COLUMNS</u>	<u>FORMAT</u>	<u>NAME</u>	<u>DESCRIPTION</u>
22	1-12	E12.6		Energy of source point
	13-24	E12.6		Source, region 1
	25-36	E12.6		Source, region 2
Repeat card 22 for each source point.				
Repeat input from card 13 until all problems have been specified.				

GAROL Error Table

<u>Link No.</u>	<u>Error No.</u>	<u>Description of Error</u>
1	1	Tape label card (input card 2) and label on data tape mounted on B5 do not agree.
1	2	Number of materials specified for data tape is not between 1 and 20.
1	3	More than 3 nuclides have been specified for the data tape with cross sections to be read from input cards.
1	7	A nuclide, other than the first, has been specified for the data tape with atomic mass A = 1.0.
1	4	Energy index (input card 3) is less than 1.
1	5	Energy index (input card 3) is greater than 5.
1	6	Number of energy points, using energy option 5, is greater than 8000, the core-contained limit.
2	1	Resonance parameters are either missing or out of order for a nuclide for which cross sections are to be calculated.
4	1	Number of materials for resonance calculation is not between 1 and 10.
4	2	Number of broad groups for averaging is not between 1 and 50.
4	3	Nuclide requested for resonance calculation is not present on data tape.

GAROL STARTER DECK AND SAMPLE PROBLEM

```

$IBJOB GAROL      NDSOURCE
$DUMP             TYPE1,00000-77777,ERROR
$*MOUNT          U07, (GAROL PROGRAM TAPE ON (B4))
$*MOUNT          U09, (GAROL DATA TAPE ON (B5))
$*HOLD           U11, (C6) PLOT TAPE
$RELOAD         U07,NAME=GAROL
    
```

U

1
 THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

8-65

```

4
29.023214 17.603469 0.00125
5 1
1.0 HYDROGEN
1.0 20.0 0.0 0.0 20.0 1.0
6.0 GRAPHITE
12.0 4.7102 0.0 0.0 4.7102 1.0
8.0 OXYGEN
16.0 3.7 0.0 0.0 3.7 1.0
90.232 TH232 300K, GAM=24.5, TWO RES
232.0 12.6 -1.0 0.0 -1.0 1.0
90.2321 TH232 2000K, GAM=24.5, TWO RES
232.0 12.6 -1.0 0.0 -1.0 1.0
232.0 1.0 12.6 300.0
2 0 0
21.8 24.5 2.1
23.47 24.5 4.0
232.0 1.0 12.6 2000.0
2 0 0
21.8 24.5 2.1
23.47 24.5 4.0
THORIUM R=2.2 T=300
29.023214 17.603469 3.0 2.0 1.0 1.0
4.4 100000.0 0.0
2.0
22.603302 17.603469
1.0 0.0 1.0 1.0
90.2320 0.03037 0.0 1.0
    
```

8-65

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

NUCLIDE TABLE OF CONTENTS

NUCLIDE I.D.	NAME	A	ASYMPTOTIC SCATTERING	CAPTURE	FISSION	SCATTER	NUMBER OF ARRAYS
1.0	HYDROGEN	1.000	20.00000	0.	0.	2.00000 C1	0
6.0	GRAPHITE	12.000	4.71020	0.	0.	4.71020 00	0
8.0	OXYGEN	16.000	3.70000	0.	0.	3.70000 00	0
90.232	TH232 300K, GAM=24.5, TWO RES	232.000	12.60000	COMPUTED	0.	COMPUTED	2
90.2321	TH232 2000K, GAM=24.5, TWO RES	232.000	12.60000	COMPUTED	0.	COMPUTED	2

GAROL_DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

DOPPLER BROADENING CALCULATIONS FOR TH232 300K, GAM=24.5, TWO RES
 ABSORBER MASS = 232.000
 POTENTIAL SCATTERING = 12.600 (BARNs)
 TEMPERATURE = 300.000 (K)

RESONANCE PARAMETER INPUT

NUMBER	RESONANCE ENERGY-EV	STATISTICAL FACTORS				HALF-WIDTHS - MV		GAMMA F
		I	J	G	GAMMA N	GAMMA GAMMA	GAMMA GAMMA	
1	21.800	0.0	0.0	1.000	2.1000	24.5000	0.0000	
2	23.470	0.0	0.0	1.000	4.0000	24.5000	0.0000	

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

8-65

DOPPLER BROADENING CALCULATIONS FOR TH232 2000K, GAM=24.5, TWO RES
 ABSORBER MASS = 232.000
 POTENTIAL SCATTERING = 12.600 (BARNS)
 TEMPERATURE = 2000.000 (K)

RESONANCE PARAMETER INPUT

NUMBER	RESONANCE ENERGY-EV	STATISTICAL FACTORS				HALF-WIDTHS - MV		GAMMA F
		I	J	G	GAMMA	GAMMA		
1	21.800	0.0	0.0	1.000	2.1000	24.5000	0.0000	
2	23.470	0.0	0.0	1.000	4.0000	24.5000	0.0000	

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	ENERGY-EV	TH232 CAPTURE	TH232 30A	SCATTER	TH232 2000	CAPTURE	SCATTER			
1	2.90232	01	1.05696	01	1.38357	01	1.05968	01	1.38358	01
2	2.89870	01	1.07078	01	1.38434	01	1.07358	01	1.38445	01
3	2.89507	01	1.08485	01	1.38512	01	1.08773	01	1.38523	01
4	2.89146	01	1.09918	01	1.38590	01	1.10213	01	1.38602	01
5	2.88785	01	1.11377	01	1.38670	01	1.11680	01	1.38681	01
6	2.88424	01	1.12863	01	1.38750	01	1.13174	01	1.38762	01
7	2.88064	01	1.14377	01	1.38832	01	1.14696	01	1.38844	01
8	2.87704	01	1.15918	01	1.38914	01	1.16246	01	1.38926	01
9	2.87344	01	1.17489	01	1.38997	01	1.17826	01	1.39010	01
10	2.86985	01	1.19089	01	1.39081	01	1.19435	01	1.39094	01
11	2.86627	01	1.20719	01	1.39167	01	1.21075	01	1.39180	01
12	2.86269	01	1.22381	01	1.39253	01	1.22747	01	1.39266	01
13	2.85911	01	1.24074	01	1.39340	01	1.24450	01	1.39354	01
14	2.85554	01	1.25800	01	1.39429	01	1.26187	01	1.39442	01
15	2.85197	01	1.27559	01	1.39518	01	1.27957	01	1.39532	01
16	2.84841	01	1.29353	01	1.39609	01	1.29762	01	1.39623	01
17	2.84485	01	1.31182	01	1.39700	01	1.31603	01	1.39715	01
18	2.84130	01	1.33047	01	1.39793	01	1.33480	01	1.39808	01
19	2.83775	01	1.34949	01	1.39887	01	1.35335	01	1.39903	01
20	2.83420	01	1.36890	01	1.39983	01	1.37348	01	1.39998	01
21	2.83066	01	1.38869	01	1.40079	01	1.39341	01	1.40095	01
22	2.82713	01	1.40888	01	1.40177	01	1.41374	01	1.40193	01
23	2.82359	01	1.42949	01	1.40276	01	1.43449	01	1.40292	01
24	2.82007	01	1.45052	01	1.40376	01	1.45567	01	1.40393	01
25	2.81654	01	1.47198	01	1.40477	01	1.47729	01	1.40495	01
26	2.81303	01	1.49389	01	1.40580	01	1.49936	01	1.40598	01
27	2.80951	01	1.51625	01	1.40684	01	1.52189	01	1.40703	01
28	2.80600	01	1.53909	01	1.40790	01	1.54490	01	1.40809	01
29	2.80250	01	1.56242	01	1.40897	01	1.56840	01	1.40916	01
30	2.79900	01	1.58624	01	1.41006	01	1.59241	01	1.41025	01
31	2.79550	01	1.61057	01	1.41116	01	1.61693	01	1.41136	01
32	2.79201	01	1.63543	01	1.41227	01	1.64199	01	1.41248	01
33	2.78852	01	1.66083	01	1.41340	01	1.66760	01	1.41361	01
34	2.78504	01	1.68678	01	1.41455	01	1.69377	01	1.41476	01
35	2.78156	01	1.71331	01	1.41571	01	1.72053	01	1.41593	01
36	2.77808	01	1.74043	01	1.41689	01	1.74788	01	1.41711	01
37	2.77461	01	1.76816	01	1.41809	01	1.77585	01	1.41832	01
38	2.77115	01	1.79652	01	1.41930	01	1.80446	01	1.41953	01
39	2.76768	01	1.82552	01	1.42053	01	1.83372	01	1.42077	01
40	2.76423	01	1.85518	01	1.42178	01	1.86366	01	1.42203	01
41	2.76077	01	1.88553	01	1.42305	01	1.89429	01	1.42330	01
42	2.75732	01	1.91658	01	1.42433	01	1.92563	01	1.42459	01
43	2.75388	01	1.94836	01	1.42564	01	1.95772	01	1.42590	01
44	2.75044	01	1.98089	01	1.42696	01	1.99057	01	1.42723	01
45	2.74700	01	2.01419	01	1.42831	01	2.02421	01	1.42859	01
46	2.74357	01	2.04829	01	1.42967	01	2.05866	01	1.42996	01
47	2.74014	01	2.08321	01	1.43106	01	2.09394	01	1.43135	01
48	2.73672	01	2.11899	01	1.43247	01	2.13009	01	1.43277	01
49	2.73330	01	2.15564	01	1.43390	01	2.16714	01	1.43421	01
50	2.72989	01	2.19319	01	1.43535	01	2.20511	01	1.43567	01
51	2.72648	01	2.23168	01	1.43683	01	2.24403	01	1.43715	01

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	ENERGY-EV		TH232 300		SCATTER		TH232 2000		SCATTER	
			CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	SCATTER
52	2.72307	01	2.27114-01	1.43833	01	2.28394-C1	1.43866	01	1.44175	01
53	2.71967	01	2.31160-01	1.43985	01	1.44140	01	2.36685-01	1.44175	01
54	2.71627	01	2.35309-01	1.44140	01	1.44298	01	2.40992-01	1.44334	01
55	2.71288	01	2.39565-01	1.44298	01	1.44458	01	2.45413-01	1.44495	01
56	2.70949	01	2.43932-01	1.44458	01	1.44621	01	2.49950-01	1.44659	01
57	2.70611	01	2.48413-01	1.44621	01	1.44786	01	2.54608-01	1.44826	01
58	2.70273	01	2.53012-01	1.44786	01	1.44955	01	2.59392-01	1.44995	01
59	2.69935	01	2.57734-01	1.44955	01	1.45126	01	2.64305-01	1.45168	01
60	2.69598	01	2.62583-01	1.45126	01	1.45300	01	2.69353-01	1.45343	01
61	2.69261	01	2.67563-01	1.45300	01	1.45478	01	2.74540-01	1.45522	01
62	2.68925	01	2.72680-01	1.45478	01	1.45658	01	2.79873-01	1.45704	01
63	2.68589	01	2.77938-01	1.45658	01	1.45842	01	2.85355-01	1.45889	01
64	2.68253	01	2.83342-01	1.45842	01	1.45029	01	2.90994-01	1.46077	01
65	2.67918	01	2.88899-01	1.45029	01	1.46220	01	2.96794-01	1.46269	01
66	2.67583	01	2.94613-01	1.46220	01	1.46414	01	3.02763-01	1.46465	01
67	2.67249	01	3.00491-01	1.46414	01	1.46611	01	3.08906-01	1.46664	01
68	2.66915	01	3.06539-01	1.46611	01	1.46813	01	3.15231-01	1.46867	01
69	2.66582	01	3.12764-01	1.46813	01	1.47018	01	3.21744-01	1.47074	01
70	2.66249	01	3.19172-01	1.47018	01	1.47227	01	3.28454-01	1.47285	01
71	2.65916	01	3.25771-01	1.47227	01	1.47440	01	3.35359-01	1.47500	01
72	2.65584	01	3.32569-01	1.47440	01	1.47658	01	3.42497-01	1.47720	01
73	2.65252	01	3.39573-01	1.47658	01	1.47879	01	3.49846-01	1.47943	01
74	2.64921	01	3.46793-01	1.47879	01	1.48106	01	3.57426-01	1.48172	01
75	2.64590	01	3.54236-01	1.48106	01	1.48336	01	3.65247-01	1.48405	01
76	2.64259	01	3.61913-01	1.48336	01	1.48572	01	3.73320-01	1.48643	01
77	2.63929	01	3.69832-01	1.48572	01	1.48812	01	3.81655-01	1.48885	01
78	2.63600	01	3.78006-01	1.48812	01	1.49058	01	3.90264-01	1.49133	01
79	2.63270	01	3.86444-01	1.49058	01	1.49308	01	3.99158-01	1.49387	01
80	2.62941	01	3.95157-01	1.49308	01	1.49564	01	4.08352-01	1.49646	01
81	2.62613	01	4.04159-01	1.49564	01	1.49826	01	4.17858-01	1.49910	01
82	2.62285	01	4.13462-01	1.49826	01	1.50093	01	4.27691-01	1.50180	01
83	2.61957	01	4.23080-01	1.50093	01	1.50367	01	4.37866-01	1.50457	01
84	2.61630	01	4.33027-01	1.50367	01	1.50646	01	4.48400-01	1.50740	01
85	2.61303	01	4.43318-01	1.50646	01	1.50932	01	4.59309-01	1.51029	01
86	2.60977	01	4.53970-01	1.50932	01	1.51224	01	4.70612-01	1.51325	01
87	2.60651	01	4.65000-01	1.51224	01	1.51523	01	4.82329-01	1.51628	01
88	2.60325	01	4.76425-01	1.51523	01	1.51829	01	4.94479-01	1.51938	01
89	2.60000	01	4.88264-01	1.51829	01	1.52143	01	5.07085-01	1.52256	01
90	2.59675	01	5.00540-01	1.52143	01	1.52464	01	5.20171-01	1.52582	01
91	2.59351	01	5.13272-01	1.52464	01	1.52793	01	5.33760-01	1.52916	01
92	2.59027	01	5.26484-01	1.52793	01	1.53476	01	5.47879-01	1.53258	01
93	2.58703	01	5.40201-01	1.53476	01	1.54195	01	5.62558-01	1.53609	01
94	2.58380	01	5.54449-01	1.54195	01	1.54951	01	5.77825-01	1.53970	01
95	2.58057	01	5.69255-01	1.54951	01	1.55345	01	5.93714-01	1.54340	01
96	2.57735	01	5.84650-01	1.55345	01	1.55750	01	6.10259-01	1.54719	01
97	2.57413	01	6.00666-01	1.55750	01	1.56166	01	6.27497-01	1.55110	01
98	2.57091	01	6.17335-01	1.56166	01	1.56594	01	6.45468-01	1.55510	01
99	2.56770	01	6.34696-01	1.56594	01	1.57034	01	6.64215-01	1.55923	01
100	2.56449	01	6.52785-01	1.57034	01	1.57424	01	6.83784-01	1.56347	01
101	2.56129	01	6.71647-01	1.57424	01	1.57866-01	01	7.04224-01	1.56783	01
102	2.55809	01	6.91324-01	1.57866-01	01	1.58331	01	7.25589-01	1.57232	01
103	2.55489	01	7.11866-01	1.58331	01					

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	TH232 300		TH232 2000		
	ENERGY-EV	CAPTURE	SCATTER	CAPTURE	SCATTER
104	2.55170 01	7.33323-01	1.57487 01	7.47936-01	1.57695 01
105	2.54851 01	7.55753-01	1.57953 01	7.71328-01	1.58171 01
106	2.54533 01	7.79214-01	1.58433 01	7.95831-01	1.58663 01
107	2.54215 01	8.03772-01	1.58929 01	8.21520-01	1.59170 01
108	2.53898 01	8.29496-01	1.59440 01	8.48473-01	1.59693 01
109	2.53580 01	8.56463-01	1.59967 01	8.76776-01	1.60234 01
110	2.53264 01	8.84754-01	1.60511 01	9.06522-01	1.60792 01
111	2.52947 01	9.14459-01	1.61073 01	9.37814-01	1.61370 01
112	2.52631 01	9.45673-01	1.61653 01	9.70763-01	1.61967 01
113	2.52316 01	9.78503-01	1.62254 01	1.00549 00	1.62586 01
114	2.52000 01	1.01306 00	1.62876 01	1.04213 00	1.63227 01
115	2.51686 01	1.04948 00	1.63920 01	1.08083 00	1.63892 01
116	2.51371 01	1.08788 00	1.64187 01	1.12175 00	1.64582 01
117	2.51057 01	1.12842 00	1.64878 01	1.16506 00	1.65298 01
118	2.50744 01	1.17127 00	1.65596 01	1.21097 00	1.66042 01
119	2.50430 01	1.21661 00	1.66342 01	1.25969 00	1.66817 01
120	2.50118 01	1.26462 00	1.67117 01	1.31147 00	1.67623 01
121	2.49805 01	1.31553 00	1.67922 01	1.36656 00	1.68463 01
122	2.49493 01	1.36958 00	1.68762 01	1.42527 00	1.69340 01
123	2.49181 01	1.42704 00	1.69636 01	1.48793 00	1.70255 01
124	2.48870 01	1.48821 00	1.70548 01	1.55492 00	1.71212 01
125	2.48559 01	1.55340 00	1.71500 01	1.62666 00	1.72214 01
126	2.48249 01	1.62299 00	1.72495 01	1.70363 00	1.73264 01
127	2.47939 01	1.69739 00	1.73537 01	1.78637 00	1.74366 01
128	2.47629 01	1.77705 00	1.74628 01	1.87549 00	1.75524 01
129	2.47319 01	1.86250 00	1.75772 01	1.97169 00	1.76743 01
130	2.47010 01	1.95430 00	1.76973 01	2.07579 00	1.78028 01
131	2.46702 01	2.05312 00	1.78236 01	2.31151 00	1.80819 01
132	2.46394 01	2.15969 00	1.79567 01	2.44546 00	1.82340 01
133	2.46086 01	2.27487 00	1.80970 01	2.59203 00	1.83956 01
134	2.45779 01	2.39961 00	1.82452 01	2.75294 00	1.85675 01
135	2.45471 01	2.53501 00	1.84020 01	2.93027 00	1.87510 01
136	2.45165 01	2.68235 00	1.85682 01	3.12646 00	1.89472 01
137	2.44859 01	2.84309 00	1.87447 01	3.34450 00	1.91578 01
138	2.44553 01	3.01891 00	1.89325 01	3.58802 00	1.93843 01
139	2.44247 01	3.21181 00	1.91328 01	3.87623 00	1.96378 01
140	2.43942 01	3.42409 00	1.93469 01	4.19731 00	1.99077 01
141	2.43637 01	3.65848 00	1.95763 01	4.57146 00	2.02039 01
142	2.43333 01	3.91820 00	1.98229 01	5.01656 00	2.05320 01
143	2.43029 01	4.20710 00	2.00885 01	5.56009 00	2.08997 01
144	2.42725 01	4.52977 00	2.03757 01	6.24473 00	2.13177 01
145	2.42422 01	4.89180 00	2.06872 01	7.13695 00	2.18018 01
146	2.42119 01	5.29994 00	2.10263 01	8.33956 00	2.23743 01
147	2.41817 01	5.76253 00	2.13970 01	9.00092 01	2.30578 01
148	2.41515 01	6.28989 00	2.18041 01	1.23799 01	2.39284 01
149	2.41213 01	6.89493 00	2.22534 01	1.57921 01	2.50206 01
150	2.40912 01	7.59404 00	2.27519 01	2.07277 01	2.64324 01
151	2.40611 01	8.40827 00	2.33084 01	2.78453 01	2.82803 01
152	2.40310 01	9.36502 00	2.39342 01	3.80137 01	3.07133 01
153	2.40010 01	1.05006 01	2.46432 01	5.23315 01	3.39142 01
154	2.39710 01	1.18641 01	2.54540 01	7.21252 01	3.80966 01
155	2.39411 01	1.35234 01	2.63908 01		

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	ENERGY-EV		TH232 300		SCATTER		TH232 2000		SCATTER	
	CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	SCATTER
156	2.39112 01	1.55745 01	2.74867 01	9.89104 01	4.34955 01					
157	2.38813 01	1.81588 01	2.87878 01	1.34306 02	5.03507 01					
158	2.38515 01	2.14914 01	3.03603 01	1.79896 02	5.88806 01					
159	2.38217 01	2.60072 01	3.23372 01	2.37027 02	6.92484 01					
160	2.37919 01	3.23666 01	3.48764 01	3.06578 02	8.15235 01					
161	2.37622 01	4.22065 01	3.83630 01	3.88689 02	9.56407 01					
162	2.37325 01	5.94243 01	4.36035 01	4.82524 02	1.11366 02					
163	2.37029 01	9.33845 01	5.23653 01	5.86079 02	1.28272 02					
164	2.36732 01	1.64412 02	6.82111 01	6.96111 02	1.45742 02					
165	2.36437 01	3.09283 02	9.71553 01	8.08201 02	1.62984 02					
166	2.36141 01	5.78375 02	1.46730 02	9.16994 02	1.79037 02					
167	2.35846 01	1.01240 03	2.21695 02	1.01659 03	1.93091 02					
168	2.35552 01	1.59737 03	3.16782 02	1.10107 03	2.04079 02					
169	2.35258 01	2.22522 03	4.11528 02	1.16507 03	2.11271 02					
170	2.34964 01	2.70816 03	4.74700 02	1.20438 03	2.14114 02					
171	2.34670 01	2.86611 03	4.79882 02	1.21636 03	2.12340 02					
172	2.34377 01	2.63563 03	4.22276 02	1.20027 03	2.06008 02					
173	2.34084 01	2.11129 03	3.22514 02	1.15735 03	1.95494 02					
174	2.33792 01	1.48296 03	2.13790 02	1.09066 03	1.81448 02					
175	2.33500 01	9.25114 02	1.23392 02	1.00463 03	1.64728 02					
176	2.33208 01	5.24768 02	6.25598 01	9.04771 02	1.46303 02					
177	2.32917 01	2.81936 02	2.85251 01	7.96894 02	1.27152 02					
178	2.32626 01	1.52558 02	1.24879 01	6.86665 02	1.08222 02					
179	2.32335 01	8.89883 01	6.15007 00	5.79111 02	9.02593 01					
180	2.32045 01	5.81527 01	4.18103 00	4.78292 02	7.38647 01					
181	2.31755 01	4.21796 01	3.90597 00	3.87124 02	5.94256 01					
182	2.31465 01	3.28713 01	4.20881 00	3.07353 02	4.71322 01					
183	2.31176 01	2.67807 01	4.68304 00	2.39655 02	3.70332 01					
184	2.30888 01	2.24271 01	5.19619 00	1.83823 02	2.89233 01					
185	2.30599 01	1.92079 01	5.69504 00	1.38999 02	2.26845 01					
186	2.30311 01	1.67115 01	6.17154 00	1.03910 02	1.80274 01					
187	2.30023 01	1.47342 01	6.62188 00	7.70847 01	1.46750 01					
188	2.29736 01	1.31420 01	7.04603 00	5.70209 01	1.23596 01					
189	2.29449 01	1.18428 01	7.44562 00	4.23101 01	1.08396 01					
190	2.29162 01	1.07717 01	7.82288 00	3.17121 01	9.90954 00					
191	2.28876 01	9.88163 00	8.18025 00	2.41890 01	9.40281 00					
192	2.28590 01	9.13781 00	8.52016 00	1.89093 01	9.18995 00					
193	2.28305 01	8.51471 00	8.84492 00	1.52319 01	9.17446 00					
194	2.28019 01	7.99071 00	9.15671 00	1.26786 01	9.28704 00					
195	2.27735 01	7.55230 00	9.45758 00	1.09040 01	9.47980 00					
196	2.27450 01	7.18713 00	9.74948 00	9.66538 00	9.72091 00					
197	2.27166 01	6.88611 00	1.00342 01	8.79629 00	9.96013 00					
198	2.26882 01	6.64232 00	1.03136 01	8.19512 00	1.02799 01					
199	2.26599 01	6.45054 00	1.05894 01	7.77769 00	1.05767 01					
200	2.26316 01	6.30702 00	1.08632 01	7.50635 00	1.08809 01					
201	2.26033 01	6.20929 00	1.11368 01	7.35832 00	1.11924 01					
202	2.25751 01	6.15603 00	1.14119 01	7.32719 00	1.15133 01					
203	2.25469 01	6.14704 00	1.16905 01	7.42184 00	1.18474 01					
204	2.25187 01	6.18322 00	1.19746 01	7.65912 00	1.22034 01					
205	2.24906 01	6.26671 00	1.22664 01	8.10897 00	1.25820 01					
206	2.24625 01	6.40096 00	1.25683 01	8.83476 00	1.29982 01					
207	2.24344 01	6.59105 00	1.28832 01	9.95594 00	1.34669 01					

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	ENERGY-EV		TH232 300		SCATTER		CAPTURE		TH232 2000		SCATTER	
208	2.24064	01	6.84400	00	1.32144	01	1.16472	01	1.40380	01	1.40380	01
209	2.23784	01	7.16928	00	1.35656	01	1.41561	01	1.46480	01	1.46480	01
210	2.23504	01	7.57963	00	1.39417	01	1.78219	01	1.54210	01	1.54210	01
211	2.23225	01	8.09217	00	1.43483	01	2.30940	01	1.63699	01	1.63699	01
212	2.22946	01	8.73001	00	1.47925	01	3.05450	01	1.75466	01	1.75466	01
213	2.22668	01	9.52492	00	1.52835	01	4.08749	01	1.90112	01	1.90112	01
214	2.22390	01	1.05213	01	1.58333	01	5.48992	01	2.08299	01	2.08299	01
215	2.22112	01	1.17826	01	1.64576	01	7.35151	01	2.30703	01	2.30703	01
216	2.21834	01	1.34031	01	1.71784	01	9.76410	01	2.57952	01	2.57952	01
217	2.21557	01	1.55276	01	1.80263	01	1.28128	02	2.90538	01	2.90538	01
218	2.21280	01	1.84816	01	1.90701	01	1.65645	02	3.28712	01	3.28712	01
219	2.21004	01	2.27328	01	2.03756	01	2.10543	02	3.72378	01	3.72378	01
220	2.20728	01	2.95199	01	2.21213	01	2.62722	02	4.20987	01	4.20987	01
221	2.20452	01	4.17359	01	2.46531	01	3.21505	02	4.73468	01	4.73468	01
222	2.20177	01	6.60330	01	2.86704	01	3.85561	02	5.28196	01	5.28196	01
223	2.19902	01	1.16011	02	3.54510	01	5.20836	02	6.35392	01	6.35392	01
224	2.19627	01	2.14686	02	4.69227	01	5.86322	02	7.21435	01	7.21435	01
225	2.19353	01	3.91327	02	6.51504	01	6.45980	02	8.2487	01	8.2487	01
226	2.19079	01	6.66800	01	9.08689	01	6.96479	02	9.49806	01	9.49806	01
227	2.18805	01	1.02854	03	1.21446	02	7.34824	02	10.65377	01	10.65377	01
228	2.18532	01	1.41107	03	1.49872	02	7.58654	02	11.75379	01	11.75379	01
229	2.18259	01	1.70616	03	1.66634	02	7.66484	02	12.86680	01	12.86680	01
230	2.17986	01	1.81079	03	1.64424	02	7.57862	02	13.97926	01	13.97926	01
231	2.17714	01	1.68559	03	1.42682	02	7.33407	02	15.0926	01	15.0926	01
232	2.17442	01	1.37897	03	1.08272	02	6.94740	02	16.20709	01	16.20709	01
233	2.17170	01	9.96761	02	7.15752	01	6.44302	02	17.32161	01	17.32161	01
234	2.16899	01	6.43217	02	4.11197	01	5.85101	02	18.43614	01	18.43614	01
235	2.16628	01	3.77578	02	2.05477	01	5.20415	02	19.55066	01	19.55066	01
236	2.16357	01	2.08306	02	9.08865	00	4.53496	02	20.66518	01	20.66518	01
237	2.16087	01	1.13667	02	3.90451	00	3.87310	02	21.77970	01	21.77970	01
238	2.15817	01	6.53533	01	2.17366	00	3.24340	02	22.89422	01	22.89422	01
239	2.15547	01	4.15397	01	1.99539	00	2.66470	02	24.00874	01	24.00874	01
240	2.15278	01	2.93697	01	2.37787	00	2.14940	02	25.12326	01	25.12326	01
241	2.15009	01	2.25062	01	2.90115	00	1.70378	02	26.23778	01	26.23778	01
242	2.14741	01	1.81522	01	3.41934	00	1.32881	02	27.35230	01	27.35230	01
243	2.14472	01	1.50855	01	3.89779	00	1.02131	02	28.46682	01	28.46682	01
244	2.14204	01	1.11161	01	4.32050	00	0.75167	01	29.58134	01	29.58134	01
245	2.13937	01	1.11161	01	4.69968	00	5.82565	01	30.69586	01	30.69586	01
246	2.13670	01	8.61602	00	5.34866	00	4.35014	01	31.81038	01	31.81038	01
247	2.13403	01	7.69305	00	5.62808	00	3.24147	01	32.92490	01	32.92490	01
248	2.13136	01	7.69305	00	5.62808	00	2.42276	01	34.03942	01	34.03942	01
249	2.12870	01	6.92179	00	5.88277	00	1.82704	01	35.15394	01	35.15394	01
250	2.12604	01	6.26970	00	6.11596	00	1.39860	01	36.26846	01	36.26846	01
251	2.12338	01	5.71271	00	6.33034	00	1.09282	01	37.38298	01	37.38298	01
252	2.12073	01	5.23263	00	6.52819	00	8.75196	00	38.49750	01	38.49750	01
253	2.11808	01	4.81553	00	6.71143	00	7.19838	00	39.61202	01	39.61202	01
254	2.11543	01	4.45053	00	6.88172	00	6.07856	00	40.72654	01	40.72654	01
255	2.11279	01	4.12904	00	7.04044	00	5.25803	00	41.84106	01	41.84106	01
256	2.11015	01	3.84421	00	7.19881	00	4.645307	00	42.95558	01	42.95558	01
257	2.10752	01	3.59050	00	7.32786	00	4.16955	00	44.07010	01	44.07010	01
258	2.10488	01	3.36340	00	7.45850	00	3.79420	00	45.18462	01	45.18462	01
259	2.10225	01	3.15919	00	7.58151	00						

	GAROL DATA TAPE, LABELED THORIUM TAPE FOR		GAROL SAMPLE		PROBLEMS
	TH232 300	TH232 2000	CAPTURE	SCATTER	
260	ENERGY-EV	2.97481 00	7.69760 00	3.48809 00	SCATTER
261	2.09963 01	2.80768 00	7.80736 00	3.23194 00	7.56029 00
262	2.09439 01	2.65565 00	7.91133 00	3.01287 00	7.68131 00
263	2.09177 01	2.51688 00	8.01000 00	2.82218 00	7.79568 00
264	2.08916 01	2.38982 00	8.10379 00	2.64720 00	7.90379 00
265	2.08655 01	2.27315 00	8.19306 00	2.49964 00	8.00848 00
266	2.08394 01	2.16571 00	8.27817 00	2.36602 00	8.10480 00
267	2.08134 01	2.06654 00	8.35943 00	2.24451 00	8.19630 00
268	2.07874 01	1.97475 00	8.43710 00	2.13356 00	8.28336 00
269	2.07614 01	1.88962 00	8.51144 00	2.03188 00	8.36631 00
270	2.07355 01	1.81049 00	8.58267 00	1.93840 00	8.44544 00
271	2.07096 01	1.73678 00	8.65099 00	1.85219 00	8.52103 00
272	2.06837 01	1.66798 00	8.71680 00	1.77246 00	8.59333 00
273	2.06578 01	1.60367 00	8.77966 00	1.69852 00	8.66257 00
274	2.06320 01	1.54342 00	8.84034 00	1.62979 00	8.72895 00
275	2.06063 01	1.48691 00	8.89876 00	1.56576 00	8.79266 00
276	2.05805 01	1.43380 00	8.95508 00	1.50597 00	8.85388 00
277	2.05548 01	1.38382 00	9.00940 00	1.45004 00	8.91276 00
278	2.05291 01	1.33672 00	9.06183 00	1.39761 00	8.96945 00
279	2.05035 01	1.29227 00	9.11249 00	1.34839 00	9.02407 00
280	2.04779 01	1.25026 00	9.16147 00	1.30209 00	9.07674 00
281	2.04523 01	1.21052 00	9.20885 00	1.25847 00	9.12759 00
282	2.04268 01	1.17287 00	9.25472 00	1.21732 00	9.17670 00
283	2.04012 01	1.13716 00	9.29916 00	1.17844 00	9.22418 00
284	2.03757 01	1.10326 00	9.34223 00	1.14166 00	9.27011 00
285	2.03503 01	1.07104 00	9.38400 00	1.10681 00	9.31457 00
286	2.03249 01	1.04038 00	9.42453 00	1.07376 00	9.35764 00
287	2.02995 01	1.01118 00	9.46389 00	1.04238 00	9.39939 00
288	2.02741 01	9.83343-01	9.50212 00	1.01255 00	9.43998 00
289	2.02488 01	9.56785-01	9.53928 00	9.84154-01	9.47918 00
290	2.02235 01	9.31422-01	9.57541 00	9.57107-01	9.51733 00
291	2.01982 01	9.07181-01	9.61056 00	9.31315-01	9.55440 00
292	2.01730 01	8.83993-01	9.64478 00	9.06698-01	9.59343 00
293	2.01478 01	8.61794-01	9.67809 00	8.83179-01	9.62547 00
294	2.01226 01	8.40526-01	9.71054 00	8.60692-01	9.65957 00
295	2.00975 01	8.20136-01	9.74217 00	8.39172-01	9.69275 00
296	2.00724 01	8.00572-01	9.77300 00	8.18561-01	9.72507 00
297	2.00473 01	7.81790-01	9.80307 00	7.98806-01	9.75656 00
298	2.00223 01	7.63745-01	9.83240 00	7.79857-01	9.78725 00
299	1.99973 01	7.46397-01	9.86103 00	7.61668-01	9.81717 00
300	1.99723 01	7.29709-01	9.88899 00	7.44196-01	9.84636 00
301	1.99473 01	7.13647-01	9.91629 00	7.27402-01	9.87484 00
302	1.99224 01	6.98177-01	9.94296 00	7.11249-01	9.90255 00
303	1.98975 01	6.83270-01	9.96903 00	6.95703-01	9.92979 00
304	1.98727 01	6.68877-01	9.99451 00	6.80732-01	9.95631 00
305	1.98478 01	6.55032-01	1.00194 01	6.66306-01	9.98223 00
306	1.98230 01	6.41649-01	1.00438 01	6.52397-01	1.00076 01
307	1.97983 01	6.28726-01	1.00677 01	6.38980-01	1.00323 01
308	1.97736 01	6.16240-01	1.00910 01	6.26030-01	1.00565 01
309	1.97488 01	6.04171-01	1.01139 01	6.13525-01	1.00802 01
310	1.97242 01	5.92499-01	1.01362 01	6.01442-01	1.01034 01
311	1.96995 01	5.81207-01	1.01582 01	5.89763-01	1.01261 01
					1.01484 01

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	TH232 300		TH232 2000		SCATTER
	ENERGY-EV	CAPTURE	SCATTER	CAPTURE	
312	1.96749 01	5.70277-01	1.01796 01	5.78468-01	1.01701 01
313	1.96504 01	5.59694-01	1.02007 01	5.67539-01	1.01915 01
314	1.96258 01	5.49441-01	1.02213 01	5.55961-01	1.02124 01
315	1.96013 01	5.39505-01	1.02415 01	5.46717-01	1.02328 01
316	1.95768 01	5.29872-01	1.02614 01	5.36792-01	1.02529 01
317	1.95523 01	5.20528-01	1.02808 01	5.27173-01	1.02726 01
318	1.95279 01	5.11463-01	1.02999 01	5.17847-01	1.02919 01
319	1.95035 01	5.02665-01	1.03186 01	5.03801-01	1.03109 01
320	1.94792 01	4.94122-01	1.03379 01	5.00022-01	1.03295 01
321	1.94548 01	4.85824-01	1.03550 01	4.91502-01	1.03477 01
322	1.94305 01	4.77762-01	1.03728 01	4.83227-01	1.03656 01
323	1.94063 01	4.69926-01	1.03902 01	4.75190-01	1.03832 01
324	1.93820 01	4.62307-01	1.04072 01	4.67379-01	1.04005 01
325	1.93578 01	4.54898-01	1.04240 01	4.59787-01	1.04174 01
326	1.93336 01	4.47689-01	1.04405 01	4.52405-01	1.04341 01
327	1.93095 01	4.40674-01	1.04567 01	4.45224-01	1.04505 01
328	1.92853 01	4.33845-01	1.04727 01	4.38237-01	1.04666 01
329	1.92612 01	4.27196-01	1.04883 01	4.31437-01	1.04824 01
330	1.92372 01	4.20719-01	1.05037 01	4.24817-01	1.04979 01
331	1.92132 01	4.14409-01	1.05189 01	4.18369-01	1.05132 01
332	1.91892 01	4.08260-01	1.05338 01	4.12089-01	1.05282 01
333	1.91652 01	4.02266-01	1.05484 01	4.05969-01	1.05430 01
334	1.91412 01	3.96421-01	1.05629 01	4.00004-01	1.05576 01
335	1.91173 01	3.90721-01	1.05770 01	3.94189-01	1.05719 01
336	1.90934 01	3.85159-01	1.05910 01	3.88518-01	1.05860 01
337	1.90696 01	3.79733-01	1.06048 01	3.82986-01	1.05998 01
338	1.90458 01	3.74437-01	1.06183 01	3.77589-01	1.06135 01
339	1.90220 01	3.69266-01	1.06316 01	3.72321-01	1.06269 01
340	1.89982 01	3.64218-01	1.06447 01	3.67180-01	1.06401 01
341	1.89745 01	3.59286-01	1.06576 01	3.62160-01	1.06531 01
342	1.89508 01	3.54469-01	1.06704 01	3.57257-01	1.06659 01
343	1.89271 01	3.49762-01	1.06829 01	3.52468-01	1.06786 01
344	1.89035 01	3.45162-01	1.06952 01	3.47788-01	1.06910 01
345	1.88798 01	3.40665-01	1.07074 01	3.43216-01	1.07033 01
346	1.88563 01	3.36268-01	1.07194 01	3.38746-01	1.07153 01
347	1.88327 01	3.31968-01	1.07312 01	3.34376-01	1.07272 01
348	1.88092 01	3.27762-01	1.07429 01	3.30103-01	1.07390 01
349	1.87857 01	3.23648-01	1.07543 01	3.25923-01	1.07505 01
350	1.87622 01	3.19622-01	1.07657 01	3.21834-01	1.07619 01
351	1.87388 01	3.15682-01	1.07768 01	3.17834-01	1.07732 01
352	1.87154 01	3.11825-01	1.07878 01	3.13919-01	1.07842 01
353	1.86920 01	3.08048-01	1.07987 01	3.10087-01	1.07952 01
354	1.86686 01	3.04351-01	1.08094 01	3.06335-01	1.08059 01
355	1.86453 01	3.00729-01	1.08199 01	3.02662-01	1.08166 01
356	1.86220 01	2.97182-01	1.08304 01	2.99064-01	1.08270 01
357	1.85988 01	2.93707-01	1.08406 01	2.95540-01	1.08374 01
358	1.85755 01	2.90301-01	1.08508 01	2.92088-01	1.08476 01
359	1.85523 01	2.86964-01	1.08608 01	2.88705-01	1.08576 01
360	1.85291 01	2.83692-01	1.08707 01	2.85390-01	1.08676 01
361	1.85060 01	2.80485-01	1.08800 01	2.82141-01	1.08774 01
362	1.84829 01	2.77340-01	1.08894 01	2.78955-01	1.08871 01
363	1.84598 01	2.74257-01	1.08995 01	2.75832-01	1.08966 01

GAROL DATA TAPE, LABELED THORIUM TAPE FOR GAROL SAMPLE PROBLEMS

	TH232 300		TH232 2000		SCATTER
	ENERGY-EV	CAPTURE	SCATTER	CAPTURE	
364	1.84367 01	2.71232-01	1.09089 01	2.72769-01	1.09060 01
365	1.84137 01	2.68265-01	1.09182 01	2.69765-01	1.09153 01
366	1.83907 01	2.65354-01	1.09273 01	2.66819-01	1.09245 01
367	1.83677 01	2.62498-01	1.09363 01	2.63928-01	1.09336 01
368	1.83448 01	2.59695-01	1.09452 01	2.61091-01	1.09426 01
369	1.83219 01	2.56944-01	1.09541 01	2.58308-01	1.09514 01
370	1.82990 01	2.54243-01	1.09627 01	2.55576-01	1.09602 01
371	1.82761 01	2.51591-01	1.09713 01	2.52894-01	1.09688 01
372	1.82533 01	2.48988-01	1.09798 01	2.50261-01	1.09773 01
373	1.82305 01	2.46431-01	1.09882 01	2.47675-01	1.09858 01
374	1.82077 01	2.43920-01	1.09965 01	2.45136-01	1.09941 01
375	1.81850 01	2.41454-01	1.10047 01	2.42643-01	1.10023 01
376	1.81622 01	2.39030-01	1.10128 01	2.40194-01	1.10105 01
377	1.81396 01	2.36649-01	1.10208 01	2.37787-01	1.10185 01
378	1.81169 01	2.34310-01	1.10287 01	2.35423-01	1.10264 01
379	1.80943 01	2.32011-01	1.10365 01	2.33100-01	1.10343 01
380	1.80717 01	2.29751-01	1.10442 01	2.30817-01	1.10420 01
381	1.80491 01	2.27529-01	1.10519 01	2.28573-01	1.10497 01
382	1.80265 01	2.25345-01	1.10594 01	2.26367-01	1.10573 01
383	1.80040 01	2.23198-01	1.10669 01	2.24199-01	1.10648 01
384	1.79815 01	2.21086-01	1.10743 01	2.22066-01	1.10722 01
385	1.79591 01	2.19010-01	1.10816 01	2.19970-01	1.10795 01
386	1.79366 01	2.16968-01	1.10888 01	2.17908-01	1.10868 01
387	1.79142 01	2.14959-01	1.10959 01	2.15880-01	1.10940 01
388	1.78918 01	2.12982-01	1.11030 01	2.13885-01	1.11011 01
389	1.78695 01	2.11038-01	1.11100 01	2.11923-01	1.11081 01
390	1.78472 01	2.09124-01	1.11169 01	2.09992-01	1.11150 01
391	1.78249 01	2.07242-01	1.11237 01	2.08092-01	1.11219 01
392	1.78026 01	2.05389-01	1.11305 01	2.06223-01	1.11286 01
393	1.77804 01	2.03565-01	1.11372 01	2.04383-01	1.11354 01
394	1.77582 01	2.01770-01	1.11438 01	2.02572-01	1.11420 01
395	1.77360 01	2.00002-01	1.11503 01	2.00789-01	1.11485 01
396	1.77138 01	1.98262-01	1.11568 01	1.99034-01	1.11551 01
397	1.76917 01	1.96549-01	1.11632 01	1.97306-01	1.11615 01
398	1.76696 01	1.94862-01	1.11696 01	1.95605-01	1.11679 01
399	1.76475 01	1.93200-01	1.11759 01	1.93930-01	1.11742 01
400	1.76255 01	1.91564-01	1.11821 01	1.92280-01	1.11804 01
401	1.76035 01	1.89953-01	1.11882 01	1.90656-01	1.11866 01

TAPE COMPLETE. TIME = 7.403 MH

GAROL PROBLEM L. THORIUM R=2.2 T=300

GEOMETRY = CYLIN.

MEAN CHORD LENGTH OF REGION 1 = 4.400000 00

REGION 2 = 1.000000 05

DANCOFF CORRECTION = 0.

PLOTTING OF THE RESULTS OF THIS PROBLEM HAS BEEN REQUESTED.

UPPER ENERGY LIMIT = 2.902321 01 EV

LOWER ENERGY LIMIT = 1.760347 01 EV

NUMBER OF BROAD GROUPS = 2

BROAD GROUP BOUNDARIES (EV)

1 2.902321 01 TO 2.260330 01
2 2.260330 01 TO 1.760347 01

NUMBER OF MATERIALS = 2

MATERIAL I.D. DESCRIPTION

1 1.0 HYDROGEN
2 90.232 TH232 300K, GAM=24.5, TWO RES

D E N S I T Y
REGION 1 REGION 2
0. 1.000000 00
3.037000-02 0.

GAROL PROBLEM 1, THORIUM R=2.2 T=300

POINT	ENERGY-EV	FLUX		REGION 2	SOURCE	FLUX		REGION 2	SOURCE	TOTAL CROSS SECTION		COLLISION		DENSITY				
		REGION 1	REGION 2			REGION 1	REGION 2			REGION 1	REGION 2							
1	2.902321	01	3.255428	-02	3.4445518	-02	3.449827	-02	1.556144	C4	4.234015	-01	2.000000	01	4.000423	-01	2.000000	01
2	2.898696	01	3.263290	-02	1.223643	-02	3.449827	-02	1.556144	C4	4.235767	-01	2.000000	01	4.007679	-01	2.000000	01
3	2.895075	01	3.271380	-02	3.454142	-02	3.454142	-02	1.556144	C4	4.239553	-01	2.000000	01	4.015234	-01	2.000000	01
4	2.891458	01	3.279707	-02	3.458462	-02	3.458462	-02	1.556144	C4	4.242374	-01	2.000000	01	4.023100	-01	2.000000	01
5	2.887846	01	3.288283	-02	3.462788	-02	3.462788	-02	1.556144	C4	4.245230	-01	2.000000	01	4.031244	-01	2.000000	01
6	2.884238	01	3.297119	-02	3.467119	-02	3.467119	-02	1.556144	C4	4.248123	-01	2.000000	01	4.039828	-01	2.000000	01
7	2.880635	01	3.306227	-02	3.471456	-02	3.471456	-02	1.556144	C4	4.251052	-01	2.000000	01	4.048718	-01	2.000000	01
8	2.877037	01	3.315620	-02	3.475798	-02	3.475798	-02	1.556144	C4	4.254020	-01	2.000000	01	4.057977	-01	2.000000	01
9	2.873443	01	3.325308	-02	3.480145	-02	3.480145	-02	1.556144	C4	4.257025	-01	2.000000	01	4.067623	-01	2.000000	01
10	2.869853	01	3.335307	-02	3.484498	-02	3.484498	-02	1.556144	C4	4.260070	-01	2.000000	01	4.077671	-01	2.000000	01
11	2.866258	01	3.345628	-02	3.488856	-02	3.488856	-02	1.556144	C4	4.263154	-01	2.000000	01	4.088137	-01	1.999999	01
12	2.862638	01	3.356286	-02	3.493220	-02	3.493220	-02	1.556144	C4	4.266279	-01	2.000000	01	4.099040	-01	1.999999	01
13	2.859111	01	3.367294	-02	3.497599	-02	3.497599	-02	1.556144	C4	4.269445	-01	2.000000	01	4.110395	-01	1.999999	01
14	2.855540	01	3.378672	-02	3.501964	-02	3.501964	-02	1.556144	C4	4.272654	-01	2.000000	01	4.122227	-01	1.999999	01
15	2.851973	01	3.389401	-02	3.506344	-02	3.506344	-02	1.556144	C4	4.275906	-01	2.000000	01	4.133295	-01	1.999999	01
16	2.848410	01	3.396379	-02	3.510729	-02	3.510729	-02	1.556144	C4	4.279201	-01	2.000000	01	4.139819	-01	1.999999	01
17	2.844852	01	3.403308	-02	3.515121	-02	3.515121	-02	1.556144	C4	4.282542	-01	2.000000	01	4.146317	-01	1.999999	01
18	2.841298	01	3.410176	-02	3.519517	-02	3.519517	-02	1.556144	C4	4.285929	-01	2.000000	01	4.152776	-01	1.999999	01
19	2.837748	01	3.416970	-02	3.523919	-02	3.523919	-02	1.556144	C4	4.289362	-01	2.000000	01	4.159180	-01	1.999999	01
20	2.834203	01	3.423676	-02	3.528327	-02	3.528327	-02	1.556144	C4	4.292843	-01	2.000000	01	4.165515	-01	1.999999	01
21	2.830663	01	3.430277	-02	3.532740	-02	3.532740	-02	1.556144	C4	4.296373	-01	2.000000	01	4.171759	-01	1.999999	01
22	2.827127	01	3.436757	-02	3.537159	-02	3.537159	-02	1.556144	C4	4.299952	-01	2.000000	01	4.177897	-01	1.999999	01
23	2.823595	01	3.443098	-02	3.541583	-02	3.541583	-02	1.556144	C4	4.303583	-01	2.000000	01	4.183907	-01	1.999999	01
24	2.820068	01	3.449282	-02	3.546012	-02	3.546012	-02	1.556144	C4	4.307265	-01	2.000000	01	4.189767	-01	1.999999	01
25	2.816545	01	3.455286	-02	3.550448	-02	3.550448	-02	1.556144	C4	4.311001	-01	2.000000	01	4.195453	-01	1.999999	01
26	2.813026	01	3.461094	-02	3.554888	-02	3.554888	-02	1.556144	C4	4.314791	-01	2.000000	01	4.200945	-01	1.999999	01
27	2.809512	01	3.466676	-02	3.559335	-02	3.559335	-02	1.556144	C4	4.318636	-01	2.000000	01	4.206268	-01	1.999999	01
28	2.806002	01	3.472009	-02	3.563787	-02	3.563787	-02	1.556144	C4	4.322538	-01	2.000000	01	4.211218	-01	1.999999	01
29	2.802497	01	3.477100	-02	3.568244	-02	3.568244	-02	1.556144	C4	4.326498	-01	2.000000	01	4.215982	-01	1.999999	01
30	2.798996	01	3.482055	-02	3.572707	-02	3.572707	-02	1.556144	C4	4.330517	-01	2.000000	01	4.220634	-01	1.999999	01
31	2.795500	01	3.486915	-02	3.577176	-02	3.577176	-02	1.556144	C4	4.334597	-01	2.000000	01	4.225227	-01	1.999999	01
32	2.792007	01	3.491682	-02	3.581650	-02	3.581650	-02	1.556144	C4	4.338738	-01	2.000000	01	4.229751	-01	1.999999	01
33	2.788520	01	3.496352	-02	3.586130	-02	3.586130	-02	1.556144	C4	4.342944	-01	2.000000	01	4.234217	-01	1.999999	01
34	2.785036	01	3.500924	-02	3.590615	-02	3.590615	-02	1.556144	C4	4.347214	-01	2.000000	01	4.238621	-01	1.999999	01
35	2.781557	01	3.505402	-02	3.595106	-02	3.595106	-02	1.556144	C4	4.351550	-01	2.000000	01	4.242968	-01	1.999999	01
36	2.778082	01	3.509879	-02	3.599602	-02	3.599602	-02	1.556144	C4	4.355955	-01	2.000000	01	4.247254	-01	1.999999	01
37	2.774612	01	3.514362	-02	3.604105	-02	3.604105	-02	1.556144	C4	4.360429	-01	2.000000	01	4.251487	-01	1.999999	01
38	2.771146	01	3.518853	-02	3.608613	-02	3.608613	-02	1.556144	C4	4.364974	-01	2.000000	01	4.255672	-01	1.999999	01
39	2.767684	01	3.523353	-02	3.613126	-02	3.613126	-02	1.556144	C4	4.369593	-01	2.000000	01	4.259811	-01	1.999999	01
40	2.764226	01	3.527866	-02	3.617645	-02	3.617645	-02	1.556144	C4	4.374286	-01	2.000000	01	4.263912	-01	1.999999	01
41	2.760773	01	3.532398	-02	3.622170	-02	3.622170	-02	1.556144	C4	4.378955	-01	2.000000	01	4.267982	-01	1.999999	01
42	2.757325	01	3.536943	-02	3.626701	-02	3.626701	-02	1.556144	C4	4.383690	-01	2.000000	01	4.272031	-01	1.999999	01
43	2.753880	01	3.541494	-02	3.631237	-02	3.631237	-02	1.556144	C4	4.388433	-01	2.000000	01	4.276071	-01	1.999999	01
44	2.750440	01	3.546043	-02	3.635778	-02	3.635778	-02	1.556144	C4	4.393185	-01	2.000000	01	4.280102	-01	1.999999	01
45	2.747004	01	3.550593	-02	3.640326	-02	3.640326	-02	1.556144	C4	4.397941	-01	2.000000	01	4.284135	-01	1.999999	01
46	2.743572	01	3.545144	-02	3.644879	-02	3.644879	-02	1.556144	C4	4.402694	-01	2.000000	01	4.288170	-01	1.999999	01
47	2.740145	01	3.549701	-02	3.649438	-02	3.649438	-02	1.556144	C4	4.407455	-01	2.000000	01	4.292208	-01	1.999999	01
48	2.736722	01	3.554262	-02	3.654003	-02	3.654003	-02	1.556144	C4	4.412215	-01	2.000000	01	4.296253	-01	1.999999	01
49	2.733303	01	3.558832	-02	3.658573	-02	3.658573	-02	1.556144	C4	4.416976	-01	2.000000	01	4.300310	-01	1.999999	01
50	2.729889	01	3.563406	-02	3.663149	-02	3.663149	-02	1.556144	C4	4.421739	-01	2.000000	01	4.304387	-01	1.999999	01
51	2.726478	01	3.567984	-02	3.667731	-02	3.667731	-02	1.556144	C4	4.426500	-01	2.000000	01	4.308478	-01	1.999999	01
52	2.723072	01	3.572566	-02	3.672318	-02	3.672318	-02	1.556144	C4	4.431265	-01	2.000000	01	4.312593	-01	1.999999	01

GAROL POINT	PROBLEM 1	THORIUM R=2.2		T=300		SOURCE		TOTAL CROSS SECTION		COLLISION		DENSITY REGION 2
		ENERGY-EV		FLUX		REGION 1		REGION 2		REGION 1		
		REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	
53	2.719671	01	3.572395-02	3.676911-02	0.	1.566144	04	4.443034-01	2.000000	01	4.316735-01	1.999998
54	2.716273	01	3.575519-02	3.681510-02	0.	1.566144	04	4.449000-01	2.000000	01	4.320907-01	1.999997
55	2.712880	01	3.578588-02	3.686115-02	0.	1.566144	04	4.455075-01	2.000000	01	4.325111-01	1.999997
56	2.709491	01	3.581601-02	3.690725-02	0.	1.566144	04	4.461264-01	2.000000	01	4.329351-01	1.999997
57	2.706106	01	3.584558-02	3.695341-02	0.	1.566144	04	4.467573-01	2.000000	01	4.333629-01	1.999997
58	2.702726	01	3.587457-02	3.699963-02	0.	1.566144	04	4.473995-01	2.000000	01	4.337947-01	1.999997
59	2.699349	01	3.590301-02	3.704591-02	0.	1.566144	04	4.480544-01	2.000000	01	4.342309-01	1.999997
60	2.695977	01	3.593090-02	3.709225-02	0.	1.566144	04	4.487220-01	2.000000	01	4.346720-01	1.999997
61	2.692610	01	3.595819-02	3.713864-02	0.	1.566144	04	4.494026-01	2.000000	01	4.351177-01	1.999997
62	2.689246	01	3.598490-02	3.718509-02	0.	1.566144	04	4.500957-01	2.000000	01	4.355687-01	1.999997
63	2.685886	01	3.601101-02	3.723160-02	0.	1.566144	04	4.508047-01	2.000000	01	4.360249-01	1.999997
64	2.682531	01	3.603652-02	3.727817-02	0.	1.566144	04	4.515269-01	2.000000	01	4.364869-01	1.999997
65	2.679180	01	3.606139-02	3.732480-02	0.	1.566144	04	4.522639-01	2.000000	01	4.369546-01	1.999997
66	2.675833	01	3.608563-02	3.737148-02	0.	1.566144	04	4.530161-01	2.000000	01	4.374283-01	1.999997
67	2.672490	01	3.610925-02	3.741822-02	0.	1.566144	04	4.537839-01	2.000000	01	4.379088-01	1.999997
68	2.669152	01	3.613218-02	3.746502-02	0.	1.566144	04	4.545679-01	2.000000	01	4.383957-01	1.999997
69	2.665818	01	3.615444-02	3.751188-02	0.	1.566144	04	4.553686-01	2.000000	01	4.388895-01	1.999997
70	2.662487	01	3.617600-02	3.755880-02	0.	1.566144	04	4.561865-01	2.000000	01	4.393904-01	1.999997
71	2.659161	01	3.619685-02	3.760578-02	0.	1.566144	04	4.570222-01	2.000000	01	4.398987-01	1.999997
72	2.655839	01	3.621693-02	3.765282-02	0.	1.566144	04	4.578762-01	2.000000	01	4.404145-01	1.999997
73	2.652522	01	3.623625-02	3.769991-02	0.	1.566144	04	4.587493-01	2.000000	01	4.409381-01	1.999997
74	2.649209	01	3.625480-02	3.774706-02	0.	1.566144	04	4.596420-01	2.000000	01	4.414701-01	1.999997
75	2.645898	01	3.627254-02	3.779428-02	0.	1.566144	04	4.605550-01	2.000000	01	4.420106-01	1.999997
76	2.642593	01	3.628944-02	3.784155-02	0.	1.566144	04	4.614890-01	2.000000	01	4.425597-01	1.999996
77	2.639292	01	3.630544-02	3.788888-02	0.	1.566144	04	4.624448-01	2.000000	01	4.431177-01	1.999996
78	2.635995	01	3.632050-02	3.793627-02	0.	1.566144	04	4.634231-01	2.000000	01	4.436850-01	1.999996
79	2.632702	01	3.633474-02	3.798372-02	0.	1.566144	04	4.644247-01	2.000000	01	4.442619-01	1.999996
80	2.629413	01	3.634944-02	3.803123-02	0.	1.566144	04	4.654505-01	2.000000	01	4.448485-01	1.999996
81	2.626129	01	3.636413-02	3.807879-02	0.	1.566144	04	4.665014-01	2.000000	01	4.454453-01	1.999996
82	2.622848	01	3.637826-02	3.812642-02	0.	1.566144	04	4.675783-01	2.000000	01	4.460524-01	1.999996
83	2.619571	01	3.639288-02	3.817411-02	0.	1.566144	04	4.686822-01	2.000000	01	4.466707-01	1.999996
84	2.616299	01	3.640780-02	3.822186-02	0.	1.566144	04	4.698141-01	2.000000	01	4.473000-01	1.999996
85	2.613031	01	3.642313-02	3.826966-02	0.	1.566144	04	4.709752-01	2.000000	01	4.479406-01	1.999996
86	2.609766	01	3.643801-02	3.831753-02	0.	1.566144	04	4.721665-01	2.000000	01	4.485934-01	1.999996
87	2.606506	01	3.645291-02	3.836545-02	0.	1.566144	04	4.733893-01	2.000000	01	4.492579-01	1.999996
88	2.603250	01	3.646782-02	3.841344-02	0.	1.566144	04	4.746448-01	2.000000	01	4.499349-01	1.999996
89	2.599998	01	3.648274-02	3.846149-02	0.	1.566144	04	4.759344-01	2.000000	01	4.506250-01	1.999996
90	2.596750	01	3.649767-02	3.850959-02	0.	1.566144	04	4.772595-01	2.000000	01	4.513285-01	1.999996
91	2.593506	01	3.651262-02	3.855776-02	0.	1.566144	04	4.786216-01	2.000000	01	4.520456-01	1.999996
92	2.590266	01	3.652759-02	3.860598-02	0.	1.566144	04	4.800222-01	2.000000	01	4.527770-01	1.999996
93	2.587031	01	3.654257-02	3.865427-02	0.	1.566144	04	4.814630-01	2.000000	01	4.535227-01	1.999996
94	2.583799	01	3.655758-02	3.870262-02	0.	1.566144	04	4.829459-01	2.000000	01	4.542840-01	1.999996
95	2.580571	01	3.657264-02	3.875102-02	0.	1.566144	04	4.844725-01	2.000000	01	4.550609-01	1.999995
96	2.577347	01	3.658780-02	3.879947-02	0.	1.566144	04	4.860451-01	2.000000	01	4.558534-01	1.999995
97	2.574128	01	3.660307-02	3.884802-02	0.	1.566144	04	4.876655-01	2.000000	01	4.566625-01	1.999995
98	2.570912	01	3.661837-02	3.889661-02	0.	1.566144	04	4.893361-01	2.000000	01	4.574890-01	1.999995
99	2.567700	01	3.663372-02	3.894526-02	0.	1.566144	04	4.910593-01	2.000000	01	4.583329-01	1.999995
100	2.564493	01	3.664906-02	3.899397-02	0.	1.566144	04	4.928375-01	2.000000	01	4.591953-01	1.999995
101	2.561289	01	3.666443-02	3.904274-02	0.	1.566144	04	4.946735-01	2.000000	01	4.600762-01	1.999995
102	2.558090	01	3.667984-02	3.909158-02	0.	1.566144	04	4.965701-01	2.000000	01	4.609767-01	1.999995
103	2.554894	01	3.669526-02	3.914047-02	0.	1.566144	04	4.985304-01	2.000000	01	4.618976-01	1.999995
104	2.551702	01	3.671068-02	3.918943-02	0.	1.566144	04	5.005576-01	2.000000	01	4.628391-01	1.999995

GAROL PROBLEM 1, THORIUM R=2.2 I=300

POINT	ENERGY-EV	FLUX		SOURCE		TOTAL CROSS SECTION		COLLISION		DENSITY				
		REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2					
105	2.548515	01	3.620560-02	3.923384-02	0.	1.566144	04	5.026553-01	2.000000	01	4.638026-01	1.999995	01	
106	2.545331	01	3.617164-02	3.928752-02	0.	1.566144	04	5.048271-01	2.000000	01	4.647883-01	1.999995	01	
107	2.542151	01	3.613439-02	3.933666-02	0.	1.566144	04	5.070771-01	2.000000	01	4.657964-01	1.999995	01	
108	2.538976	01	3.609375-02	3.938586-02	0.	1.566144	04	5.094096-01	2.000000	01	4.668288-01	1.999995	01	
109	2.535804	01	3.604949-02	3.943512-02	0.	1.566144	04	5.118291-01	2.000000	01	4.678857-01	1.999995	01	
110	2.532636	01	3.600144-02	3.948445-02	0.	1.566144	04	5.143407-01	2.000000	01	4.689684-01	1.999995	01	
111	2.529472	01	3.594938-02	3.953383-02	0.	1.566144	04	5.169496-01	2.000000	01	4.700776-01	1.999995	01	
112	2.526312	01	3.589308-02	3.958328-02	0.	1.566144	04	5.196617-01	2.000000	01	4.712144-01	1.999995	01	
113	2.523156	01	3.583233-02	3.963279-02	0.	1.566144	04	5.224832-01	2.000000	01	4.723801-01	1.999995	01	
114	2.520004	01	3.576681-02	3.968236-02	0.	1.566144	04	5.254208-01	2.000000	01	4.735759-01	1.999994	01	
115	2.516856	01	3.569629-02	3.973199-02	0.	1.566144	04	5.284817-01	2.000000	01	4.748009-01	1.999994	01	
116	2.513712	01	3.562040-02	3.978169-02	0.	1.566144	04	5.316740-01	2.000000	01	4.760579-01	1.999994	01	
117	2.510572	01	3.553890-02	3.983144-02	0.	1.566144	04	5.350061-01	2.000000	01	4.773483-01	1.999994	01	
118	2.507436	01	3.545140-02	3.988126-02	0.	1.566144	04	5.384874-01	2.000000	01	4.786727-01	1.999994	01	
119	2.504303	01	3.535753-02	3.993115-02	0.	1.566144	04	5.421281-01	2.000000	01	4.800327-01	1.999994	01	
120	2.501175	01	3.525693-02	3.998109-02	0.	1.566144	04	5.459393-01	2.000000	01	4.814298-01	1.999994	01	
121	2.498051	01	3.514917-02	4.003110-02	0.	1.566144	04	5.499331-01	2.000000	01	4.828655-01	1.999994	01	
122	2.494930	01	3.503376-02	4.008117-02	0.	1.566144	04	5.541230-01	2.000000	01	4.843410-01	1.999994	01	
123	2.491813	01	3.491015-02	4.013130-02	0.	1.566144	04	5.585236-01	2.000000	01	4.858573-01	1.999994	01	
124	2.488700	01	3.477785-02	4.018149-02	0.	1.566144	04	5.631508-01	2.000000	01	4.874163-01	1.999994	01	
125	2.485591	01	3.463629-02	4.023175-02	0.	1.566144	04	5.680227-01	2.000000	01	4.890202-01	1.999994	01	
126	2.482486	01	3.448483-02	4.028207-02	0.	1.566144	04	5.731587-01	2.000000	01	4.905703-01	1.999994	01	
127	2.479385	01	3.432278-02	4.033245-02	0.	1.566144	04	5.785808-01	2.000000	01	4.923687-01	1.999994	01	
128	2.476288	01	3.414935-02	4.038290-02	0.	1.566144	04	5.843130-01	2.000000	01	4.941163-01	1.999994	01	
129	2.473195	01	3.396379-02	4.043341-02	0.	1.566144	04	5.903825-01	2.000000	01	4.959157-01	1.999994	01	
130	2.470105	01	3.376517-02	4.048398-02	0.	1.566144	04	5.968193-01	2.000000	01	4.977682-01	1.999994	01	
131	2.467019	01	3.352500-02	4.053462-02	0.	1.566144	04	6.036572-01	2.000000	01	4.996752-01	1.999994	01	
132	2.463937	01	3.322480-02	4.058531-02	0.	1.566144	04	6.109341-01	2.000000	01	5.016392-01	1.999993	01	
133	2.460859	01	3.308101-02	4.063608-02	0.	1.566144	04	6.186928-01	2.000000	01	5.036637-01	1.999993	01	
134	2.457785	01	3.281975-02	4.068690-02	0.	1.566144	04	6.269819-01	2.000000	01	5.057481-01	1.999993	01	
135	2.454715	01	3.253968-02	4.073779-02	0.	1.566144	04	6.358561-01	2.000000	01	5.078942-01	1.999993	01	
136	2.451648	01	3.223947-02	4.078875-02	0.	1.566144	04	6.453784-01	2.000000	01	5.101062-01	1.999993	01	
137	2.448586	01	3.191728-02	4.083976-02	0.	1.566144	04	6.556203-01	2.000000	01	5.123816-01	1.999993	01	
138	2.445527	01	3.157144-02	4.089084-02	0.	1.566144	04	6.666643-01	2.000000	01	5.147236-01	1.999993	01	
139	2.442472	01	3.120001-02	4.094199-02	0.	1.566144	04	6.786057-01	2.000000	01	5.171325-01	1.999993	01	
140	2.439421	01	3.080090-02	4.099320-02	0.	1.566144	04	6.915551-01	2.000000	01	5.196094-01	1.999993	01	
141	2.436373	01	3.037173-02	4.104447-02	0.	1.566144	04	7.056415-01	2.000000	01	5.221526-01	1.999993	01	
142	2.433330	01	2.991006-02	4.109581-02	0.	1.566144	04	7.210162-01	2.000000	01	5.247631-01	1.999993	01	
143	2.430290	01	2.941297-02	4.114720-02	0.	1.566144	04	7.378579-01	2.000000	01	5.274360-01	1.999993	01	
144	2.427254	01	2.887452-02	4.119867-02	0.	1.566144	04	7.563795-01	2.000000	01	5.301681-01	1.999993	01	
145	2.424222	01	2.830029-02	4.125020-02	0.	1.566144	04	7.768337-01	2.000000	01	5.329560-01	1.999993	01	
146	2.421193	01	2.767771-02	4.130179-02	0.	1.566144	04	7.995285-01	2.000000	01	5.357887-01	1.999993	01	
147	2.418169	01	2.700594-02	4.135345-02	0.	1.566144	04	8.248334-01	2.000000	01	5.386587-01	1.999993	01	
148	2.415148	01	2.628073-02	4.140519-02	0.	1.566144	04	8.532341-01	2.000000	01	5.415517-01	1.999993	01	
149	2.412131	01	2.549742-02	4.145696-02	0.	1.566144	04	8.852341-01	2.000000	01	5.444465-01	1.999992	01	
150	2.409118	01	2.465129-02	4.150882-02	0.	1.566144	04	9.216055-01	2.000000	01	5.473217-01	1.999992	01	
151	2.406108	01	2.373707-02	4.156073-02	0.	1.566144	04	9.632362-01	2.000000	01	5.501422-01	1.999992	01	
152	2.403102	01	2.274987-02	4.161271-02	0.	1.566144	04	1.011296	00	2.000000	01	5.528783-01	1.999992	01
153	2.400100	01	2.168397-02	4.166476-02	0.	1.566144	04	1.067318	00	2.000000	01	5.554715-01	1.999992	01
154	2.397102	01	2.053394-02	4.171687-02	0.	1.566144	04	1.133350	00	2.000000	01	5.578571-01	1.999992	01
155	2.394108	01	1.929513-02	4.176905-02	0.	1.566144	04	1.212193	00	2.000000	01	5.599678-01	1.999992	01
156	2.391117	01	1.796262-02	4.182129-02	0.	1.566144	04	1.307771	00	2.000000	01	5.616974-01	1.999992	01

GAROL PROBLEM 1, THORIUM R=2.2 T=300

POINT	ENERGY-EV	FLUX		FLUX		SOURCE		TOTAL CROSS SECTION		COLLISION		DENSITY REGION 2			
		REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2				
157	2.388130	01	1.653285-02	0.	4.187360-02	0.	1.566144	04	1.425768	00	2.000000	01	5.629304-01	1.999992	01
158	2.385147	01	1.500319-02	0.	4.192591-02	0.	1.566144	04	1.574737	00	2.000000	01	5.635165-01	1.999992	01
159	2.382167	01	1.334777-02	0.	4.197841-02	0.	1.566144	04	1.771920	00	2.000000	01	5.634107-01	1.999992	01
160	2.379191	01	1.157358-02	0.	4.203091-02	0.	1.566144	04	2.042169	00	2.000000	01	5.623268-01	1.999992	01
161	2.376219	01	9.634381-03	0.	4.208349-02	0.	1.566144	04	2.445896	00	2.000000	01	5.601776-01	1.999992	01
162	2.373251	01	7.496224-03	0.	4.213612-02	0.	1.566144	04	3.128956	00	2.000000	01	5.566543-01	1.999992	01
163	2.370286	01	5.249934-03	0.	4.218882-02	0.	1.566144	04	4.426420	00	2.000000	01	5.508168-01	1.999991	01
164	2.367325	01	3.235904-03	0.	4.224159-02	0.	1.566144	04	7.064778	00	2.000000	01	5.411927-01	1.999991	01
165	2.364368	01	1.805631-03	0.	4.229442-02	0.	1.566144	04	1.234352	01	2.000000	01	5.269666-01	1.999991	01
166	2.361414	01	9.788079-04	0.	4.234732-02	0.	1.566144	04	2.202142	01	2.000000	01	5.089966-01	1.999991	01
167	2.358464	01	5.530087-04	0.	4.240029-02	0.	1.566144	04	3.747956	01	2.000000	01	4.888276-01	1.999991	01
168	2.355518	01	3.415327-04	0.	4.245332-02	0.	1.566144	04	5.813277	01	2.000000	01	4.676701-01	1.999991	01
169	2.352575	01	2.368779-04	0.	4.250642-02	0.	1.566144	04	8.007792	01	2.000000	01	4.462527-01	1.999991	01
170	2.349636	01	1.871217-04	0.	4.255958-02	0.	1.566144	04	9.566346	01	2.000000	01	4.249982-01	1.999991	01
171	2.346701	01	1.694894-04	0.	4.261282-02	0.	1.566144	04	1.016178	02	2.000000	01	4.041755-01	1.999991	01
172	2.343770	01	1.764206-04	0.	4.266611-02	0.	1.566144	04	9.286864	01	2.000000	01	3.840017-01	1.999991	01
173	2.340842	01	2.107620-04	0.	4.271948-02	0.	1.566144	04	7.391452	01	2.000000	01	3.646650-01	1.999991	01
174	2.337917	01	2.875044-04	0.	4.277291-02	0.	1.566144	04	5.153019	01	2.000000	01	3.463662-01	1.999991	01
175	2.334997	01	4.429184-04	0.	4.282641-02	0.	1.566144	04	3.184314	01	2.000000	01	3.293259-01	1.999991	01
176	2.332080	01	7.544975-04	0.	4.287993-02	0.	1.566144	04	1.783715	01	2.000000	01	3.138533-01	1.999991	01
177	2.329167	01	1.366933-03	0.	4.293361-02	0.	1.566144	04	9.428705	00	2.000000	01	3.001925-01	1.999991	01
178	2.326251	01	2.472425-03	0.	4.298731-02	0.	1.566144	04	5.012454	00	2.000000	01	2.882934-01	1.999991	01
179	2.323351	01	4.137257-03	0.	4.304108-02	0.	1.566144	04	2.809351	00	2.000000	01	2.777331-01	1.999991	01
180	2.320449	01	6.102974-03	0.	4.309491-02	0.	1.566144	04	1.893075	00	2.000000	01	2.680904-01	1.999990	01
181	2.317550	01	7.996345-03	0.	4.314881-02	0.	1.566144	04	1.399618	00	2.000000	01	2.593761-01	1.999990	01
182	2.314655	01	9.654020-03	0.	4.320278-02	0.	1.566144	04	1.126122	00	2.000000	01	2.516401-01	1.999990	01
183	2.311763	01	1.108658-02	0.	4.325682-02	0.	1.566144	04	9.555544-01	01	2.000000	01	2.449043-01	1.999990	01
184	2.308875	01	1.234768-02	0.	4.331092-02	0.	1.566144	04	8.389201-01	01	2.000000	01	2.391699-01	1.999990	01
185	2.305991	01	1.344748-02	0.	4.336509-02	0.	1.566144	04	7.563202-01	01	2.000000	01	2.345275-01	1.999990	01
186	2.303110	01	1.442793-02	0.	4.341933-02	0.	1.566144	04	6.949570-01	01	2.000000	01	2.309280-01	1.999990	01
187	2.300233	01	1.530807-02	0.	4.347364-02	0.	1.566144	04	6.485855-01	01	2.000000	01	2.283808-01	1.999990	01
188	2.297360	01	1.610617-02	0.	4.352802-02	0.	1.566144	04	6.131110-01	01	2.000000	01	2.263581-01	1.999990	01
189	2.294490	01	1.684101-02	0.	4.358246-02	0.	1.566144	04	5.647175-01	01	2.000000	01	2.268393-01	1.999990	01
190	2.291623	01	1.752846-02	0.	4.363697-02	0.	1.566144	04	5.485393-01	01	2.000000	01	2.282942-01	1.999990	01
191	2.288761	01	1.818389-02	0.	4.369155-02	0.	1.566144	04	5.362725-01	01	2.000000	01	2.306889-01	1.999990	01
192	2.285902	01	1.881844-02	0.	4.374620-02	0.	1.566144	04	5.271942-01	01	2.000000	01	2.339377-01	1.999990	01
193	2.283046	01	1.943636-02	0.	4.380091-02	0.	1.566144	04	5.207671-01	01	2.000000	01	2.470228-01	1.999990	01
194	2.280194	01	2.003135-02	0.	4.385570-02	0.	1.566144	04	5.165903-01	01	2.000000	01	2.422750-01	1.999990	01
195	2.277346	01	2.059365-02	0.	4.391055-02	0.	1.566144	04	5.143649-01	01	2.000000	01	2.378623-01	1.999990	01
196	2.274501	01	2.111445-02	0.	4.396547-02	0.	1.566144	04	5.138712-01	01	2.000000	01	2.520142-01	1.999990	01
197	2.271659	01	2.158875-02	0.	4.402047-02	0.	1.566144	04	5.149520-01	01	2.000000	01	2.571998-01	1.999990	01
198	2.268821	01	2.201423-02	0.	4.407552-02	0.	1.566144	04	5.175018-01	01	2.000000	01	2.625556-01	1.999990	01
199	2.265987	01	2.238990-02	0.	4.413066-02	0.	1.566144	04	5.214584-01	01	2.000000	01	2.680656-01	1.999990	01
200	2.263156	01	2.271469-02	0.	4.418585-02	0.	1.566144	04	5.267994-01	01	2.000000	01	2.737230-01	1.999990	01
201	2.260329	01	2.298764-02	0.	4.424112-02	0.	1.566144	04	5.335387-01	01	2.000000	01	2.795250-01	1.999990	01
202	2.257506	01	2.320770-02	0.	4.429645-02	0.	1.566144	04	5.417272-01	01	2.000000	01	2.854770-01	1.999990	01
203	2.254685	01	2.337247-02	0.	4.435186-02	0.	1.566144	04	5.514540-01	01	2.000000	01	2.915758-01	1.999990	01
204	2.251869	01	2.348005-02	0.	4.440733-02	0.	1.566144	04	5.628505-01	01	2.000000	01	2.978187-01	1.999990	01
205	2.249056	01	2.352658-02	0.	4.446287-02	0.	1.566144	04	5.760973-01	01	2.000000	01	3.042044-01	1.999990	01
206	2.246246	01	2.350782-02	0.	4.451849-02	0.	1.566144	04	5.914338-01	01	2.000000	01	3.107324-01	1.999990	01
207	2.243440	01	2.341887-02	0.	4.457417-02	0.	1.566144	04	6.091725-01	01	2.000000	01	3.173898-01	1.999990	01
208	2.240638	01	2.325311-02	0.	4.462992-02	0.	1.566144	04							

GAROL PROBLEM 1. THORIUM R=2.2 I=300

POINT	ENERGY-EV	FLUX		FLUX		SOURCE		SOURCE		TOTAL CROSS SECTION		COLLISION		DENSITY	REGION 2
		REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2		
209	2.237839	01	2.300486-02	0.	4.468574-02	0.	1.566144	04	6.297194-01	2.000000	01	3.241868-01	1.999989	01	
210	2.235043	01	2.266626-02	0.	4.474163-02	0.	1.566144	04	6.536027-01	2.000000	01	3.311154-01	1.999989	01	
211	2.232251	01	2.228270-02	0.	4.479759-02	0.	1.566144	04	6.815159-01	2.000000	01	3.381685-01	1.999989	01	
212	2.229462	01	2.168299-02	0.	4.485362-02	0.	1.566144	04	7.143789-01	2.000000	01	3.453409-01	1.999989	01	
213	2.226677	01	2.101837-02	0.	4.490972-02	0.	1.566144	04	7.534331-01	2.000000	01	3.526152-01	1.999989	01	
214	2.223896	01	2.022313-02	0.	4.496590-02	0.	1.566144	04	8.003874-01	2.000000	01	3.599673-01	1.999989	01	
215	2.221117	01	1.928330-02	0.	4.502214-02	0.	1.566144	04	8.576563-01	2.000000	01	3.673383-01	1.999989	01	
216	2.218343	01	1.818534-02	0.	4.507845-02	0.	1.566144	04	9.287586-01	2.000000	01	3.746735-01	1.999989	01	
217	2.215572	01	1.691333-02	0.	4.513483-02	0.	1.566144	04	1.019033	00	2.000000	3.818591-01	1.999989	01	
218	2.212804	01	1.561093-02	0.	4.519128-02	0.	1.566144	04	1.140444	00	2.000000	3.889069-01	1.999989	01	
219	2.210040	01	1.367080-02	0.	4.524781-02	0.	1.566144	04	1.309232	00	2.000000	3.955491-01	1.999989	01	
220	2.207279	01	1.160309-02	0.	4.530440-02	0.	1.566144	04	1.568343	00	2.000000	4.016723-01	1.999989	01	
221	2.204521	01	9.154517-03	0.	4.536106-02	0.	1.566144	04	2.016235	00	2.000000	4.069031-01	1.999989	01	
222	2.201767	01	6.476127-03	0.	4.541780-02	0.	1.566144	04	2.876144	00	2.000000	4.101073-01	1.999989	01	
223	2.199017	01	4.049387-03	0.	4.547460-02	0.	1.566144	04	4.599888	00	2.000000	4.096050-01	1.999989	01	
224	2.196270	01	2.319311-03	0.	4.553148-02	0.	1.566144	04	7.945023	01	2.000000	4.047071-01	1.999989	01	
225	2.193526	01	1.302934-03	0.	4.558843-02	0.	1.566144	04	1.386323	01	2.000000	3.962139-01	1.999989	01	
226	2.190786	01	7.646107-04	0.	4.564545-02	0.	1.566144	04	2.301040	01	2.000000	3.854468-01	1.999989	01	
227	2.188049	01	4.886406-04	0.	4.570254-02	0.	1.566144	04	3.492521	01	2.000000	3.734098-01	1.999989	01	
228	2.185316	01	3.481765-04	0.	4.575971-02	0.	1.566144	04	4.740572	01	2.000000	3.676986-01	1.999989	01	
229	2.182586	01	2.800635-04	0.	4.581694-02	0.	1.566144	04	5.687682	01	2.000000	3.476668-01	1.999989	01	
230	2.179859	01	2.558397-04	0.	4.587425-02	0.	1.566144	04	5.998726	01	2.000000	3.345458-01	1.999989	01	
231	2.177136	01	2.659727-04	0.	4.593162-02	0.	1.566144	04	5.52468	01	2.000000	3.215206-01	1.999989	01	
232	2.174417	01	3.143874-04	0.	4.598901-02	0.	1.566144	04	4.516739	01	2.000000	3.087684-01	1.999989	01	
233	2.171700	01	4.207815-04	0.	4.604659-02	0.	1.566144	04	3.244537	01	2.000000	2.964894-01	1.999989	01	
234	2.168987	01	6.320492-04	0.	4.610419-02	0.	1.566144	04	2.078331	01	2.000000	2.849198-01	1.999989	01	
235	2.166278	01	1.047590-03	0.	4.616186-02	0.	1.566144	04	1.209109	01	2.000000	2.743915-01	1.999989	01	
236	2.163572	01	1.856327-03	0.	4.621959-02	0.	1.566144	04	6.622263	00	2.000000	2.651665-01	1.999989	01	
237	2.160869	01	3.332613-03	0.	4.627740-02	0.	1.566144	04	3.570642	00	2.000000	2.571340-01	1.999989	01	
238	2.158169	01	5.638109-03	0.	4.633528-02	0.	1.566144	04	2.50795	00	2.000000	2.495406-01	1.999989	01	
239	2.155473	01	8.472858-03	0.	4.639324-02	0.	1.566144	04	1.322159	00	2.000000	2.414662-01	1.999989	01	
240	2.152781	01	1.121553-02	0.	4.645127-02	0.	1.566144	04	9.641735-01	2.000000	01	2.327955-01	1.999989	01	
241	2.150091	01	1.353289-02	0.	4.650937-02	0.	1.566144	04	6.551269-01	2.000000	01	2.245178-01	1.999989	01	
242	2.147406	01	1.544531-02	0.	4.656754-02	0.	1.566144	04	5.765215-01	2.000000	01	2.172882-01	1.999989	01	
243	2.144723	01	1.707918-02	0.	4.662579-02	0.	1.566144	04	5.215086-01	2.000000	01	2.111805-01	1.999989	01	
244	2.142044	01	1.847226-02	0.	4.668410-02	0.	1.566144	04	4.533265-01	2.000000	01	2.063526-01	1.999989	01	
245	2.139368	01	1.971553-02	0.	4.674250-02	0.	1.566144	04	4.487598-01	2.000000	01	2.025958-01	1.999989	01	
246	2.136695	01	2.084236-02	0.	4.680096-02	0.	1.566144	04	4.241074-01	2.000000	01	1.998496-01	1.999989	01	
247	2.134026	01	2.188195-02	0.	4.685950-02	0.	1.566144	04	4.045625-01	2.000000	01	1.980440-01	1.999989	01	
248	2.131360	01	2.285908-02	0.	4.691811-02	0.	1.566144	04	3.761524-01	2.000000	01	1.971666-01	1.999989	01	
249	2.128698	01	2.379390-02	0.	4.697679-02	0.	1.566144	04	3.888745-01	2.000000	01	1.969650-01	1.999989	01	
250	2.126038	01	2.470379-02	0.	4.703553-02	0.	1.566144	04	3.657472-01	2.000000	01	1.975597-01	1.999989	01	
251	2.123382	01	2.559994-02	0.	4.709438-02	0.	1.566144	04	3.571761-01	2.000000	01	1.988146-01	1.999989	01	
252	2.120730	01	2.648520-02	0.	4.715328-02	0.	1.566144	04	3.441603-01	2.000000	01	2.006185-01	1.999989	01	
253	2.118081	01	2.735229-02	0.	4.721226-02	0.	1.566144	04	3.500739-01	2.000000	01	2.028131-01	1.999989	01	
254	2.115435	01	2.819047-02	0.	4.727131-02	0.	1.566144	04	3.441603-01	2.000000	01	2.052403-01	1.999989	01	
255	2.112792	01	2.899184-02	0.	4.733044-02	0.	1.566144	04	3.392171-01	2.000000	01	2.077831-01	1.999989	01	
256	2.110153	01	2.975522-02	0.	4.738964-02	0.	1.566144	04	3.350727-01	2.000000	01	2.103856-01	1.999989	01	
257	2.107517	01	3.048088-02	0.	4.744891-02	0.	1.566144	04	3.315905-01	2.000000	01	2.130103-01	1.999989	01	
258	2.104884	01	3.117193-02	0.	4.750826-02	0.	1.566144	04	3.286610-01	2.000000	01	2.156453-01	1.999989	01	
259	2.102254	01	3.183131-02	0.	4.756768-02	0.	1.566144	04	3.261957-01	2.000000	01	2.182817-01	1.999989	01	
260	2.099628	01	3.246164-02	0.	4.762718-02	0.	1.566144	04	3.241211-01	2.000000	01	2.209125-01	1.999989	01	

GAROL POINT	PROBLEM	ENERGY-EV	THORIUM R=2.2		FLUX	FLUX	SOURCE		TOTAL CROSS SECTION		COLLISION DENSITY			
			R=2.2				REGION 1		REGION 1		REGION 2		REGION 2	
			REGION 1	REGION 2			REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2
261	2.097005	01	3.306532-02	4.768675-02	0.	1.566144	04	3.223789-01	2.000000	2.245315-01	1.999987	01		
262	2.094386	01	3.364414-02	4.774639-02	0.	1.566144	04	3.209192-01	2.000000	2.241319-01	1.999987	01		
263	2.091769	01	3.419965-02	4.780611-02	0.	1.566144	04	3.197013-01	2.000000	2.237072-01	1.999987	01		
264	2.089156	01	3.473349-02	4.786591-02	0.	1.566144	04	3.186907-01	2.000000	2.232538-01	1.999987	01		
265	2.086546	01	3.524641-02	4.792577-02	0.	1.566144	04	3.178597-01	2.000000	2.227637-01	1.999987	01		
266	2.083940	01	3.573898-02	4.798572-02	0.	1.566144	04	3.171849-01	2.000000	2.22297-01	1.999987	01		
267	2.081337	01	3.621180-02	4.804574-02	0.	1.566144	04	3.166365-01	2.000000	2.218645-01	1.999987	01		
268	2.078737	01	3.666567-02	4.810583-02	0.	1.566144	04	3.162087-01	2.000000	2.214003-01	1.999987	01		
269	2.076140	01	3.711025-02	4.816600-02	0.	1.566144	04	3.158801-01	2.000000	2.209342-01	1.999987	01		
270	2.073546	01	3.751974-02	4.822625-02	0.	1.566144	04	3.156405-01	2.000000	2.204756-01	1.999987	01		
271	2.070956	01	3.792213-02	4.828656-02	0.	1.566144	04	3.154765-01	2.000000	2.200000	1.999987	01		
272	2.068369	01	3.830930-02	4.834696-02	0.	1.566144	04	3.153748-01	2.000000	2.198999-01	1.999987	01		
273	2.065785	01	3.868214-02	4.840743-02	0.	1.566144	04	3.153417-01	2.000000	2.198864-01	1.999987	01		
274	2.063204	01	3.904118-02	4.846798-02	0.	1.566144	04	3.153543-01	2.000000	2.198618-01	1.999987	01		
275	2.060627	01	3.938740-02	4.852860-02	0.	1.566144	04	3.154128-01	2.000000	2.198277-01	1.999987	01		
276	2.058053	01	3.972142-02	4.858930-02	0.	1.566144	04	3.155102-01	2.000000	2.197858-01	1.999987	01		
277	2.055482	01	4.004384-02	4.865007-02	0.	1.566144	04	3.156421-01	2.000000	2.197300-01	1.999987	01		
278	2.052914	01	4.035523-02	4.871692-02	0.	1.566144	04	3.158004-01	2.000000	2.196605-01	1.999987	01		
279	2.050349	01	4.065597-02	4.877185-02	0.	1.566144	04	3.159927-01	2.000000	2.195777-01	1.999987	01		
280	2.047788	01	4.094567-02	4.883285-02	0.	1.566144	04	3.162044-01	2.000000	2.194800	1.999987	01		
281	2.045230	01	4.122793-02	4.889393-02	0.	1.566144	04	3.164333-01	2.000000	2.193710	1.999987	01		
282	2.042675	01	4.150016-02	4.895508-02	0.	1.566144	04	3.166860-01	2.000000	2.192529-01	1.999986	01		
283	2.040123	01	4.176384-02	4.901631-02	0.	1.566144	04	3.169510-01	2.000000	2.191260-01	1.999985	01		
284	2.037575	01	4.201942-02	4.907762-02	0.	1.566144	04	3.172294-01	2.000000	2.189914-01	1.999986	01		
285	2.035029	01	4.226715-02	4.913900-02	0.	1.566144	04	3.175193-01	2.000000	2.188480-01	1.999986	01		
286	2.032487	01	4.250736-02	4.920047-02	0.	1.566144	04	3.178193-01	2.000000	2.186960-01	1.999986	01		
287	2.029948	01	4.274081-02	4.926201-02	0.	1.566144	04	3.181277-01	2.000000	2.185360-01	1.999986	01		
288	2.027412	01	4.296764-02	4.932362-02	0.	1.566144	04	3.184435-01	2.000000	2.183680-01	1.999986	01		
289	2.024880	01	4.318815-02	4.938532-02	0.	1.566144	04	3.187655-01	2.000000	2.181920-01	1.999986	01		
290	2.022350	01	4.340252-02	4.944708-02	0.	1.566144	04	3.190926-01	2.000000	2.180080-01	1.999986	01		
291	2.019824	01	4.361115-02	4.950893-02	0.	1.566144	04	3.194299-01	2.000000	2.178160-01	1.999986	01		
292	2.017300	01	4.381437-02	4.957085-02	0.	1.566144	04	3.197587-01	2.000000	2.176160-01	1.999986	01		
293	2.014780	01	4.401228-02	4.963286-02	0.	1.566144	04	3.200963-01	2.000000	2.174080-01	1.999986	01		
294	2.012263	01	4.420523-02	4.969493-02	0.	1.566144	04	3.204359-01	2.000000	2.171920-01	1.999986	01		
295	2.009750	01	4.439350-02	4.975709-02	0.	1.566144	04	3.207771-01	2.000000	2.169680-01	1.999986	01		
296	2.007239	01	4.457728-02	4.981933-02	0.	1.566144	04	3.211193-01	2.000000	2.167360-01	1.999986	01		
297	2.004732	01	4.475675-02	4.988164-02	0.	1.566144	04	3.214621-01	2.000000	2.164960-01	1.999986	01		
298	2.002227	01	4.493216-02	4.994403-02	0.	1.566144	04	3.218050-01	2.000000	2.162480-01	1.999986	01		
299	1.999726	01	4.510368-02	5.000650-02	0.	1.566144	04	3.221477-01	2.000000	2.159920-01	1.999986	01		
300	1.997228	01	4.527135-02	5.006904-02	0.	1.566144	04	3.224912-01	2.000000	2.157280-01	1.999986	01		
301	1.994733	01	4.543548-02	5.013167-02	0.	1.566144	04	3.228350-01	2.000000	2.154560-01	1.999986	01		
302	1.992241	01	4.559623-02	5.019437-02	0.	1.566144	04	3.231714-01	2.000000	2.151760-01	1.999986	01		
303	1.989752	01	4.575378-02	5.025715-02	0.	1.566144	04	3.235104-01	2.000000	2.148880-01	1.999986	01		
304	1.987267	01	4.590824-02	5.032001-02	0.	1.566144	04	3.238478-01	2.000000	2.145920-01	1.999986	01		
305	1.984784	01	4.605973-02	5.038295-02	0.	1.566144	04	3.241835-01	2.000000	2.142880-01	1.999986	01		
306	1.982305	01	4.620841-02	5.044595-02	0.	1.566144	04	3.245174-01	2.000000	2.139760-01	1.999985	01		
307	1.979828	01	4.635438-02	5.050906-02	0.	1.566144	04	3.248492-01	2.000000	2.136560-01	1.999985	01		
308	1.977355	01	4.649777-02	5.057224-02	0.	1.566144	04	3.251790-01	2.000000	2.133280-01	1.999985	01		
309	1.974885	01	4.663862-02	5.063549-02	0.	1.566144	04	3.255065-01	2.000000	2.129920-01	1.999985	01		
310	1.972418	01	4.677707-02	5.069882-02	0.	1.566144	04	3.258316-01	2.000000	2.126480-01	1.999985	01		
311	1.969954	01	4.691329-02	5.076223-02	0.	1.566144	04	3.261543-01	2.000000	2.122960-01	1.999985	01		
312	1.967493	01	4.704735-02	5.082573-02	0.	1.566144	04	3.264745-01	2.000000	2.119360-01	1.999985	01		

GAROL PROBLEM 1, THORIUM R=2.2 T=300

POINT	ENERGY-EV	FLUX		FLUX		SOURCE		TOTAL CROSS SECTION		COLLISION		DENSITY		
		REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2	REGION 1	REGION 2			
313	1.965035	01	4.717932-02	0.	5.088930-02	0.	1.566144	04	3.267923-01	2.000000	01	3.029659-01	1.999985	01
314	1.962580	01	4.730930-02	0.	5.095295-02	0.	1.566144	04	3.271074-01	2.000000	01	3.037136-01	1.999985	01
315	1.960129	01	4.743731-02	0.	5.101668-02	0.	1.566144	04	3.274198-01	2.000000	01	3.044455-01	1.999985	01
316	1.957680	01	4.756356-02	0.	5.108049-02	0.	1.566144	04	3.277295-01	2.000000	01	3.051629-01	1.999985	01
317	1.955235	01	4.768798-02	0.	5.114437-02	0.	1.566144	04	3.280366-01	2.000000	01	3.058652-01	1.999985	01
318	1.952792	01	4.781073-02	0.	5.120834-02	0.	1.566144	04	3.283409-01	2.000000	01	3.065535-01	1.999985	01
319	1.950353	01	4.793188-02	0.	5.127239-02	0.	1.566144	04	3.286424-01	2.000000	01	3.072282-01	1.999985	01
320	1.947916	01	4.805147-02	0.	5.133652-02	0.	1.566144	04	3.289411-01	2.000000	01	3.078897-01	1.999985	01
321	1.945483	01	4.816957-02	0.	5.140073-02	0.	1.566144	04	3.292371-01	2.000000	01	3.085382-01	1.999985	01
322	1.943052	01	4.828624-02	0.	5.146502-02	0.	1.566144	04	3.295303-01	2.000000	01	3.091742-01	1.999985	01
323	1.940625	01	4.840156-02	0.	5.152939-02	0.	1.566144	04	3.298207-01	2.000000	01	3.097982-01	1.999985	01
324	1.938201	01	4.851555-02	0.	5.159384-02	0.	1.566144	04	3.301083-01	2.000000	01	3.104103-01	1.999985	01
325	1.935780	01	4.862829-02	0.	5.165838-02	0.	1.566144	04	3.303931-01	2.000000	01	3.110111-01	1.999985	01
326	1.933361	01	4.873981-02	0.	5.172299-02	0.	1.566144	04	3.306751-01	2.000000	01	3.116007-01	1.999985	01
327	1.930946	01	4.885009-02	0.	5.178768-02	0.	1.566144	04	3.309544-01	2.000000	01	3.121791-01	1.999984	01
328	1.928534	01	4.895933-02	0.	5.185246-02	0.	1.566144	04	3.312309-01	2.000000	01	3.127474-01	1.999984	01
329	1.926125	01	4.906741-02	0.	5.191731-02	0.	1.566144	04	3.315047-01	2.000000	01	3.133050-01	1.999984	01
330	1.923719	01	4.917453-02	0.	5.198225-02	0.	1.566144	04	3.317758-01	2.000000	01	3.138532-01	1.999984	01
331	1.921315	01	4.928066-02	0.	5.204727-02	0.	1.566144	04	3.320442-01	2.000000	01	3.143917-01	1.999984	01
332	1.918915	01	4.938583-02	0.	5.211237-02	0.	1.566144	04	3.323099-01	2.000000	01	3.149208-01	1.999984	01
333	1.916518	01	4.948999-02	0.	5.217755-02	0.	1.566144	04	3.325729-01	2.000000	01	3.154403-01	1.999984	01
334	1.914124	01	4.959328-02	0.	5.224281-02	0.	1.566144	04	3.328333-01	2.000000	01	3.159509-01	1.999984	01
335	1.911733	01	4.969568-02	0.	5.230815-02	0.	1.566144	04	3.330915-01	2.000000	01	3.164527-01	1.999984	01
336	1.909345	01	4.979727-02	0.	5.237358-02	0.	1.566144	04	3.333462-01	2.000000	01	3.169460-01	1.999984	01
337	1.906959	01	4.989806-02	0.	5.243908-02	0.	1.566144	04	3.335988-01	2.000000	01	3.174312-01	1.999984	01
338	1.904577	01	4.999807-02	0.	5.250467-02	0.	1.566144	04	3.338488-01	2.000000	01	3.179081-01	1.999984	01
339	1.902198	01	5.009736-02	0.	5.257034-02	0.	1.566144	04	3.340963-01	2.000000	01	3.183774-01	1.999984	01
340	1.899822	01	5.019594-02	0.	5.263610-02	0.	1.566144	04	3.343413-01	2.000000	01	3.188390-01	1.999984	01
341	1.897448	01	5.029383-02	0.	5.270193-02	0.	1.566144	04	3.345839-01	2.000000	01	3.192932-01	1.999984	01
342	1.895078	01	5.039105-02	0.	5.276785-02	0.	1.566144	04	3.348239-01	2.000000	01	3.197400-01	1.999984	01
343	1.892711	01	5.048756-02	0.	5.283385-02	0.	1.566144	04	3.350616-01	2.000000	01	3.201794-01	1.999984	01
344	1.890346	01	5.058345-02	0.	5.289993-02	0.	1.566144	04	3.352969-01	2.000000	01	3.206117-01	1.999984	01
345	1.887985	01	5.067875-02	0.	5.296610-02	0.	1.566144	04	3.355298-01	2.000000	01	3.210373-01	1.999984	01
346	1.885626	01	5.077354-02	0.	5.303234-02	0.	1.566144	04	3.357604-01	2.000000	01	3.214567-01	1.999984	01
347	1.883271	01	5.086777-02	0.	5.309848-02	0.	1.566144	04	3.359886-01	2.000000	01	3.218697-01	1.999984	01
348	1.880918	01	5.096148-02	0.	5.316509-02	0.	1.566144	04	3.362146-01	2.000000	01	3.222764-01	1.999984	01
349	1.878568	01	5.105461-02	0.	5.323159-02	0.	1.566144	04	3.364383-01	2.000000	01	3.226766-01	1.999984	01
350	1.876222	01	5.114727-02	0.	5.329817-02	0.	1.566144	04	3.366598-01	2.000000	01	3.230709-01	1.999984	01
351	1.873878	01	5.123943-02	0.	5.336483-02	0.	1.566144	04	3.368790-01	2.000000	01	3.234593-01	1.999983	01
352	1.871537	01	5.133110-02	0.	5.343158-02	0.	1.566144	04	3.370961-01	2.000000	01	3.238417-01	1.999983	01
353	1.869199	01	5.142240-02	0.	5.349840-02	0.	1.566144	04	3.373111-01	2.000000	01	3.242190-01	1.999983	01
354	1.866864	01	5.151322-02	0.	5.356532-02	0.	1.566144	04	3.375239-01	2.000000	01	3.245905-01	1.999983	01
355	1.864532	01	5.160370-02	0.	5.363232-02	0.	1.566144	04	3.377346-01	2.000000	01	3.249572-01	1.999983	01
356	1.862203	01	5.169374-02	0.	5.369940-02	0.	1.566144	04	3.379432-01	2.000000	01	3.253184-01	1.999983	01
357	1.859876	01	5.178339-02	0.	5.376656-02	0.	1.566144	04	3.381498-01	2.000000	01	3.256744-01	1.999983	01
358	1.857553	01	5.187268-02	0.	5.383381-02	0.	1.566144	04	3.383543-01	2.000000	01	3.260255-01	1.999983	01
359	1.855232	01	5.196162-02	0.	5.390115-02	0.	1.566144	04	3.385569-01	2.000000	01	3.263718-01	1.999983	01
360	1.852915	01	5.205015-02	0.	5.396856-02	0.	1.566144	04	3.387575-01	2.000000	01	3.267129-01	1.999983	01
361	1.850600	01	5.213839-02	0.	5.403607-02	0.	1.566144	04	3.389561-01	2.000000	01	3.270496-01	1.999983	01
362	1.848288	01	5.222631-02	0.	5.410365-02	0.	1.566144	04	3.391528-01	2.000000	01	3.273818-01	1.999983	01
363	1.845979	01	5.231391-02	0.	5.417132-02	0.	1.566144	04	3.393476-01	2.000000	01	3.277094-01	1.999983	01
364	1.843673	01	5.240123-02	0.	5.423908-02	0.	1.566144	04	3.395403-01	2.000000	01	3.280327-01	1.999993	01

JAROL PROBLEM 1. THURIUM R=2.2 T=300

POINT	ENERGY-EV	FLUX		SOURCE REGION 1	SOURCE REGION 2		TOTAL CROSS SECTION		COLLISION		DENSITY REGION 2
		REGION 1	REGION 2		REGION 1	REGION 2	REGION 1	REGION 2			
365	1.341370	5.248824-02	5.430692-02	0.	1.566144	04	3.397316-01	2.000000	3.283516-01	1.999933	01
366	1.339370	5.257491-02	5.437484-02	0.	1.566144	04	3.399200-01	2.000000	3.286659-01	1.999933	01
367	1.335773	5.266136-02	5.444285-02	0.	1.566144	04	3.401083-01	2.000000	3.289764-01	1.999933	01
368	1.834478	5.274748-02	5.451095-02	0.	1.566144	04	3.402940-01	2.000000	3.292824-01	1.999933	01
369	1.832136	5.283343-02	5.457913-02	0.	1.566144	04	3.404779-01	2.000000	3.295884-01	1.999933	01
370	1.829898	5.291912-02	5.464740-02	0.	1.566144	04	3.406601-01	2.000000	3.298885-01	1.999933	01
371	1.827612	5.300559-02	5.471575-02	0.	1.566144	04	3.408405-01	2.000000	3.301784-01	1.999933	01
372	1.825328	5.308974-02	5.478413-02	0.	1.566144	04	3.410193-01	2.000000	3.304689-01	1.999933	01
373	1.823048	5.317473-02	5.485271-02	0.	1.566144	04	3.411984-01	2.000000	3.307561-01	1.999933	01
374	1.820771	5.325945-02	5.492131-02	0.	1.566144	04	3.413718-01	2.000000	3.310394-01	1.999933	01
375	1.818496	5.334402-02	5.499001-02	0.	1.566144	04	3.415456-01	2.000000	3.313194-01	1.999933	01
376	1.816225	5.342838-02	5.505879-02	0.	1.566144	04	3.417178-01	2.000000	3.315960-01	1.999933	01
377	1.813956	5.351254-02	5.512765-02	0.	1.566144	04	3.418884-01	2.000000	3.318690-01	1.999933	01
378	1.811690	5.359653-02	5.519660-02	0.	1.566144	04	3.420579-01	2.000000	3.321388-01	1.999933	01
379	1.809427	5.368041-02	5.526564-02	0.	1.566144	04	3.422250-01	2.000000	3.324057-01	1.999933	01
380	1.807166	5.376403-02	5.533477-02	0.	1.566144	04	3.423910-01	2.000000	3.326689-01	1.999933	01
381	1.804909	5.384758-02	5.540398-02	0.	1.566144	04	3.425554-01	2.000000	3.329284-01	1.999933	01
382	1.802654	5.393087-02	5.547328-02	0.	1.566144	04	3.427184-01	2.000000	3.331854-01	1.999933	01
383	1.800402	5.401400-02	5.554265-02	0.	1.566144	04	3.428799-01	2.000000	3.334401-01	1.999933	01
384	1.798153	5.409700-02	5.561213-02	0.	1.566144	04	3.430399-01	2.000000	3.336910-01	1.999933	01
385	1.795907	5.417988-02	5.568169-02	0.	1.566144	04	3.431956-01	2.000000	3.339391-01	1.999933	01
386	1.793663	5.426265-02	5.575133-02	0.	1.566144	04	3.433457-01	2.000000	3.341844-01	1.999933	01
387	1.791422	5.434526-02	5.582106-02	0.	1.566144	04	3.434891-01	2.000000	3.344267-01	1.999933	01
388	1.789184	5.442779-02	5.589088-02	0.	1.566144	04	3.436260-01	2.000000	3.346646-01	1.999933	01
389	1.786949	5.451018-02	5.596079-02	0.	1.566144	04	3.437570-01	2.000000	3.348975-01	1.999933	01
390	1.784717	5.459242-02	5.603078-02	0.	1.566144	04	3.438819-01	2.000000	3.351376-01	1.999933	01
391	1.782488	5.467456-02	5.610087-02	0.	1.566144	04	3.439970-01	2.000000	3.353651-01	1.999933	01
392	1.780261	5.475658-02	5.617104-02	0.	1.566144	04	3.441111-01	2.000000	3.355950-01	1.999933	01
393	1.778037	5.483849-02	5.624129-02	0.	1.566144	04	3.442201-01	2.000000	3.358242-01	1.999933	01
394	1.775816	5.492029-02	5.631164-02	0.	1.566144	04	3.443244-01	2.000000	3.360479-01	1.999933	01
395	1.773597	5.500209-02	5.638207-02	0.	1.566144	04	3.444244-01	2.000000	3.362659-01	1.999933	01
396	1.771382	5.508363-02	5.645259-02	0.	1.566144	04	3.445190-01	2.000000	3.364790-01	1.999933	01
397	1.769169	5.516522-02	5.652320-02	0.	1.566144	04	3.446093-01	2.000000	3.366879-01	1.999933	01
398	1.766959	5.524673-02	5.659390-02	0.	1.566144	04	3.446953-01	2.000000	3.368919-01	1.999933	01
399	1.764752	5.532808-02	5.666463-02	0.	1.566144	04	3.447781-01	2.000000	3.371306-01	1.999933	01
400	1.762547	5.540944-02	5.673556-02	0.	1.566144	04	3.448544-01	2.000000	3.373405-01	1.999933	01

GAROL PROBLEM 1, THORIUM R=2.2 T=300

GROUP FLUXES

GROUP	ENERGY-EV LOWER LIMIT	REGION 1	REGION 2	CELL AVERAGE
1	2.260329 01	1.883591-01	2.499997-01	2.499970-01
2	1.762547 01	1.864222-01	2.493729-01	2.493701-01
ONE GROUP FLUX		3.747813-01	4.993726-01	4.993671-01

GAROL PROBLEM 1, THORIUM R=2.2 T=300

BROAD GROUP AVERAGED CROSS SECTIONS

MATERIAL 1 1.0 HYDROGEN

GROUP	ENERGY-EV LOWER LIMIT	R E G I O N 1		R E G I O N 2		CELL	
		CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	SCATTER
1	2.260329 01	0.	2.000000 01	0.	2.000000 01	0.	2.000021 01
2	1.762547 01	0.	2.000000 01	0.	2.000000 01	0.	2.000022 01
ONE GROUP AVERAGE		0.	2.000000 01	0.	2.000000 01	0.	2.000022 01

GAROL PROBLEM 1, THORIUM R=2.2 I=300

BROAD GROUP AVERAGED CROSS SECTIONS

MATERIAL 2 90.232 TH232 300K, GAM=24.5, TWO RES

GROUP	ENERGY-EV LOWER LIMIT	R E G I O N 1		R E G I O N 2		C E L L	
		CAPTURE	SCATTER	CAPTURE	SCATTER	CAPTURE	AVERAGE SCATTER
1	2.260329 01	3.265843 00	1.563582 01	1.025817 02	3.157013 01	2.460635 00	1.178074 01
2	1.762547 01	2.858973 00	1.035968 01	6.745096 01	1.574598 01	2.137289 00	7.744608 00
ONE GROUP AVERAGE		3.063460 00	1.301138 01	8.503838 01	2.366799 01	2.299165 00	9.765205 00

GAROL PROBLEM 1. THORIUM R=2.2 T=300

GENERAL ATOMIC, TPLOT,091565, S01 SMITH -GAROL

FRAME NO. 1 SERIES IDENTIFICATION

BEGIN PLOT SETUP 15.5926 MH
BEGIN PLOTTING 15.7269 MH
END PLOTTING 16.0694 MH

FRAME NO. 2 THORIUM R=2.2 T=300

FLUX IN REGION 1

BEGIN PLOT SETUP 16.0741 MH
BEGIN PLOTTING 16.2083 MH
END PLOTTING 16.5417 MH

FRAME NO. 3 THORIUM R=2.2 T=300
TOTAL CROSS-SECTION

IN REGION 1

BEGIN PLOT SETUP 16.5463 MH
BEGIN PLOTTING 16.6204 MH
END PLOTTING 16.9769 MH

FRAME NO. 4 THORIUM R=2.2 T=300
COLLISION DENSITY


IN REGION 1


NO PLOTTING FOR THIS FRAME. Y IS CONSTANT FOR ALL X AT 0.
THORIUM R=2.2 T=300
CAPTURE RATE

BEGIN PLOT SETUP 18.0231 MH
BEGIN PLOTTING 18.0972 MH
END PLOTTING 18.4398 MH


FRAME NO. 5 THORIUM R=2.2 T=300
CAPTURE RATE


END-OF-DATA





ENERGY -- EV





LISTING OF THE GAROL PROGRAM

```

$IBFTC GAROL LIST,DECK,REF                                08-09-65MAIN0000
C MAIN LINK FOR GAROL                                    MAIN0010
C 7-15-65 C V SMITH                                     MAIN0020
C                                                         MAIN0030
COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES MAIN0040
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP MAIN0050
2 ,MAT,MFRAME                                           MAIN0060
COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)        MAIN0070
COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME MAIN0080
CALL CHAIN(1)                                           MAIN0090
END                                                       MAIN0100

```

```

$IBMAP DUMFIL LIST,DECK,REF                                08-09-65DUMF0000
EXTERN UTVAR.                                           DUMF0010
ENTRY FIL04.                                            DUMF0020
ENTRY FIL07.                                            DUMF0030
ENTRY FIL10.                                           DUMF0040
ENTRY FIL11.                                           DUMF0050
ENTRY FIL13.                                           DUMF0060
ENTRY FIL14.                                           DUMF0070
ENTRY FIL15.                                           DUMF0080
ENTRY FIL16.                                           DUMF0090
FIL04. EQU *                                           DUMF0100
FIL07. EQU *                                           DUMF0110
FIL10. EQU *                                           DUMF0120
FIL11. EQU *                                           DUMF0130
FIL13. EQU *                                           DUMF0140
FIL14. EQU *                                           DUMF0150
FIL15. EQU *                                           DUMF0160
FIL16. EQU *                                           DUMF0170
BSS 1                                                  DUMF0180
END                                                       DUMF0190

```

```

$IBFTC ERRORS LIST,DECK,REF                                08-09-65ERRS0000
SUBROUTINE ERRORS(N1,N2)                                ERRS0010
WRITE (6,601) N1,N2                                    ERRS0020
PRINT 601, N1,N2                                       ERRS0030
601 FORMAT (22HOERROR IN GAROL, LINK I2,14H, ERROR NUMBER I4,1H. ) ERRS0040
CALL EXIT                                              ERRS0050
END                                                       ERRS0060

```

```

$IBFTC BOOLER LIST,REF                                    BOOL0000
SUBROUTINE BOOLER(A1,A2)                                BOOL0010
A2=A1                                                  BOOL0020
RETURN                                                BOOL0030
END                                                       BOOL0040

```

C
C
C
C

SETS UP SLAB AND CYLINDER TABLES
DATA FROM CASE, K., F. DE HOFFMANN, AND G. PLACZEK (1953)

TABS0010
TABS0020
TABS0030
TABS0040
TABS0050
TABS0060
TABS0070
TABS0080
TABS0090
TABS0100
TABS0110
TABS0120
TABS0130
TABS0140
TABS0150
TABS0160
TABS0170
TABS0180
TABS0190
TABS0200
TABS0210
TABS0220
TABS0230
TABS0240
TABS0250
TABS0260
TABS0270
TABS0280
TABS0290
TABS0300
TABS0310
TABS0320
TABS0330
TABS0340
TABS0350
TABS0360
TABS0370
TABS0380
TABS0390
TABS0400
TABS0410
TABS0420
TABS0430
TABS0440
TABS0450
TABS0460
TABS0470
TABS0480
TABS0490
TABS0500

BLOCK DATA

COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)

DIMENSION B1(89), B2(88), B3(88), B4(88), B5(88), B6(61)

DIMENSION C1(79), C2(78), C3(78), C4(67)

EQUIVALENCE (B1(1),SLABT(1)), (B2(1),SLABT(90)),

1 (B3(1),SLABT(178)), (B4(1),SLABT(266)), (B5(1),SLABT(354)),

2 (B6(1),SLABT(442))

EQUIVALENCE (C1(1),CYLT(1)), (C2(1),CYLT(80)), (C3(1),CYLT(158)),

1 (C4(1),CYLT(236))

DATA B1/0.0,0.04840,0.0831,0.1127,0.1390,0.1629,0.1849,0.2054,

1 0.2246,0.2427,0.2597,0.2759,0.2913,0.3060,0.3200,0.3335,0.3464,
2 0.3588,0.3707,0.3821,0.3932,0.4039,0.4142,0.4242,0.4339,0.4432,
3 0.4523,0.4611,0.4696,0.4779,0.4859,0.4937,0.5013,0.5087,0.5159,
4 0.5229,0.5298,0.5364,0.5429,0.5492,0.5554,0.5614,0.5673,0.5730,
5 0.5786,0.5841,0.5895,0.5947,0.5998,0.6048,0.6097,0.6145,0.6192,
6 0.6237,0.6282,0.6326,0.6369,0.6411,0.6453,0.6493,0.6533,0.6572,
7 0.6610,0.6647,0.6684,0.6720,0.6755,0.6790,0.6824,0.6857,0.6890,
8 0.6922,0.6954,0.6985,0.7015,0.7045,0.7074,0.7103,0.7132,0.7159,
9 0.7187,0.7214,0.7240,0.7266,0.7292,0.7317,0.7342,0.7366,0.7390/

DATA B2/0.7414,0.7437,0.7460,0.7483,0.7505,0.7527,0.7548,

1 0.7569,0.7590,0.7611,0.7631,0.7651,0.7670,0.7690,0.7709,0.7727,
2 0.7746,0.7764,0.7782,0.7800,0.7817,0.7834,0.7851,0.7868,0.7884,
3 0.7901,0.7917,0.7932,0.7948,0.7963,0.7978,0.7993,0.8008,0.8023,
4 0.8037,0.8051,0.8065,0.8079,0.8093,0.8106,0.8119,0.8132,0.8145,
5 0.8158,0.8171,0.8183,0.8196,0.8202,0.8220,0.8232,0.8243,0.8255,
6 0.8266,0.8278,0.8289,0.8300,0.8311,0.8321,0.8332,0.8342,0.8353,
7 0.8363,0.8373,0.8383,0.8393,0.8403,0.8413,0.8422,0.8432,0.8441,
8 0.8450,0.8460,0.8469,0.8478,0.8486,0.8495,0.8504,0.8512,0.8521,
9 0.8529,0.8538,0.8546,0.8554,0.8562,0.8570,0.8578,0.8586,0.8593/

DATA B3/0.8601,0.8608,0.8616,0.8623,0.8631,0.8638,0.8645,

1 0.8652,0.8659,0.8666,0.8673,0.8680,0.8687,0.8693,0.8700,0.8707,
2 0.8713,0.8720,0.8726,0.8732,0.8738,0.8745,0.8751,0.8757,0.8763,
3 0.8769,0.8775,0.8781,0.8786,0.8792,0.8798,0.8804,0.8809,0.8815,
4 0.8820,0.8826,0.8831,0.8836,0.8842,0.8847,0.8852,0.8857,0.8863,
5 0.8868,0.8873,0.8878,0.8883,0.8887,0.8892,0.8897,0.8902,0.8907,
6 0.8911,0.8916,0.8921,0.8925,0.8930,0.8934,0.8939,0.8943,0.8948,
7 0.8952,0.8956,0.8961,0.8965,0.8969,0.8973,0.8977,0.8982,0.8986,
8 0.8990,0.8994,0.8998,0.9002,0.9006,0.9010,0.9013,0.9017,0.9021,
9 0.9025,0.9029,0.9032,0.9036,0.9040,0.9043,0.9047,0.9051,0.9054/

DATA B4/0.9058,0.9061,0.9065,0.9068,0.9072,0.9075,0.9078,

1 0.9082,0.9085,0.9089,0.9092,0.9095,0.9098,0.9102,0.9105,0.9108,
2 0.9111,0.9114,0.9117,0.9120,0.9124,0.9127,0.9130,0.9133,0.9136,
3 0.9139,0.9141,0.9144,0.9147,0.9150,0.9153,0.9156,0.9159,0.9162,
4 0.9164,0.9167,0.9170,0.9173,0.9175,0.9178,0.9181,0.9183,0.9186,
5 0.9189,0.9191,0.9194,0.9196,0.9199,0.9202,0.9204,0.9207,0.9209,
6 0.9212,0.9214,0.9217,0.9219,0.9221,0.9224,0.9226,0.9229,0.9231,

7	0.9233,0.9236,0.9238,0.9240,0.9243,0.9245,0.9247,0.9249,0.9252,	TABS0510
8	0.9254,0.9256,0.9258,0.9261,0.9263,0.9265,0.9267,0.9269,0.9271,	TABS0520
9	0.9273,0.9276,0.9278,0.9280,0.9282,0.9284,0.9286,0.9288,0.9290/	TABS0530
	DATA B5/0.9292,0.9294,0.9296,0.9298,0.9300,0.9302,0.9304,	TABS0540
1	0.9306,0.9308,0.9309,0.9311,0.9313,0.9315,0.9317,0.9319,0.9321,	TABS0550
2	0.9323,0.9324,0.9326,0.9328,0.9330,0.9332,0.9333,0.9335,0.9337,	TABS0560
3	0.9339,0.9340,0.9342,0.9344,0.9346,0.9347,0.9349,0.9351,0.9352,	TABS0570
4	0.9354,0.9356,0.9357,0.9359,0.9361,0.9362,0.9364,0.9366,0.9367,	TABS0580
5	0.9369,0.9370,0.9372,0.9373,0.9375,0.9377,0.9378,0.9380,0.9381,	TABS0590
6	0.9383,0.9384,0.9386,0.9387,0.9389,0.9390,0.9392,0.9393,0.9395,	TABS0600
7	0.9396,0.9398,0.9399,0.9401,0.9402,0.9403,0.9405,0.9406,0.9408,	TABS0610
8	0.9409,0.9410,0.9412,0.9413,0.9415,0.9416,0.9417,0.9419,0.9420,	TABS0620
9	0.9421,0.9423,0.9424,0.9425,0.9427,0.9428,0.9429,0.9431,0.9432/	TABS0630
	DATA B6/0.9433,0.9434,0.9436,0.9437,0.9438,0.9439,0.9441,	TABS0640
1	0.9442, 0.9443,0.9444,0.9446,0.9447,0.9448,0.9449,0.9451,0.9452,	TABS0650
2	0.9453,0.9454,0.9455,0.9457,0.9458,0.9459,0.9460,0.9461,0.9462,	TABS0660
3	0.9464,0.9465,0.9466,0.9467,0.9468,0.9469,0.9470,0.9471,0.9473,	TABS0670
4	0.9474,0.9475,0.9476,0.9477,0.9478,0.9479,0.9480,0.9481,0.9482,	TABS0680
5	0.9483,0.9485,0.9486,0.9487,0.9488,0.9489,0.9490,0.9491,0.9492,	TABS0690
6	0.9493,0.9494,0.9495,0.9496,0.9497,0.9498,0.9499,0.9500,0.9501/	TABS0700
	DATA C1/0.0,0.2561,0.04967,0.07248,0.09421,0.11498,0.13487,	TABS0710
10.	15396,0.17231,0.18996,0.20697,0.22336,0.23918,0.25446,0.26923,	TABS0720
20.	28351,0.29733,0.31070,0.32366,0.33621,0.34838,0.36019,0.37164,	TABS0730
30.	38276,0.39356,0.40405,0.41424,0.42414,0.43377,0.44314,0.45225,	TABS0740
40.	46112,0.46975,0.47816,0.48634,0.49432,0.50209,0.50966,0.51704,	TABS0750
50.	52424,0.53126,0.53811,0.54479,0.55131,0.55767,0.56389,0.56996,	TABS0760
60.	57588,0.58167,0.58733,0.59285,0.59826,0.60354,0.60870,0.61375,	TABS0770
70.	61869,0.62352,0.62825,0.63287,0.63740,0.64183,0.64616,0.65041,	TABS0780
80.	65457,0.65864,0.66263,0.66654,0.67038,0.67413,0.67781,0.68142,	TABS0790
90.	68495,0.68842,0.69182,0.69516,0.69843,0.70164,0.70479,0.70788/	TABS0800
	DATA C2/0.71091,0.71389,0.71681,0.71968,0.72250,0.72526,	TABS0810
10.	72798,0.73065,0.73327,0.73585,0.73833,0.74087,0.74331,0.74572,	TABS0820
20.	74808,0.75040,0.75269,0.75493,0.75714,0.75931,0.76145,0.76355,	TABS0830
30.	76562,0.76765,0.76966,0.77163,0.77357,0.77548,0.77736,0.77921,	TABS0840
40.	78103,0.78282,0.78459,0.78633,0.78805,0.78974,0.79140,0.79304,	TABS0850
50.	79465,0.79624,0.79781,0.79936,0.80088,0.80239,0.80387,0.80532,	TABS0860
60.	80677,0.80818,0.80958,0.81096,0.81233,0.81367,0.81500,0.81630,	TABS0870
70.	81759,0.81886,0.82012,0.82136,0.82258,0.82379,0.82498,0.82616,	TABS0880
80.	82732,0.82847,0.82960,0.83071,0.83182,0.83291,0.83399,0.83505,	TABS0890
90.	83610,0.83714,0.83816,0.83917,0.84017,0.84116,0.84214,0.84310/	TABS0900
	DATA C3/0.84405,0.84500,0.84593,0.84685,0.84776,0.84866,	TABS0910
10.	84955,0.85043,0.85130,0.85216,0.85301,0.85385,0.85468,0.85550,	TABS0920
20.	85632,0.85712,0.85792,0.85870,0.85948,0.86025,0.86101,0.86177,	TABS0930
30.	86251,0.86325,0.86398,0.86471,0.86542,0.86613,0.86683,0.86752,	TABS0940
40.	86821,0.86889,0.86956,0.87023,0.87089,0.87154,0.87219,0.87283,	TABS0950
50.	87346,0.87409,0.87471,0.87533,0.87594,0.87654,0.87714,0.87773,	TABS0960
60.	87832,0.87890,0.87947,0.88004,0.88061,0.88117,0.88173,0.88228,	TABS0970
70.	88282,0.88336,0.88389,0.88443,0.88495,0.88547,0.88598,0.88650,	TABS0980
80.	88701,0.88751,0.88801,0.88850,0.88899,0.88948,0.88996,0.89044,	TABS0990
90.	89091,0.89138,0.89184,0.89230,0.89276,0.89321,0.89366,0.89411/	TABS1000

DATA	C4/0.89455,0.89499,0.89542,0.89585,0.89628,0.89671,	TABS1010
10.	89713,0.89755,0.89796,0.89837,0.89878,0.89919,0.89959,0.89999,	TABS1020
20.	90038,0.90077,0.90116,0.90155,0.90193,0.90231,0.90268,0.90306,	TABS1030
30.	90343,0.90381,0.90417,0.90453,0.90489,0.90525,0.90560,0.90595,	TABS1040
40.	90631,0.90665,0.90700,0.90734,0.90768,0.90802,0.90835,0.90868,	TABS1050
50.	90902,0.90934,0.90967,0.90999,0.91031,0.91063,0.91095,0.91126,	TABS1060
60.	91157,0.91188,0.91219,0.91250,0.91280,0.91310,0.91340,0.91369,	TABS1070
70.	91399,0.91429,0.91457,0.91487,0.91515,0.91544,0.91572,0.91600,	TABS1080
80.	91628,0.91656,0.91684,0.91711,0.91738/	TABS1090
END		TABS1100

```

$IBMAP TIDCO LIST,DECK,REF 08-09-65TIDC0000
* TIDC0010
* CALLING SEQUENCE - TIDC0020
* TIDC0030
* CALL TIDCO(TID(1)) TIDC0040
* TIDC0050
* ENTRY TIDCO TIDC0060
* TIDC0070
* EXTERN ERROR TIDC0080
* EXTERN EXIT TIDC0090
* TIDC0100
* TIDC0110
* CONSTANTS NEEDED TIDC0120
* ZERO OCT 0 TIDC0130
* NERR OCT 3 TIDC0140
* TEN OCT 12 TIDC0150
* TIDC0160
* TEST SYMBOLS TIDC0170
* B6 OCT 60 TIDC0180
* BB OCT 6060606060 TIDC0190
* B0 OCT 006060606060 TIDC0200
* TIDC0210
* INDEX REGISTER AND INTERIM STORAGE TIDC0220
* XX4 BSS 1 TIDC0230
* T1 BSS 1 TIDC0240
* T2 BSS 1 TIDC0250
* T3 BSS 1 TIDC0260
* T4 BSS 1 TIDC0270
* F1 BSS 1 TIDC0280
* F2 BSS 1 TIDC0290
* Y1 TRA ** TIDC0300
* Y2 TRA ** TIDC0310
* Y3 TRA ** TIDC0320
* TIDC0330
* PT1 PZE ** TIDC0340
* ENTRY FOR ID CONVERSION TIDC0350
* TIDCO SAVE 1,2,4 TIDC0360
* STZ T1 TIDC0370
* STZ T2 TIDC0380
* STZ T3 TIDC0390
* STZ T4 TIDC0400
* CAL BB TIDC0410
* SLW F1 TIDC0420
* CAL 3,4 TIDC0430
* STA PC1 TIDC0440
* STA A1 TIDC0450
* ADD =1 TIDC0460
* STA A2 TIDC0470
* ADD =1 TIDC0480
* STA B1 TIDC0490
* LXA NUMB-1,1 TIDC0500

```

	SXA	Y2,1	TIDC0510
	SXA	Y3,1	TIDC0520
	TXI	*+1,1,5	TIDC0530
	SXA	Y1,1	TIDC0540
	LXA	ZERO,2	TIDC0550
LP2	LXA	ZERO,1	TIDC0560
LP1	PXA	,1	TIDC0570
	SAC	PC1,,2	TIDC0580
	PXA	,0	TIDC0590
PC1	PCS	**,,2,0	TIDC0600
	PAX	,4	TIDC0610
	TXL	NUMB,4,9	TIDC0620
	TXH	MISP,4,48	TIDC0630
	TXH	Y3,4,47	TIDC0640
	TXH	MISP,4,27	TIDC0650
	TXH	Y1,4,26	TIDC0660
	TXH	MISP,4,16	TIDC0670
	TXH	Y2,4,15	TIDC0680
	TRA	MISP	TIDC0690
CONT	TXI	*+1,1,1	TIDC0700
	TXL	LP1,1,5	TIDC0710
	TXI	*+1,2,-1	TIDC0720
	TXH	LP2,2,-2	TIDC0730
	TRA	FINAL	TIDC0740
DEC	STO	T1	TIDC0750
	STO	T2	TIDC0760
	TSX	SET,4	TIDC0770
	STZ	T3	TIDC0780
	CAL	PC1+3	TIDC0790
	STA	Y1	TIDC0800
	CAL	DEC-1	TIDC0810
	STA	Y3	TIDC0820
	CAL	F1	TIDC0830
	SLW	F2	TIDC0840
	CAL	BB	TIDC0850
	SLW	F1	TIDC0860
	TRA	CONT	TIDC0870
NUMB	STO	T1	TIDC0880
	TSX	MPLY,4	TIDC0890
	TSX	SET,4	TIDC0900
	CLA	T2	TIDC0910
	TNZ	CONT	TIDC0920
	CAL	PC1+2	TIDC0930
	STA	Y2	TIDC0940
	STA	Y3	TIDC0950
	TRA	CONT	TIDC0960
MPLY	LDQ	T4	TIDC0970
	MPY	TEN	TIDC0980
	STQ	T4	TIDC0990
	CLA	T4	TIDC1000

	ADD	T1	TIDC1010
	STO	T4	TIDC1020
	TRA	1,4	TIDC1030
SET	CLA	T3	TIDC1040
	ADD	=1	TIDC1050
	STO	T3	TIDC1060
	CAL	F1	TIDC1070
	ALS	6	TIDC1080
	ADD	T1	TIDC1090
	SLW	F1	TIDC1100
	TOV	*+1	TIDC1110
	TRA	1,4	TIDC1120
FINAL	LXA	T3,1	TIDC1130
	TXH	FIX,1,5	TIDC1140
	STZ	T1	TIDC1150
	CLA	=6	TIDC1160
	SUB	T3	TIDC1170
	PAX	,1	TIDC1180
	SXA	PT1,1	TIDC1190
	TSX	MPLY,4	TIDC1200
	TIX	*-1,1,1	TIDC1210
	CAL	B6	TIDC1220
	SLW	T1	TIDC1230
	LXA	PT1,1	TIDC1240
	TXH	REPL,1,5	TIDC1250
	TSX	SET,4	TIDC1260
	TIX	*-1,1,1	TIDC1270
	TRA	FIX	TIDC1280
REPL	CAL	B0	TIDC1290
	SLW	F1	TIDC1300
	TRA	OUT	TIDC1310
FIX	CLA	=5	TIDC1320
	PAX	,1	TIDC1330
LP4	PXA	,1	TIDC1340
	SAC	PT2,,2	TIDC1350
	SAC	PT3,,2	TIDC1360
	SAC	PT4,,2	TIDC1370
	CAL	B6	TIDC1380
PT2	CCS	F1,,5	TIDC1390
	TRA	*+2	TIDC1400
	TRA	CC2	TIDC1410
	PXA	,0	TIDC1420
PT3	PCS	F1,,5	TIDC1430
	TNZ	OUT	TIDC1440
	CAL	B6	TIDC1450
PT4	SAC	F1,,5	TIDC1460
CC2	TIX	LP4,1,1	TIDC1470
OUT	CAL	F1	TIDC1480
A2	SLW	**	TIDC1490
	CAL	F2	TIDC1500

```

A1  SLW  **
    CLA  T4
B1  STO  **
    RETURN TIDCO
MISP CALL ERROR(NERR)
    CALL EXIT
    END

```

```

TIDC1510
TIDC1520
TIDC1530
TIDC1540
TIDC1550
TIDC1560
TIDC1570

```

```

$IBFTC ERROR LIST,DECK,REF
SUBROUTINE ERROR(N)
C      ERROR SUBROUTINE FOR TIDCO
WRITE (6,1)
1 FORMAT (1H0///34HOERROR STOP---MISPUNCHED ID NUMBER )
CALL EXIT
END

```

```

08-09-65ERR 0000
ERR 0010
ERR 0020
ERR 0030
ERR 0040
ERR 0050
ERR 0060

```

* * * * *
 * G A R D L L I N K 1 *
 * * * * *

\$IBMAP	COMSET	LIST,REF	08-09-65	1COM0000
B	BOOL	37333		1COM0010
BSET	CONTRL	A,C		1COM0020
A	BSS	B		1COM0030
C	EQU	*		1COM0040
	END			1COM0050

\$IBFTC	LINK1	LIST,DECK,REF	08-09-65	1LNK0000
C				1LNK0010
C		LINK 1		1LNK0020
C		SET UP CONSTANTS AND INITIALIZE DATA TAPE		1LNK0030
C				1LNK0040
	COMMON /ALL/	NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		1LNK0050
	1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP			1LNK0060
	2 ,MAT,MFRAME			1LNK0070
	COMMON /TABLES/	CS1,CS2,CS3,SLABT(505),CYLT(305)		1LNK0080
	COMMON /BSET/	LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2		1LNK0090
	1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20)			1LNK0100
	2 ,KTAPE(3),KPTS(10)			1LNK0110
	3	,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)		1LNK0120
	4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)			1LNK0130
	5	,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)		1LNK0140
	6 ,SPIN(500)			1LNK0150
	COMMON /PLOTT/	TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME		1LNK0160
	EQUIVALENCE (TID,NTID),{DUM,LIM},{NPT,NPTS},{NDATA,NDATA1}			1LNK0170
	DIMENSION	NTID(10,20), LIM(200)		1LNK0180
	DIMENSION	KT(3)		1LNK0190
	DIMENSION	FMT(12)		1LNK0200
C				1LNK0210
C		SET CONSTANTS		1LNK0220
	NIN=5			1LNK0230
	NOUT=6			1LNK0240
	LIMST=8000			1LNK0250
	NPROB=0			1LNK0260
	CS1=0.5			1LNK0270
	CS2=0.0			1LNK0280
	CS3=-0.09375			1LNK0290
	MFRAME=0			1LNK0300
	NPAGE=0			1LNK0310
	LINEPP=52			1LNK0320
	NKT=0			1LNK0330
	KT(1)=NIN			1LNK0340
	KT(2)=3			1LNK0350
	KT(3)=2			1LNK0360
	NDATA1=9			1LNK0370
	READ (NIN,902) INDEX			1LNK0380

	REWIND NDATA1	1LNK0390
	READ (5,901){TLABEL(I),I=1,12}	1LNK0400
901	FORMAT (12A6)	1LNK0410
	IF (INDEX.LE.0) GO TO 710	1LNK0420
C	START PREPARING A NEW DATA TAPE	1LNK0430
	READ (NIN,902) NINDEX,NPTS	1LNK0440
	CALL ENERGY(NINDEX)	1LNK0450
	CALL BOOLER(6H(2A6, ,FMT(1))	1LNK0460
	CALL BOOLER(6H2X5A6,,FMT(2))	1LNK0470
	CALL BOOLER(6HOPF10.,FMT(3))	1LNK0480
	CALL BOOLER(6H3,F12.,FMT(4))	1LNK0490
	CALL BOOLER(6H5,2X1P,FMT(5))	1LNK0500
	CALL BOOLER(6HI10) ,FMT(12))	1LNK0510
	CALL BOOLER(6HE13.5,,EFMT)	1LNK0520
	CALL BOOLER(6H1X ,XFMT1)	1LNK0530
	CALL BOOLER(6H2X ,XFMT2)	1LNK0540
	CALL BOOLER(6H2A6, ,AFMT)	1LNK0550
	CALL BOOLER(6H CO,C1)	1LNK0560
	CALL BOOLER(6HMPUTED,C2)	1LNK0570
	CALL BOOLER(6H INPUT,C3)	1LNK0580
	CALL BOOLER(6H CARDS,C4)	1LNK0590
	CALL HEAD	1LNK0600
	READ (NIN,902) MAT,JHYD	1LNK0610
902	FORMAT (6I12)	1LNK0620
	IF (MAT.LT.1.OR.MAT.GT.20) CALL ERRORS(1,2)	1LNK0630
	NEL=MAT	1LNK0640
	NSUM=0	1LNK0650
	NPRINT=0	1LNK0660
	DO 10 K=1,NEL	1LNK0670
	KPTS(K)=0	1LNK0680
	READ (5,903) TID(1,K),TID(2,K),(CNAME(I,K),I=1,5),(TID(J,K),J=4,8)	1LNK0690
	1 ,TID(10,K)	1LNK0700
	CALL TIDCO(TID(1,K))	1LNK0710
903	FORMAT (2A6,5A6/6E12.6)	1LNK0720
	IF (TID(6,K).GT.-2.0) GO TO 5	1LNK0730
	TID(7,K)=-2.0	1LNK0740
	TID(8,K)=-2.0	1LNK0750
	NKT=NKT+1	1LNK0760
	READ (NIN,902) KPTS(NKT)	1LNK0770
	NT=3	1LNK0780
	GO TO 6	1LNK0790
5	NT=0	1LNK0800
	IF (TID(6,K).LT.0.0) NT=NT+1	1LNK0810
	IF (TID(7,K).LT.0.0) NT=NT+1	1LNK0820
	IF (TID(8,K).LT.0.0) NT=NT+1	1LNK0830
6	NTID(9,K)=NT	1LNK0840
	NSUM=NSUM+NT	1LNK0850
	IF (TID(10,K).LE.0.0) GO TO 10	1LNK0860
	IF (NT.LE.0) GO TO 10	1LNK0870
	NPRINT=NPRINT+1	1LNK0880

JPRINT(NPRINT)=K	1LNK0890
10 CONTINUE	1LNK0900
IF (NKT.LE.0) GO TO 12	1LNK0910
IF (NKT.GT.3) CALL ERRORS(1,3)	1LNK0920
DO 8 K=2,NEL	1LNK0930
IF (TID(4,K).EQ.1.0) CALL ERRORS(1,7)	1LNK0940
8 CONTINUE	1LNK0950
N=1	1LNK0960
DO 11 K=1,NEL	1LNK0970
IF (TID(6,K).GT.-2.0) GO TO 11	1LNK0980
KTAPE(N)=KT(NKT)	1LNK0990
MTAPE=KTAPE(N)	1LNK1000
IF (NKT.GT.1) REWIND MTAPE	1LNK1010
N=N+1	1LNK1020
NKT=NKT-1	1LNK1030
11 CONTINUE	1LNK1040
12 CONTINUE	1LNK1050
NARRAY=NSUM	1LNK1060
WRITE (6,904)	1LNK1070
904 FORMAT (26H0NUCLIDE TABLE OF CONTENTS/13H0NUCLIDE I.D. 7X,4HNAME	1LNK1080
1 26X 1HA 5X 10HASYPOTIC 7X 7HCAPTURE 7X 7HFISSION 7X 7HSCATTER	1LNK1090
2 5X 9HNUMBER OF/56X 10HSCATTERING 48X 6HARRAYS/)	1LNK1100
DO 30 K=1,NEL	1LNK1110
N=0	1LNK1120
L=6	1LNK1130
DO 35 JK=6,8	1LNK1140
IF (TID(JK,K).LT.0.0) GO TO 31	1LNK1150
N=N+1	1LNK1160
DUM(N)=TID(JK,K)	1LNK1170
FMT(L)=EFMT	1LNK1180
FMT(L+1)=XFMT1	1LNK1190
GO TO 34	1LNK1200
31 FMT(L)=AFMT	1LNK1210
FMT(L+1)=XFMT2	1LNK1220
IF (TID(JK,K).LT.-1.0) GO TO 32	1LNK1230
DUM(N+1)=C1	1LNK1240
DUM(N+2)=C2	1LNK1250
GO TO 33	1LNK1260
32 DUM(N+1)=C3	1LNK1270
DUM(N+2)=C4	1LNK1280
DUM(N+3)=C3	1LNK1290
DUM(N+4)=C4	1LNK1300
DUM(N+5)=C3	1LNK1310
N=N+6	1LNK1320
DUM(N)=C4	1LNK1330
FMT(L+2)=AFMT	1LNK1340
FMT(L+3)=XFMT2	1LNK1350
FMT(L+4)=AFMT	1LNK1360
FMT(L+5)=XFMT2	1LNK1370
GO TO 36	1LNK1380

33	N=N+2	1LNK1390
34	L=L+2	1LNK1400
35	CONTINUE	1LNK1410
36	NO=N	1LNK1420
	WRITE (6,FMT) TID(1,K),TID(2,K),(CNAME(I,K),I=1,5),TID(4,K),	1LNK1430
	1 TID(5,K),(DUM(N),N=1,NO),NTID(9,K)	1LNK1440
30	CONTINUE	1LNK1450
		1LNK1460
		1LNK1470
		1LNK1480
40	IF (INDEX.GT.1) GO TO 50	1LNK1490
	WRITE (NDATA)(TLABEL(I),I=1,12)	1LNK1500
	WRITE (NDATA1) NPT,NEL,NARRAY,JHYD	1LNK1510
	WRITE (NDATA1)((TID(I,K),I=1,10),(CNAME(J,K),J=1,5),K=1,NEL)	1LNK1520
	WRITE (NDATA)(SLABT(I),I=1,505),(CYLT(J),J=1,305)	1LNK1530
	GO TO 100	1LNK1540
50	READ (NDATA) (DUM(I),I=1,12)	1LNK1550
	DO 60 I=1,12	1LNK1560
	IF (TLABEL(I).NE.DUM(I)) CALL ERRORS(1,8)	1LNK1570
60	CONTINUE	1LNK1580
	DO 70 I=1,3	1LNK1590
70	READ (NDATA) DUM1	1LNK1600
	READ (NIN,902) JPT	1LNK1610
	JHYD=JPT	1LNK1620
	DO 80 J=1,JPT	1LNK1630
80	READ (NDATA) DUM1	1LNK1640
	READ (10,500)(DUM2,J=1,JPT)	1LNK1650
500	FORMAT (E12.6)	1LNK1660
	IF (ABS(DUM1-DUM2).GT.1.0E-5*DUM1) CALL ERRORS(1,9)	1LNK1670
100	CALL CHAIN(2)	1LNK1680
	READ FROM A DATA TAPE PREVIOUSLY PREPARED	1LNK1690
710	NERR=1	1LNK1700
	CHECK LABEL ON A DATA TAPE WRITTEN ON AN EARLIER RUN	1LNK1710
	READ (NDATA)(DUM(I),I=1,12)	1LNK1720
	DO 720 I=1,12	1LNK1730
	IF (DUM(I).NE.TLABEL(I)) CALL ERRORS(1,1)	1LNK1740
720	CONTINUE	1LNK1750
	NERR=2	1LNK1760
	STORE -TABLE OF CONTENTS- AND OTHER DATA FROM	1LNK1770
	BEGINNING OF DATA TAPE	1LNK1780
	READ (NDATA1) NPT,NEL,NARRAY,JHYD	1LNK1790
	READ (NDATA1) ((TID(J,K),J=1,10),(CNAME(I,K),I=1,5),K=1,NEL)	1LNK1800
	DO 730 K=1,NEL	1LNK1810
	IF (TID(6,K).GT.0.0) TID(6,K)=TID(6,K)*0.159	1LNK1820
	IF (TID(6,K).GT.-2.0) GO TO 730	1LNK1830
	TID(7,K)=-2.0	1LNK1840
	TID(8,K)=-2.0	1LNK1850
730	CONTINUE	1LNK1860
	READ (NDATA1) DUMMY	1LNK1870
	CALL CHAIN(4)	1LNK1880
	END	

	\$IBFTC ENERGY LIST,DECK,REF	08-09-65	ENER0000
	SUBROUTINE ENERGY(NINDEX)		ENER0010
C			ENER0020
C	SET UP ENERGY MESH		ENER0030
C			ENER0040
	COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		ENER0050
	1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP		ENER0060
	2 ,MAT,MFRAME		ENER0070
	COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)		ENER0080
	COMMON /BSET/ LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2		ENER0090
	1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20)		ENER0100
	2 ,KTAPE(3),KPTS(10)		ENER0110
	3 ,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)		ENER0120
	4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)		ENER0130
	5 ,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)		ENER0140
	6 ,SPIN(500)		ENER0150
	COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME		ENER0160
	EQUIVALENCE (TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1)		ENER0170
	DIMENSION NTID(10,20), LIM(200)		ENER0180
C			ENER0190
	IF (NINDEX.LT.1) CALL ERRORS(1,4)		ENER0200
	IF (NINDEX.GT.5) CALL ERRORS(1,5)		ENER0210
	LIMST=7998		ENER0220
	M2=LIMST		ENER0230
	NT=1		ENER0240
	LIM1=M2		ENER0250
C			ENER0260
	INTERMEDIATE STORAGE OF ENERGIES ON INTERMEDIARY TAPE 8		ENER0270
	NIN1=8		ENER0280
	REWIND NIN1		ENER0290
	100 GO TO (1,2,3,4,5,5),NINDEX		ENER0300
C			ENER0310
	READ ENERGIES FROM INPUT CARDS		ENER0320
	1 M2=MIN0(NPTS,LIMST)		ENER0330
	LIM2=NPTS		ENER0340
	READ (NIN,901)(E(I),I=1,M2)		ENER0350
	901 FORMAT (6E12.6)		ENER0360
	IF (M2.GE.NPTS) GO TO 10		ENER0370
	WRITE (NIN1)(E(I),I=1,M2)		ENER0380
	101 NT=NT+1		ENER0390
	M2=MIN0(NPTS-(NT-1)*LIMST,LIMST)		ENER0400
	READ (NIN,901)(E(I),I=1,M2)		ENER0410
	DO 102 I=1,M2		ENER0420
	WRITE (NIN1) E(I)		ENER0430
	102 CONTINUE		ENER0440
	IF (M2.LT.NPTS-NT*LIMST) GO TO 101		ENER0450
	GO TO 8		ENER0460
C			ENER0470
	EQUAL ENERGY SPACING		ENER0480
C			ENER0490
	READ E-MAX AND DELTA-E		ENER0500
	2 READ (NIN,901) EMAX,EMIN,DELTAE		
	E(1)=EMAX		
	DO 201 I=2,M2		
	E(I)=E(I-1)-DELTAE		

```

IF (E(I).GT.EMIN) GO TO 201
NPTS=I
IF (E(I).LT.EMIN) E(I)=EMIN
GO TO 10
201 CONTINUE
WRITE (NIN1)(E(I),I=1,M2)
ENEXT=E(M2)
M3=20000
DO 202 I=1,M3
ENEXT=ENEXT-DELTA E
IF (ENEXT.GT.EMIN) GO TO 202
NPTS=M2+I
IF (ENEXT.LT.EMIN) ENEXT=EMIN
WRITE (NIN1) ENEXT
GO TO 7
202 WRITE (NIN1) ENEXT
CALL ERRORS(1,7)
C
C
      EQUAL VELOCITY SPACING
      READ EMAX AND CONSTANT
3 READ (NIN,901) EMAX,EMIN,CONST
E(1)=EMAX
DO 301 I=2,M2
E(I)=E(I-1)-CONST*SQRT(E(N-1))
IF (E(I).GT.EMIN) GO TO 301
NPTS=I
IF (E(I).LT.EMIN) E(I)=EMIN
GO TO 10
301 CONTINUE
WRITE (NIN1)(E(I),I=1,M2)
M3=20000
ENEXT=E(M2)
DO 302 I=1,M3
ENEXT=ENEXT-CONST*SQRT(ENEXT)
IF (ENEXT.GT.EMIN) GO TO 302
NPTS=M2+I
IF (ENEXT.LT.EMIN) ENEXT=EMIN
WRITE (NIN1) ENEXT
GO TO 7
302 WRITE (NIN1) ENEXT
CALL ERRORS(1,7)
C
C
      EQUAL LETHARGY SPACING
      READ EZERO AND DELTA-U
4 READ (NIN,901) EMAX,EMIN,DELTAU
E(1)=EMAX
EDU=EXP(-DELTAU)
DO 401 I=2,M2
E(I)=E(I-1)*EDU
IF (E(I).GT.EMIN) GO TO 401
NPTS=I
IF (E(I).LT.EMIN) E(I)=EMIN

```

```

ENER0510
ENER0520
ENER0530
ENER0540
ENER0550
ENER0560
ENER0570
ENER0580
ENER0590
ENER0600
ENER0610
ENER0620
ENER0630
ENER0640
ENER0650
ENER0660
ENER0670
ENER0680
ENER0690
ENER0700
ENER0710
ENER0720
ENER0730
ENER0740
ENER0750
ENER0760
ENER0770
ENER0780
ENER0790
ENER0800
ENER0810
ENER0820
ENER0830
ENER0840
ENER0850
ENER0860
ENER0870
ENER0880
ENER0890
ENER0900
ENER0910
ENER0920
ENER0930
ENER0940
ENER0950
ENER0960
ENER0970
ENER0980
ENER0990
ENER1000

```

	GO TO 10	ENER1010
401	CONTINUE	ENER1020
	WRITE (NIN1)(E(I),I=1,M2)	ENER1030
	M3=20000	ENER1040
	ENEXT=E(M2)	ENER1050
	DO 402 I=1,M3	ENER1060
	ENEXT=ENEXT*EDU	ENER1070
	IF (ENEXT.GT.EMIN) GO TO 402	ENER1080
	NPTS=M2+I	ENER1090
	IF (ENEXT.LT.EMIN) ENEXT=EMIN	ENER1100
	WRITE (NIN1) ENEXT	ENER1110
	GO TO 7	ENER1120
402	WRITE (NIN1) ENEXT	ENER1130
	CALL ERRORS(1,7)	ENER1140
C	USE YOUR OWN SUBROUTINE ENRG TO GENERATE ENERGY POINTS	ENER1150
C	WHERE NPTS IS LESS THAN 8001 AND ENERGIES ARE CORE CONTAINED	ENER1160
5	CALL ENRG(NPTS,E)	ENER1170
	LIM1=NPTS	ENER1180
	LIM2=NPTS	ENER1190
	IF (NPTS.GT.8000) CALL ERRORS(1,6)	ENER1200
	GO TO 10	ENER1210
7	REWIND NIN1	ENER1220
	READ (NIN1) DUMMY	ENER1230
	GO TO 10	ENER1240
8	REWIND NIN1	ENER1250
9	READ (NIN1)(E(I),I=1,LIM1)	ENER1260
10	RETURN	ENER1270
	END	ENER1280

\$IBFTC	ENRG LIST,DECK,REF	08-09-65	ENRG0000
	SUBROUTINE ENRG(NPTS,E)		ENRG0010
	DIMENSION E(8000)		ENRG0020
	WRITE (6,601)		ENRG0030
601	FORMAT (39HODUMMY SUBROUTINE ENRG HAS BEEN ENTERED/113HOIN ORDER T		ENRG0040
	10 USE THE OPTION OF GENERATING YOUR OWN ENERGIES, PLEASE REPLACE T		ENRG0050
	2HIS SUBROUTINE WITH ONE OF YOUR OWN.)		ENRG0060
	CALL ERRORS(1,6)		ENRG0070
	END		ENRG0080

\$IBFTC	HEAD LIST,DECK,REF	08-09-65	HEAD0000
	SUBROUTINE HEAD		HEAD0010
	COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		HEAD0020
	1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP		HEAD0030
	2 ,MAT,MFRAME		HEAD0040
	COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),T2(12)		HEAD0050
	NPAGE=NPAGE+1		HEAD0060
	WRITE (6,601){TLABEL(I),I=1,12},NPAGE		HEAD0070
601	FORMAT(26H1GAROL DATA TAPE, LABELED 12A6, 22X 4HPAGE 16)		HEAD0080
	RETURN		HEAD0090
	END		HEAD0100

* * * * *
 G A R O L L I N K 2
 * * * * *

\$IBMAP	COMSET	LIST,REF	08-09-652	2COM0000
B	BOOL	37333		2COM0010
BSET	CONTRL	A,C		2COM0020
A	BSS	B		2COM0030
C	EQU	*		2COM0040
	END			2COM0050

\$IBFTC	LINK2	LIST,DECK,REF	08-09-652	2LNK0000
C		LINK 2		2LNK0010
C		READ RESONANCE PARAMETERS		2LNK0020
C		COMPUTE RESONANCE VARIABLES AND INDICES		2LNK0030
C		FOR CALCULATING CROSS SECTIONS		2LNK0040
C				2LNK0050
		COMMON /ALL/ NIN,NDOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		2LNK0060
		1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP		2LNK0070
		2 ,MAT,MFRAME		2LNK0080
		COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)		2LNK0090
		COMMON /BSET/ LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2		2LNK0100
		1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20)		2LNK0110
		2 ,KTAPE(3),KPTS(10)		2LNK0120
		3 ,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)		2LNK0130
		4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)		2LNK0140
		5 ,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)		2LNK0150
		6 ,SPIN(500)		2LNK0160
		COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME		2LNK0170
		EQUIVALENCE (TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1)		2LNK0180
		DIMENSION NTID(10,20), LIM(200)		2LNK0190
				2LNK0200
		LIM3=LIM1		2LNK0210
		LIM1=0		2LNK0220
		NKT=0		2LNK0230
		DO 10 K=1,MAT		2LNK0240
		IF (TID(6,K).GE.0.0.AND.TID(7,K).GE.0.0.AND.TID(8,K).GE.0.0)		2LNK0250
		1 GO TO 10		2LNK0260
		IF (TID(6,K).EQ.-1.0) GO TO 5		2LNK0270
		IF (TID(8,K).EQ.-1.0) GO TO 5		2LNK0280
		IF (TID(7,K).EQ.-1.0) GO TO 5		2LNK0290
		NKT=NKT+1		2LNK0300
		GO TO 10		2LNK0310
		5 CALL DSET(K)		2LNK0320
		LIM1=234		2LNK0330
		10 CONTINUE		2LNK0340
		LIM1=LIM3		2LNK0350
		IF (NKT.LE.1) GO TO 30		2LNK0360
		NKTM1=NKT-1		2LNK0370
		DO 25 J=1,NKTM1		2LNK0380
		JTAPE=KTAPE(J)		2LNK0390
		KTO=KPTS(J)		2LNK0400

DO 20 I=1,KTO	2LNK0410
READ (NIN,500)EE, CAP, SCAT, FIS	2LNK0420
WRITE (JTAPE,500)EE, CAP, SCAT, FIS	2LNK0430
500 FORMAT (4E12.6)	2LNK0440
20 CONTINUE	2LNK0450
REWIND JTAPE	2LNK0460
25 CONTINUE	2LNK0470
30 CALL CHAIN(3)	2LNK0480
END	2LNK0490

\$IBFTC DSET	LIST,DECK,REF	08-09-65	DSET0000
	SUBROUTINE DSET(NMAT)		DSET0010
C			DSET0020
C	READ AND SET UP RESONANCE PARAMETERS AND CONSTANTS		DSET0030
C	FOR DOPPLER BROADENING CALCULATION		DSET0040
C	ADAPTED FOR GAROL FROM THE FASDOP PROGRAM (GAMD-6562)		DSET0050
C			DSET0060
	COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		DSET0070
	1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP		DSET0080
	2 ,MAT,MFRAME		DSET0090
	COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)		DSET0100
V	COMMON /BSET/ LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2		DSET0110
	1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20)		DSET0120
	2 ,KTAPE(3),KPTS(10)		DSET0130
	3 ,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)		DSET0140
	4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)		DSET0150
	5 ,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)		DSET0160
	6 ,SPIN(500)		DSET0170
	COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME		DSET0180
	EQUIVALENCE (TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1)		DSET0190
	DIMENSION NTID(10,20), LIM(200)		DSET0200
	INTEGER GAMN		DSET0210
	DIMENSION GAMN(1)		DSET0220
	IF (LIM1.EQ.234) GO TO 2		DSET0230
	KST=1		DSET0240
	GO TO 3		DSET0250
	2 KST=KEND+1		DSET0260
	3 CONTINUE		DSET0270
20	READ (5,510) WGT,STAT,SPOT,TEMP		DSET0280
	IF (WGT.NE.TID(4,NMAT)) CALL ERRORS(2,1)		DSET0290
	READ (5,520) NEZ,NFIS,NGN		DSET0300
	NRR=NEZ		DSET0310
	NORES(NMAT)=NRR		DSET0320
	LLIM(NMAT)=KST		DSET0330
	KEND=KST+NRR-1		DSET0340
	AMASS=WGT		DSET0350
	SPO(NMAT)=SPOT		DSET0360

CALL HEAD	DSET0370
WRITE (6,602) (CNAME(I,NMAT),I=1,5),AMASS,SPOT,TEMP	DSET0380
602 FORMAT (1H08X,37H DOPPLER BROADENING CALCULATIONS FOR 5A6/	DSET0390
118X,24H ABSORBER MASS = F8.3/	DSET0400
318X,24H POTENTIAL SCATTERING = F8.3,8H (BARN)/	DSET0410
418X,24H TEMPERATURE = F8.3,4H (K)/)	DSET0420
DO 30 K=1,NRR	DSET0430
GI(K)=0.0	DSET0440
GJ(K)=0.0	DSET0450
30 GF(K)=0.0	DSET0460
IF (NFIS.GT.0) GO TO 80	DSET0470
IF (STAT.GT.0.0) GO TO 70	DSET0480
READ (5,530) (EO(J),GI(J),GJ(J),GG(J),GN(J),J=1,NRR)	DSET0490
40 DO 60 K=1,NRR	DSET0500
IF (GJ(K).GE.0.0) GO TO 50	DSET0510
SPIN(K)=GI(K)	DSET0520
GO TO 60	DSET0530
50 SPIN(K)=(2.0*GJ(K)+1.0)/(2.0*GI(K)+1.0)*0.5	DSET0540
60 CONTINUE	DSET0550
GO TO 120	DSET0560
70 READ (5,540) (EO(J),GG(J),GN(J),J=1,NRR)	DSET0570
GO TO 100	DSET0580
80 IF (STAT.GT.0.0) GO TO 90	DSET0590
READ (5,510) (EO(J),GI(J),GG(J),GN(J),GF(J),J=1,NRR)	DSET0600
GO TO 40	DSET0610
90 READ (5,550) (EO(J),GG(J),GN(J),GF(J),J=1,NRR)	DSET0620
100 DO 110 K=1,NRR	DSET0630
110 SPIN(K)=STAT	DSET0640
120 IF (NGN.GT.0) GO TO 302	DSET0650
301 GAMN(1)-- 4903602544	DSET0660
GO TO 303	DSET0670
302 GAMN(1)-- 4903602496	DSET0680
303 CONTINUE	DSET0690
304 WRITE(6,305) GAMN(1)	DSET0700
305 FORMAT(39X,26H RESONANCE PARAMETER INPUT//17X,11H RESONANCE 5X,21HDSET0710	DSET0710
1 STATISTICAL FACTORS 12X,17H HALF-WIDTHS - MV/11X,49H NUMBER ENDSET0720	DSET0720
2ERGY-EV I J G GA A6,27H GAMMA GAMMA GADSET0730	DSET0730
3MMA F//)	DSET0740
WRITE(6,306) (K,EO(K),GI(K),GJ(K),SPIN(K),GN(K),GG(K),GF(K)	DSET0750
1,K=1,NEZ)	DSET0760
306 FORMAT(I16,F13.3,F10.1,F6.1,F8.3,2F13.4,F14.4)	DSET0770
IF (NGN.LE.0) GO TO 142	DSET0780
DO 141 K=1,NRR	DSET0790
141 GN(K)=GN(K)*SQRT(EO(K))	DSET0800
142 DO 143 K=1,NRR	DSET0810
GG(K)=GG(K)*0.001	DSET0820
GN(K)=GN(K)*0.001	DSET0830
143 GF(K)=GF(K)*0.001	DSET0840
RAKT=SQRT(AMASS/(8.6167E-05*TEMP))	DSET0850
CON1=((AMASS+1.0)/AMASS)**2	DSET0860
CON2=2.6029E+06*CON1	DSET0870

CON3=1.6133505E+03*CON1	DSET0880
RSPO=SQRT(SPOT)	DSET0890
DO 200 J=1,NRR	DSET0900
JJ=KST+J-1	DSET0910
EZERO(JJ)=E0(J)	DSET0920
GPF=GG(J)+GF(J)	DSET0930
REO=1.0/E0(J)	DSET0940
GT=1.0/(GN(J)+GPF)	DSET0950
RREO=SQRT(REO)	DSET0960
GNGT=GN(J)*GT	DSET0970
FACT=GNGT*RREO*SPIN(J)	DSET0980
FACT1(JJ)=FACT*RSPO*CON3	DSET0990
FACT2(JJ)=FACT*GPF*GT*CON2	DSET1000
FACT3(JJ)=GNGT*GNGT*SPIN(J)*REO*CON2	DSET1010
FRAT(JJ)=GF(J)/GPF	DSET1020
HGT=0.5/GT	DSET1030
RHGT(JJ)=2.0*GT	DSET1040
XI(JJ)=HGT*RREO*RAKT	DSET1050
200 CONTINUE	DSET1060
RETURN	DSET1070
160 WRITE (6,560)	DSET1080
CALL EXIT	DSET1090
510 FORMAT(6E12.6)	DSET1100
520 FORMAT(6I12)	DSET1110
530 FORMAT(5E12.6)	DSET1120
540 FORMAT(3E12.6)	DSET1130
550 FORMAT(4E12.6)	DSET1140
560 FORMAT(1H1///10X,54H * * * * * ERROR STOP - INPUT LIST TOO LARGE * 1 * * * *)	DSET1150
END	DSET1160
	DSET1170

\$IBFTC HEAD	LIST,DECK,REF	08-09-65	HEAD0000
SUBROUTINE HEAD			HEAD0010
COMMON /ALL/	NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		HEAD0020
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP			HEAD0030
2 ,MAT,MFRAME			HEAD0040
COMMON /PLOTT/	TLABEL(12),XLABEL(12),YLABEL(12),T2(12)		HEAD0050
NPAGE=NPAGE+1			HEAD0060
WRITE (6,601)(TLABEL(I),I=1,12),NPAGE			HEAD0070
601 FORMAT(26H1GAROL DATA TAPE, LABELED 12A6, 22X 4HPAGE I6)			HEAD0080
RETURN			HEAD0090
END			HEAD0100

* * * * *
 G A R O L L I N K 3
 * * * * *

\$IBMAP	COMSET	LIST,REF	08-09-653	COM0000
B	BOOL	37333		3COM0010
BSET	CONTRL	A,C		3COM0020
A	BSS	B		3COM0030
C	EQU	*		3COM0040
	END			3COM0050

\$IBFTC	LINK3	LIST,DECK,REF	08-09-653	LNK0000
C		LINK 3		3LNK0010
C		CALCULATE CROSS SECTIONS		3LNK0020
C		AND WRITE DATA TAPE ON (B5)		3LNK0030
C				3LNK0040
		COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		3LNK0050
		1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP		3LNK0060
		2 ,MAT,MFRAME		3LNK0070
		COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)		3LNK0080
		COMMON /BSET/ LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2		3LNK0090
		1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20)		3LNK0100
		2 ,KTAPE(3),KPTS(10)		3LNK0110
		3 ,NDRES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)		3LNK0120
		4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)		3LNK0130
		5 ,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)		3LNK0140
		6 ,SPIN(500)		3LNK0150
		COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME		3LNK0160
		EQUIVALENCE (TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1)		3LNK0170
		DIMENSION NTID(10,20), LIM(200)		3LNK0180
		DO 20 JK=1,50		3LNK0190
		GI(JK)=0.0		3LNK0200
		GJ(JK)=0.0		3LNK0210
20		CONTINUE		3LNK0220
		IF (NPRINT.GT.0) GO TO 21		3LNK0230
		ASSIGN 4 TO NGO		3LNK0240
		GO TO 22		3LNK0250
21		ASSIGN 10 TO NGO		3LNK0260
		CALL HEAD		3LNK0270
22		CONTINUE		3LNK0280
		IF (JHYD.LE.1) GO TO 23		3LNK0290
		JST=JHYD		3LNK0300
		JHYD=1		3LNK0310
24		IF (JST.LE.LIMST) GO TO 25		3LNK0320
		JST=JST-LIMST		3LNK0330
		NT=NT+1		3LNK0340
		GO TO 24		3LNK0350
23		JST=1		3LNK0360

25	I=JST	3LNK0370
	JEND1=MIN0(NPTS,LIMST)	3LNK0380
	NT=1	3LNK0390
	NTLIM=0	3LNK0400
	NTLIMP=LIMST	3LNK0410
	DO 1 K=1,MAT	3LNK0420
	ALPHA(K)={ (TID(4,K)-1.0)/(TID(4,K)+1.0) } **2	3LNK0430
1	CONTINUE	3LNK0440
	IF (JEND1.LT.NPTS) GO TO 2	3LNK0450
	ASSIGN 6 TO NP1	3LNK0460
	ASSIGN 8 TO NP2	3LNK0470
	GO TO 3	3LNK0480
2	ASSIGN 5 TO NP1	3LNK0490
	ASSIGN 9 TO NP2	3LNK0500
	EEZERO=E(LIMST)	3LNK0510
3	CONTINUE	3LNK0520
	IF (JST.GT.1) GO TO 4	3LNK0530
	DE1=0.0	3LNK0540
	DE2=E(2)/(E(1)-E(2))*ALOG(E(1)/E(2))	3LNK0550
	DE3=(E(1)-E(2))*0.5	3LNK0560
	ND=1	3LNK0570
	CALL FASDOP(1)	3LNK0580
	DO 40 K=1,NEL	3LNK0590
	ETO=E(I)*ALPHA(K)	3LNK0600
	DO 30 J=I,NPT	3LNK0610
	IF (E(J).GT.ETO) GO TO 30	3LNK0620
	LIM(ND)=J-I-1	3LNK0630
	JJ=J-1	3LNK0640
	GO TO 31	3LNK0650
30	CONTINUE	3LNK0660
	LIM(ND)=NPT-I	3LNK0670
	JJ=NPT	3LNK0680
31	ND=ND+1	3LNK0690
	NCORT=0	3LNK0700
33	LIM(ND)=NCORT	3LNK0710
	ND=ND+NCORT+1	3LNK0720
	IF (TID(6,K).GE.0.0) GO TO 34	3LNK0730
	DUM(ND)=SCAP(K)	3LNK0740
	ND=ND+1	3LNK0750
34	IF (TID(7,K).GE.0.0) GO TO 35	3LNK0760
	DUM(ND)=SF(K)	3LNK0770
	ND=ND+1	3LNK0780
35	IF (TID(8,K).GE.0.0) GO TO 40	3LNK0790
	DUM(ND)=SSC(K)	3LNK0800
	ND=ND+1	3LNK0810
40	CONTINUE	3LNK0820
	ND=ND-1	3LNK0830
	WRITE (NDATA1) E(1),DE1,DE2,DE3,ND,(DUM(J),J=1,ND)	3LNK0840
	IF (NPRINT.GT.0) CALL PRINT(JST,E(JST))	3LNK0850
4	JST=JST+1	3LNK0860

I=JST	3LNK0870
GO TO NP2,(8,9)	3LNK0880
9 IF (JST.LE.LIMST) GO TO 8	3LNK0890
JST=1	3LNK0900
I=JST	3LNK0910
NT=NT+1	3LNK0920
NTLIM=(NT-1)*LIMST	3LNK0930
NTLIMP=NTLIM+LIMST	3LNK0940
8 CONTINUE	3LNK0950
IF (JST+NTLIM.GE.NPTS) GO TO 11	3LNK0960
DE1=E(I-1)/(E(I-1)-E(I))*ALOG(E(I-1)/E(I))	3LNK0970
DE2=E(I+1)/(E(I)-E(I+1))*ALOG(E(I)/E(I+1))	3LNK0980
DE3=(E(I)-E(I+1))*0.5	3LNK0990
CALL FASDOP(JST)	3LNK1000
CALL NUTZ(JST,NT)	3LNK1010
GO TO NP1,(5,6)	3LNK1020
5 IF (NTLIMP+JST-1.GE.NPTS) ASSIGN 6 TO NP1	3LNK1030
READ (NIN1) E(JST-1)	3LNK1040
IF (JST.EQ.1) E(LIMST)=EEZERO	3LNK1050
IF (JST.EQ.2) E(LIMST+1)=E(1)	3LNK1060
6 CONTINUE	3LNK1070
GO TO NGO,(4,10)	3LNK1080
10 CALL PRINT(JST,E(JST))	3LNK1090
GO TO 4	3LNK1100
11 CONTINUE	3LNK1110
DE1=E(I-1)/(E(I-1)-E(I))*ALOG(E(I-1)/E(I))	3LNK1120
DE2=0.0	3LNK1130
DE3=0.0	3LNK1140
CALL FASDOP(JST)	3LNK1150
CALL NUTZ(JST,NT)	3LNK1160
IF (NPRINT.GT.0) CALL PRINT(JST,E(JST))	3LNK1170
EE=0.0	3LNK1180
ND=1	3LNK1190
WRITE (NDATA) EE,DE1,DE1,DE3,ND,EE	3LNK1200
END FILE NDATA	3LNK1210
CALL TICKER(TIME)	3LNK1220
TIME=TIME/216.0	3LNK1230
PRINT 601, TIME	3LNK1240
601 FORMAT (1H0/15HOTAPE COMPLETE. 15X,6HTIME = F10.3,3H MH)	3LNK1250
REWIND NDATA	3LNK1260
DO 12 I=1,4	3LNK1270
12 READ (NDATA) DUMMY	3LNK1280
CALL CHAIN(4)	3LNK1290
END	3LNK1300

```

*IBFTC FASDOP LIST,DECK,REF                                08-09-65FASD0000
SUBROUTINE FASDOP(JK)                                       FASD0010
C                                                             FASD0020
C FAST AND EPITHERMAL ENERGY RANGE DOPPLER BROADENING CALCULATION FASD0030
C ADAPTED FOR GAROL FROM THE FASDOP PROGRAM (GAMD-6562)     FASD0040
C 'FASDOP' COMPUTES THE TOTAL CONTRIBUTION FROM ALL RESOLVED FASD0050
C RESONANCES TO THE ABSORPTION, FISSION, AND SCATTERING FASD0060
C CROSS-SECTIONS AT SPECIFIED ENERGIES.                     FASD0070
C OR CALCULATES CROSS-SECTIONS BY INTERPOLATION FROM INPUT FASD0080
C                                                             FASD0090
COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES FASD0100
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP FASD0110
2 ,MAT,MFRAME                                               FASD0120
COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)           FASD0130
COMMON /BSET/ LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2 FASD0140
1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20) FASD0150
2 ,KTAPE(3),KPTS(10)                                       FASD0160
3 ,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)        FASD0170
4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)    FASD0180
5 ,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)       FASD0190
6 ,SPIN(500)                                                FASD0200
EQUIVALENCE (TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1) FASD0210
DIMENSION NTID(10,20), LIM(200)                            FASD0220
DIMENSION A(4)                                              FASD0230
EQUIVALENCE (GI(1),ELAST(1)), (GI(11),SCAPL(1)), (GI(21),SSCL(1)) FASD0240
1 , (GI(31),SFL(1)), (GI(41),JPTS(1))                      FASD0250
EQUIVALENCE (GJ(1),ENEXT(1)), (GJ(11),SCAPN(1)), (GJ(21),SSCN(1)) FASD0260
1 , (GJ(31),SFN(1))                                         FASD0270
DIMENSION ELAST(10), SCAPL(10), SSCL(10), SFL(10), JPTS(10) FASD0280
DIMENSION ENEXT(10), SCAPN(10), SSCN(10), SFN(10)         FASD0290
C                                                             FASD0300
RE=SQRT(1.0/E(JK))                                         FASD0310
N=0                                                         FASD0320
DO 300 I=1,MAT                                             FASD0330
IF (TID(6,I).LE.-2.0) GO TO 245                            FASD0340
SA(I)=0.0                                                  FASD0350
SF(I)=0.0                                                  FASD0360
SSC(I)=SPO(I)                                             FASD0370
IF (TID(6,I).GE.0.0.AND.TID(7,I).GE.0.0.AND.TID(8,I).GE.0.0) FASD0380
1 GO TO 300                                                FASD0390
JST=LLIM(I)                                               FASD0400
JEND=JST+NORES(I)-1                                       FASD0410
DO 240 J=JST,JEND                                         FASD0420
X=RHGT(J)*(E(JK)-EZERO(J))                                FASD0430
XTEST=ABS(X)                                              FASD0440
IF (XI(J).LT.1.0) XTEST=XTEST*XI(J)                       FASD0450
IF (XTEST.LE.150.0) GO TO 220                             FASD0460
IF (X.GT.0.0) GO TO 240                                    FASD0470
PSI=1.0/(1.0+X*X)                                         FASD0480
GO TO 230                                                  FASD0490

```

C	CALCULATE PSI(X,XI) AND CHI(X,XI)	FASD0500
C	SHALL WE USE ASYMPTOTIC OR CONVERGENT SERIES	FASD0510
220	THE=4.0/(XI(J)*XI(J))	FASD0520
	AXI=ABS(X)	FASD0530
	IF(AXI-1.2)21,12,12	FASD0540
12	IF(AXI-10.0)23,14,14	FASD0550
14	IF(AXI-100.0)25,16,16	FASD0560
16	IF (AXI-500.0) 27,18,18	FASD0570
18	IF (AXI-2500.0) 29,29,31	FASD0580
21	IF(0.275*AXI*AXI+0.05-THE)78,78,59	FASD0590
23	IF(0.12*AXI*AXI +0.28-THE)78,78,59	FASD0600
25	IF (0.08*AXI*AXI+1.8-THE) 78,78,59	FASD0610
27	IF (0.0717*AXI*AXI+83.0-THE) 78,78,59	FASD0620
29	IF (0.0635*AXI*AXI+2100.0-THE) 78,78,59	FASD0630
31	IF (0.111*AXI**1.93-THE) 78,78,59	FASD0640
	TO 59 FOR ASYMPTOTIC SERIES	FASD0650
59	SQ = X*X+1.0	FASD0660
	AJ=1.0/SQ	FASD0670
	BB=THE*AJ	FASD0680
	A(1)=0.5	FASD0690
	A(2)=0.75	FASD0700
	A(3)=1.875	FASD0710
	A(4)=6.5625	FASD0720
	AH=X*AJ	FASD0730
	T1=(SQ-2.0)*AJ	FASD0740
	T2=2.0*AH	FASD0750
	PSI=AJ	FASD0760
	CHI=(1.0-BB)*AH	FASD0770
	B=1.0	FASD0780
	DO 10 K=1,4	FASD0790
	B=B*BB	FASD0800
	AB=A(K)*B	FASD0810
	AT=T2*AJ	FASD0820
	AJ=AJ*T1+T2*AH	FASD0830
	AH=T1*AH-AT	FASD0840
	PSI=PSI+AB*AJ	FASD0850
	S1=2*K+1	FASD0860
	XAJ=X*AJ	FASD0870
	CHI=CHI+AB*(XAJ-0.5*S1*BB*(XAJ+AH))	FASD0880
10	CONTINUE	FASD0890
	CHI=CHI*2.0	FASD0900
	GO TO 230	FASD0910
	TO 78 FOR CONVERGENT SERIES	FASD0920
	CALCULATE GAMMA INCOMPLETE(O)	FASD0930
78	TT=1.0/THE	FASD0940
	IF(TT-8.4)81,81,82	FASD0950
81	CALL GAMINC(TT,FR)	FASD0960
	G1C=FR*EXP(TT)*SQRT(TT)	FASD0970
	GO TO 83	FASD0980
82	V=0.5*XI(J)	FASD0990

	TWOV=XI(J)	FASD1000
	G1C=V/(V+1.0/(TWOV+2.0/(V+3.0/(TWOV+4.0/(V+5.0/(TWOV+6.0/	FASD1010
	1 (V+7.0/(TWOV+2.5)))))))))	FASD1020
83	RAT=X*X	FASD1030
	G2C= 2.0*(1.0-G1C)	FASD1040
	C1=RAT*TT	FASD1050
	C11=C1	FASD1060
	TEP=G1C+C1*TT*G2C	FASD1070
	TEC=G2C	FASD1080
	FQ1=1.0	FASD1090
	C2=X /THE	FASD1100
	C3=EXP(-X *C2)	FASD1110
	T9=1.0	FASD1120
	DO 91 KZ=1,100	FASD1130
	FQ1=FQ1+1.0	FASD1140
	T9=T9+2.0	FASD1150
	G2C=2.0/T9*(1.0-TT*G2C)	FASD1160
	TR=C11*G2C	FASD1170
	C11=C1*C11/FQ1	FASD1180
	TR1=C11*TT*G2C	FASD1190
	TEP=TEP+TR1	FASD1200
	TEC=TEC+TR	FASD1210
	IF (ABS (TR/TEC)-0.00001)93,93,91	FASD1220
91	CONTINUE	FASD1230
	WRITE (6,603)	FASD1240
603	FORMAT (83H0IN CALCULATION OF PSI AND CHI, CONVERGENT SERIES UNCON	FASD1250
	1VERGED AFTER 100 ITERATIONS.)	FASD1260
93	PSI =C3*TEP	FASD1270
	CHI =C2*C3*TEC*2.0	FASD1280
230	Y=FACT2(J)*PSI*RE	FASD1290
	SA(I)=SA(I)+Y	FASD1300
	SF(I)=SF(I)+FRAT(J)*Y	FASD1310
	IF (XTEST.GT.150.0) GO TO 240	FASD1320
	SSC(I)=SSC(I)+FACT3(J)*PSI+FACT1(J)*CHI	FASD1330
240	CONTINUE	FASD1340
	SCAP(I)=SA(I)-SF(I)	FASD1350
	IF (SSC(I).LT.0.0) SSC(I)=0.0	FASD1360
	GO TO 300	FASD1370
C		FASD1380
C	READ CROSS-SECTIONS FROM CARDS AND INTERPOLATE	FASD1390
245	CONTINUE	FASD1400
	N=N+1	FASD1410
	JTAPE=KTAPE(N)	FASD1420
	IF (ELAST(I).GT.0.0) GO TO 248	FASD1430
246	READ (JTAPE,500) ELAST(I),SCAPL(I),SSCL(I),SFL(I)	FASD1440
500	FORMAT (4E12.6)	FASD1450
	JPTS(I)=JPTS(I)+1	FASD1460
247	READ (JTAPE,500) ENEXT(I),SCAPN(I),SSCN(I),SFN(I)	FASD1470
	JPTS(I)=JPTS(I)+1	FASD1480
248	IF (ENEXT(I).GT.E(JK)) GO TO 250	FASD1490

	IF (ABS(ELAST(I)-E(JK)).LE.1.0E-5*ELAST(I)) GO TO 252	FASD1500
249	IF (ELAST(I).GT.E(JK))GO TO 251	FASD1510
	GO TO 252	FASD1520
250	ELAST(I)=ENEXT(I)	FASD1530
	SCAPL(I)=SCAPN(I)	FASD1540
	SSCL(I) = SSCN(I)	FASD1550
	SFL(I) = SFN(I)	FASD1560
	IF (JPTS(I).LT.KPTS(N)) GO TO 247	FASD1570
	GO TO 252	FASD1580
251	ERATIO = (E(JK)-ENEXT(I))/(ELAST(I)-ENEXT(I))	FASD1590
	SCAP(I)=SCAPN(I) + ERATIO*(SCAPL(I)-SCAPN(I))	FASD1600
	SSC(I) = SSCN(I) + ERATIO*(SSCL(I)-SSCN(I))	FASD1610
	SF(I) = SFN(I) + ERATIO*(SFL(I)-SFN(I))	FASD1620
	GO TO 253	FASD1630
252	SCAP(I)=SCAPL(I)	FASD1640
	SSC(I) = SSCL(I)	FASD1650
	SF(I) = SFL(I)	FASD1660
253	IF (JK.LT.NPTS) GO TO 300	FASD1670
	IF (JPTS(I).GE.KPTS(N)) GO TO 300	FASD1680
	J1=JPTS(I)+1	FASD1690
	J2=KPTS(N)	FASD1700
	DO 254 K=J1,J2	FASD1710
254	READ (JTAPE) DUMMY	FASD1720
300	CONTINUE	FASD1730
	RETURN	FASD1740
	END	FASD1750

\$IBFTC	NUTZ	LIST,DECK,REF	08-09-65	NUTZ0000
		SUBROUTINE NUTZ(I,MT)		NUTZ0010
C				NUTZ0020
C		COMPUTE NUMBER OF DOWNSCATTERINGS		NUTZ0030
C		AND WRITE DATA ON CROSS SECTION TAPE (NDATA)		NUTZ0040
C				NUTZ0050
	COMMON /ALL/	NIN,NOUT,NDATA,NINI,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		NUTZ0060
	1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP			NUTZ0070
	2 ,MAT,MFRAME			NUTZ0080
	COMMON /TABLES/	CS1,CS2,CS3,SLABT(505),CYLT(305)		NUTZ0090
	COMMON /BSET/	LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2		NUTZ0100
	1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20)			NUTZ0110
	2 ,KTAPE(3),KPTS(10)			NUTZ0120
	3	,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600)		NUTZ0130
	4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600)			NUTZ0140
	5	,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500)		NUTZ0150
	6 ,SPIN(500)			NUTZ0160
	EQUIVALENCE	(TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1)		NUTZ0170
	DIMENSION	NTID(10,20), LIM(200)		NUTZ0180
	ND=1			NUTZ0190
	NT=MT			NUTZ0200
	LIMM1=LIMST*(NT-1)			NUTZ0210
	DO 40 K=1,NEL			NUTZ0220
	ETO=E(I)*ALPHA(K)			NUTZ0230
	ETL=E(I-1)*ALPHA(K)			NUTZ0240
	NST=I			NUTZ0250
	NEND=MINO(LIMST,NPTS-LIMM1)			NUTZ0260
20	DO 30 J=NST,NEND			NUTZ0270
	IF (E(J).GT.ETO) GO TO 30			NUTZ0280
	LIM(ND)=J-I-1			NUTZ0290
	IF (LIM(ND).LT.0) LIM(ND)=LIM(ND)+LIMM1			NUTZ0300
	JJ=J-1			NUTZ0310
	GO TO 31			NUTZ0320
30	CONTINUE			NUTZ0330
	IF (NEND.GE.NPTS-LIMM1) GO TO 25			NUTZ0340
	IF (NEND.EQ.I-1) GO TO 25			NUTZ0350
	NST=1			NUTZ0360
	LIMM1=LIMST*NT			NUTZ0370
	NEND=MINO(I-1,NPTS-LIMM1)			NUTZ0380
	NT=NT+1			NUTZ0390
	GO TO 20			NUTZ0400
25	LIM(ND)=NEND-I			NUTZ0410
	IF (LIM(ND).LT.0) LIM(ND)=LIM(ND)+LIMM1			NUTZ0420
	JJ=NEND			NUTZ0430
31	ND=ND+1			NUTZ0440
	NCORT=0			NUTZ0450
320	IF (JJ.GE.1) GO TO 32			NUTZ0460
	JJ=LIMST			NUTZ0470
32	IF (ETL.LT.E(JJ))GO TO 33			NUTZ0480

```

NCORT=NCORT+1
NDC=NCORT+ND
DUM(NDC)=E(JJ)
JJ=JJ-1
GO TO 320
33 LIM(ND)=NCORT
ND=ND+NCORT+1
IF (TID(6,K).GE.0.0) GO TO 34
DUM(ND)=SCAP(K)
ND=ND+1
34 IF (TID(7,K).GE.0.0) GO TO 35
DUM(ND)=SF(K)
ND=ND+1
35 IF (TID(8,K).GE.0.0) GO TO 40
DUM(ND)=SSC(K)
ND=ND+1
40 CONTINUE
ND=ND-1
WRITE (NDATA1) E(I),DE1,DE2,DE3,ND,(DUM(J),J=1,ND)
RETURN
END

```

```

NUTZ0490
NUTZ0500
NUTZ0510
NUTZ0520
NUTZ0530
NUTZ0540
NUTZ0550
NUTZ0560
NUTZ0570
NUTZ0580
NUTZ0590
NUTZ0600
NUTZ0610
NUTZ0620
NUTZ0630
NUTZ0640
NUTZ0650
NUTZ0660
NUTZ0670
NUTZ0680
NUTZ0690

```

IBFTC PRINT LIST,DECK,REF
SUBROUTINE PRINT(JST,EE)

08-09-65PRIN0000

PRINT ROUTINE FOR GAROL DATA

PRIN0010

PRIN0020

PRIN0030

PRIN0040

COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINESPRIN0050

1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP PRIN0060

2 ,MAT,MFRAME PRIN0070

COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305) PRIN0080

COMMON /BSET/ LIMST,LIM1,LIM2,NPRINT,JPRINT(10),DUM(200),DE1,DE2 PRIN0090

1 ,DE3,EEZERO,E(8000),SCAP(20),SF(20),SSC(20),SA(20),ALPHA(20) PRIN0100

2 ,KTAPE(3),KPTS(10) PRIN0110

3 ,NORES(20),LLIM(20),SPO(20),EZERO(600),RHGT(600) PRIN0120

4 ,FACT1(600),FACT2(600),FACT3(600),FRAT(600),XI(600) PRIN0130

5 ,GI(500),GJ(500),GF(500),EO(500),GG(500),GN(500) PRIN0140

6 ,SPIN(500) PRIN0150

EQUIVALENCE (TID,NTID),(DUM,LIM),(NPT,NPTS),(NDATA,NDATA1) PRIN0160

DIMENSION NTID(10,20), LIM(200) PRIN0170

DIMENSION FMT(24), DUM1(9), DUM2(9), NSUB(9), NFMT(1) PRIN0180

1 , T(20) PRIN0190

EQUIVALENCE (FMT,NFMT) PRIN0200

IF (NCODE.EQ.2345) GO TO 100 PRIN0210

CALL BOOLER(6HCAPTUR,CAP) PRIN0220

CALL BOOLER(6HE ,TURE) PRIN0230

CALL BOOLER(6HFISSIO,FIS) PRIN0240

CALL BOOLER(6HN ,SION) PRIN0250

CALL BOOLER(6HSCATTE,SCAT) PRIN0260

CALL BOOLER(6HR ,TER) PRIN0270

CALL BOOLER(6H(20X, ,FMT(1)) PRIN0280

CALL BOOLER(6HA6,A4, ,A6A4) PRIN0290

CALL BOOLER(6H ,BLANK) PRIN0300

CALL BOOLER(6H2X ,TWOX) PRIN0310

CALL BOOLER(6H X ,X) PRIN0320

CALL BOOLER(6H) ,ENDFMT) PRIN0330

NCODE=2345 PRIN0340

N=1 PRIN0350

NF=2 PRIN0360

ND=0 PRIN0370

L=0 PRIN0380

DO 50 K=1,MAT PRIN0390

IF (K.NE.JPRINT(N)) GO TO 50 PRIN0400

FMT(NF)=A6A4 PRIN0410

FMT(NF+1)=TWOX PRIN0420

NF=NF+2 PRIN0430

NSPACE=(NTID(9,K)-1)*12 PRIN0440

NS=NSPACE/10 PRIN0450

NFMT(NF)=NS*64+NSPACE-NS*10 PRIN0460

IF (NFMT(NF).EQ.0) GO TO 10 PRIN0470

FMT(NF+1)=X PRIN0480

NF=NF+2 PRIN0490

10 IF (TID(6,K).GE.0.0) GO TO 20	PRIN0500
ND=ND+1	PRIN0510
NSUB(ND)=K	PRIN0520
T(L+1)=CAP	PRIN0530
T(L+2)=TURE	PRIN0540
L=L+2	PRIN0550
IF (ND.GE.9) GO TO 60	PRIN0560
IF (TID(6,K).LE.-2.0) GO TO 21	PRIN0570
20 IF (TID(7,K).GE.0.0) GO TO 30	PRIN0580
21 ND=ND+1	PRIN0590
NSUB(ND)=K+20	PRIN0600
T(L+1)=FIS	PRIN0610
T(L+2)=SION	PRIN0620
L=L+2	PRIN0630
IF (ND.GE.9) GO TO 60	PRIN0640
IF (TID(6,K).LE.-2.0) GO TO 31	PRIN0650
30 IF (TID(8,K).GE.0.0) GO TO 40	PRIN0660
31 ND=ND+1	PRIN0670
NSUB(ND)=K+40	PRIN0680
T(L+1)=SCAT	PRIN0690
T(L+2)=TER	PRIN0700
L=L+2	PRIN0710
IF (ND.GE.9) GO TO 60	PRIN0720
40 CONTINUE	PRIN0730
N=N+1	PRIN0740
IF (N.GT.NPRINT) GO TO 60	PRIN0750
50 CONTINUE	PRIN0760
60 IF (FMT(NF-1).EQ.X) NF=NF-2	PRIN0770
FMT(NF)=ENDFMT	PRIN0780
IF(NF.GE.24) GO TO 80	PRIN0790
NF=NF+1	PRIN0800
DO 70 NJ=NF,24	PRIN0810
70 FMT(NJ)=BLANK	PRIN0820
80 CONTINUE	PRIN0830
GO TO 105	PRIN0840
100 IF (MOD(JST,52).GT.0) GO TO 115	PRIN0850
CALL HEAD	PRIN0860
105 DO 110 I=1,NPRINT	PRIN0870
J=JPRINT(I)	PRIN0880
DUM1(I)=CNAME(1,J)	PRIN0890
DUM2(I)=CNAME(2,J)	PRIN0900
110 CONTINUE	PRIN0910
WRITE (6,FMT)(DUM1(I),DUM2(I),I=1,NPRINT)	PRIN0920
WRITE (6,601)(T(I),I=1,L)	PRIN0930
601 FORMAT (8X,9HENERGY-EV 3X 18A6)	PRIN0940
115 WRITE (6,600)	PRIN0950
600 FORMAT (1X)	PRIN0960
DO 120 I=1,ND	PRIN0970
J=NSUB(I)	PRIN0980
120 DUM1(I)=SCAP(J)	PRIN0990

```

WRITE (6,602) JST,EE,(DUM1(LL),LL=1,ND)
602 FORMAT (I6,1P10E12.5)
RETURN
END

```

```

PRIN1000
PRIN1010
PRIN1020
PRIN1030

```

```

$IBFTC GAMINC LIST,DECK,REF
SUBROUTINE GAMINC(X1,FR)

```

```

08-09-65GAMI0000
GAMI0010
GAMI0020
GAMI0030
GAMI0040
GAMI0050
GAMI0060
GAMI0070
GAMI0080
GAMI0090
GAMI0100
GAMI0110
GAMI0120
GAMI0130
GAMI0140
GAMI0150
GAMI0160
GAMI0170
GAMI0180
GAMI0190
GAMI0200

```

```

C
C CALCULATE INCOMPLETE GAMMA-FUNCTION , G(A,X) FOR A=0.5)
C ADAPTED FOR GAROL FROM THE ZUT PROGRAM (GA-2525)
C
C=0.0
EX=1.0
SUM=1.0
DO 20 K=1,20
DO 15 J=1,5
C=C+1.0
EX=-X1*EX/C
TERM=EX/(2.0*C+1.0)
15 SUM=SUM+TERM
IF (ABS(TERM/SUM)-1.0E-5) 22,22,20
20 CONTINUE
22 FR=2.0*SQRT(X1)*SUM
FR=1.7724539-FR
RETURN
END

```

```

$IBFTC HEAD LIST,DECK,REF
SUBROUTINE HEAD
COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP
2 ,MAT,MFRAME
COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),T2(12)
NPAGE=NPAGE+1
WRITE (6,601)(TLABEL(I),I=1,12),NPAGE
601 FORMAT(26H1GAROL DATA TAPE, LABELED 12A6, 22X 4HPAGE I6)
RETURN
END

```

```

08-09-65HEAD0000
HEAD0010
HEAD0020
HEAD0030
HEAD0040
HEAD0050
HEAD0060
HEAD0070
HEAD0080
HEAD0090
HEAD0100

```

* * * * *
 * G A R D L L I N K 4 *
 * * * * *

\$IBMAP	COMSET	LIST,REF	08-09-654COM0000
B	BOOL	7022	4COM0010
BSET	CONTRL	A,C	4COM0020
A	BSS	B	4COM0030
C	EQU	*	4COM0040
	END		4COM0050

\$IBFTC	LINK4	LIST,DECK,REF	08-09-654LNK0000
C			4LNK0010
C		LINK 4	4LNK0020
C		RESONANCE OVERLAP CALCULATION	4LNK0030
C			4LNK0040

```

COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP
2 ,MAT,MFRAME
COMMON /BSET/ V(2), R, IGEOM, EC, EST, EEND, NHYD, HYD(2)
1 , E, DE1, DE2, DE3, DE4, SUM(2), SUMA, SUMB, T(2), S(2)
2 , TERM, CC, MORDER(10), ELBAR(2)
3 , ZID(10,10), CAP(10), SCAT(10), FIS(10), LIM(10), DENS(10,2)
4 , DENSTY(10,2), ALPHA(10), TOTAL(2), P(2), D(2), Q(2), DDQQ
5 , PHI(2), SORC(2)
6 , NBG, BEG(50), BPHI(50,2), BCAP(50,10,2), BSCAT(50,10,2)
7 , BFIS(50,10,2), CELLS(50), CELLC(50), CELLF(50), OGPFI(2)
8 , OGCAT(3), OGCAP(3), OGFIS(3)
9 , TNAME(5,10)
COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME
EQUIVALENCE (TID,NID), (ZID,ID), (DUM,NDUM), (NDATA,NDATA1)
DIMENSION DUM(100)
DIMENSION NID(10,50), ID(10,10), NDUM(1)
DIMENSION EJ(5,10), NCORT(10),PHIL(2), SCATL(10), LIML(10)
1 ,DETP(2), TA(8000,2)
DIMENSION XS(2)

```

C			4LNK0180
C		READ PROBLEM INPUT CARDS	4LNK0190
		LIMST=8000	4LNK0200
	100	CALL INPUT	4LNK0210
		NPRINT=INDEX	4LNK0220
		NXSORC=NHYD	4LNK0230
		IF (NXSORC.GE.1) CALL XSORC(1,DA,DA)	4LNK0240
		IF (NPLOT.LT.1) GO TO 160	4LNK0250
		NIN3=3	4LNK0260
		REWIND NIN3	4LNK0270
		WRITE (NIN3)((TNAME(I,K),I=1,5),K=1,MAT)	4LNK0280
		NIN1=2	4LNK0290
		REWIND NIN1	4LNK0300
			4LNK0310
			4LNK0320
			4LNK0330
			4LNK0340
			4LNK0350
			4LNK0360
			4LNK0370

	ASSIGN 321 TO NGOP	4LNK0380
	ASSIGN 400 TO NGOQ	4LNK0390
	GO TO 170	4LNK0400
160	ASSIGN 326 TO NGOP	4LNK0410
	ASSIGN 500 TO NGOQ	4LNK0420
170	NERR=4	4LNK0430
	NHYD=0	4LNK0440
	ASSIGN 771 TO JGO	4LNK0450
	DO 180 N=1,LIMST	4LNK0460
	DO 180 NR=1,2	4LNK0470
180	TA(N, NR)=0.0	4LNK0480
	DE4=0.0	4LNK0490
	DEC=1.0/EC	4LNK0500
	DO 185 NG=1,NBG	4LNK0510
	DO 185 NR=1,2	4LNK0520
	BPHI(NG, NR)=0.0	4LNK0530
	DO 185 K=1, MAT	4LNK0540
	BCAP(NG, K, NR)=0.0	4LNK0550
	BFIS(NG, K, NR)=0.0	4LNK0560
	BSCAT(NG, K, NR)=0.0	4LNK0570
185	CONTINUE	4LNK0580
	IF (JHYD.GT.0.AND.MORDER(1).EQ.1) GO TO 190	4LNK0590
	GO TO 195	4LNK0600
190	NHYD=1	4LNK0610
	HYD(1)=0.0	4LNK0620
	HYD(2)=0.0	4LNK0630
C	READ THROUGH DATA TAPE UNTIL STARTING ENERGY (EST) IS FOUND	4LNK0640
195	IF (EST.GT.0.0) GO TO 201	4LNK0650
	READ (NDATA1) E, DE1, DE2, DE3, NENTRY, (DUM(J), J=1, NENTRY)	4LNK0660
	EST=E	4LNK0670
	EC=E	4LNK0680
	DEC=1.0/E	4LNK0690
	GO TO 203	4LNK0700
201	READ (NDATA1) E, DE1, DE2, DE3, NENTRY, (DUM(J), J=1, NENTRY)	4LNK0710
202	IF (E.GT.EST) GO TO 201	4LNK0720
203	JST=0	4LNK0730
	EC=E	4LNK0740
	DEC=1.0/EC	4LNK0750
	JPRINT=0	4LNK0760
	NG=1	4LNK0770
	DE12=1.0-DE2	4LNK0780
	DO 204 K=1, MAT	4LNK0790
204	LIML(K)=1	4LNK0800
	CALL TICKER(TIME)	4LNK0810
	TIME=TIME/216.0	4LNK0820
	WRITE (6,3001) TIME, NHYD	4LNK0830
3001	FORMAT (90X 26HSTART SPECTRUM CALCULATION F8.3,3H MH/ 90X	4LNK0840
	1 6HNHYD = I3)	4LNK0850
	ASSIGN 221 TO NGO1	4LNK0860
	ASSIGN 231 TO NGO2	4LNK0870

ASSIGN 2481 TO NG05	4LNK0880
2049 ASSIGN 291 TO NG06	4LNK0890
205 DO 206 NR=1,2	4LNK0900
SUM(NR)=0.0	4LNK0910
206 TOTAL(NR)=0.0	4LNK0920
JST=JST+1	4LNK0930
IF (JST.GT.LIMST) JST=1	4LNK0940
READ MICROSCOPIC DATA	4LNK0950
NN=0	4LNK0960
M=1	4LNK0970
DO 220 K=1,MAT	4LNK0980
MC=MORDER(K)	4LNK0990
210 NN=NN+1	4LNK1000
LIM(K)=NDUM(M)	4LNK1010
M=M+1	4LNK1020
NCORT(K)=NDUM(M)	4LNK1030
M=M+1	4LNK1040
IF (NCORT(K).LE.0) GO TO 212	4LNK1050
NC=NCORT(K)	4LNK1060
DO 211 J=1,NC	4LNK1070
EJ(J,K)=DUM(M)	4LNK1080
M=M+1	4LNK1090
211 CONTINUE	4LNK1100
212 IF (MC.LE.1) GO TO 213	4LNK1110
MC=MC-1	4LNK1120
M=M+NID(9,NN)	4LNK1130
GO TO 210	4LNK1140
213 IF (ZID(6,K).GE.0.0) GO TO 214	4LNK1150
CAP(K)=DUM(M)	4LNK1160
M=M+1	4LNK1170
GO TO 215	4LNK1180
214 CAP(K)=ZID(6,K)/SQRT(E)	4LNK1190
215 IF (ZID(7,K).GE.0.0) GO TO 216	4LNK1200
FIS(K)=DUM(M)	4LNK1210
M=M+1	4LNK1220
GO TO 217	4LNK1230
216 FIS(K)=0.0	4LNK1240
217 IF (ZID(8,K).GE.0.0) GO TO 218	4LNK1250
SCAT(K)=DUM(M)	4LNK1260
M=M+1	4LNK1270
GO TO 219	4LNK1280
218 SCAT(K)=ZID(8,K)	4LNK1290
COMPUTE TOTAL CROSS SECTION FOR REGIONS 1 AND 2	4LNK1300
219 S1=CAP(K)+FIS(K)+SCAT(K)	4LNK1310
IF (LIML(K).LE.0) GO TO 2191	4LNK1320
SS=SCAT(K)*(DE1-1.0)	4LNK1330
GO TO 2193	4LNK1340
2191 AA=1.0-ALPHA(K)	4LNK1350
SS=(SCAT(K)*AA*(ELAST*(1.0+ALPHA(K))-2.0*E))/(2.0*ALPHA(K)*(ELAST-	4LNK1360
1 E))	4LNK1370

	BB=0.5*(E/(ELAST-E))*AA**2/ALPHA(K)*SCATL(K)	4LNK1380
	DO 2192 NR=1,2	4LNK1390
	IF (DENS(K, NR).LE.0.0) GO TO 2192	4LNK1400
	TA(JST, NR)=TA(JST, NR)+BB*PHIL(NR)*DENSTY(K, NR)	4LNK1410
2192	CONTINUE	4LNK1420
2193	DO 220 NR=1,2	4LNK1430
	IF (DENS(K, NR).LE.0.0) GO TO 220	4LNK1440
	TOTAL(NR)=TOTAL(NR)+S1*DENS(K, NR)	4LNK1450
	SUM(NR)=SUM(NR)+SS*DENSTY(K, NR)	4LNK1460
220	CONTINUE	4LNK1470
	ARG=ELBAR(1)*TOTAL(1)	4LNK1480
C	COMPUTE ESCAPE PROBABILITY FOR REGIONS 1 AND 2	4LNK1490
	GO TO (4,6,1,2,1,1,222), IGEOM	4LNK1500
6	ARG1=ARG*0.25	4LNK1510
	GO TO 3	4LNK1520
1	ARG1=ARG*.5	4LNK1530
	GO TO 3	4LNK1540
2	ARG1=ARG*.75	4LNK1550
3	CALL PROB(ARG1, IGEOM, P(1))	4LNK1560
C	APPLY DANC OFF CORRECTION, IF ANY, TO ESCAPE PROBABILITY TERM	4LNK1570
	IF (CC.GT.0.0) P(1)=P(1)*(1.0-CC)/(1.0-CC*(1.0-ARG*P(1)))	4LNK1580
	P(2)=P(1)*ARG/(TOTAL(2)*ELBAR(2))	4LNK1590
	GO TO 5	4LNK1600
4	P(1)=0.0	4LNK1610
	P(2)=0.0	4LNK1620
	ASSIGN 772 TO JGO	4LNK1630
	IGEOM=7	4LNK1640
5	GO TO NGO1, (221, 222)	4LNK1650
221	IF (MORDER(1).GT.1.AND.LIM(1).GT.LIMST) GO TO 350	4LNK1660
	ASSIGN 222 TO NGO1	4LNK1670
C	COMPUTE FLUXES FOR REGIONS 1 AND 2	4LNK1680
222	DO 223 NR=1,2	4LNK1690
	MR=3-NR	4LNK1700
	D(NR)=V(MR)*(TOTAL(MR)-(1.0-P(MR))*SUM(MR))	4LNK1710
	Q(NR)=V(MR)*SUM(MR)*P(MR)	4LNK1720
	SORC(NR)=0.0	4LNK1730
223	CONTINUE	4LNK1740
	DDQQ=1.0/(D(1)*D(2)-Q(1)*Q(2))	4LNK1750
	DO 230 K=1, MAT	4LNK1760
	DO 230 NT=1, 2	4LNK1770
	IF (DENS(K, NT).LE.0.0) GO TO 230	4LNK1780
	IF (E.LT.ALPHA(K)*EC) GO TO 230	4LNK1790
	SORC(NT)=SORC(NT)+DENSTY(K, NT)*ZID(5, K)*(DEC-ALPHA(K)/E)	4LNK1800
230	CONTINUE	4LNK1810
	IF (NXSORC.NE.1) GO TO 2300	4LNK1820
	CALL XSORC(2, E, XS)	4LNK1830
	SORC(1)=SORC(1)+XS(1)	4LNK1840
	SORC(2)=SORC(2)+XS(2)	4LNK1850
2300	SORC(1)=SORC(1)*V(1)	4LNK1860
	SORC(2)=SORC(2)*V(2)	4LNK1870

	SPD=SORC(1)*P(1)-SORC(2)*P(2)	4LNK1880
	GO TO NGO2,(231,233,234)	4LNK1890
231	T(1)=SORC(2)+SPD	4LNK1900
	T(2)=SORC(1)-SPD	4LNK1910
	DO 2310 NR=1,2	4LNK1920
	MR=3-NR	4LNK1930
	D(NR)=TOTAL(MR)*V(MR)	4LNK1940
	PHI(MR)=T(NR)/D(NR)	4LNK1950
	S(MR)=E*PHI(MR)*TOTAL(MR)	4LNK1960
	DETP(MR)=DE12*PHI(MR)	4LNK1970
2310	CONTINUE	4LNK1980
	LINES=60	4LNK1990
	IF (NHVD.GT.0) GO TO 232	4LNK2000
	ASSIGN 234 TO NGO2	4LNK2010
	GO TO 2401	4LNK2020
232	ASSIGN 233 TO NGO2	4LNK2030
	ASSIGN 244 TO NGO4	4LNK2040
	GO TO 2401	4LNK2050
233	DO 2330 NR=1,2	4LNK2060
2330	TA(JST,NR)=TA(JST,NR)+HYD(NR)	4LNK2070
	ASSIGN 244 TO NGO4	4LNK2080
234	T(1)=TA(JST,2)*V(2)*(1.0-P(2))+TA(JST,1)*V(1)*P(1)+SORC(2)+SPD	4LNK2090
	T(2)=TA(JST,1)*V(1)*(1.0-P(1))+TA(JST,2)*V(2)*P(2)+SORC(1)-SPD	4LNK2100
	TA(JST,1)=0.0	4LNK2110
	TA(JST,2)=0.0	4LNK2120
240	DO 2400 NR=1,2	4LNK2130
	MR=3-NR	4LNK2140
	GO TO JGO,(771,772)	4LNK2150
772	PHI(NR)=T(MR)/D(MR)	4LNK2160
	GO TO 773	4LNK2170
771	PHI(NR)=(Q(NR)*T(NR)+T(MR)*D(NR))*DDQQ	4LNK2180
773	S(NR)=E*PHI(NR)*TOTAL(NR)	4LNK2190
	DETP(NR)=DE12*PHI(NR)	4LNK2200
2400	CONTINUE	4LNK2210
C	PRINT FLUXES FOR REGIONS 1 AND 2	4LNK2220
2401	IF (NPRINT.LE.0) GO TO 242	4LNK2230
	LINES=LINES+1	4LNK2240
	JPRINT=JPRINT+1	4LNK2250
	IF (LINES.GT.LINEPP) CALL HEAD	4LNK2260
	WRITE (NOUT,603) JPRINT,E,PHI(1),PHI(2),SORC(1),SORC(2),TOTAL(1),	4LNK2270
	1 TOTAL(2),S(1),S(2)	4LNK2280
603	FORMAT (I5,1P9E14.6)	4LNK2290
C	COMPUTE SOURCES FROM THIS ENERGY TO ALL SUCCEEDING	4LNK2300
C	ENERGIES FOR THIS MATERIAL	4LNK2310
242	DO 250 K=1,MAT	4LNK2320
	GO TO NGO4,(243,244)	4LNK2330
244	ASSIGN 243 TO NGO4	4LNK2340
	DO 2440 NR=1,2	4LNK2350
2440	HYD(NR)=HYD(NR)+SCAT(K)*DETP(NR)*DENSTY(K,NR)	4LNK2360
	GO TO 250	4LNK2370

243	IF (LIM(K).LE.0) GO TO 250	4LNK2380
	DO 2500 NR=1,2	4LNK2390
	IF (DENS(K, NR).LE.0.0) GO TO 2500	4LNK2400
	SUMA=SCAT(K)*DETP(NR)*DENSTY(K, NR)	4LNK2410
245	NST=JST+1	4LNK2420
	IF (NST.GT.LIMST) NST=1	4LNK2430
	NEND=NST+LIM(K)-1	4LNK2440
	IF (NEND.LE.LIMST) GO TO 247	4LNK2450
	DO 246 N=NST, LIMST	4LNK2460
	TA(N, NR)=TA(N, NR)+SUMA	4LNK2470
246	CONTINUE	4LNK2480
	NST=1	4LNK2490
	NEND=NEND-LIMST	4LNK2500
247	DO 248 N=NST, NEND	4LNK2510
	TA(N, NR)=TA(N, NR)+SUMA	4LNK2520
248	CONTINUE	4LNK2530
	JJ=0	4LNK2540
	NC=NCORT(K)	4LNK2550
	GO TO NG05, (2481, 249)	4LNK2560
2481	ASSIGN 249 TO NG05	4LNK2570
	GO TO 2500	4LNK2580
C	COMPUTE CORRECTION TERMS, IF ANY, AND ADD THEM IN	4LNK2590
249	IF (INC.LE.0) GO TO 2500	4LNK2600
C	COMPUTE CAROL-S CORRECTION	4LNK2610
	R1=(1.0-DE1)*SCAT(K)	4LNK2620
	TA(NEND, NR)=TA(NEND, NR)+R1*PHI(NR)*DENSTY(K, NR)	4LNK2630
	JJ=JJ+1	4LNK2640
C	COMPUTE CHARLIE-S CORRECTION	4LNK2650
	EBAR=EJ(JJ, K)/ALPHA(K)	4LNK2660
	FLAST=SCATL(K)*PHIL(NR)	4LNK2670
	F=SCAT(K)*PHI(NR)	4LNK2680
	FBAR=((EBAR-E)*FLAST+(ELAST-EBAR)*F)/(ELAST-E)	4LNK2690
	CTERM=(EBAR-E)*0.5*(FBAR/EBAR+F/E)	4LNK2700
	TA(NEND, NR)=TA(NEND, NR)+CTERM*DENSTY(K, NR)	4LNK2710
	NC=NC-1	4LNK2720
	NEND=NEND-1	4LNK2730
	IF (NEND.LE.0) NEND=LIMST	4LNK2740
	GO TO 249	4LNK2750
2500	CONTINUE	4LNK2760
250	CONTINUE	4LNK2770
C	ADD TERMS FOR THIS ENERGY INTO SUMMATIONS FOR	4LNK2780
C	BROAD GROUP AVERAGES	4LNK2790
	DE=DE3+DE4	4LNK2800
	IF (E.GT.BEG(NG)) GO TO 280	4LNK2810
	IF (E.EQ.BEG(NG)) GO TO 270	4LNK2820
260	NG=NG+1	4LNK2830
	IF (NG.GT.NBG) GO TO 290	4LNK2840
	IF (E.LT.BEG(NG)) GO TO 260	4LNK2850
	DO 255 NT=1,2	4LNK2860
	DETPX=PHI(NT)*DE3	4LNK2870

BPHI(NG,NT)=DETPX	4LNK2880
DO 255 K=1,MAT	4LNK2890
BSCAT(NG,K,NT)=SCAT(K)*DETPX	4LNK2900
BCAP(NG,K,NT)=CAP(K)*DETPX	4LNK2910
IF (ZID(7,K).LT.0.0) BFIS(NG,K,NT)=FIS(K)*DETPX	4LNK2920
255 CONTINUE	4LNK2930
GO TO 290	4LNK2940
270 DE=DE4	4LNK2950
280 DO 285 NT=1,2	4LNK2960
DETPX=PHI(NT)*DE	4LNK2970
BPHI(NG,NT)=BPHI(NG,NT)+DETPX	4LNK2980
DO 285 K=1,MAT	4LNK2990
BSCAT(NG,K,NT)=BSCAT(NG,K,NT)+SCAT(K)*DETPX	4LNK3000
BCAP(NG,K,NT)=BCAP(NG,K,NT)+CAP(K)*DETPX	4LNK3010
IF (ZID(7,K).LT.0.0) BFIS(NG,K,NT)=BFIS(NG,K,NT)+FIS(K)*DETPX	4LNK3020
285 CONTINUE	4LNK3030
IF (E.EQ.BEG(NG)) GO TO 260	4LNK3040
STORE ENERGY, FLUXES, AND SCATTERING TERMS FOR USE	4LNK3050
AT NEXT ENERGY	4LNK3060
290 GO TO NG06, (291,2049,329)	4LNK3070
291 DE4=DE3	4LNK3080
ELAST=E	4LNK3090
DO 310 NR=1,2	4LNK3100
310 PHIL(NR)=PHI(NR)	4LNK3110
DO 320 K=1,MAT	4LNK3120
LIML(K)=LIM(K)	4LNK3130
320 SCATL(K)=SCAT(K)	4LNK3140
GO TO NG0P, (321,326)	4LNK3150
321 DO 325 K=1,MAT	4LNK3160
CAP(K)=CAP(K)*PHI(1)	4LNK3170
FIS(K)=FIS(K)*PHI(1)	4LNK3180
325 CONTINUE	4LNK3190
WRITE (NIN3) E,PHI(1),TOTAL(1)	4LNK3200
WRITE (NIN1)(CAP(K),FIS(K),K=1,MAT)	4LNK3210
326 CONTINUE	4LNK3220
READ (NDATA1) E,DE1,DE2,DE3,NENTRY,(DUM(J),J=1,NENTRY)	4LNK3230
DE12=DE1-DE2	4LNK3240
IF (E.LE.EEND) GO TO 327	4LNK3250
IF (E.GT.BEG(NG)) GO TO 205	4LNK3260
IF (ELAST-BEG(NG).GT.BEG(NG)-E) GO TO 341	4LNK3270
ASSIGN 2049 TO NG06	4LNK3280
GO TO 328	4LNK3290
327 ASSIGN 329 TO NG06	4LNK3300
328 BEG(NG)=ELAST	4LNK3310
GO TO 260	4LNK3320
341 BEG(NG)=E	4LNK3330
GO TO 205	4LNK3340
FINISH COMPUTING BROAD GROUP AVERAGES AND PRINT RESULTS	4LNK3350
329 CONTINUE	4LNK3360
CALL TICKER(TIME)	4LNK3370

TIME=TIME/216.0	4LNK3380
WRITE (6,3002) TIME	4LNK3390
3002 FORMAT (90X 26H END SPECTRUM CALCULATION F8.3,3H MH)	4LNK3400
IF (NG.GE.NBG) GO TO 300	4LNK3410
NGP1=NG+1	4LNK3420
DO 330 N=NGP1,NBG	4LNK3430
DO 330 NT=1,2	4LNK3440
BPHI(N,NT)=0.0	4LNK3450
DO 330 K=1,MAT	4LNK3460
BCAP(N,K,NT)=0.0	4LNK3470
BSCAT(N,K,NT)=0.0	4LNK3480
BFIS(N,K,NT)=0.0	4LNK3490
330 CONTINUE	4LNK3500
300 IF (NXSORC.GE.1) CALL XSORC(3,DA,DA)	4LNK3510
GO TO NGOQ,(400,500)	4LNK3520
400 REWIND NIN3	4LNK3530
NPTS=JPRINT	4LNK3540
IF (NBG.LE.0) CALL CHAIN(6)	4LNK3550
500 IF (NBG.LE.0) GO TO 100	4LNK3560
CALL CHAIN(5)	4LNK3570
350 WRITE (6,600) LIM(1)	4LNK3580
600 FORMAT(113HOCHAIN 3 IS NOT YET AVAILABLE. PROBLEMS ARE LIMITED, T	4LNK3590
HEREFORE, TO MATERIALS FOR WHICH SOURCES AFFECT LESS THAN/	4LNK3600
2 62H08000 SUCCEEDING ENERGIES. FOR MATERIAL 1, THESE TERMS AFFECT	4LNK3610
3 I8, 8HENERGIES)	4LNK3620
CALL EXIT	4LNK3630
END	4LNK3640

\$IBFTC INPUT LIST,DECK,REF
SUBROUTINE INPUT

08-09-65 INPT0000

C
C
C
C

READ PROBLEM INPUT CARDS AND PRINT PROBLEM SPECIFICATIONS
CHECK SOME OF THE INPUT AGAINST DIMENSIONED LIMITS

COMMON /ALL/ NIN,NDOUT,NDATA,NINI,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP
2,MAT,MFRAME
COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)
COMMON /BSET/ V(2), R, IGEOM, EC, EST, EEND, NHYD, HYD(2)
1, E, DE1, DE2, DE3, DE4, SUM(2), SUMA, SUMB, T(2), S(2)
2, TERM, CC, MORDER(10), ELBAR(2)
3, ZID(10,10), CAP(10), SCAT(10), FIS(10), LIM(10), DENS(10,2)
4, DENSTY(10,2), ALPHA(10), TOTAL(2), P(2), D(2), Q(2), DDQQ
5, PHI(2), SCRC(2)
6, NBG, BEG(50), BPHI(50,2), BCAP(50,10,2), BSCAT(50,10,2)
7, BFIS(50,10,2), CELLS(50), CELLC(50), CELLF(50), OGPFI(2)
8, OGCAT(3), OGCAP(3), OGFIS(3)
9, TNAME(5,10)
COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME
EQUIVALENCE (TID,NID), (ZID,ID), (DUM,NDUM), (NDATA,NDATA1)
DIMENSION NID(10,50), ID(10,10)

INPT0010
INPT0020
INPT0030
INPT0040
INPT0050
INPT0060
INPT0070
INPT0080
INPT0090
INPT0100
INPT0110
INPT0120
INPT0130
INPT0140
INPT0150
INPT0160
INPT0170
INPT0180
INPT0190
INPT0200
INPT0210
INPT0220
INPT0230
INPT0240
INPT0250
INPT0260
INPT0270
INPT0280
INPT0290
INPT0300
INPT0310
INPT0320
INPT0330
INPT0340
INPT0350
INPT0360
INPT0370
INPT0380
INPT0390
INPT0400
INPT0410
INPT0420
INPT0430
INPT0440
INPT0450
INPT0460
INPT0470
INPT0480
INPT0490

C

1 READ (NIN,901) (TITLE(I),I=1,12)
901 FORMAT (12A6)
NPROB=NPROB+1
NCT=0
IF (NPROB.EQ.1) GO TO 3
REWIND NDATA1
DO 2 J=1,3
2 READ (NDATA1) DUMMY
IF (GEOM.GE.5.0) NCT=1
3 READ (NIN,902) EST,EEND,GEOM,ELEMS,PRINT,PLOTTZ
INDEX=PRINT+.1
NPLOT=PLOTTZ+.1
IF (NPLOT.GT.0) NPLOT=10
902 FORMAT (6E12.6)
MAT=ELEMS+.1
IGEOM=GEOM+.1
NERR=1
IF (MAT.GT.10.DR.MAT.LT.1) GO TO 420
READ (NIN,902) (ELBAR(L),L=1,2),CC,ZXSCRC
NHYD=ZXSCRC+.1
V(1)=1.0
V(2)=ELBAR(2)/ELBAR(1)
R=V(2)
READ (NIN,902) ENBG
NBG=ENBG+.1
NERR=NERR+1

```

IF (NBG.LE.0) GO TO 14
IF (NBG.GT.50) GO TO 420
READ (NIN,902)(BEG(I),I=1,NBG)
GO TO 15
14 BEG(1)=0.0
15 CONTINUE
READ (NIN,903)((ZID(N,K),N=1,2),(DENS(K,NT),NT=1,2),TT2(K),
1 K=1,MAT)
903 FORMAT (2A6,3E12.6)
PL=0.0
DO 4 K=1,MAT
4 PL=PL+TT2(K)
NPL=PL+.1
IF (NPL.GT.0) NPLOT=NPLOT+1
NERR=NERR+1
J=1
NSP=1
DO 150 K=1,MAT
CALL TIDCO(ZID(1,K))
110 IF (NID(3,J)-ID(3,K)) 120,130,420
120 J=J+1
NSP=NSP+1
IF (J.GT.NEL) GO TO 420
GO TO 110
130 MORDER(K)=NSP
DO 140 I=4,10
ZID(I,K)=TID(I,J)
140 CONTINUE
DO 145 I=1,5
145 TNAME(I,K)=CNAME(I,J)
J=J+1
NSP=1
ALPHA(K)=((ZID(4,K)-1.0)/(ZID(4,K)+1.0))**2
DO 150 NT=1,2
DENSITY(K,NT)=DENS(K,NT)/(1.0-ALPHA(K))
150 CONTINUE
NPAGE=NPAGE+1
WRITE (NOUT,611) NPROB,(TITLE(I),I=1,12),NPAGE
611 FORMAT (15H1GAROL PROBLEM I4,1H,3X 12A6,27X 4HPAGE I6)
IF (IGEOM.GT.4) GO TO 175
IF (IGEOM.GE.3) GO TO 160
IF (IGEOM.GT.1) GO TO 155
CALL BOOLER(6HNONE ,A1)
GO TO 170
155 CALL BOOLER(6HSLAB ,A1)
GO TO 170
160 IF (IGEOM.GT.3) GO TO 165
CALL BOOLER(6HCYLIN.,A1)
GO TO 170
165 CALL BOOLER(6HSPHERE,A1)

```

```

INPT0500
INPT0510
INPT0520
INPT0530
INPT0540
INPT0550
INPT0560
INPT0570
INPT0580
INPT0590
INPT0600
INPT0610
INPT0620
INPT0630
INPT0640
INPT0650
INPT0660
INPT0670
INPT0680
INPT0690
INPT0700
INPT0710
INPT0720
INPT0730
INPT0740
INPT0750
INPT0760
INPT0770
INPT0780
INPT0790
INPT0800
INPT0810
INPT0820
INPT0830
INPT0840
INPT0850
INPT0860
INPT0870
INPT0880
INPT0890
INPT0900
INPT0910
INPT0920
INPT0930
INPT0940
INPT0950
INPT0960
INPT0970
INPT0980
INPT0990

```

170	WRITE (NOUT,612) A1	INPT1000
612	FORMAT (14HOGOMETRY = A6)	INPT1010
175	WRITE (NOUT,6121) ELBAR(1),ELBAR(2),CC	INPT1020
6121	FORMAT {36HOMEAN CHORD LENGTH OF REGION 1 = 1PE14.6/	INPT1030
	1 1HO 21X 14HREGION 2 = 1PE14.6/	INPT1040
	2 24HODANCOFF CORRECTION = 1PE14.6)	INPT1050
	IF (NHVD.EQ.1) WRITE (NOUT,701)	INPT1060
701	FORMAT (108HOEXTRA SOURCE TERMS WILL BE READ FROM INPUT CARD	INPT1070
	1S, INTERPOLATED WHERE NEEDED, AND ADDED TO COMPUTED SOURCES.)	INPT1080
	IF (NPLT.GT.0) WRITE (NOUT,702)	INPT1090
702	FORMAT (61HOPLOTTING OF THE RESULTS OF THIS PROBLEM HAS BEEN	INPT1100
	1 REQUESTED.)	INPT1110
	IF (EST.LE.0.0) GO TO 210	INPT1120
	WRITE (NOUT,613) EST	INPT1130
613	FORMAT (24HOUPPER ENERGY LIMIT = 1PE14.6,4H EV)	INPT1140
	GO TO 220	INPT1150
210	WRITE (NOUT,211)	INPT1160
211	FORMAT (62HOUPPER ENERGY LIMIT WILL BE THE FIRST ENERGY ON T	INPT1170
	1HE DATA TAPE.)	INPT1180
220	IF (EEND.LE.0.0) GO TO 230	INPT1190
	WRITE (NOUT,221) EEND	INPT1200
221	FORMAT (24HLOWER ENERGY LIMIT = 1PE14.6,4H EV)	INPT1210
	GO TO 240	INPT1220
230	WRITE (NOUT,231)	INPT1230
231	FORMAT (61HLOWER ENERGY LIMIT WILL BE THE LAST ENERGY ON TH	INPT1240
	1E DATA TAPE.)	INPT1250
240	IF (NBG.GT.0) GO TO 250	INPT1260
	WRITE (NOUT,245)	INPT1270
245	FORMAT (60HOBROAD GROUP AVERAGED CROSS SECTIONS WILL NOT BE	INPT1280
	1CALCULATED.)	INPT1290
	GO TO 260	INPT1300
250	J=1	INPT1310
	IF (NBG.GT.1) GO TO 255	INPT1320
	WRITE (NOUT,615) NBG,J,EST,BEG(1)	INPT1330
	GO TO 260	INPT1340
255	CONTINUE	INPT1350
	WRITE (6,615) NBG,J,EST,BEG(1),(I,BEG(I-1),BEG(I),I=2,NBG)	INPT1360
615	FORMAT (26HONUMBER OF BROAD GROUPS = I4/1HO 7X 27HBROAD GROU	INPT1370
	1P BOUNDARIES (EV)//(I6,1PE14.6,4H TO 1PE14.6))	INPT1380
260	CONTINUE	INPT1390
	WRITE (NOUT,614) MAT,(K,ZID(1,K),ZID(2,K),(TNAME(I,K),I=1,5),	INPT1400
	1 DENS(K,1),DENS(K,2),K=1,MAT)	INPT1410
614	FORMAT{1HO 22HNUMBER OF MATERIALS = I4/1HO 1X13HMATERIAL I.D.	INPT1420
	1 5X 11HDESCRIPTION 27X 13HD E N S I T Y /55X 9HREGION 1 6X 9HREGI	INPT1430
	2ON 2//{I3,2X,2A6,2X,5A6,1P2E15.6))	INPT1440
	IF (IGEOM.LE.4) GO TO 180	INPT1450
	IF (IGEOM.GE.6) GO TO 185	INPT1460
	READ (NIN,902) CS1,CS2,CS3	INPT1470
	READ (NIN,902){CYLT(I),I=2,305)	INPT1480
	CYLT(1)= 0.0	INPT1490

NPAGE=NPAGE+1	INPT1500
WRITE (NOUT,611) NPROB,(TITLE(I),I=1,12),NPAGE	INPT1510
WRITE (NOUT,616)	INPT1520
616 FORMAT(47HOSPECIAL ESCAPE PROBABILITY TABLES WILL BE USED /)	INPT1530
DO 176 I=1,50	INPT1540
I2=I+50	INPT1550
I3=I2+50	INPT1560
I4=I3+50	INPT1570
I5=I4+50	INPT1580
I6=I5+50	INPT1590
WRITE (NOUT,617) I,CYLT(I),I2,CYLT(I2),I3,CYLT(I3),I4,CYLT(I4),I5,	INPT1600
1CYLT(I5),I6,CYLT(I6)	INPT1610
617 FORMAT (I5,F10.5,5(I6,F10.5))	INPT1620
176 CONTINUE	INPT1630
I=301	INPT1640
I2=302	INPT1650
WRITE (NOUT,618) I,CYLT(I),CS1,CS2,CS3,I2,CYLT(I2)	INPT1660
618 FORMAT (79X,I6,F10.5/22H COEFFICIENTS-- CS1 = E12.6,3X 5HCS2 =	INPT1670
1E12.6,3X 5HCS3 =E12.6,5X,I6,F10.5)	INPT1680
IF (NPROB.GT.1) GO TO 190	INPT1690
GO TO 200	INPT1700
180 IF (NPROB.LE.1) GO TO 200	INPT1710
IF (NCT.LE.0) GO TO 190	INPT1720
READ (NDATA1)(SLABT(I),I=1,505),(CYLT(J),J=1,305)	INPT1730
CS1=0.5	INPT1740
CS2=0.0	INPT1750
CS3=-0.09375	INPT1760
GO TO 200	INPT1770
185 WRITE (NOUT,186)	INPT1780
186 FORMAT (71HOSPECIAL ESCAPE PROBABILITY TABLES FROM PRECEDING PROBL	INPT1790
1EM WILL BE USED.)	INPT1800
190 READ (NDATA1) DUMMY	INPT1810
200 RETURN	INPT1820
420 CALL ERRORS(4,NERR)	INPT1830
END	INPT1840

4IBFTC	XSORC LIST,DECK,REF	08-09-65	XSOR0000
	SUBROUTINE XSORC(N,E,XS)		XSOR0010
C			XSOR0020
C	READ AND INTERPOLATE BACKGROUND SOURCE FROM INPUT CARDS		XSOR0030
	DIMENSION XS(2)		XSOR0040
	NIN=5		XSOR0050
	GO TO (10,20,30),N		XSOR0060
10	READ (NIN,500) SORCES		XSOR0070
500	FORMAT (6E12.6)		XSOR0080
	KPTS=SORCES+.1		XSOR0090
	READ (NIN,500) E1,SA1,SB1		XSOR0100
	READ (NIN,500) E2,SA2,SB2		XSOR0110
	JPTS=2		XSOR0120
	GO TO 40		XSOR0130
15	READ (NIN,500) E2,SA2,SB2		XSOR0140
	JPTS=JPTS+1		XSOR0150
20	IF (E2.GT.E) GO TO 22		XSOR0160
	IF (ABS(E1-E).LE.1.0E-5*E1) GO TO 24		XSOR0170
21	IF (E1.GT.F) GO TO 23		XSOR0180
	GO TO 24		XSOR0190
22	E)=E2		XSOR0200
	SA1=SA2		XSOR0210
	SB1=SB2		XSOR0220
	IF (JPTS.LT.KPTS) GO TO 15		XSOR0230
	GO TO 24		XSOR0240
23	ERATIO=(E-E2)/(E1-E2)		XSOR0250
	XS(1)=SA2+ERATIO*(SA1-SA2)		XSOR0260
	XS(2)=SB2+ERATIO*(SB1-SB2)		XSOR0270
	GO TO 40		XSOR0280
24	XS(1)=SA1		XSOR0290
	XS(2)=SB1		XSOR0300
	GO TO 40		XSOR0310
30	IF (JPTS.GE.KPTS) GO TO 40		XSOR0320
	J1=JPTS+1		XSOR0330
	DO 31 J=J1,KPTS		XSOR0340
31	READ (NIN,500) DA		XSOR0350
40	RETURN		XSOR0360
	END		XSOR0370

-\$IBFTC	PROB	LIST,DECK,REF	08-09-65	PROB0000
		SUBROUTINE PROB(ARG,IGEOM,PZERO)		PROB0010
C				PROB0020
C		COMPUTE ESCAPE PROBABILITIES FOR REGION 1		PROB0030
C		ADAPTED FOR GAROL FROM THE ZUT PROGRAM (GA-2525)		PROB0040
C		THE CONSTANT 0.577216 DEFINES EULERS NUMBER		PROB0050
C				PROB0060
C		COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)		PROB0070
C				PROB0080
C		GO TO (940,720,620,820,640,640,640), IGEOM		PROB0090
C				PROB0100
C		CYLINDRICAL GEOMETRY		PROB0110
	620	IF (ARG-0.1) 660,680,640		PROB0120
	640	IF (ARG-6.0) 680,680,700		PROB0130
C		/ARG LESS THAN 0.1/		PROB0140
	660	PZERO=1.0-1.3333333*ARG+0.5*(-ALOG(ARG)+1.3659312)*ARG*ARG		PROB0150
		GO TO 920		PROB0160
C		/ARG GREATER THAN OR EQUAL TO 0.1, LESS THAN OR EQUAL TO 6.0/		PROB0170
	680	CALL NEWCYL(ARG,PC)		PROB0180
		PZERO=1.0-PC		PROB0190
		GO TO 920		PROB0200
C		/ARG GREATER THAN 6.0/		PROB0210
	700	PZERO=(CS1+CS2/ARG+CS3/(ARG*ARG))/ARG		PROB0220
		GO TO 920		PROB0230
C				PROB0240
C		SLAB GEOMETRY		PROB0250
	720	IF (ARG-0.05) 760,780,740		PROB0260
	740	IF (ARG-5.0) 780,780,800		PROB0270
C		/ARG LESS THAN 0.05/		PROB0280
	760	PZERO=1.0+ARG*(+ALOG(ARG)-0.6666667*ARG-0.2296368)		PROB0290
		GO TO 920		PROB0300
C		/ARG GREATER THAN OR EQUAL TO 0.05, LESS THAN OR EQUAL TO 5.0/		PROB0310
	780	CALL NEWSLB(ARG,PC)		PROB0320
		PZERO=1.0-PC		PROB0330
		GO TO 920		PROB0340
C		/ARG GREATER THAN 5.0/		PROB0350
	800	PZERO=0.25/ARG		PROB0360
		GO TO 920		PROB0370
C				PROB0380
C		SPHERICAL GEOMETRY		PROB0390
	820	IF (ARG-0.02) 860,860,840		PROB0400
	840	IF (ARG-5.0) 880,900,900		PROB0410
C		/ARG LESS THAN OR EQUAL TO 0.02/		PROB0420
	860	PZERO=1.0-0.75*ARG		PROB0430
		GO TO 920		PROB0440
C		/ARG GREATER THAN 0.02, LESS THAN 5.0/		PROB0450
	880	PZERO=3.0*((2.0*ARG)*ARG-1.0+(1.0+(2.0*ARG))*EXP(-(2.0*ARG)))		PROB0460
	1	/(2.0*ARG)**3		PROB0470
		GO TO 920		PROB0480

C /ARG GREATER THAN OR EQUAL TO 5.0/
900 PZERO=3.0*{(2.0*ARG)*ARG-1.0}/(2.0*ARG)**3
C
920 RETURN
C
C NO GEOMETRY
940 PZERO=0.0
GO TO 920
END

PROB0490
PROB0500
PROB0510
PROB0520
PROB0530
PROB0540
PROB0550
PROB0560
PROB0570

```

$IBFTC HEAD LIST,DECK,REF 08-09-65HEAD0000
SUBROUTINE HEAD HEAD0010
COMMON /ALL/ NIN,NOUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES HEAD0020
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP HEAD0030
2 ,MAT HEAD0040
C PAGE HEADING ROUTINE HEAD0050
NPAGE=NPAGE+1 HEAD0060
WRITE (NOUT,601) NPROB,(TITLE(I),I=1,12),NPAGE HEAD0070
601 FORMAT (15H1GAROL PROBLEM I4,1H,3X 12A6, 27X 4HPAGE I6/ HEAD0080
1 6HOPPOINT 4X 9HENERGY-EV 8X 4HFLUX 10X 4HFLUX 8X 6HSOURCE 8X HEAD0090
2 6HSOURCE 9X 19HTOTAL CROSS SECTION 9X 18HCOLLISION DENSITY/ HEAD0100
3 24X 9HREGION 1 5X 9HREGION 2 5X 9HREGION 1 5X 9HREGION 2 5X HEAD0110
4 9HREGION 1 5X 9HREGION 2 5X 9HREGION 1 5X 9HREGION 2/) HEAD0120
LINES=1 HEAD0130
RETURN HEAD0140
END HEAD0150

```

```

$IBFTC NEWCYL LIST,DECK,REF 08-09-65NEWC0000
SUBROUTINE NEWCYL(ARG,FARG) NEWC0010
ADAPTED FOR GAROL FROM THE ZUT PROGRAM (GA-2525) NEWC0020
COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305) NEWC0030
DEL=0.02 NEWC0040
RINK=ARG/DEL NEWC0050
IN=RINK NEWC0060
FIN=IN NEWC0070
RINK=RINK-FIN NEWC0080
FARG=CYLT(IN+1)+RINK*(CYLT(IN+2)-CYLT(IN+1))-RINK*(RINK-1.0)/4.0 NEWC0090
1*(CYLT(IN+2)+CYLT(IN+1)-CYLT(IN)-CYLT(IN+3)) NEWC0100
220 RETURN NEWC0110
END NEWC0120

```

```

$IBFTC NEWSLB LIST,DECK,REF 08-09-65NEWS0000
SUBROUTINE NEWSLB(ARG,FARG) NEWS0010
C NEWS0020
C ADAPTED FOR GAROL FROM THE ZUT PROGRAM (GA-2525) NEWS0030
COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305) NEWS0040
DEL=0.01 NEWS0050
RINK=ARG/DEL NEWS0060
IN=RINK NEWS0070
FIN=IN NEWS0080
RINK=RINK-FIN NEWS0090
FARG=SLABT(IN+1)+RINK*(SLABT(IN+2)-SLABT(IN+1))-RINK*(RINK-1.0)/4. NEWS0100
10*(SLABT(IN+2)+SLABT(IN+1)-SLABT(IN)-SLABT(IN+3)) NEWS0110
220 RETURN NEWS0120
END NEWS0130

```

```

* * * * *
G A R D L   L I N K   5
* * * * *

```

```

$IBMAP COMSET LIST,REF 08-09-655COM0000
B      BOOL   7022      5COM0010
BSET  CONTRL A,C      5COM0020
A      BSS    B        5COM0030
C      EQU    *        5COM0040
      END                                5COM0050

```

```

$IBFTC LINK5 LIST,REF 08-09-655LNK0000
COMMON /ALL/ NIN,NOUT,NDATA,NINI,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES 5LNK0010
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP 5LNK0020
2 ,MAT,MFRAME 5LNK0030
CALL AVRG 5LNK0040
IF (NPLOT.LE.0) CALL CHAIN (4) 5LNK0050
      TRANSFER TO PLOT ROUTINES (LINK 6) 5LNK0060
CALL CHAIN (6) 5LNK0070
END 5LNK0080

```

```

$IBFTC AVRG      LIST,DECK,REF                                08-09-65AVRG0000
SUBROUTINE AVRG                                             AVRG0010
C                                                           AVRG0020
C                                                           AVRG0030
C      COMPLETE BROAD GROUP AVERAGES, COMPUTE CELL AND ONE-GROUP AVRG0040
C      AVERAGES, AND PRINT RESULTS                          AVRG0050
C                                                           AVRG0060
COMMON /ALL/  NIN,NOUT,NDATA,NINI,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES AVRG0070
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP AVRG0080
2 ,MAT,MFRAME                                             AVRG0090
COMMON /TABLES/ CS1,CS2,CS3,SLABT(505),CYLT(305)          AVRG0100
COMMON /BSET/  V(2), R, IGEOM, EC, EST, EEND, NHYD, HYD(2) AVRG0110
1 , E, DE1, DE2, DE3, DE4, SUM(2), SUMA, SUMB, T(2), S(2)  AVRG0120
2 , TERM, CC, MORDER(10), ELBAR(2)                       AVRG0130
3 , ZID(10,10), CAP(10), SCAT(10), FIS(10), LIM(10), DENS(10,2) AVRG0140
4 , DENSTY(10,2), ALPHA(10), TOTAL(2), P(2), D(2), Q(2), DDQQ AVRG0150
5 , PHI(2), SORC(2)                                       AVRG0160
6 , NBG, BEG(50), BPHI(50,2), BCAP(50,10,2), BSCAT(50,10,2) AVRG0170
7 , BFIS(50,10,2), CELLS(50), CELLC(50), CELLF(50), OGPFI(2) AVRG0180
8 , OGPFI(3), OGCAP(3), OGFIS(3)                         AVRG0190
9 , TNAME(5,10)                                           AVRG0200
COMMON /PLOTT/ TLABEL(12),XLABEL(12),YLABEL(12),TT2(12),NFRAME AVRG0210
EQUIVALENCE (TID,NID), (ZID,ID)                          AVRG0220
DIMENSION  NID(10,50), ID(10,10)                         AVRG0230
DIMENSION  CPHI(50)                                       AVRG0240
NPAGE=NPAGE+1                                             AVRG0250
VA=V(1)                                                   AVRG0260
VB=V(2)                                                   AVRG0270
WRITE (6,601) NPROB,(TITLE(I),I=1,12),NPAGE              AVRG0280
601 FORMAT (15H1GAROL PROBLEM I4,1H, 3X 12A6,27X 4HPAGE I6) AVRG0290
DO 300 NT=1,2                                             AVRG0300
OGPFI(NT)=0.0                                             AVRG0310
DO 300 N=1,NBG                                           AVRG0320
OGPFI(NT)=OGPFI(NT)+BPHI(N,NT)                          AVRG0330
300 CONTINUE                                             AVRG0340
AK=1.0/(VA+VB)                                           AVRG0350
OGPFI3=0.0                                               AVRG0360
DO 301 N=1,NBG                                           AVRG0370
CPHI(N)=(BPHI(N,1)*VA+BPHI(N,2)*VB)*AK                 AVRG0380
OGPFI3=OGPFI3+CPHI(N)                                   AVRG0390
301 CONTINUE                                             AVRG0400
WRITE (6,602)                                             AVRG0410
602 FORMAT (13H0GROUP FLUXES/6H0GROUP 3X 9HENERGY-EV 5X 9HREGION 1 AVRG0420
1 5X 9HREGION 2 4X 12HCELL AVERAGE/8X 11HLOWER LIMIT/) AVRG0430
WRITE (6,603)(I,BEG(I),BPHI(I,1),BPHI(I,2),CPHI(I),I=1,NBG) AVRG0440
603 FORMAT (I4,1X,1P4E14.6)                              AVRG0450
WRITE (6,604)(OGPFI(I),I=1,2),OGPFI3                    AVRG0460
604 FORMAT (15H0ONE GROUP FLUX 1PE18.6,2E14.6)          AVRG0470
DO 400 K=1,MAT                                           AVRG0480
NPAGE=NPAGE+1                                           AVRG0490

```

WRITE (6,601) NPROB,(TITLE(I),I=1,12),NPAGE	AVRG0500
RR=DENS(K,2)*R	AVRG0510
TERM=(1.0+R)/(DENS(K,1)+RR)	AVRG0520
DO 305 NT=1,3	AVRG0530
OGSCAT(NT)=0.0	AVRG0540
OGCAP(NT)=0.0	AVRG0550
OGFIS(NT)=0.0	AVRG0560
305 CONTINUE	AVRG0570
DO 310 N=1,NBG	AVRG0580
BBR=1.0/(BPHI(N,1)+BPHI(N,2)*R)	AVRG0590
CELLS(N)=(DENS(K,1)*BSCAT(N,K,1)+RR*BSCAT(N,K,2))*TERM*BBR	AVRG0600
CELLC(N)=(DENS(K,1)*BCAP(N,K,1)+RR*BCAP(N,K,2))*TERM*BBR	AVRG0610
DO 310 NT=1,2	AVRG0620
OGSCAT(NT)=OGSCAT(NT)+BSCAT(N,K,NT)	AVRG0630
OGCAP(NT)=OGCAP(NT)+BCAP(N,K,NT)	AVRG0640
BSCAT(N,K,NT)=BSCAT(N,K,NT)/BPHI(N,NT)	AVRG0650
BCAP(N,K,NT)=BCAP(N,K,NT)/BPHI(N,NT)	AVRG0660
310 CONTINUE	AVRG0670
BBR=1.0/(OGPHI(1)+OGPHI(2)*R)	AVRG0680
OGSCAT(3)=(DENS(K,1)*OGSCAT(1)+RR*OGSCAT(2))*TERM*BBR	AVRG0690
OGCAP(3)=(DENS(K,1)*OGCAP(1)+RR*OGCAP(2))*TERM*BBR	AVRG0700
DO 315 NT=1,2	AVRG0710
OGCAP(NT)=OGCAP(NT)/OGPHI(NT)	AVRG0720
OGSCAT(NT)=OGSCAT(NT)/OGPHI(NT)	AVRG0730
315 CONTINUE	AVRG0740
IF (ZID(7,K).GE.0.0) GO TO 350	AVRG0750
IF (ZID(7,K).EQ.-1.0) GO TO 319	AVRG0760
DO 316 NT=1,2	AVRG0770
DO 316 N=1,NBG	AVRG0780
IF (BFIS(N,K,NT).NE.0.0) GO TO 319	AVRG0790
316 CONTINUE	AVRG0800
GO TO 350	AVRG0810
319 DO 320 N=1,NBG	AVRG0820
BBR=1.0/(BPHI(N,1)+BPHI(N,2)*R)	AVRG0830
CELLF(N)=(DENS(K,1)*BFIS(N,K,1)+RR*BFIS(N,K,2))*TERM*BBR	AVRG0840
DO 320 NT=1,2	AVRG0850
OGFIS(NT)=OGFIS(NT)+BFIS(N,K,NT)	AVRG0860
BFIS(N,K,NT)=BFIS(N,K,NT)/BPHI(N,NT)	AVRG0870
320 CONTINUE	AVRG0880
BBR=1.0/(OGPHI(1)+OGPHI(2)*R)	AVRG0890
OGFIS(3)=(DENS(K,1)*OGFIS(1)+RR*OGFIS(2))*TERM*BBR	AVRG0900
DO 325 NT=1,2	AVRG0910
OGFIS(NT)=OGFIS(NT)/OGPHI(NT)	AVRG0920
325 CONTINUE	AVRG0930
WRITE (NOUT,701) K,ZID(1,K),ZID(2,K),(TNAME{JKL,K},JKL=1,5)	AVRG0940
701 FORMAT (36HOBROAD GROUP AVERAGED CROSS SECTIONS /10HOMATERIAL I2,	AVRG0950
1 2X,2A6,5X,5A6)	AVRG0960
WRITE (NOUT,702)	AVRG0970


```

702 FORMAT (6H0GROUP 3X 9HENERGY-EV 18X 22HR E G I O N 1 34X AVRG0980
1 22HR E G I O N 2 /8X 11HLOWER LIMIT 5X 7HCAPTURE 7X AVRG0990
2 7HSCATTER 7X 7HFISSION 8X 5HALPHA 8X 7HCAPTURE 7X 7HSCATTER 7X AVRG1000
3 7HFISSION 8X 5HALPHA /) AVRG1010
DO 330 N=1,NBG AVRG1020
A1=BCAP(N,K,1)/BFIS(N,K,1) AVRG1030
A2=BCAP(N,K,2)/BFIS(N,K,2) AVRG1040
WRITE (NOUT,703) N,BEG(N),BCAP(N,K,1),BSCAT(N,K,1),BFIS(N,K,1),A1, AVRG1050
1 BCAP(N,K,2),BSCAT(N,K,2),BFIS(N,K,2),A2 AVRG1060
703 FORMAT (I4,1X,1P9E14.6) AVRG1070
330 CONTINUE AVRG1080
A1=OGCAP(1)/OGFIS(1) AVRG1090
A2=OGCAP(2)/OGFIS(2) AVRG1100
WRITE (NOUT,704) OGCAP(1),OGSCAT(1),OGFIS(1),A1,OGCAP(2),OGSCAT(2) AVRG1110
1 ,OGFIS(2),A2 AVRG1120
704 FORMAT (19H0ONE GROUP AVERAGE 1P8E14.6) AVRG1130
WRITE (NOUT,705) AVRG1140
705 FORMAT (6H0GROUP 3X 9HENERGY-EV 18X 25HC E L L A V E R A G E / AVRG1150
1 8X 11HLOWER LIMIT 5X 7HCAPTURE 7X 7HSCATTER 7X 7HFISSION 8X AVRG1160
2 5HALPHA /) AVRG1170
DO 340 N=1,NBG AVRG1180
A1=CELLC(N)/CELLF(N) AVRG1190
WRITE (NOUT,703) N,BEG(N),CELLC(N),CELLS(N),CELLF(N),A1 AVRG1200
340 CONTINUE AVRG1210
A1=OGCAP(3)/OGFIS(3) AVRG1220
WRITE (NOUT,704) OGCAP(3),OGSCAT(3),OGFIS(3),A1 AVRG1230
GO TO 400 AVRG1240
350 CONTINUE AVRG1250
WRITE (NOUT,701) K,ZID(1,K),ZID(2,K),(TNAME(JKL,K),JKL=1,5) AVRG1260
WRITE (NOUT,706) AVRG1270
706 FORMAT (6H0GROUP 3X 9HENERGY-EV 9X 15HR E G I O N 1 13X 15HR E G AVRG1280
1 I O N 2 14X 13HCELL AVERAGE /8X 11HLOWER LIMIT 5X 7HCAPTURE 7X AVRG1290
2 7HSCATTER 7X 7HCAPTURE 7X 7HSCATTER 7X 7HCAPTURE 7X 7HSCATTER /) AVRG1300
DO 360 N=1,NBG AVRG1310
WRITE (NOUT,703) N,BEG(N),(BCAP(N,K,NT),BSCAT(N,K,NT),NT=1,2), AVRG1320
1 CELLC(N),CELLS(N) AVRG1330
360 CONTINUE AVRG1340
WRITE (NOUT,704) (OGCAP(NT),OGSCAT(NT),NT=1,3) AVRG1350
400 CONTINUE AVRG1360
RETURN AVRG1370
END AVRG1380

```

* * * * *
 * G A R O L L I N K 6 *
 * * * * *

\$IBMAP	COMSET	LIST,REF	08-09-656	COM0000
BSET	CONTRL	A,C		6COM0010
A	BSS	18050		6COM0020
C	EQU	*		6COM0030
	END			6COM0040

\$IBFTC	LINK6	LIST,REF	08-09-656	LNK0000
		LINK 6		6LNK0010
		PLGT ROUTINES		6LNK0020
				6LNK0030

```

COMMON /ALL/ NIN,NDUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES
1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP
2 ,MAT,MFRAME
COMMON /PLOT/ TLABEL(12),XLABEL(12),YLABEL(12), T2(12),NFRAME
COMMON /BSET/ TNAME(5,10),E(1000),CAP(1000,8),FIS(1000,8)
EQUIVALENCE (PHI(1),CAP(1,1)),(TOTAL(1),CAP(1,2)),(CD(1),CAP(1,3))
DIMENSION PHI(1000),TOTAL(1000),CD(1000)
DIMENSION KPLOT(10)

REWIND NIN1
NTWO=2
DO 5 K=1,MAT
5 KPLOT(K)=T2(K)+.1
READ (NIN3)((TNAME(I,K),I=1,5),K=1,MAT)
CALL TPLUT(1,N,N,N,D,D,D)
CALL BCCLER(6H ,BLANK)
NXSCL=2
NYSCL=1
MPTS=NPTS
KMAT=MINO(MAT,8)
10 JEND=MPTS
IF (JEND.GT.1000) JEND=1000
DO 30 J=1,12
TLABEL(J)=TITLE(J)
T2(J)=BLANK
XLABEL(J)=BLANK
YLABEL(J)=BLANK
30 CONTINUE
CALL BCCLER(6HENERGY,XLABEL(6))
CALL BCCLER(6H -- EV,XLABEL(7))
IF (NPLOT.EQ.1)GO TO 49
DO 20 I=1,JEND
READ (NIN3) E(I),PHI(I),TOTAL(I)
CD(I)=E(I)*PHI(I)*TOTAL(I)
20 CONTINUE

```

```

CALL BCCLER(6H FLUX,YLABEL(5))
CALL BCCLER(6H IN ,YLABEL(7))
CALL BCCLER(6HREGION,YLABEL(9))
CALL BCCLER(6H 1 ,YLABEL(10))
CALL TPLDT(2,NXSCL,NTWO,JEND,E,PHI,PHI)
CALL BCCLER(6HTOTAL ,YLABEL(1))
CALL BCCLER(6HCROSS-,YLABEL(3))
CALL BCCLER(6HSECTIO,YLABEL(5))
CALL BCCLER(6HN ,YLABEL(6))
CALL TPLOT(2,NXSCL,NTWO,JEND,E,TOTAL,PHI)
CALL BCCLER(6HCOLLIS,YLABEL(3))
CALL BCCLER(6HIGN ,YLABEL(4))
CALL BCCLER(6HDENSIT,YLABEL(5))
CALL BCCLER(6HY ,YLABEL(6))
YLABEL(1)=BLANK
CALL TPLOT(2,NXSCL,NYSCL,JEND,E,CD,PHI)
DO 40 J=1,12
YLABEL(J)=BLANK
40 CONTINUE
IF (NPLCT-10.LE.0) GO TO 70
49 DO 50 I=1,JEND
50 READ (NIN1)(CAP(I,K),FIS(I,K),K=1,KMAT)
CALL BCCLER(6HCAPTUR,YLABEL(5))
CALL BCCLER(6HE ,YLABEL(6))
CALL BCCLER(6H RATE,YLABEL(7))
DO 100 K=1,MAT
IF (KPLCT(K).LE.0) GO TO 100
DO 60 J=1,5
60 T2(J)=TNAME(J,K)
CALL TPLDT(2,NXSCL,NYSCL,JEND,E,CAP(1,K),PHI)
IF (TID(7,K).GE.0.0) GO TO 100
CALL BCCLER(6HFISSIO,YLABEL(5))
CALL BCCLER(6HN ,YLABEL(6))
CALL TPLOT(2,NXSCL,NYSCL,JEND,E,FIS(1,K),PHI)
CALL BCCLER(6HCAPTUR,YLABEL(5))
CALL BCCLER(6HE ,YLABEL(6))
100 CONTINUE
70 IF (JEND.GE.MPTS) GO TO 200
MPTS=MPTS-1000
GO TO 10
200 CALL END(1)
CALL BACK
MFRAME=NFRAME
PRINT 908,MFRAME
908 FORMAT (1H0 I6,26H FRAMES HAVE BEEN PLOTTED. )
CALL CHAIN(4)
END

```

```

6LNK0390
6LNK0400
6LNK0410
6LNK0420
6LNK0430
6LNK0440
6LNK0450
6LNK0460
6LNK0470
6LNK0480
6LNK0490
6LNK0500
6LNK0510
6LNK0520
6LNK0530
6LNK0540
6LNK0550
6LNK0560
6LNK0570
6LNK0580
6LNK0590
6LNK0600
6LNK0610
6LNK0620
6LNK0630
6LNK0640
6LNK0650
6LNK0660
6LNK0670
6LNK0680
6LNK0690
6LNK0700
6LNK0710
6LNK0720
6LNK0730
6LNK0740
6LNK0750
6LNK0760
6LNK0770
6LNK0780
6LNK0790
6LNK0800
6LNK0810
6LNK0820
6LNK0830
6LNK0840
6LNK0850

```

IBFTC	TPLCT	LIST,DECK,REF	08-10-65	TPL00000
		SUBROUTINE TPLCT(NNNN,NXSCL,NYSCL,NPT,XCX,YQY,Y)		TPL00010
				TPL00020
		ADAPTED FOR GARCL FROM THE TPLCT PROGRAM (GAMD-4346 REVISED)		TPL00030
				TPL00040
		COMMON /PLOTT/ TITLE(12),XLABEL(12),YLABEL(12),T2(12),MFRAME		TPL00050
		DIMENSION X(1000), Y(1000), A(682), CHR(3), HEAD(10)		TPL00060
		1,XQX(1000), YQY(1000)		TPL00070
		DIMENSION ZNAME(5)		TPL00080
		DIMENSION TYP(2)		TPL00090
				TPL00100
		GO TO (1000,2000),NNNN		TPL00110
1000		CF=0.43429448		TPL00120
		NTAPE=6		TPL00130
		IF (MFRAME.GT.1) NTAPE=-6		TPL00140
		CALL BCCLER (6HX-MAX=,BXMAX)		TPL00150
		CALL BCCLER (6HY-MAX=,BYMAX)		TPL00160
		CALL BCCLER (6HX-MIN=,BXMIN)		TPL00170
		CALL BCCLER (6HY-MIN=,BYMIN)		TPL00180
		CALL BCCLER (6H X,BXXX)		TPL00190
		CALL BCCLER (6H Y,BYYY)		TPL00200
		NCHRS=8		TPL00210
		INDEX=4		TPL00220
		INTENS=3		TPL00230
		AKAR=BXXX		TPL00240
		ICHAR=55		TPL00250
		CALL SETUP(A,682,NTAPE)		TPL00260
		CALL RST		TPL00270
		CALL SCI		TPL00280
		CALL HEADER		TPL00290
		IF (MFRAME.GT.1) GO TO 101		TPL00300
		MFRAME=1		TPL00310
		CALL BIGBEN(DATE,ZNAME)		TPL00320
		CALL BCDCON(HEAD)		TPL00330
		WRITE (6,205) DATE,{ZNAME(I),I=1,4)		TPL00340
205		FORMAT (23H GENERAL ATOMIC, TPLCT, A6,2H, 4A6)		TPL00350
		CALL FRAME(0.0,5.0,5.0,0.0)		TPL00360
		CALL TSP(1.0,2.5,HEAD(1),60)		TPL00370
		WRITE (6,902)(HEAD(I),I=1,10)		TPL00380
		WRITE (6,910)MFRAME		TPL00390
		CALL ADF		TPL00400
101		RETURN		TPL00410
				TPL00420
2000		CALL TICKER(TIME)		TPL00430
		TIME=TIME/216.0		TPL00440
		MFRAME=MFRAME+1		TPL00450
		NPTS=NPT		TPL00460
		DO 116 I=1,NPT		TPL00470
		X(I)=XQX(I)		TPL00480
		Y(I)=YQY(I)		TPL00490

116	CONTINUE	TPL00500
117	XMAXX=-1.E+35	TPL00510
	XMINN=1.E+35	TPL00520
	YMAXX=-1.E+35	TPL00530
	YMINN=1.E+35	TPL00540
	DO 118 IJ=1,NPTS	TPL00550
	XMAXX=AMAX1(XMAXX,X(IJ))	TPL00560
	XMINN=AMIN1(XMINN,X(IJ))	TPL00570
	YMAXX=AMAX1(YMAXX,Y(IJ))	TPL00580
	YMINN=AMIN1(YMINN,Y(IJ))	TPL00590
118	CONTINUE	TPL00600
	IF (XMAXX-XMINN) 120,120,121	TPL00610
120	WRITE (6,941)XMAXX	TPL00620
941	FORMAT(58HOND PLOTTING FOR THIS FRAME. X IS CONSTANT FOR ALL Y	TPL00630
	1AT 1PE12.6)	TPL00640
	GO TO 100	TPL00650
121	IF (YMAXX-YMINN) 122,122,130	TPL00660
122	WRITE (6,942)YMAXX	TPL00670
942	FORMAT (58HOND PLOTTING FOR THIS FRAME. Y IS CONSTANT FOR ALL X	TPL00680
	1AT 1PE12.6)	TPL00690
	GO TO 100	TPL00700
130	X1PR=XMAXX	TPL00710
	X2PR=XMINN	TPL00720
	Y1PR=YMAXX	TPL00730
	Y2PR=YMINN	TPL00740
132	GO TO (11,21),NXSCL	TPL00750
11	Z1=ABS(XMINN)	TPL00760
	Z2=ABS(XMAXX)	TPL00770
	Z=ALOG10(AMAX1(Z1,Z2))	TPL00780
	N=-Z	TPL00790
	IF (N) 15,13,14	TPL00800
13	IF (Z) 14,16,15	TPL00810
14	N=N+1	TPL00820
15	SCFX=10.0**N	TPL00830
	IF (XMAXX.LE.0.0) GO TO 1511	TPL00840
	LX2=XMAXX*SCFX+.999	TPL00850
	GO TO 1512	TPL00860
1511	LX2=XMAXX*SCFX	TPL00870
1512	X2=FLCAT(LX2)	TPL00880
	GO TO 17	TPL00890
16	SCFX=10.0**N	TPL00900
	X2=XMAXX*SCFX	TPL00910
	LX2=X2+.999	TPL00920
17	DO 18 J=1,NPT	TPL00930
18	X(J)=X(J)*SCFX	TPL00940
	IF (XMINN) 1811,1810,1812	TPL00950
1810	LXMIN=0	TPL00960
	XX=0.0	TPL00970
	GO TO 1813	TPL00980
1811	LXMIN=XMINN*SCFX-.999	TPL00990

	XX=FLCAT(LXMIN)-.2E-6	TPLU1000
	GO TO 1813	TPLU1010
1812	LXMIN=XMINN*SCFX	TPLU1020
	XX=FLCAT(LXMIN)+.2E-6	TPLU1030
1813	X10=ABS(X2-XX)	TPLU1040
	X1=XX-0.1*X10	TPLU1050
	X1TYP=XX-0.08*X10	TPLU1060
	NDIST=LX2-LXMIN	TPLU1070
	IF (NDIST-5) 19,20,20	TPLU1080
19	NX=NDIST*10+1	TPLU1090
	SX=0.1	TPLU1100
	GO TO 30	TPLU1110
20	NX=NDIST*5+1	TPLU1120
	SX=0.2	TPLU1130
	GO TO 30	TPLU1140
21	IF (XMINN) 210,210,212	TPLU1150
210	WRITE (6,211)BXXX,BXXX	TPLU1160
	GO TO 101	TPLU1170
212	DO 22 J=1,NPT	TPLU1180
22	X(J)=ALOG10(X(J))	TPLU1190
	XMAXX=ALOG10(XMAXX)	TPLU1200
	XMINN=ALOG10(XMINN)	TPLU1210
	IF (XMINN)24,23,23	TPLU1220
23	NX1=XMINN	TPLU1230
	GO TO 25	TPLU1240
24	NX1=XMINN-1.0	TPLU1250
	IF (XMAXX) 26,25,25	TPLU1260
25	NX2=XMAXX+1.0	TPLU1270
	GO TO 27	TPLU1280
26	NX2=XMAXX	TPLU1290
27	NXC=NX2-NX1	TPLU1300
	XX=FLCAT(NX1)	TPLU1310
	X2=FLCAT(NX2)	TPLU1320
	X10=X2-XX	TPLU1330
	X1=XX-0.1*X10	TPLU1340
	X1TYP=XX-0.08*X10	TPLU1350
30	GO TO (31,41),NYSCL	TPLU1360
31	Z1=ABS(YMINN)	TPLU1370
	Z2=ABS(YMAXX)	TPLU1380
	ZY=ALOG10(AMAX1(Z1,Z2))	TPLU1390
	NY=-ZY	TPLU1400
	IF (NY) 35,33,34	TPLU1410
33	IF (ZY) 34,36,35	TPLU1420
34	NY=NY+1	TPLU1430
35	SCFY=10.0**NY	TPLU1440
	IF (YMAXX.LE.0.) GO TO 3511	TPLU1450
	LY1=YMAXX*SCFY+.999	TPLU1460
	GO TO 3512	TPLU1470
3511	LY1=YMAXX*SCFY	TPLU1480
3512	Y1=FLCAT(LY1)	TPLU1490

```

GO TO 37
36 SCFY=10.0**NY
   Y1=YMAXX*SCFY
   LY1=Y1+.999
37 DO 38 J=1,NPT
38 Y(J)=Y(J)*SCFY
   IF (YMINN) 381,380,382
380 LYMIN=0
   YY=0.0
   GO TO 383
381 LYMIN=YMINN*SCFY-.999
   YY=FLCAT(LYMIN)-.2E-6
   GO TO 383
382 LYMIN=YMINN*SCFY
   YY=FLOAT(LYMIN) +.2E-06
383 Y10=ABS(Y1-YY)
   Y22=YY-C.1*Y10
   Y2TYP=YY-0.02*Y10
   MDIST=LY1-LYMIN
   IF (MDIST-5) 39,39,40
39 NY=MDIST*10+1
   SY=0.1
   GO TO 60
40 NY=MDIST*5+1
   SY=0.2
   GO TO 60
41 IF (YMINN) 410,410,412
410 WRITE (6,211)BYYY,BYYY
   GO TO 101
412 DO 42 J=1,NPT
42 Y(J)=ALOG10(Y(J))
   YMAXX=ALOG10(YMAXX)
   YMINN=ALOG10(YMINN)
   IF (YMINN) 44,43,43
43 NY2=YMINN
   GO TO 45
44 NY2=YMINN-1.0
   IF (YMAXX) 46,45,45
45 NY1=YMAXX+1.0
   GO TO 47
46 NY1=YMAXX
47 NYC=NY1-NY2
   Y1=FLOAT(NY1)
   YY=FLCAT(NY2)
   Y10=Y1-YY
   Y22=YY-C.1*Y10
   Y2TYP=YY-0.02*Y10
60 Y1T=0.01*Y10+Y1
   XRSIDE=X2+0.01*X10
   WRITE (6,922)TIME

```

```

TPL01500
TPL01510
TPL01520
TPL01530
TPL01540
TPL01550
TPL01560
TPL01570
TPL01580
TPL01590
TPL01600
TPL01610
TPL01620
TPL01630
TPL01640
TPL01650
TPL01660
TPL01670
TPL01680
TPL01690
TPL01700
TPL01710
TPL01720
TPL01730
TPL01740
TPL01750
TPL01760
TPL01770
TPL01780
TPL01790
TPL01800
TPL01810
TPL01820
TPL01830
TPL01840
TPL01850
TPL01860
TPL01870
TPL01880
TPL01890
TPL01900
TPL01910
TPL01920
TPL01930
TPL01940
TPL01950
TPL01960
TPL01970
TPL01980
TPL01990

```

```

CALL TICKER (TIME)
TIME=TIME/216.0
WRITE (6,923)TIME
603 CALL FRAME (X1,Y1T,XRSIDE,Y22)
GO TO (61,62),NYSCL
61 CALL GXA (NY,XX,YY,SY)
GO TO 70
62 SY=Y10/FLOAT(NYC)
IF (NYC-5) 64,64,63
63 NY=NYC+1
CALL GXA (NY,XX,YY,SY)
GO TO 70
64 NY=NYC+1
VY=YY
DO 65 J=1,9
CALL GXA (NY,XX,VY,SY)
NY=NYC
AK=J+1
65 VY=YY+ALOG(AK)*CF*SY
70 GO TO (71,72),NXSCL
71 CALL GYA (NX,XX,YY,SX)
GO TO 76
72 SX=X10/FLOAT(NXC)
IF (NXC-5) 74,74,73
73 NX=NXC+1
CALL GYA (NX,XX,YY,SX)
GO TO 76
74 NX=NXC+1
VX=XX
DO 75 J=1,9
CALL GYA (NX,VX,YY,SX)
NX=NXC
AK=J+1
75 VX=XX+ALOG(AK)*CF*SX
76 XCENT=XX+0.2*X10
CALL TSP(XCENT,Y1T,TITLE(1),72)
XL=X1
Y11=Y1T-0.02*(Y1T-YY)
CALL TSP(XCENT,Y11,T2(1),72)
Y11=0.05*(Y1T-YY)
YL=Y1T-Y11*5.0
CALL TSP(XCENT,Y22,XLABEL(1),72)
DO 1235 J=1,12,2
YL=YL-Y11
1235 CALL TSP(XL,YL,YLABEL(J),12)
XPT=XX+C.85*X10
YPT=Y1-0.05*Y10
CALL BCDCON(CHR)
WRITE (0,911) BXMAX,X1PR
CALL TSP(XPT,YPT,CHR(1),18)

```

```

TPL0200C
TPL02010
TPL02020
TPL02030
TPL02040
TPL02050
TPL02060
TPL02070
TPL02080
TPL02090
TPL02100
TPL02110
TPL02120
TPL02130
TPL02140
TPL02150
TPL02160
TPL02170
TPL02180
TPL02190
TPL02200
TPL02210
TPL02220
TPL02230
TPL02240
TPL02250
TPL02260
TPL02270
TPL02280
TPL02290
TPL02300
TPL02310
TPL02320
TPL02330
TPL02340
TPL02350
TPL02360
TPL02370
TPL02380
TPL02390
TPL02400
TPL02410
TPL02420
TPL02430
TPL02440
TPL02450
TPL02460
TPL02470
TPL02480
TPL02490

```


WRITE (0,911) BXMIN,X2PR	TPL02500
YPT=YPT-0.05*Y10	TPL02510
CALL TSP(XPT,YPT,CHR(1),18)	TPL02520
WRITE (0,911) BYMAX,Y1PR	TPL02530
YPT=YPT-0.05*Y10	TPL02540
CALL TSP(XPT,YPT,CHR(1),18)	TPL02550
WRITE (0,911) BYMIN,Y2PR	TPL02560
YPT=YPT-0.05*Y10	TPL02570
CALL TSP(XPT,YPT,CHR(1),18)	TPL02580
80 CALL BCDCON(TYP)	TPL02590
GO TO (82,81),NXSCL	TPL02600
82 IF (NX-10) 821,821,822	TPL02610
821 NQXJ=2	TPL02620
GO TO 825	TPL02630
822 IF (NX-40) 823,823,824	TPL02640
823 NQXJ=5	TPL02650
GO TO 825	TPL02660
824 NQXJ=10	TPL02670
825 DO 83 IK=1,NX,NQXJ	TPL02680
QX =XX+SX*FLOAT(IK)-SX	TPL02690
X2TYP=QX-X10/16.0	TPL02700
QX=QX/SCFX	TPL02710
IF (ABS(QX)-999.0) 827,827,826	TPL02720
826 WRITE (0,1006) QX	TPL02730
GO TO 83	TPL02740
827 IF (ABS(QX)-.1) 830,829,829	TPL02750
830 TTX=ABS(QX)*SCFX	TPL02760
IF (TTX-.2E-6) 829,829,826	TPL02770
829 WRITE (0,1008) QX	TPL02780
83 CALL TSP (X2TYP,Y2TYP,TYP,NCHRS)	TPL02790
GO TO 90	TPL02800
81 JNX=NXC+1	TPL02810
DO 183 IK=1,JNX	TPL02820
X2TYP=XX+SX*FLOAT(IK)-SX	TPL02830
IX=(X2TYP)/SX	TPL02840
XLX=10.0**IX	TPL02850
X2TYP=X2TYP-X10/16.0	TPL02860
WRITE (0,1006) XLX	TPL02870
183 CALL TSP (X2TYP,Y2TYP,TYP,NCHRS)	TPL02880
90 GO TO (92,91),NYSCL	TPL02890
92 IF(NY-10)1921,1921,1922	TPL02900
1921 NQYJ=2	TPL02910
GO TO 1925	TPL02920
1922 IF(NY-40)1923,1923,1924	TPL02930
1923 NQYJ=5	TPL02940
GO TO 1925	TPL02950
1924 NQYJ=10	TPL02960
1925 DO 93 IJ=1,NY,NQYJ	TPL02970
Y1TYP=YY+SY*FLOAT(IJ)-SY	TPL02980
QY=Y1TYP	TPL02990

QY=QY/SCFY	TPL03000
IF (ABS(QY)-999.0) 1927,1927,1926	TPL03010
1926 WRITE (0,1006) QY	TPL03020
GO TO 93	TPL03030
1927 IF (ABS(QY)-.1) 1930,1929,1929	TPL03040
1930 TTY=ABS(QY)*SCFY	TPL03050
IF (TTY-.1E-3) 1929,1929,1926	TPL03060
1929 WRITE (0,1008) QY	TPL03070
93 CALL TSP (X1TYP,Y1TYP,TYP,NCHRS)	TPL03080
GO TO 889	TPL03090
91 JNY=NYC+1	TPL03100
DO 193 IJ=1,JNY	TPL03110
Y1TYP=YY+SY*FLOAT(IJ)-SY	TPL03120
IY=(Y1TYP)/SY	TPL03130
YLY=10.0**IY	TPL03140
WRITE (0,1006) YLY	TPL03150
193 CALL TSP (X1TYP,Y1TYP,TYP,NCHRS)	TPL03160
889 CONTINUE	TPL03170
NVRS=NPTS-1	TPL03180
DO 98 JKL=1,INTENS	TPL03190
98 CALL DVR(NVRS,1,X,Y,1)	TPL03200
CALL END	TPL03210
CALL ADF	TPL03220
CALL TICKER (TIME)	TPL03230
TIME=TIME/216.0	TPL03240
WRITE (6,924)TIME	TPL03250
WRITE (6,909)MFRAME,(TITLE(I),I=1,12)	TPL03260
GO TO 99	TPL03270
100 MFRAME=MFRAME-1	TPL03280
WRITE (6,600)(TITLE(I),I=1,12)	TPL03290
99 CONTINUE	TPL03300
WRITE (6,600)(YLABEL(I),I=1,12)	TPL03310
600 FORMAT (22X 12A6)	TPL03320
GO TO 101	TPL03330
	TPL03340
	TPL03350
901 FORMAT(12A6)	TPL03360
902 FORMAT (1H0 20X 12A6)	TPL03370
909 FORMAT (1H04X,10H FRAME NO. 14,3X,12A6)	TPL03380
910 FORMAT (1H04X,10H FRAME NO. 14,3X,22H SERIES IDENTIFICATION)	TPL03390
911 FORMAT (A6,1PE10.2,2X)	TPL03400
922 FORMAT(80X,17H BEGIN PLOT SETUP F10.4,3H MH)	TPL03410
923 FORMAT(80X,17H BEGIN PLOTTING F10.4,3H MH)	TPL03420
924 FORMAT(80X,17H END PLOTTING F10.4,3H MH)	TPL03430
1001 FORMAT (I6)	TPL03440
1002 FORMAT (A6)	TPL03450
1006 FORMAT (1PE8.2,4X)	TPL03460
1008 FORMAT (F8.3,4X)	TPL03470
211 FORMAT (1H0/1H019X,20H * * * ERROR * * * //20X,16H THE LOGARITHM	TPL03480
11C A6,31H-SCALE OPTION HAS BEEN SELECTED//20X,15H BUT A VALUE OF	TPL03490

2 A6,49H LESS THAN OR EQUAL TO ZERO HAS BEEN ENCOUNTERED.//20X,
 332H THIS GRAPH CANNOT BE CONTINUED.)
 END

TPL03500
 TPL03510
 TPL03520

\$IBFTC	HEADER	LIST,DECK,REF	08-09-65	HEAD0000
	SUBROUTINE	HEADER		HEAD0010
	COMMON	/ALL/ NIN,NDUT,NDATA,NIN1,NIN3,JHYD,NEL,NARRAY,NPAGE,LINES		HEAD0020
	1,NPROB,NPTS,INDEX,NPLOT,TITLE(12),TID(10,20),CNAME(5,20),LINEPP			HEAD0030
	2 ,MAT,MFRAME			HEAD0040
	NPAGE=NPAGE+1			HEAD0050
	WRITE (6,601) NPROB,(TITLE(I),I=1,12),NPAGE			HEAD0060
601	FORMAT (15H1GAROL PROBLEM I4,1H, 3X 12A6, 27X 4HPAGE I6)			HEAD0070
	RETURN			HEAD0080
	END			HEAD0090

\$IBMAP	BACKUP	LIST,DECK,REF	08-11-65	BACK0000
	ENTRY	BACK		BACK0010
BACK	TXI	** ,0,0		BACK0020
	SXA	AXT,4		BACK0030
	TSX	S.IODP,4		BACK0040
	IOSKP	B1		BACK0050
	PZE	S.SU11		BACK0060
AXT	AXT	** ,4		BACK0070
	TRA*	BACK		BACK0080
B1	MZE	1		BACK0090
	END			BACK0100

A number of routines which are used in GAROL are not included in the listing. These are machine language subroutines which are part of the General Atomic Plot Package.⁽⁷⁾ These routines are:

ADF	advances film
DVR	draw vector
END	writes end of file on plot tape
FRAME	establishes frame limits
GXA	generates x-axes
GYA	generates y-axes
RST	reset
SCI	select camera 1
SETUP	sets up plot buffer storage
TSP	types information on frame.

REFERENCES

1. Nordheim, L. W., "Doppler Coefficient in Nuclear Reactors," General Atomic Report, GA-4908 (1964).
2. Kuncir, G. F., "A Program for the Calculation of Resonance Integrals," General Atomic Report, GA-2525 (1961).
3. Case, K. M., F. de Hoffmann, and G. Placzek, Introduction to the Theory of Neutron Diffusion, Los Alamos Scientific Laboratory, 1953.
4. Nordheim, L. W., "A Program of Research and Calculation of Resonance Absorption," General Atomic Report, GA-2527, (1961).
5. Triplett, J. R., E. T. Merrill, and J. R. Burr, "The RBU Reactor-Burnup Code: Formulation and Operating Procedures," HW-70049 (1961).
6. Smith, C. V., "TFLOT and ICON: Two General-Purpose Plotter Codes for use with the S-C 4020," GAMD-4346 (Revised), (1964).
7. Skinner, M. L., "GA Subroutine Package to use the SC-4020 Plotter through Fortran IV," GAMD-4974, (1964).