



## SEAFDEC/AQD Institutional Repository (SAIR)

Title	Autoecology of an endemic calanoid copepod: The first step in biodiversity conservation in Lakes.
Author(s)	Palomar, Nadia E.; Mamaril, Augustus C.
Citation	Palomar, N.E. and Mamaril, A.C. (2001). Autoecology of an endemic calanoid copepod: the first step in biodiversity conservation in lakes (Abstract only). In CB Santiago, ML Cuvin-Aralar and ZU Basiao (Eds.). Conservation and Ecological Management of Philippine Lakes in Relation to Fisheries and Aquaculture (p. 155). Southeast Asian Fisheries Development Center, Aquaculture Department, Iloilo, Philippines; Philippine Council for Aquatic and Marine Research and Development, Los Baños, Laguna, Philippines; and Bureau of Fisheries and Aquatic Resources, Quezon City, Philippines.
Issue Date	2001
URL	<a href="http://hdl.handle.net/10862/837">http://hdl.handle.net/10862/837</a>

This document is downloaded at: 2013-07-02 07:23:36 CST



# Autoecology of an Endemic Calanoid Copepod: The First Step in Biodiversity Conservation in Lakes

Nadia E. Palomar and Augustus C. Mamaril

Institute of Biology, University of the Philippines  
Diliman, Quezon City

Palomar NE and Mamaril AC. 2001. Autoecology of an endemic calanoid copepod: the first step in biodiversity conservation in lakes, p. 155. In CB Santiago, ML Cuvin-Aralar and ZU Basiao (eds.). Conservation and Ecological Management of Philippine Lakes in Relation to Fisheries and Aquaculture. Southeast Asian Fisheries Development Center, Aquaculture Department, Iloilo, Philippines; Philippine Council for Aquatic and Marine Research and Development, Los Baños, Laguna, Philippines; and Bureau of Fisheries and Aquatic Resources, Quezon City, Philippines. 187 pp. (Abstract only)

## Abstract

Copepods, specifically calanoid copepods, play an important role in the productivity of aquatic ecosystems since they serve as a crucial link between primary producers and carnivores. In tropical reservoirs and lakes, they are not only a major source of food for many invertebrates and zooplanktivorous fish, but also good biological indicators. Calanoid/cyclopoid-cladoceran ratio is used in limnological studies as an indicator of water quality. In the past, studies in the Philippines on copepods and other freshwater zooplankton have dealt only on their taxonomy and distribution. *Filipinodiptomus insulanus* is a calanoid copepod recognized as endemic to the country with its distribution restricted to the areas of Bulacan, Laguna and other parts of Rizal. Furthermore it is the only calanoid copepod found in the La Mesa Reservoir in Novaliches, Quezon City. This paper is a synthesis of three studies of *F. insulanus* obtained from La Mesa Reservoir. It aims to provide additional baseline information about the organism, particularly on its postembryonic development, feeding habits, and density fluctuations of its life history stage in the reservoir.