

QUT Digital Repository:  
<http://eprints.qut.edu.au/>



Horswill, Mark S. and Pachana, Nancy A. and Wood, Joanne M. and Marrington, Shelby A. and McWilliam, Jenna and McCullough, Cynthia M. (2009) *A comparison of the hazard perception ability of matched groups of healthy drivers aged 35 to 55, 65 to 74, and 75 to 84 years*. International Neuropsychological Society. Journal , 15(5). pp. 1-4.

© Copyright 2009 Cambridge University Press

Running head: Younger vs. older drivers' hazard perception

**A comparison of the hazard perception ability of matched groups of healthy drivers aged  
35 to 55, 65 to 74, and 75 to 84 years**

Mark S. Horswill<sup>1\*</sup>; Nancy A. Pachana<sup>1</sup>; Joanne Wood<sup>2</sup>; Shelby A. Marrington<sup>1</sup>; Jenna  
McWilliam<sup>1</sup>; and Cynthia M. McCullough<sup>1</sup>

<sup>1</sup>*School of Psychology, University of Queensland, Brisbane, Queensland, Australia*

<sup>2</sup>*School of Optometry, Queensland University of Technology, Brisbane, Queensland, Australia*

Word count abstract: 141

Word count main text: 1141

Corresponding author:  
Dr Mark S. Horswill  
School of Psychology  
University of Queensland  
St Lucia, Brisbane  
QLD 4072  
Australia  
Telephone +61 (7) 334 69520  
Fax +61 (7) 336 54466  
E-mail: m.horswill@psy.uq.edu.au

### **Abstract**

We examined differences in response latencies obtained during a validated video-based hazard perception driving test between three healthy, community-dwelling groups: 22 mid-aged (35-55 years), 34 young-old (65-74 years), and 23 old-old (75-84 years) current drivers, matched for gender, education level, and vocabulary. We found no significant difference in performance between mid-aged and young-old groups, but the old-old group was significantly slower than the other two groups. The differences between the old-old group and the other groups combined were independently mediated by useful field of view (UFOV), contrast sensitivity, and simple reaction time measures. Given that hazard perception latency has been linked with increased crash risk, these results are consistent with the idea that increased crash risk in older adults could be a function of poorer hazard perception, though this decline does not appear to manifest until age 75+ in healthy drivers.

**Key words:** fitness-to-drive, older adults, primary aging, cognitive function, sensory declines, motor function.

## Introduction

Hazard perception can be defined as the ability to anticipate dangerous traffic situations. It is typically measured by calculating response latencies to potentially dangerous traffic situations presented on video or film and, unlike other driving-specific skills such as vehicle control, has been found to correlate with crash involvement (Horswill & McKenna, 2004).

One reason why drivers over age 65 have a higher crash risk than younger drivers (Cerelli, 1998) could be changes in hazard perception ability, driven by declines in cognitive, sensory, and motor function. In previous work (Horswill et al., 2008), we reported that hazard perception slowed significantly with age (in a sample 65 years and above) which could be accounted for by cognitive, visual, and motor measures. However, a key factor missing from this study was inclusion of a matched comparison group of younger drivers to determine at what age this decline begins in healthy drivers.

Quimby and Watts (1981) found a significant non-linear trend for hazard perception latencies across an age range of 17 to 72 years, where latencies were fastest between 45 and 54 years and slower at either end of the age distribution. However, there was no attempt to match individuals between age groups and age-related declines could have been a function of a greater incidence of pathology in the older drivers. Renge et al. (2005) reported that older drivers detected fewer hazards in a freeze-framed image of a traffic scene than middle-aged drivers, though this type of measure is potentially assessing a different aspect of driving ability than latency-based video tasks.

In the present study, we aimed to determine the extent to which mid-aged drivers (35-55 years) differed in their hazard perception response latencies compared with young-old (65-74 years) and old-old drivers (75-84 years). The mid-age group was chosen as a baseline to include

those with the fastest hazard response times (Quimby & Watts, 1981) and the young-old and old-old group cutoffs were based on the widely-used classifications recommended by Suzman (1985). We also investigated cognitive, sensory, and motor factors that might account for any age differences.

## Method

### *Participants*

We tested 22 drivers aged between 35 and 55 (minimum 10 years driving experience), recruited from a research pool, via advertisements, or by word of mouth. Data from 118 community-dwelling drivers aged 65 plus, who were tested as part of a previously-published study (Horswill et al., 2008), were used to create matched young-old and old-old groups.

Between-group matching was performed by inspecting the distribution of gender, highest qualification (as measured using a seven-option ordinal scale from “no qualification” to “higher university degree”), and vocabulary (measured by the Wechsler Abbreviated Scale of Intelligence). Participants in the two older driver samples were systematically excluded until the distributions of these variables matched across all groups, resulting in 22 mid-aged, 34 young-old, and 23 old-old drivers.

There were no significant differences between the three groups in the distribution of either gender (*Pearson chi-square* = .87,  $p = .648$ ; 68.4% women overall), highest qualification (*Kruskal-Wallis chi-square* = .14,  $p = .933$ ), or vocabulary (see Table 1). All participants rated their overall health to be at least “fair” (on a five-point scale labeled “excellent”, “very good”, “good”, “fair”, and “poor”), with 92% rating themselves as “good” or better. There were no

significant differences in health rating between the groups,  $F(2,75) = 1.18, p = .312$ . The study was granted ethical approval by the University of Queensland.

[INSERT TABLE 1 HERE]

### ***Procedure***

Details of measures and procedures are given in Horswill et al. (2008). Participants completed a battery of cognitive and vision tests in addition to a validated video-based hazard perception test and a simple reaction time test (see Table 1). The measures were chosen to cover aspects of cognitive and visual function that plausibly might affect hazard perception ability (Horswill et al., 2008). The hazard perception test involved participants viewing video of genuine traffic footage filmed from the driver's perspective. They were told to press a response button whenever they anticipated a potential traffic conflict (traffic conflicts were defined as any situation where the driver would have to take action to avoid a collision with another road user). The test was approximately 20 minutes long and participants received a 2 minute practice. Responding to the hazards had no effect on video playback. Overall response latency was the mean response time across all conflicts.

### **Results**

The 35-55 year olds did not significantly differ in hazard perception latency from the 65-74 year olds but the 75-84 year olds had significantly slower hazard perception latencies than both of the other groups (Table 1). In order to assess whether this difference could be mediated by other measures in our battery, we created a new independent variable by combining the two younger groups and compared them with the 75-84 year olds. Using Preacher and Hayes' (2004) accelerated bootstrap procedure, with 5,000 resamples, we determined whether any of the

measures in Table 1 (excluding those with no age group difference) could significantly mediate the age group/hazard perception relationship (Table 2). This method was chosen because it allowed direct testing of mediation relationships while avoiding normality assumptions and also the requirement for larger sample sizes associated with alternative methods. Note that the difference in sample sizes between the two groups (56 versus 23) was not a problem for the independent sample analysis given there was no difference in the variance of the two groups on hazard perception score (Levene's test for equality of variance:  $F = .01, p = .916$ ). Significant mediation effects (defined as 95% CIs for the indirect effects that did not include zero) were found for contrast sensitivity, UFOV without distractors, and simple reaction time. This indicated that these three variables had the potential to account for age-related differences in hazard perception.

[INSERT TABLE 2 HERE]

### **Discussion**

We found that healthy 65-74 year olds were not significantly slower than a matched group of 35-55 year olds in responding to traffic conflicts. This could indicate that declines in hazard perception previously shown for this age group (Quimby & Watts, 1981) may be a result of the increased incident of pathology in older adults, a variable that was controlled in the present study. Among healthy young-old drivers, it is possible that driving experience may compensate for potential declines in hazard perception that might be expected as a result of more general sensory and neuropsychological declines linked to primary ageing. However, we also found that healthy 75-84 year olds were significantly slower at anticipating hazards than the other groups and this difference could be accounted for by individual differences in UFOV,

contrast sensitivity, and/or simple reaction time. The 560 ms mean slowing in hazard perception response latency between the mid-age and the old-old groups equates to an additional 9.3 meters of travel when driving at 60 kph, suggesting that this slowing could map onto differences in crash risk.

### References

- Cerrelli, E. C. (1998). *Crash data and rates for age-sex groups of drivers, 1996*. Washington, DC: National Highway Traffic Safety Administration.
- Horswill, M. S., Marrington, S. A., McCullough, C. M., Wood, J., Pachana, N. A., McWilliam, J., Raikos, M. K. (2008). The hazard perception ability of older drivers. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 63, 212-218.
- Horswill, M. S., & McKenna, F. P. (2004). Drivers' hazard perception ability: Situation awareness on the road. In S. Banbury & S. Tremblay (Eds.), *A cognitive approach to situation awareness: Theory and Application* (pp. 155-175). Aldershot, UK: Ashgate.
- Pelli, D. G., Robson, J. G., & Wilkins, A. J. (1988). The Design of a New Letter Chart for Measuring Contrast Sensitivity. *Clinical Vision Sciences*, 2(3), 187.
- Preacher, K. J., & Hayes, A. F. (2004). SPSS and SAS procedures for estimating indirect effects in simple mediation models. *Behavior Research Methods Instruments & Computers*, 36(4), 717-731.
- Quimby, A. R., & Watts, G. R. (1981). *Human factors and driving performance* (Laboratory Report 1004). Crowthorne, UK: Transport and Road Research Laboratory.



- Renge, K., Ishibashi, T., Oiri, M., Ota, H., Tsunenari, S., & Mukai, M. (2005). Elderly drivers' hazard perception and driving performance. In G. Underwood (Ed.), *Traffic and Transport Psychology: Theory and Application* (pp. 91-99). London: Elsevier.
- Spreen, O., & Strauss, E. (1991). *A compendium of neuropsychological tests: Administration, norms, and commentary*. New York: Oxford University Press.
- Suzman, R., & Riley, M. W. (1985). Introducing the oldest old. [Article]. *Milbank Memorial Fund Quarterly - Health and Society*, 63(2), 177-186.
- Teng, E. L., & Chui, H. C. (1987). The modified mini-mental state (3MS) examination. *Journal of Clinical Psychiatry*, 48(8), 314-317.
- The Psychological Corporation (1999). *Wechsler Abbreviated Scale of Intelligence*. San Antonio, TX: Harcourt Brace.
- Wechsler, D. (1997). *Wechsler Adult Intelligence Scale-Third Edition: Administration and scoring manual*. San Antonio, TX: The Psychological Corporation, Harcourt Brace.
- Wood, J. M., & Troutbeck, R. (1995). Elderly Drivers and Simulated Visual Impairment. *Optometry and Vision Science*, 72(2), 115-124.

### **Acknowledgements**

This research was funded by the Australian Research Council and Queensland Main Roads (Linkage Grant LP0348431) and a University of Queensland New Staff Grant to MSH. We acknowledge the help of Andrew Hill and Maria Theodoros in collecting and entering the data.

Table 1  
Group differences and significance tests for all measures

Measures <sup>1</sup>	Groups: <i>M</i> ( <i>SD</i> , <i>range</i> )			Significance tests (omnibus MANOVA $F(28,128) = 3.76, p < .001$ ) <sup>2</sup>	Correlation with HPRT
	35-55 years (A) n = 22	65-74 years (B) n = 34	75-84 years (C) n = 23		
HPRT (s)	3.34 (.65, 2.58-4.83)	3.50 (.63, 2.25-5.22)	3.90 (.62, 2.77-4.97)	$F(2,76) = 4.77, p = .011, A=B<C$	-
Age	48.73 (5.33, 38-55)	68.71 (2.90, 65-74)	78.78 (2.43, 75-84)	NA	
3MS (out of 100)	98.27 (2.68, 88-100)	97.53 (2.16, 92-100)	94.13 (3.72, 87-99)	$F(2,76)=15.92, p<.001, A=B>C$	-.21
TMT A (s)	27.5 (8.17, 16-49)	33.47 (11.24, 20-59)	41.65 (12.83, 20-66)	$F(2,76)=9.84, p<.001, A<B<C$	.14
TMT B (s)	59.23 (16.15, 26-90)	72.53 (19.82, 42-138)	95.13 (31.16, 49-164)	$F(2,76)=14.65, p<.001, A<B<C$	.21
Vocabulary (out of 80)	69.95 (8.82, 42-78)	70.5 (5.4, 58-79)	67.57 (7.34, 52-78)	$F(2,76)=1.36, p=.264$	-.14
Matrix Reasoning (out of 28)	25.95 (3.12, 13-28)	23.56 (3.2, 16-28)	21.61 (5.7, 4-28)	$F(2,76)=8.53, p<.001, A>B=C$	-.12
Digit span (out of 30)	19.23 (5.06, 12-30)	19.26 (3.7, 12-28)	17.91 (4.27, 12-26)	$F(2,76)=.85, p=.43$	-.12
LNS (out of 21)	12.95 (2.63, 7-21)	11.03 (2.52, 6-18)	9.83 (2.04, 6-14)	$F(2,76)=9.57, p<.001, A>B=C$	-.12
Digit-Symbol (out of 133)	78.73 (11.02, 61-108)	66.32 (12.63, 41-90)	53.61 (10.26, 38-75)	$F(2,76)=26.62, p<.001, A>B>C$	-.21
Visual acuity	-0.08 (0.05, -0.1-0.1)	0.01 (0.14, -0.3-0.4)	0.00 (0.13, -0.2-0.3)	$F(2,76)=3.81, p=.026, A<B=C$	.31
Contrast sensitivity	1.82 (0.09, 1.65-1.95)	1.76 (0.11, 1.55-1.90)	1.66 (0.07, 1.60-1.90)	$F(2,76)=13.57, p<.001, A>B>C$	-.37
UFOV, no distractors (out of 24)	22.78 (1.59, 18-24)	20.68 (1.85, 17-24)	18.09 (3.93, 9-24)	$F(2,76)=19.18, p<.001, A>B>C$	-.37
UFOV, full distractors (out of 24)	20.74 (2.66, 14-24)	16.24 (3.73, 6-24)	12.74 (4.01, 8-20)	$F(2,76)=31.88, p<.001, A>B>C$	-.20
Simple reaction time (ms)	268.73 (45.07, 182-384)	307.14 (80.64, 200-609)	320.25 (56.73, 248-514)	$F(2,76)=5.32, p=.007, A<B=C$	-.35

<sup>1</sup>HPRT = hazard perception response time (Horswill et al., 2008); 3MS = Modified Mini-Mental State Examination (Teng & Chui, 1987); TMT = Trail-Making Test (Spreen & Strauss, 1991); Vocabulary and Matrix Reasoning (The Psychological Corporation, 1999); Digit span, LNS (= Letter-number sequencing), and Digit symbol (Wechsler, 1997); visual acuity = static visual acuity as measured by the logMAR chart (logarithm of the minimum angle of resolution: NVRI, Melbourne, Australia); contrast sensitivity was measured by the Pelli-Robson chart (Pelli, Robson, & Wilkins, 1988); UFOV = Useful Field of View test (Wood & Troutbeck, 1995); simple reaction time (Horswill et al., 2008). For TMT, HPRT, visual acuity, and simple reaction time a lower score indicates better performance. For 3MS, vocabulary, matrix reasoning, digit span, LNS, Digit-Symbol, contrast sensitivity, and UFOV, a higher score indicates better performance.

<sup>2</sup>Alpha was set at 5% and variables were transformed to maximize normality if required. Statistics are the results of a multivariate analysis of variance (MANOVA, where all variables were entered as dependent variables, with age group as the independent variable, in order to control for multiple comparisons) with the results of Student-Neuman-Keuls post hoc tests indicated by showing individual group differences (for example, A=B<C indicates group A (35-55) were not significantly different from group B (65-74) but both these groups were significantly different to group C). Note that there were 5 missing values for UFOV no distractors and 3 missing values for UFOV full distractors, which were replaced using expectation-maximization methods for the MANOVA but one-way ANOVAs on these variables with the misses excluded yielded nearly identical outcomes (means for these variables are reported without the substituted values).

Table 2

Accelerated bootstrap estimates of possible mediation models, with hazard perception response latency as the dependent variable, 35-55 and 65-74 age groups combined versus 75-84 age group as the independent variable, and each of the measures in Table 1 for which an age difference was found inserted individually as potentially mediating this relationship. Significant mediators are in bold.

Measures	Estimated indirect effect of potential mediators		
	Effect	SE of effect size	95% CI
3MS	.08	.13	-.13 to .37
TMT A	.03	.10	-.15 to .25
TMT B	.09	.12	-.14 to .36
Matrix Reasoning	.02	.07	-.10-.18
LNS	.02	.08	-.13 to .20
Digit-Symbol	.07	.13	-.18 to .33
Visual acuity	.02	.07	-.07 to .20
<b>Contrast sensitivity</b>	<b>.27</b>	<b>.12</b>	<b>.05 to .55</b>
<b>UFOV, no distractors</b>	<b>.23</b>	<b>.12</b>	<b>.05 to .53</b>
UFOV, full distractors	.05	.13	-.19 to .33
<b>Simple reaction time</b>	<b>.17</b>	<b>.09</b>	<b>.03 to .37</b>

*Note:* All continuous variables were converted into z scores and the age group variable was coded 0 (35-74 year olds) and 1 (75-84 year olds) to aid interpretation of effect size.