

State of California  
The Resources Agency  
DEPARTMENT OF FISH AND GAME

EFFORT AND CATCH ESTIMATES FOR NORTHERN AND CENTRAL CALIFORNIA  
MARINE RECREATIONAL FISHERIES, 1981-1986

by

Douglas P. Albin  
Konstantin A. Karpov  
and  
Wade H. Van Buskirk

MARINE RESOURCES DIVISION  
Administrative Report No. 93-3  
1993

**Effort and Catch Estimates for Northern and Central California  
Marine Recreational Fisheries, 1981-1986<sup>1</sup>**

by

Douglas P. Albin<sup>2</sup>  
Konstantin A. Karpov<sup>2</sup>  
and  
Wade H. Van Buskirk<sup>2</sup>

**ABSTRACT**

Nearly 200 species of finfish are taken by the marine recreational fishery along the northern and central California coast. This data report provides estimates of total effort, total catch, and fishery demographics for the years 1981 through 1986 for that fishery. Catch estimate data are presented by number and weight of species, by disposition of the fish caught (e.g. kept or thrown back), by type of access and fishing gear used, and by geographic zone.

---

<sup>1</sup>Marine Resources Administrative Report No. 93-3

<sup>2</sup>California Department of Fish and Game, 19160 South Harbor Dr., Fort Bragg, CA 95437

#### **ACKNOWLEDGMENTS**

We thank all the workers in the California Marine Recreational Fisheries Statistics Survey whose persistence and teamwork provided the data used to generate this report. We thank J. Mello for his work in the initial stages of the project. We thank L. Pонсегgi and G. Kubota of CIC Research, San Diego California, for their time and patience in providing data computations. We thank F. Henry and M. Domeier of the Department of Fish and Game for editing the report.

This project was partially supported by Federal Aid in Sport Fish Restoration Act funds, California project number F-50-R.

## CONTENTS

<b>ABSTRACT</b>	.....	i
<b>ACKNOWLEDGMENTS</b>	.....	ii
<b>INTRODUCTION</b>	.....	1
<b>METHODS</b>	.....	3
<b>RESULTS</b>	.....	8
<b>TABLE FINDING GUIDE</b>	.....	10
<b>1981 TABLES</b>	.....	11
<b>1982 TABLES</b>	.....	59
<b>1983 TABLES</b>	.....	107
<b>1984 TABLES</b>	.....	155
<b>1985 TABLES</b>	.....	203
<b>1986 TABLES</b>	.....	251
<b>REFERENCES CITED</b>	.....	299
<b>APPENDIX I</b>	.....	303

## INTRODUCTION

California's northern and central Pacific coast provides a wide variety of marine recreational fishing opportunities. The reach of coastline considered in this report, from the Oregon border to the San Luis Obispo-Santa Barbara county line, is over 500 miles long and has a variety of habitats including nearshore kelp forests, rocky reefs, sand and mud flats, estuaries, bays and small coves, and also offshore expanses of open ocean. The extent and diversity of habitats support nearly 200 species of fish taken in the marine recreational fishery. Recreational fishing occurs from a variety of modes including urban municipal piers, beaches, rocky headlands, and various sizes of boats. Among the statistics desired by the California Department of Fish and Game (CDFG) for managing that large and complex fishery are:

- \* numbers of people fishing,
- \* locations fished,
- \* types of access and fishing gear used,
- \* effort (time) spent fishing,
- \* number of fish of each species caught, and
- \* length and weight distribution of each species caught.

Normally, such data have not been gathered in a systematic statewide manner due to the expense, effort, and logistical difficulties involved. Prior to 1979 the most comprehensive marine recreational fishery survey for northern and central California was conducted by CDFG from 1957 to 1961 (Figure 1) (Miller and Gotshall 1965).

From 1979 through 1989 the Marine Recreational Fishery Statistics Survey (MRFSS) was conducted on the Pacific coast. In California, the MRFSS was a cooperative effort among the National Marine Fisheries Service (NMFS), the Pacific States Marine Fisheries Commission (PSMFC) and CDFG to obtain annual estimates of recreational effort and catch of marine finfish. During 1987 through 1989 MRFSS sampling was implemented at a lower level that greatly decreased the reliability of the estimates. The MRFSS was suspended in California after 1989.

NMFS has published MRFSS data reports for the Pacific coast region for the years 1979 through 1986 (U.S. Department of Commerce 1984a, 1984b, 1985, 1986, 1987). In the NMFS reports, California effort and catch estimates were computed and reported by a northern California subregion and a southern California subregion; the division occurred at the Monterey-San Luis Obispo county line (Figure 1).

The northern California-southern California subregional approach of the NMFS data reports summarized fishing effort and catch statistics over a large area, which can be useful in assessing migratory fish species whose populations may range widely within the subregion, or in showing subregional trends in fishing participation. In northern and central California,

Coastal County Districts

Ocean Sportfish Catch and Effort Study,  
1957-61 (Miller and Gotshall 1965)

Marine Recreational Fisheries Statistics  
Survey Reports (U.S. Department of  
Commerce 1984a-b, 1985, 1986, 1987)




FIGURE 1. Coastal County Districts  
and locations of other northern and  
central California marine fishery  
studies.

however, it is also desirable to provide effort and catch statistics for geographic zones smaller than the NMFS subregions. The catch in northern and central California is dominated by nonmigratory species, such as rockfishes (Sebastodes spp.) and lingcod (Ophiodon elongatus), whose adult individuals may never move more than a few kilometers from a home site (Mathews and LaRiviere 1987; Miller and Geibel 1973). Local population changes due to local differences in recruitment, harvest, pollution or environmental conditions are not shown in the NMFS subregional estimates.

CDFG has published MRFSS data reports that summarize species composition, length-frequency and catch-per-unit-effort by geographic areas smaller than the NMFS subregions (Karpov 1986, 1987a-j, 1988a-e; Karpov and Kwiecien 1987a-b, 1988a-h; Karpov et al. 1987a-c, 1988). However those reports do not expand the data into total effort and catch estimates.

This MRFSS report provides total effort and catch estimates computed from MRFSS data, but partitioned into geographic zones smaller than the NMFS subregions. The study area extends from the Oregon border to the San Luis Obispo-Santa Barbara county line (Figure 1). San Luis Obispo County is included because, due to oceanographic conditions, its marine fish fauna has more species in common with the NMFS northern California subregion than the NMFS southern California subregion.

The MRFSS did not consider fishing for salmon from boats, and provided incomplete coverage for the striped bass fishery (see Methods section). Therefore this report should not be used to analyze those fisheries.

## METHODS

### General Approach

The methods of the MRFSS are generally described in the NMFS reports (U.S. Department of Commerce 1984a, 1984b, 1985, 1986, 1987). The MRFSS used a two-pronged approach: a random telephone survey estimated the total number of people who fished, how often they fished, where they fished, and the types of access they used; and an intercept survey (so named because people are intercepted at marine fishing sites) estimated the time individuals fished, and the numbers and lengths of each species of fish caught. Total effort and catch were computed by combining the data from the two surveys.

The effort and catch statistics were categorized by mode, wave, gear, area, and catch type.

Mode defined the type of place or platform from which fishing occurred. Defined modes were:

- \* pier and dock;
- \* jetty and breakwater;
- \* bridge and causeway;
- \* other man-made structure;
- \* beach and bank;
- \* party or charter boat, also termed "Commercial Passenger Fishing Vessel" (CPFV);
- \* private or rental boat, also termed "skiff".

The first five modes above are referred to as shore modes, and the latter two boat modes.

Wave defined a two-month period. Defined waves were:

- \* January/February;
- \* March/April;
- \* May/June;
- \* July/August;
- \* September/October;
- \* November/December.

Each possible combination of mode and wave defined a "cell" for which total subregional effort and catch statistics were computed. If no data were available from either the telephone survey or the intercept survey for a particular cell, then no catch could be computed. Therefore one goal of the MRFSS survey was to provide sample sizes sufficient to obtain data for each cell.

Within each cell, effort and catch statistics were further categorized by gear, area, and catch type using intercept survey data.

Gear defined the implement used to catch the fish as:

- \* hook and line;
- \* spear;
- \* net.

Area defined the distance from shore fished as:

- \* the ocean greater than three miles from shore;
- \* the ocean less than three miles from shore;
- \* inland saltwater bays and estuaries connected to the ocean.

Catch type defined the fate of the fish as:

- \* Type A: fish caught, landed whole, and available for identification by intercept survey interviewers;
- \* Type B: fish caught but not kept or not available for identification. The NMFS reports divide catch type B into two categories:
  - Type B1: Fish caught and filleted, released dead, given away, or disposed of in some other way;
  - Type B2: Fish caught and released alive.

This report divides catch type B somewhat differently; catch types B1 and B2, are not used. In their place are:

- Type B3: Fish caught and filleted, given away, used for bait or for some other purpose;
- Type B4: Fish caught and released alive or dead.

Computation of catch type A+B3, which is the "landed" catch (the catch that is utilized in some fashion), facilitates comparison with the historical data of Miller and Gotshall (1965).

To avoid duplication, the MRFSS excluded fishing for salmon from CPFV's and skiffs. Salmon fishing in those modes was surveyed independently by CDFG. Fishing for striped bass from CPFV's was inadvertently excluded from the MRFSS telephone survey, but not from the creel survey.

MRFSS intercept survey field samplers nearly always identified type A fish to the species level; they were less often able to report type B fish at the species level, since they were relying on the interviewee's description of the fish. Thus some fish were reported to a less specific taxon (e.g. genus, family, order, or class). For this report, the identified taxa were lumped into taxonomic groups, each of which is a logical grouping of one or more taxa (Appendix I).

#### Coastal County Districts

The estimates in this report are based on the same raw data sets as the NMFS reports, but they were computed by coastal county district rather than subregion. Each coastal county district consists of one or more counties with similar fishery characteristics (Figure 1). The structure of the MRFSS data does not allow computation of total effort and catch statistics in a more specific locality than a county.

Coastal county district 1 includes the Del Norte and Humboldt county coastlines (Figure 1). Coastal county district 2 includes the Mendocino and Sonoma county coastlines. The inland water area of Sonoma County along San Francisco Bay is excluded. Coastal county district 3 (San Francisco) includes eight counties: Marin, Sonoma (inland area), Solano, Contra Costa, Alameda, Santa Clara, San Mateo and San Francisco. Coastal county district 4 includes the Santa Cruz and Monterey county coastlines. Coastal county district 5 includes the San Luis Obispo County coastline.

The estimates in this report are presented by certain combinations of district, area, mode and gear to characterize different recreational fisheries and to facilitate comparison with historical data. To isolate the recreational boat fisheries

of Noyo Harbor and of Bodega Bay, estimates for the boat modes of district 2 are segregated into Mendocino County and Sonoma County. To isolate the fishery in San Francisco Bay, estimates for all modes in district 3 are segregated into ocean and inland (bay) areas. Those inland statistics pertain mainly to San Francisco Bay; however, they include some data pertaining to Half Moon Bay and Tomales Bay. The mode and gear combinations presented are:

- \* pier and dock (all gears except spear);
- \* jetty and breakwater (all gears except spear);
- \* bridge and causeway (all gears except spear);
- \* beach and bank (hook and line);
- \* beach and bank (net);
- \* private/rental boat (all gears except spear);
- \* CPFV (all gears except spear);
- \* spear gear only (all modes).

#### Weight Computation

MRFSS intercept survey field samplers recorded the lengths of fish examined. For most species, total length (length of the fish from the tip of the snout to the tip of the longest caudal lobe, with the two caudal lobes pinched together [Miller and Lea 1972]) was recorded. For tuna-like fishes with rigid concave caudal fins, fork length (length of the fish from the tip of the snout to the middle of the fork in the tail) was recorded.

Fish were not weighed directly; weights were computed from known length-weight relationships. The formula used was  $W=aL^b$ ; where W is weight, L is length, and a and b are constants unique to each species. For type A fish, the average weight of each species was calculated directly from the intercept survey length data. The NMFS reports estimated total catch-by-weight of type A fish only, since type B fish were unavailable for measurement.

This report provides annual catch-by-weight estimates of catch type A+B3 by taxonomic group. Those estimates first required calculation of average weights of catch type A+B3 fish by taxon. The weight of each type B3 fish was assumed to be equal to the average weight of the type A fish of the same taxon from the same mode, gear, district, area, year, and quarter (quarters were January-March, April-June, July-September, or October-December). When no type A fish weights of the same taxon were present, the weight of each type B3 fish was estimated from one of the following in descending order of preference:

1. average weight of type A fish of more specific taxa for the same mode, gear, district, area, year, and quarter;
2. annual average weight of type A fish of that taxa or of more specific taxa for that mode, gear, district, area, and year;
3. six-year average weight of type A fish of that taxa or of more specific taxa for that mode, gear, district, and area;
4. six-year average weight of type A fish of that taxa or of

- more specific taxa for all modes, gears, districts and areas;
5. average weight estimate from published literature.

After the weights of catch type B3 fish were estimated, the average weight per fish for each combination of taxonomic group, year, mode-gear combination and district-area combination was calculated by dividing the total weight of all fish by the total number of fish. Then, estimates of catch-by-weight for each combination were calculated by multiplying the catch-by-number estimate by the average weight per fish. In those calculations, catch-by-number estimates of greater than zero but less than 1000 fish (denoted by "0" on the numerical catch tables) were assumed to be 500 fish because 500 is halfway between 1000 and zero.

Weights of fish caught from bridges and causeways were not calculated because mean weights were not available; that omission is not significant because the annual catch-by-number of those fish averaged less than 0.3 percent of the total.

Weights of certain other combinations of year, group, district-area and mode-gear were calculated as zero, even though catch-by-number estimates existed, because the data files used to calculate average weights were subject to more rigorous editing and deletion of erroneous records than the data files used to calculate catch-by-number. The catch-by-number totals of the erroneous records (1,287,000 fish annual average) average 17 percent the total catch-by-number (7,564,000 fish annual average). However erroneous records for surf smelt (1,179,000 fish annual average) comprise nearly all the catch-by-number of the erroneous records. The typical error in those records was that gear was coded as hook and line rather than net. Therefore the reader should be wary of catch-by-number estimates herein containing large numbers of surf smelt; subtraction of the surf smelt estimate will provide a more reliable estimate of catch.

During 1980 through the first quarter of 1984, intercept survey samplers working from Sonoma county south through San Mateo county inadvertently measured the fork length of species that should have been measured for total length. Samplers in Santa Cruz and Monterey counties during the third and fourth quarters of 1983 and the first quarter of 1984 made the same error. The error has been corrected in this report by converting fork lengths to total lengths using fork length vs. total length relationships from several sources (Echeverria and Lenarz 1984; Karpov and Kwiecien 1988i; Van Hyning 1951). The formula used is  $TL=a+b(FL)$ ; where a and b are constants unique to each species.

#### Other Computations

There are several other differences in the input data and computation methods between this report and the NMFS reports:

Due to telephone survey data quality problems associated with the startup of the MRFSS, data from 1979 and 1980 were excluded from this report. MRFSS data from 1987, 1988 and 1989 were also excluded, due to small sample sizes and intercept survey data quality problems.

In the MRFSS, the number of telephone survey calls allotted to each county was proportional to the square root of the county's population. Thus low-population rural counties were intentionally oversampled in order to obtain a sufficient number of responses from each county. However, since rural counties tend to have a higher percentage of people who fish than urban counties, that overrepresentation caused overestimation of effort and catch statistics in the NMFS reports. The computations used for this report corrected that overrepresentation.

To avoid duplication, boat-mode anglers targeting salmon were normally excluded from the MRFSS telephone and intercept surveys during waves when CDFG conducted its salmon survey. However, so-called "short-form" salmon intercept interviews (interviews terminated upon finding that salmon were targeted) were inadvertently included in the data input to the NMFS reports. They were excluded from the data used for this report.

The intercept survey data used in this report were subject to additional review and editing as compared to data used in the NMFS reports.

In the NMFS reports, statistics were computed by subregion. Since such a large area was covered, there were usually sufficient intercept and telephone survey data in each cell to allow computation of effort and catch statistics. In this report, statistics were computed by coastal county district. Since the geographic extent of each cell was smaller than in the NMFS reports, the incidence of cells with no telephone survey data increased. When such a cell was found, proxy telephone survey data, consisting of average data for the years 1981-86 for the same cell, were used.

All estimates in this report were prepared by CIC Research, Inc., San Diego, California, except the catch-by-weight estimates, which were prepared by the authors.

## RESULTS

Field intercept samplers identified 203 fish taxa in 69 groups; 169 of the taxa were discrete species (Appendix I).

Recreational fishery statistics are provided in tables 1 through 54 for each year from 1981 through 1986. Tables 1 through 38 provide estimates of catch-by-number. Tables 39 through 42 provide estimates of fishing effort. Tables 43 through 45

provide data on species sought and catch per trip. Table 46 provides data on the county of residence of intercept survey interviewees. Tables 47 through 54 provide estimates of catch-by-weight. To facilitate access, the tables are preceded by a table finding guide.

In the catch-by-number tables, the effort tables, and the catch-by-weight tables, values of one thousand units or greater are reported to the nearest thousand, and estimates of zero are denoted by an asterisk, "\*". In the catch-by-number tables and the effort tables, estimates greater than zero and less than one thousand are reported as "0"; however, in the catch-by-weight tables, such estimates are rounded to the nearest thousand ("0" or "1").

The estimates in tables 1, 13, and 25 are accompanied by standard error (SE) and coefficient of variation (CV) statistics. The CV's reflect the robustness of the estimates, and in many instances are large compared to the estimate.

The surf net fishery (denoted in the catch tables under beach & bank mode, net gear) was too patchy in occurrence to provide sufficient data for computation of any catch estimates for that fishery.

If the estimates for coastal county districts 1 through 4 are summed, estimates in this report can be compared to estimates for the same geographic area (the northern California subregion) in the NMFS reports. Such comparison shows that estimates in this report are usually somewhat lower than estimates in the NMFS reports. For example, NMFS estimates a total fish catch in the northern California subregion in 1986 of 11,227,000 fish (U.S. Department of Commerce 1987); this report's estimate (derived by summing the catch of districts 1 through 4) is 8,765,000 fish. The estimates in this report are probably more accurate than the comparable estimates in the NMFS reports due to the aforementioned improvements in data editing and computation.

**TABLE FINDING GUIDE**

	CATCH TYPE			
	A + B	A + B3	A	B4
<b>CATCH-BY-NUMBER</b>				
Species & District	1	13	25	26
District & Mode	2	14		27
Species & Mode, All Districts	3	15		28
Species & Mode, by District	4-12	16-24		29-37
Type, Wave and District	38	38	38	38
<b>CATCH-BY-WEIGHT</b>				
Species & Mode, by District		47-54		
<b>EFFORT</b>	↓ (All Catch Types) ↓			
Number of People Fishing		39		
Fishing Trips by District		40		
Fishing Trips by District & Mode		41		
Number of Hours Fished		42		
<b>FISH CAUGHT PER TRIP</b>				
Frequency Distribution		44		
Average		45		
<b>FISHERY DEMOGRAPHICS</b>				
Primary Species Sought		43		
Location of Residence		46		

Catch Type A: Catch available for identification.  
 Catch Type B: Catch not available for identification.  
 Catch type B3: Used for bait, filleted, other.  
 Catch Type B4: Released alive or dead.

TABLE 1. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

GROUP	DEL NORTE / HUMBOLDT EST. S.E. CV			MENDOCINO / SONOMA EST. S.E. CV			SAN FRANCISCO EST. S.E. CV			SANTA CRUZ / MONTEREY EST. S.E. CV			SAN LUIS OBISPO EST. S.E. CV			TOTAL EST. S.E. CV		
	0	0	100	*	*	*	56	15	27	2	1	75	*	*	*	58	15	26
01. LEOPARD SHARK	0	0	100	*	*	*	56	15	27	2	1	75	*	*	*	58	15	26
02. SPINY DOGFISH	0	0	100	*	*	*	204	1	1	0	0	86	1	1	1	210	14	57
03. SHARK, OTHER	3	3	*	0	0	81	56	14	*	*	1	1	*	*	61	14	57	
04. STURGEONS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	8	13	151	20	17	87	*	*	*	*	*	*	*	*	*	216	14	57
06. NORTHERN ANCHOVY	2	1	56	*	*	*	128	2	62	48	*	*	*	*	*	130	15	47
07. SURF SMELT	1,822	890	169	552	379	69	13	13	61	*	*	*	*	*	2,376	96	41	
10. PACIFIC TONNOID	0	0	100	*	*	*	*	*	*	*	3	2	78	*	*	0	61	41
12. PACIFIC HAKE	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	26	41
13. SILVERSIDES	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	18	41
14. JACKSMELT	7	7	104	2	1	79	3%	307	5	7	5	63	4	6	418	308	74	
15. BLACK ROCKFISH	190	139	52	28	11	63	115	307	5	7	71	31	2	181	1,033	263	59	
16. BLUE ROCKFISH	27	14	55	283	107	41	131	262	6	5	85	81	2	58	1,733	455	31	
17. BROWN ROCKFISH	1	0	*	5	5	33	61	23	78	5	36	85	12	7	14	455	263	
18. BOACCIO	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	20	13	64	37	8	23	11	5	4	8	4	36	2	26	191	191	29	
20. CHILIPePPER ROCKFISH	3	2	71	0	11	28	21	7	7	6	2	3	3	16	86	22	31	
21. COPPER ROCKFISH	*	*	*	*	*	*	37	15	18	6	3	3	3	15	86	22	31	
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
26. GUILTBACK ROCKFISH	0	0	66	1	0	47	3	1	1	12	2	5	3	49	33	17	51	
27. ROSY ROCKFISH	1	1	113	2	1	63	4	3	6	5	3	3	3	13	61	14	43	
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
29. VERMILION ROCKFISH	0	0	100	3	2	47	1	1	1	5	2	2	2	48	16	9	53	
30. WIDOW ROCKFISH	0	0	*	8	6	47	1	1	1	10	19	21	1	1	1	61	39	
31. YELLOWTAIL ROCKFISH	0	0	61	18	6	36	5	5	5	10	19	21	1	1	1	61	39	
33. ROCKFISHES, OTHER	14	8	35	18	6	36	3	1	1	10	19	21	1	1	1	61	39	
34. KELP GREENLING	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
35. LINGODD	33	15	44	17	9	53	3	1	1	54	27	50	11	4	46	118	37	27
36. GREENLINGS, OTHER	0	5	68	14	9	36	3	1	1	1	1	1	1	4	43	37	27	
38. CABEZON	9	5	68	9	3	36	3	1	1	10	19	21	15	0	0	39	27	
39. PAC. STAGHORN SCULPIN	0	0	62	1	1	65	0	0	0	10	19	21	0	0	0	61	39	
40. SCULPINS, OTHER	1	0	62	1	1	65	*	*	*	175	61	35	3	1	1	61	39	
43. KELP BASS	*	*	*	0	0	100	1	1	1	1	1	88	1	1	78	3	1	
44. STRIPED BASS	*	*	*	0	0	78	28	20	20	1	0	100	1	1	31	31	1	
48. WHITE CROAKER	*	*	*	0	0	100	46	15	15	1	1	88	6	2	18	31	1	
51. OPALEYE	*	*	*	*	*	*	*	*	*	175	61	35	3	1	1	61	39	
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*	*	175	61	35	3	1	1	61	39	
54. BLACK PERCH	*	*	*	1	1	100	35	26	26	5	4	73	0	0	100	41	66	
55. PILE PERCH	1	0	53	1	0	100	17	10	10	1	0	100	0	0	100	61	66	
56. RETAIL SURFPERCH	68	52	76	4	2	90	71	31	31	1	0	100	0	0	100	18	27	
57. RUBBERLIP SURFPERCH	*	*	*	0	0	52	60	17	17	0	0	100	0	0	100	88	27	
58. SHINER PERCH	2	2	106	4	2	52	58	15	15	10	16	58	12	10	10	88	27	
59. SILVER SURFPERCH	2	2	74	2	1	50	24	9	37	11	6	53	44	27	61	41	66	
60. STRIPED SURFPERCH	7	7	101	29	11	38	14	24	24	28	28	37	3	4	30	15	27	
61. WALLEYE SURFPERCH	6	4	69	0	0	77	13	6	53	73	16	57	3	4	30	15	27	
62. WHITE SURFPERCH	5	3	50	2	1	68	13	28	28	73	16	57	3	4	30	15	27	
63. SURFPERCHES, OTHER	23	37	166	12	5	42	13	28	28	73	27	37	3	19	74	58	27	
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	*	*	*	*	*	81	36	45	
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1	0	100	
69. STARRY FLounder	0	0	79	0	0	100	46	15	2	5	3	57	1	1	0	0	100	
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5	15	27	
71. PACIFIC SANDDAB	*	*	*	2	3	111	11	7	58	18	9	48	16	12	187	16	34	
72. ROCK SOLE	*	*	*	1	0	57	15	4	26	35	21	59	1	1	57	54	21	
73. FLATFISHES, OTHER	2	2	74	1	0	50	12	4	26	35	21	59	1	1	57	54	21	
74. SALMONIDS	24	20	83	5	3	67	82	12	31	3	1	43	1	1	100	104	21	
75. OTHER FISH	1	1	75	7	1	20	11	7	58	18	9	48	1	1	100	104	21	
TOTAL	2,294	904	39	1,309	399	30	2,813	361	13	1,311	160	12	1,036	202	20	8,763	1083	12

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 2. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	40	14	6	1,911	306	16	*	*	2,294
MENDOCINO/SONOMA (NON-BOAT MODES)	41	4	*	654	*	*	*	1	700
MENDOCINO (BOAT MODES)	*	*	*	*	139	258	*	*	368
SONOMA (BOAT MODES)	*	*	*	*	159	223	*	*	241
SAN FRANCISCO	426	63	57	21	1,354	592	*	*	2,813
SANTA CRUZ/MONTEREY	83	35	*	284	214	765	*	10	1,311
SAN LUIS OBISPO	62	7	*	122	261	563	*	*	1,086
TOTAL	652	123	64	3,272	2,304	2,337	0	11	8,763

TABLE 3. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1981---DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	8	*	*	3	47	*	*	58
02. SPINY DOGFISH	1	*	*	2	2	*	*	3
03. SHARK, OTHER	7	1	3	2	196	0	*	210
04. STURGEONS	0	*	*	*	39	17	*	256
05. PACIFIC HERRING	28	0	*	*	*	*	*	28
06. NORTHERN ANCHOVY	74	*	55	2	*	*	*	130
07. SURF SMELT	*	*	*	2,376	*	*	*	2,376
10. PACIFIC TONNOID	12	*	*	0	0	1	*	13
12. PACIFIC HAKE	*	0	*	*	*	*	*	3
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	66	3	2	25	31	*	*	418
15. BLACK ROCKFISH	1	4	*	13	122	28	0	28
16. BLUE ROCKFISH	1	1	*	8	262	*	1	1
17. BROWN ROCKFISH	15	3	*	9	122	24	*	13
18. BOCCACCIO	10	*	*	*	1	133	*	13
19. CANARY ROCKFISH	*	1	*	1	40	61	*	91
20. CHILIPePPER ROCKFISH	*	*	*	*	*	26	*	26
21. COPPER ROCKFISH	0	0	*	2	39	68	*	86
22. GOPHER ROCKFISH	*	1	*	1	31	50	*	50
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	*	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	7	*	7
25. OLIVE ROCKFISH	*	*	*	*	16	31	1	48
26. GUILTBALCK ROCKFISH	*	*	*	*	11	30	*	30
27. ROSY ROCKFISH	0	*	*	0	10	19	*	19
28. STARRY ROCKFISH	*	*	*	*	7	19	*	19
29. VERMILION ROCKFISH	*	*	*	0	9	16	*	16
30. WIDOW ROCKFISH	*	*	*	*	20	26	*	26
31. YELLOWTAIL ROCKFISH	*	*	*	1	27	241	*	241
33. ROCKFISHES, OTHER	16	2	*	10	190	440	*	558
34. KELP GREENLING	0	3	*	21	13	6	0	43
35. LINGODD	1	1	*	4	64	46	*	118
36. GREENLINGS, OTHER	1	0	*	15	0	*	1	17
38. CABEZON	0	1	*	15	16	4	*	37
39. PAC. STAGHORN SCULPIN	87	42	*	59	138	66	*	391
40. SCULPINS, OTHER	0	1	*	4	0	*	*	5
43. KELP BASS	*	0	*	1	1	*	1	3
44. STRIPED BASS	1	*	*	4	63	21	*	88
48. WHITE CROAKER	49	7	*	6	1	*	*	56
53. OPALLEYE	7	8	*	29	1	0	*	15
54. BARRED SURFPERCH	*	*	*	*	*	*	*	15
56. BLACK PERCH	4	*	*	7	29	*	*	41
55. PILE PERCH	22	1	0	5	14	*	*	33
56. REDTAIL SURFPERCH	22	1	0	6	6	*	*	33
57. RUBBERLIP SEAPERCH	10	*	*	6	6	*	*	33
58. SHINER PERCH	58	5	0	15	9	*	*	33
59. SILVER SURFPERCH	3	0	1	7	6	*	*	10
60. STRIPED SEAPERCH	11	8	0	5	2	*	*	10
61. WALLEYE SURFPERCH	31	16	0	15	5	*	*	10
62. WHITE SEAPERCH	12	0	0	16	5	*	*	10
63. SURFPERCHES, OTHER	65	4	2	118	6	*	*	10
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	28	0	*	*	28	56	*	80
69. STARRY FLounder	3	3	*	1	4	13	*	40
70. CALIFORNIA HALIBUT	*	*	*	0	0	*	*	0
71. PACIFIC SANDAB	9	*	*	0	36	1	*	47
72. ROCK SOLE	*	0	*	*	1	*	*	1
73. FLATFISHES, OTHER	8	5	0	5	39	6	*	50
74. SALMONIDS	4	0	*	8	63	16	*	50
75. OTHER FISH	13	2	*	8	0	*	*	10
TOTAL	652	123	64	3,272	2,304	2,337	0	11
								8,763

TABLE 4. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1981---DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	0
02. SPINY DOGFISH	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	0	3	0	*	*	*	3
05. PACIFIC HERRING	8	*	*	*	*	*	*	8
06. NORTHERN ANCHOVY	*	*	*	2	*	*	*	2
07. SURF SMELT	*	*	*	1,822	*	*	*	1,822
10. PACIFIC TOMCOD	*	*	*	0	*	*	*	0
12. PACIFIC HAKE	*	0	*	0	*	*	*	0
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	4	0	*	0	2	*	*	7
15. BLACK ROCKFISH	1	4	*	9	165	12	*	190
16. BLUE ROCKFISH	0	1	*	*	85	*	*	27
17. BROWN ROCKFISH	*	0	*	0	*	*	*	1
19. CANARY ROCKFISH	*	1	*	*	20	*	*	20
21. COPPER ROCKFISH	*	0	*	*	3	*	*	3
26. QUILLBACK ROCKFISH	*	*	*	*	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	1	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	0
33. ROCKFISHES, OTHER	0	0	*	1	12	0	*	14
34. KELP GREENLING	0	3	*	2	2	0	*	8
35. LINGODD	*	0	*	1	30	2	*	33
36. GREENLINGS, OTHER	*	0	*	*	*	*	*	0
38. CABEZON	*	1	*	3	5	1	*	9
39. PAC. STAGHORN SCULPIN	*	0	*	0	*	*	*	0
40. SCULPINS, OTHER	0	0	*	0	0	*	*	1
55. PILE PERCH	0	0	0	0	0	*	*	0
56. REDTAIL SURPERCH	1	1	0	61	4	*	*	68
58. SHINER PERCH	1	0	*	*	1	*	*	2
59. SILVER SURPERCH	0	0	1	1	0	*	*	2
60. STRIPED SURPERCH	1	1	0	4	0	*	*	7
61. WALLEYE SURPERCH	2	0	0	0	3	*	*	6
62. WHITE SURPERCH	0	0	0	0	4	*	*	4
63. SURPERCHES, OTHER	18	0	2	1	2	*	*	25
69. STARRY FLUNDER	0	0	*	0	0	*	*	0
73. FLATFISHES, OTHER	1	0	0	0	1	*	*	2
74. SALMONIDS	*	0	*	1	23	*	*	26
75. OTHER FISH	*	0	*	1	1	*	*	1
TOTAL	40	14	6	1,911	306	16	0	2,294

TABLE 5. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	0	0	*	*	*	*	*	*	0
05. PACIFIC HERRING	20	0	*	*	*	*	*	*	20
07. SURF SMELT	*	*	*	*	552	*	*	*	552
14. JACKSMELT	*	0	*	*	55	*	*	*	55
15. BLACK ROCKFISH	*	0	*	*	*	*	*	0	0
16. BLUE ROCKFISH	*	0	*	0	*	*	*	0	0
17. BROWN ROCKFISH	*	*	*	2	*	*	*	*	2
19. CANARY ROCKFISH	*	*	*	2	*	*	*	*	2
21. COPPER ROCKFISH	*	*	*	2	*	*	*	*	2
22. GOPHER ROCKFISH	*	1	*	*	*	*	*	*	1
27. ROSY ROCKFISH	*	*	*	0	*	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	0	*	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	1	*	*	*	*	1
33. ROCKFISHES, OTHER	0	0	*	1	*	*	*	0	1
34. KELP GREENLING	*	0	*	16	*	*	*	0	16
35. LINGODD	0	0	*	2	*	*	*	1	3
36. GREENLINGS, OTHER	*	0	*	4	*	*	*	*	4
38. CABEZON	0	0	*	6	*	*	*	0	6
39. PAC. STAGHORN SCULPIN	0	0	*	0	*	*	*	*	0
40. SCULPINS, OTHER	0	0	*	3	*	*	*	*	3
43. KELP BASS	*	0	*	*	*	*	*	*	0
44. STRIPED BASS	*	*	*	0	*	*	*	*	0
48. WHITE CROAKER	*	*	*	0	*	*	*	*	0
55. PILE PERCH	*	*	*	0	*	*	*	*	0
56. REDTAIL SURPERCH	0	0	*	4	*	*	*	*	4
57. RUBBERLIP SURPERCH	0	*	*	*	*	*	*	*	0
58. SHINER PERCH	3	*	*	0	*	*	*	*	3
59. SILVER SURPERCH	0	*	*	1	*	*	*	*	1
60. STRIPED SURPERCH	7	0	*	21	*	*	*	*	20
61. WALLEYE SURPERCH	0	*	*	*	*	*	*	*	0
62. WHITE SURPERCH	0	0	*	2	*	*	*	*	2
63. SURPERCHES, OTHER	2	0	*	9	*	*	*	*	12
69. STARRY FLUNDER	*	0	*	*	*	*	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	0	*	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
74. SALMONIDS	4	0	*	0	*	*	*	*	4
75. OTHER FISH	1	0	*	0	*	*	*	*	2
TOTAL	41	4	0	654	0	0	0	1	700

TABLE 6. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	14	5	*	*	19
16. BLUE ROCKFISH	*	*	*	59	195	*	*	23
18. BOCCACCIO	*	*	*	*	1	*	*	1
19. CANARY ROCKFISH	*	*	*	8	6	*	*	14
21. COPPER ROCKFISH	*	*	*	9	1	*	*	10
25. OLIVE ROCKFISH	*	*	*	1	0	*	*	1
26. QUILLBACK ROCKFISH	*	*	*	0	0	*	*	0
27. ROSY ROCKFISH	*	*	*	0	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	11	*	*	*	11
30. WIDOW ROCKFISH	*	*	*	0	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	4	27	*	*	31
33. ROCKFISHES, OTHER	*	*	*	16	1	*	*	17
34. KELP GREENLING	*	*	*	1	*	*	*	1
35. LINGODD	*	*	*	9	2	*	*	11
36. GREENLINGS, OTHER	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	2	*	*	*	2
60. STRIPED SEAPERCH	*	*	*	0	*	*	*	0
63. SURFPERCHES, OTHER	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	*	*	*	2	*	*	*	2
71. PACIFIC SANDAB	*	*	*	2	*	*	*	2
72. ROCK SOLE	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	*	*	*	0	*	*	*	0
74. SALMONIDS	*	*	*	0	*	*	*	0
75. OTHER FISH	*	*	*	0	*	*	*	0
TOTAL	0	0	0	130	238	0	0	368

TABLE 7. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	1	1	*	*	2
16. BLUE ROCKFISH	*	*	*	1	9	*	*	12
17. BROWN ROCKFISH	*	*	*	2	*	*	*	24
18. BOCCACCIO	*	*	*	1	26	*	*	22
19. CANARY ROCKFISH	*	*	*	1	21	*	*	22
20. CHILIPEPPER ROCKFISH	*	*	*	*	0	*	*	0
21. COPPER ROCKFISH	*	*	*	1	29	*	*	31
23. GREENSPOTTED ROCKFISH	*	*	*	*	4	*	*	4
25. OLIVE ROCKFISH	*	*	*	0	1	*	*	0
26. QUILLBACK ROCKFISH	*	*	*	0	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	3	*	*	3
28. STARRY ROCKFISH	*	*	*	*	2	*	*	2
29. VERMILION ROCKFISH	*	*	*	*	3	*	*	3
30. WIDOW ROCKFISH	*	*	*	*	7	*	*	7
31. YELLOWTAIL ROCKFISH	*	*	*	*	34	*	*	34
33. ROCKFISHES, OTHER	*	*	*	1	80	*	*	81
34. KELP GREENLING	*	*	*	*	1	*	*	1
35. LINGODD	*	*	*	2	1	*	*	3
38. CABEZON	*	*	*	1	*	*	*	1
39. PAC. STAGHORN SCULPIN	*	*	*	1	*	*	*	1
44. STRIPED BASS	*	*	*	2	*	*	*	2
54. BLACK PERCH	*	*	*	1	*	*	*	1
69. STARRY FLOUNDER	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	0	*	*	*	0
75. OTHER FISH	*	*	*	4	*	*	*	4
TOTAL	0	0	0	19	223	0	0	241

TABLE 8. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1981---DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH	CAUSEWAY BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	8	*	*	3	45	*	*	56
02. SPINY DOGFISH	1	*	*	*	0	*	*	1
03. SHARK, OTHER	6	1	*	1	195	*	*	26
04. STURGEONS	0	*	*	*	39	17	*	56
06. NORTHERN ANCHOVY	74	*	55	*	*	*	*	138
07. SURF SMELT	*	*	*	2	*	*	*	2
10. PACIFIC TOMODD	12	*	*	*	*	1	*	13
14. JACKSMELT	52	3	2	21	317	*	*	36
15. BLACK ROCKFISH	*	*	*	*	8	5	*	13
16. BLUE ROCKFISH	*	*	*	*	11	104	*	115
17. BROWN ROCKFISH	15	2	*	7	104	3	*	131
18. BOCCACCIO	*	*	*	*	*	61	*	61
19. CANARY ROCKFISH	*	*	*	*	*	11	*	11
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	5	*	5
21. COPPER ROCKFISH	*	*	*	*	2	19	*	21
22. GOPHER ROCKFISH	*	*	*	*	*	1	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	37	*	37
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	4
27. ROSY ROCKFISH	*	*	*	*	*	3	*	4
28. STARRY ROCKFISH	*	*	*	*	*	4	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	104	*	104
33. ROCKFISHES, OTHER	12	1	*	4	90	47	*	153
34. KELP GREENLING	*	*	*	1	7	*	*	14
35. LINGCOD	1	0	*	1	1	1	*	3
36. GREENLINGS, OTHER	1	*	*	0	*	*	*	1
38. CABEZON	*	*	*	3	2	*	*	6
39. PAC. STAGHORN SCULPIN	81	38	*	45	135	66	*	360
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
43. KELP BASS	*	*	*	*	1	*	*	1
44. STRIPED BASS	1	*	*	3	60	212	*	88
48. WHITE CROAKER	27	6	*	43	57	22	*	66
53. BARRED SURPERCH	1	1	*	3	28	*	*	16
54. BLACK PERCH	3	*	*	3	14	*	*	16
55. PILE PERCH	1	*	*	3	*	*	*	17
56. REDTAIL SURPERCH	0	*	*	70	1	*	*	5
57. RUBBERLIP SURPERCH	9	*	*	6	46	*	*	58
58. SHINER PERCH	36	2	0	11	8	*	*	58
59. SILVER SURPERCH	22	*	*	15	6	*	*	52
60. STRIPED SURPERCH	2	7	*	4	1	*	*	4
61. HALEYE SURPERCH	26	*	*	12	35	*	*	82
62. WHITE SURPERCH	9	*	*	11	1	*	*	46
63. SURPERCHES, OTHER	19	*	*	40	43	*	*	46
69. STARRY FLAUNDER	6	*	*	1	27	13	*	46
70. CALIFORNIA HALIBUT	*	*	*	*	4	0	*	4
71. PACIFIC SANDAB	9	*	*	0	2	*	*	11
73. FLATFISHES, OTHER	4	1	*	*	*	6	*	15
74. SALMONIDS	*	*	*	*	*	36	*	38
75. OTHER FISH	11	1	*	7	56	17	*	92
TOTAL	426	63	57	321	1,354	592	0	2,813

TABLE 9. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1981---DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	1	2	*	*	*	2
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	1	*	*	2	1	*	*	4
04. STURGEONS	*	*	*	*	2	*	*	*	2
07. SURF SMELT	*	*	*	2	*	*	*	*	2
10. PACIFIC TONNOOD	10	*	*	*	*	*	*	*	10
14. JACKSMELT	0	*	*	*	1	*	*	*	2
15. BLACK ROCKFISH	*	*	*	*	4	5	*	*	9
16. BLUE ROCKFISH	*	*	*	*	8	10	*	*	11
17. BROWN ROCKFISH	*	*	*	*	2	3	*	*	6
18. BOCACCIO	*	*	*	*	*	61	*	*	61
19. CANARY ROCKFISH	*	*	*	*	*	11	*	*	11
20. CHILipePPER ROCKFISH	*	*	*	*	*	5	*	*	5
21. COPPER ROCKFISH	*	*	*	*	1	18	*	*	20
22. GOPHER ROCKFISH	*	*	*	*	*	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	37	*	*	37
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	3	*	*	3
27. ROSY ROCKFISH	*	*	*	*	*	3	*	*	3
28. STARRY ROCKFISH	*	*	*	*	*	4	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	106	*	*	106
33. ROCKFISHES, OTHER	*	1	*	2	43	47	*	*	99
34. KELP GREENLING	*	*	*	1	2	4	*	*	7
35. LINGCOD	*	*	*	*	*	1	*	*	1
36. GREENLINGS, OTHER	1	*	*	0	1	*	*	*	1
38. CABEZON	*	*	*	2	1	1	*	*	3
39. PAC. STAGHORN SCULPIN	2	4	*	2	1	*	*	*	9
43. KELP BASS	*	*	*	*	1	*	*	*	1
44. STRIPED BASS	*	*	*	*	*	1	*	*	1
48. WHITE CROAKER	4	4	*	*	15	*	*	*	24
53. BARRED SURFPERCH	1	*	*	32	*	*	*	*	32
54. BLACK PERCH	*	*	*	0	*	*	*	*	0
55. PILE PERCH	*	*	*	*	1	*	*	*	1
56. REDTAIL SURFPERCH	0	*	*	57	*	*	*	*	57
57. RUBBERLIP SEAPERCH	0	*	*	*	*	*	*	*	0
58. SHINER PERCH	1	*	*	*	*	*	*	*	1
59. SILVER SURFPERCH	1	*	*	13	*	*	*	*	14
60. STRIPED SEAPERCH	0	7	*	3	1	*	*	*	11
61. WALLEYE SURFPERCH	0	*	*	15	2	*	*	*	15
62. WHITE SEAPERCH	3	*	*	5	*	*	*	*	7
63. SURFPERCHES, OTHER	2	*	*	21	1	*	*	*	24
69. STARRY FLAUNDER	*	*	*	*	*	0	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	0	2	*	*	*	2
73. FLATFISHES, OTHER	1	*	*	2	*	1	*	*	4
74. SALMONIDS	*	*	*	*	4	35	*	*	38
75. OTHER FISH	1	1	*	0	21	6	*	*	28
TOTAL	29	17	0	143	117	456	0	0	763

TABLE 10. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1981---DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	8	*	*	2	44	*	*	*	53
02. SPINY DOGFISH	1	*	*	*	0	*	*	*	1
03. SHARK, OTHER	6	*	*	1	193	*	*	*	200
04. STURGEONS	0	*	*	*	37	17	*	*	55
06. NORTHERN ANCHOVY	74	*	55	*	*	*	*	*	128
10. PACIFIC TOMODD	2	*	*	*	*	1	*	*	3
14. JACKSMELT	51	3	2	21	316	*	*	*	393
15. BLACK ROCKFISH	*	*	*	*	4	0	*	*	4
16. BLUE ROCKFISH	*	*	*	*	3	*	*	*	3
17. BROWN ROCKFISH	15	2	*	7	101	*	*	*	101
21. COPPER ROCKFISH	*	*	*	*	1	0	*	*	1
33. ROCKFISHES, OTHER	12	*	*	2	46	*	*	*	61
34. KELP GREENLING	0	*	*	*	5	0	*	*	7
35. LINGODD	1	0	*	1	*	*	*	*	2
38. CABEZON	*	*	*	1	1	*	*	*	3
39. PAC. STAGHORN SCULPIN	79	33	*	43	135	66	*	*	356
40. SCULPINS, OTHER	*	*	*	0	60	20	*	*	60
44. STRIPED BASS	1	*	*	3	60	2	*	*	78
48. WHITE CROAKER	23	2	*	22	41	*	*	*	72
53. BARRED SURPERCH	1	1	*	11	1	*	*	*	13
54. BLACK PERCH	3	*	*	3	28	*	*	*	34
55. PILE PERCH	*	*	*	13	13	*	*	*	17
56. REDTAIL SURPERCH	*	*	*	1	1	*	*	*	14
57. RUBBERLIP SEAPERCH	8	*	*	6	46	*	*	*	80
58. SHINER PERCH	35	2	0	11	8	*	*	*	57
59. SILVER SURPERCH	1	*	*	2	6	*	*	*	9
60. STRIPED SEAPERCH	2	*	*	1	4	*	*	*	6
61. WALLEYE SURPERCH	22	*	*	12	34	*	*	*	67
62. WHITE SEAPERCH	6	*	*	6	1	*	*	*	13
63. SURPERCHES, OTHER	18	*	*	19	43	*	*	*	79
69. STARRY FLOUNDER	6	*	*	1	27	12	*	*	46
70. CALIFORNIA HALIBUT	*	*	*	1	4	*	*	*	4
71. PACIFIC SANDAB	9	*	*	*	4	*	*	*	9
73. FLATFISHES, OTHER	3	1	*	*	2	5	*	*	11
74. SALMONIDS	*	*	*	*	1	0	*	*	1
75. OTHER FISH	10	1	*	6	36	11	*	*	64
TOTAL	397	46	57	177	1,257	136	0	0	2,050

TABLE 11. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOKE & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	1	*	*	*	2
02. SPINY DOGFISH	*	*	*	0	0	*	*	*	0
03. SHARK, OTHER	*	*	*	0	1	*	*	*	3
12. PACIFIC HAKE	*	*	*	0	0	0	*	*	7
14. JACKSMELT	4	0	*	3	0	*	*	*	7
16. BLUE ROCKFISH	1	*	*	0	39	191	*	1	2
17. BROWN ROCKFISH	0	*	*	0	4	40	*	*	5
18. BOCCACCIO	*	*	*	*	300	45	*	*	5
19. CANARY ROCKFISH	*	*	*	*	*	33	*	*	5
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	71	*	*	7
21. COPPER ROCKFISH	*	*	*	0	5	0	*	*	6
22. GOPHER ROCKFISH	*	*	*	*	40	6	*	*	6
23. GREENSPOTTED ROCKFISH	*	*	*	*	44	*	*	*	6
24. GREENSTRIPED ROCKFISH	*	*	*	*	5	6	*	*	6
25. OLIVE ROCKFISH	*	*	*	*	6	*	*	1	12
27. ROSY ROCKFISH	0	*	*	*	2	3	*	*	5
28. STARRY ROCKFISH	*	*	*	*	4	2	*	*	5
29. VERMILION ROCKFISH	*	*	*	*	10	10	*	*	5
30. WIDOW ROCKFISH	*	*	*	*	11	35	*	*	6
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	6
33. ROCKFISHES, OTHER	4	0	*	1	40	274	*	1	38
34. KELP GREENLING	*	0	*	1	16	35	*	2	42
35. LINGCOD	*	*	*	*	*	*	*	*	4
36. GREENLINGS, OTHER	*	*	*	0	2	*	*	1	4
38. CABEZON	*	0	*	*	*	*	*	*	4
39. PAC. STAGHORN SCULPIN	4	4	*	2	*	*	*	*	10
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	*	*	*	*	*	1
44. STRIPED BASS	*	*	*	0	*	*	*	*	0
48. WHITE CROAKER	21	0	*	4	18	*	*	*	3
53. BARRED SURFPERCH	5	0	*	170	0	0	*	*	15
54. BLACK PERCH	0	*	*	3	0	*	*	1	5
55. PILE PERCH	*	1	*	2	*	*	*	*	4
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	0
57. RUBBERLIP SURFPERCH	1	*	*	0	0	*	*	*	2
58. SHINER PERCH	8	2	*	*	*	*	*	*	10
59. SILVER SURFPERCH	*	0	*	11	*	*	*	*	11
60. STRIPED SEAPERCH	1	*	*	3	1	*	*	*	0
61. WALLEYE SURFPERCH	4	16	*	9	*	*	*	*	28
62. WHITE SEAPERCH	2	0	*	3	*	*	*	*	6
63. SURFPERCHES, OTHER	24	4	*	45	0	*	*	*	73
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	*	0	*	*	7	12	*	*	5
69. STARRY FLUNDER	2	3	*	0	*	*	*	*	5
71. PACIFIC SANDAB	*	*	*	*	17	1	*	*	18
72. ROCK SOLE	*	*	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	3	3	*	3	0	*	*	*	0
75. OTHER FISH	*	1	*	*	1	1	*	*	5
TOTAL	83	35	0	264	214	705	0	10	1,311

TABLE 12. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	1	*	*	*	1
03. SHARK, OTHER	0	*	*	10	0	*	*	*	1
14. JACKSMELT	6	*	*	*		*	*	*	8
15. BLACK ROCKFISH	*	*	*	*	108	3	*	*	8
16. BLUE ROCKFISH	*	*	*	*		281	*	*	387
17. BROWN ROCKFISH	0	*	*	*	12	11	*	*	22
18. BOCACCIO	10	*	*	*	10	2	*	*	12
19. CANARY ROCKFISH	*	*	*	*		25	*	*	26
21. COPPER ROCKFISH	0	*	*	*	6	15	*	*	26
22. GOPHER ROCKFISH	*	*	*	1	28	28	*	*	56
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	6	*	*	4
25. OLIVE ROCKFISH	*	*	*	*		26	*	*	23
27. ROSY ROCKFISH	*	*	*	*		21	*	*	28
28. STARRY ROCKFISH	*	*	*	*	5	15	*	*	20
29. VERMILION ROCKFISH	*	*	*	*		11	*	*	16
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	12	40	*	*	45
33. ROCKFISHES, OTHER	*	*	*	2		37	*	*	1
34. KELP GREENLING	*	*	*	*	1	*	*	*	0
35. LINGCOD	0	*	*	*	7	4	*	*	11
38. CABEZON	*	*	*	3	4	2	*	*	8
39. PAC. STAGHORN SCULPIN	2	*	*	11	*	*	*	*	15
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	1	*	*	*	*	0
48. WHITE CROAKER	2	*	*	*	4	*	*	*	6
51. OPALEYE	*	*	*	1	*	*	*	*	1
53. BARRED SURPERCH	1	7	*	26	*	*	*	*	50
54. BLACK PERCH	*	*	*	0	*	*	*	*	0
55. PILE PERCH	0	*	*	0	*	*	*	*	0
57. RUBBERLIP SEAPERCH	*	*	*	0	*	*	*	*	0
58. SHINER PERCH	9	*	*	4	*	*	*	*	12
59. SILVER SURPERCH	0	*	*	4	*	*	*	*	4
60. STRIPED SEAPERCH	0	*	*	0	*	*	*	*	0
61. WALLEYE SURPERCH	1	*	*	3	*	*	*	*	4
63. SURPERCHES, OTHER	2	*	*	2	*	*	*	*	5
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	28	*	*	*	9	4	*	*	81
69. STARRY FLounder	*	*	*	0	1	*	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	*	0
71. PACIFIC SANDAB	0	*	*	0	15	0	*	*	16
72. ROCK SOLE	*	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	0	*	*	0	4	*	*	*	2
74. SALMONIDS	*	*	*	1	0	*	*	*	1
75. OTHER FISH	0	*	*	0	0	*	*	*	1
TOTAL	62	7	0	122	281	563	0	0	1,036

TABLE 13. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL			
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	
01. LEOPARD SHARK	0	0	100	*	*	*	19	10	55	*	*	*	*	1	1	*	19	10	54
02. SPINY DOGFISH	0	0	100	*	*	*	1	1	59	0	0	0	1	*	*	1	1	56	
03. SHARK, OTHER	0	0	100	*	*	*	13	3	27	*	*	*	*	*	*	*	*	3	
04. STURGEONS	*	*	*	*	*	*	13	9	45	*	*	*	*	*	*	*	*	45	
05. PACIFIC HERRING	8	13	151	19	17	91	20*	*	*	*	*	*	*	*	*	27	21	76	
06. NORTHERN ANCHOVY	2	1	54	*	*	*	2*	46	49	*	*	*	*	*	*	2*	46	48	
07. SURF SMELT	1,822	890	49	552	379	59	2*	22	188	*	*	*	*	*	*	2,376	967	41	
10. PACIFIC TOMODD	0	0	100	*	*	*	*	*	*	3	2	2	*	*	*	0	2	2	
12. PACIFIC HAKE	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	
13. SILVERSIDES	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	
14. JACKSMELT	7	7	104	2	1	79	392	307	78	7	5	64	7	8	61	614	308	76	
15. BLACK ROCKFISH	183	139	76	263	107	43	113	13	5	22	7	5	64	36	22	176	51	61	
16. BLUE ROCKFISH	27	14	71	14	5	33	108	39	58	22	4	32	36	11	7	66	28	26	
17. BROWN ROCKFISH	*	*	*	*	*	*	61	23	58	45	5	89	34	11	141	42	31		
18. BOACCIO	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	143	44	31	
19. CANARY ROCKFISH	20	13	65	37	8	23	11	5	43	28	4	156	26	24	24	101	29	29	
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	40	11	180	6	6	50	26	4	16	56	25	25	
21. COPPER ROCKFISH	3	2	71	40	10	26	21	7	18	6	6	50	26	4	16	56	25	25	
22. GOPHER ROCKFISH	*	*	*	*	*	*	4	1	37	15	18	50	26	4	16	56	25	25	
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*	6	6	50	26	4	16	56	25	25	
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*	3	2	67	26	4	16	56	25	25	
25. OLIVE ROCKFISH	*	*	*	*	*	*	3	1	46	26	4	16	26	4	16	56	25	25	
26. QUILLBACK ROCKFISH	0	0	66	1	0	47	3	2	67	26	4	16	26	4	16	56	25	25	
27. ROSE ROCKFISH	0	0	66	4	2	43	4	3	67	26	4	16	26	4	16	56	25	25	
28. STARRY ROCKFISH	*	*	*	*	*	*	2	1	43	6	6	50	26	4	16	56	25	25	
29. VERMILION ROCKFISH	0	0	100	3	2	47	*	*	*	5	2	48	16	9	58	26	10	39	
30. WIDOW ROCKFISH	*	*	*	*	*	*	104	1	100	10	7	41	16	1	58	26	10	39	
31. YELLOWTAIL ROCKFISH	0	0	61	68	18	6	103	14	57	26	1	58	16	1	58	26	10	39	
32. ROCKFISHES, OTHER	8	5	63	18	5	55	103	14	57	26	1	58	16	1	58	26	10	39	
34. KELP GREENLING	7	4	63	18	6	55	103	14	57	26	1	58	16	1	58	26	10	39	
35. LINGCOD	31	15	47	16	9	55	3	1	38	51	27	53	8	4	50	110	45	38	
36. GREENLINGS, OTHER	0	0	77	11	3	55	15	2	138	51	27	53	8	4	50	110	45	38	
38. CABEZON	8	5	68	9	3	55	15	2	138	51	27	53	8	4	50	110	45	38	
39. PAC. STAGHORN SCULPIN	0	0	57	3	1	53	0	0	100	169	61	36	33	18	26	10	50	38	
40. SCULPINS, OTHER	0	0	57	*	*	*	*	*	*	169	61	36	33	18	26	10	50	38	
43. KELP BASS	*	*	*	*	*	*	1	1	100	1	1	100	1	1	1	26	10	50	
44. STRIPED BASS	*	*	*	*	*	*	76	10	198	20	5	188	1	4	18	10	50	50	
48. WHITE CROAKER	*	*	*	*	*	*	46	15	131	169	61	36	33	18	10	50	50	50	
51. OPALEYE	*	*	*	*	*	*	*	*	*	169	61	36	33	18	10	50	50	50	
53. BARRED SURPERCH	*	*	*	*	*	*	*	*	*	169	61	36	33	18	10	50	50	50	
54. BLACK PERCH	*	*	*	*	*	*	1	1	100	5	4	100	0	0	100	41	26	56	
55. PILE PERCH	1	0	53	1	0	100	15	17	100	5	4	100	0	0	100	41	26	56	
56. REDTAIL SURPERCH	64	52	81	0	0	100	55	17	100	5	4	100	0	0	100	41	26	56	
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	37	14	100	0	0	100	0	0	100	41	26	56	
58. SHINER PERCH	2	2	106	2	1	74	37	14	100	0	0	100	0	0	100	41	26	56	
59. SILVER SURPERCH	1	2	108	1	1	59	24	9	37	10	5	100	23	17	59	26	10	34	
60. STRIPED SEAPERCH	6	4	71	29	11	59	24	3	44	28	10	100	23	17	59	26	10	34	
61. WALLEYE SURPERCH	5	3	51	12	5	44	24	6	49	28	10	100	23	17	59	26	10	34	
63. SURPERCHES, OTHER	18	37	207	11	5	44	24	7	58	28	10	100	23	17	59	26	10	34	
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	0	0	0	0	0	0	0	0	0	
67. PACIFIC MACKEREL	*	*	*	*	*	*	0	0	100	16	14	36	54	27	20	100	0	91	
69. STARRY FLUNDER	0	0	81	0	0	81	40	14	36	18	16	36	54	27	20	100	0	91	
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	11	7	58	18	11	58	54	27	20	100	0	91	
71. PACIFIC SANDDAB	*	*	*	*	*	*	11	7	58	18	11	58	54	27	20	100	0	91	
72. ROCK SOLE	*	*	*	*	*	*	10	3	39	13	2	20	0	0	100	1	26	56	
73. FLATFISHES, OTHER	1	1	119	0	0	88	10	3	39	13	2	20	0	0	100	1	26	56	
74. SALMONIDS	1	0	51	0	0	88	18	7	41	1	0	40	1	0	100	1	26	56	
75. OTHER FISH	1	1	97	5	0	8	18	7	41	1	0	40	1	0	100	1	26	56	
TOTAL	2,236	904	40	1,285	399	31	1,873	343	18	1,127	156	14	893	194	22	7,415	1075	14	

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 14. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	37	9	2	1,906	269	16	*	2,236
MENDOCINO/SONOMA (NON-BOAT MODES)	31	2	*	639	*	*	*	663
MENDOCINO (BOAT MODES)	*	*	*	*	126	238	*	365
SONOMA (BOAT MODES)	*	*	*	*	15	222	*	257
SAN FRANCISCO	302	49	23	229	804	467	*	1,873
SANTA CRUZ/MONTEREY	38	24	*	231	182	663	*	1,127
SAN LUIS OBISPO	44	7	*	78	273	491	*	893
TOTAL	452	92	24	3,090	1,669	2,077	0	7,415

TABLE 15. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	1	18	*	*	19
02. SPINY DOGFISH	1	*	*	*	0	*	*	3
03. SHARK, OTHER	1	*	*	0	*	*	*	4
04. STURGEONS	*	*	*	*	9	11	*	24
05. PACIFIC HERRING	27	*	*	*	*	*	*	27
06. NORTHERN ANCHOVY	74	*	20	2	*	*	*	76
07. SURF SMELT	*	*	*	2,376	*	*	*	2,376
10. PACIFIC TOMCOD	3	*	*	0	*	*	*	3
12. PACIFIC HAKE	*	*	*	0	0	2	*	*
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	66	3	2	25	319	*	*	414
15. BLACK ROCKFISH	1	2	*	13	188	26	*	28
16. BLUE ROCKFISH	1	1	*	8	237	24	*	21
17. BROWN ROCKFISH	12	2	*	9	9	24	*	141
18. BOACCIO	9	*	*	*	1	13	*	13
19. CANARY ROCKFISH	*	0	*	1	40	61	*	101
20. CHILILIPEPPER ROCKFISH	*	*	*	*	*	*	*	3
21. COPPER ROCKFISH	*	0	*	2	31	*	*	3
22. GOPHER ROCKFISH	*	0	*	*	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	55
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	7	*	7
25. OLIVE ROCKFISH	*	*	*	*	16	31	*	48
26. QUILLBACK ROCKFISH	*	*	*	*	1	0	*	1
27. ROSY ROCKFISH	0	*	*	0	10	34	*	34
28. STARRY ROCKFISH	*	*	*	*	7	0	*	7
29. VERMILION ROCKFISH	*	*	*	0	9	16	*	25
30. WIDOW ROCKFISH	*	*	*	1	27	241	*	269
31. YELLOWTAIL ROCKFISH	*	*	*	4	146	366	*	588
33. ROCKFISHES, OTHER	9	1	*	20	13	6	1	41
34. KELP GREENLING	0	2	*	*	*	*	0	0
35. LINGODD	1	0	*	4	59	42	*	3
36. GREENLINGS, OTHER	1	0	*	12	*	*	*	11
38. CABEZON	0	1	*	12	15	4	*	1
39. PAC. STAGHORN SCULPIN	15	3	*	6	7	*	*	13
40. SCULPINS, OTHER	0	0	*	3	*	*	*	0
43. KELP BASS	*	*	*	1	1	*	*	2
44. STRIPED BASS	0	*	*	1	22	12	*	16
48. WHITE CRONKER	33	7	*	6	*	*	*	18
51. OPALEYE	*	*	*	1	*	*	*	1
53. BARRED SURPERCH	7	8	*	232	1	0	*	268
54. BLACK PERCH	4	*	*	7	29	*	*	41
55. PILE PERCH	2	1	0	5	14	*	*	33
56. REDTAIL SURPERCH	1	1	0	131	*	*	*	138
57. RUBBERLIP SURPERCH	8	*	*	6	45	*	*	88
58. SHINER PERCH	33	1	*	8	3	*	*	44
59. SILVER SURPERCH	3	0	1	6	6	*	*	59
60. STRIPED SEAPERCH	11	14	100	16	37	*	*	47
61. WALLEYE SURPERCH	30	0	0	16	5	*	*	103
62. WHITE SEAPERCH	11	0	*	2	28	*	*	28
63. SURPERCHES, OTHER	38	4	*	2	*	*	*	0
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*
66. PACIFIC BONITO	*	*	*	*	0	*	*	*
67. PACIFIC MACKEREL	23	0	*	*	14	13	*	0
69. STARRY FLounder	8	3	*	1	23	12	*	6
70. CALIFORNIA HALIBUT	*	*	*	0	4	0	*	4
71. PACIFIC SANDAB	9	*	*	0	36	1	*	47
72. ROCK SOLE	*	0	*	*	1	*	*	1
73. FLATFISHES, OTHER	5	4	0	4	30	3	*	16
74. SALMONIDS	*	0	*	0	6	27	*	0
75. OTHER FISH	6	1	*	2	16	0	*	16
TOTAL	452	92	24	3,090	1,669	2,077	0	10
								7,415

TABLE 16. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	*	*	0	*	*	*	*	0
05. PACIFIC HERRING	8	*	*	2	*	*	*	*	8
06. NORTHERN ANCHOVY	*	*	*				*	*	0
07. SURF SMELT	*	*	*	1,822	*	*	*	*	1,822
10. PACIFIC TOMODD	*	*	*	0	*	*	*	*	0
12. PACIFIC HAKE	*	0	*	0	*	*	*	*	0
13. SILVERSIDES	0	*	*	*	*	*	*	*	0
14. JACKSMELT	4	0	*	0	2	*	*	*	7
15. BLACK ROCKFISH	1	2	*	8	160	12	*	*	183
16. BLUE ROCKFISH	0	1	*	*	28	*	*	*	27
17. BROWN ROCKFISH	*	0	*	0	*	*	*	*	0
19. CANARY ROCKFISH	*	0	*	*	20	*	*	*	20
21. COPPER ROCKFISH	*	0	*	*	3	*	*	*	3
26. GUTTLBACK ROCKFISH	*	*	*	*	0	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	0	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	*	0
33. ROCKFISHES, OTHER	0	0	*	1	6	0	*	*	6
34. KELP GREENLING	*	2	*	2	2	0	*	*	7
35. LINGCOD	*	0	*	*	28	2	*	*	31
36. GREENLINGS, OTHER	*	0	*	*	*	*	*	*	0
38. CABEZON	*	0	*	2	5	1	*	*	0
39. PAC. STAGHORN SCULPIN	*	0	*	0	*	*	*	*	0
40. SCULPINS, OTHER	*	0	*	*	*	*	*	*	0
55. PILE PERCH	0	0	0	0	0	*	*	*	0
56. REDTAIL SURFPERCH	1	1	0	58	4	*	*	*	61
58. SHINER PERCH	0	0	*	*	10	*	*	*	10
59. SILVER SURFPERCH	0	0	1	0	0	*	*	*	0
60. STRIPED SEAPERCH	1	1	0	4	0	*	*	*	6
61. WALLEYE SURFPERCH	2	0	0	0	33	*	*	*	55
62. WHITE SEAPERCH	0	0	0	0	4	*	*	*	5
63. SURFPERCHES, OTHER	17	0	*	0	0	*	*	*	18
69. STARRY FLUNDER	0	*	*	0	0	*	*	*	0
73. FLATFISHES, OTHER	*	*	0	*	1	*	*	*	1
74. SALMONIDS	*	*	*	0	0	*	*	*	1
75. OTHER FISH	*	0	*	1	0	*	*	*	1
TOTAL	37	9	2	1,904	269	16	0	0	2,236

TABLE 17. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY HOOKE & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	19	*	*	*	*	*	*	19
07. SURF SMELT	*	*	*	552	*	*	*	552
14. JACKSMELT	*	*	*	2	*	*	*	2
15. BLACK ROCKFISH	*	0	*	5	*	*	0	5
16. BLUE ROCKFISH	*	0	*	8	*	*	0	8
17. BROWN ROCKFISH	*	*	*	2	*	*	*	2
19. CANARY ROCKFISH	*	*	*	1	*	*	*	1
21. COPPER ROCKFISH	*	*	*	2	*	*	*	2
22. GOMPER ROCKFISH	*	0	*	2	*	*	*	2
27. ROSY ROCKFISH	*	*	*	0	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	0	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	1	*	*	*	1
33. ROCKFISHES, OTHER	0	0	*	1	*	*	0	1
34. KELP GREENLING	*	0	*	16	*	*	0	16
35. LINGCOD	0	*	*	2	*	*	1	3
36. GREENLINGS, OTHER	*	0	*	11	*	*	0	11
38. CABEZON	0	0	*	6	*	*	0	6
39. PAC. STAGHORN SCULPIN	0	0	*	0	*	*	*	0
40. SCULPINS, OTHER	0	0	*	2	*	*	*	2
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	0	*	*	*	0
48. WHITE CROAKER	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	0	*	*	*	0
56. REDTAIL SURFPERCH	0	0	*	4	*	*	*	4
57. RUBBERLIP SEAPERCH	0	*	*	*	*	*	*	0
58. SHINER PERCH	0	*	*	0	*	*	*	0
59. SILVER SURFPERCH	0	*	*	1	*	*	*	1
60. STRIPED SEAPERCH	0	0	*	2	*	*	*	2
61. WALLEYE SURFPERCH	0	*	*	1*	*	*	*	1
62. WHITE SEAPERCH	0	0	*	2	*	*	*	2
63. SURFPERCHES, OTHER	1	0	*	9	*	*	*	11
69. STARRY FLounder	*	0	*	*	*	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	0	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	0
74. SALMONIDS	*	0	*	*	*	*	*	0
75. OTHER FISH	*	0	*	*	*	*	*	0
TOTAL	31	2	0	649	0	0	1	683

TABLE 18. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	14	5	*	*
16. BLUE ROCKFISH	*	*	*	*	59	18	*	23
18. BOACCIO	*	*	*	*	*	1	*	1
19. CANARY ROCKFISH	*	*	*	*	8	6	*	14
21. COPPER ROCKFISH	*	*	*	*	9	1	*	10
25. OLIVE ROCKFISH	*	*	*	*	1	0	*	1
26. GUILTBACK ROCKFISH	*	*	*	*	0	0	*	0
27. ROSY ROCKFISH	*	*	*	*	0	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	0
30. WIDOW ROCKFISH	*	*	*	*	0	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	4	27	*	31
33. ROCKFISHES, OTHER	*	*	*	*	15	1	*	16
34. KELP GREENLING	*	*	*	*	1	*	*	1
35. LINGCOD	*	*	*	*	8	2	*	11
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	*	2	*	*	2
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	2	*	*	2
72. ROCK SOLE	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	0
74. SALMONIDS	*	*	*	*	0	*	*	0
75. OTHER FISH	*	*	*	*	0	*	*	0
TOTAL	0	0	0	0	126	238	0	365

TABLE 19. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	1	1	*	*
16. BLUE ROCKFISH	*	*	*	*	1	1	*	*
17. BROWN ROCKFISH	*	*	*	*	2	9	*	12
18. BOACCIO	*	*	*	*	*	24	*	26
19. CANARY ROCKFISH	*	*	*	*	1	21	*	22
20. CHILLIPEPPER ROCKFISH	*	*	*	*	*	0	*	0
21. COPPER ROCKFISH	*	*	*	*	1	29	*	31
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	4	*	4
25. OLIVE ROCKFISH	*	*	*	*	0	1	*	1
26. GUILTBACK ROCKFISH	*	*	*	*	0	0	*	0
27. ROSY ROCKFISH	*	*	*	*	*	3	*	3
28. STARRY ROCKFISH	*	*	*	*	*	2	*	2
29. VERMILION ROCKFISH	*	*	*	*	*	3	*	3
30. WIDOW ROCKFISH	*	*	*	*	*	7	*	7
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	34	*	34
33. ROCKFISHES, OTHER	*	*	*	*	1	79	*	80
34. KELP GREENLING	*	*	*	*	*	1	*	1
35. LINGCOD	*	*	*	*	2	1	*	3
38. CABEZON	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	*	0	*	*	0
54. BLACK PERCH	*	*	*	*	1	*	*	*
69. STARRY FLOUNDER	*	*	*	*	*	0	*	0
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	0
75. OTHER FISH	*	*	*	*	4	*	*	4
TOTAL	0	0	0	0	15	222	0	257

TABLE 20. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B5) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	1	18	*	*	19
02. SPINY DOGFISH	1	*	*	*	0	*	*	13
03. SHARK, OTHER	1	*	*	*	*	*	*	13
04. STURGEONS	*	*	*	9	11	*	*	20
05. NORTHERN ANCHOVY	74	*	20	*	*	*	*	92
07. SURF SMELT	*	*	*	2	*	*	*	2
10. PACIFIC TOMCOD	3	*	*	*	*	*	*	3
14. JACKSMELT	50	3	2	21	316	*	*	362
15. BLACK ROCKFISH	*	*	*	*	8	*	*	13
16. BLUE ROCKFISH	*	*	*	*	10	185	*	113
17. BROWN ROCKFISH	12	1	*	7	76	3	*	100
18. BOCCACCIO	*	*	*	*	*	61	*	61
19. CANARY ROCKFISH	*	*	*	*	*	11	*	11
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	5	*	5
21. COPPER ROCKFISH	*	*	*	*	2	19	*	21
22. GOPHER ROCKFISH	*	*	*	*	*	1	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	37	*	37
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	33	*	33
27. ROSY ROCKFISH	*	*	*	*	*	4	*	4
28. STARRY ROCKFISH	*	*	*	*	*	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	104	*	104
33. ROCKFISHES, OTHER	5	1	*	1	70	36	*	113
34. KELP GREENLING	0	*	*	12	7	4	*	14
35. LINGCOD	1	*	*	0	1	1	*	3
36. GREENLINGS, OTHER	1	*	*	0	*	*	*	1
38. CABEZON	*	*	*	*	*	*	*	5
39. PAC. STAGHORN SCULPIN	15	33	*	24	27	1	*	80
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
43. KELP BASS	*	*	*	*	1	*	*	1
44. STRIPED BASS	0	*	*	1	22	12	*	35
48. WHITE CROAKER	27	6	*	12	41	*	*	28
53. BARRED SURFPERCH	1	1	*	5	1	*	*	6
54. BLACK PERCH	3	*	*	3	28	*	*	16
55. PILE PERCH	1	*	*	2	14	*	*	17
56. REDTAIL SURFPERCH	0	*	*	8	1	*	*	8
57. RUBBERLIP SURFPERCH	6	*	*	5	4	*	*	7
58. SHINER PERCH	28	1	*	7	2	*	*	37
59. SILVER SURFPERCH	22	*	*	15	6	*	*	26
60. STRIPED SURFPERCH	2	1	*	3	1	*	*	7
61. WALLEYE SURFPERCH	24	*	*	12	34	*	*	20
62. WHITE SURFPERCH	6	*	*	11	27	*	*	20
63. SURFPERCHES, OTHER	13	*	*	11	22	*	*	52
69. STARRY FLAUNDER	6	*	*	*	4	12	*	46
70. CALIFORNIA HALIBUT	6	*	*	*	4	0	*	4
71. PACIFIC SANDDAB	9	*	*	0	2	*	*	11
73. FLATFISHES, OTHER	3	1	*	1	1	3	*	10
74. SALMONIDS	*	*	*	*	5	27	*	53
75. OTHER FISH	6	1	*	1	10	*	*	18
TOTAL	302	49	23	229	804	467	0	0
								1,873

TABLE 21. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	1	*	*	*	*	1
02. SPINY DOGFISH	*	*	*	*	*	0	*	*	0
03. SHARK, OTHER	*	*	*	*	*	*	*	*	*
04. STURGEONS	*	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	2	*	*	*	*	2
10. PACIFIC TOMODD	1	*	*	*	*	*	*	*	1
14. JACKSMELT	*	*	*	*	1	*	*	*	1
15. BLACK ROCKFISH	*	*	*	*	4	5	*	*	9
16. BLUE ROCKFISH	*	*	*	*	2	102	*	*	110
17. BROWN ROCKFISH	*	*	*	*	3	3	*	*	6
18. BOACCIO	*	*	*	*	*	61	*	*	61
19. CANARY ROCKFISH	*	*	*	*	*	11	*	*	11
20. CHILIPePPER ROCKFISH	*	*	*	*	*	5	*	*	5
21. COPPER ROCKFISH	*	*	*	*	1	18	*	*	20
22. GOPHER ROCKFISH	*	*	*	*	*	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	37	*	*	37
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	3	*	*	3
27. ROSY ROCKFISH	*	*	*	*	*	4	*	*	4
28. STARRY ROCKFISH	*	*	*	*	*	1	*	*	1
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	106	*	*	106
33. ROCKFISHES, OTHER	*	1	*	*	42	36	*	*	78
34. KELP GREENLING	*	*	*	1	2	4	*	*	7
35. LINGCOD	*	*	*	*	1	1	*	*	2
36. GREENLINGS, OTHER	1	*	*	0	*	1	*	*	1
38. CABEZON	*	*	*	1	1	1	*	*	2
39. PAC. STAGHORN SCULPIN	*	*	*	*	1	*	*	*	*
43. KELP BASS	*	*	*	*	1	*	*	*	1
44. STRIPED BASS	*	*	*	*	15	1	*	*	11
48. WHITE CROAKER	4	4	*	*	*	*	*	*	24
53. BARRED SURPERCH	1	*	*	32	*	*	*	*	32
54. BLACK PERCH	*	*	*	*	*	*	*	*	0
55. PILE PERCH	*	*	*	*	1	*	*	*	1
56. REDTAIL SURPERCH	0	*	*	56	*	*	*	*	57
57. RUBBERLIP SEAPERCH	0	*	*	*	*	*	*	*	0
58. SHINER PERCH	1	*	*	*	*	*	*	*	1
59. SILVER SURPERCH	1	*	*	13	*	*	*	*	14
60. STRIPED SEAPERCH	0	1	*	3	2	*	*	*	5
61. WALLEYE SURPERCH	2	*	*	5	*	*	*	*	7
62. WHITE SEAPERCH	2	*	*	*	*	*	*	*	7
63. SURPERCHES, OTHER	0	*	*	4	*	*	*	*	4
69. STARRY FLUNDER	*	*	*	*	*	0	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	*	0	*	*	0
71. PACIFIC SANDAB	*	*	*	0	2	*	*	*	0
73. FLATFISHES, OTHER	1	*	*	1	*	1	*	*	1
74. SALMONIDS	*	*	*	*	4	26	*	*	31
75. OTHER FISH	*	*	*	0	1	*	*	*	1
TOTAL	16	5	0	120	88	430	0	0	659

TABLE 22. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH	BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	0	18	*	*	*	18
02. SPINY DOGFISH	1	*	*	*	0	*	*	*	1
03. SHARK, OTHER	1	*	*	*	12	*	*	*	13
04. STURGEONS	*	*	*	*	9	11	*	*	28
06. NORTHERN ANCHOVY	74	*	20	*	*	*	*	*	28
10. PACIFIC TOMODD	2	*	*	*	*	*	*	*	2
14. JACKSMELT	50	3	2	21	315	*	*	*	380
15. BLACK ROCKFISH	*	*	*	*	4	0	*	*	4
16. BLUE ROCKFISH	*	*	*	*	3	*	*	*	3
17. BROWN ROCKFISH	12	1	*	7	73	*	*	*	24
21. COPPER ROCKFISH	*	*	*	*	1	0	*	*	1
33. ROCKFISHES, OTHER	5	*	*	1	29	*	*	*	5
34. KELP GREENLING	0	*	*	1	5	0	*	*	7
35. LINGCOD	1	*	*	0	*	*	*	*	1
38. CABEZON	*	*	*	1	1	*	*	*	3
39. PAC. STAGHORN SCULPIN	15	33	*	4	7	*	*	*	88
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0
44. STRIPED BASS	0	*	*	1	22	11	*	*	23
48. WHITE CROAKER	23	2	*	2	22	*	*	*	23
53. BARRED SURFPERCH	1	1	*	11	1	*	*	*	1
54. BLACK PERCH	3	*	*	3	28	*	*	*	34
55. PILE PERCH	1	*	*	2	13	*	*	*	17
56. REDTAIL SURFPERCH	*	*	*	13	1	*	*	*	14
57. RUBBERLIP SURFPERCH	6	*	*	5	44	*	*	*	55
58. SHINER PERCH	25	1	*	7	2	*	*	*	36
59. SILVER SURFPERCH	1	*	*	2	6	*	*	*	9
60. STRIPED SEAPERCH	2	*	*	0	*	*	*	*	2
61. WALLEYE SURFPERCH	22	*	*	12	32	*	*	*	62
62. WHITE SEAPERCH	6	*	*	6	1	*	*	*	13
63. SURFPERCHES, OTHER	13	*	*	8	27	*	*	*	68
69. STARRY FLUNDER	6	*	*	1	22	11	*	*	60
70. CALIFORNIA HALIBUT	*	*	*	*	4	*	*	*	4
71. PACIFIC SANDDAB	9	*	*	*	*	*	*	*	9
73. FLATFISHES, OTHER	2	1	*	*	1	2	*	*	7
74. SALMONIDS	*	*	*	*	1	0	*	*	1
75. OTHER FISH	6	1	*	1	10	*	*	*	17
TOTAL	286	43	23	110	716	37	0	0	1,214

TABLE 23. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	*	*	0	0	*	*	*	
12. PACIFIC HAKE	*	*	*	*	0	*	*	*	
14. JACKSMELT	4	0	*	3	0	2	*	*	7
16. BLUE ROCKFISH	1	*	*	0	36	185	*	1	222
17. BROWN ROCKFISH	*	*	*	0	44	50	*	*	44
18. BOCCACCIO	*	*	*	*	50	50	*	*	50
19. CANARY ROCKFISH	*	*	*	*	50	50	*	*	50
20. CHILIPEPPER ROCKFISH	*	*	*	*	50	50	*	*	50
21. COPPER ROCKFISH	*	*	*	0	5	0	*	*	6
22. GOPHER ROCKFISH	*	*	*	*	6	6	*	*	6
23. GREENSPOTTED ROCKFISH	*	*	*	*	6	6	*	*	6
24. GREENSTRIPED ROCKFISH	*	*	*	*	6	6	*	*	6
25. OLIVE ROCKFISH	*	*	*	*	6	6	*	1	12
27. ROSY ROCKFISH	0	*	*	*	2	3	*	*	5
28. STARRY ROCKFISH	*	*	*	*	4	4	*	*	6
29. VERMILION ROCKFISH	*	*	*	*	4	4	*	*	5
30. WIDOW ROCKFISH	*	*	*	*	5	5	*	*	5
31. YELLOWTAIL ROCKFISH	*	*	*	*	10	10	*	*	6
33. ROCKFISHES, OTHER	4	0	*	*	23	24	*	1	22
34. KELP GREENLING	*	0	*	0	15	33	*	*	22
35. LINGCOD	*	*	*	1	*	*	*	2	51
36. GREENLINGS, OTHER	*	*	*	*	2	*	*	1	*
38. CABEZON	*	0	*	*	*	*	*	1	3
39. PAC. STAGHORN SCULPIN	0	0	*	2	*	*	*	*	2
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	*
43. KELP BASS	*	*	*	*	*	*	*	1	*
44. STRIPED BASS	*	*	*	0	*	*	*	*	0
48. WHITE CROAKER	6	0	*	4	10	*	*	*	20
53. BARRED SURFPERCH	5	0	*	164	0	0	*	*	169
54. BLACK PERCH	0	*	*	3	0	*	*	1	5
55. PILE PERCH	*	1	*	2	*	*	*	1	4
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	0
57. RUBBERLIP SURFPERCH	1	*	*	0	0	*	*	*	2
58. SHINER PERCH	0	*	*	*	*	*	*	*	*
59. SILVER SURFPERCH	*	0	*	9	*	*	*	*	0
60. STRIPED SURFPERCH	1	*	*	3	1	*	*	*	5
61. WALLEYE SURFPERCH	4	14	*	9	1	*	*	*	6
62. WHITE SURFPERCH	2	0	*	3	*	*	*	*	6
63. SURFPERCHES, OTHER	6	3	*	23	0	*	*	*	22
66. PACIFIC BONITO	*	0	*	*	6	10	*	*	16
67. PACIFIC MACKEREL	*	0	*	*	*	*	*	*	5
69. STARRY FLUNDER	2	*	*	0	17	1	*	*	18
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	1
72. ROCK SOLE	*	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	2	3	*	3	0	*	*	*	3
75. OTHER FISH	*	0	*	*	0	0	*	*	1
TOTAL	38	24	0	231	182	643	0	9	1,127

TABLE 24. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	*	*	*	*	*	*	*	*
14. JACKSMELT	5	*	*	0	1	*	*	7
15. BLACK ROCKFISH	*	*	*	*	3	*	*	8
16. BLUE ROCKFISH	*	*	*	104	242	*	*	366
17. BROWN ROCKFISH	0	*	*	*	12	11	*	22
18. BOACCIO	9	*	*	*	20	22	*	11
19. CANARY ROCKFISH	*	*	*	*	28	28	*	26
21. COPPER ROCKFISH	*	*	*	*	27	28	*	24
22. GOPHER ROCKFISH	*	*	*	*	27	28	*	25
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	4	*	4
25. OLIVE ROCKFISH	*	*	*	*	7	21	*	23
27. ROSY ROCKFISH	*	*	*	*	5	15	*	28
28. STARRY ROCKFISH	*	*	*	*	5	11	*	16
29. VERMILION ROCKFISH	*	*	*	*	5	3	*	8
30. WIDOW ROCKFISH	*	*	*	*	1	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	12	10	*	13
33. ROCKFISHES, OTHER	*	*	*	2	15	26	*	29
34. KELP GREENLING	*	*	*	*	5	3	*	8
35. LINGCOD	0	*	*	*	5	3	*	8
38. CABEZON	*	*	*	2	6	2	*	8
39. PAC. STAGHORN SCULPIN	0	*	*	0	0	*	*	0
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
43. KELP BASS	*	*	*	1	*	*	*	1
48. WHITE CROAKER	1	*	*	1	3	*	*	4
51. OPALLEYE	*	*	*	1	*	*	*	1
53. BARRED SURPERCH	1	7	*	0	*	*	*	8
54. BLACK PERCH	*	*	*	0	*	*	*	0
55. PILE PERCH	0	*	*	0	*	*	*	0
57. RUBBERLIP SEAPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	3	*	*	0	*	*	*	3
59. SILVER SURPERCH	300	*	*	0	*	*	*	300
60. STRIPED SEAPERCH	0	*	*	0	*	*	*	0
61. WALLEYE SURPERCH	11	*	*	0	*	*	*	4
63. SURPERCHES, OTHER	1	*	*	19	*	*	*	20
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*
66. PACIFIC BONITO	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	230	*	*	0	8	23	*	54
69. STARRY FLUNDER	*	*	*	0	0	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	0	0	*	*	0
71. PACIFIC SANDAB	*	*	*	0	15	0	*	15
72. ROCK SOLE	*	*	*	0	*	*	*	2
73. FLATFISHES, OTHER	0	*	*	0	200	*	*	202
74. SALMONIDS	*	*	*	0	*	*	*	*
75. OTHER FISH	0	*	*	0	0	*	*	1
TOTAL	44	7	0	78	273	491	0	895

TABLE 25. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1981--DEC 1981.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	0	0	100	*	*	*	18	10	58	*	*	*	*	*	*	18	10	58
02. SPINY DOGFISH	*	*	*	*	*	*	20	13	63	0	0	0	1	0	0	2	1	44
03. SHARK, OTHER	0	0	100	*	*	*	0	0	0	0	0	0	*	*	*	3	3	46
04. STURGEONS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1	1	46
05. PACIFIC HERRING	8	13	155	19	17	91	*	*	*	*	*	*	*	*	*	27	21	59
06. NORTHERN ANCHOVY	*	*	*	*	*	*	79	46	59	*	*	*	*	*	*	79	46	59
07. SURF SMELT	1,792	890	50	549	379	69	79	22	18	1	1	1	1	1	1	2,343	967	41
10. PACIFIC TONNOOD	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	3	2	64
12. PACIFIC HAKE	0	0	98	*	*	*	*	*	*	1	1	86	*	*	*	1	0	108
13. SILVERSIDES	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	0	108
14. JACKSMELT	7	7	106	2	1	79	373	307	5	7	5	65	6	3	3	392	307	78
15. BLACK ROCKFISH	172	138	88	20	11	44	112	13	5	169	58	66	51	51	51	218	218	88
16. BLUE ROCKFISH	25	14	55	29	107	41	61	23	13	45	36	80	81	16	16	138	138	88
17. BROWN ROCKFISH	0	0	71	14	5	53	11	11	11	18	18	20	12	12	12	101	101	74
18. BOACCIO	*	*	*	25	1	53	4	1	35	37	15	6	35	35	35	91	91	50
19. CANARY ROCKFISH	20	13	68	37	8	23	11	5	43	8	4	54	28	24	24	101	101	74
20. CHILIEPEPPER ROCKFISH	*	*	*	40	0	180	16	7	18	6	6	106	82	16	16	91	91	50
21. COPPER ROCKFISH	3	2	76	40	11	28	1	1	18	3	3	50	35	35	35	15	15	31
22. GOPHER ROCKFISH	*	*	*	4	1	35	37	15	6	3	3	50	35	35	35	15	15	31
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	3	2	67	6	2	69	*	*	*	7	6	43
25. OLIVE ROCKFISH	*	*	*	3	1	46	4	2	47	12	5	38	33	24	24	15	15	43
26. GUILLIBACK ROCKFISH	0	0	66	4	2	43	3	2	63	5	6	56	27	17	17	15	15	43
27. ROSY ROCKFISH	0	1	165	2	1	63	4	3	53	3	3	63	20	13	13	15	15	43
28. STARRY ROCKFISH	*	*	*	2	1	63	4	3	53	3	3	63	20	13	13	15	15	43
29. VERMILLION ROCKFISH	0	0	100	3	2	47	*	*	*	5	2	48	16	9	9	10	10	39
30. WIDOW ROCKFISH	*	*	*	10	1	100	10	7	100	5	2	48	21	11	11	10	10	39
31. YELLOWTAIL ROCKFISH	0	0	61	68	19	29	10	7	66	26	2	29	19	8	8	21	21	62
33. ROCKFISHES, OTHER	4	2	51	68	19	29	10	7	66	26	2	29	19	8	8	21	21	62
34. KELP GREENLING	6	3	45	18	6	36	14	5	57	1	1	56	1	1	1	9	9	36
35. LINGCOD	31	15	47	15	9	57	3	1	38	49	27	55	6	4	51	107	107	50
36. GREENLINGS, OTHER	0	0	84	9	0	56	30	0	53	3	1	43	7	0	48	92	92	50
38. CABEZON	8	5	68	0	0	77	30	0	53	1	1	70	0	0	77	1	1	50
39. PAC. STAGHORN SCULPIN	*	*	*	2	1	70	38	0	68	157	61	39	29	18	18	21	21	50
40. SCULPINS, OTHER	0	0	57	*	*	*	46	15	32	157	61	39	29	18	18	21	21	50
43. KELP BASS	*	*	*	*	*	*	1	1	108	1	1	80	1	1	78	2	1	50
44. STRIPED BASS	*	*	*	1	0	73	34	10	88	11	4	57	4	2	58	1	1	50
48. WHITE CROAKER	*	*	*	*	*	*	68	18	27	61	39	29	18	18	21	21	50	
51. OPALEYE	*	*	*	*	*	*	46	15	32	157	61	39	29	18	18	21	21	50
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*	*	157	61	39	29	18	18	21	21	50
54. BLACK PERCH	*	*	*	1	1	100	34	26	75	5	4	73	0	0	100	40	40	50
55. PILE PERCH	1	0	85	0	0	100	17	10	58	3	2	72	0	0	100	21	21	50
56. REDTAIL SURFPERCH	59	52	87	4	2	54	70	31	44	0	0	100	3	0	100	143	143	50
57. RUBBERLIP SEAPERCH	*	*	*	0	0	74	41	16	46	2	1	47	3	3	100	38	38	50
58. SHINER PERCH	2	2	106	2	1	74	31	13	43	2	1	47	3	3	100	38	38	50
59. SILVER SURFPERCH	1	2	108	1	1	59	24	9	37	10	6	60	20	17	17	26	26	50
60. STRIPED SEAPERCH	6	7	110	27	11	41	68	23	44	25	15	66	0	0	100	40	40	50
61. WALLEYE SURFPERCH	5	4	74	0	0	100	19	14	36	8	5	59	4	4	100	28	28	50
62. WHITE SEAPERCH	5	3	52	9	5	53	41	26	61	5	3	49	20	19	19	27	27	50
63. SURFPERCHES, OTHER	0	0	104	9	5	53	16	11	36	11	8	70	20	19	19	27	27	50
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100
69. STARRY FLUNDER	0	0	81	0	0	100	45	14	36	9	4	45	36	23	23	46	46	100
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	45	11	36	5	3	58	15	12	12	77	77	100
71. PACIFIC SANDDAB	*	*	*	*	*	*	41	16	46	11	8	70	15	12	12	77	77	100
72. ROCK SOLE	*	*	*	0	0	63	*	*	*	*	*	*	0	0	0	1	1	0
73. FLATFISHES, OTHER	1	1	119	0	0	100	13	11	36	6	2	33	0	0	100	16	16	0
74. SALMONIDS	1	0	51	0	0	73	13	7	56	0	0	52	0	0	100	16	16	0
75. OTHER FISH	1	1	97	0	0	73	13	11	36	0	0	52	0	0	100	15	15	0
TOTAL	2,163	902	42	1,254	398	32	1,638	341	21	719	128	18	814	191	23	6,588	1068	16

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 26. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1981---DEC 1981.

GROUP	DEL NORTE / HUMBOLDT	MENDOCINO / SONOMA	SAN FRANCISCO OCEAN	BAY	SANTA CRUZ / MONTEREY	SAN LUIS OBISPO	TOTAL
01. LEOPARD SHARK	*	*	2	35	2	*	39
03. SHARK, OTHER	3	0	4	107	1	*	197
04. STURGEONS	*	*	2	35	*	*	36
05. PACIFIC HERRING	*	1	*	34	*	*	34
06. NORTHERN ANCHOVY	*	*	*	34	*	*	34
07. SURF SMELT	0	*	*	*	*	*	0
10. PACIFIC TOMCOD	*	*	8	1	*	*	9
14. JACKSMELT	0	*	0	102	0	1	4
15. BLACK ROCKFISH	7	*	*	*	*	*	7
16. BLUE ROCKFISH	0	0	2	*	9	40	52
17. BROWN ROCKFISH	0	*	*	32	0	*	32
18. BOCCACCIO	*	*	*	*	*	1	1
19. CANARY ROCKFISH	0	*	*	*	*	*	0
20. CHILIPEPPER ROCKFISH	*	*	*	*	1	*	1
21. COPPER ROCKFISH	0	*	*	*	*	0	0
22. GOPHER ROCKFISH	*	0	*	*	*	1	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	*	0
26. OLIVE ROCKFISH	*	*	*	*	*	0	0
27. ROSY ROCKFISH	0	*	*	*	0	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	0
33. ROCKFISHES, OTHER	6	2	15	25	68	12	129
34. KELP GREENLING	20	1	*	*	*	*	22
35. LINGODD	2	1	*	0	3	3	9
36. GREENLINGS, OTHER	0	3	*	*	1	*	4
38. CABEZON	1	1	1	0	0	1	4
39. PAC. STAGHORN SCULPIN	0	1	9	297	8	14	329
40. SCULPINS, OTHER	1	1	*	*	0	*	2
43. KELP BASS	*	0	*	*	*	*	0
44. STRIPED BASS	*	2	*	51	*	*	53
48. WHITE CROAKER	*	0	*	18	23	1	33
53. BARRED SURFPERCH	*	*	*	*	6	1	8
55. PILE PERCH	*	*	*	0	*	*	0
56. RETAIL SURFPERCH	5	0	1	*	*	*	6
57. RUBBERLIP SEAPERCH	*	*	*	5	*	*	5
58. SHINER PERCH	*	2	*	21	9	9	55
59. SILVER SURFPERCH	1	0	*	*	2	21	24
60. STRIPED SEAPERCH	0	0	6	1	2	0	8
61. WALLEYE SURFPERCH	0	0	*	2	0	*	4
62. WHITE SEAPERCH	0	*	0	*	0	*	1
63. SURFPERCHES, OTHER	5	1	20	31	41	5	102
65. PACIFIC BARRACUDA	*	*	*	*	*	0	0
66. PACIFIC BONITO	*	*	*	*	*	0	0
67. PACIFIC MACKEREL	*	1	*	*	3	28	32
69. STARRY FLUNDER	0	*	*	6	0	*	6
70. CALIFORNIA HALIBUT	*	*	*	*	*	1	1
71. PACIFIC SANDDAB	*	0	*	*	0	0	0
72. ROCK SOLE	*	0	*	*	*	*	0
73. FLATFISHES, OTHER	1	0	1	4	2	*	8
74. SALMONIDS	23	4	7	47	2	1	34
75. OTHER FISH	0	2	27	635	184	143	78
TOTAL	58	24	104	836	184	143	1,348

TABLE 27. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY COASTAL COUNTY DISTRICT AND MODE,  
JAN 1981---DEC 1981.

COASTAL COUNTY DISTRICT	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	3	4	5	7	38	0	*	58
MENDOCINO/SONOMA (NON-BOAT MODES)	9	1	*	6	*	*	*	16
MENDOCINO (BOAT MODES)	*	*	*	*	4	*	*	4
SONOMA (BOAT MODES)	*	*	*	*	3	*	*	4
SAN FRANCISCO	125	14	35	91	550	125	*	940
SANTA CRUZ/MONTEREY	45	11	*	33	32	*	*	184
SAN LUIS OBISPO	18	0	*	45	68	72	*	143
TOTAL	201	31	39	182	635	260	0	1,348

TABLE 28. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH & BANK	P/R BOAT	OPFV	BEACH & BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	8	*	*	2	29	*	*	*	39*
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	6	1	3	2	104	2	*	*	197
04. STURGEONS	0	*	*	*	30	6	*	*	36
05. PACIFIC HERRING	1	0	*	*	*	*	*	*	1
06. NORTHERN ANCHOVY	*	*	34	*	*	*	*	*	34
07. SURF SMELT	*	*	*	0	*	*	*	*	0
10. PACIFIC TOMCOD	8	*	*	*	*	1	*	*	9*
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	*	*	*
14. JACKSMELT	2	0	*	0	2	*	*	*	4
15. BLACK ROCKFISH	*	2	*	*	4	*	*	*	7
16. BLUE ROCKFISH	*	0	*	*	5	47	*	*	52
17. BROWN ROCKFISH	3	1	*	0	28	*	*	*	31
18. BOCCACCIO	1	*	*	*	*	*	*	*	1
19. CANARY ROCKFISH	*	0	*	*	*	*	*	*	0
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	1	*	*	0
21. COPPER ROCKFISH	0	0	*	*	0	*	*	*	0
22. GOPHER ROCKFISH	*	0	*	1	0	*	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	0	*	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	0	*	*	*	0
26. QUILLBACK ROCKFISH	*	*	*	*	0	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	0	*	*	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	*	0
33. ROCKFISHES, OTHER	7	1	*	5	44	73	*	*	129
34. KELP GREENLING	0	1	*	1	0	*	*	*	2
35. LINGODD	*	0	*	1	4	3	*	*	9
36. GREENLINGS, OTHER	*	0	*	33	10	*	*	1	4
38. CABEZON	*	0	*	33	1	*	*	*	4
39. PAC. STAGHORN SCULPIN	72	8	*	53	130	66	*	*	39
40. SCULPINS, OTHER	0	0	*	1	0	*	*	*	2
43. KELP BASS	*	0	*	*	*	*	*	*	0
44. STRIPED BASS	1	*	*	3	46	9	*	*	53
48. WHITE CRONKER	16	*	*	30	26	2	*	*	53
51. OPALEYE	*	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	0	*	*	7	*	*	*	*	8
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	0	*	*	*	*	0
56. REDTAIL SURPERCH	0	0	*	51	0	*	*	*	56
57. RUBBERLIP SURPERCH	2	*	*	0	2	*	*	*	52
58. SHINER PERCH	0	3	0	7	6	*	*	*	52
59. SILVER SURPERCH	0	0	0	23	*	*	*	*	24
60. STRIPED SEAPERCH	0	6	*	10	20	*	*	*	44
61. WALLEYE SURPERCH	1	2	*	0	*	*	*	*	4
62. WHITE SEAPERCH	0	*	*	0	*	*	*	*	4
63. SURPERCHES, OTHER	27	2	2	55	18	*	*	*	18
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	6	*	*	*	4	22	*	*	61
69. STARRY FLounder	*	0	*	0	5	1	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	1	*	*	*	1
71. PACIFIC SANDAB	0	*	*	*	0	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	3	1	*	1	1	3	*	*	8
74. SALMONIDS	4	*	*	1	23	7	*	*	34
75. OTHER FISH	7	1	*	6	47	17	*	*	78
TOTAL	201	31	39	182	635	260	0	1	1,348

TABLE 29. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
17. BROWN ROCKFISH	*	0	*	0	*	*	*	*	0
19. CANARY ROCKFISH	*	0	*	*	*	*	*	*	0
21. COPPER ROCKFISH	*	0	*	*	*	*	*	*	0
26. GUTTLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	0	*	*	*	0
29. VENNILION ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	0	0	*	*	6	*	*	*	6
34. KELP GREENLING	0	1	*	1	0	*	*	*	2
35. LINGCOD	*	*	*	10	2	*	*	*	0
36. GREENLINGS, OTHER	*	0	*	*	*	*	*	*	1
38. CABEZON	*	0	*	1	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	*	0	*	0	*	*	*	*	0
40. SCULPINS, OTHER	0	0	*	0	0	*	*	*	1
55. PILE PERCH	*	*	*	*	*	*	*	*	0
56. REDTAIL SURPERCH	0	0	*	4	0	*	*	*	5
58. SHINER PERCH	*	*	*	*	*	*	*	*	*
59. SILVER SURPERCH	*	0	0	1	*	*	*	*	1
60. STRIPED SEAPERCH	0	0	*	0	*	*	*	*	1
61. WALLEYE SURPERCH	0	0	*	*	0	*	*	*	0
62. WHITE SEAPERCH	0	*	*	0	*	*	*	*	0
63. SURPERCHES, OTHER	1	0	2	*	2	*	*	*	0
69. STARRY FLAUNDER	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	1	0	*	0	*	*	*	*	1
74. SALMONIDS	*	*	*	0	25	*	*	*	23
75. OTHER FISH	*	0	*	*	0	*	*	*	0
TOTAL	3	4	5	7	38	0	0	0	58

TABLE 30. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO/SONOMA  
(NON-BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	0	0	*	*	*	*	*	*	0
05. PACIFIC HERRING	1	0	*	*	*	*	*	*	1
07. SURF SMELT	*	*	*	*	*	*	*	*	*
14. JACKSMELT	*	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	0	*	*	*	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	0	*	*	*	*	*	*	0
34. KELP GREENLING	*	*	*	0	*	*	*	*	0
35. LINGCOD	*	0	*	0	*	*	*	*	0
36. GREENLINGS, OTHER	*	*	*	30	*	*	*	*	30
38. CABEZON	*	0	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*	*	*
40. SCULPINS, OTHER	0	0	*	0	*	*	*	*	1
43. KELP BASS	*	0	*	*	*	*	*	*	0
44. STRIPED BASS	*	*	*	*	*	*	*	*	*
48. WHITE CROAKER	*	*	*	0	*	*	*	*	0
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	0	*	0	*	*	*	*	0
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	2	*	*	0	*	*	*	*	2
59. SILVER SURFPERCH	*	*	*	00	*	*	*	*	00
60. STRIPED SURFPERCH	*	*	*	00	*	*	*	*	0
61. WALLEYE SURFPERCH	0	*	*	*	*	*	*	*	0
62. WHITE SURFPERCH	*	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	1	0	*	*	*	*	*	*	1
69. STARRY FLUNDER	*	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
74. SALMONIDS	4	*	*	0	*	*	*	*	4
75. OTHER FISH	1	*	*	0	*	*	*	*	2
TOTAL	9	1	0	6	0	0	0	0	16

TABLE 31. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	0	*	*	*	0
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. GUILDBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	1	*	*	*	1
34. KELP GREENLING	*	*	*	*	0	*	*	*	0
35. LINGCOD	*	*	*	*	0	*	*	*	0
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	0	*	*	*	0
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	1	*	*	*	1
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	*	0
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	*	0
74. SALMONIDS	*	*	*	*	0	*	*	*	0
75. OTHER FISH	*	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	4	0	0	0	4

TABLE 32. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. GUILDBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	*	1	*	*	1
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	*	0	*	*	*	0
39. PAC. STAGHORN SCULPIN	*	*	*	*	1	*	*	*	*
44. STRIPED BASS	*	*	*	*	2	*	*	*	2
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	3	1	0	0	4

TABLE 33. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	8	*	*	2	28	*	*	*	37*
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	6	1	*	1	163	1	*	*	191
04. STURGEONS	0	*	*	*	30	6	*	*	36
05. NORTHERN ANCHOVY	*	*	34	*	*	*	*	*	34
07. SURF SMELT	*	*	*	*	*	*	*	*	*
10. PACIFIC TOMCOD	8	*	*	*	*	1	*	*	9
14. JACKSMELT	1	*	*	*	1	*	*	*	3
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	1	1	*	*	2
17. BROWN ROCKFISH	3	1	*	0	28	*	*	*	32
18. BOCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	6	1	*	4	19	11	*	*	41
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	*	0	*	0	*	*	*	*	0
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	1	*	*	*	*	1
39. PAC. STAGHORN SCULPIN	66	4	*	41	128	66	*	*	305*
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	*
43. KELP BASS	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	1	*	*	3	38	9	*	*	51
48. WHITE CROAKER	*	*	*	*	16	22	*	*	18
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	0	*	*	*	*	0
56. REDTAIL SURFPERCH	*	*	*	1	*	*	*	*	*
57. RUBBERLIP SURFPERCH	2	*	*	1	2	*	*	*	15
58. SHINER PERCH	10	1	0	3	6	*	*	*	21*
59. SILVER SURFPERCH	*	6	*	1	*	*	*	*	7
60. STRIPED SURFPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	*	*	*	*	2	*	*	*	2
62. WHITE SURFPERCH	0	*	*	*	*	*	*	*	0
63. SURFPERCHES, OTHER	6	*	*	29	16	5	*	*	51
69. STARRY FLOUNDER	*	*	*	*	*	1	*	*	6
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	*	*	1	0	3	*	*	5
74. SALMONIDS	*	*	*	*	*	7	*	*	7
75. OTHER FISH	6	1	*	5	46	17	*	*	74
TOTAL	125	14	35	91	550	125	0	0	940

TABLE 34. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	2	*	*	*	2
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	*	1	*	*	2	1	*	*	4
04. STURGEONS	*	*	*	*	2	*	*	*	2
07. SURF SMELT	*	*	*	*	*	*	*	*	*
10. PACIFIC TOMOD	5	*	*	*	*	*	*	*	8
14. JACKSMELT	0	*	*	*	*	*	*	*	0*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	1	1	*	*	2
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	1	*	2	2	11	*	*	15
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	*	*	*	*	*	*
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	1	*	*	*	*	1
39. PAC. STAGHORN SCULPIN	2	4	*	2	1	*	*	*	9
43. KELP BASS	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	*	*	*	*	*	*
48. WHITE CROAKER	*	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	*	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	1	*	*	*	*	1
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	*	*	*	*	*	*	*	*	*
59. SILVER SURPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	6	*	*	*	*	*	*	6
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	0	*	*	*	*	*	*	*	0
63. SURPERCHES, OTHER	1	*	*	18	1	*	*	*	20
69. STARRY FLOUNDER	*	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	1	*	*	*	*	1
74. SALMONIDS	*	*	*	*	*	7	*	*	7
75. OTHER FISH	1	1	*	*	20	6	*	*	27
TOTAL	13	12	0	24	29	26	0	0	104

TABLE 35. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	8	*	*	2	26	*	*	*	35*
02. SPINY DOGFISH	*	*	*	1	181	*	*	*	187
03. SHARK, OTHER	6	*	*	*	29	6	*	*	35
04. STURGEONS	*	*	34	*	*	*	*	*	34
05. NORTHERN ANCHOVY	*	*							
10. PACIFIC TOMODD	*	*	*	*	*	1	*	*	1
14. JACKSMELT	1	*	*	*	1	*	*	*	2*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	3	1	*	0	28	*	*	*	12
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	6	*	*	2	17	*	*	*	26*
34. KELP GREENLING	*	*	*	*	*	*	*	*	0
35. LINGCOD	*	0	*	0	*	*	*	*	0
36. CABEZON	*	*	*	0	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	64	*	*	39	127	66	*	*	297
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	51*
44. STRIPED BASS	1	*	*	3	38	9	*	*	51
48. WHITE CROAKER	*	*	*	*	16	2	*	*	18*
53. BARRED SURPERCH	*	*	*	*	*	*	*	*	
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	0
56. REDTAIL SURPERCH	*	*	*	0	*	*	*	*	*
57. RUBBERLIP SURPERCH	2	*	*	1	2	*	*	*	5
58. SHINER PERCH	10	1	0	3	6	*	*	*	21
59. SILVER SURPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	1	*	*	*	*	12*
61. WALLEYE SURPERCH	*	*	*	*	2	*	*	*	2
62. WHITE SEAPERCH	*	*	*	*	4	*	*	*	*
63. SURPERCHES, OTHER	5	*	*	11	15	*	*	*	31
69. STARRY FLOUNDER	*	*	*	*	5	1	*	*	6*
70. CALIFORNIA HALIBUT	*	*	*	*	4	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	*	*	*	0	3	*	*	4
74. SALMONIDS	*	*	*	*	*	*	*	*	*
75. OTHER FISH	5	*	*	5	26	11	*	*	47
TOTAL	112	2	35	67	521	99	0	0	836

TABLE 36. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	1	*	*	*	2*
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	1*
03. SHARK, OTHER	*	*	*	0	0	0	*	*	1*
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	0
14. JACKSMELT	*	0	*	*	*	*	*	*	0
16. BLUE ROCKFISH	*	*	*	*	3	7	*	*	9
17. BROWN ROCKFISH	0	*	*	*	*	*	*	*	0*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	1	*	*	1
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	*	0*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	*	0
33. ROCKFISHES, OTHER	*	0	*	1	17	50	*	*	68*
34. KELP GREENLING	*	*	*	*	1	2	*	*	3
35. LINGCOD	*	*	*	*	*	*	*	*	1
36. GREENLINGS, OTHER	*	*	*	*	0	0	*	*	10
38. CABEZON	*	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	3	4	*	1	*	*	*	*	8
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0*
43. KELP BASS	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	*	*	*	*	*	*
48. WHITE CROAKER	15	*	*	0	8	*	*	*	23
53. BARRED SURFPERCH	*	*	*	6	*	*	*	*	6
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. RETAIL SURFPERCH	*	*	*	*	*	*	*	*	*
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	7	2	*	*	*	*	*	*	9
59. SILVER SURFPERCH	*	*	*	2	*	*	*	*	2*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*	2
61. WALLEYE SURFPERCH	*	2	*	*	*	*	*	*	0
62. WHITE SEAPERCH	*	*	*	0	*	*	*	*	0
63. SURFPERCHES, OTHER	18	1	*	22	*	*	*	*	41*
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	3
67. PACIFIC MACKEREL	*	*	*	*	1	2	*	*	0
69. STARRY FLUNDER	*	*	*	0	*	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	*	0
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	1	*	*	*	*	*	*	2
75. OTHER FISH	*	0	*	*	1	1	*	*	0
TOTAL	45	11	0	33	32	62	0	1	184

TABLE 37. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN LUIS OBISPO,  
JAN 1981--DEC 1981.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	0	*	*	1	0	*	*	*	1
14. JACKSMELT	1	*	*	0	0	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	2	39	*	*	40
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCACCIO	1	*	*	*	*	*	*	*	1
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	0	*	*	*	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	1	0	*	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	0	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERNILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	*	0
33. ROCKFISHES, OTHER	*	*	*	0	*	12	*	*	12
34. KELP GREENLING	*	*	*	*	1	1	*	*	3
35. LINGCOD	*	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	1	*	*	*	*	1
39. PAC. STAGHORN SCULPIN	2	*	*	11	1	*	*	*	14
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	*	*	*	*	*	*
48. WHITE CROAKER	1	*	*	*	0	*	*	*	1
51. OPALEYE	*	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	0	*	*	1	*	*	*	*	1
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	5	*	*	4	*	*	*	*	9
59. SILVER SURPERCH	0	*	*	21	*	*	*	*	21
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	0	*	*	*	*	0
63. SURPERCHES, OTHER	1	*	*	4	*	*	*	*	5
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	6	*	*	*	1	20	*	*	28
69. STARRY FLUNDER	*	*	*	*	1	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	1
71. PACIFIC SANDDAB	0	*	*	*	*	*	*	*	0
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	1	*	*	*	*	*
75. OTHER FISH	0	*	*	*	*	*	*	*	0
TOTAL	18	0	0	45	8	72	0	0	143

TABLE 38. ESTIMATED THOUSANDS OF FISH CAUGHT BY TYPE, WAVE, AND COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

WAVE	COASTAL COUNTY DISTRICT	CATCH TYPE A	CATCH TYPE B3	CATCH TYPE B4	TOTAL
JAN/FEB	DEL NORTE/HUMBOLDT	16	0	2	19
	MENDOCINO/SONOMA	77	55	4	77
	S. F. OCEAN	95	55	23	133
	S. F. BAY	71	25	44	120
	SANTA CRUZ/MONTEREY	151	19	42	216
	SAN LUIS OBISPO	131	19	42	183
	TOTAL	535	53	308	886
MAR/APR	DEL NORTE/HUMBOLDT	8	0	2	10
	MENDOCINO/SONOMA	373	28	33	376
	S. F. OCEAN	78	28	6	102
	S. F. BAY	518	28	115	633
	SANTA CRUZ/MONTEREY	53	9	11	113
	SAN LUIS OBISPO	102	9	0	112
	TOTAL	1,131	110	136	1,377
MAY/JUN	DEL NORTE/HUMBOLDT	269	43	11	323
	MENDOCINO/SONOMA	318	33	6	327
	S. F. OCEAN	67	16	29	111
	S. F. BAY	177	19	26	265
	SANTA CRUZ/MONTEREY	155	86	46	287
	SAN LUIS OBISPO	134	7	3	144
	TOTAL	1,121	173	364	1,658
JUL/AUG	DEL NORTE/HUMBOLDT	1,476	12	13	1,501
	MENDOCINO/SONOMA	205	13	8	216
	S. F. OCEAN	54	6	4	64
	S. F. BAY	153	16	102	271
	SANTA CRUZ/MONTEREY	34	131	36	201
	SAN LUIS OBISPO	156	23	47	227
	TOTAL	2,077	201	210	2,488
SEP/OCT	DEL NORTE/HUMBOLDT	330	1	4	335
	MENDOCINO/SONOMA	255	13	3	261
	S. F. OCEAN	211	34	9	234
	S. F. BAY	98	35	47	130
	SANTA CRUZ/MONTEREY	59	35	7	91
	SAN LUIS OBISPO	236	18	47	291
	TOTAL	1,169	123	116	1,408
NOV/DEC	DEL NORTE/HUMBOLDT	64	17	28	106
	MENDOCINO/SONOMA	525	41	13	558
	S. F. OCEAN	63	53	110	126
	S. F. BAY	53	74	42	169
	SANTA CRUZ/MONTEREY	267	3	5	275
	SAN LUIS OBISPO	54	3	11	66
	TOTAL	554	167	214	936
	GRAND TOTAL	6,588	826	1,348	8,763

TABLE 39. ESTIMATED THOUSANDS OF PARTICIPANTS IN MARINE RECREATIONAL FISHING BY COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	COASTAL PARTICIPANTS	NON-COASTAL PARTICIPANTS	OUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT	22	20	8	50
STD ERR	31	28	3	62
MENDOCINO/SONOMA (NON-BOAT MODES)	26	7	* * *	33
STD ERR	34	1	* * *	35
MENDOCINO (BOAT MODES)	4	1	* * *	5
STD ERR	6	1	* * *	7
SONOMA (BOAT MODES)	4	*	* * *	4
STD ERR	4	*	* * *	4
SAN FRANCISCO	228	282	28	538
STD ERR	357	369	39	765
SANTA CRUZ/MONTEREY	76	88	11	173
STD ERR	98	108	12	218
SAN LUIS OBISPO	14	20	5	40
STD ERR	21	22	6	46
TOTAL	572	99	89	759
STD ERR	403	46	51	500

TABLE 40. ESTIMATED THOUSANDS OF FISHING TRIPS BY COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	126	38	24	189
STD ERR	45	44	55	72
MENDOCINO/SONOMA	103	20	33	127
STD ERR	36	17	7	50
MENDOCINO (BOAT MODES)	24	16	3	43
STD ERR	12	13	6	19
SONOMA (BOAT MODES)	12	13	1	57
STD ERR	0	2	2	2
SAN FRANCISCO	1,299	88	42	1,427
STD ERR	110	88	28	120
SANTA CRUZ/MONTEREY	336	40	16	392
STD ERR	75	33	27	86
SAN LUIS OBISPO	73	49	39	211
STD ERR	23	31	61	72
TOTAL	2,010	236	180	2,426
STD ERR	147	77	81	185

TABLE 41. ESTIMATED THOUSANDS OF FISHING TRIPS BY MODE AND COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	MODE	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	PIER & DOCK	12	0	5	17
	STD ERR	15	2	19	26
	JETTY & BREAKWATER	7	5	4	10
	STD ERR	7	1	1	9
	BRIDGE & CAUSEWAY	2	2	2	4
	STD ERR	2	1	1	3
	B/B - H & L	47	17	12	76
	STD ERR	47	24	12	83
	P/R BOAT	57	18	27	92
	STD ERR	57	18	27	92
	CPFV	31	*	0	31
	STD ERR	31	*	0	31
	SPEAR	3	1	0	3
	STD ERR	1	2	0	2
	TOTAL	126	38	56	189
	STD ERR	125	44	56	189
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	8	2	0	10
	STD ERR	8	2	0	10
	JETTY & BREAKWATER	4	1	1	6
	STD ERR	4	1	1	6
	B/B - H & L	78	55	22	155
	STD ERR	78	55	22	155
	SPEAR	38	26	6	60
	STD ERR	38	26	6	60
	TOTAL	103	20	3	127
	STD ERRS	103	17	7	127
MENDOCINO (BOAT MODES)	P/R BOAT	17	6	3	26
	STD ERR	12	10	6	18
	CPFV	7	8	2	9
	STD ERR	3	8	2	9
	TOTAL	24	16	3	43
	STD ERR	24	13	6	43
SONOMA (BOAT MODES)	P/R BOAT	24	4	1	29
	STD ERR	20	1	0	21
	CPFV	26	3	1	28
	STD ERR	20	1	1	21
	TOTAL	48	7	1	57
	STD ERR	40	2	1	57
SAN FRANCISCO	PIER & DOCK	238	2	6	246
	STD ERR	233	4	9	235
	JETTY & BREAKWATER	50	1	4	54
	STD ERR	50	1	4	54
	BRIDGE & CAUSEWAY	4	2	0	4
	STD ERR	4	2	0	4
	B/B - H & L	28	*	0	28
	STD ERR	28	*	0	28
	P/R BOAT	55	3	10	73
	STD ERR	55	3	10	73
	CPFV	24	6	13	43
	STD ERR	24	6	13	43
	SPEAR	188	31	9	228
	STD ERR	185	31	9	226
	STD ERR	2	*	0	2
	TOTAL	1,299	66	42	1,407
	STD ERR	1,110	58	42	1,200

(CONTINUED)

TABLE 41. (CONTINUED)

SANTA CRUZ/MONTEREY	PIER & DOCK STD ERR	38	15	2	109
	JETTY & BREAKWATER STD ERR	57	15	2	41
	B/B - H & L STD ERR	29	15	2	41
	P/R BOAT STD ERR	48	14	2	33
	CPFV STD ERR	35	15	2	35
	SPEAR STD ERR	29	10	0	11
	TOTAL STD ERR	156	40	16	392
		75	33	27	86
SAN LUIS OBISPO	PIER & DOCK STD ERR	9	8	10	28
	JETTY & BREAKWATER STD ERR	8	13	0	7
	B/B - H & L STD ERR	7	*	0	10
	P/R BOAT STD ERR	10	17	0	13
	CPFV STD ERR	26	22	0	16
	SPEAR STD ERR	21	14	0	14
	TOTAL STD ERR	73	49	99	211
		23	31	61	72
	GRAND TOTAL STD ERR	2,010 147	236 77	180 81	2,426 185

TABLE 42. ESTIMATES FROM INTERCEPT SURVEY DATA OF MEAN NUMBER OF HOURS FISHED BY COASTAL COUNTY DISTRICT AND MODE, JAN 1981--DEC 1981.

MODE	COASTAL COUNTY DISTRICT	MEAN	MEDIAN	STD DEV
PIER & DOCK	DEL NORTE/HUMBOLDT	2.2	2.0	1.248
	MENDOCINO/SONOMA	2.4	2.0	0.953
	SAN FRANCISCO	2.5	2.0	1.897
	SANTA CRUZ/MONTEREY	2.6	2.0	2.087
	SAN LUIS OBISPO	2.6	2.0	1.533
JETTY & BREAKWATER	DEL NORTE/HUMBOLDT	2.6	2.5	1.576
	MENDOCINO/SONOMA	2.9	2.5	1.731
	SAN FRANCISCO	3.3	2.5	2.038
	SANTA CRUZ/MONTEREY	2.7	2.5	1.570
	SAN LUIS OBISPO	2.5	2.5	*
BRIDGE & CAUSEWAY	DEL NORTE/HUMBOLDT	2.7	3.0	1.322
	SAN FRANCISCO	6.2	4.8	4.423
	SAN LUIS OBISPO	1.0	1.0	*
BEACH/BANK - H&L	DEL NORTE/HUMBOLDT	2.6	2.0	1.793
	MENDOCINO/SONOMA	3.1	2.0	2.013
	SAN FRANCISCO	3.4	2.0	1.743
	SANTA CRUZ/MONTEREY	2.1	2.0	1.684
	SAN LUIS OBISPO	2.6	2.0	1.965
P/R BOAT	DEL NORTE/HUMBOLDT	4.0	4.0	1.480
	MENDOCINO (BOAT MODES)	3.8	4.0	1.830
	SONOMA (BOAT MODES)	4.7	5.0	1.999
	SAN FRANCISCO	5.9	6.0	2.234
	SANTA CRUZ/MONTEREY	4.3	4.0	1.640
	SAN LUIS OBISPO	3.6	4.0	1.436
CPFV	DEL NORTE/HUMBOLDT	4.8	5.0	0.751
	MENDOCINO (BOAT MODES)	4.5	4.5	0.606
	SONOMA (BOAT MODES)	6.7	7.0	1.262
	SAN FRANCISCO	7.8	8.0	1.272
	SANTA CRUZ/MONTEREY	5.3	5.0	1.381
	SAN LUIS OBISPO	3.7	4.0	0.901
SPEAR	DEL NORTE/HUMBOLDT	1.5	1.0	1.047
	MENDOCINO/SONOMA	1.4	1.0	0.754
	SAN FRANCISCO	3.5	3.5	1.643
	SANTA CRUZ/MONTEREY	0.7	0.5	0.485

TABLE 43. TABULATION OF PRIMARY GROUP SOUGHT BY COASTAL COUNTY DISTRICT, JAN 1981--DEC 1981.

DEL NORTE/HUMBOLDT			SAN FRANCISCO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	75	45.67	75. OTHER FISH	1268	47.23
63. SURFPERCHES, OTHER	284	16.74	44. STRIPED BASS	468	15.08
56. REDTAIL SURFPERCH	173	10.19	63. SURFPERCHES, OTHER	362	12.74
35. LINGCOD	150	8.84	04. STURGEONS	278	10.35
74. SALMONIDS	98	5.66	33. ROCKFISHES, OTHER	168	3.84
33. ROCKFISHES, OTHER	56	3.30	03. SHARK, OTHER	98	3.13
15. BLACK ROCKFISH	47	2.77	14. JACKSMELT	55	2.09
07. SURF SMELT	44	2.59	48. WHITE CROAKER	32	1.24
03. SHARK, OTHER	16	0.94	73. FLATFISHES, OTHER	50	1.86
34. GREENLINGS, OTHER	14	0.83	35. LINGCOD	12	0.45
34. KELP GREENLING	13	0.77	74. SALMONIDS	11	0.41
38. CABEZON	12	0.71	01. LEOPARD SHARK	5	0.19
14. JACKSMELT	5	0.29	70. CALIFORNIA HALIBUT	5	0.19
73. FLATFISHES, OTHER	5	0.29	06. NORTHERN ANCHOVY	3	0.11
60. STRIPED SEAPERCH	2	0.12	36. GREENLINGS, OTHER	3	0.11

MENDOCINO/SONOMA			SANTA CRUZ/MONTEREY		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	801	74.30	75. OTHER FISH	1308	72.99
63. SURFPERCHES, OTHER	95	8.81	63. SURFPERCHES, OTHER	239	13.34
35. LINGCOD	30	2.78	33. ROCKFISHES, OTHER	169	8.31
33. ROCKFISHES, OTHER	28	2.41	35. LINGCOD	51	2.85
07. SURF SMELT	29	2.32	73. FLATFISHES, OTHER	17	0.95
38. CABEZON	21	1.83	53. BARRED SURFPERCH	9	0.50
36. GREENLINGS, OTHER	16	1.39	48. WHITE CROAKER	7	0.39
05. PACIFIC HERRING	15	1.39	38. CABEZON	3	0.17
73. FLATFISHES, OTHER	11	1.03	01. LEOPARD SHARK	2	0.11
74. SALMONIDS	11	1.03	16. BLUE ROCKFISH	2	0.11
58. SHINER PERCH	7	0.65	44. STRIPED BASS	2	0.11
56. REDTAIL SURFPERCH	6	0.56	03. SHARK, OTHER	1	0.06
60. STRIPED SEAPERCH	5	0.46	06. NORTHERN ANCHOVY	1	0.06
10. PACIFIC TOMODD	4	0.37	45. SEA BASSES, OTHER	1	0.06
08. SMELTS, OTHER	3	0.28			

MENDOCINO (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	179	67.29	75. OTHER FISH	794	55.41
74. SALMONIDS	59	22.18	63. SURFPERCHES, OTHER	199	13.89
35. LINGCOD	24	9.02	33. ROCKFISHES, OTHER	168	7.54
16. BLUE ROCKFISH	2	0.75	70. CALIFORNIA HALIBUT	83	5.79
33. ROCKFISHES, OTHER	2	0.75	67. PACIFIC MACKEREL	78	5.44

SONOMA (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	159	66.25	75. OTHER FISH	794	55.41
33. ROCKFISHES, OTHER	62	25.83	63. SURFPERCHES, OTHER	199	13.89
44. STRIPED BASS	12	5.00	33. ROCKFISHES, OTHER	168	7.54
35. LINGCOD	5	2.08	70. CALIFORNIA HALIBUT	83	5.79
04. STURGEONS	2	0.83	67. PACIFIC MACKEREL	78	5.44

**TABLE 44.** FREQUENCY DISTRIBUTION OF NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1981--DEC 1981. THE TOP NUMBER IN EACH CELL IS THE NUMBER OF FISHERS IN EACH CATCH SIZE, AND THE BOTTOM NUMBER IS THE PERCENTAGE OF THE DISTRICT TOTAL.

PIER & DOCK											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	76 58.27	7 5.51	5 3.94	13 10.24	6 4.72	16 12.60	6 4.72	0 0.00	0 0.00	0 0.00	127
MENDOCINO/SONOMA	43 40.57	11 10.38	10 9.43	8 7.55	7 6.60	18 16.98	2 1.89	2 1.89	2 1.89	3 2.83	106
SAN FRANCISCO	453 62.92	88 12.22	55 7.64	26 3.33	44 6.11	36 5.00	5 0.69	9 1.25	1 0.14	5 0.69	720
SANTA CRUZ/ MONTEREY	174 63.27	37 13.45	17 6.18	16 5.82	10 3.64	12 4.36	5 1.82	2 0.73	0 0.00	2 0.73	275
SAN LUIS OBISPO	314 54.90	65 11.36	52 9.09	25 4.02	35 6.12	68 11.01	19 3.32	1 0.17	0 0.00	0 0.00	572
TOTAL	1058	208	139	84	102	145	37	14	3	10	1800

JETTY & BREAKWATER											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	402 58.18	87 12.59	69 9.99	25 3.62	59 8.54	35 5.07	9 1.30	3 0.43	1 0.14	1 0.14	691
MENDOCINO/SONOMA	300 82.64	34 9.37	15 4.13	3 0.83	6 1.65	4 1.10	1 0.28	0 0.00	0 0.00	0 0.00	363
SAN FRANCISCO	58 69.88	7 8.43	4 4.82	1 1.20	11 13.25	2 2.41	0 0.00	0 0.00	0 0.00	0 0.00	83
SANTA CRUZ/ MONTEREY	193 67.96	49 17.25	8 2.82	9 3.17	11 3.87	10 3.52	3 1.06	1 0.35	0 0.00	0 0.00	264
SAN LUIS OBISPO	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
TOTAL	953	178	96	38	87	51	13	4	1	1	1422

BRIDGE & CAUSEWAY											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-25	21-25	OVER 25	TOTAL	
DEL NORTE/ HUMBOLDT	20 62.50	3 9.38	1 3.13	1 3.13	3 9.38	4 12.50	0 0.00	0 0.00	0 0.00	32	
SAN FRANCISCO	2 33.33	3 50.00	0 0.00	0 0.00	0 0.00	0 0.00	1 16.67	1 16.67	0 0.00	6	
SAN LUIS OBISPO	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	1	
TOTAL	22	6	1	1	4	4	1	1	1	39	

BEACH/BANK - HOOK & LINE											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	294 53.16	69 12.48	39 7.05	12 2.17	34 6.15	29 5.24	6 1.08	2 0.36	0 0.00	68 12.30	553
MENDOCINO/SONOMA	337 59.44	77 13.58	47 8.29	29 5.11	23 4.06	20 3.53	4 0.71	3 0.53	1 0.18	26 4.59	567
SAN FRANCISCO	392 66.67	55 9.35	24 4.08	38 6.46	29 4.93	39 6.63	7 1.19	0 0.00	2 0.34	2 0.34	588
SANTA CRUZ/ MONTEREY	213 42.43	66 12.75	56 11.16	48 9.56	60 11.95	49 9.76	8 1.59	2 0.40	1 0.20	1 0.20	502
SAN LUIS OBISPO	192 60.19	32 10.03	25 7.84	18 5.64	23 7.21	20 6.27	6 1.88	0 0.00	2 0.63	1 0.31	319
TOTAL	1428	297	191	145	169	157	31	7	6	98	2529

(CONTINUED)

TABLE 44. (CONTINUED)

NUMBER CAUGHT	P/R BOAT										
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	173 55.99	18 5.83	8 2.59	6 1.94	16 5.18	49 15.86	23 7.44	13 4.21	0 0.00	3 0.97	309
MENDOCINO/SONOMA	0 0.00	0 0.00	0 0.00	3 42.86	2 28.57	1 14.29	1 14.29	0 0.00	0 0.00	0 0.00	7
MENDOCINO (BOAT MODES)	28 41.12	11 5.14	15 7.01	21 9.81	29 13.55	23 10.75	13 6.07	11 5.14	0 0.00	3 1.40	214
SONOMA (BOAT MODES)	112 75.17	15 10.07	10 6.71	2 1.34	4 2.68	3 2.01	2 1.34	1 0.67	0 0.00	0 0.00	149
SAN FRANCISCO	447 56.58	98 12.41	45 5.70	35 4.43	71 8.99	52 6.58	19 2.41	10 1.27	3 0.38	10 1.27	790
SANTA CRUZ/ MONTEREY	163 43.47	37 9.87	30 8.00	31 8.27	49 13.07	38 10.13	17 4.53	4 1.07	6 1.60	0 0.00	375
SAN LUIS OBISPO	99 25.26	34 8.67	39 9.95	22 5.61	19 4.85	61 15.56	85 21.68	27 6.89	5 1.28	1 0.26	392
TOTAL	1082	213	147	120	190	227	160	66	14	17	2236
CPFV											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	7 53.85	0 0.00	0 0.00	0 0.00	0 0.00	6 46.15	0 0.00	0 0.00	0 0.00	0 0.00	13
MENDOCINO (BOAT MODES)	0 0.00	0 0.00	5 9.62	0 0.00	0 0.00	6 11.54	34 65.38	7 13.46	0 0.00	0 0.00	52
SONOMA (BOAT MODES)	20 24.39	0 0.00	0 0.00	3 3.66	10 12.20	26 29.27	16 19.51	7 8.54	0 0.00	2 2.44	82
SAN FRANCISCO	211 64.13	31 9.42	12 3.65	7 2.13	18 5.47	32 9.73	15 4.56	3 0.91	0 0.00	0 0.00	329
SANTA CRUZ/ MONTEREY	7 3.26	2 0.93	4 1.86	8 3.72	27 12.56	55 25.58	60 27.91	17 7.91	6 2.79	29 13.49	215
SAN LUIS OBISPO	3 2.70	0 0.00	2 1.80	4 3.60	6 3.60	26 23.42	25 22.52	30 27.03	13 11.71	4 3.60	111
TOTAL	248	33	23	22	59	149	150	64	19	35	802
SPEAR											
NUMBER CAUGHT	0	6-10	16-20	21-25	TOTAL						
DEL NORTE/ HUMBOLDT	8 100.00	0 0.00	0 0.00	0 0.00	8						
MENDOCINO/SONOMA	18 94.74	1 5.26	0 0.00	0 0.00	19						
SAN FRANCISCO	5 100.00	0 0.00	0 0.00	0 0.00	5						
SANTA CRUZ/ MONTEREY	3 60.00	0 0.00	1 20.00	1 20.00	5						
TOTAL	34	1	1	1	37						

TABLE 45. AVERAGE NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	MODE	MEAN CATCH
DEL NORTE/HUMBOLDT	PIER & DOCK	2.1
	JETTY & BREAKWATER	1.5
	BRIDGE & CAUSEWAY	1.6
	B/B - H & L	20.1
	P/R BOAT	3.6
	CPFV	2.7
	SPEAR	0.0
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	4.8
	JETTY & BREAKWATER	0.4
	B/B - H & L	8.1
	SPEAR	0.5
MENDOCINO (BOAT MODES)	P/R BOAT	6.6
	CPFV	12.9
SONOMA (BOAT MODES)	P/R BOAT	0.8
	CPFV	10.7
SAN FRANCISCO	PIER & DOCK	1.7
	JETTY & BREAKWATER	0.8
	BRIDGE & CAUSEWAY	4.7
	B/B - H & L	1.4
	P/R BOAT	2.5
	CPFV	1.9
	SPEAR	0.0
SANTA CRUZ/MONTEREY	PIER & DOCK	1.6
	JETTY & BREAKWATER	1.0
	B/B - H & L	2.2
	P/R BOAT	2.9
	CPFV	13.6
	SPEAR	7.6
SAN LUIS OBISPO	PIER & DOCK	2.0
	JETTY & BREAKWATER	1.0
	BRIDGE & CAUSEWAY	4.0
	B/B - H & L	1.7
	P/R BOAT	6.1
	CPFV	13.6

TABLE 46. TABULATION OF LOCATION OF RESIDENCE OF FISHERS BY COASTAL COUNTY DISTRICT OF INTERCEPT SURVEY INTERVIEW, JAN 1981--DEC 1981.

COASTAL COUNTY DISTRICT	COASTAL AREA	REST OF STATE	OUT OF STATE	TOTAL
				NUMBER
DEL NORTE/HUMBOLDT	75.7	19.9	4.4	1697
MENDOCINO/SONOMA (NON-BOAT MODES)	81.0	16.5	2.5	1078
MENDOCINO (BOAT MODES)	62.8	31.2	6.0	266
SONOMA (BOAT MODES)	86.3	12.1	1.7	240
SAN FRANCISCO	94.0	3.4	2.6	265
SANTA CRUZ/MONTEREY	89.0	8.1	2.9	1792
SAN LUIS OBISPO	37.6	59.0	3.4	1433
TOTAL NUMBER	7189	1709	293	9191

TABLE 47. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT,  
JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BEACH BANK	BANK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*		12	*	*	12
2 SPINY DOGFISH	*	*	*		1	*	*	1
3 SHARK, OTHER	*	*	2		*	*	*	2
5 PACIFIC HERRING	*	*	*		*	*	*	*
6 NORTHERN ANCHOVY	*	*	0	*	*	*	*	0
7 SURF SMELT	*	*	*		*	*	*	*
10 PACIFIC TONNOOD	*	*	*		*	*	*	*
12 PACIFIC HAKE	*	*	1		*	*	*	1
13 SILVERSIDES	*	*			*	*	*	*
14 JACKSMELT	1	0	0	0	*	*	*	2
15 BLACK ROCKFISH	1	1	9	186	17	*	*	213
16 BLUE ROCKFISH	1	0	*	28	*	*	*	28
17 BROWN ROCKFISH	*	0	0	*	*	*	*	0
19 CANARY ROCKFISH	*	0	*	17	*	*	*	17
21 COPPER ROCKFISH	*	0	*	7	*	*	*	7
26 GUTTLBACK ROCKFISH	*	*	*	2	*	*	*	2
27 ROSY ROCKFISH	*	*	*	*	*	*	*	*
29 VERMILION ROCKFISH	*	*	*	1	*	*	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	0	*	*	*	0
33 ROCKFISHES, OTHER	1	0	1	8	1	*	*	11
34 KELP GREENLING	*	1	1	2	1	*	*	3
35 LINGCOD	*	1	3	102	6	*	*	113
36 GREENLINGS, OTHER	*	0	*	*	*	*	*	0
38 CABEZON	*	0	2	19	2	*	*	23
39 PAC. STAGHORN SCULPIN	*	0	0	*	*	*	*	0
40 SCULPINS, OTHER	*	0	*	*	*	*	*	0
55 PILE PERCH	0	0			*	*	*	
56 REDTAIL SURFPERCH	0	0	23	2	*	*	*	2
58 SHINER PERCH	0	0	*	0	*	*	*	0
59 SILVER SURFPERCH	0	0	0	*	*	*	*	0
60 STRIPED SEAPERCH	0	0	1	0	*	*	*	2
61 WALLEYE SURFPERCH	0	0	0	1	*	*	*	1
62 WHITE SEAPERCH	0	0	0	1	*	*	*	2
63 SURFPERCHES, OTHER	4	0	0	0	*	*	*	5
69 STARRY FLounder	*	*	0	1	*	*	*	1
73 FLATFISHES, OTHER	*	*	*	2	*	*	*	2
76 SALMONIDS	*	0	1	15	*	*	*	16
75 OTHER FISH	*	0	1	15	*	*	*	16
TOTAL	9	6	45	407	26	0	494	

TABLE 48. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1981---DEC 1981.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	CPPV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*	*
5 PACIFIC HERRING	3	*	*	*	*	*	3
7 SURF SMELT	*	*	*	*	*	*	*
14 JACKSMELT	*	*	0	*	*	*	0
15 BLACK ROCKFISH	*	*	6	*	*	0	6
16 BLUE ROCKFISH	*	0	3	*	*	0	4
17 BROWN ROCKFISH	*	*	2	*	*	*	2
19 CANARY ROCKFISH	*	*	1	*	*	*	1
21 COPPER ROCKFISH	*	*	4	*	*	*	4
22 GOPHER ROCKFISH	*	0	*	*	*	*	0
27 ROSY ROCKFISH	*	*	0	*	*	*	0
29 VERMILLION ROCKFISH	*	*	*	*	*	*	*
31 YELLOWTAIL ROCKFISH	*	*	1	*	*	*	1
33 ROCKFISHES, OTHER	*	0	1	*	*	0	1
34 KELP GREENLING	*	0	5	*	*	0	5
35 LINGCOD	*	*	7	*	*	4	11
36 GREENLINGS, OTHER	*	0	4	*	*	*	4
38 CABEZON	0	0	5	*	*	1	6
39 PAC. STAGHORN SCULPIN	0	0	0	*	*	*	0
40 SCULPINS, OTHER	0	0	1	*	*	*	1
43 KELP BASS	*	*	*	*	*	*	*
44 STRIPED BASS	*	*	2	*	*	*	2
48 WHITE CROAKER	*	*	*	*	*	*	*
55 PILE PERCH	*	*	*	*	*	*	*
56 REDTAIL SURPERCH	0	0	1	*	*	*	2
57 RUBBERLIP SURPERCH	0	*	*	*	*	*	0
58 SHINER PERCH	0	*	0	*	*	*	0
59 SILVER SURPERCH	0	*	0	*	*	*	0
60 STRIPED SURPERCH	3	*	9	*	*	*	12
61 WALLEYE SURPERCH	0	*	*	*	*	*	0
62 WHITE SURPERCH	0	0	0	*	*	*	0
63 SURPERCHES, OTHER	0	0	3	*	*	*	3
69 STARRY FLounder	*	1	*	*	*	*	1
70 CALIFORNIA HALIBUT	*	*	2	*	*	*	2
72 ROCK SOLE	*	0	*	*	*	*	0
73 FLATFISHES, OTHER	*	*	*	*	*	*	*
74 SALMONIDS	*	2	*	*	*	*	2
75 OTHER FISH	*	0	*	*	*	*	0
TOTAL	7	5	57	0	0	6	74

TABLE 49. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPV	SPEAR	ALL MODES
15 BLACK ROCKFISH	*	*	*	14	6	*
16 BLUE ROCKFISH	*	*	*	46	178	*
18 BOCCACCIO	*	*	*	*	*	2
19 CANARY ROCKFISH	*	*	*	5	55	*
21 COPPER ROCKFISH	*	*	*	17	2	19
25 OLIVE ROCKFISH	*	*	*	1	1	*
26 GUILDBACK ROCKFISH	*	*	*	1	1	*
27 ROSY ROCKFISH	*	*	*	0	*	*
29 VERMILION ROCKFISH	*	*	*	1	*	*
30 WIDOW ROCKFISH	*	*	*	0	*	0
31 YELLOWTAIL ROCKFISH	*	*	*	5	33	*
33 ROCKFISHES, OTHER	*	*	*	20	22	*
34 KELP GREENLING	*	*	*	1	*	1
35 LINGCOD	*	*	*	30	8	*
36 GREENLINGS, OTHER	*	*	*	*	*	*
38 CABEZON	*	*	*	3	*	*
60 STRIPED SEAPERCH	*	*	*	*	*	*
63 SURFPERCHES, OTHER	*	*	*	*	*	*
67 PACIFIC MACKEREL	*	*	*	*	*	*
71 PACIFIC SANDDAB	*	*	*	0	*	0
72 ROCK SOLE	*	*	*	0	*	*
73 FLATFISHES, OTHER	*	*	*	*	*	*
76 SALMONIDS	*	*	*	1	*	1
75 OTHER FISH	*	*	*	*	*	*
TOTAL	0	0	0	146	238	0
						384

TABLE 50. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPV	SPEAR	ALL MODES
15 BLACK ROCKFISH	*	*	*	1	1	*
16 BLUE ROCKFISH	*	*	*	1	1	*
17 BROWN ROCKFISH	*	*	*	2	7	*
18 BOCCACCIO	*	*	*	*	49	*
19 CANARY ROCKFISH	*	*	*	0	16	*
20 CHILIPEPPER ROCKFISH	*	*	*	*	*	*
21 COPPER ROCKFISH	*	*	*	1	48	*
23 GREENSPOTTED ROCKFISH	*	*	*	*	4	*
25 OLIVE ROCKFISH	*	*	*	0	1	*
26 GUILDBACK ROCKFISH	*	*	*	1	1	*
27 ROSY ROCKFISH	*	*	*	*	1	*
28 STARRY ROCKFISH	*	*	*	*	2	*
29 VERMILION ROCKFISH	*	*	*	*	8	*
30 WIDOW ROCKFISH	*	*	*	*	7	*
31 YELLOWTAIL ROCKFISH	*	*	*	*	42	*
33 ROCKFISHES, OTHER	*	*	*	1	85	*
34 KELP GREENLING	*	*	*	*	*	*
35 LINGCOD	*	*	*	8	7	*
38 CABEZON	*	*	*	1	*	*
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*
44 STRIPED BASS	*	*	*	0	*	*
54 BLACK PERCH	*	*	*	*	*	*
69 STARRY FLOUNDER	*	*	*	*	1	*
73 FLATFISHES, OTHER	*	*	*	0	*	*
75 OTHER FISH	*	*	*	2	*	2
TOTAL	0	0	0	18	279	0
						297

TABLE 51. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	BANK & LINE	P/R BOAT	CPPV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	1	*	*	*	1
2 SPINY DOGFISH	*	*	*	*	1	*	1
3 SHARK, OTHER	*	*	*	*	*	*	*
4 STURGEONS	*	*	*	*	*	*	*
7 SURF SMELT	*	*	0	*	*	*	0
10 PACIFIC TONNOOD	0	*	*	*	*	*	0
14 JACKSMELT	*	*	*	0	*	*	0
15 BLACK ROCKFISH	*	*	*	3	3	*	6
16 BLUE ROCKFISH	*	*	*	4	68	*	73
17 BROWN ROCKFISH	*	*	*	2	1	*	3
18 BOCCACCIO	*	*	*	*	125	*	125
19 CANARY ROCKFISH	*	*	*	*	12	*	12
20 CHILIPEPPER ROCKFISH	*	*	*	*	5	*	5
21 COPPER ROCKFISH	*	*	*	1	21	*	21
22 GOPHER ROCKFISH	*	*	*	*	2	*	2
23 GREENSPOTTED ROCKFISH	*	*	*	*	33	*	33
24 GREENSTRIPED ROCKFISH	*	*	*	*	1	*	1
27 RUSTY ROCKFISH	*	*	*	*	1	*	1
28 STARRY ROCKFISH	*	*	*	*	4	*	4
30 WIDOW ROCKFISH	*	*	*	*	2	*	2
31 YELLOWTAIL ROCKFISH	*	*	*	*	93	*	93
33 ROCKFISHES, OTHER	*	0	*	27	42	*	69
34 KELP GREENLING	*	*	1	*	3	*	3
35 LINGCOD	*	*	*	3	2	*	5
36 GREENLINGS, OTHER	1	*	0	*	*	*	1
38 CABEZON	*	*	0	2	2	*	4
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*
43 KELP BASS	*	*	*	1	*	*	1
44 STRIPED BASS	*	*	*	*	3	*	3
48 WHITE CROAKER	1	1	*	6	*	*	7
53 BARRED SURFPERCH	0	*	16	*	*	*	17
54 BLACK PERCH	*	*	*	*	*	*	*
55 PILE PERCH	*	*	*	*	*	*	*
56 REDTAIL SURFPERCH	0	*	17	*	*	*	18
57 RUBBERLIP SEAPERCH	0	*	*	*	*	*	0
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURFPERCH	0	*	2	*	*	*	2
60 STRIPED SEAPERCH	*	0	1	*	*	*	1
61 HALEYE SURFPERCH	0	*	0	0	*	*	1
62 WHITE SEAPERCH	0	*	1	*	*	*	1
63 SURFPERCHES, OTHER	0	*	1	*	*	*	1
69 STARRY FLUNDER	*	*	*	*	0	*	0
70 CALIFORNIA HALIBUT	*	*	*	*	2	*	2
71 PACIFIC SANDDAB	*	*	0	0	*	*	0
73 FLATFISHES, OTHER	0	*	0	*	0	*	1
74 SALMONIDS	*	*	*	12	92	*	104
75 OTHER FISH	*	*	0	*	*	*	0
TOTAL	3	2	42	61	514	0	622

TABLE 52. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	0	*	3	58	*	*	61
2 SPINY DOGFISH	1	*	*	1	*	*	2
3 SHARK, OTHER	1	*	*	72	*	*	72
4 STURGEONS	*	*	*	147	178	*	325
6 NORTHERN ANCHOVY	1	*	*	*	*	*	1
10 PACIFIC TONNO	0	*	*	*	*	*	0
14 JACKSMELT	12	1	9	107	*	*	129
15 BLACK ROCKFISH	*	*	*	2	0	*	2
16 BLUE ROCKFISH	*	*	*	1	*	*	1
17 BROWN ROCKFISH	1	0	1	16	*	*	16
21 COPPER ROCKFISH	*	*	*	0	0	*	0
33 ROCKFISHES, OTHER	0	*	10	3	0	*	10
34 KELP GREENLING	0	*	0	3	0	*	3
35 LINGCOD	1	*	0	0	*	*	1
38 CABEZON	*	*	0	0	*	*	0
39 PAC. STAGHORN SCULPIN	1	1	0	0	*	*	2
40 SCULPINS, OTHER	*	*	0	*	*	*	0
44 STRIPED BASS	2	*	10	29	15	*	47
48 WHITE CROAKER	4	*	5	7	*	*	12
53 BARRED SURFPERCH	*	*	0	0	*	*	0
54 BLACK PERCH	1	*	1	9	*	*	10
55 PILE PERCH	0	*	10	7	*	*	8
56 REDTAIL SURFPERCH	*	*	0	0	*	*	0
57 RUBBERLIP SURFPERCH	3	*	0	24	*	*	30
58 SHINER PERCH	1	0	0	0	*	*	1
59 SILVER SURFPERCH	0	*	0	1	*	*	1
60 STRIPED SURFPERCH	0	*	0	*	*	*	0
61 WALLEYE SURFPERCH	2	*	2	7	*	*	11
62 WHITE SURFPERCH	1	*	2	0	*	*	2
63 SURFPERCHES, OTHER	2	*	2	12	*	*	16
69 STARRY FLUNDER	2	*	0	11	5	*	18
70 CALIFORNIA HALIBUT	*	*	*	22	*	*	22
71 PACIFIC SANDDAB	*	*	*	*	*	*	*
73 FLATFISHES, OTHER	1	0	*	0	*	*	1
74 SALMONIDS	*	*	*	2	3	*	6
75 OTHER FISH	1	*	0	113	*	*	114
TOTAL	36	2	35	659	203	0	935

TABLE 53. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY,  
JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	CPPV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*	*	*	*	*
2 SPINY DOGFISH	*	*	*	*	*	*	*
3 SHARK, OTHER	*	*	*	2	*	*	2
12 PACIFIC WAKE	*	*	*	1	2	*	2
14 JACKSMELT	1	0	2	*	*	*	1
16 BLUE ROCKFISH	0	*	0	15	80	1	95
17 BROWN ROCKFISH	*	*	0	2	1	*	3
18 BOCACCIO	*	*	*	1	57	*	58
19 CANARY ROCKFISH	*	*	*	2	4	*	6
20 CHILIPEPPER ROCKFISH	*	*	*	4	40	*	45
21 COPPER ROCKFISH	*	*	0	3	0	*	3
22 GOPHER ROCKFISH	*	*	*	1	*	*	1
23 GREENSPOTTED ROCKFISH	*	*	*	0	5	*	5
24 GREENSTRIPED ROCKFISH	*	*	*	*	1	*	1
25 OLIVE ROCKFISH	*	*	*	4	7	1	12
27 ROSY ROCKFISH	0	*	*	0	0	*	1
28 STARRY ROCKFISH	*	*	*	1	33	*	44
29 VERMILION ROCKFISH	*	*	*	1	33	*	44
30 WIDOW ROCKFISH	*	*	*	0	6	*	6
31 YELLOWTAIL ROCKFISH	*	*	*	4	27	*	30
33 ROCKFISHES, OTHER	0	0	*	12	123	0	136
34 KELP GREENLING	*	0	0	1	*	*	1
35 LINGCOD	*	*	0	34	124	5	165
36 GREENLINGS, OTHER	*	*	*	*	*	*	*
38 CABEZON	*	0	*	3	*	2	5
39 PAC. STAGHORN SCULPIN	0	0	0	*	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*	*
43 KELP BASS	*	*	0	*	*	*	*
44 STRIPED BASS	*	*	0	*	*	*	0
48 WHITE CROMKER	1	0	1	2	*	*	4
53 BARRED SURFPERCH	1	0	48	0	0	*	49
54 BLACK PERCH	0	*	1	*	*	0	1
55 PILE PERCH	*	1	1	*	*	1	3
56 REDTAIL SURFPERCH	*	*	0	*	*	*	0
57 RUBBERLIP SURFPERCH	1	*	1	*	*	*	1
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURFPERCH	*	0	1	*	*	*	1
60 STRIPED SURFPERCH	*	2	2	*	*	*	0
61 WALLEYE SURFPERCH	0	0	1	*	*	*	1
62 WHITE SURFPERCH	0	0	1	*	*	*	1
63 SURFPERCHES, OTHER	1	1	4	0	*	*	6
66 PACIFIC BONITO	*	*	*	3	6	*	9
67 PACIFIC MACKEREL	*	0	*	3	6	*	9
69 STARRY FLUNDER	1	5	0	*	*	*	5
71 PACIFIC SANDDAB	*	*	*	3	0	*	3
72 ROCK SOLE	*	*	*	*	*	*	*
73 FLATFISHES, OTHER	0	1	0	4	*	*	5
75 OTHER FISH	*	8	*	0	0	*	9
TOTAL	6	19	65	97	488	11	687

TABLE 54. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1981--DEC 1981.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	BANK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	*	*	3	*	*	3
3 SHARK, OTHER	*	*	*	*	*	*	*
14 JACKSMELT	1	*	0	0	*	*	1
15 BLACK ROCKFISH	*	*	*	52	2	*	5
16 BLUE ROCKFISH	*	*	*	52	128	*	180
17 BROWN ROCKFISH	0	*	*	9	10	*	19
18 BOCACCIO	0	*	*	11	1	*	2
19 CANARY ROCKFISH	*	*	*	3	12	*	15
21 COPPER ROCKFISH	*	*	*	7	21	*	28
22 GOPHER ROCKFISH	*	*	*	14	15	*	29
23 GREENSPOTTED ROCKFISH	*	*	*	0	2	*	3
25 OLIVE ROCKFISH	*	*	*	7	23	*	25
27 ROSY ROCKFISH	*	*	*	2	5	*	7
28 STARRY ROCKFISH	*	*	*	3	9	*	13
29 VERMILION ROCKFISH	*	*	*	8	21	*	28
30 WIDOW ROCKFISH	*	*	*	*	0	*	0
31 YELLOWTAIL ROCKFISH	*	*	*	5	17	*	22
33 ROCKFISHES, OTHER	*	*	5	19	17	*	41
34 KELP GREENLING	*	*	*	*	*	*	1
35 LINGODD	1	*	*	12	8	*	21
38 CABEZON	*	*	1	7	4	*	11
39 PAC. STAGHORN SCULPIN	0	*	0	0	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*	*
43 KELP BASS	*	*	0	*	*	*	0
48 WHITE CROAKER	0	*	*	1	*	*	1
51 OPALEYE	*	*	0	*	*	*	0
53 BARRED SURPERCH	0	4	8	*	*	*	11
54 BLACK PERCH	*	*	*	*	*	*	*
55 PILE PERCH	0	*	*	*	*	*	0
57 RUBBERLIP SEAPERCH	*	*	1	*	*	*	1
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURPERCH	0	*	3	*	*	*	0
60 STRIPED SEAPERCH	*	*	0	*	*	*	0
61 WALLEYE SURPERCH	0	*	1	*	*	*	1
63 SURPERCHES, OTHER	0	*	4	*	*	*	4
65 PACIFIC BARRACUDA	*	*	*	*	*	*	*
66 PACIFIC BONITO	*	*	*	*	*	*	*
67 PACIFIC MACKEREL	11	*	*	4	10	*	26
69 STARRY FLUNDER	0	*	0	*	*	*	1
70 CALIFORNIA HALIBUT	*	*	*	1	*	*	1
71 PACIFIC SANDDAB	*	*	0	2	0	*	2
72 ROCK SOLE	*	*	*	20	*	*	20
73 FLATFISHES, OTHER	0	*	0	1	*	*	*
74 SALMONIDS	*	*	*	*	*	*	*
75 OTHER FISH	0	*	0	14	*	*	15
TOTAL	15	4	23	179	305	0	525

TABLE 1. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	*	*	*	26	6	25	0	0	64	0	1	164	27	7	26
02. SPINY DOGFISH	0	0	100	*	*	*	1	0	55	*	*	*	1	1	103	1	1	59
03. SHARK, OTHER	0	0	59	0	0	72	64	12	18	2	1	63	0	0	74	67	12	17
04. STURGEONS	*	*	*	*	*	*	41	7	17	*	*	*	*	*	*	41	7	17
05. PACIFIC HERRING	*	*	*	66	45	67	*	*	*	*	*	*	*	*	*	66	45	67
06. NORTHERN ANCHOVY	0	0	100	16	17	107	35	22	63	*	*	*	*	*	*	51	28	55
07. SURF SMELT	145	131	90	515	263	51	*	*	*	*	*	*	*	*	*	660	2%	44
08. SMELTS, OTHER	*	*	*	1	1	100	*	*	*	1	1	100	*	*	*	1	1	100
09. PACIFIC COD	*	*	*	*	*	*	5	2	41	*	*	*	*	*	*	6	2	38
10. PACIFIC TONNOOD	0	0	100	0	0	89	*	*	*	*	*	*	*	*	*	1,181	378	32
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	2	*	67	*	*	*	2	1	67
13. SILVERSIDES	*	*	*	*	*	*	*	*	*	52	*	188	*	*	*	454	110	188
14. JACKSMELT	0	0	78	29	0	92	38	12	100	60	19	268	4	4	168	172	150	87
15. BLACK ROCKFISH	128	147	115	29	27	92	30	10	100	60	19	268	4	4	168	145	110	87
16. BLUE ROCKFISH	12	14	118	71	67	92	30	10	100	60	19	268	4	4	168	139	110	87
17. BROWN ROCKFISH	1	0	76	2	1	50	68	15	38	16	9	53	8	4	71	91	27	29
18. BOCCACCIO	1	1	100	6	2	50	28	15	47	41	19	53	3	4	53	145	41	50
19. CANARY ROCKFISH	14	21	147	28	5	100	24	11	38	156	79	51	22	15	58	156	20	51
20. CHILIPePPER ROCKFISH	*	*	*	12	5	45	15	7	51	17	11	35	34	3	50	31	50	74
21. COPPER ROCKFISH	7	6	82	12	5	45	24	12	51	14	8	45	34	3	50	31	50	28
22. GOPHER ROCKFISH	*	*	*	1	0	63	1	1	71	18	8	43	48	3	50	31	50	28
23. GREENSPOTTED ROCKFISH	*	*	*	1	1	63	15	7	66	14	8	43	34	3	50	31	50	28
24. GREENSTRIPED ROCKFISH	1	1	100	6	2	50	15	7	57	14	8	43	34	3	50	31	50	28
25. OLIVE ROCKFISH	*	*	*	1	1	76	1	2	57	14	8	43	34	3	50	31	50	28
26. GUILTBACK ROCKFISH	*	*	*	1	1	76	*	*	*	36	24	82	37	2	73	60	28	47
27. ROSY ROCKFISH	1	2	122	8	5	62	12	6	55	2	1	82	41	2	73	60	28	47
28. STARRY ROCKFISH	0	0	100	4	4	108	8	4	98	11	5	86	12	0	86	31	28	44
29. VERNILION ROCKFISH	1	0	70	1	0	108	8	4	98	11	5	86	12	0	86	31	28	44
30. WIDOW ROCKFISH	*	*	*	135	168	128	88	38	63	36	24	82	84	63	74	671	53	48
31. YELLOWTAIL ROCKFISH	2	2	100	135	168	128	88	38	63	36	24	82	84	63	74	671	53	48
33. ROCKFISHES, OTHER	4	2	43	40	13	33	18	30	16	387	108	28	92	9	102	705	147	21
34. KELP GREENLING	11	4	33	15	13	33	31	12	16	42	13	32	1	6	3	37	111	23
35. LINGODD	12	11	92	11	9	33	32	12	13	3	1	37	39	3	36	92	14	36
36. GREENLINGS, OTHER	0	0	54	3	3	30	6	5	36	3	1	37	39	3	36	92	14	36
38. CABEZON	4	1	31	8	3	30	6	5	36	3	1	37	39	3	36	92	14	36
39. PAC. STAGHORN SCULPIN	0	0	197	3	2	66	522	79	15	108	57	53	15	13	83	648	99	15
40. SCULPINS, OTHER	2	2	165	2	1	66	121	34	28	52	17	33	1	1	100	62	11	17
43. KELP BASS	*	*	*	*	*	*	121	34	28	52	17	33	1	1	100	62	11	17
44. STRIPED BASS	*	*	*	*	*	*	73	36	50	35	15	43	83	16	68	198	59	66
45. SEA BASSES, OTHER	*	*	*	*	*	*	31	9	28	2	1	50	1	1	100	62	11	17
48. WHITE CROAKER	*	*	*	*	*	*	121	34	28	52	17	33	1	20	63	205	43	21
50. CROMERS, OTHER	*	*	*	*	*	*	73	36	50	35	15	43	83	16	68	198	59	66
51. OPALEYE	*	*	*	0	0	100	31	9	28	2	1	50	1	1	121	34	66	21
52. BARRED SURPERCH	*	*	*	0	0	100	31	9	28	2	1	50	1	1	121	34	66	21
54. BLACK PERCH	*	*	*	*	*	*	31	9	28	2	1	50	1	1	121	34	66	21
55. PILE PERCH	0	0	123	5	6	127	26	9	33	2	1	52	*	*	*	33	10	23
56. RETAIL SURPERCH	48	38	79	1	0	100	45	18	33	2	1	52	1	0	168	96	23	23
57. RUBBERLIP SURPERCH	2	1	48	9	5	59	81	21	33	2	1	52	6	0	168	100	23	23
58. SHINER PERCH	0	0	100	1	0	100	48	19	33	2	1	52	6	0	168	117	23	23
59. SILVER SURPERCH	0	0	100	1	0	100	48	19	33	2	1	52	6	0	168	117	23	23
60. STRIPED SEAPERCH	4	3	65	22	8	38	14	9	33	2	1	46	1	0	63	44	13	28
61. WALLEYE SURPERCH	2	2	114	3	3	96	139	18	57	121	17	46	1	0	63	44	13	28
62. WHITE SEAPERCH	1	1	51	0	0	100	791	66	85	131	50	46	1	0	63	44	13	28
63. SURPERCHES, OTHER	0	0	100	18	9	50	*	*	*	131	50	46	1	0	63	44	13	28
65. PACIFIC BARRACUDA	0	0	100	1	0	100	791	66	85	131	50	46	1	0	63	44	13	28
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	135	74	38	4	3	87	227	3	87
67. PACIFIC MACKEREL	*	*	*	3	2	55	1	0	28	135	74	38	4	3	87	227	3	87
68. TUNAS	*	*	*	0	0	100	88	14	3	16	5	38	3	4	99	97	15	99
69. STARRY FLounder	0	0	91	1	0	100	9	11	14	9	5	58	3	4	119	97	15	99
70. CALIFORNIA HALIBUT	*	*	*	0	0	100	77	11	14	9	5	58	12	1	132	61	13	132
71. PACIFIC SANDDAB	4	4	97	6	5	80	*	*	*	38	22	58	12	1	132	61	13	132
72. ROCK SOLE	2	1	75	2	1	44	16	5	30	33	11	34	12	1	132	58	13	132
73. FLATFISHES, OTHER	1	0	52	6	3	66	0	0	100	9	5	58	12	1	132	58	13	132
74. SALMONIDS	4	2	61	21	6	31	77	11	14	9	5	58	12	1	132	58	13	132
75. OTHER FISH	*	*	*	*	*	*	*	*	*	38	22	58	12	1	132	58	13	132
TOTAL	415	203	49	1,116	326	29	3,273	690	21	2,770	422	15	1,265	312	25	8,839	948	11

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 2. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	6	12	*	220	178	0	*	*	415
MENDOCINO/SONOMA (NON-BOAT MODES)	102	7	*	58*	*	*	*	*	703
MENDOCINO (BOAT MODES)	*	*	*	*	94	210	*	*	304
SONOMA (BOAT MODES)	*	*	*	*	51	57	*	*	109
SAN FRANCISCO	1,433	76	7%	588	645	458	*	*	3,273
SANTA CRUZ/MONTEREY	106	21	*	252	801	1,590	*	*	2,770
SAN LUIS OBISPO	155	0	*	169	510	431	*	*	1,265
TOTAL	1,801	114	7%	1,823	2,279	2,747	0	0	8,839

TABLE 3. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	2	*	2	19	4	*	*
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	1	2	*	3	61	1	*	67
04. STURGEONS	1	*	*	1	21	19	*	41
05. PACIFIC HERRING	65	*	*	1	*	*	*	66
06. NORTHERN ANCHOVY	25	26	*	*	0	*	*	51
07. SURF SMELT	*	*	*	660	*	*	*	660
08. SMELTS, OTHER	*	*	*	1	*	*	*	1
09. PACIFIC COD	1	*	*	*	*	*	*	1
10. PACIFIC TOMCOD	5	0	*	0	*	*	*	6
12. PACIFIC HAKE	*	*	*	*	2	*	*	2
13. SILVERSIDES	0	*	*	23	*	*	*	23
14. JACKSMELT	238	4	3	151	58	*	*	456
15. BLACK ROCKFISH	0	3	*	7	165	17	*	172
16. BLUE ROCKFISH	*	1	*	6	369	815	*	1,181
17. BROWN ROCKFISH	17	2	5	4	58	4	*	91
18. BOCCACCIO	0	*	*	0	55	160	*	145
19. CANARY ROCKFISH	0	*	*	0	*	156	*	156
20. CHILipePPER ROCKFISH	*	*	*	*	*	156	*	156
21. COPPER ROCKFISH	0	0	*	*	43	39	*	82
22. GOPHER ROCKFISH	*	*	*	*	61	7	*	68
23. GREENSPOTTED ROCKFISH	*	*	*	*	5	26	*	31
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	11	*	*
25. OLIVE ROCKFISH	*	*	*	*	126	62	*	188
26. GUTTLEBACK ROCKFISH	*	*	*	*	1	0	*	1
27. ROSY ROCKFISH	*	*	*	*	33	*	*	60
28. STARRY ROCKFISH	*	*	*	*	15	24	*	59
29. VERMILION ROCKFISH	*	*	*	*	16	16	*	31
30. WIDOW ROCKFISH	*	*	*	*	0	18	*	58
31. YELLOWTAIL ROCKFISH	*	*	*	*	41	630	*	671
33. ROCKFISHES, OTHER	16	5	10	9	366	308	*	705
34. KELP GREENLING	0	3	*	0	*	0	*	37
35. LINGCOD	2	1	*	13	63	36	*	111
36. GREENLINGS, OTHER	*	1	*	0	*	*	*	14
38. CABEZON	0	2	*	19	41	0	*	82
39. PAC. STAGHORN SCULPIN	297	31	45	205	72	*	*	668
40. SCULPINS, OTHER	8	1	*	2	*	*	*	12
43. KELP BASS	*	0	*	6	*	*	*	2
44. STRIPED BASS	13	0	*	0	31	12	*	32
45. SEA BASSES, OTHER	*	*	*	*	*	*	*	0
48. WHITE CROAKER	80	1	*	8	115	*	*	205
50. CROAKERS, OTHER	*	*	*	*	0	*	*	0
51. OPALLEYE	*	*	*	1	*	*	*	1
53. BARRED SURFPERCH	10	*	*	177	2	2	*	192
54. BLACK PERCH	6	3	8	10	7	*	*	34
55. PILE PERCH	4	0	*	8	21	*	*	33
56. REDTAIL SURFPERCH	4	1	*	8	0	2	*	9
57. RUBBERLIP SURFPERCH	1	0	*	2	2	*	*	6
58. SHINER PERCH	81	2	*	2	14	*	*	100
59. SILVER SURFPERCH	6	0	*	188	3	*	*	117
60. STRIPED SURFPERCH	2	5	*	34	6	*	*	44
61. WALLEYE SURFPERCH	38	7	2	46	16	*	*	145
62. WHITE SURFPERCH	7	0	*	28	12	*	*	46
63. SURFPERCHES, OTHER	77	5	*	107	28	7	*	98
65. PACIFIC BARRACUDA	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	0	*	*	*	4	*	*	4
67. PACIFIC MACKEREL	21	*	*	*	2	111	*	227
68. TUNAS	*	*	*	*	0	*	*	0
69. STARRY FLounder	13	4	*	36	32	11	*	59
70. CALIFORNIA HALIBUT	3	*	*	*	0	0	*	0
71. PACIFIC SANDDAB	1	*	*	0	59	*	*	61
72. ROCK SOLE	*	0	*	*	1	*	*	1
73. FLATFISHES, OTHER	20	1	*	33	28	4	*	55
74. SALMONIDS	4	*	*	1	*	1	*	7
75. OTHER FISH	33	1	2	29	21	24	*	114
TOTAL	1,801	114	74	1,823	2,279	2,747	0	0
								8,839

TABLE 4. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
03. SHARK, OTHER	0	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	*	*	*	*	0	*	*	*	0
07. SURF SMELT	*	*	*	145	*	*	*	*	145
10. PACIFIC TONNOOD	*	*	*	0	*	*	*	*	0
14. JACKSMELT	0	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	0	3	*	6	119	0	*	*	128
16. BLUE ROCKFISH	*	1	*	4	7	*	*	*	12
17. BROWN ROCKFISH	*	*	*	1	*	*	*	*	1
18. BOACCIO	*	*	*	*	1	*	*	*	1
19. CANARY ROCKFISH	*	*	*	*	14	*	*	*	14
21. COPPER ROCKFISH	0	0	*	*	7	*	*	*	7
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	*	*	*	1
27. ROSY ROCKFISH	*	*	*	*	1	*	*	*	1
28. STARRY ROCKFISH	*	*	*	*	0	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	22	*	*	*	22
33. ROCKFISHES, OTHER	0	0	*	0	5	*	*	*	4
34. KELP GREENLING	0	3	*	0	29	*	*	*	11
35. LINGCOD	*	1	*	0	0	*	*	*	12
36. GREENLINGS, OTHER	*	0	*	0	*	*	*	*	0
38. CABEZON	0	1	*	2	1	*	*	*	4
39. PAC. STAGHORN SCULPIN	*	*	*	0	0	*	*	*	0
40. SCULPINS, OTHER	*	0	*	1	1	*	*	*	2
55. PILE PERCH	0	0	*	0	0	*	*	*	0
56. REDTAIL SURPERCH	*	1	*	47	0	*	*	*	48
58. SHINER PERCH	2	*	*	4	*	*	*	*	2
59. SILVER SURPERCH	0	*	*	*	*	*	*	*	0
60. STRIPED SEAPERCH	1	2	*	2	*	*	*	*	4
61. WALLEYE SURPERCH	2	*	*	0	*	*	*	*	2
62. WHITE SEAPERCH	1	0	*	0	0	*	*	*	2
63. SURPERCHES, OTHER	*	0	*	0	*	*	*	*	0
65. PACIFIC BARRACUDA	*	*	*	0	*	*	*	*	0
69. STARRY FLUNDER	*	*	*	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	4	*	*	*	4
73. FLATFISHES, OTHER	*	0	*	2	*	*	*	*	2
74. SALMONIDS	*	*	*	1	0	*	*	*	1
75. OTHER FISH	0	*	*	3	1	*	*	*	4
TOTAL	6	12	0	220	178	0	0	0	415

TABLE 5. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	0	*	*	*	0
05. PACIFIC HERRING	65	*	*	1	*	*	*	66
06. NORTHERN ANCHOVY	16	*	*	*	*	*	*	16
07. SURF SMELT	*	*	*	515	*	*	*	515
08. SMELTS, OTHER	*	*	*	1	*	*	*	1
10. PACIFIC TOMODD	*	0	*	*	*	*	*	0
14. JACKSMELT	0	00	*	*	*	*	*	0
15. BLACK ROCKFISH	*	00	*	1	*	*	*	1
16. BLUE ROCKFISH	*	00	*	2	*	*	*	2
18. BOCACCIO	*	*	*	0	*	*	*	0
19. CANARY ROCKFISH	0	*	*	0	*	*	*	0
33. ROCKFISHES, OTHER	11	00	*	12	*	*	*	3
34. KELP GREENLING	0	00	*	12	*	*	*	12
35. LINGCOD	*	00	*	2	*	*	*	2
36. GREENLINGS, OTHER	*	0	*	11	*	*	*	11
38. CABEZON	0	0	*	7	*	*	*	7
39. PAC. STAGHORN SCULPIN	2	00	*	4	*	*	*	2
40. SCULPINS, OTHER	*	00	*	1	*	*	*	0
43. KELP BASS	*	0	*	0	*	*	*	0
53. BARRED SURPERCH	*	*	*	0	*	*	*	0
55. PILE PERCH	*	0	*	0	*	*	*	0
56. REDTAIL SURPERCH	*	00	*	1	*	*	*	1
57. RUBBERLIP SURPERCH	*	00	*	0	*	*	*	0
58. SHINER PERCH	6	0	*	1	*	*	*	7
59. SILVER SURPERCH	*	*	*	1	*	*	*	1
60. STRIPED SURPERCH	0	3	*	19	*	*	*	22
61. WALLEYE SURPERCH	3	00	*	4*	*	*	*	3
62. WHITE SURPERCH	0	00	*	0	*	*	*	0
63. SURPERCHES, OTHER	4	00	*	1	*	*	*	6
69. STARRY FLAUNDER	*	0	*	0	*	*	*	0
71. PACIFIC SANDDAB	0	*	*	*	*	*	*	0
72. ROCK SOLE	*	0	*	0	*	*	*	0
73. FLATFISHES, OTHER	*	00	*	0	*	*	*	1
74. SALMONIDS	3	*	*	*	*	*	*	3
75. OTHER FISH	*	0	*	13	*	*	*	14
TOTAL	102	7	0	594	0	0	0	703

TABLE 6. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1982---DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	13	15	*	*	28
16. BLUE ROCKFISH	*	*	*	*	24	45	*	*	33
18. BOCCACCIO	*	*	*	*	3	3	*	*	3
19. CANARY ROCKFISH	*	*	*	*	11	20	*	*	31
21. COPPER ROCKFISH	*	*	*	*	3	3	*	*	6
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	00	10	*	*	10
24. GREENSTRIPED ROCKFISH	*	*	*	*	00	00	*	*	0
26. OLIVE ROCKFISH	*	*	*	*	00	00	*	*	1
26. QUILLBACK ROCKFISH	*	*	*	*	0	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	2	4	*	*	6
29. VERMILION ROCKFISH	*	*	*	*	1*	10	*	*	0
30. WIDOW ROCKFISH	*	*	*	*	1	10	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	6	12	*	*	18
33. ROCKFISHES, OTHER	*	*	*	*			*	*	18
34. KELP GREENLING	*	*	*	*	2	0	*	*	2
35. LINGCOD	*	*	*	*	14	2	*	*	16
38. CABEZON	*	*	*	*	10	*	*	*	10
40. SCULPINS, OTHER	*	*	*	*	4	*	*	*	4
55. PILE PERCH	*	*	*	*			*	*	
58. SHINER PERCH	*	*	*	*	2	*	*	*	2
59. SILVER SURFPERCH	*	*	*	*	200	*	*	*	200
67. PACIFIC MACKEREL	*	*	*	*	2000	1	*	*	100
68. TUNAS	*	*	*	*	5	*	*	*	5
71. PACIFIC SANDDAB	*	*	*	*			*	*	
72. ROCK SOLE	*	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	00	*	*	*	00
74. SALMONIDS	*	*	*	*	1	1	*	*	1
75. OTHER FISH	*	*	*	*	1	0	*	*	1
TOTAL	0	0	0	0	94	210	0	0	304

TABLE 7. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1982---DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	00	*	*	*	0
16. BLUE ROCKFISH	*	*	*	*	5	1	*	*	6
17. BROWN ROCKFISH	*	*	*	*	1	1	*	*	2
18. BOCCACCIO	*	*	*	*	2	*	*	*	2
19. CANARY ROCKFISH	*	*	*	*	3	8	*	*	10
20. CHILipePPER ROCKFISH	*	*	*	*	3	03	*	*	00
21. COPPER ROCKFISH	*	*	*	*	00	3	*	*	6
22. GOPHER ROCKFISH	*	*	*	*	0	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	0	*	*	0
25. OLIVE ROCKFISH	*	*	*	*	1	5	*	*	6
26. QUILLBACK ROCKFISH	*	*	*	*	10	*	*	*	11
27. ROSY ROCKFISH	*	*	*	*	0	20	*	*	22
28. STARRY ROCKFISH	*	*	*	*	*	01	*	*	01
29. VERMILION ROCKFISH	*	*	*	*	*	1	*	*	1
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	2	25	*	*	27
33. ROCKFISHES, OTHER	*	*	*	*	17	3	*	*	19
34. KELP GREENLING	*	*	*	*	0	*	*	*	0
35. LINGCOD	*	*	*	*	1	0	*	*	1
38. CABEZON	*	*	*	*	0	*	*	*	0
39. PAC. STAGHORN SCULPIN	*	*	*	*	01	*	*	*	01
40. SCULPINS, OTHER	*	*	*	*	12	*	*	*	12
63. SURPERCHES, OTHER	*	*	*	*	2	*	*	*	2
67. PACIFIC MACKEREL	*	*	*	*	2	*	*	*	2
69. STARRY FLounder	*	*	*	*	0	*	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	00	*	*	*	00
73. FLATFISHES, OTHER	*	*	*	*	00	*	*	*	1
74. SALMONIDS	*	*	*	*	0	6	*	*	0
75. OTHER FISH	*	*	*	*	0	0	*	*	7
TOTAL	0	0	0	0	51	57	0	0	109

TABLE 8. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	2	*	2	18	4	*	*
02. SPINY DOGFISH	*	*	*	*	0	*	*	1
03. SHARK, OTHER	*	2	*	2	1	*	*	6
04. STURGEONS	1	*	*	1	21	19	*	41
05. NORTHERN ANCHOVY	9	26	*	*	*	*	*	36
09. PACIFIC COD	1	*	*	*	*	*	*	1
10. PACIFIC TOMODD	5	*	*	0	*	*	*	5
13. SILVERSIDES	*	*	*	13	*	*	*	13
14. JACKSHELT	178	1	3	16	5	*	*	180
15. BLACK ROCKFISH	*	*	*	*	8	2	*	10
16. BLUE ROCKFISH	*	1	*	*	3	27	*	30
17. BROWN ROCKFISH	17	2	5	3	34	*	*	28
18. BOCCACCIO	*	*	*	*	3	*	*	3
19. CANARY ROCKFISH	*	*	*	*	4	22	*	26
21. COPPER ROCKFISH	*	*	*	*	4	28	*	24
22. GOPHER ROCKFISH	*	*	*	*	1	1	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	15	*	15
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	3	*	3
25. OLIVE ROCKFISH	*	*	*	*	2	22	*	14
27. ROSY ROCKFISH	*	*	*	*	3	8	*	12
28. STARRY ROCKFISH	*	*	*	*	1	3	*	3
29. VERMILION ROCKFISH	*	*	*	*	*	2	*	3
30. WIDOW ROCKFISH	*	*	*	*	*	2	*	3
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	88	*	88
33. ROCKFISHES, OTHER	16	4	10	1	32	118	*	188
34. KELP GREENLING	*	0	*	7	*	*	*	7
35. LINGCOD	1	*	*	4	10	16	*	31
36. GREENLINGS, OTHER	*	*	*	1	0	*	*	*
38. CABEZON	*	1	*	7	1	*	*	*
39. PAC. STAGHORN SCULPIN	273	21	45	112	71	*	*	526
40. SCULPINS, OTHER	8	*	*	*	*	*	*	8
43. KELP BASS	*	*	*	1	*	*	*	1
44. STRIPED BASS	13	0	*	6	31	12	*	63
48. WHITE CROAKER	54	1	*	7	59	*	*	121
53. BARRED SURPERCH	1	*	*	69	1	2	*	73
54. BLACK PERCH	5	3	8	8	6	*	*	31
55. PILE PERCH	4	*	*	6	16	*	*	26
56. REDTAIL SURPERCH	4	0	*	34	*	2	*	40
57. RUBBERLIP SURPERCH	1	*	*	2	*	*	*	81
58. SHINER PERCH	65	2	*	1	12	*	*	79
59. SILVER SURPERCH	0	*	*	46	2	*	*	48
60. STRIPED SURPERCH	1	0	*	10	32	*	*	14
61. WALLEYE SURPERCH	29	3	2	16	*	16	*	109
62. WHITE SURPERCH	5	*	*	1	25	*	*	18
63. SURPERCHES, OTHER	69	2	*	26	8	7	*	79
67. PACIFIC MACKEREL	*	*	*	*	*	1	*	1
69. STARRY FLUNDER	11	4	*	34	29	11	*	88
70. CALIFORNIA HALIBUT	1	*	*	*	8	*	*	9
73. FLATFISHES, OTHER	6	0	*	1	7	2	*	16
74. SALMONIDS	0	*	*	*	*	*	*	0
75. OTHER FISH	32	*	2	10	20	13	*	77
TOTAL	1,433	74	74	588	645	458	0	3,273

TABLE 9. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	0	*	1	2	1	*	*	5
09. PACIFIC COD	1	*	*	*	*	*	*	*	1
10. PACIFIC TUNA	3	*	*	0	*	*	*	*	3
14. JACKSMELT	*	*	*	*	13	*	*	*	16
15. BLACK ROCKFISH	*	*	*	*	8	2	*	*	10
16. BLUE ROCKFISH	*	1	*	*	1	20	*	*	26
17. BROWN ROCKFISH	*	2	*	0	18	20	*	*	23
18. BOACCIO	*	*	*	*	4	20	*	*	24
19. CANARY ROCKFISH	*	*	*	*	4	20	*	*	26
21. COPPER ROCKFISH	*	*	*	*	2	20	*	*	24
22. GOPHER ROCKFISH	*	*	*	*	1	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	15	*	*	15
24. GREENSTRIPED ROCKFISH	*	*	*	*	2	20	*	*	4
25. OLIVE ROCKFISH	*	*	*	*	2	20	*	*	4
27. ROSY ROCKFISH	*	*	*	*	2	20	*	*	11
28. STARRY ROCKFISH	*	*	*	*	1	3	*	*	3
29. VERMILLION ROCKFISH	*	*	*	*	1	4	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	2	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	8	*	*	8
33. ROCKFISHES, OTHER	4	4	*	1	17	18	*	*	14
34. KELP GREENLING	*	0	*	4	*	*	*	*	4
35. LINGCOD	*	*	*	4	10	15	*	*	15
36. GREENLINGS, OTHER	*	*	*	0	*	*	*	*	0
38. CABEZON	*	1	*	5	0	*	*	*	0
39. PAC. STAGHORN SCULPIN	11	3	*	3	1	*	*	*	10
40. SCULPINS, OTHER	0	*	*	*	*	*	*	*	0
44. STRIPED BASS	0	*	*	3	1	3	*	*	3
48. WHITE CROAKER	9	1	*	2	19	*	*	*	21
53. BARRED SURFPERCH	1	*	*	6	*	2	*	*	7
54. BLACK PERCH	*	0	*	1	0	*	*	*	1
56. REDTAIL SURFPERCH	4	0	*	34	*	2	*	*	40
57. RUBBERLIP SURFPERCH	*	*	*	2	*	*	*	*	13
58. SHINER PERCH	10	1	*	*	2	*	*	*	11
59. SILVER SURFPERCH	0	*	*	39	22	*	*	*	41
60. STRIPED SURFPERCH	*	0	*	9	*	*	*	*	9
61. WALLEYE SURFPERCH	9	1	*	14	1	16	*	*	41
62. WHITE SURFPERCH	12	*	*	*	*	*	*	*	32
63. SURFPERCHES, OTHER	10	1	*	19	*	7	*	*	37
67. PACIFIC MACKEREL	*	*	*	*	*	1	*	*	1
69. STARRY FLOUNDER	*	1	*	4	*	*	*	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	2	*	*	*	2
73. FLATFISHES, OTHER	*	0	*	0	5	2	*	*	0
74. SALMONIDS	0	*	*	*	5	10	*	*	10
75. OTHER FISH	*	*	*	4	5	0	*	*	13
TOTAL	67	16	0	215	113	405	0	0	816

TABLE 10. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	2	*	2	18	4	*	26
02. SPINY DOGFISH	*	1	*	1	57	0	*	1
03. SHARK, OTHER	*	*	*	1	21	*	*	59
04. STURGEONS	1	*	*	*	*	*	*	41
05. NORTHERN ANCHOVY	9	26	*	*	*	*	*	35
10. PACIFIC TOMODD	3	*	*	*	*	*	*	3
13. SILVERSIDES	*	*	*	23	*	*	*	23
14. JACKSMELT	176	1	3	146	41	*	*	367
16. BLUE ROCKFISH	*	*	*	*	2	*	*	4
17. BROWN ROCKFISH	17	*	5	3	28	1	*	52
19. CANARY ROCKFISH	*	*	*	*	*	2	*	2
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	12	*	10	1	15	*	*	38
34. KELP GREENLING	*	*	*	3	*	*	*	3
35. LINGCOD	1	*	*	4	*	1	*	6
36. GREENLINGS, OTHER	*	*	*	1	0	*	*	1
38. CABEZON	*	*	*	2	*	*	*	2
39. PAC. STAGHORN SCULPIN	262	18	45	108	71	*	*	504
40. SCULPINS, OTHER	*	*	*	1	*	*	*	1
43. KELP BASS	*	*	*	*	*	*	*	1
44. STRIPED BASS	13	0	*	3	29	8	*	56
48. WHITE CROAKER	45	0	*	5	40	*	*	80
53. BARRED SURFPERCH	0	*	*	5*	1	*	*	1
54. BLACK PERCH	55	3	8	7	6	*	*	55
55. PILE PERCH	4	*	*	6	16	*	*	26
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
57. RUBBERLIP SEAPERCH	1	*	*	*	2	*	*	2
58. SHINER PERCH	55	2	*	1	11	*	*	69
59. SILVER SURFPERCH	0	*	*	7	0	*	*	7
60. STRIPED SEAPERCH	1	*	*	1	3	*	*	5
61. WALLEYE SURFPERCH	20	2	2	3	42	*	*	68
62. WHITE SEAPERCH	3	*	*	1	12	*	*	16
63. SURFPERCHES, OTHER	682	1	*	6	*	*	*	74
69. STARRY FLounder	11	2	*	30	28	11	*	37
70. CALIFORNIA HALIBUT	1	*	*	*	6	*	*	7
73. FLATFISHES, OTHER	6	*	*	1	2	*	*	9
75. OTHER FISH	32	*	2	6	15	3	*	58
TOTAL	1,366	58	74	373	532	53	0	2,456

TABLE 11. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	*	*	1	*	*	*	2
12. PACIFIC HAKE	*	*	*	*	*	*	*	2
14. JACKSMELT	10	3	*	5	1-22	*	*	16
15. BLACK ROCKFISH	*	*	*	*	0	0	*	0
16. BLUE ROCKFISH	*	*	*	*	172	458	*	630
17. BROWN ROCKFISH	*	0	*	1	15	*	*	16
18. BOACCIO	*	*	*	*	10	102	*	161
19. CANARY ROCKFISH	*	*	*	*	13	28	*	41
20. CHILipePPER ROCKFISH	*	*	*	*	*	156	*	156
21. COPPER ROCKFISH	*	*	*	*	11	6	*	17
22. GOPHER ROCKFISH	*	*	*	*	12	9	*	18
23. GREENSPOTTED ROCKFISH	*	*	*	*	80	8	*	11
24. GREENSTRIPED ROCKFISH	*	*	*	*	80	51	*	18
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	14
27. ROSY ROCKFISH	*	*	*	*	*	2	*	2
28. STARRY ROCKFISH	*	*	*	*	4	21	*	24
29. VERMILION ROCKFISH	*	*	*	*	6	5	*	11
30. WIDOW ROCKFISH	*	*	*	*	0	*	*	9
31. YELLOWTAIL ROCKFISH	*	*	*	*	18	34	*	32
33. ROCKFISHES, OTHER	0	0	*	0	216	170	*	387
34. KELP GREENLING	*	0	*	0	*	*	*	4
35. LINGODD	1	*	*	0	24	17	*	43
36. CABEZON	*	0	*	1	1	0	*	5
39. PAC. STAGHORN SCULPIN	7	9	*	3	*	*	*	10
43. KELP BASS	*	*	*	0	*	*	*	0
44. STRIPED BASS	*	*	*	0	*	*	*	0
45. SEA BASSES, OTHER	*	*	*	0	*	*	*	0
48. WHITE CROAKER	7	*	*	1	4	*	*	0
50. CROAKERS, OTHER	*	*	*	*	0	*	*	0
53. BARRED SURPERCH	0	*	*	35	*	*	*	35
54. BLACK PERCH	0	*	*	11	1	*	*	2
55. PILE PERCH	*	0	*	1	*	*	*	0
56. REDTAIL SURPERCH	*	*	*	30	*	*	*	0
57. RUBBERLIP SURPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	3	*	*	0	*	*	*	3
59. SILVER SURPERCH	*	0	*	22	*	*	*	2
60. STRIPED SURPERCH	0	0	*	20	0	*	*	0
61. WALLEYE SURPERCH	1	4	*	19	*	*	*	21
62. WHITE SURPERCH	1	0	*	19	*	*	*	3
63. SURPERCHES, OTHER	52	3	*	61	15	*	*	131
67. PACIFIC MACKEREL	6	*	*	1*	83	105	*	193
69. STARRY FLOUNDER	2	1	*	1	*	*	*	3
70. CALIFORNIA HALIBUT	*	*	*	1*	0	*	*	8
71. PACIFIC SANDAB	1	*	*	0	37	0	*	38
73. FLATFISHES, OTHER	14	0	*	2	15	2	*	33
75. OTHER FISH	0	1	*	1	2	52	*	9
TOTAL	106	21	0	252	801	1,590	0	2,770

TABLE 12. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	1	*	*	*	100
03. SHARK, OTHER	0	*	*	*	*	*	*	*	
13. SILVERSIDES	0	*	*	*	*	*	*	*	
14. JACKSMELT	49	*	*	*	3	*	*	*	52
15. BLACK ROCKFISH	*	*	*	*	4	*	*	*	4
16. BLUE ROCKFISH	*	*	*	*	148	28*	*	*	188
17. BROWN ROCKFISH	*	*	*	*	1	*	*	*	4
18. BOCACCIO	0	*	*	*	11	*	*	*	15
19. CANARY ROCKFISH	*	*	*	*					
21. COPPER ROCKFISH	*	*	*	*	14	8	*	*	22
22. GOPHER ROCKFISH	*	*	*	*	47	1	*	*	68
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	*	*	*	33
24. GREENSTRIPED ROCKFISH	*	*	*	*	31	4	*	*	34
25. OLIVE ROCKFISH	*	*	*	*					
27. ROSY ROCKFISH	*	*	*	*	26	11	*	*	37
28. STARRY ROCKFISH	*	*	*	*	11	31	*	*	41
29. VERMILION ROCKFISH	*	*	*	*	*	3	*	*	12
30. WIDOW ROCKFISH	*	*	*	*	*	0	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	19	68	*	*	84
33. ROCKFISHES, OTHER	*	*	*	5	82	5	*	*	82
34. KELP GREENLING	*	*	*	0	50	1	*	*	6
35. LINGCOD	0	*	*	0	50	*	*	*	1
36. GREENLINGS, OTHER	*	*	*	2	37	*	*	*	39
39. PAC. STAGHORN SCULPIN	15	*	*	*	*	*	*	*	15
43. KELP BASS	*	*	*	1	*	*	*	*	
48. WHITE CROAKER	19	*	*	*	12	*	*	*	32
51. OPALEYE	*	*	*	1	*	*	*	*	
53. BARRED SURFPERCH	9	*	*	74	1	*	*	*	83
54. BLACK PERCH	1	*	*	*	*	*	*	*	1
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	0	*	*	1	*	*	*	*	1
57. RUBBERLIP SURFPERCH	*	*	*	0	*	*	*	*	
58. SHINER PERCH	5	*	*	*	*	*	*	*	5
59. SILVER SURFPERCH	6	*	*	60	0	*	*	*	66
60. STRIPED SURFPERCH	*	*	*	1	*	*	*	*	
61. VALLEYE SURFPERCH	3	*	*	4	*	*	*	*	7
62. WHITE SURFPERCH	30	*	*	*	*	*	*	*	38
63. SURFPERCHES, OTHER	29	*	*	19	*	*	*	*	48
66. PACIFIC BONITO	0	*	*	*	6	*	*	*	4
67. PACIFIC MACKEREL	15	*	*	*	9	4	*	*	28
69. STARRY FLUNDER	303	*	*	0	3	*	*	*	338
70. CALIFORNIA HALIBUT	*	*	*	*	6	*	*	*	8
71. PACIFIC SANDDAB	*	*	*	*	12	*	*	*	12
72. ROCK SOLE	*	*	*	*	1	*	*	*	
73. FLATFISHES, OTHER	0	*	*	*	3	*	*	*	3
74. SALMONIDS	0	*	*	1	*	*	*	*	
75. OTHER FISH	1	*	*	1	1	*	*	*	3
TOTAL	155	0	0	169	510	431	0	0	1,265

TABLE 13. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	*	*	*	12	4	34	0	0	77	0	1	166	13	4	33
02. SPINY DOGFISH	0	0	108	*	*	*	1	0	55	*	*	1	1	*	103	1	1	33
03. SHARK, OTHER	0	0	70	*	*	*	4	1	22	0	0	71	*	*	*	1	1	33
04. STURGEONS	*	*	*	66	45	67	22	5	22	*	*	*	*	*	*	86	65	67
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	86	65	67
06. NORTHERN ANCHOVY	0	0	100	16	17	107	31	22	71	*	*	*	*	*	*	47	28	59
07. SURF SMELT	145	131	90	515	263	51	*	*	*	*	*	*	*	*	*	66	294	544
08. SMELTS, OTHER	*	*	*	1	1	100	*	*	*	*	*	*	*	*	*	1	1	100
09. PACIFIC COD	*	*	*	*	*	*	1	1	100	*	*	*	*	*	*	1	1	100
10. PACIFIC TOMODO	0	0	100	0	0	89	4	2	57	*	*	*	*	*	*	4	2	51
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	1	1	100	*	*	*	1	1	100
13. SILVERSIDES	*	*	*	*	*	*	*	*	*	18	8	68	*	*	*	38	18	68
14. JACKSMELT	0	0	86	*	*	*	336	10	10	18	18	18	36	27	76	1,380	126	108
15. BLACK ROCKFISH	111	146	131	28	27	97	30	10	10	588	262	65	48	264	62	1,124	149	578
16. BLUE ROCKFISH	9	13	147	70	67	95	*	*	*	17	17	6	22	13	58	1	1	100
17. BROWN ROCKFISH	0	0	105	26	1	50	63	25	39	16	9	53	8	4	71	39	41	88
18. BOACCCIO	*	*	*	12	5	50	24	11	51	41	19	47	15	8	58	138	125	42
19. CANARY ROCKFISH	13	21	165	12	5	50	24	12	51	156	39	51	22	13	58	858	720	555
20. CHILIPePPER ROCKFISH	*	*	*	12	5	50	15	7	71	14	11	44	14	5	58	111	85	44
21. COPPER ROCKFISH	7	6	85	1	1	63	4	2	57	14	8	44	34	30	106	85	59	44
22. GOPHER ROCKFISH	*	*	*	1	0	63	15	7	71	18	8	43	48	30	106	188	111	56
23. GREENSPOTTED ROCKFISH	*	*	*	0	0	63	3	2	57	14	8	44	34	30	106	85	59	44
24. GREENSTRIPED ROCKFISH	*	*	*	6	2	76	4	2	57	14	8	44	34	30	106	85	59	44
25. OLIVE ROCKFISH	*	*	*	1	1	76	*	*	*	14	8	44	34	30	106	85	59	44
26. GUILLBACK ROCKFISH	*	*	*	1	1	76	*	*	*	14	8	44	34	30	106	85	59	44
27. ROSY ROCKFISH	1	2	122	8	5	50	12	6	55	2	2	55	37	27	73	60	31	47
28. STARRY ROCKFISH	0	0	108	4	4	44	8	2	43	10	10	50	41	27	55	30	31	47
29. VERMILION ROCKFISH	1	0	70	1	0	44	2	2	43	36	23	50	12	17	46	30	31	47
30. WIDOW ROCKFISH	*	*	*	135	168	125	88	38	43	361	266	74	84	63	74	61	56	133
31. YELLOWTAIL ROCKFISH	2	2	108	135	168	125	88	38	43	361	266	74	84	63	74	61	56	133
33. ROCKFISHES, OTHER	3	2	46	35	13	33	147	27	18	260	89	34	91	9	16	57	37	133
34. KELP GREENLING	7	11	114	13	9	8	15	11	11	27	9	33	0	0	16	18	18	33
35. LINGODD	10	11	114	17	9	8	15	11	11	2	1	38	38	36	24	56	16	33
36. GREENLINGS, OTHER	0	0	128	22	9	8	15	11	11	2	1	38	38	36	24	56	16	33
38. CABEZON	3	1	128	22	9	8	15	11	11	2	1	38	38	36	24	56	16	33
39. PAC. STAGHORN SCULPIN	*	*	*	0	0	230	40	5	12	63	52	83	0	0	199	168	122	52
40. SCULPINS, OTHER	1	2	219	1	0	230	41	9	12	63	52	83	1	1	100	168	122	52
43. KELP BASS	*	*	*	0	0	230	112	34	80	36	0	100	22	16	74	171	41	41
44. STRIPED BASS	*	*	*	0	0	230	112	34	80	36	16	100	22	16	74	171	41	41
48. WHITE CROAKER	*	*	*	0	0	230	112	34	80	36	16	100	22	16	74	171	41	41
51. OPALEYE	*	*	*	*	*	*	*	*	*	3	3	*	1	1	121	1	1	121
53. BARRED SURFPERCH	*	*	*	0	0	180	73	36	55	2	1	121	1	1	100	88	66	121
54. BLACK PERCH	*	*	*	0	0	180	73	36	55	2	1	121	1	1	100	88	66	121
55. PILE PERCH	*	*	*	1	1	180	40	18	44	3	2	121	1	1	100	88	66	121
56. REDTAIL SURFPERCH	40	37	98	1	1	180	40	18	44	3	2	121	1	1	100	88	66	121
57. RUBBERLIP SEAPERCH	*	*	*	30	20	58	15	2	50	0	0	71	0	0	108	126	19	62
58. SHINER PERCH	2	1	49	31	21	58	15	2	50	0	0	71	4	6	176	116	51	32
59. SILVER SURFPERCH	0	0	108	20	18	45	15	2	50	0	0	71	61	47	176	116	51	32
60. STRIPED SEAPERCH	4	3	86	20	18	45	15	2	50	0	0	71	7	5	176	116	51	32
61. WALLEYE SURFPERCH	1	1	157	20	18	45	15	2	50	0	0	71	7	5	176	116	51	32
62. WHITE SEAPERCH	1	1	73	0	0	47	18	10	57	21	13	63	0	0	108	139	16	42
63. SURFPERCHES, OTHER	0	0	108	4	2	42	18	10	57	21	13	63	24	23	77	139	41	42
66. PACIFIC BONITO	*	*	*	3	2	55	1	0	26	183	74	60	21	12	57	299	75	106
67. PACIFIC MACKEREL	*	*	*	0	0	180	1	0	26	183	74	60	21	12	57	299	75	106
68. TUNAS	*	*	*	0	0	180	1	0	26	183	74	60	21	12	57	299	75	106
69. STARRY FLounder	0	0	91	1	0	180	79	14	18	4	2	43	3	6	120	87	14	17
70. CALIFORNIA HALIBUT	*	*	*	0	0	180	79	14	18	4	2	43	12	6	120	87	14	17
71. PACIFIC SANDDAB	4	4	97	0	0	180	*	*	*	23	18	43	12	6	120	45	26	57
72. ROCK SOLE	*	*	*	1	1	68	13	5	34	30	11	37	3	3	76	50	12	37
73. FLATFISHES, OTHER	2	1	77	1	1	68	13	5	34	30	11	37	3	3	76	50	12	37
74. SALMONIDS	1	0	66	3	1	49	0	0	100	2,400	414	17	1,169	310	27	6,807	660	10
75. OTHER FISH	3	2	78	17	6	34	55	10	17	2	1	44	0	0	100	80	12	37
TOTAL	377	202	54	1,064	326	31	1,797	145	8	2,400	414	17	1,169	310	27	6,807	660	10

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 14. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	4	8	*	206	159	0	*	*
MENDOCINO/SONOMA (NON-BOAT MODES)	91	4	*	583	*	*	*	577
MENDOCINO (BOAT MODES)	*	*	*	*	85	210	*	678
SONOMA (BOAT MODES)	*	*	*	*	36	56	*	295
SAN FRANCISCO	437	48	18	444	417	433	*	91
SANTA CRUZ/MONTEREY	82	10	*	161	662	1,486	*	1,797
SAN LUIS OBISPO	92	0	*	154	424	639	*	2,400
TOTAL	705	70	18	1,547	1,853	2,614	0	1,169
								6,807

TABLE 15. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	1	*	2	9	1	*	*	13
02. SPINY DOGFISH	*	*	*	0	14	0	*	*	1
03. SHARK, OTHER	0	*	*	1	12	0	*	*	4
04. STURGEONS	6	*	*	1	12	9	*	*	22
05. PACIFIC HERRING	6	*	*	1	12	9	*	*	6
06. NORTHERN ANCHOVY	21	26	*	*	0	*	*	*	47
07. SURF SMELT	*	*	*	1	*	*	*	*	68
08. SMELTS, OTHER	*	*	*	1	*	*	*	*	1
09. PACIFIC COD	1	*	*	0	*	*	*	*	1
10. PACIFIC TOMODD	3	0	*	0	*	*	*	*	4
12. PACIFIC HAKE	*	*	*	*	1	*	*	*	1
13. SILVERSIDES	*	*	*	1	*	*	*	*	23
14. JACKSMELT	220	4	3	16	17	17	*	*	154
15. BLACK ROCKFISH	0	2	*	3	312	807	*	*	1,124
16. BLUE ROCKFISH	*	1	*	*	*	*	*	*	1
17. BROWN ROCKFISH	15	2	5	4	58	4	*	*	88
18. BOCCACCIO	0	*	*	0	5	168	*	*	155
19. CANARY ROCKFISH	0	*	*	0	*	158	*	*	158
20. CHILIPePPER ROCKFISH	*	*	*	*	42	39	*	*	82
21. COPPER ROCKFISH	*	0	*	*	*	*	*	*	1
22. GOPHER ROCKFISH	*	*	*	*	61	7	*	*	88
23. GREENSPOTTED ROCKFISH	*	*	*	*	5	28	*	*	31
24. GREENSTRIPED ROCKFISH	*	*	*	*	12	11	*	*	11
25. OLIVE ROCKFISH	*	*	*	*	1	0	*	*	188
26. QUILLBACK ROCKFISH	*	*	*	*	0	0	*	*	1
27. ROSY ROCKFISH	*	*	*	*	33	28	*	*	60
28. STARRY ROCKFISH	*	*	*	*	15	15	*	*	30
29. VERMILION ROCKFISH	*	*	*	*	14	16	*	*	31
30. WIDOW ROCKFISH	*	*	*	*	0	8	*	*	11
31. YELLOWTAIL ROCKFISH	*	*	*	*	41	680	*	*	1
33. ROCKFISHES, OTHER	2	4	*	7	307	218	*	*	537
34. KELP GREENLING	0	2	*	21	8	0	*	*	35
35. LINGCOD	1	1	*	4	46	34	*	*	56
36. GREENLINGS, OTHER	*	0	*	11	0	*	*	*	11
38. CABEZON	0	1	*	14	41	0	*	*	56
39. PAC. STAGHORN SCULPIN	22	3	*	72	6	*	*	*	133
40. SCULPINS, OTHER	0	0	*	1	1	*	*	*	33
43. KELP BASS	*	*	*	32	*	*	*	*	43
44. STRIPED BASS	11	*	*	3	19	10	*	*	43
45. SEA BASSES, OTHER	*	*	*	*	*	*	*	*	*
48. WHITE CROAKER	2	*	*	8	101	*	*	*	171
50. CROAKERS, OTHER	*	*	*	1	*	*	*	*	1
51. OPALEYE	*	*	*	1	2	*	*	*	1
53. BARRED SURFPERCH	10	*	*	167	2	2	*	*	182
54. BLACK PERCH	6	3	8	10	7	2	*	*	34
55. PILE PERCH	4	0	*	8	16	*	*	*	28
56. REDTAIL SURFPERCH	4	1	*	81	2	*	*	*	88
57. RUBBERLIP SURFPERCH	1	0	*	3	*	*	*	*	6
58. SHINER PERCH	55	2	*	11	3	*	*	*	110
59. SILVER SURFPERCH	6	0	*	108	3	*	*	*	110
60. STRIPED SURFPERCH	2	4	*	32	4	*	*	*	42
61. WALLEYE SURFPERCH	38	7	2	46	42	16	*	*	145
62. WHITE SURFPERCH	7	0	*	34	2	*	*	*	39
63. SURFPERCHES, OTHER	70	*	*	34	2	5	*	*	182
65. PACIFIC BARACUDA	*	*	*	*	*	*	*	*	182
66. PACIFIC BONITO	0	*	*	*	4	*	*	*	4
67. PACIFIC MACKEREL	16	*	*	*	87	106	*	*	209
68. TUNAS	*	*	*	*	0	*	*	*	0
69. STARRY FLUNDER	12	4	*	35	24	11	*	*	87
70. CALIFORNIA HALIBUT	3	*	*	13	13	0	*	*	17
71. PACIFIC SANDDAB	0	*	*	0	45	*	*	*	45
72. ROCK SOLE	*	0	*	0	1	*	*	*	1
73. FLATFISHES, OTHER	18	1	*	26	2	*	*	*	50
74. SALMONIDS	1	*	*	2	1	*	*	*	50
75. OTHER FISH	28	0	*	13	16	*	*	*	88
TOTAL	705	70	18	1,547	1,853	2,614	0	0	6,807

TABLE 16. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH HOOK & LINE	BANK P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
03. SHARK, OTHER	0	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	*	*	*	*	0	*	*	*	0
07. SURF SMELT	*	*	*	145	*	*	*	*	145
10. PACIFIC TONNOOD	*	*	*	0	*	*	*	*	0
14. JACKSMELT	0	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	0	2	*	5	105	0	*	*	111
16. BLUE ROCKFISH	*	0	*	1	7	*	*	*	9
17. BROWN ROCKFISH	*	*	*	0	*	*	*	*	0
18. BOCACCO	*	*	*	*	1	*	*	*	1
19. CANARY ROCKFISH	*	*	*	*	13	*	*	*	13
21. COPPER ROCKFISH	*	0	*	*	7	*	*	*	7
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	1	*	*	*	1
28. STARRY ROCKFISH	*	*	*	*	0	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	2	*	*	*	2
33. ROCKFISHES, OTHER	0	0	*	0	3	*	*	*	3
34. KELP GREENLING	0	2	*	2	2	*	*	*	7
35. LINGCOD	*	0	*	2	8	0	*	*	10
36. GREENLINGS, OTHER	*	0	*	*	*	*	*	*	0
38. CABEZON	0	1	*	2	1	*	*	*	3
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*	*	*
40. SCULPINS, OTHER	*	0	*	0	1	*	*	*	1
55. PILE PERCH	0	0	*	0	0	*	*	*	0
56. REDTAIL SURPERCH	*	0	*	42	0	*	*	*	42
58. SHINER PERCH	2	*	*	*	*	*	*	*	2
59. SILVER SURPERCH	0	*	*	*	*	*	*	*	0
60. STRIPED SURPERCH	0	2	*	2	*	*	*	*	4
61. WALLEYE SURPERCH	1	*	*	0	*	*	*	*	1
62. WHITE SURPERCH	1	0	*	0	0	*	*	*	1
63. SURPERCHES, OTHER	*	0	*	*	*	*	*	*	0
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	4	*	*	*	4
73. FLATFISHES, OTHER	*	0	*	*	2	*	*	*	2
74. SALMONIDS	*	*	*	0	200	*	*	*	1
75. OTHER FISH	0	*	*	3	0	*	*	*	3
TOTAL	4	8	0	206	159	0	0	0	377

TABLE 17. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	65	*	*	1	*	*	*	*	66
06. NORTHERN ANCHOVY	16	*	*	*	*	*	*	*	16
07. SURF SMELT	*	*	*	515	*	*	*	*	515
08. SMELTS, OTHER	*	*	*	1	*	*	*	*	1
10. PACIFIC TOMODD	*	0	*	*	*	*	*	*	0
14. JACKSMELT	*	*	*	*	*	*	*	*	
15. BLACK ROCKFISH	*	0	*	1	*	*	*	*	
16. BLUE ROCKFISH	*	0	*	20	*	*	*	*	120
18. BOCACCIO	*	*	*	*	*	*	*	*	
19. CANARY ROCKFISH	0	*	*	0	*	*	*	*	0
33. ROCKFISHES, OTHER	10	0	*	11	*	*	*	*	21
34. KELP GREENLING	0	0	*	2	*	*	*	*	11
35. LINGCOD	*	0	*	9	*	*	*	*	29
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	
38. CABEZON	0	0	*	6	*	*	*	*	7
39. PAC. STAGHORN SCULPIN	*	0	*	4	*	*	*	*	0
40. SCULPINS, OTHER	*	0	*	1	*	*	*	*	10
43. KELP BASS	*	0	*	0	*	*	*	*	0
53. BARRED SURPERCH	*	*	*	0	*	*	*	*	
55. PILE PERCH	*	0	*	0	*	*	*	*	0
56. REDTAIL SURPERCH	*	0	*	1	*	*	*	*	10
57. RUBBERLIP SURPERCH	*	0	*	0	*	*	*	*	0
58. SHINER PERCH	1	*	*	1	*	*	*	*	1
59. SILVER SURPERCH	*	*	*	0	*	*	*	*	
60. STRIPED SURPERCH	0	2	*	18	*	*	*	*	20
61. WALLEYE SURPERCH	3	0	*	0	*	*	*	*	0
62. WHITE SURPERCH	0	0	*	*	*	*	*	*	0
63. SURPERCHES, OTHER	4	0	*	0	*	*	*	*	4
69. STARRY FLUNDER	*	0	*	0	*	*	*	*	0
71. PACIFIC SANDDAB	0	*	*	*	*	*	*	*	0
72. ROCK SOLE	*	0	*	0	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	0	*	*	*	*	0
74. SALMONIDS	0	*	*	*	*	*	*	*	0
75. OTHER FISH	*	0	*	11	*	*	*	*	11
TOTAL	91	4	0	583	0	0	0	0	678

TABLE 18. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	12	15	*	*
16. BLUE ROCKFISH	*	*	*	*	23	48	*	*
18. BOCACCIO	*	*	*	*	*	3	*	*
19. CANARY ROCKFISH	*	*	*	*	11	20	*	*
21. COPPER ROCKFISH	*	*	*	*	3	3	*	6
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	1	*	1
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	0	0	*	0
26. QUILLBACK ROCKFISH	*	*	*	*	0	0	*	0
27. ROSY ROCKFISH	*	*	*	*	2	4	*	*
29. VERNILION ROCKFISH	*	*	*	*	*	22	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	0	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	1	107	*	*
33. ROCKFISHES, OTHER	*	*	*	*	6	12	*	17
34. KELP GREENLING	*	*	*	*	2	0	*	2
35. LINGODD	*	*	*	*	12	2	*	1
38. CABEZON	*	*	*	*	*	*	*	0
40. SCULPINS, OTHER	*	*	*	*	0	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	*	*	*	*	2	*	*	2
59. SILVER SURFERCH	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	0	1	*	1
68. TUNAS	*	*	*	*	0	*	*	0
71. PACIFIC SANDAB	*	*	*	*	5	*	*	5
72. ROCK SOLE	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	0
74. SALMONIDS	*	*	*	*	1	1	*	0
75. OTHER FISH	*	*	*	*	0	*	*	0
TOTAL	0	0	0	0	85	210	0	295

TABLE 19. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	0	*	*	*
16. BLUE ROCKFISH	*	*	*	*	5	1	*	*
17. BROWN ROCKFISH	*	*	*	*	1	1	*	*
18. BOCACCIO	*	*	*	*	2	*	*	2
19. CANARY ROCKFISH	*	*	*	*	3	8	*	*
20. CHILIPePPER ROCKFISH	*	*	*	*	*	0	*	10
21. COPPER ROCKFISH	*	*	*	*	3	3	*	*
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	1	5	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	11	*	*	6
27. ROSY ROCKFISH	*	*	*	*	0	2	*	*
28. STARRY ROCKFISH	*	*	*	*	*	0	*	1
29. VERNILION ROCKFISH	*	*	*	*	*	1	*	1
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	2	2	*	2
33. ROCKFISHES, OTHER	*	*	*	*	15	1	*	16
34. KELP GREENLING	*	*	*	*	0	*	*	0
35. LINGODD	*	*	*	*	0	0	*	1
38. CABEZON	*	*	*	*	0	*	*	0
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*	0
40. SCULPINS, OTHER	*	*	*	*	0	*	*	0
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	2	*	*	2
69. STARRY FLUNDER	*	*	*	*	0	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	1	*	*	0
74. SALMONIDS	*	*	*	*	0	*	*	0
75. OTHER FISH	*	*	*	*	0	6	*	6
TOTAL	0	0	0	0	36	56	0	91

TABLE 20. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	1	*	1	9	1	*	*	12
02. SPINY DOGFISH	*	*	*	*	0	0	*	*	1
03. SHARK, OTHER	*	*	*	*	0	0	*	*	4
04. STURGEONS	0	*	*	1	12	9	*	*	22
05. NORTHERN ANCHOVY	5	26	*	1*	12*	*	*	*	31
09. PACIFIC COD	1	*	*	*	*	*	*	*	1
10. PACIFIC TOMODD	3	*	*	0	*	*	*	*	4
13. SILVERSIDES	*	*	*	0	*	*	*	*	23
14. JACKSMELT	177	1	3	123	13	*	*	*	166
15. BLACK ROCKFISH	*	*	*	*	8	2	*	*	16
16. BLUE ROCKFISH	*	1	*	*	3	27	*	*	30
17. BROWN ROCKFISH	15	2	5	3	34	4	*	*	33
18. BOCCACCIO	*	*	*	*	3	3	*	*	24
19. CANARY ROCKFISH	*	*	*	*	4	29	*	*	28
21. COPPER ROCKFISH	*	*	*	*	4	28	*	*	24
22. GOMPHUS ROCKFISH	*	*	*	*	1	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	15	*	*	15
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	3
25. OLIVE ROCKFISH	*	*	*	*	2	0	*	*	3
27. ROSY ROCKFISH	*	*	*	*	3	0	*	*	12
28. STARRY ROCKFISH	*	*	*	*	1	4	*	*	3
29. VERMILION ROCKFISH	*	*	*	*	*	2	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	88	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	88	*	*	88
33. ROCKFISHES, OTHER	1	3	*	1	28	114	*	*	147
34. KELP GREENLING	*	0	*	7	*	*	*	*	7
35. LINGCOD	0	*	*	1	9	16	*	*	20
36. GREENLINGS, OTHER	*	*	*	1	*	*	*	*	1
38. CABEZON	*	1	*	4	1	*	*	*	5
39. PAC. STAGHORN SCULPIN	22	2	*	10	6	*	*	*	40
40. SCULPINS, OTHER	0	*	*	*	*	*	*	*	0
43. KELP BASS	*	*	*	1	*	*	*	*	*
44. STRIPED BASS	11	*	*	3	19	10	*	*	43
48. WHITE CROAKER	69	*	*	7	57	*	*	*	112
53. BARRED SURFPERCH	1	*	*	69	1	2	*	*	73
54. BLACK PERCH	5	3	8	8	6	*	*	*	31
55. PILE PERCH	4	0	*	6	16	*	*	*	28
56. REDTAIL SURFPERCH	4	0	*	34	*	2	*	*	55
57. RUBBERLIP SURFPERCH	1	*	*	21	2	*	*	*	52
58. SHINER PERCH	45	2	*	1	5	*	*	*	46
59. SILVER SURFPERCH	0	*	*	43	2	*	*	*	46
60. STRIPED SURFPERCH	1	0	2	16	*	*	*	*	14
61. WALLEYE SURFPERCH	29	33	2	16	*	16	*	*	109
62. WHITE SURFPERCH	5	*	*	1	*	*	*	*	18
63. SURFPERCHES, OTHER	12	0	*	9	83	5	*	*	89
67. PACIFIC MACKEREL	*	*	*	*	*	1	*	*	1
69. STARRY FLUNDER	10	4	*	33	21	11	*	*	79
70. CALIFORNIA HALIBUT	1	*	*	*	8	11	*	*	9
73. FLATFISHES, OTHER	6	0	*	1	5	2	*	*	13
74. SALMONIDS	0	*	*	*	*	*	*	*	0
75. OTHER FISH	28	*	*	6	12	10	*	*	55
TOTAL	437	48	18	444	417	433	0	0	1,797

TABLE 21. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1982---DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*	*
09. PACIFIC COD	1	*	*	*	*	*	*	*	1
10. PACIFIC TOMODD	3	*	*	0	*	*	*	*	3
14. JACKSMELT	2	*	*	*	*	*	*	*	2
15. BLACK ROCKFISH	*	*	*	*	8	2	*	*	10
16. BLUE ROCKFISH	*	1	*	*	1	25	*	*	26
17. BROWN ROCKFISH	*	2	*	0	0	3	*	*	13
18. BOCCACCIO	*	*	*	*	4	39	*	*	32
19. CANARY ROCKFISH	*	*	*	*	4	20	*	*	28
21. COPPER ROCKFISH	*	*	*	*	4	20	*	*	24
22. GOPHER ROCKFISH	*	*	*	*	1	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	15	*	*	15
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	15	*	*	3
25. OLIVE ROCKFISH	*	*	*	*	2	6	*	*	4
27. ROSY ROCKFISH	*	*	*	*	3	6	*	*	11
28. STARRY ROCKFISH	*	*	*	*	1	3	*	*	3
29. VERMILION ROCKFISH	*	*	*	*	*	2	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	2	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	88	*	*	88
33. ROCKFISHES, OTHER	*	3	*	1	16	114	*	*	134
34. KELP GREENLING	*	0	*	4	*	*	*	*	4
35. LINGCOD	*	*	*	*	9	15	*	*	24
36. GREENLINGS, OTHER	*	*	*	0	*	*	*	*	0
38. CABEZON	*	1	*	3	0	*	*	*	4
39. PAC. STAGHORN SCULPIN	2	*	*	1	*	*	*	*	3
40. SCULPINS, OTHER	0	*	*	*	*	*	*	*	0
44. STRIPED BASS	*	*	*	*	*	*	*	*	4
48. WHITE CROAKER	4	*	*	2	17	*	*	*	23
53. BARRED SURFPERCH	1	*	*	69	*	*	*	*	72
54. BLACK PERCH	*	0	*	1	0	2	*	*	1
56. REDTAIL SURFPERCH	4	0	*	34	*	2	*	*	40
57. RUBBERLIP SURFPERCH	*	*	*	2	*	*	*	*	2
58. SHINER PERCH	9	*	*	2	2	*	*	*	10
59. SILVER SURFPERCH	0	*	*	37	2	*	*	*	39
60. STRIPED SURFPERCH	*	0	*	9	*	*	*	*	9
61. WALLEYE SURFPERCH	9	1	*	14	1	16	*	*	41
62. WHITE SURFPERCH	2	*	*	5	*	5	*	*	2
63. SURFPERCHES, OTHER	4	*	*	5	*	1	*	*	14
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	5
69. STARRY FLUNDER	*	1	*	4	*	*	*	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	2	*	*	*	2
73. FLATFISHES, OTHER	*	0	*	*	4	2	*	*	6
74. SALMONIDS	0	*	*	3	*	10	*	*	0
75. OTHER FISH	*	*	*	0	0	0	*	*	13
TOTAL	40	9	0	188	87	398	0	0	723

TABLE 22. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	1	*	1	9	1	*	12
02. SPINY DOGFISH	*	*	*	*	0	0	*	1
03. SHARK, OTHER	*	*	*	*	0	*	*	4
04. STURGEONS	0	*	*	1	12	*	*	20
05. NORTHERN ANCHOVY	5	26	*	1*	4*	*	*	31
10. PACIFIC TOMODD	1	*	*	*	*	*	*	1
13. SILVERSIDES	*	*	*	25	*	*	*	23
14. JACKSMELT	175	1	3	162	13	*	*	334
16. BLUE ROCKFISH	*	*	5	3	2	*	*	4
17. BROWN ROCKFISH	15	*	5	3	1	*	*	50
19. CANARY ROCKFISH	*	*	*	*	*	2	*	2
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	1	*	*	*	*	*	*	13
34. KELP GREENLING	*	*	*	3	*	*	*	3
35. LINGCOD	0	*	*	3*	*	1	*	1
36. GREENLINGS, OTHER	*	*	*	1	*	*	*	1
38. CABEZON	*	*	*	1	0	*	*	2
39. PAC. STAGHORN SCULPIN	20	2	*	9	6	*	*	35
40. SCULPINS, OTHER	*	*	*	1	*	*	*	1
43. KELP BASS	*	*	*	1	*	*	*	1
44. STRIPED BASS	11	*	*	3	19	7	*	39
48. WHITE CROAKER	5	*	*	5	40	*	*	89
53. BARRED SURFPERCH	50	3	8	7	16	*	*	30
54. BLACK PERCH	5	*	*	6	16	*	*	26
55. PILE PERCH	4	*	*	0	3	*	*	0
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
57. RUBBERLIP SEAPERCH	1	*	*	0*	2	*	*	3
58. SHINER PERCH	37	2	*	1	0	*	*	43
59. SILVER SURFPERCH	0	*	*	7	0	*	*	7
60. STRIPED SEAPERCH	1	*	*	0	3	*	*	5
61. WALLEYE SURFPERCH	20	2	2	3	42	*	*	68
62. WHITE SEAPERCH	3	*	*	1	12	*	*	16
63. SURFPERCHES, OTHER	9	0	*	5	13	*	*	75
69. STARRY FLounder	10	2	*	29	21	11	*	73
70. CALIFORNIA HALIBUT	1	*	*	6	6	*	*	7
73. FLATFISHES, OTHER	6	*	*	1	1	*	*	7
75. OTHER FISH	28	*	*	3	11	*	*	42
TOTAL	397	38	18	256	330	35	0	0
								1,074

TABLE 23. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	*	*	0	*	*	*	0
12. PACIFIC HAKE	*	*	*	1	*	*	*	1
14. JACKSMELT	10	3	*	0	*	*	*	18
15. BLACK ROCKFISH	*	*	*	0	0	*	*	0
16. BLUE ROCKFISH	*	*	*	136	450	*	*	586
17. BROWN ROCKFISH	*	0	*	15	*	*	*	16
18. BOCACCIO	*	*	*	10	103	*	*	183
19. CANARY ROCKFISH	*	*	*	13	28	*	*	41
20. CHILIPEPPER ROCKFISH	*	*	*	*	156	*	*	156
21. COPPER ROCKFISH	*	*	*	11	6	*	*	17
22. GOPHER ROCKFISH	*	*	*	12	6	*	*	18
23. GREENSPOTTED ROCKFISH	*	*	*	2	9	*	*	11
24. GREENSTRIPED ROCKFISH	*	*	*	0	8	*	*	18
25. OLIVE ROCKFISH	*	*	*	83	51	*	*	14
27. ROSY ROCKFISH	*	*	*	*	2	*	*	2
28. STARRY ROCKFISH	*	*	*	4	21	*	*	24
29. VERMILION ROCKFISH	*	*	*	0	5	*	*	10
30. WIDOW ROCKFISH	*	*	*	0	5	*	*	9
31. YELLOWTAIL ROCKFISH	*	*	*	18	363	*	*	361
33. ROCKFISHES, OTHER	*	0	*	0	173	86	*	260
34. KELP GREENLING	*	0	*	33	*	*	*	23
35. LINGODD	1	*	*	12	14	*	*	22
38. CABEZON	*	0	*	1	0	*	*	2
39. PAC. STAGHORN SCULPIN	0	1	*	62	*	*	*	83
43. KELP BASS	*	*	*	0	*	*	*	0
44. STRIPED BASS	*	*	*	0	*	*	*	0
45. SEA BASSES, OTHER	*	*	*	*	*	*	*	*
48. WHITE CROAKER	3	*	*	1	32	*	*	36
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	0	*	*	33	*	*	*	33
54. BLACK PERCH	0	*	*	1	1	*	*	2
55. PILE PERCH	*	0	*	1	*	*	*	1
56. REDTAIL SURFPERCH	*	*	*	3	*	*	*	3
57. RUBBERLIP SURFPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	3	*	*	*	*	*	*	3
59. SILVER SURFPERCH	*	0	*	2	*	*	*	2
60. STRIPED SURFPERCH	0	0	*	22	0	*	*	22
61. WALLEYE SURFPERCH	1	4	*	28	*	*	*	21
62. WHITE SURFPERCH	1	0	*	19	*	*	*	21
63. SURFPERCHES, OTHER	2	*	*	8	10	*	*	16
67. PACIFIC MACKEREL	5	*	*	77	102	*	*	184
69. STARRY FLUNDER	2	0	*	1	0	*	*	2
70. CALIFORNIA HALIBUT	*	*	*	2	0	*	*	2
71. PACIFIC SANDDAB	*	*	*	0	2	*	*	2
73. FLATFISHES, OTHER	13	0	*	1	15	1	*	38
75. OTHER FISH	0	0	*	0	1	0	*	2
TOTAL	82	10	0	161	662	1,486	0	2,400

TABLE 24. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	0
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	*	*
14. JACKSMELT	33	*	*	*	3	*	*	36
15. BLACK ROCKFISH	*	*	*	*	6	*	*	6
16. BLUE ROCKFISH	*	*	*	*	138	289	*	428
17. BROWN ROCKFISH	*	*	*	*	8	*	*	8
18. BOCACCIO	0	*	*	*	1	3	*	4
19. CANARY ROCKFISH	*	*	*	*	11	3	*	15
21. COPPER ROCKFISH	*	*	*	*	14	8	*	22
22. GOPHER ROCKFISH	*	*	*	*	47	0	*	48
23. GREENSPOTTED ROCKFISH	*	*	*	*	2	*	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	0	*	*	0
25. OLIVE ROCKFISH	*	*	*	*	31	4	*	34
27. ROSY ROCKFISH	*	*	*	*	26	11	*	37
28. STARRY ROCKFISH	*	*	*	*	11	31	*	41
29. VERMILION ROCKFISH	*	*	*	*	8	3	*	12
30. WIDOW ROCKFISH	*	*	*	*	*	0	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	19	66	*	86
33. ROCKFISHES, OTHER	*	*	*	5	81	5	*	91
34. KELP GREENLING	*	*	*	4	0	*	*	0
35. LINGCOD	*	*	*	0	5	1	*	6
36. GREENLINGS, OTHER	*	*	*	0	0	*	*	1
38. CABEZON	*	*	*	1	37	*	*	38
39. PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	0
43. KELP BASS	*	*	*	1	*	*	*	*
48. WHITE CROAKER	10	*	*	1	12	*	*	22
51. OPALEYE	*	*	*	*	*	*	*	1
53. BARRED SURPERCH	9	*	*	65	1	*	*	75
54. BLACK PERCH	1	*	*	*	*	*	*	1
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	0	*	*	1	*	*	*	1
57. RUBBERLIP SURPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	4	*	*	*	*	*	*	4
59. SILVER SURPERCH	6	*	*	54	0	*	*	61
60. STRIPED SURPERCH	*	*	*	1	*	*	*	*
61. WALLEYE SURPERCH	3	*	*	4	*	*	*	7
62. WHITE SURPERCH	0	*	*	*	*	*	*	0
63. SURPERCHES, OTHER	12	*	*	18	*	*	*	30
66. PACIFIC BONITO	0	*	*	*	4	*	*	4
67. PACIFIC MACKEREL	11	*	*	*	7	2	*	21
69. STARRY FLUNDER	0	*	*	0	3	*	*	*
70. CALIFORNIA HALIBUT	3	*	*	*	3	*	*	6
71. PACIFIC SANDDAB	*	*	*	*	12	*	*	12
72. ROCK SOLE	*	*	*	*	1	*	*	1
73. FLATFISHES, OTHER	0	*	*	*	*	*	*	*
74. SALMONIDS	0	*	*	*	*	*	*	0
75. OTHER FISH	0	*	*	1	0	*	*	0
TOTAL	92	0	0	154	4%	429	0	0
								1,169

TABLE 25. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1982--DEC 1982.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	*	*	*	4	2	50	0	0	77	*	*	*	4	2	46
02. SPINY DOGFISH	0	0	100	*	*	*	0	1	100	*	*	*	1	1	119	1	1	1
03. SHARK, OTHER	0	0	72	*	*	*	18	5	26	*	*	*	*	*	*	18	5	88
04. STURGEONS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	4
05. PACIFIC HERRING	*	*	*	66	45	68	*	*	*	*	*	*	*	*	*	66	45	88
06. NORTHERN ANCHOVY	0	0	100	16	17	107	29	22	76	*	*	*	*	*	*	45	28	58
07. SURF SMELT	141	131	93	507	263	52	*	*	*	*	*	*	*	*	*	648	293	458
08. SMELTS, OTHER	*	*	*	1*	1*	108	*	1	1	100	*	*	*	*	*	1	1	188
09. PACIFIC COD	*	*	*	0	0	89	3	2	61	*	*	*	*	*	*	4	2	84
10. PACIFIC TOMODD	0	0	100	0	0	89	*	*	*	*	*	*	*	*	*	1	1	188
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	1	1	100	*	*	*	1	1	188
13. SILVERSIDES	*	*	*	*	*	*	*	*	*	19	13	152	*	*	*	1	1	188
14. JACKSMELT	0	0	88	*	*	*	261	123	39	570	261	46	420	264	57	1,087	578	348
15. BLACK ROCKFISH	110	146	133	27	27	100	28	10	56	570	261	46	570	261	46	1,087	578	348
16. BLUE ROCKFISH	9	13	147	70	67	95	28	10	56	570	261	46	570	261	46	1,087	578	348
17. BROWN ROCKFISH	0	0	105	2	1	50	58	15	42	136	5	125	7	5	125	86	27	41
18. BOCCACCIO	1	1	100	6	5	48	24	11	38	41	15	47	22	13	58	35	29	51
19. CANARY ROCKFISH	13	21	165	10	5	108	24	12	51	155	29	51	155	29	51	35	29	51
20. CHILIPEPPER ROCKFISH	*	*	*	12	5	46	24	12	51	17	6	35	22	13	58	35	29	51
21. COPPER ROCKFISH	7	6	85	1	1	76	24	12	51	17	6	35	22	13	58	35	29	51
22. GOPHER ROCKFISH	*	*	*	1	0	63	1	1	71	18	8	43	48	50	106	68	50	74
23. GREENSPOTTED ROCKFISH	*	*	*	1	0	63	15	7	46	11	8	43	30	30	106	51	51	54
24. GREENSTRIPED ROCKFISH	*	*	*	6	2	22	22	12	57	13	8	43	30	30	106	51	51	54
25. OLIVE ROCKFISH	*	*	*	1	1	76	24	12	51	17	6	35	22	13	58	35	29	51
26. GULLBACK ROCKFISH	*	*	*	1	1	76	24	12	51	17	6	35	22	13	58	35	29	51
27. ROSY ROCKFISH	1	2	122	8	5	55	55	2	2	37	41	27	73	60	28	47	47	47
28. STARRY ROCKFISH	0	0	100	4	4	48	24	12	51	10	5	50	20	20	50	31	44	44
29. VERMILION ROCKFISH	1	0	70	1	0	52	88	38	43	361	286	46	80	83	117	66	53	44
30. WIDOW ROCKFISH	*	*	*	130	168	130	88	38	43	361	286	46	80	83	117	66	53	44
31. YELLOWTAIL ROCKFISH	2	2	100	130	168	130	88	38	43	361	286	46	80	83	117	66	53	44
33. ROCKFISHES, OTHER	3	2	46	10	5	51	25	9	34	76	18	24	20	8	41	135	22	16
34. KELP GREENLING	7	3	41	13	5	51	24	9	34	26	9	34	16	6	30	82	23	24
35. LINGCOD	10	11	114	17	8	33	24	11	44	26	9	34	16	6	30	82	23	24
36. GREENLINGS, OTHER	0	0	88	7	3	33	24	11	44	26	9	34	16	6	30	82	23	24
38. CABEZON	3	1	42	1	1	76	24	12	51	2	1	42	38	36	92	56	36	66
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	1	1	100	0	0	100	0	0	156	1	1	88
40. SCULPINS, OTHER	0	0	71	1	1	100	0	1	100	0	0	100	1	1	100	2	1	41
43. KELP BASS	*	*	*	0	0	86	0	1	100	0	0	100	1	1	100	2	1	41
44. STRIPED BASS	*	*	*	*	*	*	110	34	31	24	14	100	11	11	24	165	38	88
48. WHITE CROAKER	*	*	*	*	*	*	110	34	31	24	14	100	11	11	24	165	38	88
51. OPALEYE	*	*	*	*	*	*	73	36	50	30	15	48	71	56	138	1	1	138
53. BARRED SURFPERCH	*	*	*	0	0	100	31	9	28	22	12	56	71	44	138	1	1	138
54. BLACK PERCH	*	*	*	0	0	100	60	18	36	24	12	56	71	44	138	1	1	138
55. PILE PERCH	0	0	123	0	0	79	22	12	56	24	12	56	71	44	138	1	1	138
56. REDTAIL SURFPERCH	39	37	96	1	1	76	60	18	36	24	12	56	71	44	138	1	1	138
57. RUBBERLIP SURFPERCH	*	*	*	0	0	100	5	2	50	0	0	100	0	0	100	6	2	42
58. SHINER PERCH	1	1	97	3	1	97	50	18	36	24	12	56	57	47	206	106	50	206
59. SILVER SURFPERCH	0	0	100	20	1	97	46	19	36	24	12	56	57	47	206	106	50	206
60. STRIPED SURFPERCH	4	3	66	3	3	97	108	29	59	24	17	71	5	5	142	37	20	206
61. WALLEYE SURFPERCH	1	2	168	20	3	97	50	18	36	24	12	56	57	47	206	106	50	206
62. WHITE SURFPERCH	1	1	75	0	0	47	18	10	57	21	13	63	0	0	100	4	2	42
63. SURFPERCHES, OTHER	0	0	100	4	4	66	13	5	42	15	8	53	23	21	100	4	2	42
66. PACIFIC BONITO	*	*	*	3	2	100	46	19	36	24	12	56	57	47	206	106	50	206
67. PACIFIC MACKEREL	*	*	*	0	0	100	46	19	36	24	12	56	57	47	206	106	50	206
68. TUNAS	*	*	*	0	0	100	46	19	36	24	12	56	57	47	206	106	50	206
69. STARRY FLOUNDER	0	0	91	1	0	92	65	13	20	4	2	43	3	4	123	73	14	19
70. CALIFORNIA HALIBUT	*	*	*	0	0	100	50	9	33	23	11	68	12	11	111	45	28	57
71. PACIFIC SANDDAB	4	4	97	5	4	98	46	19	36	24	12	56	57	47	206	106	50	206
72. ROCK SOLE	*	*	*	1	1	61	12	5	38	13	5	39	13	2	88	31	8	24
73. FLATFISHES, OTHER	2	1	77	1	1	61	12	5	38	13	5	39	13	2	88	31	8	24
74. SALMONIDS	1	0	65	2	1	51	15	8	50	2	1	46	2	2	100	3	1	38
75. OTHER FISH	3	2	70	7	4	54	15	8	50	2	1	46	2	2	100	29	9	38
TOTAL	365	201	55	1,011	326	32	1,375	140	10	1,877	394	21	1,030	294	29	5,658	638	11

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 26. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1982--DEC 1982.

GROUP	DEL NORTE / HUMBOLDT	MENDOCINO / SONOMA	SAN FRANCISCO OCEAN	BAY	SANTA CRUZ / MONTEREY	SAN LUIS OBISPO	TOTAL
01. LEOPARD SHARK	*	*	*	16	0	*	14
03. SHARK, OTHER	0	0	5	5	2	0	13
04. STURGEONS	*	*	*	19	*	*	19
06. NORTHERN ANCHOVY	*	*	*	4	*	*	4
10. PACIFIC TONNOOD	*	*	*	2	*	*	2
12. PACIFIC HAKE	*	*	*	*	1	*	1
13. SILVERSIDES	*	*	*	*	1	0	0
14. JACKSMELT	0	0	14	33	2	16	64
15. BLACK ROCKFISH	16	1	*	*	*	10	17
16. BLUE ROCKFISH	3	1	*	*	3	10	57
17. BROWN ROCKFISH	0	*	*	2	*	*	2
18. BOCCACCIO	*	*	*	*	*	0	0
19. CANARY ROCKFISH	2	*	*	*	*	*	2
21. COPPER ROCKFISH	0	0	*	*	*	*	1
24. GREENSTRIPED ROCKFISH	1	*	*	*	*	*	1
27. ROSY ROCKFISH	*	*	*	*	*	0	0
29. VERNILION ROCKFISH	*	*	*	*	1	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	0
33. ROCKFISHES, OTHER	0	5	10	25	12	1	168
34. KELP GREENLING	3	2	*	*	0	*	5
35. LINGODD	2	2	1	5	15	0	26
36. GREENLINGS, OTHER	20	1	2	1	0	*	22
38. CABEZON	20	2	16	46	0	1	56
39. PAC. STAGHORN SCULPIN	0	1	*	8	6	15	54
40. SCULPINS, OTHER	1	1	*	*	*	*	9
44. STRIPED BASS	*	*	4	15	0	*	19
45. SEA BASSES, OTHER	*	*	4	*	0	*	0
48. WHITE CROAKER	*	*	8	1	16	10	44
50. CROAKERS, OTHER	*	*	*	*	2	8	10
53. BARRED SURFPERCH	*	*	*	*	2	*	5
55. PILE PERCH	*	4	*	*	0	*	5
56. REDTAIL SURFPERCH	6	0	*	0	0	*	6
58. SHINER PERCH	0	6	22	27	1	15	36
60. STRIPED SURFPERCH	0	2	0	0	*	*	3
61. WALLEYE SURFPERCH	1	*	*	*	*	*	1
62. WHITE SURFPERCH	1	*	*	*	*	*	1
63. SURFPERCHES, OTHER	*	14	23	67	71	18	86
65. PACIFIC BARRACUDA	0	*	*	*	10	8	0
67. PACIFIC MACKEREL	*	*	*	*	10	8	18
69. STARRY FLUNDER	*	0	*	9	0	0	10
70. CALIFORNIA HALIBUT	*	*	0	*	6	2	9
71. PACIFIC SANDDAB	*	*	*	*	15	*	15
73. FLATFISHES, OTHER	0	1	1	1	2	*	3
74. SALMONIDS	0	3	*	*	*	*	3
75. OTHER FISH	1	3	6	16	7	1	34
TOTAL	39	51	94	1,332	370	97	2,032

TABLE 27. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY COASTAL COUNTY DISTRICT AND MODE,  
JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	2	4	*	15	19	0	*	*	39
MENDOCINO/SONOMA (NON-BOAT MODES)	11	3	*	10	*	*	*	*	25
MENDOCINO (BOAT MODES)	*	*	*	*	9	*	*	*	9
SONOMA (BOAT MODES)	*	*	*	*	15	*	*	*	17
SAN FRANCISCO	996	26	56	146	228	120	*	*	1,476
SANTA CRUZ/MONTEREY	24	11	*	91	139	2	*	*	370
SAN LUIS OBISPO	63	0	*	16	16	*	*	*	97
TOTAL	1,096	45	56	276	427	133	0	0	2,032

TABLE 28. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	0	*	1	10	3	*	*
02. SPINY DOGFISH	*	*	*	*	*	*	*	14*
03. SHARK, OTHER	1	2	*	3	57	1	*	*
04. STURGEONS	1	*	*	*	9	10	*	19*
05. PACIFIC HERRING	*	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	4	*	*	*	*	*	*	4*
07. SURF SMELT	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	*	*	*	*	*	*	*	*
09. PACIFIC COD	*	*	*	*	*	*	*	*
10. PACIFIC TONNOOD	2	*	*	*	*	*	*	2
12. PACIFIC HAKE	*	*	*	*	1	*	*	10*
13. SILVERSIDES	0	*	*	*	*	*	*	*
14. JACKSMELT	18	0	*	4	42	*	*	64*
15. BLACK ROCKFISH	*	1	*	*	16	*	*	17*
16. BLUE ROCKFISH	*	0	*	3	47	8	*	57
17. BROWN ROCKFISH	20	*	*	0	*	*	*	20*
18. BOCCACCIO	*	*	*	*	2	*	*	2*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	0	0	*	*	0	*	*	1
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	*	*	1*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	0	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	1*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	*	0
33. ROCKFISHES, OTHER	15	2	10	2	49	90	*	168
34. KELP GREENLING	0	1	*	4	*	*	*	5*
35. LINGCOD	1	0	*	6	16	2	*	28*
36. GREENLINGS, OTHER	*	0	*	2	*	*	*	2*
38. CABEZON	0	1	*	5	0	*	*	6
39. PAC. STAGHORN SCULPIN	275	27	45	133	65	*	*	545
40. SCULPINS, OTHER	8	1	*	1	0	*	*	9*
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	3	0	*	3	11	2	*	19
45. SEA BASSES, OTHER	*	*	*	0	*	*	*	0
48. WHITE CROAKER	18	1	*	1	14	*	*	34
50. CROAKERS, OTHER	*	*	*	*	0	*	*	0
51. OPAEYE	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	0	*	*	10	*	*	*	10*
54. BLACK PERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	0	*	*	4	*	*	5
56. REDTAIL SURFPERCH	*	1	*	5	*	*	*	6*
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	28	1	*	2	8	*	*	36
59. SILVER SURFPERCH	*	*	*	8	*	*	*	8
60. STRIPED SURFPERCH	0	1	*	1	*	*	*	3
61. WALLEYE SURFPERCH	1	*	*	100	*	*	*	11
62. WHITE SURFPERCH	0	*	*	0	0	*	*	1
63. SURFPERCHES, OTHER	706	5	*	73	20	2	*	806
65. PACIFIC BARRACUDA	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	5	*	*	*	7	5	*	18
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	1	0	*	1	8	*	*	10
70. CALIFORNIA HALIBUT	*	*	*	*	9	*	*	9
71. PACIFIC SANDDAB	1	*	*	*	15	*	*	15
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	0	*	1	3	1	*	5
74. SALMONIDS	3	*	*	0	0	*	*	*
75. OTHER FISH	4	0	2	7	12	8	*	34
TOTAL	1,096	45	56	276	427	133	0	0
								2,032

TABLE 29. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B6) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	0	*	*	*	*	*	*	*	0
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*	*
10. PACIFIC TONNOOD	*	*	*	*	*	*	*	*	*
14. JACKSMELT	0	*	*	*	*	*	*	*	0
15. BLACK ROCKFISH	*	10	*	130	14	*	*	*	1530
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	2	*	*	*	2
21. COPPER ROCKFISH	0	0	*	*	201	*	*	*	201*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	021	0	*	*	*	032
34. KELP GREENLING	*	10	*	21	1	*	*	*	*
35. LINGCOD	*	*	*	*	*	*	*	*	*
36. GREENLINGS, OTHER	*	0	*	0	*	*	*	*	0
38. CABEZON	0	0	*	10	0	*	*	*	0
39. PAC. STAGHORN SCULPIN	*	*	*	01	*	*	*	*	*
40. SCULPINS, OTHER	*	0	*	1	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	1	*	5	*	*	*	*	6
58. SHINER PERCH	0	*	*	*	*	*	*	*	*
59. SILVER SURPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	0	0	*	0	*	*	*	*	0
61. WALLEYE SURPERCH	1	*	*	0	*	*	*	*	1
62. WHITE SEAPERCH	0	*	*	0	0	*	*	*	1
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	*	*
65. PACIFIC BARRACUDA	*	*	*	0	*	*	*	*	0
69. STARRY FLUNDER	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	0	*	*	0	*	*	*	0
74. SALMONIDS	*	*	*	0	0	*	*	*	0
75. OTHER FISH	*	*	*	0	0	*	*	*	0
TOTAL	2	4	0	15	19	0	0	0	39

TABLE 30. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	0	*	*	*	*	0
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	*	*	*	*	*	*	*	*	*
10. PACIFIC TUNA	*	*	*	*	*	*	*	*	*
14. JACKSMELT	0	0	*	*	*	*	*	*	0
15. BLACK ROCKFISH	*	0	*	*	*	*	*	*	0
16. BLUE ROCKFISH	*	0	*	0	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	0	*	1	*	*	*	*	1
34. KELP GREENLING	0	*	*	1	*	*	*	*	0
35. LINGCOD	*	*	*	0	*	*	*	*	0
36. GREENLINGS, OTHER	*	0	*	2	*	*	*	*	2
38. CABEZON	*	0	*	1	*	*	*	*	1
39. PAC. STAGHORN SCULPIN	2	0	*	*	*	*	*	*	2
40. SCULPINS, OTHER	*	0	*	0	*	*	*	*	1
43. KELP BASS	*	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	0	*	*	*	*	*	*	0
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	5	0	*	1	*	*	*	*	6
59. SILVER SURPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SURPERCH	*	1	*	1	*	*	*	*	2
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	1	0	*	1	*	*	*	*	2
69. STARRY FLUNDER	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDAB	*	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
74. SALMONIDS	3	*	*	*	*	*	*	*	3
75. OTHER FISH	*	0	*	3	*	*	*	*	*
TOTAL	11	3	0	10	0	0	0	0	25

TABLE 31. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	1	*	*	*	1
16. BLUE ROCKFISH	*	*	*	*	1	*	*	*	1
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	0	0	*	*	*	1
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGODD	*	*	*	*	2	0	*	*	2
38. CABEZON	*	*	*	*	*	*	*	*	*
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	4	*	*	*	4
58. SHINER PERCH	*	*	*	*	*	*	*	*	*
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	*
68. TUNAS	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	0	0	*	*	*	1
TOTAL	0	0	0	0	9	0	0	0	9

TABLE 32. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	0	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	1	2	*	*	3
33. ROCKFISHES, OTHER	*	*	*	*	*	*	*	*	*
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGODD	*	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	*	*	*	*	0	*	*	*	0
40. SCULPINS, OTHER	*	*	*	*	0	*	*	*	0
63. SURFPERCHES, OTHER	*	*	*	*	12	*	*	*	12
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	*	*	*	*	0	*	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	1	*	*	*	1
74. SALMONIDS	*	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	*	0	*	*	*	0
TOTAL	0	0	0	0	15	2	0	0	17

TABLE 33. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	0	*	0	10	3	*	*	14
02. SPINY DOGFISH	*	*	*	*	55	1	*	*	*
03. SHARK, OTHER	*	2	*	2	*	*	*	*	60
04. STURGEONS	1	*	*	*	9	10	*	*	19
05. NORTHERN ANCHOVY	4	*	*	*	*	*	*	*	4
09. PACIFIC COD	*	*	*	*	*	*	*	*	*
10. PACIFIC TUNA	2	*	*	*	*	*	*	*	2
13. SILVERSIDES	*	*	*	*	*	*	*	*	*
14. JACKSMELT	1	*	*	4	41	*	*	*	46
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	2	*	*	*	*	*	*	*	2
18. BOCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	15	1	10	1	4	4	*	*	35
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	1	*	*	4	10	*	*	*	6
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	3	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	251	19	45	101	65	*	*	*	42
40. SCULPINS, OTHER	8	*	*	*	*	*	*	*	8
43. KELP BASS	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	3	0	*	5	11	2	*	*	19
48. WHITE CROAKER	5	1	*	*	3	*	*	*	9
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	0
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	20	1	*	1	8	*	*	*	29
59. SILVER SURFPERCH	*	*	*	2	*	*	*	*	2
60. STRIPED SEAPERCH	*	0	*	20	*	*	*	*	20
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	679	2	*	17	3	2	*	*	702
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	1	*	*	1	8	*	*	*	9
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	0	2	*	*	*	2
74. SALMONIDS	*	*	*	*	*	*	*	*	*
75. OTHER FISH	4	*	2	4	9	3	*	*	22
TOTAL	996	26	56	144	228	25	0	0	1,476

TABLE 34. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MDES
03. SHARK, OTHER	*	0	*	1	2	*	*	5*
09. PACIFIC COD	*	*	*	*	*	*	*	*
10. PACIFIC TOMODD	*	*	*	*	*	*	*	*
14. JACKSMELT	1	*	*	*	13	*	*	14*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOCACIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	4	1	*	*	1	4	*	10
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	*	1	*	*	1*
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	2	*	*	*	2
39. PAC. STAGHORN SCULPIN	9	3	*	3	1	*	*	16
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
44. STRIPED BASS	0	*	*	3	1	*	*	4*
48. WHITE CROAKER	5	1	*	*	2	*	*	8*
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	2	1	*	*	*	*	*	2
59. SILVER SURFPERCH	*	*	*	2	*	*	*	*
60. STRIPED SURFPERCH	*	0	*	0	*	*	*	0
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*
62. WHITE SURFPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	6	1	*	15	*	2	*	25*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	0	1	*	*	1*
74. SALMONIDS	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	1	5	*	*	6
TOTAL	26	7	0	27	26	7	0	9%

TABLE 35. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH	BANK CAUSEWAY	HOOK & LINE	P/R BOAT	C/P/FV	BEACH BANK	NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	0	*	0	10	3	*	*	*	*	14*
02. SPINY DOGFISH	*	*	*	*	53	*	*	*	*	*	5*
03. SHARK, OTHER	*	1	*	1	*	*	*	*	*	*	55
04. STURGEONS	1	*	*	*	9	10	*	*	*	*	39
06. NORTHERN ANCHOVY	4	*	*	*	*	*	*	*	*	*	4
10. PACIFIC TONNOOD	2	*	*	*	*	*	*	*	*	*	2
13. SILVERSIDES	*	*	*	*	*	*	*	*	*	*	*
14. JACKSMELT	1	*	*	4	28	*	*	*	*	*	33*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	2	*	*	*	*	*	*	*	*	*	2
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	11	*	10	1	3	*	*	*	*	*	25*
34. KELP GREENLING	*	*	*	*	*	*	*	*	*	*	*
35. LINGCOD	1	*	*	4	*	*	*	*	*	*	5
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	*	*	*	0
38. CABEZON	*	*	*	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	242	16	45	99	65	*	*	*	*	*	466
40. SCULPINS, OTHER	8	*	*	*	*	*	*	*	*	*	8
43. KELP BASS	*	*	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	2	0	*	*	10	2	*	*	*	*	15
48. WHITE CROAKER	*	*	*	*	0	*	*	*	*	*	*
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*	*	*	1
54. BLACK PERCH	*	*	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	*	*	0
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	18	*	*	1	8	*	*	*	*	*	27
59. SILVER SURFPERCH	*	*	*	0	*	*	*	*	*	*	0
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	673	1	*	2	3	*	*	*	*	*	679
69. STARRY FLUNDER	1	*	*	1	8	*	*	*	*	*	9
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	1	*	*	*	*	*	1
75. OTHER FISH	4	*	2	3	4	3	0	0	0	0	16
TOTAL	970	19	56	117	202	18	0	0	0	0	1,382

TABLE 36. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	*	0
03. SHARK, OTHER	*	*	*	1	1	*	*	*	2
12. PACIFIC HAKE	*	*	*	*	1	*	*	*	1
14. JACKSMELT	1	0	*	1	0	*	*	*	2
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	36	8	*	*	43
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	*	1
30. WIDOW ROCKFISH	*	*	*	*	0	0	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	*	*	0
33. ROCKFISHES, OTHER	0	*	*	0	43	84	*	*	128
34. KELP GREENLING	*	*	*	0	*	*	*	*	0
35. LINGCOD	0	*	*	0	12	2	*	*	15
38. CABEZON	*	0	*	*	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	7	8	*	31	*	*	*	*	46
43. KELP BASS	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	0	*	*	*	*	0
45. SEA BASSES, OTHER	*	*	*	0	*	*	*	*	0
48. WHITE CROAKER	3	*	*	1	12	*	*	*	16
50. CROAKERS, OTHER	*	*	*	*	0	*	*	*	0
53. BARRED SURPERCH	*	*	*	2	*	*	*	*	2
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	0	*	*	*	*	*	*	0
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	*	*
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	0	*	*	*	*	1
59. SILVER SURPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	10	3	*	53	5	*	*	*	7
67. PACIFIC MACKEREL	*	*	*	*	*	4	*	*	10
69. STARRY FLUNDER	*	0	*	*	*	*	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	6	*	*	*	6
71. PACIFIC SANDDAB	1	*	*	*	15	*	*	*	15
73. FLATFISHES, OTHER	1	*	*	1	*	1	*	*	2
75. OTHER FISH	0	0	*	1	1	5	*	*	7
TOTAL	24	11	0	91	139	104	0	0	370

TABLE 37. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN LUIS OBISPO,  
JAN 1982--DEC 1982.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	*	*	*	*	*	*
03. SHARK, OTHER	0	*	*	*	*	*	0
13. SILVERSIDES	0	*	*	*	*	*	*
14. JACKSMELT	16	*	*	0	*	*	16
15. BLACK ROCKFISH	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	10	*	*	10
17. BROWN ROCKFISH	*	*	*	*	*	*	*
18. BOCACCIO	0	*	*	*	*	*	0
19. CANARY ROCKFISH	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	0	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	0	0	*	1
34. KELP GREENLING	*	*	*	*	*	*	*
35. LINGCOD	0	*	*	*	*	*	0
36. GREENLINGS, OTHER	*	*	*	*	*	*	*
38. CABEZON	*	*	*	1	*	*	1
39. PAC. STAGHORN SCULPIN	15	*	*	*	*	*	15
43. KELP BASS	*	*	*	*	*	*	*
48. WHITE CRONER	10	*	*	*	*	*	10
51. OPALYEYE	*	*	*	*	*	*	*
53. BARRED SURPERCH	0	*	*	8	*	*	8
54. BLACK PERCH	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*
58. SHINER PERCH	1	*	*	*	*	*	1
59. SILVER SURPERCH	*	*	*	5	*	*	5
60. STRIPED SURPERCH	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	17	*	*	1	*	*	18
66. PACIFIC BONITO	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	4	*	*	2	2	*	8
69. STARRY FLAUNDER	0	*	*	*	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	2	*	*	2
71. PACIFIC SANDDAB	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	*	*	*
75. OTHER FISH	0	*	*	1	*	*	1
TOTAL	63	0	0	16	16	2	0
						0	97

TABLE 38. ESTIMATED THOUSANDS OF FISH CAUGHT BY TYPE, WAVE, AND COASTAL COUNTY DISTRICT, JAN 1982---DEC 1982.

WAVE	COASTAL COUNTY DISTRICT	CATCH TYPE A	CATCH TYPE B3	CATCH TYPE B4	TOTAL
JAN/FEB	DEL NORTE/HUMBOLDT	8	0	1	10
	MENDOCINO/SONOMA	37	7	1	46
	S. F. OCEAN	95	2	3	100
	S. F. BAY	58	1	56	115
	SANTA CRUZ/MONTEREY	99	24	16	139
	SAN LUIS OBISPO	118	7	15	140
	TOTAL	416	41	92	549
MAR/APR	DEL NORTE/HUMBOLDT	18	0	5	23
	MENDOCINO/SONOMA	66	3	2	71
	S. F. OCEAN	79	36	10	125
	S. F. BAY	188	15	74	300
	SANTA CRUZ/MONTEREY	163	3	15	194
	SAN LUIS OBISPO	188	3	6	199
	TOTAL	678	101	113	891
MAY/JUN	DEL NORTE/HUMBOLDT	236	1	14	251
	MENDOCINO/SONOMA	165	13	14	173
	S. F. OCEAN	178	28	41	225
	S. F. BAY	244	24	98	366
	SANTA CRUZ/MONTEREY	445	11	38	618
	SAN LUIS OBISPO	111	11	12	135
	TOTAL	1,361	279	1,067	2,707
JUL/AUG	DEL NORTE/HUMBOLDT	63	3	13	79
	MENDOCINO/SONOMA	668	15	13	686
	S. F. OCEAN	74	1	16	91
	S. F. BAY	127	52	115	234
	SANTA CRUZ/MONTEREY	776	29	168	1,033
	SAN LUIS OBISPO	262	188	54	408
	TOTAL	1,959	250	398	2,607
SEP/OCT	DEL NORTE/HUMBOLDT	39	6	6	51
	MENDOCINO/SONOMA	87	15	19	121
	S. F. OCEAN	85	11	11	108
	S. F. BAY	76	28	71	167
	SANTA CRUZ/MONTEREY	168	227	57	453
	SAN LUIS OBISPO	281	3	5	289
	TOTAL	735	282	170	1,187
NOV/DEC	DEL NORTE/HUMBOLDT	1	1	1	3
	MENDOCINO/SONOMA	25	10	2	27
	S. F. OCEAN	168	68	13	149
	S. F. BAY	234	44	118	289
	SANTA CRUZ/MONTEREY	89	14	56	151
	SAN LUIS OBISPO	89	3	3	107
	TOTAL	509	197	192	898
	GRAND TOTAL	5,658	1,149	2,032	8,839

**TABLE 39.** ESTIMATED THOUSANDS OF PARTICIPANTS IN MARINE RECREATIONAL FISHING BY COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	COASTAL PARTICIPANTS	NON-COASTAL PARTICIPANTS	OUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT	18	23	7	48
STD ERR	28	27	21	76
MENDOCINO/SONOMA (NON-BOAT MODES)	16	7	1	24
STD ERR	26	7	*	33
MENDOCINO (BOAT MODES)	5	3	1	9
STD ERR	7	*	*	16
SONOMA (BOAT MODES)	3	*	*	6
STD ERR	2	*	*	4
SAN FRANCISCO	26	1	11	38
STD ERR	45	1	14	60
SANTA CRUZ/MONTEREY	110	23	21	154
STD ERR	122	28	23	163
SAN LUIS OBISPO	21	35	8	58
STD ERR	32	38	9	79
TOTAL	460	92	57	
STD ERR	464	93	57	

**TABLE 40.** ESTIMATED THOUSANDS OF FISHING TRIPS BY COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	87	33	10	130
STD ERR	42	47	30	70
MENDOCINO/SONOMA (NON-BOAT MODES)	66	12	14	81
STD ERR	14	9	17	30
MENDOCINO (BOAT MODES)	30	12	11	43
STD ERR	38	24	18	71
SONOMA (BOAT MODES)	23	11	10	31
STD ERR	0	1	0	1
SAN FRANCISCO	1,374	28	55	1,457
STD ERR	105	19	38	110
SANTA CRUZ/MONTEREY	298	33	42	334
STD ERR	64	38	48	80
SAN LUIS OBISPO	121	18	109	315
STD ERR	65	18	148	194
TOTAL	2,000	205	180	2,385
STD ERR	147	127	157	250

TABLE 41. ESTIMATED THOUSANDS OF FISHING TRIPS BY MODE AND COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	MODE	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY CUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	PIER & DOCK	3	0	0	3
	STD ERR	2	1	0	3
	JETTY & BREAKWATER	11	3	2	13
	STD ERR	8	7	6	13
	BRIDGE & CAUSEWAY	30	*	0	30
	STD ERR	33	2	7	38
	B/B - H & L	33	18	7	58
	STD ERR	36	19	8	53
	P/R BOAT	19	25	11	55
	STD ERR	19	25	11	55
	CPFV	0	*	0	0
	STD ERR	0	*	0	0
	SPEAR	0	*	0	0
	STD ERR	0	*	0	0
	TOTAL	87	33	10	130
	STD ERR	62	47	30	70
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	9	2	0	11
	STD ERR	5	3	1	6
	JETTY & BREAKWATER	7	2	1	10
	STD ERR	4	4	3	6
	B/B - H & L	12	7	2	15
	STD ERR	12	7	4	15
	SPEAR	8	2	0	10
	STD ERR	4	5	1	5
	TOTAL	66	12	3	81
	STD ERR	14	9	5	17
MENDOCINO (BOAT MODES)	P/R BOAT	22	4	0	26
	STD ERR	15	9	3	18
	CPFV	8	8	1	17
	STD ERR	9	22	7	25
	TOTAL	30	12	1	43
	STD ERR	18	24	8	31
SONOMA (BOAT MODES)	P/R BOAT	15	1	0	16
	STD ERR	10	1	0	11
	CPFV	8	*	0	8
	STD ERR	0	*	0	0
	TOTAL	23	1	0	21
	STD ERR	20	1	0	21
SAN FRANCISCO	PIER & DOCK	340	6	7	353
	STD ERR	41	9	9	43
	JETTY & BREAKWATER	68	*	1	68
	STD ERR	19	*	2	21
	BRIDGE & CAUSEWAY	32	*	2	33
	STD ERR	15	*	6	16
	B/B - H & L	364	3	9	376
	STD ERR	63	8	4	66
	P/R BOAT	377	12	17	383
	STD ERR	64	14	10	66
	CPFV	124	7	12	213
	STD ERR	25	6	9	27
	TOTAL	1,374	28	35	1,437
	STD ERR	105	19	24	110

(CONTINUED)

TABLE 41. (CONTINUED)

**TABLE 42.** ESTIMATES FROM INTERCEPT SURVEY DATA OF MEAN NUMBER OF HOURS FISHED BY COASTAL COUNTY DISTRICT AND MODE, JAN 1982--DEC 1982.

MODE	COASTAL COUNTY DISTRICT	MEAN	MEDIAN	STD DEV
PIER & DOCK	DEL NORTE/HUMBOLDT	2.7	2.5	1.688
	MENDOCINO/SONOMA	2.4	2.0	1.575
	SAN FRANCISCO	3.4	3.0	2.234
	SANTA CRUZ/MONTEREY	3.3	3.0	1.679
	SAN LUIS OBISPO	2.7	2.5	1.642
JETTY & BREAKWATER	DEL NORTE/HUMBOLDT	2.6	2.5	1.392
	MENDOCINO/SONOMA	2.7	2.0	1.675
	SAN FRANCISCO	3.4	3.0	1.845
	SANTA CRUZ/MONTEREY	2.9	3.0	1.800
	SAN LUIS OBISPO	2.6	2.0	1.669
BRIDGE & CAUSEWAY	DEL NORTE/HUMBOLDT	1.8	2.0	0.599
	MENDOCINO/SONOMA	2.0	2.0	0.000
	SAN FRANCISCO	2.4	2.0	1.719
	SANTA CRUZ/MONTEREY	2.0	2.0	0.000
B/B - H & L	DEL NORTE/HUMBOLDT	2.6	2.5	1.487
	MENDOCINO/SONOMA	2.9	2.5	1.882
	SAN FRANCISCO	3.7	3.0	2.447
	SANTA CRUZ/MONTEREY	2.9	2.5	1.490
	SAN LUIS OBISPO	2.9	2.5	1.863
P/R BOAT	DEL NORTE/HUMBOLDT	4.3	4.0	1.698
	MENDOCINO (BOAT MODES)	4.1	4.0	1.763
	SONOMA (BOAT MODES)	5.5	6.0	2.063
	SAN FRANCISCO	6.0	6.0	2.736
	SANTA CRUZ/MONTEREY	4.9	5.0	1.561
	SAN LUIS OBISPO	3.7	3.5	1.617
CPPV	DEL NORTE/HUMBOLDT	8.0	8.0	0.000
	MENDOCINO (BOAT MODES)	4.3	4.0	0.998
	SONOMA (BOAT MODES)	7.3	7.0	0.615
	SAN FRANCISCO	8.1	8.0	1.766
	SANTA CRUZ/MONTEREY	6.3	6.0	0.860
	SAN LUIS OBISPO	2.5	2.5	0.775
SPEAR	DEL NORTE/HUMBOLDT	1.5	1.5	0.396
	MENDOCINO/SONOMA	1.3	1.0	0.896
	SANTA CRUZ/MONTEREY	1.2	1.0	0.753

TABLE 43. TABULATION OF PRIMARY GROUP SOUGHT BY COASTAL COUNTY DISTRICT, JAN 1982--DEC 1982.

DEL NORTE/HUMBOLDT			SAN FRANCISCO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	809	44.18	75. OTHER FISH	1359	45.01
35. LINGCOD	265	15.57	44. STRIPED BASS	473	15.67
56. REDTAIL SURPERCH	268	14.64	63. SURPERCHES, OTHER	431	14.28
63. SURPERCHES, OTHER	155	8.47	04. STURGEONS	363	11.99
74. SALMONIDS	95	5.19	33. ROCKFISHES, OTHER	91	3.01
15. BLACK ROCKFISH	61	3.33	14. JACKSMELT	59	1.95
33. ROCKFISHES, OTHER	42	2.29	48. WHITE CROAKER	52	1.72
03. SHARK, OTHER	38	2.08	73. FLATFISHES, OTHER	65	1.49
07. SURF SMELT	26	1.43	69. STARRY FLOUNDER	63	1.42
36. GREENLINGS, OTHER	23	1.28	03. SHARK, OTHER	52	1.08
38. CABEZON	20	1.09	70. CALIFORNIA HALIBUT	24	0.79
60. STRIPED SEAPERCH	4	0.22	74. SALMONIDS	9	0.30
06. NORTHERN ANCHOVY	22	0.11	06. NORTHERN ANCHOVY	8	0.26
14. JACKSMELT	2	0.11	35. LINGCOD	7	0.23
34. KELP GREENLING	1	0.05	38. CABEZON	7	0.23
MENDOCINO/SONOMA			SANTA CRUZ/MONTEREY		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	601	65.75	75. OTHER FISH	1498	76.23
63. SURPERCHES, OTHER	67	7.33	63. SURPERCHES, OTHER	225	11.35
35. LINGCOD	66	7.22	33. ROCKFISHES, OTHER	160	7.12
33. ROCKFISHES, OTHER	51	5.58	73. FLATFISHES, OTHER	41	2.09
07. SURF SMELT	40	4.38	35. LINGCOD	19	0.97
05. PACIFIC HERRING	21	2.38	03. SHARK, OTHER	16	0.81
38. CABEZON	21	2.38	14. JACKSMELT	9	0.46
74. SALMONIDS	20	2.19	48. WHITE CROAKER	6	0.31
73. FLATFISHES, OTHER	12	1.31	67. PACIFIC MACKEREL	3	0.15
56. REDTAIL SURPERCH	6	0.66	70. CALIFORNIA HALIBUT	3	0.15
06. NORTHERN ANCHOVY	3	0.33	08. SMELTS, OTHER	2	0.10
36. GREENLINGS, OTHER	3	0.33	16. BLUE ROCKFISH	2	0.10
08. SMELTS, OTHER	1	0.11	01. LEOPARD SHARK	1	0.05
13. SILVERSIDES	1	0.11	17. BROWN ROCKFISH	1	0.05
15. BLACK ROCKFISH	1	0.11	69. STARRY FLOUNDER	1	0.05
MENDOCINO (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	343	78.49	75. OTHER FISH	856	56.91
35. LINGCOD	43	9.84	63. SURPERCHES, OTHER	221	14.69
74. SALMONIDS	30	6.86	33. ROCKFISHES, OTHER	158	10.51
05. PACIFIC HERRING	15	1.14	70. CALIFORNIA HALIBUT	128	7.95
33. ROCKFISHES, OTHER	15	1.14	67. PACIFIC MACKEREL	64	4.26
63. SURPERCHES, OTHER	15	1.14	35. LINGCOD	20	1.36
68. TUNAS	13	0.69	14. JACKSMELT	23	1.53
38. CABEZON	12	0.46	18. BOACCIO	11	0.73
07. SURF SMELT	1	0.23	16. BLUE ROCKFISH	7	0.47
SONOMA (BOAT MODES)			29. VERMILION ROCKFISH	6	0.40
SOUGHT	COUNT	PERCENT	69. STARRY FLOUNDER	6	0.40
75. OTHER FISH	100	68.97	74. SALMONIDS	4	0.27
33. ROCKFISHES, OTHER	22	15.17	01. LEOPARD SHARK	3	0.20
35. LINGCOD	11	7.59	53. BARRED SURPERCH	3	0.20
73. FLATFISHES, OTHER	9	6.21	03. SHARK, OTHER	2	0.13
63. SURPERCHES, OTHER	2	1.38			
44. STRIPED BASS	1	0.69			

TABLE 44. FREQUENCY DISTRIBUTION OF NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1982--DEC 1982. THE TOP NUMBER IN EACH CELL IS THE NUMBER OF FISHERS IN EACH CATCH SIZE, AND THE BOTTOM NUMBER IS THE PERCENTAGE OF THE DISTRICT TOTAL.

PIER & DOCK											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	62 51.67	9 7.50	13 10.83	17 14.17	11 9.17	4 3.33	2 1.67	2 1.67	0 0.00	0 0.00	120
MENDOCINO/SONOMA	15 22.39	8 11.94	7 10.45	1 1.49	12 17.91	8 11.94	7 10.45	1 1.49	4 5.97	4 5.97	67
SAN FRANCISCO	516 57.53	113 12.60	42 4.68	32 3.57	70 7.80	80 8.92	18 2.01	7 0.78	7 0.78	12 1.34	897
SANTA CRUZ/MONTEREY	230 57.79	82 20.60	26 6.53	25 6.28	16 4.02	12 3.02	1 0.25	1 0.25	1 0.25	1 1.01	398
SAN LUIS OBISPO	400 66.33	49 8.13	40 6.63	35 5.80	28 4.64	38 6.30	9 1.49	2 0.33	0 0.00	2 0.33	603
TOTAL	1223	261	128	110	137	142	37	13	12	22	2085

JETTY & BREAKWATER											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	397 69.53	59 10.33	46 8.05	26 4.55	26 4.55	13 2.28	4 0.70	0 0.00	0 0.00	0 0.00	571
MENDOCINO/SONOMA	191 72.35	28 10.61	20 7.58	10 3.79	8 3.03	4 1.52	0 0.00	2 0.76	1 0.38	1 0.38	264
SAN FRANCISCO	101 69.66	13 8.97	13 8.97	5 3.45	4 2.76	4 2.76	3 2.07	2 1.38	0 0.00	0 0.00	145
SANTA CRUZ/MONTEREY	166 78.85	15 7.21	10 4.81	1 0.48	13 6.25	4 1.92	1 0.48	0 0.00	0 0.00	0 0.00	208
SAN LUIS OBISPO	2 33.33	0 0.00	3 50.00	0 0.00	0 0.00	1 16.67	0 0.00	0 0.00	0 0.00	0 0.00	6
TOTAL	855	115	92	42	51	26	8	4	1	1194	

BRIDGE & CAUSEWAY											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	9 69.25	0 0.00	0 0.00	0 0.00	4 30.77	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	13
MENDOCINO/SONOMA	2 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
SAN FRANCISCO	29 76.32	1 2.63	1 2.63	0 0.00	2 5.26	2 5.26	1 2.63	2 5.26	0 0.00	0 0.00	38
SANTA CRUZ/MONTEREY	2 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
TOTAL	42	1	1	0	6	2	1	2	1	2	55

BEACH/BANK - HOOK & LINE											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	517 69.58	65 8.75	35 4.71	38 5.11	28 3.77	38 5.11	7 0.94	2 0.27	3 0.40	10 1.35	743
MENDOCINO/SONOMA	268 53.33	70 15.05	45 9.68	26 5.16	28 6.02	17 3.66	2 0.43	3 0.65	0 0.00	28 6.02	465
SAN FRANCISCO	396 64.50	60 9.77	43 7.00	32 5.21	36 5.86	26 3.91	13 2.12	4 0.65	4 0.65	2 0.33	614
SANTA CRUZ/MONTEREY	326 52.77	92 14.98	72 11.73	34 5.54	35 5.57	46 7.49	7 1.14	3 0.49	0 0.00	3 0.49	614
SAN LUIS OBISPO	96 41.05	29 12.59	29 12.59	17 7.26	35 14.96	19 8.12	7 2.99	2 0.85	0 0.00	0 0.00	234
TOTAL	1581	316	224	145	160	144	36	14	7	43	2670

(CONTINUED)

TABLE 44. (CONTINUED)

NUMBER CAUGHT	P/R BOAT										
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	158 51.30	18 5.84	17 5.52	9 2.92	30 9.74	34 11.04	21 6.82	20 6.49	1 0.32	0 0.00	308
MENDOCINO/SONOMA	0 0.00	5 15.15	3 9.09	5 15.15	10 30.30	6 18.18	4 12.12	0 0.00	0 0.00	0 0.00	33
MENDOCINO (BOAT MODES)	85 25.45	21 6.29	36 10.78	20 5.99	58 17.57	66 19.16	39 11.68	11 3.29	0 0.00	0 0.00	334
SONOMA (BOAT MODES)	67 62.62	5 4.67	3 2.80	8 7.48	1 0.95	13 12.15	5 4.67	5 4.67	0 0.00	0 0.00	107
SAN FRANCISCO	461 55.48	106 12.76	80 9.63	50 6.02	49 5.90	66 7.70	7 0.84	13 1.56	0 0.00	1 0.12	831
SANTA CRUZ/ MONTEREY	167 39.39	33 7.78	22 5.19	25 5.90	41 9.67	77 18.16	34 8.02	15 3.54	2 0.47	8 1.89	424
SAN LUIS OBISPO	186 34.13	27 4.95	23 4.22	22 4.04	32 5.87	111 20.37	113 20.73	13 2.39	13 2.39	5 0.92	545
TOTAL	1124	215	184	139	221	369	223	77	16	14	2582
CPFV											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	6 54.55	3 27.27	2 18.18	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	11
MENDOCINO (BOAT MODES)	2 2.44	0 0.00	0 0.00	3 3.66	4 4.88	22 26.83	38 46.34	12 14.63	0 0.00	1 1.22	82
SONOMA (BOAT MODES)	9 28.13	0 0.00	0 0.00	0 0.00	3 9.38	7 21.88	9 28.13	3 9.38	1 3.13	0 0.00	32
SAN FRANCISCO	186 68.38	27 9.93	15 5.51	8 2.94	5 1.84	14 5.15	13 4.78	4 1.47	0 0.00	0 0.00	272
SANTA CRUZ/ MONTEREY	3 1.45	0 0.00	0 0.00	7 3.38	5 2.42	46 22.22	49 23.67	55 26.57	24 11.59	18 8.70	207
SAN LUIS OBISPO	0 0.00	0 0.00	1 1.52	0 0.00	1 1.52	12 18.18	31 46.97	13 19.70	6 9.09	2 3.03	66
TOTAL	206	30	18	18	18	101	140	87	31	21	670
SPEAR											
NUMBER CAUGHT	0	TOTAL									
DEL NORTE/ HUMBOLDT	10 100.00	10									
MENDOCINO/SONOMA	64 100.00	64									
SANTA CRUZ/ MONTEREY	1 100.00	1									
TOTAL	75	75									

TABLE 45. AVERAGE NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	MODE	MEAN CATCH
DEL NORTE/HUMBOLDT	PIER & DOCK	1.9
	JETTY & BREAKWATER	0.8
	BRIDGE & CAUSEWAY	1.1
	B/B - H & L	5.2
	P/R BOAT	3.5
	CPFV	0.6
	SPEAR	0.0
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	7.7
	JETTY & BREAKWATER	0.8
	BRIDGE & CAUSEWAY	0.0
	B/B - H & L	9.1
	SPEAR	0.0
MENDOCINO (BOAT MODES)	P/R BOAT	4.5
	CPFV	11.6
SONOMA (BOAT MODES)	P/R BOAT	2.8
	CPFV	8.3
SAN FRANCISCO	PIER & DOCK	3.4
	JETTY & BREAKWATER	1.2
	BRIDGE & CAUSEWAY	2.1
	B/B - H & L	1.7
	P/R BOAT	1.7
	CPFV	1.7
SANTA CRUZ/MONTEREY	PIER & DOCK	2.7
	JETTY & BREAKWATER	0.7
	BRIDGE & CAUSEWAY	0.0
	B/B - H & L	1.8
	P/R BOAT	5.3
	CPFV	16.4
	SPEAR	0.0
SAN LUIS OBISPO	PIER & DOCK	1.4
	JETTY & BREAKWATER	2.2
	B/B - H & L	2.3
	P/R BOAT	6.1
	CPFV	14.3

TABLE 46. TABULATION OF LOCATION OF RESIDENCE OF FISHERS BY COASTAL COUNTY DISTRICT OF INTERCEPT SURVEY INTERVIEW, JAN 1982--DEC 1982.

COASTAL COUNTY DISTRICT	COASTAL AREA	REST OF STATE	OUT OF STATE	TOTAL
	PERCENT			NUMBER
DEL NORTE/HUMBOLDT	77.1	19.8	3.2	1831
MENDOCINO/SONOMA (NON-BOAT MODES)	80.4	17.3	2.3	914
MENDOCINO (BOAT MODES)	74.1	24.0	1.8	437
SONOMA (BOAT MODES)	55.2	4.8	0.0	145
SAN FRANCISCO	96.1	2.0	1.9	3019
SANTA CRUZ/MONTEREY	90.7	6.4	3.0	1965
SAN LUIS OBISPO	44.4	52.7	2.9	1504
TOTAL NUMBER	7960	1610	245	9815

TABLE 47. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER	HOOK & LINE	P/R BOAT	OPPV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	*	*	1	*	*	1
3 SHARK, OTHER	2	*	*	3	*	*	4
6 NORTHERN ANCHOVY	*	*	*	0	*	*	0
7 SURF SMELT	*	*	6	*	*	*	6
10 PACIFIC TONNOID	*	*	0	*	*	*	0
14 JACKSMELT	0	*	*	0	*	*	0
15 BLACK ROCKFISH	0	2	6	129	1	*	138
16 BLUE ROCKFISH	*	0	1	6	*	*	6
17 BROWN ROCKFISH	*	*	*	*	*	*	1
18 BOACCIO	*	*	*	1	*	*	1
19 CANARY ROCKFISH	*	*	*	11	*	*	11
21 COPPER ROCKFISH	*	1	*	14	*	*	15
24 GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*
27 ROSY ROCKFISH	*	*	*	0	*	*	0
28 STARRY ROCKFISH	*	*	*	1	*	*	1
29 VERMILION ROCKFISH	*	*	*	34	*	*	34
31 YELLOWTAIL ROCKFISH	*	*	1	6	*	*	6
33 ROCKFISHES, OTHER	0	1	1	1	*	*	1
34 KELP GREENLING	0	1	8	30	1	*	41
35 LINGODD	*	2	8	*	*	*	1
36 GREENLINGS, OTHER	*	0	*	*	*	*	0
38 CABEZON	0	*	3	2	*	*	5
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*
40 SCULPINS, OTHER	*	0	0	0	*	*	1
55 PILE PERCH	0	0	0	0	*	*	0
56 REDTAIL SURPERCH	*	0	17	0	*	*	17
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURPERCH	0	*	*	*	*	*	0
60 STRIPED SURPERCH	0	1	1	*	*	*	0
61 WALLEYE SURPERCH	0	*	0	*	*	*	0
62 WHITE SURPERCH	0	0	0	0	*	*	0
63 SURPERCHES, OTHER	*	0	*	*	*	*	0
65 PACIFIC BARRACUDA	*	*	*	*	*	*	*
69 STARRY FLUNDER	*	*	*	1	*	*	1
71 PACIFIC SANDAB	*	*	*	1	*	*	1
73 FLATFISHES, OTHER	*	0	*	1	*	*	1
74 SALMONIDS	*	*	0	0	*	*	2
75 OTHER FISH	2	*	2	0	*	*	4
TOTAL	5	8	48	214	2	0	278

TABLE 48. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BEACH BANK	BREAKWATER HOOK & LINE	P/R BOAT	OPV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*	*
5 PACIFIC HERRING	8	*	0	*	*	*	8
6 NORTHERN ANCHOVY	0	*	*	*	*	*	0
7 SURF SMELT	*	*	*	*	*	*	*
8 SMELTS, OTHER	*	*	0	*	*	*	0
10 PACIFIC TUNA	*	0	*	*	*	*	0
14 JACKSMELT	*	*	*	*	*	*	*
15 BLACK ROCKFISH	*	0	*	*	*	*	0
16 BLUE ROCKFISH	*	0	*	*	*	*	0
18 BOACCIO	*	*	0	*	*	*	0
19 CANARY ROCKFISH	0	*	1	*	*	*	1
33 ROCKFISHES, OTHER	1	0	1	*	*	*	1
34 KELP GREENLING	0	0	5	*	*	*	5
35 LINGCOD	*	1	5	*	*	*	6
36 GREENLINGS, OTHER	*	*	4	*	*	*	4
38 CABEZON	1	0	7	*	*	*	8
39 PAC. STAGHORN SCULPIN	*	0	*	*	*	*	0
40 SCULPINS, OTHER	*	0	0	*	*	*	0
43 KELP BASS	*	0	0	*	*	*	0
53 BARRED SURPERCH	*	*	0	*	*	*	0
55 PILE PERCH	*	0	*	*	*	*	0
56 REDTAIL SURPERCH	*	0	0	*	*	*	1
57 RUBBERLIP SEAPERCH	*	0	*	*	*	*	0
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURPERCH	*	*	0	*	*	*	0
60 STRIPED SEAPERCH	*	1	7	*	*	*	8
61 WALLEYE SURPERCH	0	0	*	*	*	*	1
62 WHITE SEAPERCH	0	0	0	*	*	*	0
63 SURPERCHES, OTHER	1	0	*	*	*	*	1
69 STARRY FLUNDER	*	0	0	*	*	*	0
71 PACIFIC SANDDAB	0	*	*	*	*	*	0
72 ROCK SOLE	*	0	0	*	*	*	0
73 FLATFISHES, OTHER	*	0	0	*	*	*	0
74 SALMONIDS	0	*	*	*	*	*	0
75 OTHER FISH	*	0	5	*	*	*	6
TOTAL	12	5	38	0	0	0	55

TABLE 49. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
15 BLACK ROCKFISH	*	*	*	11	18	*
16 BLUE ROCKFISH	*	*	*	15	15	*
18 BOCCACCIO	*	*	*	1*	5	*
19 CANARY ROCKFISH	*	*	*	7	16	*
21 COPPER ROCKFISH	*	*	*	6	6	*
22 GOPHER ROCKFISH	*	*	*	0	*	*
23 GREENSPOTTED ROCKFISH	*	*	*	0*	0	0
24 GREENSTRIPED ROCKFISH	*	*	*	0*	0	0
25 OLIVE ROCKFISH	*	*	*	0	0	*
26 QUILLBACK ROCKFISH	*	*	*	1	1	*
27 ROSY ROCKFISH	*	*	*	1	2	*
29 VERMILION ROCKFISH	*	*	*	3	6	3
30 WIDOW ROCKFISH	*	*	*	3*	0	0
31 YELLOWTAIL ROCKFISH	*	*	*	1	15*	*
33 ROCKFISHES, OTHER	*	*	*	7	2*	15
34 KELP GREENLING	*	*	*	1	0	2
35 LINGCOD	*	*	*	4*	11	*
38 CABEZON	*	*	*	2	*	*
40 SCULPINS, OTHER	*	*	*	0*	*	0
55 PILE PERCH	*	*	*	0*	*	*
58 SHINER PERCH	*	*	*	0	*	0
59 SILVER SURFPERCH	*	*	*	0*	*	*
67 PACIFIC MACKEREL	*	*	*	0	0	*
68 TUNAS	*	*	*	2	*	1
71 PACIFIC SANDDAB	*	*	*	1	*	1
72 ROCK SOLE	*	*	*	1	*	*
73 FLATFISHES, OTHER	*	*	*	0	*	0
74 SALMONIDS	*	*	*	4	3	*
75 OTHER FISH	*	*	*	9	0*	9
TOTAL	0	0	0	120	280	0
						400

TABLE 50. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*
15 BLACK ROCKFISH	*	*	*	0	*	*
16 BLUE ROCKFISH	*	*	*	3	1	*
17 BROWN ROCKFISH	*	*	*	1	1	*
18 BOCCACCIO	*	*	*	4	*	4
19 CANARY ROCKFISH	*	*	*	2	5	*
20 CHILipePPER ROCKFISH	*	*	*	2*	1	*
21 COPPER ROCKFISH	*	*	*	4	4	*
22 GOPHER ROCKFISH	*	*	*	0	0	*
23 GREENSPOTTED ROCKFISH	*	*	*	0*	0	0
25 OLIVE ROCKFISH	*	*	*	0	6	*
26 QUILLBACK ROCKFISH	*	*	*	10	6*	11
27 ROSY ROCKFISH	*	*	*	0*	1	*
29 VERMILION ROCKFISH	*	*	*	*	2	*
30 WIDOW ROCKFISH	*	*	*	*	1	*
31 YELLOWTAIL ROCKFISH	*	*	*	2	30	*
33 ROCKFISHES, OTHER	*	*	*	14	2	*
34 KELP GREENLING	*	*	*	0	*	0
35 LINGCOD	*	*	*	3	1	4
38 CABEZON	*	*	*	1	*	*
39 PAC. STAGHORN SCULPIN	*	*	*	0*	*	*
40 SCULPINS, OTHER	*	*	*	0	*	0
63 SURFPERCHES, OTHER	*	*	*	0*	*	*
67 PACIFIC MACKEREL	*	*	*	1	*	1
69 STARRY FLounder	*	*	*	1	*	*
70 CALIFORNIA HALIBUT	*	*	*	30	*	*
73 FLATFISHES, OTHER	*	*	*	0	*	0
74 SALMONIDS	*	*	*	0	3	*
75 OTHER FISH	*	*	*	0	0*	0
TOTAL	0	0	0	39	62	0
						101

TABLE 51. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER	HOOK & LINE	P/R BOAT	OPV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*	*
9 PACIFIC COD	1	*	*	*	*	*	1
10 PACIFIC TUNA	0	*	0	*	*	*	0
14 JACKSMELT	0	*	*	*	*	*	0
15 BLACK ROCKFISH	*	*	*	7	2	*	8
16 BLUE ROCKFISH	*	0	*	0	18	*	18
17 BROWN ROCKFISH	*	0	0	4	22	*	22
18 BOCCACCIO	*	*	*	1	61	*	61
19 CANARY ROCKFISH	*	*	*	2	30	*	30
21 COPPER ROCKFISH	*	*	*	6	34	*	34
22 GOPHER ROCKFISH	*	*	*	1	0	*	1
23 GREENSPOTTED ROCKFISH	*	*	*	*	13	*	13
24 GREENSTRIPED ROCKFISH	*	*	*	*	1	*	1
25 OLIVE ROCKFISH	*	*	*	1	1	*	1
27 ROSY ROCKFISH	*	*	*	1	2	*	2
28 STARRY ROCKFISH	*	*	*	1	2	*	3
29 VERMILION ROCKFISH	*	*	*	*	9	*	9
30 WIDOW ROCKFISH	*	*	*	*	1	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	*	93	*	93
33 ROCKFISHES, OTHER	*	1	0	11	131	*	131
34 KELP GREENLING	*	0	2	*	*	*	2
35 LINGCOD	*	*	2	22	53	*	76
36 GREENLINGS, OTHER	*	*	0	*	*	*	0
38 CABEZON	*	0	2	1	*	*	3
39 PAC. STAGHORN SCULPIN	0	*	0	*	*	*	0
40 SCULPINS, OTHER	0	*	*	*	*	*	0
44 STRIPED BASS	*	*	*	5	5	*	11
48 WHITE CROAKER	1	*	1	4	*	*	5
53 BARRED SURFPERCH	0	*	19	*	*	*	19
54 BLACK PERCH	*	0	0	0	*	*	1
56 REDTAIL SURFPERCH	0	0	8	*	*	*	9
57 RUBBERLIP SEAPERCH	*	*	2	*	*	*	2
58 SHINER PERCH	0	*	4	1	*	*	5
59 SILVER SURFPERCH	0	*	4	*	*	*	4
60 STRIPED SEAPERCH	*	0	4	*	*	*	4
61 WALLEYE SURFPERCH	2	0	3	*	*	*	6
62 WHITE SEAPERCH	0	*	1	*	*	*	0
63 SURFPERCHES, OTHER	0	*	1	*	1	*	1
67 PACIFIC MACKEREL	*	*	*	*	0	*	0
69 STARRY FLUNDER	*	1	2	*	*	*	3
70 CALIFORNIA HALIBUT	*	*	*	13	*	*	13
73 FLATFISHES, OTHER	*	0	*	1	3	*	4
74 SALMONIDS	4	*	*	*	5	*	4
75 OTHER FISH	*	*	1	*	5	*	6
TOTAL	10	4	50	81	470	0	615

TABLE 52. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	1	3	39	6	*	49
2 SPINY DOGFISH	*	*	*	1			2
3 SHARK, OTHER	*	*	*	20	209	*	228
4 STURGEONS	*	*	8	222	119	*	349
6 NORTHERN ANCHOVY	0	0	*	*	*	*	0
10 PACIFIC TONNOOD	0	*	*	*	*	*	0
13 SILVERSIDES	*	*	6	*	*	*	6
14 JACKSHELT	33	0	37	2	*	*	72
16 BLUE ROCKFISH	*	*	*	1			5
17 BROWN ROCKFISH	1	*	0	9	1	*	11
19 CANARY ROCKFISH	*	*	*	*	1	*	1
27 ROSY ROCKFISH	*	*	*	0	*	*	0
33 ROCKFISHES, OTHER	2	*	*	4	*	*	6
34 KELP GREENLING	*	*	*	*	*	*	0
35 LINGCOD	0	*	*	*	2	*	3
36 GREENLINGS, OTHER	*	*	0	*	*	*	0
38 CABEZON	*	*	00	1	*	*	1
39 PAC. STAGHORN SCULPIN	0	0	*	0	*	*	1
40 SCULPINS, OTHER	*	*	*	*	*	*	*
43 KELP BASS	*	*	0	*	*	*	0
44 STRIPED BASS	14	*	6	44	8	*	72
48 WHITE CROAKER	11	*	1	15	*	*	27
53 BARRED SURFPERCH	0	*	*	0	*	*	0
54 BLACK PERCH	1	1	2	0	*	*	5
55 PILE PERCH	2	*	3	8	*	*	13
56 REDTAIL SURFPERCH	*	*	0	*	*	*	0
57 RUBBERLIP SEAPERCH	1	*	*	1	*	*	1
58 SHINER PERCH	1	0	0	0	*	*	3
59 SILVER SURFPERCH	0	*	2	0	*	*	1
60 STRIPED SEAPERCH	0	*	0	1	*	*	0
61 WALLEYE SURFPERCH	3	0	0	12	*	*	16
62 WHITE SEAPERCH	1	*	0	3	*	*	4
63 SURFPERCHES, OTHER	1	0	0	20	*	*	23
69 STARRY FLounder	4	1	10	8	4	*	27
70 CALIFORNIA HALIBUT	0	*	*	30	*	*	30
73 FLATFISHES, OTHER	1	*	0	1	*	*	2
75 OTHER FISH	17	*	9	54	*	*	80
TOTAL	94	3	93	499	353	0	1042

TABLE 53. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY,  
JAN 1982---DEC 1982.

GROUP	PIER	JETTY & BEACH BANK & DOCK BREAKWATER	BANK HOOK & LINE	P/R BOAT	OPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	1	*	*	*	1
3 SHARK, OTHER	*	*	1	15	*	*	16
12 PACIFIC HAKE	*	*	*		*	*	1
14 JACKSMELT	4	1	2	0	*	*	7
15 BLACK ROCKFISH	*	*	*	1	1	*	3
16 BLUE ROCKFISH	*	*	*	68	230	*	292
17 BROWN ROCKFISH	*	0	0	38	*	*	38
18 BOCCACCIO	*	*	*	14	161	*	175
19 CANARY ROCKFISH	*	*	*	4	13	*	13
20 CHILIPEPPER ROCKFISH	*	*	*	4	13	*	13
21 COPPER ROCKFISH	*	*	*	7	8	*	15
22 GOPHER ROCKFISH	*	*	*	4	11	*	11
23 GREENSPOTTED ROCKFISH	*	*	*	10	11	*	11
24 GREENSTRIPED ROCKFISH	*	*	*	67	68	*	135
25 OLIVE ROCKFISH	*	*	*	67	68	*	135
27 ROSY ROCKFISH	*	*	*	*	0	*	0
28 STARRY ROCKFISH	*	*	*	2	11	*	11
29 VERMILION ROCKFISH	*	*	*	4	7	*	7
30 WIDOW ROCKFISH	*	*	*	1	83	*	83
31 YELLOWTAIL ROCKFISH	*	*	*	11	278	*	288
33 ROCKFISHES, OTHER	*	0	0	83	64	*	147
34 KELP GREENLING	*	0	*	36	43	*	79
35 LINGCOD	3	0	0	1	2	*	5
38 CABEZON	*	0	0	*	*	*	0
39 PAC. STAGHORN SCULPIN	0	0	2	*	*	*	0
43 KELP BASS	*	*	0	*	*	*	0
44 STRIPED BASS	*	*	0	*	*	*	0
45 SEA BASSES, OTHER	*	*	*	*	*	*	0
48 WHITE CROAKER	0	*	0	7	*	*	7
50 CROAKERS, OTHER	*	*	*	*	*	*	0
53 BARRED SURFPERCH	0	*	12	*	*	*	12
54 BLACK PERCH	0	*	0	0	*	*	0
55 PILE PERCH	*	0	11	*	*	*	11
56 REDTAIL SURFPERCH	*	*	10	*	*	*	10
57 RUBBERLIP SURFPERCH	*	*	0	*	*	*	0
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURFPERCH	*	0	0	0	*	*	0
60 STRIPED SURFPERCH	0	0	12	*	*	*	12
61 WALLEYE SURFPERCH	0	1	2	*	*	*	3
62 WHITE SURFPERCH	0	0	3	*	*	*	3
63 SURFPERCHES, OTHER	3	*	2	2	*	*	6
67 PACIFIC MACKEREL	10	*	0	45	55	*	106
69 STARRY FLUNDER	*	0	0	1	0	*	1
70 CALIFORNIA HALIBUT	*	*	0	7	0	*	7
71 PACIFIC SANDDAB	*	*	0	4	*	*	4
73 FLATFISHES, OTHER	3	0	0	5	0	*	5
75 OTHER FISH	*	0	0	1	*	*	1
TOTAL	15	4	31	384	1193	0	1627

TABLE 54. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1982--DEC 1982.

GROUP	PIER & DOCK	JETTY & BEACH BANK	BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*	*	3	*	*	3
2 SPINY DOGFISH	*	*	*	*	1*	*	*	1*
3 SHARK, OTHER	*	*	*	*	*	*	*	*
13 SILVERSIDES	*	*	*	*	*	*	*	*
14 JACKSMELT	8	*	*	1	*	*	*	8
15 BLACK ROCKFISH	*	*	*	*	2	*	*	2
16 BLUE ROCKFISH	*	*	*	*	69	139	*	208
17 BROWN ROCKFISH	*	*	*	*	7	*	*	7
18 BOCACCIO	0	*	*	*	1	3	*	4
19 CANARY ROCKFISH	*	*	*	*	6	1	*	8
21 COPPER ROCKFISH	*	*	*	*	10	9	*	19
22 GOPHER ROCKFISH	*	*	*	*	23	0	*	23
23 GREENSPOTTED ROCKFISH	*	*	*	*	1	1	*	2
24 GREENSTRIPED ROCKFISH	*	*	*	*	23	*	*	25
25 OLIVE ROCKFISH	*	*	*	*	4	*	*	27
27 ROSY ROCKFISH	*	*	*	*	6	3	*	9
28 STARRY ROCKFISH	*	*	*	*	6	15	*	24
29 VERMILION ROCKFISH	*	*	*	*	12	6	*	18
30 WIDOW ROCKFISH	*	*	*	*	*	0	*	0
31 YELLOWTAIL ROCKFISH	*	*	*	*	9	2	*	51
33 ROCKFISHES, OTHER	*	*	6	47	3	*	*	55
34 KELP GREENLING	*	*	*	0	0	*	*	0
35 LINGCOD	*	*	1	13	3	*	*	17
36 GREENLINGS, OTHER	*	*	1	58	*	*	*	59
38 CABEZON	*	*	1	*	*	*	*	0
39 PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	0
43 KELP BASS	*	*	0	*	*	*	*	0
48 WHITE CROAKER	1	*	*	4	*	*	*	0
51 OPALEYE	*	*	0	*	*	*	*	0
53 BARRED SURFPERCH	2	*	21	*	*	*	*	23
54 BLACK PERCH	0	*	*	*	*	*	*	0
55 PILE PERCH	*	*	*	*	*	*	*	0
56 REDTAIL SURFPERCH	0	*	0	*	*	*	*	0
57 RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	0
58 SHINER PERCH	0	*	*	*	*	*	*	0
59 SILVER SURFPERCH	1	*	6	0	*	*	*	7
60 STRIPED SURFPERCH	*	*	1	*	*	*	*	11
61 WALLEYE SURFPERCH	0	*	*	*	*	*	*	0
62 WHITE SURFPERCH	*	*	*	*	*	*	*	6
63 SURFPERCHES, OTHER	2	*	5	*	*	*	*	6
66 PACIFIC BONITO	1	*	*	*	10	*	*	11
67 PACIFIC MACKEREL	3	*	*	*	33	1	*	7
69 STARRY FLUNDER	0	*	0	*	57	*	*	6
70 CALIFORNIA HALIBUT	12	*	*	*	2	*	*	19
71 PACIFIC SANDDAB	*	*	*	*	*	*	*	2
72 ROCK SOLE	*	*	*	1	*	*	*	1
73 FLATFISHES, OTHER	0	*	*	2	*	*	*	2
74 SALMONIDS	*	*	*	*	*	*	*	0
75 OTHER FISH	0	*	1	1	*	*	*	2
TOTAL	31	0	44	335	233	0	642	

TABLE 1. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	0	0	100	0	0	100	76	15	20	0	0	76	75	15	20
02. SPINY DOGFISH	0	0	100	0	0	116	0	0	78	106	3	15	100	4	0	3	151	
03. SHARK, OTHER	0	0	87	0	0	87	*	*	*	34	3	10	34	0	0	127	167	
04. STURGEONS	*	*	*	*	*	*	17	10	60	189	*	*	46	*	*	*	189	
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	0	0	100	655	*	*	13	10	79	*	*	*	*	*	*	13	10	79
07. SURF SMELT	111	137	124	0	0	62	61	10	79	*	1	1	*	*	*	766	40	56
08. SNEELS, OTHER	*	*	*	*	*	*	0	0	100	10	6	59	*	*	*	14	0	14
09. PACIFIC TONNOID	*	*	*	*	*	*	0	0	118	*	*	*	*	*	*	*	*	*
10. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	0	0	100	38	40	19	48	*	1	1	117	
14. JACKSMELT	1	0	54	27	27	100	27	9	39	28	3	12	45	3	3	37	473	
15. BLACK ROCKFISH	22	18	91	23	23	62	62	26	68	158	45	45	45	22	22	87	76	
16. BLUE ROCKFISH	12	9	51	26	17	68	12	4	45	45	25	25	27	361	221	140	247	
17. BROWN ROCKFISH	0	0	76	55	17	68	12	4	45	27	27	27	27	23	23	67	255	
18. BOCCACCIO	*	*	*	*	*	*	0	0	62	2	2	2	71	*	1	1	122	
19. CANARY ROCKFISH	7	7	92	29	11	39	8	3	12	49	22	22	22	4	5	5	98	
20. CHILipePPER ROCKFISH	*	*	*	19	7	36	26	3	10	49	22	22	22	8	12	51	88	
21. COPPER ROCKFISH	3	3	90	1	1	77	3	2	2	49	11	11	11	12	12	51	93	
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*	27	27	27	27	27	27	68	255	255
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	0	0	62	2	2	2	71	*	1	1	68	
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	0	0	62	15	15	15	20	*	77	51	66	
25. OLIVE ROCKFISH	*	*	*	*	*	*	16	7	44	20	20	20	20	*	15	15	17	
26. QUILLBACK ROCKFISH	0	0	118	14	10	67	9	4	45	29	29	29	29	*	181	11	51	
27. ROSY ROCKFISH	0	0	100	15	7	44	25	5	47	49	49	49	49	*	98	30	30	
28. STARRY ROCKFISH	*	*	*	*	*	*	1	1	71	3	4	3	77	*	15	12	88	
29. VERMILION ROCKFISH	1	1	79	3	1	47	4	3	57	13	7	6	66	*	32	12	42	
30. WIDOW ROCKFISH	*	*	*	*	*	*	2	1	51	22	22	22	22	*	17	5	51	
31. YELLOWTAIL ROCKFISH	2	2	116	85	47	56	113	40	200	40	35	35	35	*	283	31	31	
33. ROCKFISHES, OTHER	2	1	54	68	9	15	429	40	200	47	58	58	58	*	202	77	291	
34. KELP GREENLING	8	6	82	19	6	34	31	2	39	2	2	2	39	*	2	1	58	
35. LINGCOD	7	5	82	26	12	45	32	2	34	1	1	1	31	*	14	0	47	
36. GREENLINGS, OTHER	2	1	50	6	3	38	2*	1	35	1	1	1	31	*	8	5	61	
37. SABLEFISH	*	*	*	*	*	*	22	7	34	7	3	39	0	1	1	43	9	
38. CABEZON	3	2	64	22	7	34	7	3	39	4	4	4	33	*	8	5	61	
39. PAC. STAGHORN SCULPIN	1	1	103	0	0	65	1,332	203	15	10	30	30	30	*	2	1	62	
40. SCULPINS, OTHER	0	0	55	1	1	60	2*	1	38	1	1	1	41	*	0	2	100	
43. KELP BASS	*	*	*	*	*	*	245	189	14	46	46	46	46	*	2*	54	55	
44. STRIPED BASS	*	*	*	*	*	*	189	75	46	11	21	21	21	*	97	54	55	
48. WHITE CROAKER	*	*	*	*	*	*	*	*	*	11	21	21	21	*	2	1	62	
49. GLEENFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1	1	98	
51. OPALEYE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	
52. HALIBUT	*	*	*	*	*	*	0	1	90	31	11	37	41	*	79	51	100	
53. BARRED SURFPERCH	*	*	*	*	*	*	1	1	90	60	25	41	41	*	3	12	88	
54. BLACK PERCH	*	*	*	*	*	*	1	1	90	31	11	37	41	*	68	68	68	
55. PILE PERCH	0	0	56	1	1	80	80	27	36	1	0	0	188	*	1	1	88	
56. REDTAIL SURFPERCH	8	7	81	30	16	52	41	14	36	1	1	1	41	*	1	1	88	
57. RUBBERLIP SURFPERCH	0	0	100	5	2	51	35	31	30	10	10	10	47	*	1	1	88	
58. SHINER PERCH	0	0	106	1	1	70	35	10	88	6	6	6	41	*	1	1	88	
59. SILVER SURFPERCH	1	0	70	1	1	70	35	10	88	2	2	2	41	*	6	11	24	
60. STRIPED SEAPERCH	4	4	97	21	6	30	18	8	26	1	1	1	56	*	0	0	261	
61. VALLEYE SURFPERCH	2	1	47	10	0	75	111	30	27	2	10	10	56	*	0	5	49	
62. WHITE SEAPERCH	1	0	45	28	13	45	193	34	34	18	10	10	49	*	31	0	49	
63. SURFPERCHES, OTHER	*	*	*	*	*	*	13	13	45	49	49	49	49	*	0	0	49	
65. PACIFIC BARRACUDA	*	*	*	*	*	*	1	1	45	0	0	0	0	*	0	0	0	
66. PACIFIC BONITO	1	2	146	0	0	100	17	6	36	23	28	28	37	*	41	114	204	
67. PACIFIC MACKEREL	*	*	*	27	*	*	187	0	100	188	188	188	188	*	172	2	140	
68. TUNAS	*	*	*	*	*	*	16	0	100	17	17	17	17	*	1	1	140	
69. STARRY FLUNDER	0	0	71	0	0	84	103	0	100	5	1	1	56	*	116	17	116	
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	8	6	84	26	26	26	26	*	58	58	58	
71. PACIFIC SANDDAB	1	1	100	6	5	127	312	129	41	64	27	41	41	*	2	2	131	
72. ROCK SOLE	2	2	96	19	6	30	58	16	8	317	49	15	15	*	0	0	45	
73. FLATFISHES, OTHER	2	1	113	8	5	84	317	49	15	317	26	6	7	*	0	0	19	
74. SALMONIDS	10	11	113	19	6	29	103	17	26	103	26	6	7	*	0	0	24	
75. OTHER FISH	1	1	82	8	5	84	317	49	15	317	26	6	7	*	0	0	14	
TOTAL	214	140	65	1,506	413	27	5,485	391	7	1,670	123	7	1,570	342	22	10445	690	7

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 2. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	6	17	0	126	69	*	*	214
MENDOCINO/SONOMA (NON-BOAT MODES)	68	37	*	788	*	*	*	922
MENDOCINO (BOAT MODES)	*	*	*	*	220	208	*	428
SONOMA (BOAT MODES)	*	*	*	*	61	*	*	156
SAN FRANCISCO	2,140	87	65	762	1,513	985	*	5,485
SANTA CRUZ/MONTEREY	142	14	*	98	540	860	*	1,570
SAN LUIS OBISPO	165	*	*	155	667	563	*	1,570
TOTAL	2,540	154	65	1,908	3,069	2,651	0	10,445

TABLE 3. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	22	0	1	3	39	9	*	75
02. SPINY DOGFISH	0	0	*	*	1	5	*	7
03. SHARK, OTHER	21	0	2	5	10	3	*	167
04. STURGEONS	7	*	*	1	6	3	1	189
05. PACIFIC HERRING	17	*	*	*	6	*	*	17
06. NORTHERN ANCHOVY	*	5	*	0	1	*	*	13
07. SURF SMELT	0	0	*	*	*	*	*	78
08. SNELTS, OTHER	1	*	*	*	*	*	*	44
10. PACIFIC TOMOD	14	0	*	*	0	*	*	0
12. PACIFIC HAKE	*	*	*	*	*	*	*	*
13. SILVERSIDES	48	0	0	1	*	*	*	41
14. JACKSMELT	38	4	3	6	10	7	*	43
15. BLACK ROCKFISH	2	1	4	2	41	*	*	76
16. BLUE ROCKFISH	*	*	*	*	48	42	*	38
17. BROWN ROCKFISH	77	3	2	26	61	110	*	35
18. BOCCACCIO	0	*	*	*	5	79	*	1
19. CANARY ROCKFISH	0	*	*	*	41	54	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	2	51	*	*
21. COPPER ROCKFISH	*	0	*	2	119	43	*	0
22. GOPHER ROCKFISH	*	*	*	*	47	*	*	67
23. GREENSPOTTED ROCKFISH	*	*	*	*	4	23	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	17	*	17
25. OLIVE ROCKFISH	*	*	*	*	78	101	*	101
26. QUILLBACK ROCKFISH	*	*	*	*	38	11	*	38
27. ROSY ROCKFISH	*	*	*	*	61	*	*	*
28. STARRY ROCKFISH	*	*	*	*	4	28	*	*
29. VERMILION ROCKFISH	0	*	*	*	15	17	*	*
30. WIDOW ROCKFISH	*	*	*	*	6	21	*	*
31. YELLOWTAIL ROCKFISH	0	*	*	*	26	22	*	*
33. ROCKFISHES, OTHER	31	1	0	36	76	76	*	1,934
34. KELP GREENLING	1	7	*	13	7	1	*	5
35. LINGCOD	2	1	*	3	6	31	*	7
36. GREENLINGS, OTHER	1	2	*	7	1	*	*	0
37. SABLEFISH	*	*	*	*	*	0	*	*
38. CABEZON	0	3	0	21	13	1	*	3
39. PAC. STAGHORN SCULPIN	511	10	28	222	471	103	*	1,345
40. SCULPINS, OTHER	0	1	*	1	2	0	*	4
43. KELP BASS	*	*	*	2	2	0	*	3
44. STRIPED BASS	28	1	3	5	16	0	*	267
48. WHITE CRONKER	188	1	0	17	24	10	*	360
49. GLEEFISH	1	*	*	*	*	*	*	1
51. OPALLEYE	*	*	*	0	*	*	*	*
52. HALIBUT	*	*	*	*	0	*	*	*
53. BARRED SURFPERCH	18	0	0	169	11	*	*	168
54. BLACK PERCH	14	0	*	2	11	*	*	68
55. PILE PERCH	21	0	0	49	12	*	*	1
56. RETAIL SURFPERCH	50	22	0	78	5	*	*	0
57. RUBBERLIP SURFPERCH	0	0	11	16	39	*	*	27
58. SHINER PERCH	130	0	1	32	0	*	*	66
59. SILVER SURFPERCH	11	0	*	3	*	*	*	66
60. STRIPED SURFPERCH	6	15	0	11	7	*	*	45
61. WALLEYE SURFPERCH	78	4	*	11	8	*	*	55
62. WHITE SURFPERCH	12	1	*	15	2	*	*	55
63. SURFPERCHES, OTHER	133	15	9	18	37	*	*	6
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	0
66. PACIFIC BONITO	2	2	*	2	76	0	*	*
67. PACIFIC MACKEREL	187	50	*	38	111	111	*	882
68. TUNAS	*	*	*	*	2	*	*	*
69. STARRY FLUNDER	19	2	3	27	55	11	*	11
70. CALIFORNIA HALIBUT	0	*	*	*	21	6	*	*
71. PACIFIC SANDAB	308	2	*	2	30	41	*	308
72. ROCK SOLE	*	*	*	*	1	0	*	1
73. FLATFISHES, OTHER	52	1	*	7	4	*	*	48
74. SALMONIDS	188	11	*	3	1	1	*	188
75. OTHER FISH	161	6	4	70	68	12	*	357
TOTAL	2,540	154	65	1,908	3,069	2,651	0	10,445

TABLE 4. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	0	*	*	*	*	*	*	0
03. SHARK, OTHER	*	0	*	0	*	*	*	*	0
06. NORTHERN ANCHOVY	*	0	*	*	*	*	*	*	0
07. SURF SMELT	*	0	*	110	*	*	*	*	111
14. JACKSMELT	0	*	*	0	*	*	*	*	1
15. BLACK ROCKFISH	*	1	*	1	21	*	*	*	22
16. BLUE ROCKFISH	*	1	*	*	11	*	*	*	12
17. BROWN ROCKFISH	*	0	*	*	0	*	*	*	0
19. CANARY ROCKFISH	*	*	*	*	7	*	*	*	7
21. COPPER ROCKFISH	*	0	*	*	3	*	*	*	3
26. GUILLYBACK ROCKFISH	*	*	*	*	0	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	1	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	2	*	*	*	2
33. ROCKFISHES, OTHER	*	0	*	0	2	*	*	*	2
34. KELP GREENLING	0	6	*	0	1	*	*	*	6
35. LINGCOD	*	0	*	0	6	*	*	*	6
36. GREENLINGS, OTHER	*	1	*	1	*	*	*	*	1
38. CABEZON	*	1	*	0	1	*	*	*	1
39. PAC. STAGHORN SCULPIN	1	0	*	0	*	*	*	*	1
40. SCULPINS, OTHER	0	0	*	0	*	*	*	*	0
55. PILE PERCH	0	0	*	0	*	*	*	*	0
56. REDTAIL SURPERCH	0	1	*	8	*	*	*	*	8
57. RUBBERLIP SURPERCH	0	*	*	*	*	*	*	*	0
58. SHINER PERCH	0	*	*	*	*	*	*	*	0
59. SILVER SURPERCH	0	0	*	0	*	*	*	*	0
60. STRIPED SURPERCH	0	4	*	0	*	*	*	*	4
61. WALLEYE SURPERCH	1	1	*	0	*	*	*	*	1
62. WHITE SURPERCH	0	*	*	0	*	*	*	*	0
63. SURPERCHES, OTHER	*	*	*	0	*	*	*	*	0
66. PACIFIC BONITO	*	*	*	0	1	*	*	*	1
69. STARRY FLUNDER	*	0	*	*	*	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	1	*	*	*	1
73. FLATFISHES, OTHER	*	0	*	0	2	*	*	*	2
74. SALMONIDS	0	0	*	1	8	*	*	*	10
75. OTHER FISH	0	0	*	0	1	*	*	*	1
TOTAL	4	17	0	124	69	0	0	0	214

TABLE 5. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	*	*	0	*	*	*	17
05. PACIFIC HERRING	17	*	*	*	*	*	*	55
07. SURF SMELT	0	*	*	655	*	*	*	6
08. SNELTS, OTHER	0	*	*	33	*	*	*	44
10. PACIFIC TOMODD	*	0	*	*	*	*	*	0
13. SILVERSIDES	*	*	*	0	*	*	*	27
14. JACKSMELT	25	1	*	1	*	*	0	22
15. BLACK ROCKFISH	0	*	*	6	*	*	10	16
16. BLUE ROCKFISH	*	*	*	*	*	*	*	4
17. BROWN ROCKFISH	2	0	*	0	*	*	*	2
19. CANARY ROCKFISH	0	*	*	*	*	*	*	0000
22. GOPHER ROCKFISH	*	*	*	*	*	*	0	0
23. VERMILION ROCKFISH	0	*	*	*	*	*	1	4
33. ROCKFISHES, OTHER	0	1	*	3	*	*	*	0
34. KELP GREENLING	*	0	*	11	*	*	5	16
35. LINGCOD	*	1	*	1	*	*	2	6
36. GREENLINGS, OTHER	*	1	*	5	*	*	0	0
38. CABEZON	*	2	*	4	*	*	4	0
39. PAC. STAGHORN SCULPIN	0	*	*	0	*	*	0	0
40. SCULPINS, OTHER	0	1	*	0	*	*	*	1
52. BARRED SURPERCH	*	*	*	0	*	*	*	0
54. BLACK PERCH	*	*	*	1	*	*	*	1
55. PILE PERCH	*	*	*	0	*	*	*	1
56. REDTAIL SURPERCH	*	1	*	29	*	*	*	30
58. SHINER PERCH	4	1	*	0	*	*	*	5
59. SILVER SURPERCH	0	0	*	9	*	*	*	6
60. STRIPED SEAPERCH	0	0	*	*	*	*	*	2
61. WALLEYE SURPERCH	0	*	*	1	*	*	*	1
62. WHITE SEAPERCH	*	0	*	*	*	*	*	0
63. SURPERCHES, OTHER	5	5	*	17	*	*	0	28
67. PACIFIC MACKEREL	4	*	*	*	*	*	*	9
69. STARRY FLUNDER	*	5	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	0
74. SALMONIDS	5	10	*	0	*	*	*	15
75. OTHER FISH	5	1	*	1	*	*	*	7
TOTAL	68	37	0	788	0	0	29	922

TABLE 6. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
03. SHARK, OTHER	*	*	*	*	0	0	*	*	
12. PACIFIC NAKI	*	*	*	*	14	1	*	*	
15. BLACK ROCKFISH	*	*	*	*	109	86	*	*	16
16. BLUE ROCKFISH	*	*	*	*					15
18. BOCACCIO	*	*	*	*	1	5	*	*	
19. CANARY ROCKFISH	*	*	*	*	16	10	*	*	6
21. COPPER ROCKFISH	*	*	*	*	10	2	*	*	
22. GOPHER ROCKFISH	*	*	*	*	1	*	*	*	
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	0	*	*	10
25. OLIVE ROCKFISH	*	*	*	*	1	2	*	*	2
26. GUILDBACK ROCKFISH	*	*	*	*		11	*	*	
27. ROSY ROCKFISH	*	*	*	*		9	*	*	
29. VERMILION ROCKFISH	*	*	*	*		0	*	*	2
30. WIDOW ROCKFISH	*	*	*	*		2	*	*	
31. YELLOWTAIL ROCKFISH	*	*	*	*	10	67	*	*	77
33. ROCKFISHES, OTHER	*	*	*	*	13	2	*	*	15
34. KELP GREENLING	*	*	*	*	11	1	*	*	
35. LINGCOD	*	*	*	*	18	3	*	*	
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	*	2	0	*	*	3
63. SURFPERCHES, OTHER	*	*	*	*	0	*	*	*	
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	
67. PACIFIC MACKEREL	*	*	*	*	0	5	*	*	
71. PACIFIC SANDDAB	*	*	*	*	4	1	*	*	4
72. ROCK SOLE	*	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	5	*	*	*	5
74. SALMONIDS	*	*	*	*	4	*	*	*	4
75. OTHER FISH	*	*	*	*	1	1	*	*	1
TOTAL	0	0	0	0	220	208	0	0	428

TABLE 7. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	*	6	*	*	6
16. BLUE ROCKFISH	*	*	*	*	20	4	*	*	24
17. BROWN ROCKFISH	*	*	*	*	*	33	*	*	33
18. BOCACCIO	*	*	*	*	*	2	*	*	2
19. CANARY ROCKFISH	*	*	*	*	2	1	*	*	3
21. COPPER ROCKFISH	*	*	*	*	3	3	*	*	6
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	*	
25. OLIVE ROCKFISH	*	*	*	*	0	14	*	*	14
26. GUILDBACK ROCKFISH	*	*	*	*	11	*	*	*	11
27. ROSY ROCKFISH	*	*	*	*	1	*	*	*	
28. STARRY ROCKFISH	*	*	*	*	*	1	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	0	8	*	*	8
31. YELLOWTAIL ROCKFISH	*	*	*	*	24	17	*	*	41
33. ROCKFISHES, OTHER	*	*	*	*	1	*	*	*	1
34. KELP GREENLING	*	*	*	*	2	0	*	*	2
35. LINGCOD	*	*	*	*	0	5	*	*	5
39. PAC. STAGHORN SCULPIN	*	*	*	*	7	*	*	*	7
62. PACIFIC MACKEREL	*	*	*	*	0	5	*	*	5
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	*	0
74. SALMONIDS	*	*	*	*	0	*	*	*	0
TOTAL	0	0	0	0	61	95	0	0	156

TABLE 8. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
91. LEOPARD SHARK	22	0	1	3	39	*	*	*
92. SPINY DOGFISH	*	*	2	5	122	*	*	*
93. SHARK, OTHER	21	*	*	0	16	*	1	16
94. STURGEONS	7	5	*	0	1	*	*	18
95. NORTHERN ANCHOVY	*	*	*	0	0	*	7	13
10. PACIFIC TOMCOD	10	*	*	*	*	*	*	10
13. SILVERSIDES	39	0	0	0	*	*	*	6
14. JACKSHELF	16	1	8	5	5	7	*	38
15. BLACK ROCKFISH	1	*	*	*	3	2	*	18
16. BLUE ROCKFISH	*	*	*	*	3	2	1	18
17. BROWN ROCKFISH	75	3	2	*	21	61	*	16
18. BOCCACCIO	*	*	*	*	2	7	1	8
19. CANARY ROCKFISH	*	*	*	*	2	0	*	27
20. CHILIEPPER ROCKFISH	*	*	*	*	2	1	*	3
21. COPPER ROCKFISH	*	0	*	*	2	4	*	38
22. GOMPER ROCKFISH	*	*	*	*	1	3	*	3
23. GREENSPOTTED ROCKFISH	*	*	*	*	1	2	*	2
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	1	*	1
25. OLIVE ROCKFISH	*	*	*	*	1	5	*	15
26. QUILLBACK ROCKFISH	*	*	*	*	5	4	*	5
27. ROSY ROCKFISH	*	*	*	*	7	13	*	28
28. STARRY ROCKFISH	*	*	*	*	1	4	*	4
29. VERMILION ROCKFISH	*	*	*	*	7	6	*	11
31. YELLOWTAIL ROCKFISH	20	0	0	13	77	106	*	69
33. ROCKFISHES, OTHER						318	*	113
34. KELP GREENLING	*	1	*	1	2	*	*	4
35. LINGODD	1	0	*	1	3	4	*	31
36. GREENLINGS, OTHER	1	*	*	1	2	0	*	2
38. CABEZON	*	*	*	2	47	163	*	7
39. PAC. STAGHORN SCULPIN	499	9	28	221	47	163	*	1,332
40. SCULPINS, OTHER	*	*	*	*	2	*	*	2
44. STRIPED BASS	19	1	3	34	16	23	*	245
48. WHITE CROAKER	146	11	0	7	15	*	*	189
53. BARRED SURFPERCH	8	0	0	22	11	*	*	31
54. BLACK PERCH	13	0	*	36	11	*	*	60
55. PILE PERCH	28	*	0	47	12	*	*	88
56. REDTAIL SURFPERCH	*	0	*	41	*	*	*	51
57. RUBBERLIP SURFPERCH	5	0	0	15	5	*	*	20
58. SHINER PERCH	108	1	1	26	39	0	*	65
59. SILVER SURFPERCH	7	*	1	26	0	*	*	25
60. STRIPED SURFPERCH	5	5	0	16	6	*	*	18
61. WALLEYE SURFPERCH	65	4	*	10	2	*	*	111
62. WHITE SURFPERCH	4	4	*	1	12	*	*	16
63. SURFPERCHES, OTHER	90	2	9	31	12	*	*	135
66. PACIFIC BONITO	2	2	*	1	1	*	*	17
67. PACIFIC MACKEREL	105	4	*	39	8	*	*	187
68. TUNAS	*	*	*	3	0	*	*	0
69. STARRY FLUNDER	16	0	3	26	11	*	*	163
70. CALIFORNIA HALIBUT	*	*	*	2	6	*	*	12
71. PACIFIC SANDDAB	307	2	*	2	1	*	*	312
73. FLATFISHES, OTHER	46	0	*	6	5	0	*	58
74. SALMONIDS	23	*	*	6	8	1	*	34
75. OTHER FISH	149	4	4	86	86	8	1	317
TOTAL	2,140	87	65	742	1,513	925	0	5,485

TABLE 9. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	4	*	*	1	*	*	*	*
03. SHARK, OTHER	9	*	*	1	8	*	*	19
04. STURGEONS	*	*	*	1	*	*	*	*
06. NORTHERN ANCHOVY	*	5	*	*	*	*	*	5
10. PACIFIC TONNOID	0	*	*	*	*	*	*	0
13. SILVERSIDES	1	*	*	*	*	*	*	1
14. JACKSMELT	31	*	*	1	*	7	*	39
15. BLACK ROCKFISH	1	*	*	*	5	22	*	28
16. BLUE ROCKFISH	*	*	*	*	10	88	*	102
17. BROWN ROCKFISH	4	1	*	*	10	61	*	76
18. BOCACCIO	*	*	*	*	*	7	*	1
19. CANARY ROCKFISH	*	*	*	*	2	10	*	27
20. CHILipePPER ROCKFISH	*	*	*	*	1	24	*	33
21. COPPER ROCKFISH	*	0	*	*	1	3	*	3
22. GOPHER ROCKFISH	*	*	*	*	1	*	*	3
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	2	*	2
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	15	*	15
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	5
26. GULFBACK ROCKFISH	*	*	*	*	5	*	*	5
27. ROSY ROCKFISH	*	*	*	*	7	13	*	20
28. STARRY ROCKFISH	*	*	*	*	*	3	*	3
29. VERNIMION ROCKFISH	*	*	*	*	1	4	*	4
31. YELLOWTAIL ROCKFISH	*	*	*	*	7	108	*	113
33. ROCKFISHES, OTHER	*	0	*	1	57	285	*	341
34. KELP GREENLING	*	0	*	1	2	*	*	4
35. LINGCOD	0	0	*	0	15	4	*	22
36. GREENLINGS, OTHER	*	*	*	1	*	*	*	1
38. CABEZON	*	0	*	1	1	0	*	3
39. PAC. STAGHORN SCULPIN	33	0	15	9	20	6	*	38
44. STRIPED BASS	*	0	3	23	3	*	*	3
48. WHITE CROAKER	56	1	*	1	6	*	*	60
53. BARRED SURPERCH	5	*	*	22	*	*	*	50
54. BLACK PERCH	*	0	*	40	*	*	*	40
55. REDTAIL SURPERCH	*	*	*	*	3	*	*	3
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	3
58. SHINER PERCH	1	*	*	*	*	*	*	1
59. SILVER SURPERCH	3	*	*	20	*	*	*	26
60. STRIPED SEAPERCH	*	*	*	*	5	*	*	5
61. WALLEYE SURPERCH	13	0	*	1	*	*	*	14
62. WHITE SEAPERCH	2	*	*	2	*	*	*	4
63. SURPERCHES, OTHER	12	1	*	14	*	*	*	27
66. PACIFIC BONITO	2	2	*	1	4	*	*	9
67. PACIFIC MACKEREL	102	4	*	29	8	*	*	183
69. STARRY FLUNDER	4	0	*	1	3	*	*	8
70. CALIFORNIA HALIBUT	*	*	*	*	4	*	*	4
71. PACIFIC SANDDAB	1	*	*	2	*	*	*	3
73. FLATFISHES, OTHER	0	0	*	1	1	*	*	2
74. SALMONIDS	6	*	*	1	3	*	*	10
75. OTHER FISH	16	0	1	9	10	5	*	60
TOTAL	307	56	19	184	200	686	0	1,457

TABLE 10. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	18	0	1	2	39	9	*	69
02. SPINY DOGFISH	*	*	*	*	*	*	*	3
03. SHARK, OTHER	12	*	2	3	114	3	*	155
04. STURGEONS	7	*	*	*	16	13	*	189
05. NORTHERN ANCHOVY	*	*	*	0	1	*	7	8
10. PACIFIC TOMOD	10	*	*	*	*	*	*	10
13. SILVERSIDES	38	0	0	0	*	*	*	39
14. JACKSMELT	24	1	*	5	5	*	*	35
16. BLUE ROCKFISH	*	*	*	*	4	*	*	4
17. BROWN ROCKFISH	71	2	2	*	11	*	*	88
21. COPPER ROCKFISH	*	*	*	*	1	*	*	1
33. ROCKFISHES, OTHER	20	0	0	12	20	36	*	88
34. KELP GREENLING	*	0	*	*	*	*	*	0
35. LINGCOD	*	*	*	1	7	*	*	0
36. GREENLINGS, OTHER	1	*	*	*	*	*	*	1
39. CABEZON	*	*	0	*	1	*	*	3
39. PAC. STAGHORN SCULPIN	466	9	12	212	51	97	*	1,268
40. SCULPINS, OTHER	*	*	*	*	*	*	*	2
44. STRIPED BASS	19	0	0	12	162	23	*	216
48. WHITE CROAKER	90	*	0	7	2	*	*	126
53. BARRED SURFPERCH	2	0	0	*	1	*	*	3
54. BLACK PERCH	13	0	*	36	11	*	*	88
55. PILE PERCH	*	*	0	47	12	*	*	1
56. REDTAIL SURFPERCH	*	*	0	1	*	*	*	0
57. RUBBERLIP SURFPERCH	5	0	0	15	2	*	*	2
58. SHINER PERCH	107	2	1	21	39	*	*	170
59. SILVER SURFPERCH	4	5	10	6	30	*	*	11
60. STRIPED SURFPERCH	5	0	*	1	1	*	*	13
61. WALLEYE SURFPERCH	31	0	*	6	6	*	*	97
62. WHITE SURFPERCH	2	*	*	9	2	*	*	12
63. SURFPERCHES, OTHER	78	4	9	39	37	*	*	166
66. PACIFIC BONITO	*	*	*	*	8	*	*	8
67. PACIFIC MACKEREL	4	*	*	*	*	*	*	4
68. TUNAS	*	*	*	*	0	*	*	0
69. STARRY FLOUNDER	12	*	3	25	45	11	*	86
70. CALIFORNIA HALIBUT	*	*	*	*	16	6	*	22
71. PACIFIC SANDDAB	306	2	*	*	*	10	*	359
73. FLATFISHES, OTHER	46	0	*	6	4	1	*	56
74. SALMONIDS	17	*	*	1	5	*	*	24
75. OTHER FISH	133	4	3	56	76	4	*	277
TOTAL	1,832	31	45	559	1,313	239	0	4,028

TABLE 11. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1963--DEC 1963.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	0	0	*	*	*	1
02. SPINY DOGFISH	*	*	*	*	3	*	*	*	3
03. SHARK, OTHER	*	0	*	0	*	0	*	*	1
08. SMELTS, OTHER	1	*	*	*	*	*	*	*	1
10. PACIFIC TONNOOD	5	*	*	*	*	*	*	*	5
13. SILVERSIDES	0	*	*	*	*	*	*	*	0
14. JACKSMELT	18	2	*	2	1	*	*	*	33
16. BLUE ROCKFISH	1	*	*	0	109	166	*	1	27
17. BROWN ROCKFISH	*	0	*	*	19	4	*	*	23
18. BOCACCIO	*	*	*	*	1	6	*	*	66
19. CANARY ROCKFISH	*	*	*	*	6	18	*	*	26
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	49	*	*	49
21. COPPER ROCKFISH	*	*	*	*	6	6	*	*	11
22. GOMPER ROCKFISH	*	*	*	*	2	6	*	0	27
23. GREENSPOTTED ROCKFISH	*	*	*	*	2	21	*	*	23
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	15	*	*	16
25. OLIVE ROCKFISH	*	*	*	*	0	47	*	*	73
26. GULLEBACK ROCKFISH	*	*	*	*	13	0	*	*	1
27. ROSY ROCKFISH	*	*	*	*	1	15	*	*	29
28. STARRY ROCKFISH	*	*	*	*	1	11	*	*	13
29. VERMILION ROCKFISH	*	*	*	*	4	3	*	*	7
30. WIDOW ROCKFISH	*	*	*	*	3	18	*	*	22
31. YELLOWTAIL ROCKFISH	*	*	*	*	17	189	*	*	28
33. ROCKFISHES, OTHER	2	0	*	1	123	191	*	4	88
34. KELP GREENLING	0	*	*	0	1	0	*	0	2
35. LINGODD	0	*	*	0	8	18	*	3	30
37. SABLEFISH	*	*	*	*	*	0	*	*	0
38. CABEZON	*	0	*	0	2	1	*	*	0
39. PAC. STAGHORN SCULPIN	9	0	*	10	*	*	*	*	10
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	0	2	0	*	*	2
44. STRIPED BASS	1	*	*	1	5	0	*	*	2
48. WHITE CROAKER	16	0	*	4	0	*	*	*	54
52. HALFMONK	*	*	*	*	0	*	*	*	0
53. BARRED SURFPERCH	7	0	*	51	*	*	*	*	58
54. BLACK PERCH	1	0	*	3	*	*	*	*	4
55. PILE PERCH	*	*	*	1	*	*	*	*	1
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	0
57. RUBBERLIP SURFPERCH	*	0	*	0	*	*	*	*	1
58. SHINER PERCH	10	*	*	0	*	*	*	*	10
59. SILVER SURFPERCH	2	*	*	3	*	*	*	*	6
60. STRIPED SURFPERCH	*	*	*	1	0	*	*	*	1
61. WALLEYE SURFPERCH	22	3	*	4	*	*	*	*	28
62. WHITE SURFPERCH	7	1	*	3	*	*	*	*	11
63. SURFPERCHES, OTHER	24	5	*	18	0	*	*	6	34
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	0	*	*	*	33	0	*	*	33
67. PACIFIC MACKEREL	4	1	*	*	59	49	*	*	55
69. STARRY FLUNDER	2	2	*	1	0	*	*	*	1
70. CALIFORNIA HALIBUT	0	*	*	*	1	*	*	*	1
71. PACIFIC SANDDAB	1	0	*	*	24	39	*	*	64
72. ROCK SOLE	*	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	6	0	*	0	20	40	*	*	20
74. SALMONIDS	*	*	*	*	14	3	*	*	14
75. OTHER FISH	3	0	*	2	14	3	*	0	23
TOTAL	142	14	0	98	540	860	0	17	1,670

TABLE 12. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	*	0	*	*	*	0
02. SPINY DOGFISH	0	*	*	*	10	3	*	*	40
03. SHARK, OTHER	*	*	*	*	*	*	*	*	1
03. SILVERSIDES	1	*	*	*	3	3	*	*	
14. JACKSMELT	29	*	*	*	3	3	*	*	5
15. BLACK ROCKFISH	*	*	*	*	0	3	*	*	3
16. BLUE ROCKFISH	*	*	*	*	219	13	*	*	361
17. BROWN ROCKFISH	*	*	*	2	20	13	*	*	34
18. BOCCACCIO	0	*	*	*	3	1	*	*	4
19. CANARY ROCKFISH	*	*	*	*	7	1	*	*	8
21. COPPER ROCKFISH	*	*	*	2	15	7	*	*	23
22. GOPHER ROCKFISH	*	*	*	*	38	39	*	*	137
23. GREENSPOTTED ROCKFISH	*	*	*	*	52	24	*	*	1
24. OLIVE ROCKFISH	*	*	*	*	12	23	*	*	77
27. ROSY ROCKFISH	*	*	*	*	12	23	*	*	35
28. STARRY ROCKFISH	*	*	*	*	2	13	*	*	15
29. VERMILION ROCKFISH	*	*	*	*	8	9	*	*	17
30. WIDOW ROCKFISH	*	*	*	*	4	1	*	*	5
31. YELLOWTAIL ROCKFISH	0	*	*	*	4	1	*	*	36
33. ROCKFISHES, OTHER	9	*	*	19	48	187	*	*	233
34. KELP GREENLING	1	*	*	0	1	*	*	*	2
35. LINGCOD	1	*	*	*	7	6	*	*	
36. GREENLINGS, OTHER	*	*	*	*	0	0	*	*	0
38. CABEZON	*	*	*	*	5	*	*	*	14
39. PAC. STAGHORN SCULPIN	2	*	*	*	5	*	*	*	2
40. SCULPINS, OTHER	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	2	*	*	*	*	2
48. WHITE CROAKER	26	*	*	6	54	10	*	*	97
49. GLEENFISH	1	*	*	0	*	*	*	*	10
51. OPALEYE	*	*	*	0	*	*	*	*	
53. BARRED SURFPERCH	3	*	*	75	0	*	*	*	79
54. BLACK PERCH	0	*	*	1	*	*	*	*	1
55. PILE PERCH	0	*	*	1	*	*	*	*	1
57. RUBBERLIP SEAPERCH	*	*	*	1	*	*	*	*	9
58. SHINER PERCH	8	*	*	1	*	*	*	*	
59. SILVER SURFPERCH	2	*	*	2	*	*	*	*	40
60. STRIPED SEAPERCH	0	*	*	0	*	*	*	*	0
61. WALLEYE SURFPERCH	10	*	*	0	*	*	*	*	100
62. WHITE SEAPERCH	0	*	*	*	0	*	*	*	0
63. SURFPERCHES, OTHER	14	*	*	*	0	*	*	*	45
65. PACIFIC BARACUDA	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	0	*	*	1	48	51	*	*	41
67. PACIFIC MACKEREL	73	*	*	1	48	51	*	*	172
68. TUNAS	1*	*	*	*	22	*	*	*	2
69. STARRY FLUNDER	1	*	*	*	1	*	*	*	1
70. CALIFORNIA HALIBUT	0	*	*	*	1	*	*	*	12
71. PACIFIC SANDDAB	0	*	*	*	20	*	*	*	20
72. ROCK SOLE	*	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	0	*	*	*	6	*	*	*	6
74. SALMONIDS	*	*	*	*	6	*	*	*	
75. OTHER FISH	4	*	*	2	1	*	*	*	7
TOTAL	185	0	0	155	667	563	0	0	1,570

TABLE 13. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	0	0	100	52	14	26	0	0	100	0	0	54	52	14	26
02. SPINY DOGFISH	0	0	100	0	0	116	22	7	35	1	0	188	1	0	126	24	7	35
03. SHARK, OTHER	0	0	222	0	0	78	22	9	27	1	0	58	1	0	27	24	7	35
04. STURGEONS	*	*	*	17	10	60	41	*	*	*	*	*	*	*	*	17	7	10
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	17	7	10
06. NORTHERN ANCHOVY	*	*	*	65	4	62	7	9	133	*	*	*	*	*	*	7	9	133
07. SURF SMELT	111	137	124	0	0	61	*	*	*	*	*	*	*	*	*	0	0	51
08. SMELTS, OTHER	*	*	*	0	0	70	*	*	*	*	*	*	*	*	*	0	0	51
10. PACIFIC TOMOD	*	*	*	0	0	108	*	*	*	*	*	*	*	*	*	0	0	118
12. PACIFIC HAKE	*	*	*	0	0	118	*	*	*	*	*	*	*	*	*	0	0	118
13. SILVERSIDES	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	8	12	48
14. JACKSMELT	0	0	57	28	0	100	39	19	49	19	0	100	1	1	117	12	27	48
15. BLACK ROCKFISH	18	18	57	27	9	100	137	12	38	26	21	100	2	2	121	12	27	48
16. BLUE ROCKFISH	0	0	76	28	8	68	48	41	50	261	23	77	21	23	51	27	51	48
17. BROWN ROCKFISH	0	0	76	28	8	68	138	41	50	261	23	77	21	23	51	27	51	48
18. BOACCIO	*	*	*	7	5	71	7	3	42	66	26	49	22	27	42	17	21	47
19. CANARY ROCKFISH	7	7	86	29	11	39	27	11	38	28	27	33	12	12	51	17	21	47
20. CHILipePPER ROCKFISH	*	*	*	19	1	77	36	2	42	28	27	33	12	12	51	17	21	47
21. COPPER ROCKFISH	*	*	*	1	1	77	28	2	42	28	27	33	12	12	51	17	21	47
22. GOPHER ROCKFISH	*	*	*	19	1	77	28	2	42	28	27	33	12	12	51	17	21	47
23. GREENSPOTTED ROCKFISH	*	*	*	0	0	62	2	2	77	23	16	88	1	1	68	17	21	47
24. GREENSTRIPED ROCKFISH	*	*	*	16	7	44	15	7	51	23	16	88	1	1	68	17	21	47
25. OLIVE ROCKFISH	*	*	*	14	7	44	20	9	52	23	16	88	1	1	68	17	21	47
26. GUILDFISH ROCKFISH	0	0	118	15	7	44	20	9	52	29	12	56	1	1	68	17	21	47
27. ROSY ROCKFISH	0	0	100	15	7	44	20	9	52	29	12	56	1	1	68	17	21	47
28. STARRY ROCKFISH	*	*	*	1	1	71	3	3	77	13	6	66	15	17	52	12	12	42
29. VERMILION ROCKFISH	1	1	79	1	1	51	113	3	57	13	7	66	15	17	52	12	12	42
30. WIDOW ROCKFISH	*	*	*	2	2	116	36	7	57	13	7	66	15	17	52	12	12	42
31. YELLOWTAIL ROCKFISH	2	1	56	57	8	56	113	36	55	13	7	66	15	17	52	12	12	42
33. ROCKFISHES, OTHER	2	1	56	57	8	56	113	36	55	13	7	66	15	17	52	12	12	42
34. KELP GREENLING	5	4	88	18	6	35	4	2	59	2	10	50	2	1	66	15	17	52
35. LINGCOD	7	5	54	18	6	35	15	2	59	2	10	50	2	1	66	15	17	52
36. GREENLINGS, OTHER	1	1	*	21	7	35	3	2	53	2	10	50	2	1	66	15	17	52
37. SABLEFISH	*	*	*	21	7	35	3	2	53	2	10	50	2	1	66	15	17	52
38. CABEZON	2	1	67	21	7	35	3	2	53	2	10	50	2	1	66	15	17	52
39. PAC. STAGHORN SCULPIN	0	1	196	0	1	100	128	19	15	2	1	50	0	0	91	131	19	41
40. SCULPINS, OTHER	0	0	33	1	1	88	113	20	17	2	1	41	0	0	85	115	19	41
43. KELP BASS	*	*	*	*	*	*	160	24	46	2	10	41	0	0	85	115	19	41
44. STRIPED BASS	*	*	*	*	*	*	113	24	46	2	10	41	0	0	85	115	19	41
48. WHITE CROAKER	*	*	*	*	*	*	57	24	46	2	10	41	0	0	85	115	19	41
49. QUEENFISH	*	*	*	*	*	*	57	24	46	2	10	41	0	0	100	131	19	41
51. OPALEYE	*	*	*	*	*	*	57	24	46	2	10	41	0	0	100	131	19	41
52. HALIBUT	*	*	*	0	1	90	57	24	46	2	10	41	0	0	100	131	19	41
53. BARRED SURFPERCH	*	*	*	0	1	90	57	24	46	2	10	41	0	0	100	131	19	41
54. BLACK PERCH	*	*	*	0	1	90	57	24	46	2	10	41	0	0	100	131	19	41
55. PILE PERCH	0	0	56	30	16	80	80	27	34	1	1	89	1	1	89	131	19	41
56. REDTAIL SURFPERCH	0	0	188	4	2	61	37	13	34	0	0	188	1	1	89	131	19	41
57. RUBBERLIP SEAPERCH	0	0	74	1	1	70	111	20	46	0	0	188	1	1	89	131	19	41
58. SHINER PERCH	1	0	74	1	1	70	34	10	46	0	0	188	1	1	89	131	19	41
59. SILVER SURFPERCH	1	0	74	1	1	70	57	18	46	0	0	188	1	1	89	131	19	41
60. STRIPED SEAPERCH	3	4	124	21	6	30	18	16	38	1	1	89	0	0	261	131	19	41
61. WALLEYE SURFPERCH	1	1	124	1	1	41	17	16	38	1	1	89	0	0	261	131	19	41
62. WHITE SEAPERCH	0	0	124	0	0	100	17	16	38	0	0	188	0	0	261	131	19	41
63. SURFPERCHES, OTHER	*	*	*	*	*	*	80	16	38	0	0	188	0	0	261	131	19	41
65. PACIFIC BARRACUDA	*	*	*	*	*	*	11	5	43	21	11	47	0	0	188	131	19	41
66. PACIFIC BONITO	1	2	146	0	0	100	147	5	43	21	11	47	41	42	103	131	19	41
67. PACIFIC MACKEREL	*	*	*	17	7	41	147	5	43	21	11	47	41	42	103	131	19	41
68. TUNAS	*	*	*	0	0	100	147	5	43	21	11	47	41	42	103	131	19	41
69. STARRY FLounder	0	0	100	0	0	100	147	5	43	21	11	47	41	42	103	131	19	41
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	147	5	43	21	11	47	41	42	103	131	19	41
71. PACIFIC SANDDAB	1	1	100	4	5	129	311	129	41	63	27	42	2	2	98	381	131	41
72. ROCK SOLE	2	2	97	0	3	80	120	12	36	31	20	73	4	4	78	381	131	41
73. FLATFISHES, OTHER	2	2	97	16	5	71	120	12	36	31	20	73	4	4	78	381	131	41
74. SALMONIDS	4	5	127	0	4	71	120	12	36	31	20	73	4	4	78	381	131	41
75. OTHER FISH	1	1	113	7	5	71	120	12	36	31	20	73	4	4	78	381	131	41
TOTAL	194	139	72	1,459	413	28	3,163	319	10	1,417	118	8	1,432	341	24	7,664	650	8

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 14. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	3	11	0	122	59	*	*	0 194
MENDOCINO/SONOMA (NON-BOAT MODES)	54	23	*	772	*	*	*	29 878
MENDOCINO (BOAT MODES)	*	*	*	*	217	208	*	*
SONOMA (BOAT MODES)	*	*	*	*	60	95	*	155
SAN FRANCISCO	1,369	53	17	395	542	758	*	11 3,163
SANTA CRUZ/MONTEREY	104	12	*	77	452	755	*	17 1,417
SAN LUIS OBISPO	141	*	*	124	639	538	*	*
TOTAL	1,691	99	17	1,490	1,960	2,352	0	57 7,664

TABLE 15. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	19	0	0	2	21	0	*	*
02. SPINY DOGFISH	*	0	*	*	13	0	*	*
03. SHARK, OTHER	5	*	*	2	8	0	*	1*
04. STURGEONS	1	*	*	*	1	0	*	*
05. PACIFIC HERRING	17	*	*	*	1	0	*	17
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	7
07. SURF SMELT	0	0	*	*	*	*	*	*
08. SMELTS, OTHER	0	*	*	*	*	*	*	*
10. PACIFIC TONNOID	0	*	*	*	0	*	*	0
12. PACIFIC HAKE	*	*	*	*	*	*	*	766
13. SILVERSIDES	40	0	0	0	*	*	*	*
14. JACKSMELT	31	0	0	16	4	*	*	*
15. BLACK ROCKFISH	2	0	*	1	1	*	*	10
16. BLUE ROCKFISH	5	0	*	1	1	*	*	11
17. BROWN ROCKFISH	5	0	*	1	1	*	*	5
18. BOCCACCIO	0	*	*	*	5	0	*	*
19. CANARY ROCKFISH	0	*	*	*	5	0	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	117	0	*	*
21. COPPER ROCKFISH	*	0	*	2	1	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	1	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	4	23	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	17	0	*	*
25. OLIVE ROCKFISH	*	*	*	*	1	0	*	*
26. GUILLEBACK ROCKFISH	*	*	*	*	11	0	*	*
27. ROSY ROCKFISH	*	*	*	*	61	0	*	61
28. STARRY ROCKFISH	*	*	*	*	28	0	*	*
29. VERMILION ROCKFISH	0	*	*	*	17	0	*	*
30. WIDOW ROCKFISH	*	*	*	*	21	0	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	22	0	*	*
33. ROCKFISHES, OTHER	9	1	*	16	41	0	*	4
34. KELP GREENLING	1	4	*	12	7	0	*	5
35. LINGCOD	1	1	*	1	48	0	*	70
36. GREENLINGS, OTHER	*	1	*	6	1	0	*	*
37. SABLEFISH	*	*	*	*	1	0	*	*
38. CABEZON	0	2	0	17	12	0	*	5
39. PAC. STAGHORN SCULPIN	61	1	1	26	0	*	*	131
40. SCULPINS, OTHER	0	1	*	0	0	*	*	*
43. KELP BASS	*	*	*	27	0	*	*	*
44. STRIPED BASS	152	0	*	8	21	0	*	152
48. WHITE CROAKER	152	1	*	28	0	*	*	152
49. QUEENFISH	0	*	*	*	*	*	*	*
51. OPALEYE	*	*	*	*	*	*	*	*
52. HALIBUT	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	18	0	0	*	8	*	*	18
54. BLACK PERCH	14	0	*	*	*	*	*	*
55. PILE PERCH	21	0	0	49	12	*	*	1
56. REDTAIL SURFPERCH	0	*	*	73	*	*	*	*
57. RUBBERLIP SEAPERCH	5	0	0	1	5	*	*	5
58. SHINER PERCH	12	0	0	1	5	*	*	12
59. SILVER SURFPERCH	11	0	0	1	5	*	*	11
60. STRIPED SEAPERCH	6	14	0	11	7	*	*	6
61. WALLEYE SURFPERCH	77	14	*	16	*	*	*	77
62. WHITE SEAPERCH	12	1	*	53	0	*	*	12
63. SURFPERCHES, OTHER	61	9	1	2	0	*	*	61
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*
66. PACIFIC BONITO	2	2	*	*	*	*	*	*
67. PACIFIC MACKEREL	170	2	*	*	*	*	*	362
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLounder	15	2	*	*	10	*	*	15
70. CALIFORNIA HALIBUT	0	*	*	*	6	*	*	0
71. PACIFIC SANDDAB	306	2	*	2	41	*	*	306
72. ROCK SOLE	*	*	*	*	0	*	*	*
73. FLATFISHES, OTHER	45	1	*	4	0	*	*	45
74. SALMONIDS	19	2	*	1	0	*	*	19
75. OTHER FISH	56	2	*	*	1	*	*	56
TOTAL	1,691	99	17	1,490	1,960	2,352	0	57
								7,664

TABLE 16. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	0	*	*	*	*	*	*	0
03. SHARK, OTHER	*	*	*	0	*	*	*	*	0
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	110	0	*	*	*	111
14. JACKSHELF	0	*	*	0	*	*	*	*	0
15. BLACK ROCKFISH	*	0	*	1	17	*	*	*	18
16. BLUE ROCKFISH	*	00	*	*	11	*	*	*	12
17. BROWN ROCKFISH	*	0	*	*	07	*	*	*	07
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	3
21. COPPER ROCKFISH	*	0	*	*	3	*	*	*	3
26. GUTTLEBACK ROCKFISH	*	*	*	*	0	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	00	*	*	*	00
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	2	*	*	*	2
33. ROCKFISHES, OTHER	*	0	*	0	2	*	*	*	0
34. KELP GREENLING	0	4	*	0	1	*	*	*	5
35. LINGCOD	*	0	*	00	6	*	*	*	7
36. GREENLINGS, OTHER	*	1	*	00	1	*	*	*	1
38. CABEZON	0	*	*	*	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	*	0
40. SCULPINS, OTHER	0	0	*	0	*	*	*	*	0
55. PILE PERCH	0	0	*	*	*	*	*	*	0
56. REDTAIL SURFPERCH	0	1	*	7	*	*	*	*	0
57. RUBBERLIP SURFPERCH	0	*	*	*	*	*	*	*	0
58. SHINER PERCH	0	*	*	*	*	*	*	*	0
59. SILVER SURFPERCH	0	0	*	0	*	*	*	*	1
60. STRIPED SURFPERCH	0	3	*	00	*	*	*	*	3
61. WALLEYE SURFPERCH	1	*	*	00	*	*	*	*	0
62. WHITE SURFPERCH	0	*	*	0	*	*	*	*	0
63. SURFPERCHES, OTHER	*	*	*	0	*	*	*	*	0
66. PACIFIC BONITO	*	*	*	0	1	*	*	*	1
69. STARRY FLUNDER	*	0	*	*	1	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	2	*	*	*	1
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*	2
74. SALMONIDS	0	0	*	1	3	*	*	*	4
75. OTHER FISH	0	0	*	0	0	*	*	*	1
TOTAL	3	11	0	122	59	0	0	0	194

TABLE 17. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH CAUSEWAY HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	0
05. SHARK, OTHER	*	*	*	0	*	*	*	0
05. PACIFIC HERRING	17	*	*	*	*	*	*	17
07. SURF SMELT	0	*	*	655	*	*	*	655
08. SMELTS, OTHER	0	*	*	33	*	*	*	34
10. PACIFIC TONNOOD	*	0	*	*	*	*	*	0
13. SILVERSIDES	*	*	*	0	*	*	*	0
14. JACKSMELT	25	1	*	1	*	*	*	26
15. BLACK ROCKFISH	1	*	*	1	*	*	*	0
16. BLUE ROCKFISH	0	*	*	6	*	*	10	6
17. BROWN ROCKFISH	2	0	*	0	*	*	*	2
19. CANARY ROCKFISH	0	*	*	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	0
29. VERMILION ROCKFISH	0	*	*	*	*	*	*	0
33. ROCKFISHES, OTHER	0	1	*	2	*	*	1	3
34. KELP GREENLING	*	0	*	11	*	*	*	16
35. LINGCOD	*	1	*	5	*	*	*	5
36. GREENLINGS, OTHER	*	1	*	13	*	*	*	15
38. CABEZON	*	*	*	*	*	*	4	18
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	0	0
40. SCULPINS, OTHER	*	0	*	0	*	*	*	1
53. BARRED SURPERCH	*	*	*	1	*	*	*	1
54. BLACK PERCH	*	*	*	1	*	*	*	1
55. PILE PERCH	*	*	*	29	*	*	*	30
56. REDTAIL SURPERCH	*	1	*	*	*	*	*	1
58. SHINER PERCH	3	1	*	*	*	*	*	4
59. SILVER SURPERCH	0	0	*	1	*	*	*	1
60. STRIPED SEAPERCH	0	6	*	9	*	*	*	6
61. WALLEYE SURPERCH	0	*	*	*	*	*	*	0
62. WHITE SEAPERCH	*	0	*	1	*	*	*	1
63. SURPERCHES, OTHER	0	4	*	4	*	*	*	9
67. PACIFIC MACKEREL	*	0	*	*	*	*	*	0
69. STARRY FLUNDER	*	*	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	0
74. SALMONIDS	0	6	*	0	*	*	*	6
75. OTHER FISH	5	1	*	1	*	*	*	6
TOTAL	54	23	0	772	0	0	29	878

TABLE 18. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
62. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
63. SHARK, OTHER	*	*	*	*	*	0	*	*	0
12. PACIFIC HAKE	*	*	*	*	0	*	*	*	16
15. BLACK ROCKFISH	*	*	*	*	14	1	*	*	15
16. BLUE ROCKFISH	*	*	*	*	109	85	*	*	16
18. BOCACCO	*	*	*	*	1	5	*	*	6
19. CANARY ROCKFISH	*	*	*	*	16	10	*	*	13
21. COPPER ROCKFISH	*	*	*	*	16	22	*	*	10
22. GOPHER ROCKFISH	*	*	*	*	0	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	0	*	*	0
25. OLIVE ROCKFISH	*	*	*	*	1	2	*	*	2
26. GUILFBACK ROCKFISH	*	*	*	*	3	11	*	*	13
27. ROSY ROCKFISH	*	*	*	*	55	9	*	*	14
29. VERMILION ROCKFISH	*	*	*	*	22	22	*	*	22
30. WIDOW ROCKFISH	*	*	*	*	2*	2	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	*	10	67	*	*	77
33. ROCKFISHES, OTHER	*	*	*	*	11	22	*	*	30
34. KELP GREENLING	*	*	*	*	11	1	*	*	13
35. LINGOD	*	*	*	*	17	34	*	*	20
36. GREENLINGS, OTHER	*	*	*	*	0	1*	*	*	0
38. CABEZON	*	*	*	*	2	0	*	*	3
63. SURPERCHES, OTHER	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	0	*	*	5
67. PACIFIC MACKEREL	*	*	*	*	0	5	*	*	4
71. PACIFIC SANDDAB	*	*	*	*	4	1	*	*	5
72. ROCK SOLE	*	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	5	1*	*	*	5
74. SALMONIDS	*	*	*	*	3	1*	*	*	4
75. OTHER FISH	*	*	*	*	1	1	*	*	1
TOTAL	0	0	0	0	217	208	0	0	425

TABLE 19. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	*	6	*	*	6
16. BLUE ROCKFISH	*	*	*	*	20	4	*	*	24
17. BROWN ROCKFISH	*	*	*	*	*	33	*	*	33
18. BOCACCO	*	*	*	*	*	21	*	*	21
19. CANARY ROCKFISH	*	*	*	*	2	1	*	*	3
21. COPPER ROCKFISH	*	*	*	*	3	3	*	*	6
23. GREENSPOTTED ROCKFISH	*	*	*	*	4*	0	*	*	0
25. OLIVE ROCKFISH	*	*	*	*	0	14	*	*	14
26. GUILFBACK ROCKFISH	*	*	*	*	1	*	*	*	1
27. ROSY ROCKFISH	*	*	*	*	1	*	*	*	1
28. STARRY ROCKFISH	*	*	*	*	*	1	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	24	8	*	*	8
33. ROCKFISHES, OTHER	*	*	*	*	1	17	*	*	41
34. KELP GREENLING	*	*	*	*	2*	1*	*	*	1
35. LINGOD	*	*	*	*	2	0	*	*	3
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	5	*	*	12
67. PACIFIC MACKEREL	*	*	*	*	6	5	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	*	0
74. SALMONIDS	*	*	*	*	0	*	*	*	0
TOTAL	0	0	0	0	60	95	0	0	155

TABLE 20. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK	CULSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	19	0	0	2	21	9	*	*	52
02. SPINY DOGFISH	*	*	*	*	*	10	*	*	1
03. SHARK, OTHER	5	*	*	2	12	12	*	1	41
04. STURGEONS	1	*	*	*	28	12	*	*	7
05. NORTHERN ANCHOVY	*	*	*	*	*	12	*	*	7
10. PACIFIC TUNA	8	*	*	*	*	*	*	*	8
13. SILVERSIDES	39	0	0	*	*	*	*	*	39
14. JACKSMELT	318	1	6	31	15	22	*	*	28
15. BLACK ROCKFISH	1*	*	*	*	12	91	*	*	13
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	3
17. BROWN ROCKFISH	53	3	*	*	21	61	*	*	138
18. BOCACCIO	*	*	*	*	*	7	*	*	7
19. CANARY ROCKFISH	*	*	*	*	*	25	*	*	27
20. CHILIPePPER ROCKFISH	*	*	*	*	22	11	*	*	33
21. COPPER ROCKFISH	*	0	*	*	22	24	*	*	26
22. GOPHER ROCKFISH	*	*	*	*	1*	3	*	*	3
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	2	*	*	2
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	1	*	*	1
25. OLIVE ROCKFISH	*	*	*	*	*	15	*	*	15
26. GUILFBACK ROCKFISH	*	*	*	*	5	*	*	*	5
27. ROSY ROCKFISH	*	*	*	*	7	13	*	*	28
28. STARRY ROCKFISH	*	*	*	*	1	4	*	*	4
29. VERMILION ROCKFISH	*	*	*	*	1	4	*	*	4
31. YELLOWTAIL ROCKFISH	*	*	*	*	7	106	*	*	113
33. ROCKFISHES, OTHER	*	0	*	*	56	308	*	*	365
34. KELP GREENLING	*	1	*	1	2	*	*	*	4
35. LINGODD	*	0	*	1	10	3	*	*	15
36. GREENLINGS, OTHER	*	0	*	1	*	*	*	*	1
38. CABEZON	*	0	0	1	1	0	*	*	1
39. PAC. STAGHORN SCULPIN	59	1	1	26	42	*	*	*	133
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	2
44. STRIPED BASS	1	0	*	26	62	21	*	*	13
48. WHITE CROAKER	128	1	*	4	27	*	*	*	168
53. BARRED SURPERCH	18	0	0	28	1	*	*	*	29
54. BLACK PERCH	13	0	*	36	8	*	*	*	57
55. PILE PERCH	20	*	0	47	12	*	*	*	80
56. REDTAIL SURPERCH	*	*	0	37	*	*	*	*	37
57. RUBBERLIP SEAPERCH	5	0	0	12	5	*	*	*	22
58. SHINER PERCH	81	2	0	15	13	*	*	*	111
59. SILVER SURPERCH	7	*	1	15	*	*	*	*	34
60. STRIPED SEAPERCH	5	5	0	16	6	*	*	*	18
61. WALLEYE SURPERCH	45	1	*	16	6	*	*	*	91
62. WHITE SEAPERCH	4	*	*	16	*	*	*	*	16
63. SURPERCHES, OTHER	38	1	1*	16	7	*	*	*	88
66. PACIFIC BONITO	2	2	*	1	7	*	*	*	11
67. PACIFIC MACKEREL	106	31	*	5	5	*	*	*	147
68. TUNAS	*	*	*	*	50	*	*	*	0
69. STARRY FLUNDER	14	0	3	24	14	10	*	*	88
70. CALIFORNIA HALIBUT	*	*	*	*	19	6	*	*	311
71. PACIFIC SANDDAB	306	2	*	2	19	1	*	*	1
73. FLATFISHES, OTHER	40	0	*	4	0	0	*	*	45
76. SALMONIDS	19	*	*	1	1	*	*	*	21
75. OTHER FISH	48	1	*	36	33	*	*	1	120
TOTAL	1,389	53	17	395	542	756	0	11	3,163

TABLE 21. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	*	*	1	*	*	*	2
03. SHARK, OTHER	4*	*	*	1*	2*	*	*	6*
04. STURGEONS	*	*	*	*	*	*	*	0
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	0
10. PACIFIC TOMCOD	0	*	*	*	*	*	*	0
13. SILVERSIDES	1	*	*	*	*	*	*	1
14. JACKSHELT	29	*	*	1*	*	*	*	28
15. BLACK ROCKFISH	1	*	*	*	9	22	*	88
16. BLUE ROCKFISH	*	*	*	*	9	91	*	88
17. BROWN ROCKFISH	4	1	*	*	10	61	*	75
18. BOCCACCIO	*	*	*	*	*	7	*	7
19. CANARY ROCKFISH	*	*	*	*	22	25	*	27
20. CHILIEPEPPER ROCKFISH	*	*	*	*	11	24	*	30
21. COPPER ROCKFISH	*	0	*	*	1	3	*	7
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	2	*	2
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	0
25. OLIVE ROCKFISH	*	*	*	*	*	15	*	15
26. QUILLBACK ROCKFISH	*	*	*	*	5	*	*	8
27. ROSY ROCKFISH	*	*	*	*	7	13	*	20
28. STARRY ROCKFISH	*	*	*	*	*	3	*	3
29. VERMILION ROCKFISH	*	*	*	*	4	*	*	4
31. YELLOWTAIL ROCKFISH	*	*	*	*	7	106	*	113
33. ROCKFISHES, OTHER	*	00	*	*	56	273	*	59
34. KELP GREENLING	*	*	*	1	2	*	*	4
35. LINGODD	*	0	*	*	7	3	*	13
36. GREENLINGS, OTHER	*	*	*	1	*	*	*	1
38. CABEZON	*	0	*	1	1	0	*	1
39. PAC. STAGHORN SCULPIN	7*	*	*	20	103	*	*	15
44. STRIPED BASS	*	0	*	*	3	*	*	0
48. WHITE CROAKER	49	1	*	*	3	*	*	50
53. BARRED SURPERCH	5	*	*	20	*	*	*	50
54. BLACK PERCH	*	0	*	*	*	*	*	0
56. REDTAIL SURPERCH	*	*	*	35	*	*	*	35
57. RUBBERLIP SURPERCH	*	*	*	*	3	*	*	3
58. SHINER PERCH	*	*	*	*	*	*	*	*
59. SILVER SURPERCH	3*	*	*	20	*	*	*	23
60. STRIPED SURPERCH	*	*	*	*	5	*	*	5
61. WALLEYE SURPERCH	13	0	*	2	*	*	*	14
62. WHITE SURPERCH	2	*	*	*	*	*	*	4
63. SURPERCHES, OTHER	8	0	*	7	*	*	*	15
65. PACIFIC BONITO	22	*	*	1	3	*	*	28
67. PACIFIC MACKEREL	102	51	*	5	5	*	*	133
69. STARRY FLOUNDER	4	10	*	4	4	*	*	6
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	4
71. PACIFIC SANDDAB	1	*	*	2	*	*	*	3
73. FLATFISHES, OTHER	0	0	*	1	0	*	*	1
74. SALMONIDS	6	4	*	2	3	*	*	6
75. OTHER FISH	3	0	*	*	*	*	*	7
TOTAL	244	37	0	123	158	655	0	1,219

TABLE 22. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	18	0	0	1	21	9	*	*
02. SPINY DOGFISH	*	*	*	*	*	2	*	*
03. SHARK, OTHER	1	*	*	2	10	*	*	*
04. STURGEONS	1	*	*	*	28	*	*	41
05. NORTHERN ANCHOVY	*	*	*	*	*	12	*	7
10. PACIFIC TUNA	8	*	*	*	*	*	*	*
13. SILVERSIDES	35	0	0	*	*	*	*	*
14. JACKSMELT	29	1	8	31	1	*	*	*
16. BLUE ROCKFISH	*	*	*	*	3	*	*	*
17. BROWN ROCKFISH	50	2	*	*	11	*	*	*
21. COPPER ROCKFISH	*	*	*	*	1	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	*	36	*	*
34. KELP GREENLING	*	0	*	*	*	*	*	*
35. LINGCOD	*	*	*	1	*	*	*	*
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CABEZON	*	*	0	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	32	1	1	2	*	*	*	*
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
44. STRIPED BASS	1	0	*	6	28	*	*	*
48. WHITE CROAKER	79	*	*	4	2	21	*	*
53. BARRED SURPERCH	2	0	0	*	1	*	*	*
54. BLACK PERCH	15	0	*	36	8	*	*	*
55. PILE PERCH	20	*	0	47	12	*	*	*
56. REDTAIL SURPERCH	*	*	0	12	2	*	*	*
57. RUBBERLIP SURPERCH	5	0	0	*	*	*	*	*
58. SHINER PERCH	81	2	0	15	13	*	*	111
59. SILVER SURPERCH	4	2	1	6	*	*	*	11
60. STRIPED SURPERCH	5	5	0	1	*	*	*	13
61. VALLEYE SURPERCH	31	0	*	6	1	*	*	12
62. WHITE SURPERCH	2	*	*	9	2	*	*	12
63. SURPERCHES, OTHER	30	1	1	8	24	*	*	36
66. PACIFIC BONITO	*	*	*	*	3	*	*	*
67. PACIFIC MACKEREL	4	*	*	*	*	*	*	*
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	10	*	3	24	10	*	*	79
70. CALIFORNIA HALIBUT	*	*	*	*	15	6	*	*
71. PACIFIC SANDAB	305	2	*	*	*	1	*	308
73. FLATFISHES, OTHER	39	0	*	3	*	0	*	43
74. SALMONIDS	14	*	*	1	0	*	*	15
75. OTHER FISH	45	1	*	35	31	*	*	113
TOTAL	1,144	16	17	272	384	102	0	1,943

TABLE 23. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	0	*	*	0
03. SHARK, OTHER	*	*	*	*	1	0	*	*
06. SMELTS, OTHER	*	*	*	*	*	*	*	*
10. PACIFIC TOMOD	4	*	*	*	*	*	*	4
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	15	2	*	2	1	*	*	30
16. BLUE ROCKFISH	1	*	*	200	18	161	*	26
17. BROWN ROCKFISH	*	0	*	*	1	6	*	23
18. BOCACCIO	*	*	*	*	6	*	*	86
19. CANARY ROCKFISH	*	*	*	*	6	18	*	26
20. CHILIEPEPPER ROCKFISH	*	*	*	*	6	59	*	49
21. COPPER ROCKFISH	*	*	*	*	6	6	*	11
22. GOPHER ROCKFISH	*	*	*	*	6	6	*	16
23. GREENSPOTTED ROCKFISH	*	*	*	*	2	21	*	33
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	15	*	16
26. OLIVE ROCKFISH	*	*	*	*	1	47	*	73
28. CUTTLBACK ROCKFISH	*	*	*	*	1	15	*	29
27. ROSY ROCKFISH	*	*	*	*	1	11	*	23
28. STARRY ROCKFISH	*	*	*	*	1	11	*	23
29. VERMILION ROCKFISH	*	*	*	*	4	3	*	7
30. WIDOW ROCKFISH	*	*	*	*	3	18	*	22
31. YELLOWTAIL ROCKFISH	*	*	*	*	17	18	*	35
33. ROCKFISHES, OTHER	00	0	*	10	91	89	*	32
34. KELP GREENLING	00	*	*	0	1	0	40	1
35. LINGCOD	0	*	*	0	7	16	*	26
37. SABLEFISH	4	*	*	*	2	0	*	4
38. CABEZON	0	0	*	0	2	1	*	1
39. PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	4
40. SCULPINS, OTHER	0	*	*	*	*	*	*	4
43. KELP BASS	*	*	*	0	2	0	*	2
44. STRIPED BASS	1	*	*	0	2	0	*	1
48. WHITE CROAKER	13	0	*	200	20	20	*	20
52. HALIBUT	*	*	*	*	*	*	*	57
53. BARRED SURPERCH	7	0	*	50	*	*	*	57
54. BLACK PERCH	1	0	*	3	*	*	*	4
55. PILE PERCH	*	*	*	100	*	*	*	0
56. REDTAIL SURPERCH	*	0	*	0	*	*	*	0
57. RUBBERLIP SURPERCH	*	0	*	0	*	*	*	0
58. SHINER PERCH	4	*	*	0	*	*	*	4
59. SILVER SURPERCH	2	*	*	3	*	*	*	6
60. STRIPED SEAPERCH	*	*	*	14	0	*	*	9
61. VALLEYE SURPERCH	22	3	*	3	*	*	*	12
62. WHITE SEAPERCH	7	1	*	4	*	*	*	11
63. SURPERCHES, OTHER	12	4	*	0	0	*	*	6
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	0
66. PACIFIC BONITO	0	1	*	*	0	*	*	0
67. PACIFIC MACKEREL	3	1	*	*	0	*	*	3
69. STARRY FLUNDER	11	2	*	1	0	*	*	10
70. CALIFORNIA HALIBUT	0	*	*	1	0	*	*	0
71. PACIFIC SANDDAB	1	0	*	*	24	39	*	31
72. ROCK SOLE	*	0	*	0	2	0	*	7
73. FLATFISHES, OTHER	5	0	*	0	3	3	*	31
75. SALMONIDS	1	0	*	0	5	0	*	7
75. OTHER FISH	*	*	*	*	*	*	*	0
TOTAL	104	12	0	77	452	755	0	17
								1,417

TABLE 24. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	*	0	*	*	0
02. SPINY DOGFISH	*	*	*	*	0	*	*	*
03. SHARK, OTHER	*	*	*	*	*	*	*	*
13. SILVERSIDES	1	*	*	*	0	*	*	*
14. JACKSMELT	25	*	*	2	3	*	*	28
15. BLACK ROCKFISH	*	*	*	*	0	3	*	3
16. BLUE ROCKFISH	*	*	*	*	212	15	*	34
17. BROWN ROCKFISH	*	*	*	2	20	13	*	34
18. BOCCACCIO	0	*	*	*	7	*	*	0
19. CANARY ROCKFISH	*	*	*	*	1	*	*	1
21. COPPER ROCKFISH	*	*	*	2	15	7	*	3
22. GOPHER ROCKFISH	*	*	*	*	86	39	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	12	*	*	1
25. OLIVE ROCKFISH	*	*	*	*	12	24	*	77
27. ROSY ROCKFISH	*	*	*	*	12	23	*	35
28. STARRY ROCKFISH	*	*	*	*	2	13	*	15
29. VERMILLION ROCKFISH	*	*	*	*	88	9	*	47
30. WIDOW ROCKFISH	*	*	*	*	44	*	*	36
31. YELLOWTAIL ROCKFISH	*	*	*	*	44	12	*	38
33. ROCKFISHES, OTHER	9	*	*	14	46	187	*	88
34. KELP GREENLING	1	*	*	*	1	*	*	2
35. LINGODD	1	*	*	*	6	3	*	0
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	0
38. CABEZON	*	*	*	2	0	0	*	0
39. PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	0
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
43. KELP BASS	*	*	*	*	*	*	*	*
48. WHITE CROMER	11	*	*	2	46	0	*	300
49. GLEEFISH	0	*	*	*	0	*	*	0
51. OPALEYE	*	*	*	0	*	*	*	*
53. BARRED SURFPERCH	3	*	*	65	0	*	*	8
54. BLACK PERCH	300	*	*	22	*	*	*	11
55. PILE PERCH	*	*	*	11	*	*	*	6
57. RUBBERLIP SURFPERCH	*	*	*	1	*	*	*	0
58. SHINER PERCH	6	*	*	*	*	*	*	0
59. SILVER SURFPERCH	2	*	*	2	*	*	*	0
60. STRIPED SURFPERCH	200	*	*	0	*	*	*	0
61. WALLEYE SURFPERCH	99	*	*	0	*	*	*	0
62. WHITE SURFPERCH	0	*	*	*	*	*	*	0
63. SURFPERCHES, OTHER	10	*	*	27	0	*	*	88
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	0
66. PACIFIC BONITO	0	*	*	1	0	*	*	0
67. PACIFIC MACKEREL	61	*	*	1	49	41	*	138
68. TUNAS	*	*	*	*	22	*	*	1
69. STARRY FLUNDER	0	*	*	*	1	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	0	*	*	*	0	*	*	0
72. ROCK SOLE	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	0	*	*	*	*	*	*	0
74. SALMONIDS	*	*	*	*	6	*	*	0
75. OTHER FISH	2	*	*	1	1	*	*	4
TOTAL	141	0	0	124	629	538	0	1,432

TABLE 25. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1983--DEC 1983.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	0	0	100	0	0	100	28	6	22	0	0	100	*	1	*
02. SPINY DOGFISH	0	0	222	0	0	116	16	4	25	0	0	100	1	0	65	27	4	57
03. SHARK, OTHER	0	0	*	0	0	100	*	*	*	0	0	100	0	0	127	17	17	56
04. STURGEONS	*	*	*	16	10	61	5	6	37	*	*	*	*	*	*	40	40	51
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	16	10	61
06. NORTHERN ANCHOVY	*	*	*	*	*	*	7	9	133	*	*	*	*	*	*	7	9	133
07. SURF SMELT	110	137	124	669	462	34	8	6	69	4	3	72	*	*	*	739	645	956
08. SMELTS, OTHER	*	*	*	0	0	100	*	*	*	*	*	*	*	*	*	0	0	118
10. PACIFIC TOMOD	*	*	*	0	0	118	*	*	*	*	*	*	*	*	*	0	0	118
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	0	0	100	15	14	92	0	0	100	1	1	117	16	14	87
14. JACKSMELT	0	0	168	23	9	39	117	12	44	269	76	31	34	28	10	267	23	174
15. BLACK ROCKFISH	18	18	168	23	9	39	12	12	44	269	76	31	34	28	10	267	23	174
16. BLUE ROCKFISH	12	12	77	21	61	48	41	31	51	269	76	31	34	28	10	267	23	174
17. BROWN ROCKFISH	0	0	76	35	17	48	41	31	51	269	76	31	34	28	10	267	23	174
18. BOCCACCIO	*	*	*	7	5	71	7	3	62	65	22	22	1	4	5	128	33	23
19. CANARY ROCKFISH	7	7	96	29	11	39	11	10	51	269	76	31	34	28	10	267	23	174
20. CHILipePPER ROCKFISH	*	*	*	19	7	36	10	2	47	269	76	31	34	28	10	267	23	174
21. COPPER ROCKFISH	3	3	94	1	1	77	4	4	51	269	76	31	34	28	10	267	23	174
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*	269	76	31	34	28	10	267	23	174
23. GREENSPOTTED ROCKFISH	*	*	*	0	0	62	2	2	71	23	8	36	1	1	68	27	17	47
24. GREENSTRIPED ROCKFISH	*	*	*	16	7	44	15	5	51	16	8	50	15	6	51	178	11	31
25. OLIVE ROCKFISH	*	*	*	14	7	67	20	9	48	29	12	56	74	51	68	27	17	51
26. QUILLBACK ROCKFISH	0	0	118	15	7	44	20	9	48	29	12	56	34	25	72	29	18	50
27. ROSY ROCKFISH	0	0	100	15	7	44	20	9	48	29	12	56	34	25	72	29	18	50
28. STARRY ROCKFISH	*	*	*	1	1	71	3	3	77	13	6	47	15	6	51	32	12	42
29. VERMILION ROCKFISH	1	1	79	13	1	47	4	3	57	16	2	38	15	6	51	32	12	42
30. WIDOW ROCKFISH	*	*	*	18	5	51	109	4	37	16	11	55	36	5	51	32	12	42
31. YELLOWTAIL ROCKFISH	2	2	116	13	47	58	109	3	31	16	11	55	36	5	51	32	12	42
33. ROCKFISHES, OTHER	2	1	54	13	5	51	109	3	31	16	11	55	36	5	51	32	12	42
34. KELP GREENLING	4	4	103	18	6	35	13	5	59	1	1	39	1	1	100	23	12	50
35. LINGOOD	7	5	71	22	12	35	13	5	59	0	0	100	6	4	100	23	12	50
36. GREENLINGS, OTHER	1	1	59	2	2	44	3	2	53	0	0	100	0	0	100	23	12	50
37. SABLEFISH	*	*	*	20	7	37	3	2	53	0	0	100	8	5	64	36	20	41
38. CABEZON	2	1	68	20	7	37	3	2	53	0	0	100	50	50	99	210	12	41
39. PAC. STAGHORN SCULPIN	0	0	100	0	0	100	2	1	64	0	0	100	0	0	100	3	1	50
40. SCULPINS, OTHER	0	0	35	1	1	82	18	20	19	0	0	100	50	50	99	210	12	41
43. KELP BASS	*	*	*	*	*	*	18	20	19	0	0	100	0	0	100	104	28	19
44. STRIPED BASS	*	*	*	*	*	*	18	20	19	0	0	100	0	0	100	104	28	19
48. WHITE CROMER	*	*	*	*	*	*	18	20	19	0	0	100	0	0	100	104	28	19
49. GLEENFISH	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	0	0	100
51. OPALEYE	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	0	0	100
52. HALIBUT	*	*	*	0	0	71	29	11	46	30	0	100	33	2	88	114	28	31
53. BARRED SURFPERCH	*	*	*	1	1	90	24	14	46	30	0	100	28	3	88	114	28	31
54. BLACK PERCH	*	*	*	*	*	*	24	14	46	30	0	100	33	2	88	114	28	31
55. PILE PERCH	0	0	56	1	1	80	79	27	95	1	1	96	1	1	96	81	27	34
56. RETAIL SURFPERCH	0	0	180	30	16	52	18	9	51	0	0	100	21	9	100	81	27	34
57. RUBBERLIP SURFPERCH	0	0	191	2	2	72	18	9	51	0	0	100	21	9	100	81	27	34
58. SHINER PERCH	0	0	75	1	1	45	18	14	51	0	0	100	21	9	100	81	27	34
59. SILVER SURFPERCH	1	0	134	21	6	38	18	14	51	1	1	96	1	1	96	81	27	34
60. STRIPED SURFPERCH	3	4	134	21	6	38	18	14	51	1	1	96	0	0	100	261	44	74
61. WALLEYE SURFPERCH	0	0	134	1	1	61	18	14	51	0	0	100	0	0	100	61	44	74
62. WHITE SURFPERCH	0	0	100	5	2	45	18	14	51	0	0	100	0	0	100	61	44	74
63. SURFPERCHES, OTHER	0	0	134	5	2	45	18	14	51	0	0	100	0	0	100	61	44	74
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*	1	1	96	0	0	100	0	0	100
66. PACIFIC BONITO	1	2	146	0	0	100	126	3	39	19	8	44	34	40	117	266	44	86
67. PACIFIC MACKEREL	*	*	*	11	7	61	126	0	100	45	45	47	0	41	26	279	0	100
68. TUNAS	*	*	*	0	0	100	74	15	108	4	0	100	0	0	100	279	0	100
69. STARRY FLUNDER	0	0	100	0	0	100	21	15	51	4	0	100	0	0	100	279	0	100
70. CALIFORNIA HALIBUT	*	*	*	0	0	100	63	22	55	0	0	100	6	3	71	279	0	100
71. PACIFIC SANDAB	1	1	100	1	1	148	275	128	46	5	15	60	2	0	229	304	129	86
72. ROCK SOLE	2	2	97	6	4	57	31	15	66	4	0	100	6	7	115	80	63	86
73. FLATFISHES, OTHER	4	5	127	10	5	77	21	15	66	6	0	100	6	3	115	80	63	86
74. SALMONIDS	1	1	114	7	5	77	63	22	55	6	0	100	6	3	115	80	63	86
75. OTHER FISH	*	*	*	*	*	*	*	*	*	6	0	100	6	3	115	80	63	86
TOTAL	191	139	73	1,331	412	31	2,144	234	11	1,075	102	9	1,044	265	25	5,785	570	10

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 26. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1983--DEC 1983.

GROUP	DEL NORTE / HUMBOLDT	MENDOCINO / SONOMA	OCEAN	SAN FRANCISCO BAY	SANTA CRUZ / MONTEREY	SAN LUIS OBISPO	TOTAL
01. LEOPARD SHARK	*	*	3	19	1	*	23
02. SPINY DOGFISH	*	*	*	*	*	3	3
03. SHARK, OTHER	0	*	12	129	2	*	144
04. STURGEONS	*	*	1	168	*	*	148
05. NORTHERN ANCHOVY	0	*	5	1	*	*	6
06. SMELTS, OTHER	*	*	*	*	1	*	1
10. PACIFIC TONNO	*	*	*	2	*	*	2
13. SILVERSIDES	*	*	*	20	*	*	20
14. JACKSMELT	0	1*	9	39	4	7	4
15. BLACK ROCKFISH	4	*	*	*	*	*	4
16. BLUE ROCKFISH	0	0	5	*	16	7	27
17. BROWN ROCKFISH	*	*	1	24	1	*	28
18. BOCCACCIO	*	*	*	*	*	*	1
19. CANARY ROCKFISH	0	*	*	*	*	*	0
21. COPPER ROCKFISH	0	*	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	1	2	3
25. OLIVE ROCKFISH	*	*	*	*	100	*	100
31. YELLOWTAIL ROCKFISH	*	*	*	*	28	0	28
33. ROCKFISHES, OTHER	0	0	12	53	*	0	173
34. KELP GREENLING	3	0	*	*	*	0	4
35. LINWOOD	0	1	10	6	3	5	20
36. GREENLINGS, OTHER	0	1	*	13	*	*	2
38. CABEZON	1	1	0	67	0	0	67
39. PAC. STAGHORN SCULPIN	1	0	*	1,137	0	0	1,214
40. SCULPINS, OTHER	0	0	*	*	70	0	1
43. KELP BASS	*	*	*	*	*	*	2
44. STRIPED BASS	*	*	6	126	0	2	128
48. WHITE CROAKER	*	*	10	18	20	38	58
49. GLENNFISH	*	*	*	*	2	11	14
53. BARBED SURFPERCH	*	*	2	*	*	*	2
54. BLACK PERCH	*	*	*	3	*	0	6
56. REDTAIL SURFPERCH	1	0	4	*	*	*	5
57. RUBBERLIP SURFPERCH	*	*	*	3	*	*	5
58. SHINER PERCH	0	1	1	59	6	30	21
59. SILVER SURFPERCH	0	*	1	0	*	*	0
60. STRIPED SEAPERCH	1	0	*	*	*	*	1
61. WALLEYE SURFPERCH	1	*	*	20	*	*	20
62. WHITE SEAPERCH	0	*	*	*	*	*	0
63. SURFPERCHES, OTHER	0	19	12	101	28	8	167
65. PACIFIC BARRACUDA	*	*	*	*	0	0	0
66. PACIFIC BONITO	*	*	0	5	2	0	8
67. PACIFIC MACKEREL	*	9	40	*	41	57	127
69. STARRY FLounder	0	0	1	17	0	1	17
70. CALIFORNIA HALIBUT	*	*	1	1	0	1	2
71. PACIFIC SANDDAB	*	0	*	1	1	*	2
73. FLATFISHES, OTHER	0	0	0	13	1	*	15
74. SALMONIDS	6	10	33	10	17	3	29
75. OTHER FISH	1	1	33	164	17	3	219
TOTAL	20	47	238	2,084	253	138	2,780

TABLE 27. ESTIMATED THOUSANDS OF FISH (CATCH TYPE B4) CAUGHT BY COASTAL COUNTY DISTRICT AND MODE,  
JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	2	6	0	2	10	*	*	20
MENDOCINO/SONOMA (NON-BOAT MODES)	15	14	*	16	*	*	*	24
MENDOCINO (BOAT MODES)	*	*	*	*	3	*	*	3
SONOMA (BOAT MODES)	*	*	*	*	0	*	*	0
SAN FRANCISCO	751	34	48	347	971	165	2	2,353
SANTA CRUZ/MONTEREY	38	2	*	21	88	0	0	2
SAN LUIS OBISPO	44	*	*	31	37	*	*	88
TOTAL	849	56	48	417	1,109	299	2	2,780

TABLE 28. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	4	*	1	1	18	*	*	*	3
02. SPINY DOGFISH	0	*	*	3	112	3	*	*	16*
03. SHARK, OTHER	17	0	2	11	118	10	*	*	16*
04. STURGEONS	7	*	*	*	*	13	*	*	16*
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	16*
06. NORTHERN ANCHOVY	*	5	*	0	1	*	*	*	6
07. SURF SMELT	*	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	1	*	*	*	*	*	*	*	1*
09. PACIFIC TONNOID	2	*	*	*	*	*	*	*	2*
10. PACIFIC HAKE	*	*	*	*	*	*	*	*	*
11. SILVERSIDES	*	*	*	0	*	*	*	*	0
12. JACKSHELF	16	1	*	10	36	7	*	*	5*
13. BLACK ROCKFISH	0	0	*	0	18	7	*	*	5*
14. BLUE ROCKFISH	*	0	*	*	*	*	*	1	1*
15. BROWN ROCKFISH	22	0	2	4	18	*	*	*	18*
16. BOCCACCIO	*	*	*	*	*	*	*	1	1
17. CANARY ROCKFISH	*	*	*	*	0	*	*	*	0
18. CHILIPePPER ROCKFISH	*	*	*	*	*	*	*	*	0
19. COPPER ROCKFISH	*	*	*	*	0	*	*	*	0
20. GOPHER ROCKFISH	*	*	*	*	3	*	*	*	3
21. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
22. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
23. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	0
24. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
25. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
26. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
27. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
28. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
29. YELLOWTAIL ROCKFISH	0	*	*	*	1	0	*	0	1
30. ROCKFISHES, OTHER	22	1	0	20	56	70	*	0	173
31. KELP GREENLING	*	3	*	1	0	*	*	*	4
32. LINGCOD	1	0	*	1	16	6	*	*	2*
33. GREENLINGS, OTHER	1	0	*	1	*	*	*	*	2*
34. SABLEFISH	*	*	*	3	1	*	*	*	6
35. CABEZON	*	1	*	3	1	*	*	0	0
36. PAC. STAGHORN SCULPIN	450	8	27	196	430	18	*	*	1,214
37. SCULPINS, OTHER	*	*	*	20	*	*	*	*	2*
38. KELP BASS	*	*	*	3	18	2	*	*	2*
39. STRIPED BASS	18	0	3	9	100	10	*	*	8*
40. WHITE CROAKER	36	0	0	1	31	*	*	*	8*
41. QUEENFISH	1	*	*	*	*	*	*	*	1
42. OPALEYE	*	*	*	*	*	*	*	*	*
43. HALIBUT	*	*	*	*	*	*	*	*	*
44. BARRED SURPERCH	0	*	*	14	*	*	*	*	14
45. BLACK PERCH	0	*	*	0	3	*	*	*	4
46. PILE PERCH	*	*	*	*	*	*	*	*	*
47. REDTAIL SURPERCH	*	0	*	*	*	*	*	*	5*
48. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*	5*
49. SHINER PERCH	36	0	1	1	26	0	*	*	5*
50. SILVER SURPERCH	0	*	*	1	*	*	*	*	1*
51. STRIPED SURPERCH	0	1	*	0	*	*	*	*	1
52. WALLEYE SURPERCH	0	*	*	0	*	*	*	*	0
53. WHITE SURPERCH	73	6	8	68	28	12	*	*	16*
54. SURPERCHES, OTHER	*	*	*	2	0	*	*	*	0
55. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*
56. PACIFIC BONITO	*	*	*	*	*	*	*	*	*
57. PACIFIC MACKEREL	16	18	*	26	28	39	*	*	127*
58. TUNAS	*	*	*	*	*	*	*	*	*
59. STARRY FLounder	3	0	*	2	2	0	*	*	19
60. CALIFORNIA HALIBUT	0	*	*	2	2	0	*	*	2*
61. PACIFIC SANDAB	1	0	*	*	*	*	*	*	2
62. ROCK SOLE	7	0	*	2	0	0	*	*	15
63. FLATFISHES, OTHER	9	5	4	2	5	11	*	*	29
64. SALMONIDS	*	*	*	*	*	*	*	*	*
65. OTHER FISH	105	4	4	42	23	0	*	*	219
TOTAL	849	56	48	417	1,109	299	0	2	2,780

TABLE 29. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	*	0	*	0	*	*	*	*	0
06. NORTHERN ANCHOVY	*	0	*	*	*	*	*	*	0
07. SURF SMELT	*	*	*	*	*	*	*	*	*
14. JACKSMELT	0	*	*	0	*	*	*	*	0
15. BLACK ROCKFISH	*	0	*	0	3	*	*	*	4
16. BLUE ROCKFISH	*	0	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	0	*	*	*	0
21. COPPER ROCKFISH	*	*	*	*	0	*	*	*	0
26. GUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	0	*	0	0	*	*	*	0
34. KELP GREENLING	*	3	*	0	*	*	*	*	3
35. LINGCOD	*	0	*	0	0	*	*	*	0
36. GREENLINGS, OTHER	*	0	*	0	*	*	*	*	0
38. CABEZON	*	1	*	0	*	*	*	*	1
39. PAC. STAGHORN SCULPIN	1	0	*	0	*	*	*	*	1
40. SCULPINS, OTHER	0	0	*	0	*	*	*	*	0
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	0	*	1	*	*	*	*	1
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	*	*	*	*	*	0
59. SILVER SURPERCH	0	*	*	0	*	*	*	*	0
60. STRIPED SURPERCH	0	1	*	0	*	*	*	*	1
61. WALLEYE SURPERCH	0	0	*	0	*	*	*	*	0
62. WHITE SURPERCH	0	*	*	*	*	*	*	*	0
63. SURPERCHES, OTHER	*	*	*	0	*	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	0	*	*	*	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	0	*	0	*	*	*	*	0
74. SALMONIDS	0	0	*	0	5	*	*	*	6
75. OTHER FISH	*	0	*	0	1	*	*	*	1
TOTAL	2	6	0	2	10	0	0	0	20

TABLE 30. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*	*
03. SHARK, OTHER	*	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	*	*	*	*	*	*	*	*	*
10. PACIFIC TONNOID	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	*	*	*
14. JACKSMELT	0	1	*	*	*	*	*	*	1*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	0	*	*	*	*	0
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	0	*	1	*	*	*	*	1
34. KELP GREENLING	*	0	*	0	*	*	*	*	0
35. LINGCOD	*	*	*	1	*	*	*	*	1
36. GREENLINGS, OTHER	*	*	*	1	*	*	*	*	1
38. CABEZON	*	0	*	1	*	*	*	0	1
39. PAC. STAGHORN SCULPIN	0	*	*	0	*	*	*	*	0
40. SCULPINS, OTHER	0	0	*	0	*	*	*	*	0
53. BARRED SURPERCH	*	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	0	*	*	*	*	0
58. SHINER PERCH	1	0	*	0	*	*	*	*	1
59. SILVER SURPERCH	*	*	*	0	*	*	*	*	0
60. STRIPED SURPERCH	*	*	*	0	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	5	1	*	12	*	*	*	*	19
67. PACIFIC MACKEREL	4	5	*	*	*	*	*	*	0
69. STARRY FLUNDER	*	*	*	0	*	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
74. SALMONIDS	5	4	*	*	*	*	*	*	9
75. OTHER FISH	0	1	*	*	*	*	*	*	1
TOTAL	15	14	0	16	0	0	0	0	44

TABLE 31. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1963--DEC 1963.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	*	*	*	*
03. SHARK, OTHER	*	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
18. BOCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	2	*	*	2
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	0	0	*	*	1
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	*
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	0	*	*	*	0
75. OTHER FISH	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	3	0	0	3

TABLE 32. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1963--DEC 1963.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	*	*	*	*
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	0	0	0	0

TABLE 33. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
81. LEOPARD SHARK	6	*	1	1	17	*	*	22
82. SPINY DOGFISH	*	*	*	*	*	*	*	*
83. SHARK, OTHER	17	*	2	2	110	10	*	162
84. STURGEONS	7	*	*	0	118	23	*	168
85. NORTHERN ANCHOVY	*	5	*	1	*	*	*	6
10. PACIFIC TOMODD	2	*	*	*	*	*	*	2
13. SILVERSIDES	*	*	*	0	*	*	*	28
14. JACKSHELF	7	1	*	9	4	7	*	28
15. BLACK ROCKFISH	*	*	*	*	1	2	*	5
16. BLUE ROCKFISH	*	*	*	*	*	*	1	*
17. BROWN ROCKFISH	22	0	2	*	*	*	*	24
18. BOCACCIO	*	*	*	*	*	*	1	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILLION ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	20	0	0	13	21	10	*	65
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	1	*	*	0	13	1	*	15
36. GREENLINGS, OTHER	1	*	*	*	*	*	*	*
38. CABEZON	*	0	*	2	1	*	*	3
39. PAC. STAGHORN SCULPIN	441	8	27	195	430	103	*	1,204
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
41. STRIPED BASS	18	0	3	8	100	*	*	132
42. WHITE CROAKER	18	*	0	5	7	2	*	82
53. BARRED SURPERCH	*	*	*	2	*	*	*	*
54. BLACK PERCH	0	*	*	*	3	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	4	*	*	*	4
57. RUBBERLIP SURPERCH	*	*	*	3	*	*	*	3
58. SHINER PERCH	27	0	1	6	26	*	*	60
59. SILVER SURPERCH	*	*	*	1	0	*	*	1
60. STRIPED SURPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	20	*	*	20
62. WHITE SURPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	52	3	8	37	12	*	*	112
66. PACIFIC BONITO	*	*	*	*	6	*	*	6
67. PACIFIC MACKEREL	*	13	*	26	2	*	*	40
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	2	*	*	2	13	0	*	18
70. CALIFORNIA HALIBUT	*	*	*	*	1	*	*	1
71. PACIFIC SANDAB	1	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	6	*	*	2	5	*	*	13
74. SALMONIDS	4	*	*	1	7	1	*	13
75. OTHER FISH	101	3	4	29	53	8	*	197
TOTAL	751	34	48	347	971	169	0	2,322

TABLE 34. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	3	*	*	*	*	*	*	*	3
03. SHARK, OTHER	5	*	*	1	6	*	*	*	12
04. STURGEONS	*	*	*	*	*	*	*	*	5
06. NORTHERN ANCHOVY	*	5	*	*	*	*	*	*	5
10. PACIFIC TOMODD	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	*	*	*
14. JACKSMELT	2	*	*	*	*	7	*	*	9
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	1	2	*	1	5
17. BROWN ROCKFISH	*	0	*	*	*	*	*	*	0
18. BOCCACCIO	*	*	*	*	*	*	*	1	1
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERNILLION ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	1	1	10	*	*	12
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	0	*	*	0	8	1	*	*	10
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	*
38. CABEZON	*	0	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	27	00	15	8	10	6	*	*	20
44. STRIPED BASS	*	0	3	2	*	*	*	*	6
48. WHITE CROAKER	7	*	*	1	3	*	*	*	10
53. BARRED SURPERCH	*	*	*	2	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
56. RETAIL SURPERCH	*	*	*	4	*	*	*	*	4
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	1	*	*	*	*	*	*	*	1
59. SILVER SURPERCH	*	*	*	1	*	*	*	*	*
60. STRIPED SURPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	5	0	*	7	*	*	*	*	12
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	*	13	*	24	2	*	*	*	40
69. STARRY FLUNDER	0	*	*	1	1	*	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	*	0
76. SALMONIDS	*	*	*	1	4	*	*	*	*
75. OTHER FISH	13	0	1	7	7	5	*	*	33
TOTAL	63	19	19	61	42	31	0	2	238

TABLE 35. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
91. LEOPARD SHARK	0	*	1	1	17	*	*	19
92. SPINY DOGFISH	*	*	*	*	*	*	*	*
93. SHARK, OTHER	11	*	2	2	104	10	*	129
94. STURGEONS	7	*	*	0	118	25	*	148
95. NORTHERN ANCHOVY	*	*	*		1	*	*	1
10. PACIFIC TONNO	2	*	*	*	*	*	*	2
13. SILVERSIDES	*	*	*	0	*	*	*	20
14. JACKSMELT	6	1	*	9	4	*	*	19
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	22	*	2	*	*	*	*	26
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	28	0	0	12	28	*	*	53
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	0	*	*	*	5	*	*	6
36. GREENLINGS, OTHER	1	*	*	*	*	*	*	1
38. CABEZON	*	*	*	2	1	*	*	3
39. PAC. STAGHORN SCULPIN	414	8	11	187	419	97	*	1,137
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
44. STRIPED BASS	18	*	*	6	100	2	*	126
48. WHITE CROAKER	11	*	0	2	5	*	*	18
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*
54. BLACK PERCH	0	*	*	*	3	*	*	3
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	3	*	*	*	3
57. RUBBERLIP SURFPERCH	*	*	*					
58. SHINER PERCH	27	0	1	6	26	*	*	59
59. SILVER SURFPERCH	*	*	*	*	0	*	*	0
60. STRIPED SURFPERCH	*	*	*	*	20	*	*	*
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	20
62. WHITE SURFPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	47	3	8	30	12	*	*	101
66. PACIFIC BONITO	*	*	*	*	5	*	*	5
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	2	*	*	1	13	0	*	17
70. CALIFORNIA HALIBUT	*	*	*	*	1	*	*	1
71. PACIFIC SANDDAB	1	*	*	*	*	*	*	1
73. FLATFISHES, OTHER	6	*	*	2	4	*	*	13
74. SALMONIDS	4	*	*	*	5	1	*	10
75. OTHER FISH	88	3	3	21	66	4	*	164
TOTAL	688	15	29	286	929	137	0	0
								2,084

TABLE 36. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL NODES
01. LEOPARD SHARK	0	*	*	*	0	*	*	1
02. SPINY DOGFISH	*	*	*	*	*	*	*	*
03. SHARK, OTHER	*	0	*	0	*	*	*	2
04. SNEKTS, OTHER	1	*	*	*	*	*	*	1
10. PACIFIC TOMODD	1	*	*	*	*	*	*	1
13. SILVERSIDES	*	*	*	*	*	*	*	*
14. JACKSMELT	4	*	*	*	0	*	*	4
16. BLUE ROCKFISH	*	*	*	*	11	5	*	16
17. BROWN ROCKFISH	*	*	*	*	1	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	0	*	0
26. CUTTLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	65	*	0
33. ROCKFISHES, OTHER	1	*	*	*	0	0	*	8
34. KELP GREENLING	*	*	*	0	0	6	*	0
35. LINGCOD	0	*	*	0	1	2	*	3
37. SABLEFISH	*	*	*	*	*	*	*	*
38. CABEZON	*	0	*	1	*	*	*	*
39. PAC. STAGHORN SCULPIN	7	0	*	0	*	*	*	7
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	0	*	*	*	*
48. WHITE CROAKER	2	0	*	2	15	*	*	20
52. HALIBUT	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	0	*	*	1	*	*	*	2
54. BLACK PERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	6	*	*	*	*	*	*	6
59. SILVER SURPERCH	*	*	*	*	*	*	*	*
60. STRIPED SURPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	12	2	*	14	0	*	*	28
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	0
66. PACIFIC BONITO	*	*	*	*	11	*	*	41
67. PACIFIC MACKEREL	1	*	*	*	*	*	*	0
69. STARRY FLUNDER	0	0	*	*	29	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	0	*	*	*	0	*	*	1
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	0	*	*	0	*	*	1
74. SALMONIDS	*	*	*	*	0	*	*	0
75. OTHER FISH	2	0	*	2	10	3	*	17
TOTAL	38	2	0	21	88	105	0	253

TABLE 37. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN LUIS OBISPO,  
JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*
02. SPINY DOGFISH	0	*	*	*	*	3	*	3*
03. SHARK, OTHER	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	*	*
14. JACKSMELT	5	*	*	1	1	*	*	7
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	7	*	*	7*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	2	*	*	2*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
26. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	0	*	*	0	0	*	*	0
33. ROCKFISHES, OTHER	0	*	*	6	2	*	*	7
34. KELP GREENLING	*	*	*	0	*	*	*	0
35. LINGCOD	0	*	*	*	2	3	*	5*
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	0
38. CABEZON	*	*	*	0	*	*	*	0
39. PAC. STAGHORN SCULPIN	2	*	*	*	*	*	*	2
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
43. KELP BASS	*	*	*	*	*	*	*	0
48. WHITE CROAKER	15	*	*	5	8	10	*	38
49. QUEENFISH	1	*	*	*	*	*	*	1
51. OPALLEYE	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	*	*	*	11	*	*	*	11
54. BLACK PERCH	*	*	*	0	*	*	*	0
55. PILE PERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	2	*	*	1	*	*	*	3
59. SILVER SURPERCH	*	*	*	0	*	*	*	0
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	0	*	*	*	*	*	*	0
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	4	*	*	4	*	*	*	8
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	11	*	*	*	15	10	*	37*
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLounder	0	*	*	*	*	*	*	0
70. CALIFORNIA HALIBUT	0	*	*	*	1	*	*	1
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	0
74. SALMONIDS	*	*	*	*	*	*	*	*
75. OTHER FISH	2	*	*	1	0	*	*	3
TOTAL	44	0	0	31	37	25	0	138

TABLE 38. ESTIMATED THOUSANDS OF FISH CAUGHT BY TYPE, WAVE, AND COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

WAVE	COASTAL COUNTY DISTRICT	CATCH TYPE A	CATCH TYPE B3	CATCH TYPE B4	TOTAL
JAN/FEB	DEL NORTE/HUMBOLDT	3	0	1	4
	MENDOCINO/SONOMA	53	5	2	50
	S. F. OCEAN	11	1	7	18
	S. F. BAY	36	9	510	983
	SANTA CRUZ/MONTEREY	118	3	51	179
	SAN LUIS OBISPO	47	3	4	54
	TOTAL	607	106	575	1,288
MAR/APR	DEL NORTE/HUMBOLDT	22	1	5	28
	MENDOCINO/SONOMA	58	10	5	51
	S. F. OCEAN	57	2	26	168
	S. F. BAY	266	176	207	639
	SANTA CRUZ/MONTEREY	77	5	22	122
	SAN LUIS OBISPO	56	5	10	51
	TOTAL	484	236	273	993
MAY/JUN	DEL NORTE/HUMBOLDT	3	1	2	6
	MENDOCINO/SONOMA	46	12	15	477
	S. F. OCEAN	98	24	47	169
	S. F. BAY	270	97	570	938
	SANTA CRUZ/MONTEREY	173	12	40	225
	SAN LUIS OBISPO	160	82	16	218
	TOTAL	1,131	208	694	2,032
JUL/AUG	DEL NORTE/HUMBOLDT	136	1	4	141
	MENDOCINO/SONOMA	581	1	1	583
	S. F. OCEAN	284	58	308	431
	S. F. BAY	147	58	78	512
	SANTA CRUZ/MONTEREY	356	28	74	639
	SAN LUIS OBISPO	447	28	526	733
	TOTAL	1,951	592	526	3,049
SEP/OCT	DEL NORTE/HUMBOLDT	14	0	8	22
	MENDOCINO/SONOMA	228	0	28	256
	S. F. OCEAN	283	0	343	356
	S. F. BAY	144	0	222	355
	SANTA CRUZ/MONTEREY	193	0	33	229
	SAN LUIS OBISPO	327	50	28	464
	TOTAL	1,189	355	496	2,039
NOV/DEC	DEL NORTE/HUMBOLDT	13	0	0	14
	MENDOCINO/SONOMA	17	0	0	17
	S. F. OCEAN	72	23	20	165
	S. F. BAY	156	58	147	361
	SANTA CRUZ/MONTEREY	159	36	33	227
	SAN LUIS OBISPO	26	5	8	39
	TOTAL	444	384	217	1,044
	GRAND TOTAL	5,785	1,879	2,780	10,445

TABLE 39. ESTIMATED THOUSANDS OF PARTICIPANTS IN MARINE RECREATIONAL FISHING BY COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	COASTAL PARTICIPANTS	NON-COASTAL PARTICIPANTS	CUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT STD ERR	21	1	6	27
MENDOCINO/SONOMA (NON-BOAT MODES) STD ERR	41	129	18	148
MENDOCINO (BOAT MODES) STD ERR	12	12	4	17
SONOMA (BOAT MODES) STD ERR	14	4	2	14
SAN FRANCISCO STD ERR	* 473	* 26	* 24	* 21
SANTA CRUZ/MONTEREY STD ERR	81	23	17	102
SAN LUIS OBISPO STD ERR	163	35	15	184
	47	55	57	153
TOTAL STD ERR	669	98	82	

TABLE 40. ESTIMATED THOUSANDS OF FISHING TRIPS BY COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY CUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT STD ERR	74	11	6	91
MENDOCINO/SONOMA (NON-BOAT MODES) STD ERR	163	29	11	207
MENDOCINO (BOAT MODES) STD ERR	30	24	14	59
SONOMA (BOAT MODES) STD ERR	38	24	3	65
SAN FRANCISCO STD ERR	18	4	2	41
SANTA CRUZ/MONTEREY STD ERR	2,112	44	67	2,223
SAN LUIS OBISPO STD ERR	22	27	47	58
	263	21	21	31
	46	15	17	53
	114	103	121	150
	53	103	132	177
TOTAL STD ERR	2,818	258	231	3,307
	246	117	143	308

TABLE 41. ESTIMATED THOUSANDS OF FISHING TRIPS BY MODE AND COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	MODE	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	PIER & DOCK	4	*	0	4
	STD ERR	22	13	14	49
	JETTY & BREAKWATER	13	6	0	25
	STD ERR	13	6	0	25
	BRIDGE & CAUSEWAY	1	*	0	1
	STD ERR	1	*	0	1
	B/B - H & L	17	24	20	51
	STD ERR	17	24	20	51
	P/R BOAT	41	16	14	69
	STD ERR	41	16	14	69
	CPFV	0	*	0	0
	STD ERR	0	*	0	0
	SPEAR	0	*	0	0
	STD ERR	0	*	0	0
	TOTAL	74	11	16	91
	STD ERR	74	11	16	91
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	15	0	0	15
	STD ERR	7	1	0	7
	JETTY & BREAKWATER	6	16	0	22
	STD ERR	6	16	0	22
	B/B - H & L	11	15	6	27
	STD ERR	11	15	6	27
	SPEAR	27	1	0	28
	STD ERR	27	1	0	28
	TOTAL	16	33	11	50
	STD ERR	16	33	11	50
MENDOCINO (BOAT MODES)	P/R BOAT	28	13	1	42
	STD ERR	17	17	1	42
	CPFV	10	11	1	22
	STD ERR	10	11	1	22
	TOTAL	38	24	3	65
	STD ERR	38	24	3	65
SONOMA (BOAT MODES)	P/R BOAT	29	3	2	34
	STD ERR	20	1	0	21
	CPFV	5	1	0	6
	STD ERR	5	1	0	6
	TOTAL	34	4	2	41
	STD ERR	34	4	2	41
SAN FRANCISCO	PIER & DOCK	728	1	17	746
	STD ERR	124	22	36	198
	JETTY & BREAKWATER	38	22	33	133
	STD ERR	38	22	33	133
	BRIDGE & CAUSEWAY	37	44	32	113
	STD ERR	37	44	32	113
	B/B - H & L	58	55	12	145
	STD ERR	58	55	12	145
	P/R BOAT	555	26	17	578
	STD ERR	555	26	17	578
	CPFV	79	21	12	112
	STD ERR	79	21	12	112
	SPEAR	216	18	0	234
	STD ERR	216	18	0	234
	TOTAL	2,112	44	67	2,223
	STD ERR	2,112	44	67	2,223

(CONTINUED)

TABLE 41. (CONTINUED)

SANTA CRUZ/MONTEREY	PIER & DOCK STD ERR JETTY & BREAKWATER STD ERR B/B - H & L STD ERR P/R BOAT STD ERR CPFV STD ERR SPEAR STD ERR TOTAL STD ERR	70 17 17 16 13 17 18 13 13 13 2 263 46	8 9 1 1 1 4 11 11 11 11 * 27 21	5 7 1 1 1 5 11 12 10 0 0 21 17	5 17 15 16 15 11 12 11 12 11 2 331 53
SAN LUIS OBISPO	PIER & DOCK STD ERR JETTY & BREAKWATER STD ERR B/B - H & L STD ERR P/R BOAT STD ERR CPFV STD ERR TOTAL STD ERR	30 21 21 11 15 15 15 15 15 15 11 11 11 53	26 24 * * * * * * * * 115 108	27 43 30 28 28 29 29 29 29 21 121 152	33 58 50 48 48 48 48 48 48 177
GRAND TOTAL STD ERR		2,818 246	258 117	291 143	3,307 308

TABLE 42. ESTIMATES FROM INTERCEPT SURVEY DATA OF MEAN NUMBER OF HOURS FISHED BY COASTAL COUNTY DISTRICT AND MODE, JAN 1983--DEC 1983.

MODE	COASTAL COUNTY DISTRICT	MEAN	MEDIAN	STD DEV
PIER & DOCK	DEL NORTE/HUMBOLDT	2.8	2.5	1.502
	MENDOCINO/SONOMA	3.3	2.5	2.111
	SAN FRANCISCO	3.6	3.0	2.490
	SANTA CRUZ/MONTEREY	3.3	3.0	1.751
	SAN LUIS OBISPO	2.8	2.5	1.806
JETTY & BREAKWATER	DEL NORTE/HUMBOLDT	3.0	3.0	1.758
	MENDOCINO/SONOMA	3.0	3.0	1.563
	SAN FRANCISCO	3.2	3.0	1.797
	SANTA CRUZ/MONTEREY	3.2	3.0	1.638
	SAN LUIS OBISPO	2.5	2.5	*
BRIDGE & CAUSEWAY	DEL NORTE/HUMBOLDT	2.8	3.5	1.209
	SAN FRANCISCO	2.9	2.8	1.780
	SAN LUIS OBISPO	3.0	3.8	1.683
B/B - H & L	DEL NORTE/HUMBOLDT	2.9	3.0	1.591
	MENDOCINO/SONOMA	2.5	2.0	1.643
	SAN FRANCISCO	3.2	3.0	2.347
	SANTA CRUZ/MONTEREY	3.0	3.0	1.506
	SAN LUIS OBISPO	2.5	2.0	1.473
P/R BOAT	DEL NORTE/HUMBOLDT	4.6	4.5	1.740
	MENDOCINO (BOAT MODES)	4.4	4.0	1.562
	SONOMA (BOAT MODES)	4.1	4.0	2.214
	SAN FRANCISCO	5.2	5.0	2.285
	SANTA CRUZ/MONTEREY	4.7	5.0	1.633
	SAN LUIS OBISPO	4.4	4.0	1.667
CPFV	DEL NORTE/HUMBOLDT	5.5	5.5	0.000
	MENDOCINO (BOAT MODES)	4.2	4.0	0.768
	SONOMA (BOAT MODES)	3.9	4.0	1.201
	SAN FRANCISCO	5.8	6.0	1.613
	SANTA CRUZ/MONTEREY	3.8	4.0	1.233
	SAN LUIS OBISPO	3.7	4.0	1.241
SPEAR	DEL NORTE/HUMBOLDT	1.8	1.8	0.264
	MENDOCINO/SONOMA	1.2	1.0	0.882
	SAN FRANCISCO	3.5	3.5	0.707
	SANTA CRUZ/MONTEREY	0.8	0.8	0.257

TABLE 43. TABULATION OF PRIMARY GROUP SOUGHT BY COASTAL COUNTY DISTRICT, JAN 1983--DEC 1983.

DEL NORTE/HUMBOLDT			SAN FRANCISCO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	1272	56.89	75. OTHER FISH	1233	35.08
56. REDTAIL SURPERCH	248	11.09	44. STRIPED BASS	819	21.20
35. LINGOD	138	8.63	04. STURGEONS	477	13.24
74. SALMONIDS	176	7.87	63. SURPERCHES, OTHER	411	11.67
63. SURPERCHES, OTHER	121	5.80	74. SALMONIDS	103	2.92
03. SHARK, OTHER	121	2.43	33. ROCKFISHES, OTHER	103	2.88
33. ROCKFISHES, OTHER	126	2.08	70. CALIFORNIA HALIBUT	77	2.02
07. SURF SMELT	88	1.01	03. SHARK, OTHER	61	1.73
15. BLACK ROCKFISH	28	1.16	14. JACKSMELT	59	1.52
36. GREENLINGS, OTHER	20	1.08	48. WHITE CROAKER	59	1.52
38. CABEZON	21	1.08	73. FLATFISHES, OTHER	44	1.21
60. STRIPED SEAPERCH	11	0.56	35. LINGOD	15	0.43
14. JACKSMELT	23	0.53	01. SHINER PERCH	10	0.38
62. STARRY FLUNDER	2	0.49	01. LEOPARD SHARK	8	0.24
55. PILE PERCH	1	0.04	71. PACIFIC SANDDAB	8	0.24
MENDOCINO/SONOMA			SANTA CRUZ/MONTEREY		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	257	56.29	75. OTHER FISH	1787	74.52
63. SURPERCHES, OTHER	158	11.73	63. SURPERCHES, OTHER	218	9.09
74. SALMONIDS	124	10.59	33. ROCKFISHES, OTHER	112	4.67
05. PACIFIC HERRING	20	5.20	03. SHARK, OTHER	81	3.58
35. LINGOD	53	3.98	66. PACIFIC BONITO	55	1.46
07. SURF SMELT	46	3.41	35. LINGOD	45	1.32
38. CABEZON	39	2.98	73. FLATFISHES, OTHER	45	1.32
33. ROCKFISHES, OTHER	28	2.08	44. STRIPED BASS	35	1.01
14. JACKSMELT	17	1.26	67. PACIFIC MACKEREL	35	0.38
56. REDTAIL SURPERCH	11	0.82	48. WHITE CROAKER	35	0.38
08. SMELTS, OTHER	9	0.67	14. JACKSMELT	25	0.38
73. FLATFISHES, OTHER	6	0.45	68. TUNAS	25	0.21
03. SHARK, OTHER	4	0.32	74. SALMONIDS	25	0.21
36. GREENLINGS, OTHER	22	0.15	16. BLUE ROCKFISH	24	0.17
34. KELP GREENLING	1	0.07	38. CABEZON	4	0.17
MENDOCINO (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	169	77.17	75. OTHER FISH	829	54.33
74. SALMONIDS	34	15.53	33. ROCKFISHES, OTHER	273	17.89
35. LINGOD	15	6.88	63. SURPERCHES, OTHER	168	10.48
71. PACIFIC SANDDAB	1	0.46	76. SALMONIDS	101	6.82
SONOMA (BOAT MODES)			66. PACIFIC BONITO	46	3.12
SOUGHT	COUNT	PERCENT	70. CALIFORNIA HALIBUT	45	2.95
75. OTHER FISH	75	64.10	67. PACIFIC MACKEREL	43	2.95
33. ROCKFISHES, OTHER	23	19.86	48. WHITE CROAKER	43	3.49
35. LINGOD	17	14.53	18. BOCACCO	43	3.49
03. SHARK, OTHER	1	0.86	03. SHARK, OTHER	43	3.49
73. FLATFISHES, OTHER	1	0.86	53. BARRED SURPERCH	43	3.49
			14. JACKSMELT	43	3.49
			35. LINGOD	43	3.49
			38. CABEZON	1	0.07

TABLE 44. FREQUENCY DISTRIBUTION OF NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1983--DEC 1983. THE TOP NUMBER IN EACH CELL IS THE NUMBER OF FISHERS IN EACH CATCH SIZE, AND THE BOTTOM NUMBER IS THE PERCENTAGE OF THE DISTRICT TOTAL.

PIER & DOCK											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	113 73.86	5 3.27	3 1.96	10 6.54	8 5.23	8 5.23	2 1.31	2 1.31	0 0.00	2 1.31	153
MENDOCINO/SONOMA	50 32.05	9 5.77	15 9.62	8 5.13	20 12.82	29 18.59	11 7.05	4 2.56	1 0.64	9 5.77	156
SAN FRANCISCO	526 50.97	111 10.80	99 9.63	56 5.45	85 8.07	80 7.78	36 3.50	16 1.56	11 1.07	12 1.17	1028
SANTA CRUZ/MONTEREY	276 52.95	76 14.48	34 6.48	34 6.48	46 8.76	36 6.86	13 2.48	6 1.14	1 0.19	1 0.19	525
SAN LUIS OBISPO	331 51.00	61 9.40	65 10.02	53 8.17	49 7.55	58 8.94	22 3.39	5 0.77	1 0.15	4 0.62	649
TOTAL	1296	262	216	161	206	211	84	33	14	28	2511

JETTY & BREAKWATER											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	410 67.99	47 7.79	61 10.12	27 4.48	27 4.48	25 4.15	4 0.65	0 0.00	1 0.17	1 0.17	603
MENDOCINO/SONOMA	298 81.20	37 10.08	13 3.54	8 2.18	8 2.18	2 0.54	1 0.27	0 0.00	0 0.00	0 0.00	367
SAN FRANCISCO	112 58.33	23 11.98	15 7.81	9 4.69	13 6.77	11 5.73	3 1.56	4 2.08	1 0.52	1 0.52	192
SANTA CRUZ/MONTEREY	137 64.02	37 17.29	12 5.61	14 6.54	8 3.74	1 0.47	5 2.34	0 0.00	0 0.00	0 0.00	214
SAN LUIS OBISPO	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
TOTAL	958	144	101	58	56	39	13	4	2	2	1377

BRIDGE & CAUSEWAY											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	16 80.00	3 15.00	1 5.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	20
SAN FRANCISCO	49 50.00	18 18.37	8 8.16	8 8.16	7 7.14	6 6.12	2 2.04	2 2.04	2 2.04	2 2.04	98
SAN LUIS OBISPO	2 50.00	0 0.00	0 0.00	0 0.00	0 0.00	2 50.00	0 0.00	0 0.00	0 0.00	0 0.00	4
TOTAL	67	21	9	8	7	8	2	2	2	2	122

BEACH/BANK - HOOK & LINE											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	554 71.39	69 8.89	43 5.54	22 2.84	35 4.51	29 3.74	6 0.77	1 0.13	1 0.13	1 0.13	776
MENDOCINO/SONOMA	422 59.60	96 13.56	78 11.02	26 3.39	26 3.39	27 3.81	3 0.42	2 0.28	2 0.28	2 0.28	708
SAN FRANCISCO	481 59.83	111 13.81	73 9.08	42 5.22	42 5.22	41 5.10	9 1.12	0 0.00	2 0.25	3 0.37	804
SANTA CRUZ/MONTEREY	265 46.80	69 11.33	83 13.63	40 6.57	72 11.82	52 8.54	6 0.99	2 0.33	0 0.00	0 0.00	609
SAN LUIS OBISPO	109 49.77	37 16.89	16 7.31	16 7.31	25 11.42	13 5.94	2 0.91	1 0.46	0 0.00	0 0.00	219
TOTAL	1851	352	293	144	198	162	26	6	5	49	3116

(CONTINUED)

TABLE 44. (CONTINUED)

NUMBER CAUGHT	P/R BOAT										
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	499 76.53	18 2.76	17 2.61	18 2.76	24 3.68	46 7.06	19 2.91	9 1.38	2 0.31	0 0.00	652
MENDOCINO (BOAT MODES)	39 24.07	12 7.41	18 11.11	11 6.79	21 12.96	27 16.67	26 14.81	8 4.94	2 1.23	0 0.00	162
SONOMA (BOAT MODES)	70 70.71	1 1.01	2 2.02	2 2.02	6 6.06	8 8.08	5 5.06	3 3.03	2 2.02	0 0.00	99
SAN FRANCISCO	490 45.29	135 12.48	105 9.70	68 6.28	108 9.52	118 10.91	35 3.06	11 1.02	5 0.46	14 1.29	1082
SANTA CRUZ/ MONTEREY	248 35.13	53 7.51	48 6.80	32 4.53	59 8.36	142 20.11	68 9.63	36 5.10	10 1.42	10 1.42	706
SAN LUIS OBISPO	107 20.58	50 9.62	51 9.51	23 4.42	45 8.66	121 23.27	75 14.42	35 6.73	11 2.12	2 0.38	520
TOTAL	1453	269	241	154	258	462	224	102	32	26	3221

NUMBER CAUGHT	CPFV										
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	16 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	16
MENDOCINO (BOAT MODES)	0 0.00	1 1.75	0 0.00	4 7.02	4 7.02	17 29.82	14 24.56	14 24.56	3 5.26	0 0.00	57
SONOMA (BOAT MODES)	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	8 42.11	9 47.37	2 10.53	0 0.00	0 0.00	19
SAN FRANCISCO	196 62.22	33 10.48	17 5.40	8 2.54	7 2.22	17 5.40	28 8.89	8 2.54	0 0.00	1 0.32	315
SANTA CRUZ/ MONTEREY	1 0.30	1 0.30	3 0.89	6 1.78	32 9.50	74 21.96	116 34.42	60 17.80	29 8.61	15 4.45	337
SAN LUIS OBISPO	9 6.12	5 3.40	11 7.48	3 2.04	3 2.04	16 10.88	72 48.98	14 9.52	7 4.76	7 4.76	147
TOTAL	222	40	31	21	46	132	239	98	39	23	891

NUMBER CAUGHT	SPEAR										
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	1 9.09	0 0.00	7 63.64	1 9.09	2 18.18	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	11
MENDOCINO/SONOMA	40 34.78	12 10.43	20 17.39	17 14.78	10 8.70	14 12.17	1 0.87	1 0.87	1 0.87	1 0.87	115
SAN FRANCISCO	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 50.00	1 50.00	1 0.00	0 0.00	0 0.00	2
SANTA CRUZ/ MONTEREY	4 20.00	1 5.00	3 15.00	1 5.00	9 45.00	2 10.00	0 0.00	0 0.00	0 0.00	0 0.00	20
TOTAL	45	13	30	19	21	17	2	1	1	1	148

TABLE 45. AVERAGE NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	MODE	MEAN CATCH
DEL NORTE/HUMBOLDT	PIER & DOCK	1.8
	JETTY & BREAKWATER	1.1
	BRIDGE & CAUSEWAY	0.3
	B/B - H & L	3.5
	P/R BOAT	1.5
	CPFV	0.0
	SPEAR	2.2
MENDOCINO/SONOMA	PIER & DOCK	6.0
	JETTY & BREAKWATER	0.4
	B/B - H & L	8.3
	SPEAR	2.5
MENDOCINO (BOAT MODES)	P/R BOAT	5.5
	CPFV	11.6
SONOMA (BOAT MODES)	P/R BOAT	2.7
	CPFV	11.9
SAN FRANCISCO	PIER & DOCK	2.7
	JETTY & BREAKWATER	2.1
	BRIDGE & CAUSEWAY	1.5
	B/B - H & L	1.4
	P/R BOAT	2.9
	CPFV	2.6
	SPEAR	10.0
SANTA CRUZ/MONTEREY	PIER & DOCK	1.9
	JETTY & BREAKWATER	0.9
	B/B - H & L	1.9
	P/R BOAT	5.1
	CPFV	13.3
	SPEAR	3.1
SAN LUIS OBISPO	PIER & DOCK	2.3
	JETTY & BREAKWATER	0.0
	BRIDGE & CAUSEWAY	4.8
	B/B - H & L	1.7
	P/R BOAT	6.3
	CPFV	12.8

TABLE 46. TABULATION OF LOCATION OF RESIDENCE OF FISHERS BY COASTAL COUNTY DISTRICT OF INTERCEPT SURVEY INTERVIEW, JAN 1983--DEC 1983.

COASTAL COUNTY DISTRICT	COASTAL AREA	REST OF STATE	OUT OF STATE	TOTAL
				PERCENT
DEL NORTE/HUMBOLDT	79.5	16.6	3.9	2236
MENDOCINO/SONOMA (NON-BOAT MODES)	79.3	18.0	2.7	1347
MENDOCINO (BOAT MODES)	60.3	38.8	0.9	219
SONOMA (BOAT MODES)	85.5	12.0	2.6	117
SAN FRANCISCO	95.3	2.6	2.1	3523
SANTA CRUZ/MONTEREY	88.9	7.7	3.4	2998
SAN LUIS OBISPO	39.5	58.7	1.8	1526
 TOTAL NUMBER	9170	1884	312	11366

TABLE 47. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1983--DEC 1983.

GROUP		PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	OPPV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	1	*	*	*	*	*	1
3 SHARK, OTHER	*	*	1	*	*	*	*	1
6 NORTHERN ANCHOVY	*	*	*	*	*	*	*	*
7 SURF SMELT	*	0	3	*	*	*	*	3
14 JACKSMELT	0	*	0	*	*	*	*	0
15 BLACK ROCKFISH	*	0	1	18	*	*	*	19
16 BLUE ROCKFISH	*	00	*	10	*	*	*	10
17 BROWN ROCKFISH	*	00	*	00	*	*	*	0
19 CANARY ROCKFISH	*	*	*	7	*	*	*	7
21 COPPER ROCKFISH	*	0	*	8	*	*	*	8
26 QUILLBACK ROCKFISH	*	*	*	1	*	*	*	1
27 ROSY ROCKFISH	*	*	*	0	*	*	*	0
29 VERMILION ROCKFISH	*	*	*	4	*	*	*	4
31 YELLOWTAIL ROCKFISH	*	*	*	2	*	*	*	2
33 ROCKFISHES, OTHER	*	0	1	5	*	*	*	6
34 KELP GREENLING	0	1	0	1	*	*	*	2
35 LINGCOD	*	1	2	30	*	*	*	33
36 GREENLINGS, OTHER	*	0	0	*	*	*	*	0
38 CABEZON	*	1	1	3	*	*	*	4
39 PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	0
40 SCULPINS, OTHER	0	0	0	*	*	*	*	0
55 PILE PERCH	00	00	*	*	*	*	*	0
56 REDTAIL SURFPERCH	00	00	3	*	*	*	*	4
57 RUBBERLIP SEAPERCH	00	*	*	*	*	*	*	0
58 SHINER PERCH	0	*	*	*	*	*	*	0
59 SILVER SURFPERCH	0	0	0	*	*	*	*	0
60 STRIPED SEAPERCH	00	00	*	*	*	*	*	0
61 WALLEYE SURFPERCH	00	00	*	*	*	*	*	0
62 WHITE SEAPERCH	0	*	00	*	*	*	*	0
63 SURFPERCHES, OTHER	*	*	0	*	*	*	*	0
66 PACIFIC BONITO	*	*	2	4	*	*	*	6
69 STARRY FLUNDER	*	1	*	*	*	*	*	1
71 PACIFIC SANDDAB	*	*	*	00	*	*	*	0
73 FLATFISHES, OTHER	*	*	*	00	*	*	*	0
74 SALMONIDS	1	1	1	8	*	*	*	11
75 OTHER FISH	16	0	2	8	*	*	*	27
TOTAL	19	9	18	110	0	0	0	157

TABLE 48. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BEACH BANK	JETTY & BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	0	*	*	*	*	0
3 SHARK, OTHER	*	*	0	*	*	*	*	0
5 PACIFIC HERRING	2	*	*	*	*	*	*	2
7 SURF SMELT	20	*	*	*	*	*	*	20
8 SURF SMELT	0	*	*	*	*	*	*	0
10 PACIFIC TONNOID	*	0	*	*	*	*	*	0
13 SILVERSIDES	*	*	0	*	*	*	*	0
14 JACKSMELT	5	0	0	*	*	*	*	5
15 BLACK ROCKFISH	11	*	1	*	*	*	1	10
16 BLUE ROCKFISH	0	*	3	*	*	*	7	0
17 BROWN ROCKFISH	20	0	0	*	*	*	*	20
19 CANARY ROCKFISH	20	*	*	*	*	*	*	20
22 GOPHER ROCKFISH	*	*	*	*	*	*	0	0
28 VERMILION ROCKFISH	1	*	*	*	*	*	*	1
33 ROCKFISHES, OTHER	1	0	1	*	*	*	1	3
34 KELP GREENLING	*	0	6	*	*	*	3	9
35 LINGCOD	*	2	1	*	*	*	5	8
36 GREENLINGS, OTHER	*	1	1	*	*	*	0	0
38 CABEZON	*	1	12	*	*	*	4	17
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*	0	0
40 SCULPINS, OTHER	*	0	0	*	*	*	*	0
52 BARRED SURPERCH	*	*	0	*	*	*	*	0
54 BLACK PERCH	*	*	0	*	*	*	*	0
55 PILE PERCH	*	*	0	*	*	*	1	1
56 REDTAIL SURPERCH	*	0	11	*	*	*	*	12
58 SHINER PERCH	0	0	*	*	*	*	*	0
59 SILVER SURPERCH	0	0	0	*	*	*	*	0
60 STRIPED SURPERCH	0	0	4	*	*	*	3	9
61 WALLEYE SURPERCH	0	0	*	*	*	*	*	0
62 WHITE SURPERCH	*	0	0	*	*	*	*	0
63 SURPERCHES, OTHER	0	1	1	*	*	*	0	2
67 PACIFIC MACKEREL	*	0	*	*	*	*	*	0
69 STARRY FLUNDER	*	*	1	*	*	*	*	1
71 PACIFIC SANDDAB	*	*	*	*	*	*	*	*
73 FLATFISHES, OTHER	*	0	*	*	*	*	*	0
74 SALMONIDS	0	7	0	*	*	*	*	7
75 OTHER FISH	*	1	1	*	*	*	*	1
TOTAL	13	15	45	0	0	26	98	

TABLE 49. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	*	*	1	*	*
3 SHARK, OTHER	*	*	*	*	*	3
12 PACIFIC HAKE	*	*	*	1	*	*
15 BLACK ROCKFISH	*	*	*	17	1	18
16 BLUE ROCKFISH	*	*	*	73	69	142
18 BOCCACCIO	*	*	*	1	9	*
19 CANARY ROCKFISH	*	*	*	8	6	*
21 COPPER ROCKFISH	*	*	*	17	4	*
22 GOPHER ROCKFISH	*	*	*	1	*	*
23 GREENSPOTTED ROCKFISH	*	*	*	1	0	*
25 OLIVE ROCKFISH	*	*	*	1	3	*
26 QUILLBACK ROCKFISH	*	*	*	6	21	*
27 ROSY ROCKFISH	*	*	*	2	3	*
29 VERMILION ROCKFISH	*	*	*	6	1	*
30 WIDOW ROCKFISH	*	*	*	*	1	*
31 YELLOWTAIL ROCKFISH	*	*	*	10	85	*
33 ROCKFISHES, OTHER	*	*	*	17	2	*
34 KELP GREENLING	*	*	*	1	*	*
35 LINGCOD	*	*	*	8	13	*
36 GREENLINGS, OTHER	*	*	*	2	*	76
38 CABEZON	*	*	*	3	2	*
63 SURPERCHES, OTHER	*	*	*	0	*	*
66 PACIFIC BONITO	*	*	*	2	*	*
67 PACIFIC MACKEREL	*	*	*	0	4	*
71 PACIFIC SANDDAB	*	*	*	1	0	*
72 ROCK SOLE	*	*	*	1	1	*
73 FLATFISHES, OTHER	*	*	*	1	*	*
74 SALMONIDS	*	*	*	8	*	*
75 OTHER FISH	*	*	*	0	0	*
TOTAL	0	0	243	230	0	472

TABLE 50. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
15 BLACK ROCKFISH	*	*	*	*	*	6
16 BLUE ROCKFISH	*	*	*	15	*	*
17 BROWN ROCKFISH	*	*	*	*	*	*
18 BOCCACCIO	*	*	*	*	*	*
19 CANARY ROCKFISH	*	*	*	1	2	*
21 COPPER ROCKFISH	*	*	*	5	4	*
23 GREENSPOTTED ROCKFISH	*	*	*	1	0	*
25 OLIVE ROCKFISH	*	*	*	1	10	*
26 QUILLBACK ROCKFISH	*	*	*	1	*	*
27 ROSY ROCKFISH	*	*	*	0	*	*
28 STARRY ROCKFISH	*	*	*	*	1	*
29 VERMILION ROCKFISH	*	*	*	2	*	*
31 YELLOWTAIL ROCKFISH	*	*	*	*	9	*
33 ROCKFISHES, OTHER	*	*	*	22	16	*
34 KELP GREENLING	*	*	*	1	*	*
35 LINGCOD	*	*	*	14	2	*
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*
67 PACIFIC MACKEREL	*	*	*	3	2	*
73 FLATFISHES, OTHER	*	*	*	0	*	*
74 SALMONIDS	*	*	*	1	*	*
TOTAL	0	0	65	92	0	158

TABLE 51. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER HOOK & LINE	P/R BOAT	OPV	SPEAR	ALL MODES
1 LEOPARD SHARK	1	*	3	*	*	*
3 SHARK, OTHER	5	*	2	*	*	5*
4 STURGEONS	*	*	*	*	*	0
6 NORTHERN ANCHOVY	*	*	*	*	*	0
10 PACIFIC TOMODD	0	*	*	*	*	0
13 SILVERSIDES	0	*	*	*	*	0
14 JACKSMELT	8	*	0	*	*	8
15 BLACK ROCKFISH	1	*	*	6	*	7
16 BLUE ROCKFISH	*	*	*	6	*	6
17 BROWN ROCKFISH	3	0	*	6	*	6
18 BOCACCIO	*	*	*	*	26	26
19 CANARY ROCKFISH	*	*	*	5	20	20
20 CHILipePPER ROCKFISH	*	*	*	1	1	1
21 COPPER ROCKFISH	*	0	*	1	36	36
22 GOPHER ROCKFISH	*	*	*	0	1	1
23 GREENSPOTTED ROCKFISH	*	*	*	*	2	2
24 GREENSTRIPED ROCKFISH	*	*	*	*	*	0
25 OLIVE ROCKFISH	*	*	*	*	12	12
26 QUILLBACK ROCKFISH	*	*	*	9	4	4
27 ROSY ROCKFISH	*	*	*	4	*	0
28 STARRY ROCKFISH	*	*	*	*	4	4
29 VERMILION ROCKFISH	*	*	*	8	*	8
31 YELLOWTAIL ROCKFISH	*	*	*	88	121	129
33 ROCKFISHES, OTHER	*	0	*	55	276	331
34 KELP GREENLING	*	0	1	1	*	1
35 LINGCOD	*	3	*	19	16	35
36 GREENLINGS, OTHER	*	*	0	*	*	0
38 CABEZON	*	0	0000	200	1	1
39 PAC. STAGHORN SCULPIN	0	*	59	6	*	0
44 STRIPED BASS	*	2	*	*	*	0
48 WHITE CROAKER	82	0	*	1	*	9
53 BARRED SURPERCH	*	*	6	*	*	0
54 BLACK PERCH	*	0	*	*	*	0
56 REDTAIL SURPERCH	*	*	3	*	*	0
57 RUBBERLIP SURPERCH	*	*	3	*	*	0
58 SHINER PERCH	*	*	*	*	*	0
59 SILVER SURPERCH	0	*	3	*	*	0
60 STRIPED SURPERCH	*	*	0	2	*	0
61 WALLEYE SURPERCH	20	0	0	*	*	0
62 WHITE SURPERCH	20	*	0	*	*	0
63 SURPERCHES, OTHER	2	0	2	*	*	2
68 PACIFIC BONITO	5	0000	120	7	*	8
67 PACIFIC MACKEREL	20	*	20	24	*	24
69 STARRY FLUNDER	1*	*	0	20	*	20
70 CALIFORNIA HALIBUT	1	*	0	*	*	0
71 PACIFIC SANDDAB	0	*	0	*	*	0
73 FLATFISHES, OTHER	0	*	0	*	*	0
74 SALMONIDS	11	*	56	2	*	17
75 OTHER FISH	22	0	1	*	*	0
TOTAL	90	17	95	218	656	1083

TABLE 52. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	OPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	115	2	7	128	96	*	348
2 SPINY DOGFISH	*	*	*	*	38	*	38
3 SHARK, OTHER	5	*	4	68	9	*	65
4 STURGEONS	21	*	*	441	145	*	688
6 NORTHERN ANCHOVY	*	*	*	*	*	*	*
10 PACIFIC TOMODD	0	*	*	*	*	*	0
13 SILVERSIDES	5	0	*	*	*	*	5
14 JACKSMELT	64	0	9	0	*	*	73
16 BLUE ROCKFISH	*	*	*	1	*	*	1
17 BROWN ROCKFISH	3	0	*	3	*	*	6
21 COPPER ROCKFISH	*	*	*	0	*	*	0
33 ROCKFISHES, OTHER	*	*	*	*	23	*	30
34 KELP GREENLING	*	0	*	*	*	*	0
35 LINGCOD	*	*	3	6	*	*	8
36 GREENLINGS, OTHER	*	*	*	*	*	*	*
38 CABEZON	*	*	*	*	*	*	*
39 PAC. STAGHORN SCULPIN	2	0	1	2	*	*	4
40 SCULPINS, OTHER	*	*	*	*	*	*	1
44 STRIPED BASS	1	2	3	113	54	*	173
48 WHITE CROAKER	17	*	1	8	*	*	88
53 BARRED SURPERCH	0	0	*	0	*	*	1
54 BLACK PERCH	2	0	9	2	*	*	14
55 PILE PERCH	9	*	29	7	*	*	45
56 REDTAIL SURPERCH	*	*	0	*	*	*	0
57 RUBBERLIP SURPERCH	5	0	4	1	*	*	11
58 SHINER PERCH	3	0	0	0	*	*	4
59 SILVER SURPERCH	0	*	1	0	*	*	1
60 STRIPED SEAPERCH	2	1	0	0	*	*	3
61 WALLEYE SURPERCH	5	0	2	1	*	*	19
62 WHITE SEAPERCH	0	*	2	1	*	*	3
63 SURPERCHES, OTHER	4	0	2	9	*	*	15
66 PACIFIC BONITO	*	*	*	5	*	*	5
67 PACIFIC MACKEREL	1	*	*	*	*	*	1
68 TUNAS	*	*	*	1	*	*	1
69 STARRY FLUNDER	2	*	9	37	4	*	52
70 CALIFORNIA HALIBUT	*	*	*	69	27	*	97
71 PACIFIC SANDDAB	34	0	*	4*	0	*	34
73 FLATFISHES, OTHER	4	0	1	*	1	*	5
74 SALMONIDS	33	*	0	1	*	*	34
75 OTHER FISH	13	0	28	54	*	*	53
TOTAL	350	7	116	973	368	0	1813

TABLE 53. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1983--DEC 1983.

GROUP	PIER & DOCK	JETTY & BREAKAWATER	BANK & LINE	P/R BOAT	OPV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	3	*	*	*	3
2 SPINY DOGFISH	*	*	*	1	*	*	1
3 SHARK, OTHER	*	*	*	2	2	*	4
8 SURF SMELT	*	*	*	*	*	*	*
10 PACIFIC TOMCOD	0	*	*	*	*	*	0
13 SILVERSIDES	0	*	*	*	*	*	0
14 JACKSMELT	4	1	1	0	*	*	6
16 BLUE ROCKFISH	0	*	0	45	92	1	157
17 BROWN ROCKFISH	*	0	0	10	4	*	15
18 BOCCACCIO	*	*	*	2	120	*	122
19 CANARY ROCKFISH	*	*	*	2	14	*	16
20 CHILIEPPER ROCKFISH	*	*	*	5	45	*	45
21 COPPER ROCKFISH	*	*	*	8	9	*	14
22 GOPHER ROCKFISH	*	*	*	8	2	0	10
23 GREENSPOTTED ROCKFISH	*	*	*	1	13	*	14
26 GREENSTRIPED ROCKFISH	*	*	*	0	4	*	4
28 OLIVE ROCKFISH	*	*	*	18	45	1	64
29 GUILLYBACK ROCKFISH	*	*	*	1	1	0	2
27 ROSY ROCKFISH	*	*	*	2	3	*	6
28 STARRY ROCKFISH	*	*	*	1	7	*	7
29 VERMILION ROCKFISH	*	*	*	4	6	*	9
30 WIDOW ROCKFISH	*	*	*	3	0	*	14
31 YELLOWTAIL ROCKFISH	*	*	*	13	100	*	114
33 ROCKFISHES, OTHER	0	0	0	48	115	2	166
34 KELP GREENLING	0	*	0	1	0	0	1
35 LINGOD	0	*	2	19	56	10	86
37 SABLEFISH	*	*	*	*	0	*	0
38 CABEZON	1	0	0	3	3	1	8
39 PAC. STAGHORN SCULPIN	0	0	0	*	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*	*
43 KELP BASS	*	*	1	2	0	*	3
44 STRIPED BASS	0	*	1	*	*	*	1
48 WHITE CROAKER	2	0	0	4	*	*	7
52 HALIBUT	*	*	*	0	*	*	0
53 BARRED SURFPERCH	1	0	12	*	*	*	13
54 BLACK PERCH	0	0	1	*	*	*	1
55 PILE PERCH	*	*	1	*	*	*	1
56 REDTAIL SURFPERCH	*	*	0	*	*	*	0
57 RUBBERLIP SEAPERCH	*	0	0	*	*	0	1
58 SHINER PERCH	0	*	0	*	*	*	0
59 SILVER SURFPERCH	0	*	0	*	*	*	0
60 STRIPED SEAPERCH	*	*	0	0	*	*	1
61 VALLEYE SURFPERCH	2	0	1	*	*	*	3
62 WHITE SEAPERCH	1	0	0	*	*	*	1
63 SURFPERCHES, OTHER	1	1	1	0	*	4	7
65 PACIFIC BARRACUDA	*	*	*	0	*	*	0
66 PACIFIC BONITO	0	*	*	50	1	*	52
67 PACIFIC MACKEREL	1	0	*	14	15	*	30
69 STARRY FLUNDER	0	1	0	*	*	*	3
70 CALIFORNIA HALIBUT	1	*	*	2	*	*	2
71 PACIFIC SANDDAB	0	0	*	3	6	*	9
72 ROCK SOLE	*	*	*	0	0	*	1
73 FLATFISHES, OTHER	1	0	0	8	2	*	11
74 SALMONIDS	*	*	*	*	1	*	1
75 OTHER FISH	1	1	0	5	*	0	7
TOTAL	17	6	25	280	676	21	1024

TABLE 54. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1983--DEC 1983.

GROUP		PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	OPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	3	*	*	3	*	*	6
2 SPINY DOGFISH	*	*	*	3	2	*	5
3 SHARK, OTHER	*	*	*	2	*	*	2
13 SILVERSIDES	0	*	*	4	*	*	0
14 JACKSMELT	5	*	1	1	*	*	7
15 BLACK ROCKFISH	*	*	*	0	1	*	1
16 BLUE ROCKFISH	*	*	*	38	57	*	139
17 BROWN ROCKFISH	*	*	0	16	10	*	27
18 BOCCACCIO	0	*	*	4	*	*	4
19 CANARY ROCKFISH	*	*	*	3	1	*	4
21 COPPER ROCKFISH	*	*	0	11	6	*	17
22 GOPHER ROCKFISH	*	*	*	38	16	*	55
23 GREENSPOTTED ROCKFISH	*	*	*	30	*	*	0
24 OLIVE ROCKFISH	*	*	*	30	17	*	47
27 ROSY ROCKFISH	*	*	*	3	6	*	9
28 STARRY ROCKFISH	*	*	*	1	8	*	9
29 VERMILION ROCKFISH	*	*	*	9	11	*	20
30 WIDOW ROCKFISH	*	*	*	1	0	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	1	9	*	10
33 ROCKFISHES, OTHER	4	*	9	27	82	*	122
34 KELP GREENLING	0	*	*	0	*	*	1
35 LINGCOD	3	*	*	15	10	*	28
36 GREENLINGS, OTHER	*	*	*	*	*	*	1
38 CABEZON	*	*	1	6	1	*	8
39 PAC. STAGHORN SCULPIN	0	*	*	*	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*	*
43 KELP BASS	*	*	*	*	*	*	*
48 WHITE CROAKER	2	*	1	11	0	*	13
49 QUEENFISH	2	*	*	*	*	*	0
51 OPALEYE	*	*	0	*	*	*	0
53 BARRED SURFPERCH	1	*	19	0	*	*	20
54 BLACK PERCH	100	*	1	*	*	*	1
55 PILE PERCH	0	*	1	*	*	*	1
57 RUBBERLIP SEAPERCH	*	*	1	*	*	*	1
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURFPERCH	0	*	0	*	*	*	0
60 STRIPED SEAPERCH	0	*	*	*	*	*	0
61 WALLEYE SURFPERCH	1	*	0	*	*	*	1
62 WHITE SEAPERCH	0	*	*	*	*	*	0
63 SURFPERCHES, OTHER	1	*	6	0	*	*	7
65 PACIFIC BARRACUDA	*	*	*	0	*	*	0
66 PACIFIC BONITO	1	*	2	87	*	*	88
67 PACIFIC MACKEREL	15	*	0	12	17	*	24
68 TUNAS	*	*	*	23	*	*	21
69 STARRY FLUNDER	0	*	*	1	*	*	1
70 CALIFORNIA HALIBUT	*	*	*	2	*	*	2
71 PACIFIC SANDDAB	0	*	*	000	*	*	000
72 ROCK SOLE	*	*	*	*	*	*	*
73 FLATFISHES, OTHER	0	*	*	*	*	*	0
74 SALMONIDS	*	*	*	11	*	*	11
75 OTHER FISH	0	*	0	1	*	*	2
TOTAL	38	0	44	408	254	0	743

TABLE 1. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	0	0	100	77	15	19	1	0	50	1	1	95	78	15	19
02. SPINY DOGFISH	0	0	100	*	*	*	4	1	36	1	1	66	8	148	10	8	80	
03. SHARK, OTHER	0	0	41	1	1	100	144	30	21	6	2	41	1	1	128	152	30	20
04. STURGEONS	*	*	*	*	*	*	57	10	17	*	*	*	*	*	*	*	*	17
05. PACIFIC HERRING	8	13	151	65	80	123	*	*	*	*	*	*	*	*	*	74	81	110
06. NORTHERN ANCHOVY	1	2	136	*	*	*	9	8	92	308	224	73	*	*	*	318	224	70
07. SURF SMELT	1,812	2815	155	1,023	2179	213	176	92	52	*	*	*	*	*	*	3,011	3561	118
08. SMELTS, OTHER	3	3	108	9	9	100	1	1	100	*	*	*	*	*	*	12	9	97
09. PACIFIC TOMCOD	0	0	71	*	*	*	*	*	*	44	14	32	0	0	227	1	1	97
10. PACIFIC HAKE	*	*	*	0	0	100	*	*	*	*	*	*	0	0	227	44	14	52
13. SILVERSIDES	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100
14. JACKSMELT	1	1	88	1	1	100	297	72	26	61	27	44	25	24	68	395	88	100
15. BLACK ROCKFISH	363	355	98	79	31	39	32	72	47	483	84	29	265	246	204	1,115	359	88
16. BLUE ROCKFISH	23	20	2	91	44	49	247	111	45	97	86	17	28	291	112	527	61	
17. BROWN ROCKFISH	2	2	93	9	3	52	192	52	27	*	*	*	28	17	62	1,115	527	19
18. BOCCACCIO	*	*	*	15	8	54	9	4	46	126	43	35	112	85	76	260	143	37
19. CANARY ROCKFISH	21	19	89	50	21	43	20	12	46	217	7	35	17	15	87	228	228	27
20. CHILipePPER ROCKFISH	*	*	*	120	4	100	28	0	100	26	7	35	23	1	163	87	24	27
21. COPPER ROCKFISH	9	10	103	0	0	89	9	0	100	58	17	35	169	205	121	227	227	98
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	33	21	62	101	24	55
23. GREENSPOTTED ROCKFISH	*	*	*	27	20	76	0	0	100	23	7	31	7	1	107	57	23	40
24. GREENSTRIPED ROCKFISH	*	*	*	12	9	77	5	3	61	28	12	33	83	110	153	41	111	37
25. OLIVE ROCKFISH	*	*	*	1	1	57	1	1	73	41	10	28	33	21	62	9	24	55
26. GUILLYBACK ROCKFISH	5	6	105	1	1	55	7	3	47	49	10	28	33	21	62	101	24	55
27. ROSY ROCKFISH	2	2	78	9	4	46	*	*	*	*	*	*	*	*	*	101	24	55
28. STARRY ROCKFISH	*	*	*	1	1	39	1	1	73	19	5	27	14	9	60	37	28	27
29. VERMILION ROCKFISH	5	4	90	110	3	35	1	1	73	14	14	27	18	24	24	58	28	37
30. WIDOW ROCKFISH	0	0	100	49	34	53	110	27	24	305	43	22	188	61	76	413	191	22
31. YELLOWTAIL ROCKFISH	0	0	124	55	34	51	110	27	24	117	43	22	188	61	76	413	191	18
32. ROCKFISHES, OTHER	15	8	55	49	15	31	110	27	24	305	43	22	188	61	76	413	191	18
34. KELP GREENLING	24	15	64	11	5	48	4	2	58	2	1	51	3	4	150	43	17	39
35. LINGODD	27	25	92	24	13	53	11	0	50	39	1	52	10	40	120	134	33	55
36. GREENLINGS, OTHER	3	2	57	5	3	48	0	0	50	8	1	51	3	4	120	10	3	55
37. SABLEFISH	*	*	*	8	3	42	2	1	44	8	3	51	11	7	64	44	13	51
38. CABEZON	15	11	69	*	*	*	*	*	*	*	*	*	11	7	64	44	13	51
39. PAC. STAGHORN SCULPIN	10	8	82	1	1	79	766	118	15	200	163	52	47	57	121	1,023	167	16
40. SCULPINS, OTHER	2	2	109	2	2	71	11	6	58	*	*	*	1	0	77	0	7	77
41. BARRED SAND BASS	*	*	*	*	*	*	*	*	*	1	1	72	11	7	63	12	7	59
43. KELP BASS	*	*	*	1	0	58	114	16	14	2	1	58	11	7	63	117	16	14
44. STRIPED BASS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
48. WHITE CROAKER	*	*	*	*	*	*	161	32	20	314	139	44	76	65	86	552	157	28
49. QUEENFISH	*	*	*	*	*	*	161	32	20	*	*	*	1	1	108	1	1	108
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	0	0	100
51. OPALEYE	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	0	0	100
52. HALIBUT	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	0	0	100
53. BARRED SURFPERCH	*	*	*	*	*	*	17	7	39	97	35	36	18	7	41	128	36	27
54. BLACK PERCH	*	*	*	1	0	100	52	12	39	202	12	50	1	0	299	1	0	36
55. PILE PERCH	1	0	48	0	2	42	52	13	36	202	12	50	1	1	100	0	0	46
56. REDTAIL SURFPERCH	13	14	60	0	0	100	52	13	36	202	12	50	1	1	100	7	14	46
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100	0	0	100
58. SHINER PERCH	1	1	127	1	1	77	73	28	27	23	9	41	22	22	18	120	31	26
59. SILVER SURFPERCH	6	6	99	1	1	69	7	2	55	23	3	45	1	1	100	31	18	26
60. STRIPED SURFPERCH	18	16	98	15	8	53	31	2	55	23	3	45	0	0	100	31	18	26
61. WALLEYE SURFPERCH	5	5	108	2	1	71	5	2	55	23	3	45	6	27	47	13	15	33
62. WHITE SURFPERCH	2	1	54	*	*	*	2	1	71	5	2	55	1	1	100	13	15	33
63. SURFPERCHES, OTHER	2	3	137	5	2	53	25	22	23	0	0	100	24	15	103	189	31	16
65. PACIFIC BARACUDA	*	*	*	*	*	*	23	0	100	40	41	41	24	12	103	189	31	16
66. PACIFIC BONITO	*	*	*	*	*	*	0	0	100	40	41	41	24	12	103	189	31	16
67. PACIFIC MACKEREL	*	*	*	*	*	*	3	2	68	40	41	41	24	12	103	189	31	16
68. TUNAS	*	*	*	*	*	*	2	1	71	40	41	41	24	12	103	189	31	16
69. STARRY FLounder	0	0	100	0	0	35	69	18	26	5	2	41	4	3	135	79	18	26
70. CALIFORNIA HALIBUT	*	*	*	5	4	88	11	7	59	127	27	21	20	1	38	153	153	18
71. PACIFIC SANDDAB	*	*	*	0	0	100	9	3	34	11	3	34	0	0	100	0	0	100
72. ROCK SOLE	*	*	*	1	0	100	53	13	26	4	4	41	4	3	103	4	9	103
73. FLATFISHES, OTHER	1	1	58	1	0	100	53	13	26	4	4	41	4	3	103	4	9	103
74. SALMONIDS	11	9	85	1	0	49	8	5	68	0	0	100	2	2	99	22	11	49
75. OTHER FISH	2	1	78	8	2	27	198	25	13	46	13	29	42	40	95	296	49	17
TOTAL	2,449	2638	116	1,679	2182	130	3,210	226	7	7,3540	339	10	1,815	508	28	12693	3638	29

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 2. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1984--DEC 1984.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CALIFORNIA HOOK & LINE	BANK P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	20	11	2	1,891	525	*	*	0 2,449
MENDOCINO/SONOMA (NON-BOAT MODES)	73	3	*	1,080	*	*	*	18 1,174
MENDOCINO (BOAT MODES)	*	*	*	*	126	177	*	303
SONOMA (BOAT MODES)	*	*	*	*	65	137	*	202
SAN FRANCISCO	1,112	25	27	387	958	789	*	3,210
SANTA CRUZ/MONTEREY	325	117	*	507	1,346	1,153	*	3,560
SAN LUIS OBISPO	327	20	*	32	1,085	372	*	1,815
TOTAL	1,926	175	29	3,898	4,086	2,539	0 41	12,693

TABLE 3. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	6	*	*	5	67	0	*	*	78
02. SPINY DOGFISH	1	0	*	1*	8	0	*	*	10
03. SHARK, OTHER	2	0	*	10	14	4	*	*	12
04. STURGEONS	4	0	*	*	37	19	*	*	57
05. PACIFIC HERRING	74	0	*	*	*	*	*	*	74
06. NORTHERN ANCHOVY	9	2	*	307	*	*	*	*	318
07. SURF SMELT	6	0	*	3,005	*	*	*	*	3,011
08. SMELTS, OTHER	4	*	*	12	*	*	*	*	13
10. PACIFIC TOMOD	*	0	*	0	*	2	1	*	1
12. PACIFIC HAKE	*	*	*	*	*	42	*	*	44
13. SILVERSIDES	0	*	*	*	*	*	*	*	0
14. JACKSMELT	318	33	*	58	15	0	*	*	353
15. BLACK ROCKFISH	0	0	*	11	506	0	*	3	59
16. BLUE ROCKFISH	20	0	*	2	210	0	*	7	1,115
17. BROWN ROCKFISH	21	1	6	4	*	*	*	*	27
18. BOCCACCIO	201	1	*	1	8	51	*	*	260
19. CANARY ROCKFISH	*	*	*	2	6	227	*	0	233
20. CHILipePPER ROCKFISH	*	*	*	*	1	46	*	0	23
21. COPPER ROCKFISH	*	0	*	*	1*	36	*	0	227
22. GOPHER ROCKFISH	*	0	*	*	*	*	*	*	227
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	2	55	*	57
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	41
25. OLIVE ROCKFISH	0	*	*	0	109	0	*	1	109
26. QUILLBACK ROCKFISH	*	*	*	*	7	31	0	*	101
27. ROSY ROCKFISH	*	*	*	0	*	*	*	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	37
29. VERMILION ROCKFISH	*	*	*	*	*	39	0	*	38
30. WIDOW ROCKFISH	*	*	*	*	*	74	*	*	76
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	318	*	*	413
33. ROCKFISHES, OTHER	29	3	*	10	88	25	*	5	69
34. KELP GREENLING	0	4	*	13	23	2	*	2	43
35. LINGCOD	24	0	*	2	0	0	*	1	25
36. GREENLINGS, OTHER	*	1	*	7	*	0	*	1	1
37. SABLEFISH	*	*	*	7	20	8	*	7	4
38. CABEZON	0	8	*	*	*	1	*	*	4
39. PAC. STAGHORN SCULPIN	557	104	1	88	207	65	*	*	1,823
40. SCULPINS, OTHER	10	1	*	0	2	*	*	*	10
41. BARRED SAND BASS	14	*	*	0	0	*	*	*	14
43. KELP BASS	72	8	*	0	11	71	27	*	117
44. STRIPED BASS	7	1	*	*	*	*	*	*	0
48. WHITE CROAKER	139	5	*	4	401	3	*	*	52
49. GLEENFISH	1	*	*	*	1	*	*	*	1
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	0
51. OPALEYE	*	*	*	0	*	*	*	*	0
52. HALIBUT	*	*	*	*	*	*	*	*	0
53. BARRED SURPERCH	13	1	*	14	115	4	*	*	1
54. BLACK PERCH	9	0	*	0	6	3	*	*	1
55. PILE PERCH	16	0	0	3	88	0	*	*	1
56. REDTAIL SURPERCH	3	0	0	0	0	0	*	*	0
57. RUBBERLIP SURPERCH	3	0	0	0	0	0	*	*	0
58. SHINER PERCH	113	1	*	5	19	*	*	*	128
59. SILVER SURPERCH	10	0	1	0	5	11	*	*	51
60. STRIPED SURPERCH	3	0	0	0	0	2	*	2	41
61. WALLEYE SURPERCH	3	0	0	0	0	3	*	*	41
62. WHITE SURPERCH	4	0	0	0	0	0	*	*	41
63. SURPERCHES, OTHER	12	*	*	*	4	16	*	0	180
65. PACIFIC BARRACUDA	15	*	*	*	0	0	*	*	15
66. PACIFIC BONITO	0	*	*	*	0	0	*	*	0
67. PACIFIC MACKEREL	15	*	*	*	0	0	*	*	15
68. TUNAS	15	*	*	*	0	0	*	*	15
69. STARRY FLUNDER	14	1	*	3	14	28	*	*	22
70. CALIFORNIA HALIBUT	15	0	*	0	14	19	*	0	24
71. PACIFIC SANDDAB	14	0	*	*	13	19	*	*	24
72. ROCK SOLE	6	1	0	1	14	9	*	*	13
73. FLATFISHES, OTHER	2	0	*	*	36	12	19	2	28
74. SALMONIDS	79	0	*	5	13	2	*	*	22
75. OTHER FISH	79	6	*	36	13	19	*	2	28
TOTAL	1,926	175	29	3,898	4,086	2,539	0	41	12,693

TABLE 4. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	0	*	*	*	*	*	0
03. SHARK, OTHER	0	00	*	*	*	*	*	0
05. PACIFIC HERRING	8	*	*	*	*	*	*	8
06. NORTHERN ANCHOVY	1	*	*	*	*	*	*	1
07. SURF SMELT	*	0	*	1,812	*	*	*	1,812
08. SMELTS, OTHER	*	*	*	5	*	*	*	5
10. PACIFIC TOMODD	*	0	*	50	*	*	*	50
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	0	*	*	1	*	*	*	1
15. BLACK ROCKFISH	0	2	*	8	353	*	0	363
16. BLUE ROCKFISH	*	00	*	800	25	*	*	800
17. BROWN ROCKFISH	*	0	*	*	1	*	*	1
19. CANARY ROCKFISH	*	*	*	*	21	*	*	21
21. COPPER ROCKFISH	*	0	*	*	9	*	*	9
26. GUTTLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
29. VENERILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	1	*	2	13	*	*	15
34. KELP GREENLING	0	3	*	7	13	*	0	24
35. LINGCOD	*	0	*	0	2	*	*	2
36. GREENLINGS, OTHER	*	1	*	2	*	*	0	2
38. CABEZON	*	1	*	1	14	*	*	15
39. PAC. STAGHORN SCULPIN	5	0	*	4	0	*	*	10
40. SCULPINS, OTHER	0	0	*	1	0	*	*	1
55. PILE PERCH	0	0	0	0	0	*	*	0
56. REDTAIL SURPERCH	0	0	0	21	1	*	*	21
58. SHINER PERCH	1	*	*	*	*	*	*	1
59. SILVER SURPERCH	0	0	1	5	0	*	*	6
60. STRIPED SEAPERCH	0	20	100	15	0	*	*	100
61. WALLEYE SURPERCH	2	0	00	3	0	*	*	3
62. WHITE SEAPERCH	1	*	*	1	1	*	*	1
63. SURPERCHES, OTHER	*	*	*	2	*	*	*	2
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	0	*	0	1	0	*	*	1
74. SALMONIDS	*	0	*	1	9	*	*	11
75. OTHER FISH	*	0	*	2	*	*	*	2
TOTAL	20	11	2	1,891	525	0	0	2,449

TABLE 5. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	*	0
05. PACIFIC HERRING	65	*	*	*	*	*	*	*	65
07. SURF SMELT	6	*	*	1,017	*	*	*	*	1,023
08. SMELTS, OTHER	*	*	*	9	*	*	*	*	9
14. JACKSMELT	*	*	*	1	*	*	*	*	1
15. BLACK ROCKFISH	*	0	*	3	*	*	*	3	6
16. BLUE ROCKFISH	*	*	*	2	*	*	*	4	7
17. BROWN ROCKFISH	*	*	*	2	*	*	*	0	12
19. CANARY ROCKFISH	*	*	*	1	*	*	*	0	1
21. COPPER ROCKFISH	*	0	*	1	*	*	*	0	1
22. GOPHER ROCKFISH	*	0	*	*	*	*	*	*	0
23. OLIVE ROCKFISH	*	*	*	0	*	*	*	*	0
27. ROSY ROCKFISH	*	*	*	0	*	*	*	*	0
33. ROCKFISHES, OTHER	*	*	*	3	*	*	*	0	7
34. KELP GREENLING	*	0	*	6	*	*	*	1	3
35. LINGCOD	*	0	*	1	*	*	*	2	3
36. GREENLINGS, OTHER	*	0	*	5	*	*	*	3	6
38. CABEZON	*	0	*	3	*	*	*	*	3
39. PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	*	2
40. SCULPINS, OTHER	*	1	*	1	*	*	*	*	2
55. PILE PERCH	*	0	*	*	*	*	*	*	0
56. REDTAIL SURPERCH	0	0	*	4	*	*	*	*	4
57. RUBBERLIP SURPERCH	*	*	*	4	*	*	*	0	0
58. SHINER PERCH	1	*	*	*	*	*	*	*	1
59. SILVER SURPERCH	*	*	*	1	*	*	*	*	1
60. STRIPED SURPERCH	*	1	*	12	*	*	*	2	15
62. WHITE SURPERCH	*	0	*	2	*	*	*	*	2
63. SURPERCHES, OTHER	*	0	*	4	*	*	*	0	4
69. STARRY FLUNDER	*	0	*	0	*	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	*	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
76. SALMONIDS	*	0	*	1	*	*	*	*	1
75. OTHER FISH	*	0	*	2	*	*	*	2	4
TOTAL	73	3	0	1,080	0	0	0	18	1,174

TABLE 6. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	1	*	1
12. PACIFIC HAKE	*	*	*	*	0	*	*	0
15. BLACK ROCKFISH	*	*	*	*	38	*	*	38
16. BLUE ROCKFISH	*	*	*	*	48	*	*	70
18. BOCCACCIO	*	*	*	*	10	*	*	10
19. CANARY ROCKFISH	*	*	*	*	15	24	*	39
21. COPPER ROCKFISH	*	*	*	*	4	0	*	4
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	27	*	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	12	*	*	12
25. OLIVE ROCKFISH	*	*	*	*	0	*	*	0
26. QUILLBACK ROCKFISH	*	*	*	*	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	5	*	*	5
29. VERMILION ROCKFISH	*	*	*	*	50	*	*	50
30. WIDOW ROCKFISH	*	*	*	*	2	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	*	5	43	*	48
33. ROCKFISHES, OTHER	*	*	*	*	18	6	*	24
34. KELP GREENLING	*	*	*	*	5	*	*	16
35. LINGCOD	*	*	*	*	0	1	*	0
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	0
38. CABEZON	*	*	*	*	2	*	*	2
60. STRIPED SEAPERCH	*	*	*	*	200	*	*	200
63. SURPERCHES, OTHER	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	24	0	*	24
71. PACIFIC SANDDAB	*	*	*	*	4	*	*	4
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	0
76. SALMONIDS	*	*	*	*	0	*	*	0
75. OTHER FISH	*	*	*	*	0	*	*	0
TOTAL	0	0	0	0	126	177	0	303

TABLE 7. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	9	34	*	43
16. BLUE ROCKFISH	*	*	*	*	13	15	*	38
17. BROWN ROCKFISH	*	*	*	*	3	5	*	8
18. BOCCACCIO	*	*	*	*	7	3	*	10
19. CANARY ROCKFISH	*	*	*	*	1	1	*	2
20. CHILipePPER ROCKFISH	*	*	*	*	*	0	*	0
21. COPPER ROCKFISH	*	*	*	*	4	3	*	7
22. GOPHER ROCKFISH	*	*	*	*	0	0	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	1	1	*	2
26. QUILLBACK ROCKFISH	*	*	*	*	10	*	*	10
27. ROSY ROCKFISH	*	*	*	*	0	13	*	13
28. STARRY ROCKFISH	*	*	*	*	1	1	*	2
29. VERMILION ROCKFISH	*	*	*	*	*	6	*	6
30. WIDOW ROCKFISH	*	*	*	*	*	6	*	6
31. YELLOWTAIL ROCKFISH	*	*	*	*	6	56	*	62
33. ROCKFISHES, OTHER	*	*	*	*	10	12	*	22
34. KELP GREENLING	*	*	*	*	1	3	*	4
35. LINGCOD	*	*	*	*	2	3	*	5
39. PAC. STAGHORN SCULPIN	*	*	*	*	0	*	*	0
40. SCULPINS, OTHER	*	*	*	*	0	*	*	0
44. STRIPED BASS	*	*	*	*	*	*	*	1
54. BLACK PERCH	*	*	*	*	1	*	*	1
67. PACIFIC MACKEREL	*	*	*	*	0	1	*	1
69. STARRY FLUNDER	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	0
75. OTHER FISH	*	*	*	*	5	*	*	5
TOTAL	0	0	0	0	65	137	0	202

TABLE 8. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH	BANK CAUSEWAY	HOOKE & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	5	*	*	5	67	0	*	*	*	77
02. SPINY DOGFISH	1	*	*	1	16	0	*	*	*	4
03. SHARK, OTHER	1	0	*	0	1	0	*	*	*	14
04. STURGEONS	*	*	*	2	37	19	*	*	*	57
05. NORTHERN ANCHOVY	7	*	*	2	*	*	*	*	*	9
06. SURF SMELT	*	*	*	176	*	*	*	*	*	176
10. PACIFIC COD	*	*	*	*	1	1	*	*	*	1
14. JACKSHELF	255	1	*	40	30	2	*	*	*	297
15. BLACK ROCKFISH	*	*	*	*	7	240	*	*	*	32
16. BLUE ROCKFISH	*	*	*	*						247
17. BROWN ROCKFISH	19	1	6	2	90	73	*	*	*	198
18. BOCACCIO	*	*	*	*	9*	9	*	*	*	9
19. CANARY ROCKFISH	*	*	*	*	6	20	*	*	*	20
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	19	*	*	*	20
21. COPPER ROCKFISH	*	*	*	*	1	19	*	*	*	20
22. GOPHER ROCKFISH	*	*	*	*	*	0	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	*	*	0
24. OLIVE ROCKFISH	*	*	*	*	1	4	*	*	*	1
25. QUILLBACK ROCKFISH	*	*	*	*	1	1	*	*	*	1
27. ROSY ROCKFISH	*	*	*	*	*	7	*	*	*	7
28. STARRY ROCKFISH	*	*	*	*	*	1	*	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	*	4	*	*	*	6
30. WIDOW ROCKFISH	*	*	*	*	*	6	*	*	*	6
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	80	*	*	*	80
33. ROCKFISHES, OTHER	19	2	*	3	45	40	*	*	*	110
34. KELP GREENLING	*	0	*	0	3	1	*	*	*	4
35. LINCOOD	1	*	*	*	3	0	*	*	*	11
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	*	*	0
38. CABEZON	0	*	*	*	2	*	*	*	*	2
39. PAC. STAGHORN SCULPIN	437	2	1	62	198	65	*	*	*	766
40. SCULPINS, OTHER	10	*	*	*	2	*	*	*	*	11
41. STRIPED BASS	7	1	*	9	20	27	*	*	*	114
48. WHITE CROAKER	85	5	*	3	68	2	*	*	*	161
53. BARRED SURPERCH	2	1	*	11	4	*	*	*	*	17
54. BLACK PERCH	8	1	14	4	2	*	*	*	*	29
55. PILE PERCH	15	*	*	2	13	*	*	*	*	30
56. RETAIL SURPERCH	*	*	*	2	*	*	*	*	*	2
57. RUBBERLIP SURPERCH	1	*	*	0	0	*	*	*	*	0
58. SHINER PERCH	67	1	*	55	0	*	*	*	*	75
59. SILVER SURPERCH	4	*	*	2	1	*	*	*	*	7
60. STRIPED SURPERCH	2	*	3	1	12	*	*	*	*	7
61. WALLEYE SURPERCH	27	0	*	2	11	*	*	*	*	31
62. WHITE SURPERCH	2	*	*	14	15	*	*	*	*	30
63. SURPERCHES, OTHER	4	2	*	*	0	*	*	*	*	0
64. PACIFIC BONITO	*	*	*	*	0	*	*	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	19	4	*	*	*	33
68. STARRY FLUNDER	8	1	*	2	31	28	*	*	*	35
70. CALIFORNIA HALIBUT	*	0	*	0	2	2	*	*	*	11
71. PACIFIC SANDDAB	9	*	*	*	3	6	*	*	*	9
73. FLATFISHES, OTHER	1	*	*	*	3	6	*	*	*	6
74. SALMONIDS	2	*	*	3	1	2	*	*	*	6
75. OTHER FISH	2	6	*	31	92	17	0	0	0	168
TOTAL	1,112	25	27	387	958	700	0	0	0	3,210

TABLE 9. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1984---DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	0	0	*	*	1
03. SHARK, OTHER	*	0	0	*	*	*	0
04. STURGEONS	*	*	*	*	*	*	7
06. NORTHERN ANCHOVY	5	*	2	*	*	*	176
07. SURF SNELT	*	*	176	*	*	*	
14. JACKSHELT	6	*	*	*	*	*	6
15. BLACK ROCKFISH	*	*	*	*	*	*	2
16. BLUE ROCKFISH	*	*	*	*	26	*	7
17. BROWN ROCKFISH	2	1	*	10	72	*	27
18. BOCCACCIO	*	*	*	*	9	*	9
19. CANARY ROCKFISH	*	*	*	6	20	*	5
20. CHILIPEPPER ROCKFISH	*	*	*	*	9	*	9
21. COPPER ROCKFISH	*	*	*	1	19	*	0
22. GOPHER ROCKFISH	*	*	*	*	0	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	1	4	*	5
26. QUILLBACK ROCKFISH	*	*	*	*	1	*	1
27. ROSY ROCKFISH	*	*	*	*	7	*	7
28. STARRY ROCKFISH	*	*	*	*	4	*	4
29. VERMILION ROCKFISH	*	*	*	*	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	6	*	6
31. YELLOWTAIL ROCKFISH	*	*	*	*	8	*	8
33. ROCKFISHES, OTHER	1	20	*	13	2	*	51
34. KELP GREENLING	*	0	0	2	17	*	4
35. LINGCOD	*	*	*	*	*	*	9
36. GREENLINGS, OTHER	*	*	*	*	0	*	0
38. CABEZON	0	*	*	*	0	*	0
39. PAC. STAGHORN SCULPIN	17	1	*	0	0	*	19
44. STRIPED BASS	*	*	1	6	0	*	8
48. WHITE CROAKER	25	3	3	*	0	*	31
53. BARRED SURFPERCH	1	*	*	11	*	*	12
54. BLACK PERCH	*	*	*	0	*	*	0
55. PILE PERCH	*	*	*	2	1	*	1
56. REDTAIL SURFPERCH	*	*	*	*	*	*	2
58. SHINER PERCH	14	*	*	*	*	*	14
59. SILVER SURFPERCH	1	*	*	2	*	*	2
60. STRIPED SEAPERCH	0	*	*	1	*	*	1
61. WALLEYE SURFPERCH	3	0	*	1	*	*	5
62. WHITE SEAPERCH	1	*	*	1	*	*	1
63. SURFPERCHES, OTHER	15	*	*	11	1	*	8
67. PACIFIC MACKEREL	*	*	*	1	4	*	5
69. STARRY FLUNDER	*	0	*	1	*	*	1
70. CALIFORNIA HALIBUT	*	0	*	0	1	*	2
71. PACIFIC SANDAB	1	*	*	0	1	*	1
73. FLATFISHES, OTHER	1	*	*	1	*	*	1
74. SALMONIDS	2	*	3	1	1	*	6
75. OTHER FISH	*	0	1	3	7	*	12
TOTAL	94	9	0	217	58	533	912

TABLE 10. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	5	*	*	4	66	0	*	76
02. SPINY DOGFISH	1	*	*	3	*	*	*	4
03. SHARK, OTHER	1	*	*	10	141	0	*	143
04. STURGEONS	*	*	*	*	37	19	*	57
05. NORTHERN ANCHOVY	2	*	*	*	*	*	*	2
10. PACIFIC TOMCOD	*	*	*	*	*	1	*	1
14. JACKSMELT	268	1	*	40	1	*	*	291
15. BLACK ROCKFISH	*	*	*	23	198	1	*	130
17. BROWN ROCKFISH	16	*	6	23	12	*	*	105
33. ROCKFISHES, OTHER	18	*	*	3	12	6	*	59
35. LINGCOD	1	*	*	*	1	*	*	200
38. CABEZON	*	*	*	0	*	*	*	*
39. PAC. STAGHORN SCULPIN	420	2	1	61	197	65	*	747
40. SCULPINS, OTHER	10	*	*	*	2	*	*	11
44. STRIPED BASS	7	1	*	8	64	27	*	107
48. WHITE CROAKER	60	2	*	*	66	2	*	131
53. BARRED SURPERCH	1	1	*	*	44	*	*	*
54. BLACK PERCH	8	1	14	4	22	*	*	*
55. PILE PERCH	15	*	*	20	12	*	*	80
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	0
57. RUBBERLIP SURPERCH	1	*	3	0	0	*	*	5
58. SHINER PERCH	53	*	2	5	0	*	*	59
59. SILVER SURPERCH	3	*	*	*	1	*	*	5
60. STRIPED SURPERCH	2	*	3	1	*	*	*	6
61. WALLEYE SURPERCH	24	*	*	1	2	*	*	27
62. WHITE SURPERCH	1	*	*	1	1	*	*	2
63. SURPERCHES, OTHER	49	2	*	3	14	*	*	60
68. PACIFIC BONITO	*	*	*	*	0	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	17	*	*	17
69. STARRY FLUNDER	8	1	*	1	31	28	*	68
70. CALIFORNIA HALIBUT	*	*	*	*	2	1	*	3
71. PACIFIC SANDDAB	9	*	*	*	*	*	*	8
73. FLATFISHES, OTHER	1	*	*	*	2	6	*	2
74. SALMONIDS	0	*	*	*	*	1	*	0
75. OTHER FISH	52	6	*	31	89	10	*	188
TOTAL	1,018	16	27	170	900	167	0	0
								2,297

TABLE 11. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
91. LEOPARD SHARK	*	*	*	0	0	*	*
92. SPINY DOGFISH	*	*	*	1	*	*	1
93. SHARK, OTHER	0	*	*	3	3	*	6
96. NORTHERN ANCHOVY	1	2	*	305	4	*	308
12. PACIFIC MAKE	*	*	*	2	42	*	44
14. JACKSMELT	41	1	*	17	2	0	61
15. BLACK ROCKFISH	*	*	*	14	0	*	14
16. BLUE ROCKFISH	0	*	*	2	26	*	43
17. BROWN ROCKFISH	2	*	*	91	4	*	97
18. BOCCACCIO	2	*	*	1	0	*	124
19. CANARY ROCKFISH	*	*	*	*	16	*	29
20. CHILIEPPER ROCKFISH	*	*	*	*	217	*	217
21. COPPER ROCKFISH	*	*	*	*	7	*	26
22. GOPHER ROCKFISH	*	*	*	*	56	1	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	1	22	23
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	27	28
25. OLIVE ROCKFISH	*	*	*	*	30	12	1*
26. GULLBACK ROCKFISH	*	*	*	*	1	13	1*
27. ROSY ROCKFISH	*	*	*	*	17	14	49
28. STARRY ROCKFISH	*	*	*	*	5	*	19
29. VERMILION ROCKFISH	*	*	*	*	9	5	*
30. WIDOW ROCKFISH	*	*	*	*	18	57	58
31. YELLOWTAIL ROCKFISH	*	*	*	*	89	*	117
33. ROCKFISHES, OTHER	9	*	*	1	164	128	305
34. KELP GREENLING	*	*	*	*	1	*	2
35. LINGCOD	0	*	*	0	17	15	39
36. GREENLINGS, OTHER	*	*	*	*	0	*	1
37. SABLEFISH	*	*	*	*	0	*	8
38. CABEZON	*	0	*	1	2	*	4
39. PAC. STAGHORN SCULPIN	72	98	*	22	6	*	200
43. KELP BASS	*	*	*	*	0	*	1
44. STRIPED BASS	*	*	*	2	0	*	2
48. WHITE CROAKER	30	*	*	1	283	*	314
52. HALIBUT	*	*	*	*	*	*	0
53. BARRED SURPERCH	5	0	*	82	*	*	97
54. BLACK PERCH	1	0	*	1	0	*	1
55. PILE PERCH	1	*	*	100	*	*	100
56. REDTAIL SURPERCH	*	*	*	*	*	*	0
57. RUBBERLIP SURPERCH	2	0	*	0	*	*	2
58. SHINER PERCH	2	*	*	0	*	*	0
59. SILVER SURPERCH	0	*	*	5	*	*	6
60. STRIPED SURPERCH	*	*	*	0	*	*	0
61. WALLEYE SURPERCH	10	3	*	99	0	*	22
62. WHITE SURPERCH	1	0	*	0	1	*	0
63. SURPERCHES, OTHER	40	2	*	21	*	*	0
65. PACIFIC BARRACUDA	*	*	*	0	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	0
67. PACIFIC MACKEREL	32	9	*	26	247	111	64
68. TUNAS	*	*	*	*	*	11	11
69. STARRY FLUNDER	2	*	*	1	2	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	1	*	1
71. PACIFIC SANDDAB	1	*	*	*	72	54	127
72. ROCK SOLE	*	*	*	*	3	*	4
73. FLATFISHES, OTHER	4	0	*	1	30	*	11
74. SALMONIDS	*	*	*	*	*	*	0
75. OTHER FISH	22	*	*	0	20	3	46
TOTAL	395	117	0	507	1,346	1,153	3,540

TABLE 12. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	*	0	*	*	*	1
02. SPINY DOGFISH	*	*	*	*	5	0	*	*	1
03. SHARK, OTHER	*	*	*	*	1	0	*	*	1
12. PACIFIC HAKE	*	*	*	*	1	0	*	*	1
14. JACKSMELT	22	1	*	1	11	0	*	*	1
15. BLACK ROCKFISH	*	*	*	*	70	2	*	*	72
16. BLUE ROCKFISH	*	*	*	*	151	84	*	*	288
17. BROWN ROCKFISH	*	*	*	*	24	11	*	*	112
18. BOCACCIO	106	1	*	*	4	6	*	*	17
19. CANARY ROCKFISH	*	*	*	*	11	*	*	*	1
20. CHILIPEPPER ROCKFISH	*	*	*	*	1	1	*	*	1
21. COPPER ROCKFISH	*	*	*	*	16	34	*	*	39
22. GOPHER ROCKFISH	*	*	*	*	1	5	*	*	7
23. GREENSPOTTED ROCKFISH	*	*	*	*	1	1	*	*	1
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	*	*	*	1
25. OLIVE ROCKFISH	0	*	*	*	77	6	*	*	1
27. ROSY ROCKFISH	*	*	*	*	9	24	*	*	1
28. STARRY ROCKFISH	*	*	*	*	4	11	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	22	9	*	*	1
30. WIDOW ROCKFISH	*	*	*	*	1	3	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	1	31	49	*	*	1
33. ROCKFISHES, OTHER	1	*	*	1	137	42	*	*	1
34. KELP GREENLING	*	*	*	3	*	*	*	*	1
35. LINGCOD	23	*	*	0	7	3	*	*	1
38. CABEZON	*	6	*	1	3	1	*	*	1
39. PAC. STAGHORN SCULPIN	42	4	*	0	1	*	*	*	47
40. SCULPINS, OTHER	1	1	*	0	0	*	*	*	1
41. BARRED SAND BASS	*	*	*	0	0	*	*	*	0
43. KELP BASS	2	*	*	0	1	*	*	*	1
48. WHITE CROAKER	24	8	*	0	52	0	*	*	76
49. GLONFISH	1	*	*	*	*	*	*	*	1
50. CROAKERS, OTHER	*	*	*	*	1	*	*	*	0
51. OPALLEYE	*	*	*	0	*	*	*	*	0
53. BARRED SURFPERCH	6	*	*	12	1	*	*	*	18
54. BLACK PERCH	0	*	*	1	*	*	*	*	1
55. PILE PERCH	*	*	*	0	*	*	*	*	0
56. REDTAIL SURFPERCH	*	*	*	1	*	*	*	*	0
57. RUBBERLIP SURFPERCH	*	*	*	0	*	*	*	*	0
58. SHINER PERCH	22	*	*	6	*	*	*	*	22
59. SILVER SURFPERCH	5	*	*	6	*	*	*	*	0
60. STRIPED SURFPERCH	0	*	*	0	*	*	*	*	0
61. WALLEYE SURFPERCH	4	*	*	4	*	*	*	*	4
62. WHITE SURFPERCH	0	*	*	4	*	*	*	*	0
63. SURFPERCHES, OTHER	21	*	*	2	10	*	*	*	20
65. PACIFIC BARRACUDA	*	*	*	2	*	*	*	*	0
66. PACIFIC BONITO	0	*	*	0	8	*	*	*	9
67. PACIFIC MACKEREL	34	*	*	0	185	65	*	*	284
68. TUNAS	*	*	*	*	*	11	*	*	14
69. STARRY FLUNDER	4	*	*	*	1	0	*	*	0
70. CALIFORNIA HALIBUT	2	*	*	*	17	0	*	*	20
71. PACIFIC SANDDAB	*	*	*	*	1	0	*	*	1
72. ROCK SOLE	*	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	0	*	*	*	8	*	*	*	8
74. SALMONIDS	*	*	*	1	1	*	*	*	1
75. OTHER FISH	5	*	*	1	36	*	*	*	36
TOTAL	327	20	0	32	1,065	372	0	0	1,815

TABLE 13. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	0	0	100	16	3	17	0	0	66	0	0	100	17	3	17
02. SPINY DOGFISH	*	*	*	*	*	*	2	1	28	1	1	58	0	0	99	4	1	27
03. SHARK, OTHER	0	0	56	1	1	100	15	5	18	1	1	58	*	*	*	17	5	35
04. STURGEONS	*	*	*	*	*	*	28	*	*	*	*	*	*	*	*	28	8	35
05. PACIFIC HERRING	8	13	151	65	80	123	*	*	*	*	*	*	*	*	*	74	81	110
06. NORTHERN ANCHOVY	1	2	179	*	*	*	2	1	72	303	224	74	*	*	*	305	224	73
07. SURF SMELT	1,812	2815	155	1,023	2179	213	176	92	52	*	*	*	*	*	*	3,011	3561	118
08. SMELTS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	12	9	34
10. PACIFIC TONNOID	*	*	*	*	*	*	*	*	*	41	14	34	0	0	227	41	14	34
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100
14. JACKSMELT	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	337	519	78
15. BLACK ROCKFISH	327	353	103	185	28	103	208	71	73	26	24	18	77	204	286	382	108	
16. BLUE ROCKFISH	23	28	188	85	9	31	51	177	110	58	58	48	25	28	17	63	118	118
17. BROWN ROCKFISH	1	2	118	85	9	31	51	177	110	58	58	48	26	28	17	63	118	118
18. BOCCACCIO	*	*	*	*	*	*	15	8	54	28	27	44	83	74	88	12	12	3
19. CANARY ROCKFISH	21	19	89	*	*	*	12	0	103	20	9	4	17	15	110	27	26	3
20. CHILILIPEPPER ROCKFISH	*	*	*	*	*	*	0	0	103	20	9	4	20	17	110	27	26	3
21. COPPER ROCKFISH	9	10	104	*	*	*	12	0	103	20	9	4	16	13	111	27	26	3
22. GOPHER ROCKFISH	*	*	*	*	*	*	0	0	103	20	9	4	16	13	111	27	26	3
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	27	12	76	0	0	100	7	7	107	57	56	23
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	12	1	57	5	3	61	12	110	131	111	111	
25. OLIVE ROCKFISH	*	*	*	*	*	*	1	1	53	1	1	73	1	1	82	59	58	23
26. GUILLYBACK ROCKFISH	5	6	105	*	*	*	9	4	46	7	7	47	1	1	82	59	58	23
27. ROSY ROCKFISH	2	2	86	*	*	*	9	4	46	7	7	47	1	1	82	59	58	23
28. STARRY ROCKFISH	*	*	*	*	*	*	3	1	39	1	1	73	14	14	27	57	56	27
29. VERMILLION ROCKFISH	3	4	121	*	*	*	10	5	39	8	6	47	14	14	27	57	56	27
30. WIDOW ROCKFISH	200	40	180	*	*	*	110	37	31	88	64	59	15	15	61	48	47	17
31. YELLOWTAIL ROCKFISH	14	8	59	*	*	*	110	37	31	88	64	59	15	15	61	48	47	17
33. ROCKFISHES, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
34. KELP GREENLING	18	24	81	*	*	*	11	5	49	4	0	22	2	1	150	37	36	3
35. LINGCOD	*	*	*	*	*	*	11	5	49	0	0	22	0	0	66	97	88	3
36. GREENLINGS, OTHER	*	*	*	*	*	*	11	5	49	0	0	22	0	0	66	97	88	3
37. SABLEFISH	*	*	*	*	*	*	8	3	42	1	1	24	7	4	54	12	11	3
38. CABEZON	15	11	71	*	*	*	8	3	42	1	1	24	7	4	54	12	11	3
39. PAC. STAGHORN SCULPIN	1	1	125	*	*	*	2	2	72	103	1	22	12	4	86	128	122	19
40. SCULPINS, OTHER	0	0	38	*	*	*	2	2	72	1	1	22	1	1	77	73	73	17
41. BARRED SAND DAB	*	*	*	*	*	*	0	0	100	66	11	17	1	1	72	68	68	11
43. KELP BASS	*	*	*	*	*	*	0	0	100	66	11	17	1	1	72	68	68	11
44. STRIPED BASS	*	*	*	*	*	*	0	0	100	66	11	17	1	1	72	68	68	11
48. WHITE CROAKER	*	*	*	*	*	*	*	*	*	109	28	26	238	136	57	44	55	150
49. GREENFISH	*	*	*	*	*	*	*	*	*	109	28	26	238	136	57	392	150	150
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*	109	28	26	238	136	57	392	150	150
51. OPALEYE	*	*	*	*	*	*	*	*	*	109	28	26	238	136	57	392	150	150
52. HALIBUT	*	*	*	*	*	*	*	*	*	109	28	26	238	136	57	392	150	150
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*	*	17	7	48	29	34	43	15	7	47
54. BLACK PERCH	*	*	*	*	*	*	10	1	100	28	15	48	20	2	81	10	0	47
55. PILE PERCH	1	0	*	*	*	*	0	0	100	5	3	48	20	2	81	10	0	47
56. REDTAIL SURFPERCH	21	13	125	*	*	*	0	0	100	5	3	48	20	2	81	10	0	47
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*	*	1	1	48	1	1	48	1	0	47
58. SHINER PERCH	1	1	169	*	*	*	0	0	119	45	14	36	14	36	36	19	22	13
59. SILVER SURFPERCH	15	6	125	*	*	*	0	0	119	45	14	36	14	36	36	19	22	13
60. STRIPED SEAPERCH	15	6	125	*	*	*	0	0	119	45	14	36	14	36	36	19	22	13
61. WALLEYE SURFPERCH	2	1	56	*	*	*	2	1	71	31	5	48	14	36	36	12	15	15
62. WHITE SEAPERCH	2	0	100	*	*	*	0	0	55	50	16	32	11	2	41	68	68	17
63. SURFPERCHES, OTHER	2	3	148	*	*	*	3	1	36	29	20	9	18	5	31	61	15	12
66. PACIFIC BONITO	*	*	*	*	*	*	1	0	60	45	14	36	14	36	36	12	15	15
67. PACIFIC MACKEREL	*	*	*	*	*	*	1	0	60	45	14	36	14	36	36	12	15	15
68. TUNAS	*	*	*	*	*	*	0	0	55	50	16	32	11	2	41	68	68	17
69. STARRY FLounder	0	0	100	*	*	*	0	0	55	50	16	32	11	2	41	68	68	17
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	5	2	52	11	7	59	118	27	82	9	151	9
71. PACIFIC SAUNDAB	*	*	*	*	*	*	0	0	88	11	7	59	118	27	82	9	151	9
72. ROCK SOLE	*	*	*	*	*	*	4	2	52	4	2	52	7	0	76	1	2	59
73. FLATFISHES, OTHER	1	1	75	*	*	*	4	7	52	4	2	52	7	0	76	1	2	59
76. SALMONIDS	8	8	113	1	0	62	7	5	69	7	0	76	1	2	136	17	10	59
75. OTHER FISH	1	1	108	8	2	28	79	18	23	13	3	22	6	5	84	107	19	18
TOTAL	2,377	2,837	119	1,651	2,182	132	1,814	185	10	2,710	316	12	1,387	480	35	9,940	3,630	37

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 14. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1984--DEC 1984.

COASTAL COUNTY DISTRICT	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	14	7	2	1,870	483*	*	*	0 2,377
MENDOCINO/SONOMA (NON-BOAT MODES)	72	2	*	1,077	*	*	*	1,169
MENDOCINO (BOAT MODES)	* <sup>a</sup>	*	*	*	122	177	*	299
SONOMA (BOAT MODES)	*	*	*	*	56	127	*	184
SAN FRANCISCO	54	16	20	299	545	*	0	1,814
SANTA CRUZ/MONTEREY	201	13	*	445	1,033	996	*	2,710
SAN LUIS OBISPO	195	3	*	25	847	317	*	1,387
TOTAL	1,027	42	22	3,715	2,952	2,162	0 40	9,940

TABLE 15. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BEACH BANK	BRIDGE & CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	2	*	*	4	11	*	*	*
02. SPINY DOGFISH	*	*	*	6	*	*	*	17
03. SHARK, OTHER	0	*	*	0	16	1	*	4
04. STURGEONS	*	*	*	*	7	*	*	17
05. PACIFIC HERRING	74	0	*	20	*	*	*	28
06. NORTHERN ANCHOVY	3	*	*	305	*	*	*	305
07. SURF SMELT	6	0	*	3,005	*	*	*	3,011
08. SMELTS, OTHER	*	*	*	12	*	*	*	12
10. PACIFIC TONNOID	*	0	*	0	*	*	*	0
12. PACIFIC HAKE	*	*	*	2	39	*	*	41
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	265	1	*	5	0	*	*	337
15. BLACK ROCKFISH	0	0	*	46	38	*	*	519
16. BLUE ROCKFISH	0	0	*	43	38	*	*	586
17. BROWN ROCKFISH	14	1	*	38	86	*	*	286
18. BOCCACCIO	139	1	*	3	51	*	*	124
19. CANARY ROCKFISH	*	*	*	0	38	*	*	142
20. CHILipePPER ROCKFISH	*	*	*	1	46	*	*	227
21. COPPER ROCKFISH	*	0	*	190	36	*	*	357
22. GOPHER ROCKFISH	*	0	*	0	36	*	*	357
23. GREENSPOTTED ROCKFISH	*	*	*	*	2	*	*	57
24. GREENSTRIPED ROCKFISH	*	*	*	0	29	*	*	60
25. OLIVE ROCKFISH	0	*	*	0	107	*	*	131
26. GUILDBACK ROCKFISH	*	*	*	0	7	*	*	99
27. ROSY ROCKFISH	*	*	*	0	29	*	*	93
28. STARRY ROCKFISH	*	*	*	*	8	29	*	37
29. VERMILION ROCKFISH	*	*	*	*	37	19	*	56
30. WIDOW ROCKFISH	*	*	*	*	2	74	*	78
31. YELLOWTAIL ROCKFISH	*	*	*	*	38	316	*	408
33. ROCKFISHES, OTHER	8	3	*	6	133	111	*	85
34. KELP GREENLING	*	3	*	92	22	*	*	37
35. LINGCOD	1	0	*	7	0	*	*	97
36. GREENLINGS, OTHER	1	0	*	4	0	*	*	8
37. SABLEFISH	*	*	*	6	20	*	*	0
38. CABEZON	*	1	*	6	1	*	*	7
39. PAC. STAGHORN SCULPIN	73	0	*	30	16	1	*	128
40. SCULPINS, OTHER	1	1	*	0	0	*	*	30
41. BARRED SAND BASS	*	*	*	0	0	*	*	0
43. KELP BASS	*	2	*	5	45	14	*	68
44. STRIPED BASS	4	2	*	0	0	*	*	0
48. WHITE CROAKER	95	4	*	2	291	1	*	392
49. GLEEFISH	1	*	*	0	1	*	*	1
50. CROAKERS, OTHER	*	*	*	0	*	*	*	0
51. OPALEYE	*	*	*	0	*	*	*	0
52. HALMOON	*	*	*	0	*	*	*	0
53. BARRED SURPERCH	11	1	*	14	98	4	*	111
54. BLACK PERCH	9	1	*	0	33	*	*	57
55. PILE PERCH	15	0	*	3	13	*	*	57
56. RETAIL SURPERCH	1	0	*	0	0	*	*	0
57. RUBBERLIP SURPERCH	3	0	*	3	0	*	*	0
58. SHINER PERCH	77	*	*	3	*	*	*	88
59. SILVER SURPERCH	8	0	*	13	1	*	*	88
60. STRIPED SURPERCH	33	0	*	26	1	*	*	88
61. WALLEYE SURPERCH	41	0	*	5	22	*	*	12
62. WHITE SURPERCH	4	0	*	5	3	*	*	12
63. SURPERCHES, OTHER	44	1	*	12	3	*	*	61
65. PACIFIC BARRACUDA	*	*	*	0	9	*	*	10
66. PACIFIC BONITO	*	*	*	0	1	*	*	10
67. PACIFIC MACKEREL	*	*	*	0	1	*	*	10
68. TUNAS	*	*	*	0	1	*	*	10
69. STARRY FLounder	13	1	*	2	23	20	*	60
70. CALIFORNIA HALIBUT	0	0	*	20	88	22	*	111
71. PACIFIC SANDAB	10	0	*	0	88	1	*	14
72. ROCK SOLE	*	0	*	1	12	5	*	21
73. FLATFISHES, OTHER	3	0	*	1	12	5	*	21
74. SALMONIDS	2	0	*	4	9	2	*	17
75. OTHER FISH	24	6	*	26	48	3	2	107
TOTAL	1,027	42	22	3,715	2,952	2,162	40	9,940

TABLE 16. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	*	*	*	*	*	*	*
03. SHARK, OTHER	0	*	*	*	*	*	*	0
05. PACIFIC HERRING	6	0	*	*	*	*	*	6
06. NORTHERN ANCHOVY	1	*	*	*	*	*	*	1
07. SURF SMELT	*	0	*	1,812	*	*	*	1,812
08. SMELTS, OTHER	*	*	*	5	*	*	*	5
10. PACIFIC TOMCOD	*	0	*	0	*	*	*	0
13. SILVERSIDES	0	*	*	*	*	*	*	0
14. JACKSMELT	0	*	*	*	*	*	*	0
15. BLACK ROCKFISH	0	1	*	6	320	*	0	327
16. BLUE ROCKFISH	*	0	*	0	23	*	*	23
17. BROWN ROCKFISH	*	0	*	*	1	*	*	1
19. CANARY ROCKFISH	*	*	*	*	21	*	*	21
21. COPPER ROCKFISH	*	0	*	*	9	*	*	9
26. GULFBACK ROCKFISH	*	*	*	*	5	*	*	5
27. ROSY ROCKFISH	*	*	*	*	3	*	*	3
29. VERMILION ROCKFISH	*	*	*	*	3	*	*	3
30. WIDOW ROCKFISH	*	*	*	*	3	*	*	3
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	0
33. ROCKFISHES, OTHER	*	1	*	1	12	*	*	14
34. KELP GREENLING	*	2	*	3	13	*	*	18
35. LINGCOD	*	0	*	20	26	*	*	26
36. GREENLINGS, OTHER	*	0	*	*	*	*	*	0
38. CABEZON	*	1	*	1	14	*	*	15
39. PAC. STAGHORN SCULPIN	1	*	*	0	*	*	*	1
40. SCULPINS, OTHER	*	0	*	0	0	*	*	0
55. PILE PERCH	0	0	0	0	1	*	*	1
56. REDTAIL SURPERCH	0	0	0	20	*	*	*	21
58. SHINER PERCH	1	*	*	*	*	*	*	1
59. SILVER SURPERCH	0	0	1	4	0	*	*	5
60. STRIPED SEAPERCH	0	1	0	13	0	*	*	15
61. WALLEYE SURPERCH	0	0	0	1	1	*	*	2
62. WHITE SEAPERCH	0	0	*	2	*	*	*	2
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	2
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	0	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	*	*	0	0	0	*	*	0
74. SALMONIDS	*	0	*	1	6	*	*	8
75. OTHER FISH	*	0	*	1	*	*	*	1
TOTAL	14	7	2	1,870	483	0	0	2,377

TABLE 17. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	*	0
05. PACIFIC HERRING	65	*	*	*	*	*	*	*	65
07. SURF SMELT	6	*	*	1,017	*	*	*	*	1,023
08. SMELTS, OTHER	*	*	*	9	*	*	*	*	9
14. JACKSMELT	*	*	*	1	*	*	*	*	1
15. BLACK ROCKFISH	*	0	*	3	*	*	*	3	6
16. BLUE ROCKFISH	*	*	*	2	*	*	*	4	6
17. BROWN ROCKFISH	*	*	*	2	*	*	*	4*	12
19. CANARY ROCKFISH	*	*	*	1	*	*	*	0	1
21. COPPER ROCKFISH	*	0	*	1	*	*	*	0	1
22. GOPHER ROCKFISH	*	0	*	*	*	*	*	*	0
20. OLIVE ROCKFISH	*	*	*	0	*	*	*	*	0
27. ROSY ROCKFISH	*	*	*	0	*	*	*	*	0
33. ROCKFISHES, OTHER	*	*	*	2	*	*	*	0	3
34. KELP GREENLING	*	0	*	6	*	*	*	1	7
35. LINGODD	*	0	*	1	*	*	*	2	3
36. GREENLINGS, OTHER	*	0	*	3	*	*	*	3*	6*
38. CALIZON	*	0	*	3	*	*	*	0	3
39. PAC. STAGHORN SCULPIN	*	*	*	1	*	*	*	*	2
40. SCULPINS, OTHER	*	1	*	1	*	*	*	*	1
55. PILE PERCH	*	0	*	*	*	*	*	*	0
56. REDTAIL SURFPERCH	0	0	*	3	*	*	*	*	4
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*	0
58. SHINER PERCH	0	*	*	1	*	*	*	*	1
59. SILVER SURFPERCH	*	*	*	1	*	*	*	*	1
60. STRIPED SURFPERCH	*	1	*	12	*	*	*	2	14
62. WHITE SURFPERCH	*	0	*	2	*	*	*	0	2
63. SURFPERCHES, OTHER	*	0	*	3	*	*	*	0	3
69. STARRY FLUNDER	*	0	*	0	*	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	*	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
74. SALMONIDS	*	0	*	1	*	*	*	2	1
75. OTHER FISH	*	0	*	1	*	*	*	*	3
TOTAL	72	2	0	1,077	0	0	0	18	1,169

TABLE 18. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	1	*	1*
12. PACIFIC HAKE	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	30	*	*	30
16. BLUE ROCKFISH	*	*	*	*	22	68	*	10
18. BOCCACCIO	*	*	*	*	*	10	*	
19. CANARY ROCKFISH	*	*	*	*	15	24	*	39
21. COPPER ROCKFISH	*	*	*	*	4	0	*	4
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	27	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	12	*	12
25. OLIVE ROCKFISH	*	*	*	*	0	*	*	0
26. GUILFBACK ROCKFISH	*	*	*	*	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	33	5	*	7
29. VERMILION ROCKFISH	*	*	*	*	3	0	*	3
30. WIDOW ROCKFISH	*	*	*	*	2	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	*	5	43	*	48
33. ROCKFISHES, OTHER	*	*	*	*	17	6	*	22
34. KELP GREENLING	*	*	*	*	2	*	*	2
35. LINGCOD	*	*	*	*	14	*	*	15
36. GREENLINGS, OTHER	*	*	*	*	1	*	*	*
38. CABEZON	*	*	*	*	2	*	*	2
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	0	0	*	0
71. PACIFIC SANDDAB	*	*	*	*	4	*	*	4
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	0
74. SALMONIDS	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	*	0	*	*	0
TOTAL	0	0	0	0	122	177	0	299

TABLE 19. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	9	34	*	43
16. BLUE ROCKFISH	*	*	*	*	8	1	*	10
17. BROWN ROCKFISH	*	*	*	*	33	5	*	8
18. BOCCACCIO	*	*	*	*	7	5	*	5
19. CANARY ROCKFISH	*	*	*	*	*	*	*	9
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	0	*	0
21. COPPER ROCKFISH	*	*	*	*	4	3	*	0
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	1	1	*	2
26. GUILFBACK ROCKFISH	*	*	*	*	1	*	*	1
27. ROSY ROCKFISH	*	*	*	*	0	1	*	2
28. STARRY ROCKFISH	*	*	*	*	*	3	*	3
29. VERMILION ROCKFISH	*	*	*	*	1	1	*	2
30. WIDOW ROCKFISH	*	*	*	*	*	6	*	6
31. YELLOWTAIL ROCKFISH	*	*	*	*	6	56	*	63
33. ROCKFISHES, OTHER	*	*	*	*	8	4	*	12
34. KELP GREENLING	*	*	*	*	1	1	*	2
35. LINGCOD	*	*	*	*	*	2	*	4
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*	*
40. SCULPINS, OTHER	*	*	*	*	0	*	*	0
44. STRIPED BASS	*	*	*	*	0	*	*	0
54. BLACK PERCH	*	*	*	*	1	0	*	1
67. PACIFIC MACKEREL	*	*	*	*	*	0	*	0
69. STARRY FLUNDER	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	0
75. OTHER FISH	*	*	*	*	5	*	*	5
TOTAL	0	0	0	0	56	127	0	184

TABLE 20. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1984---DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	2	*	*	3	11	*	*
02. SPINY DOGFISH	*	*	*	2	*	*	*
03. SHARK, OTHER	*	*	*	0	15	*	*
04. STURGEONS	*	*	*	*	7	*	*
05. NORTHERN ANCHOVY	2	*	*	*	*	*	2
07. SURF SMELT	*	*	*	176	*	*	176
10. PACIFIC TONNOID	*	*	*	*	*	*	*
14. JACKSMELT	226	1	*	30	1	*	226
15. BLACK ROCKFISH	*	*	*	*	26	*	26
16. BLUE ROCKFISH	*	*	*	*	7	*	7
17. BROWN ROCKFISH	14	1	*	2	86	73	177
18. BOCACCIO	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	6	20	20
20. CHILipePPER ROCKFISH	*	*	*	*	*	9	9
21. COPPER ROCKFISH	*	*	*	*	1	19	*
22. GOPHER ROCKFISH	*	*	*	*	*	0	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	5
24. OLIVE ROCKFISH	*	*	*	*	1	4	5
26. GUILDBACK ROCKFISH	*	*	*	*	*	1	1
27. ROSE ROCKFISH	*	*	*	*	*	7	*
28. STARRY ROCKFISH	*	*	*	*	*	1	1
29. VERMILION ROCKFISH	*	*	*	*	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	4	4
33. ROCKFISHES, OTHER	*	2	*	*	13	20	26
34. KELP GREENLING	*	0	*	0	3	1	*
35. LINGCOD	0	*	*	*	1	6	7
36. GREENLINGS, OTHER	*	*	*	*	0	*	0
38. CABEZON	*	*	*	1	*	*	1
39. PAC. STAGHORN SCULPIN	60	*	*	26	16	1	163
40. SCULPINS, OTHER	1	*	*	*	*	*	1
44. STRIPED BASS	4	*	*	4	44	14	58
48. WHITE CROAKER	73	4	*	10	31	0	109
53. BARRED SURFPERCH	2	1	*	10	4	*	17
54. BLACK PERCH	8	1	14	3	2	*	28
55. PILE PERCH	14	*	*	2	13	*	20
56. REDTAIL SURFPERCH	*	*	*	*	*	*	*
57. RUBBERLIP SURFPERCH	1	*	3	0	0	*	1
58. SHINER PERCH	42	*	*	2	1	*	45
59. SILVER SURFPERCH	4	*	*	*	*	*	7
60. STRIPED SURFPERCH	2	*	3	0	1	*	*
61. WALLEYE SURFPERCH	27	0	*	2	12	*	31
62. WHITE SURFPERCH	2	*	*	*	2	*	*
63. SURFPERCHES, OTHER	24	*	*	*	0	*	24
65. PACIFIC BONITO	*	*	*	*	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	19	4	23
69. STARRY FLounder	8	1	*	1	20	20	55
70. CALIFORNIA HALIBUT	*	0	*	0	22	*	*
71. PACIFIC SANDDAB	9	*	*	*	20	1	11
73. FLATFISHES, OTHER	1	*	*	*	2	*	4
74. SALMONIDS	2	*	*	2	1	*	7
75. OTHER FISH	16	5	*	25	34	20	79
TOTAL	544	16	20	299	390	545	0 0 1,814

TABLE 21. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*
03. SHARK, OTHER	*	*	*	*	*	*	*
06. STURGEONS	*	*	*	*	*	*	*
08. NORTHERN ANCHOVY	*	*	*	*	*	*	*
07. SURF SHELL	*	*	*	176	*	*	176
14. JACKSMELT	2	*	*	*	*	*	2
15. BLACK ROCKFISH	*	*	*	*	*	*	2
16. BLUE ROCKFISH	*	*	*	*	*	*	2
17. BROWN ROCKFISH	2	1	*	7	25	*	28
18. BOCACCIO	*	*	*	10*	29	*	29
19. CANARY ROCKFISH	*	*	*	6	20	*	20
20. CHILIPEPPER ROCKFISH	*	*	*	1	9	*	9
22. COPPER ROCKFISH	*	*	*	1*	0	*	0
23. GOPHER ROCKFISH	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*
24. OLIVE ROCKFISH	*	*	*	1	4	*	5
28. QUILLBACK ROCKFISH	*	*	*	*	*	*	1
27. ROSY ROCKFISH	*	*	*	*	*	*	7
28. STARRY ROCKFISH	*	*	*	*	1	*	1
29. VERMILION ROCKFISH	*	*	*	*	4	*	4
30. WIDOW ROCKFISH	*	*	*	*	*	*	6
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	8
33. ROCKFISHES, OTHER	*	20	*	12	3	*	30
34. KELP GREENLING	*	*	0*	1	6	*	6
35. LINGOD	*	*	*	0	16	*	16
36. GREENLINGS, OTHER	*	*	*	*	0	*	0
38. CABEZON	*	*	*	1	*	*	1
39. PAC. STAGHORN SCULPIN	4	*	*	*	*	*	4
44. STRIPED BASS	*	*	10	6	0	*	7
48. WHITE CROAKER	20	2	*	0	*	*	20
52. BARRED SURFPERCH	1	*	*	10	*	*	10
53. BLACK PERCH	*	*	*	0	*	*	0
55. PILE PERCH	*	*	*	1	*	*	1
56. REDTAIL SURFPERCH	*	*	*	1	*	*	1
58. SHINER PERCH	2	*	*	*	*	*	2
59. SILVER SURFPERCH	1	*	*	2	*	*	2
60. STRIPED SEAPERCH	0	*	*	1	*	*	1
61. WALLEYE SURFPERCH	3	0	*	1	*	*	3
62. WHITE SEAPERCH	1	*	*	1	*	*	1
63. SURFPERCHES, OTHER	4	*	*	1	*	*	4
67. PACIFIC MACKEREL	*	*	*	1	4	*	5
69. STARRY FLUNDER	*	0	*	1	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	0	1	*	1
71. PACIFIC SANDDAB	1	*	*	0	1	*	1
73. FLATFISHES, OTHER	*	*	*	1	*	*	1
74. SALMONIDS	2	*	*	2	1	1	2
75. OTHER FISH	*	*	*	1	0	*	1
TOTAL	43	6	0	200	52	498	799

TABLE 22. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & BEACH CAUSEWAY HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	2	*	*	3	11	*	*	16
02. SPINY DOGFISH	*	*	*	2	2	*	*	2
03. SHARK, OTHER	*	*	*	0	15	*	*	15
04. STURGEONS	*	*	*	*	20	7	*	28
05. NORTHERN ANCHOVY	2	*	*	*	*	*	*	2
10. PACIFIC TOMCOD	*	*	*	*	*	*	*	*
14. JACKSMELT	224	1	*	30	1	*	*	*
15. BLACK ROCKFISH	*	*	*	*	26	*	*	*
17. BROWN ROCKFISH	12	*	*	2	76	1	*	88
33. ROCKFISHES, OTHER	*	*	*	*	1	*	*	1
35. LINGCOD	0	*	*	*	0	*	*	10
36. CABEZON	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	56	*	*	26	16	1	*	89
40. SCULPINS, OTHER	1	*	*	*	*	*	*	1
44. STRIPED BASS	4	*	*	3	38	14	*	59
48. WHITE CROAKER	53	2	*	*	31	*	*	85
53. BARRED SURPERCH	1	1	*	*	4	*	*	6
54. BLACK PERCH	8	1	14	*	2	*	*	28
55. PILE PERCH	14	*	*	0	12	*	*	0
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	1	*	3	0	0	*	*	5
58. SHINER PERCH	40	*	*	33	*	*	*	45
59. SILVER SURPERCH	33	*	*	*	1	*	*	33
60. STRIPED SURPERCH	22	*	3	0	*	*	*	22
61. WALLEYE SURPERCH	24	*	*	1	2	*	*	27
62. WHITE SURPERCH	1	*	*	1	1	*	*	2
63. SURPERCHES, OTHER	20	*	*	1	2	*	*	20
66. PACIFIC BONITO	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	17	*	*	17
69. STARRY FLUNDER	8	1	*	1	20	20	*	50
70. CALIFORNIA HALIBUT	*	*	*	*	2	1	*	3
71. PACIFIC SANDDAB	9	*	*	*	*	*	*	9
73. FLATFISHES, OTHER	1	*	*	*	1	*	*	1
74. SALMONIDS	0	*	*	*	*	2	*	4
75. OTHER FISH	16	5	*	22	34	1	*	77
TOTAL	502	10	20	99	337	47	0	1,016

TABLE 23. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1984---DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	0	*	*	*
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	*	*	*	*	1	*	*	1
06. NORTHERN ANCHOVY	*	*	*	303	*	*	*	303
12. PACIFIC HAKE	*	*	*	*	2	39	*	41
14. JACKSMELT	40	0	*	14	1	0	*	0
15. BLACK ROCKFISH	*	*	*	*	14	214	*	55
16. BLUE ROCKFISH	0	*	*	*	4	14	*	4
17. BROWN ROCKFISH	*	*	*	*	1	14	*	21
18. BOCACCIO	60	*	*	0	1	14	*	86
19. CANARY ROCKFISH	*	*	*	*	15	14	*	20
20. CHILIEPEPPER ROCKFISH	*	*	*	*	7	217	*	217
21. COPPER ROCKFISH	*	*	*	*	5	19	*	26
22. GOPHER ROCKFISH	*	*	*	*	1	1	*	57
23. GREENSPOTTED ROCKFISH	*	*	*	*	1	22	*	23
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	27	*	28
26. OLIVE ROCKFISH	*	*	*	*	18	12	*	45
28. QUILLBACK ROCKFISH	*	*	*	*	15	14	*	45
27. ROSY ROCKFISH	*	*	*	*	5	28	*	55
28. STARRY ROCKFISH	*	*	*	*	14	14	*	55
29. VERMILION ROCKFISH	*	*	*	*	9	5	*	14
30. WIDOW ROCKFISH	*	*	*	*	27	37	*	14
31. YELLOWTAIL ROCKFISH	*	*	*	*	67	88	*	155
33. ROCKFISHES, OTHER	8	*	*	1	1	*	4	2
34. KELP GREENLING	*	*	*	*	1	*	1	2
35. LINGCOD	*	*	*	0	13	14	*	35
36. GREENLINGS, OTHER	*	*	*	*	0	8	*	0
37. SABLEFISH	*	*	*	*	0	*	*	0
38. CABEZON	*	0	*	0	0	*	*	4
39. PAC. STAGHORN SCULPIN	8	0	*	4	0	*	*	12
43. KELP BASS	*	*	*	*	0	*	*	1
44. STRIPED BASS	*	*	*	*	2	*	*	2
48. WHITE CROAKER	7	*	*	1	21	0	*	38
52. HALIBUT	*	*	*	*	74	*	*	74
53. BARRED SURPERCH	4	0	*	*	0	*	*	0
54. BLACK PERCH	1	0	*	1	0	*	*	1
55. PILE PERCH	1	*	*	100	*	*	*	100
56. REDTAIL SURPERCH	2	*	*	0	*	*	*	0
57. RUBBERLIP SURPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	14	0	*	0	*	*	*	0
59. SILVER SURPERCH	0	*	*	5	*	*	*	6
60. STRIPED SURPERCH	1	*	*	0	0	*	*	0
61. VALLEYE SURPERCH	9	3	*	7	*	*	*	10
62. WHITE SURPERCH	12	1	*	4	1	*	*	0
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	0
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	21	8	*	24	180	80	*	337
68. TUNAS	*	*	*	1	2	11	*	11
69. STARRY FLUNDER	2	*	*	*	2	*	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	1	*	*	1
71. PACIFIC SANDDAB	0	*	*	*	38	54	*	118
72. ROCK SOLE	*	*	*	*	1	13	*	4
73. FLATFISHES, OTHER	2	*	*	1	0	*	*	7
74. SALMONIDS	*	*	*	*	0	*	*	0
75. OTHER FISH	7	*	*	0	4	2	*	13
TOTAL	201	13	0	445	1,033	996	0	2,710

TABLE 24. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	*	*	*	*
02. SPINY DOGFISH	*	*	*	0	*	*	0
03. SHARK, OTHER	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	*	*	*	*	*	0
14. JACKSHELT	19	1	0	3	0	*	24
15. BLACK ROCKFISH	*	*	*	70	2	*	72
16. BLUE ROCKFISH	*	*	*	169	28	*	25
17. BROWN ROCKFISH	*	*	*	24	3	*	28
18. BOCACCIO	79	1	*	2	1	*	83
19. CANARY ROCKFISH	*	*	*	11	6	*	17
20. CHILIPEPPER ROCKFISH	*	*	*	1	1	*	1
21. COPPER ROCKFISH	*	*	*	16	4	*	18
22. GOMPHER ROCKFISH	*	*	*	134	34	*	168
23. GREENSPOTTED ROCKFISH	*	*	*	1	5	*	7
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	*	1
25. OLIVE ROCKFISH	0	*	*	77	6	*	83
27. ROSY ROCKFISH	*	*	*	9	6	*	15
28. STARRY ROCKFISH	*	*	*	4	11	*	15
29. VERMILION ROCKFISH	*	*	*	22	1	*	23
30. WIDOW ROCKFISH	*	*	*	1	23	*	23
31. YELLOWTAIL ROCKFISH	*	*	*	50	49	*	99
33. ROCKFISHES, OTHER	*	*	1	55	26	*	81
34. KELP GREENLING	*	*	1	3	*	*	4
35. LINGCOD	0	*	1	6	1	*	4
38. CABEZON	*	*	1	3	1	*	4
39. PAC. STAGHORN SCULPIN	5	*	*	*	*	*	5
40. SCULPINS, OTHER	*	*	*	*	*	*	*
41. BARRED SAND BASS	*	*	0	0	*	*	*
43. KELP BASS	*	2	*	1	*	*	2
48. WHITE CROAKER	14	*	*	30	0	*	14
49. GREENFISH	1	*	*	*	*	*	1
50. CROAKERS, OTHER	*	*	*	0	1	*	1
51. SPALEYE	*	*	*	0	*	*	*
53. BARRED SURFPERCH	5	*	10	*	*	*	15
54. BLACK PERCH	0	*	1	*	*	*	1
55. PILE PERCH	*	*	0	*	*	*	0
56. REDTAIL SURFPERCH	*	*	1	*	*	*	1
57. RUBBERLIP SURFPERCH	*	*	0	*	*	*	0
58. SHINER PERCH	19	*	5	*	*	*	25
59. SILVER SURFPERCH	4	*	5	*	*	*	10
60. STRIPED SURFPERCH	0	*	0	*	*	*	0
61. WALLEYE SURFPERCH	4	*	4	*	*	*	8
62. WHITE SURFPERCH	0	*	1	1	*	*	0
63. SURFPERCHES, OTHER	8	*	1	*	*	*	9
65. PACIFIC BARRACUDA	*	*	1	*	*	*	*
66. PACIFIC BONITO	0	*	0	8	*	*	9
67. PACIFIC MACKEREL	31	*	*	124	33	*	188
68. TUNAS	*	*	*	*	10	*	1
69. STARRY FLOUNDER	3	*	*	1	0	*	4
70. CALIFORNIA HALIBUT	0	*	*	5	*	*	6
71. PACIFIC SANDDAB	*	*	*	0	0	*	0
72. ROCK SOLE	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	0	*	0	8	*	*	8
74. SALMONIDS	*	*	0	1	*	*	1
75. OTHER FISH	1	*	0	5	*	*	6
TOTAL	195	3	0	25	847	317	0
							1,387

TABLE 25. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1984--DEC 1984.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL					
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV			
01. LEOPARD SHARK	*	*	*	0	0	100	10	5	3	26	0	0	76	0	0	100	11	3	50		
02. SPINY DOGFISH	*	*	*	*	*	*	50	5	100	1	1	0	55	0	0	*	2	1	48		
03. SHARK, OTHER	0	0	56	1	1	100	28	5	45	1	*	*	*	0	0	*	2	2	36		
04. STURGEONS	*	*	*	*	*	*	28	8	28	*	*	*	*	*	*	*	72	6	38		
05. PACIFIC HERRING	8	13	155	64	80	125	*	*	*	*	*	*	*	*	*	*	72	81	113		
06. NORTHERN ANCHOVY	*	*	*	*	*	*	2	*	1	72	39	58	99	*	*	*	41	35	38		
07. SURF SMELT	1,812	2815	155	906	2148	257	176	*	92	52	*	*	*	*	*	*	12	12	125		
08. SMELTS, OTHER	0	0	180	9	9	100	*	*	*	*	*	*	*	*	*	*	0	0	9		
10. PACIFIC TOMOD	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	0		
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*	37	14	38	*	*	*	*	37	14	38		
13. SILVERSIDES	0	0	180	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	180		
14. JACKSMELT	0	0	122	1	1	100	121	86	41	36	*	*	*	*	*	*	216	172	183		
15. BLACK ROCKFISH	313	353	113	79	51	100	133	184	57	373	91	108	44	299	290	204	504	484	486		
16. BLUE ROCKFISH	25	20	118	84	54	100	121	184	57	373	91	108	44	289	280	212	510	484	486		
17. BROWN ROCKFISH	1	2	118	9	3	100	133	184	57	373	91	108	44	289	280	212	510	484	486		
18. BOCCACCIO	*	*	*	15	8	52	9	4	46	79	38	48	*	58	65	113	161	76	47		
19. CANARY ROCKFISH	21	19	89	48	21	100	20	0	10	188	203	27	24	17	15	110	131	204	204		
20. CHILipePPER ROCKFISH	*	*	*	0	0	100	0	0	0	100	56	35	35	1	1	110	131	204	204		
21. COPPER ROCKFISH	*	*	112	0	0	100	20	0	0	100	56	35	35	1	1	110	131	204	204		
22. GOPHER ROCKFISH	*	*	*	0	0	100	20	0	0	100	56	35	35	1	1	110	131	204	204		
23. GREENSPOTTED ROCKFISH	*	*	*	27	20	76	0	0	0	100	22	7	32	6	7	117	55	115	41		
24. GREENSTRIPED ROCKFISH	*	*	*	12	9	77	4	3	3	69	27	12	44	1	1	115	128	111	111		
25. OLIVE ROCKFISH	*	*	*	2	1	57	1	1	1	73	40	14	34	1	1	115	128	111	111		
26. QUILLBACK ROCKFISH	5	6	105	1	1	55	7	3	47	39	1	9	24	33	21	63	91	23	88		
27. ROSY ROCKFISH	2	2	86	9	4	47	7	3	47	39	1	9	24	33	21	63	91	23	88		
28. STARRY ROCKFISH	*	*	*	3	1	39	1	1	73	19	5	27	*	14	9	60	37	53	27		
29. VERMILION ROCKFISH	*	*	121	5	2	100	8	2	12	87	14	27	*	28	27	24	57	76	28		
30. WIDOW ROCKFISH	*	*	180	8	3	100	8	2	12	87	14	27	*	28	27	24	57	76	28		
31. YELLOWTAIL ROCKFISH	*	*	66	24	8	100	8	2	12	87	14	27	*	28	27	24	57	76	28		
33. ROCKFISHES, OTHER	12	8	66	109	34	100	8	2	12	87	14	27	*	28	27	24	57	76	28		
34. KELP GREENLING	16	14	89	11	5	100	4	2	2	43	2	1	54	3	4	150	35	89	45		
35. LINGCOD	1	1	88	21	13	100	4	2	2	43	31	7	55	4	5	98	34	88	45		
36. GREENLINGS, OTHER	*	*	*	3	2	100	*	*	*	*	8	3	55	*	*	*	34	24	42		
37. SABLEFISH	*	*	*	8	3	100	1	1	64	7	3	41	4	2	62	*	34	24			
38. CABEZON	14	11	75	8	3	100	1	1	64	7	3	41	4	2	62	*	34	24			
39. PAC. STAGHORN SCULPIN	1	1	139	*	*	*	5	4	82	5	3	58	0	0	101	*	12	5			
40. SCULPINS, OTHER	0	0	55	2	2	72	1	1	100	*	*	*	0	0	77	*	30	27			
41. BARRED SAND BASS	*	*	*	*	*	*	*	*	*	1	1	72	*	*	*	0	0	22	*		
43. KELP BASS	*	*	*	0	0	100	61	11	18	2	1	65	*	*	*	0	0	11			
44. STRIPED BASS	*	*	*	*	*	*	61	11	18	2	1	65	*	*	*	0	0	18			
48. WHITE CROAKER	*	*	*	*	*	*	81	21	26	228	136	60	*	11	6	52	320	138	133		
49. QUEENFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100		
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100		
51. OPALEYE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	100		
52. HALIBUT	*	*	*	*	*	*	*	*	*	0	0	100	*	*	*	*	0	0	100		
53. BARRED SURPERCH	*	*	*	*	*	*	17	7	40	77	34	44	*	10	6	63	104	35	34		
54. BLACK PERCH	*	*	*	1	1	100	27	15	40	1	1	50	*	1	1	59	104	35	34		
55. PILE PERCH	1	0	68	0	0	100	1	1	12	86	81	81	*	1	1	100	104	35	34		
56. REDTAIL SURPERCH	19	13	99	0	0	100	1	1	13	86	81	81	*	1	1	100	104	35	34		
57. RUBBERLIP SURPERCH	*	*	*	0	0	100	1	1	13	86	81	81	*	1	1	100	104	35	34		
58. SHINER PERCH	0	0	207	0	0	119	40	7	40	14	26	57	*	10	15	150	65	21	34		
59. SILVER SURPERCH	12	15	126	13	8	100	31	6	32	55	17	31	52	*	7	17	57	21	34		
60. STRIPED SURPERCH	12	12	127	2	1	71	4	2	2	47	3	1	47	*	7	0	100	57	21		
61. WALLEYE SURPERCH	12	11	118	2	1	71	4	2	2	47	3	1	47	*	7	0	100	57	21		
62. WHITE SURPERCH	2	1	59	2	1	71	4	2	2	47	3	1	47	*	7	0	100	57	21		
63. SURPERCHES, OTHER	1	2	172	2	1	40	10	4	41	2	1	63	*	1	1	59	16	48	34		
64. PACIFIC BONITO	*	*	*	1	0	60	21	18	84	268	108	41	158	*	1	1	59	16	48	34	
65. PACIFIC MACKEREL	*	*	*	1	0	60	44	16	37	2	1	63	41	158	*	1	1	59	16	48	34
66. TUNAS	*	*	*	0	0	55	44	16	37	0	0	63	41	158	*	1	1	59	16	48	34
69. STARRY FLounder	0	0	100	0	0	55	44	16	37	0	0	63	41	158	*	1	1	59	16	48	34
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	5	2	32	1	1	59	*	5	9	160	11	22	34		
71. PACIFIC SANDDAB	*	*	*	4	0	100	15	7	40	1	4	59	*	8	2	100	15	22	34		
72. ROCK SOLE	*	*	*	0	0	100	5	2	3	61	4	1	59	*	8	2	100	15	22	34	
73. FLATFISHES, OTHER	0	0	84	1	0	100	5	2	3	61	4	1	59	*	8	2	100	15	22	34	
74. SALMONIDS	8	8	113	1	0	100	5	2	3	61	4	1	59	*	8	2	100	15	22	34	
75. OTHER FISH	1	1	123	0	0	49	29	15	51	12	3	25	11	5	5	101	46	16	34		
TOTAL	2,347	2837	121	1,499	2150	143	1,271	170	13	2,120	225	11	1,220	474	39	8,457	3603	43			

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 26. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1984--DEC 1984.

GROUP	DEL NORTE / HUMBOLDT	MENDOCINO / SONOMA	SAN FRANCISCO OCEAN	BAY	SANTA CRUZ / MONTEREY	SAN LUIS OBISPO	TOTAL
01. LEOPARD SHARK	*	*	0	60	0	1	61
02. SPINY DOGFISH	0	*	*	1	*	5	6
03. SHARK, OTHER	0	*	1	128	5	1	135
04. STURGEONS	*	*	0	29	*	*	*
05. NORTHERN ANCHOVY	0	*	7	*	5	*	13
10. PACIFIC TONNOOD	*	*	*	1	*	*	1
12. PACIFIC HAKE	*	0	*	*	3	*	*
14. JACKSMELT	1	0	4	35	6	11	55
15. BLACK ROCKFISH	55	*	*	4	*	*	46
16. BLUE ROCKFISH	0	5	16	*	92	15	128
17. BROWN ROCKFISH	0	*	*	15	15	*	31
18. BOCCACCIO	*	*	*	*	38	*	67
19. CANARY ROCKFISH	*	*	*	*	1	*	1
20. CHILIPePPER ROCKFISH	*	*	*	*	1	*	*
21. COPPER ROCKFISH	0	*	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	1	1	2
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	0	*	0
27. ROSY ROCKFISH	0	*	*	*	7	0	8
29. VERMILION ROCKFISH	2	*	*	*	*	*	2
31. YELLOWTAIL ROCKFISH	1	*	*	*	2	1	4
33. ROCKFISHES, OTHER	1	12	13	58	172	78	333
34. KELP GREENLING	6	0	*	*	5	5	36
35. LINGCOD	1	2	2	1	*	5	37
36. GREENLINGS, OTHER	0	0	*	*	1	*	1
38. CABEZON	0	*	1	*	0	6	9
39. PAC. STAGHORN SCULPIN	9	1	15	668	188	43	903
40. SCULPINS, OTHER	2	0	*	11	*	1	13
43. KELP BASS	*	*	*	*	*	8	8
44. STRIPED BASS	*	0	0	48	0	*	48
45. WHITE CROAKER	*	*	8	45	76	*	168
53. BARRED SURFPERCH	*	*	1*	*	18	*	21
54. BLACK PERCH	*	*	*	1	*	*	1
55. PILE PERCH	*	*	*	1	*	*	1
56. REDTAIL SURFPERCH	2	1	0	*	*	*	3
58. SHINER PERCH	20	0	12	16	8	3	40
59. SILVER SURFPERCH	1	*	*	*	*	*	4
60. STRIPED SEAPERCH	3	0	*	1	*	*	4
61. WALLEYE SURFPERCH	3	*	*	*	3	0	6
62. WHITE SEAPERCH	0	*	0	*	*	*	1
63. SURFPERCHES, OTHER	0	1	21	45	46	15	128
65. PACIFIC BARRACUDA	*	*	*	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	*	*	0
67. PACIFIC MACKEREL	*	3	*	*	87	8	180
69. STARRY FLUNDER	*	*	1	18	*	0	19
70. CALIFORNIA HALIBUT	*	*	*	0	*	14	14
71. PACIFIC SANDDAB	*	*	*	*	9	0	9
73. FLATFISHES, OTHER	0	1	1	4	4	*	5
74. SALMONIDS	3	0	1	*	*	1	5
75. OTHER FISH	1	0	10	109	33	36	189
TOTAL	73	28	113	1,282	830	428	2,753

TABLE 27. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY COASTAL COUNTY DISTRICT AND MODE,  
JAN 1984--DEC 1984.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & BEACH BANK	BRIDGE & CAUSEWAY	HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	6	3	0	22	42	*	*	0	73
MENDOCINO/SONOMA (NON-BOAT MODES)	1	1	*	4	*	*	*	*	5
MENDOCINO (BOAT MODES)	*	*	*	*	5	0	*	*	5
SONOMA (BOAT MODES)	*	*	*	*	8	9	*	*	18
SAN FRANCISCO	568	9	7	89	568	155	*	*	1,355
SANTA CRUZ/MONTEREY	192	104	*	62	513	158	*	1	880
SAN LUIS OBISPO	132	17	*	7	218	54	*	*	428
TOTAL	898	133	7	183	1,154	376	0	1	2,753

TABLE 28. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	3	*	*	1	57	0	*	61
02. SPINY DOGFISH	1	0	*	1	5	0	*	*
03. SHARK, OTHER	2	0	*	1	129	3	*	16
04. STURGEONS	*	*	*	0	17	12	*	28
05. PACIFIC HERRING	*	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	6	2	*	4	*	*	*	13
07. SURF SMELT	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	*	*	*	*	*	*	*	*
10. PACIFIC TOMOD	*	*	*	*	*	1	*	1
12. PACIFIC HAKE	*	*	*	*	0	3	*	3
13. SILVERSIDES	*	*	*	*	*	*	*	*
14. JACKSMELT	53	2	*	13	10	*	*	58
15. BLACK ROCKFISH	*	0	*	2	37	*	*	38
16. BLUE ROCKFISH	*	0	*	2	66	*	*	31
17. BROWN ROCKFISH	6	0	6	1	18	60	*	*
18. BOCACCIO	61	*	*	0	5	*	*	67
19. CANARY ROCKFISH	*	*	*	*	1	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	1	*	*	*
21. COPPER ROCKFISH	*	0	*	*	2	0	*	*
22. GOPHER ROCKFISH	*	*	*	*	2	0	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	0	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	2	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	1	6	*	8
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERNILLION ROCKFISH	*	*	*	*	2	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	2	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	3	2	*	*
33. ROCKFISHES, OTHER	20	0	*	4	195	115	0	334
34. KELP GREENLING	0	1	*	4	1	*	*	*
35. LINGCOD	24	0	*	0	9	4	*	36
36. GREENLINGs, OTHER	*	0	*	0	0	*	*	*
37. SABLEFISH	*	*	*	1	0	*	*	*
38. CABEZON	0	7	*	1	0	*	*	9
39. PAC. STAGHORN SCULPIN	483	104	1	59	191	65	*	938
40. SCULPINS, OTHER	9	1	*	2	2	*	*	13
41. BARRED SAND BASS	*	*	*	*	*	*	*	*
42. KELP BASS	2	6	*	0	5	13	*	5
43. STRIPED BASS	4	1	*	*	26	*	*	*
48. WHITE CRONER	44	1	*	2	110	2	*	160
49. GLEENFISH	*	*	*	*	*	*	*	*
50. CRONERS, OTHER	*	*	*	*	*	*	*	*
51. OPAL EYE	*	*	*	*	*	*	*	*
52. HALIBUT	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	1	*	*	20	*	*	*	21
54. BLACK PERCH	*	*	*	1	*	*	*	*
55. PILE PERCH	1	*	*	1	*	*	*	1
56. REDTAIL SURPERCH	*	0	*	2	0	*	*	3
57. RUBBERLIP SURPERCH	*	*	*	2	*	*	*	*
58. SHINER PERCH	37	1	*	3	*	*	*	40
59. SILVER SURPERCH	1	0	0	2	*	*	*	4
60. STRIPED SURPERCH	0	0	*	4	0	*	*	4
61. VALLEYE SURPERCH	1	0	*	5	0	*	*	1
62. WHITE SURPERCH	1	*	*	0	*	*	*	1
63. SURPERCHES, OTHER	81	3	*	31	13	*	*	128
65. PACIFIC BARRACUDA	*	*	*	3	0	*	*	*
66. PACIFIC BONITO	*	*	*	2	0	*	*	*
67. PACIFIC MACKEREL	13	1	*	2	112	59	*	165
68. TUNAS	*	*	*	2	*	*	*	*
69. STARRY FLOUNDER	0	*	*	1	10	8	*	19
70. CALIFORNIA HALIBUT	2	*	*	1	12	0	*	14
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	3	1	*	0	2	4	*	9
74. SALMONIDS	*	*	*	2	3	*	*	*
75. OTHER FISH	55	1	*	10	165	17	*	185
TOTAL	898	133	7	183	1,154	376	0	1,2753

TABLE 29. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	0	*	*	*	*	0
03. SHARK, OTHER	0	0	*	*	*	*	0
05. PACIFIC HERRING	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	0	*	*	*	*	*	0
07. SURF SMELT	*	*	*	*	*	*	*
08. SMELTS, OTHER	*	*	*	*	*	*	*
10. PACIFIC TOMODD	*	*	*	*	*	*	*
13. SILVERSTIDES	*	*	*	*	*	*	*
14. JACKSMELT	*	*	*	1	*	*	1
15. BLACK ROCKFISH	*	1	*	2	33	*	*
16. BLUE ROCKFISH	*	0	*	0	0	*	0
17. BROWN ROCKFISH	*	0	*	0	*	*	0
19. CANARY ROCKFISH	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	0	*	*	*	*	0
26. GUTTLEBACK ROCKFISH	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	0	*	0
29. VENERILION ROCKFISH	*	*	*	*	2*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	1	*	1
33. ROCKFISHES, OTHER	*	0	*	1	0	*	*
34. KELP GREENLING	0	1	*	4	1	*	1
35. LINGCOD	*	0	*	*	1*	*	*
36. GREENLINGS, OTHER	*	0	*	*	*	*	*
38. CABEZON	*	0	*	0	*	*	0
39. PAC. STAGHORN SCULPIN	4	0	*	4	0	*	*
40. SCULPINS, OTHER	0	0	*	1	*	*	*
55. PILE PERCH	*	*	*	1*	*	*	*
56. REDTAIL SURPERCH	*	0	*	1	0	*	*
58. SHINER PERCH	0	*	*	1*	*	*	0
59. SILVER SURPERCH	*	0	0	1	*	*	*
60. STRIPED SURPERCH	0	0	*	23	*	*	*
61. WALLEYE SURPERCH	0	*	*	0	0	*	*
62. WHITE SURPERCH	0	*	*	30	*	*	0
63. SURPERCHES, OTHER	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	0	*	*	0	*	*	0
76. SALMONIDS	*	*	*	0	3	*	*
75. OTHER FISH	*	0	*	1	*	*	1
TOTAL	6	3	0	22	42	0	73

TABLE 30. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO/SONOMA  
(NON-BOAT MODES), JAN 1984---DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	*	*	*	*	*	*	*	*
14. JACKSMELT	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
26. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	0	*	*	0	0
34. KELP GREENLING	*	*	*	0	*	*	*	0
35. LINGCOD	*	0	*	*	*	*	0	0
36. GREENLINGS, OTHER	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	0	*	*	*	*	*	*	0
40. SCULPINS, OTHER	*	0	*	*	*	*	*	0
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	1	*	*	*	1
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	*	*	*	*	0
59. SILVER SURPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	0	*	0	*	*	*	0
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	*	0	*	1	*	*	*	1
69. STARRY FLUNDER	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	0
74. SALMONIDS	*	*	*	0	*	*	*	0
75. OTHER FISH	*	0	*	0	*	*	*	0
TOTAL	1	1	0	4	0	0	0	5

TABLE 31. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1984---DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	20	*	*	*	20
34. KELP GREENLING	*	*	*	*	1	*	*	*	1
35. LINGCOD	*	*	*	*	0	*	*	*	0
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	0	*	*	*	0
63. SURPERCHES, OTHER	*	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	1	*	*	*	1
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	0	*	*	*	0
76. SALMONIDS	*	*	*	*	0	*	*	*	*
75. OTHER FISH	*	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	5	0	0	0	5

TABLE 32. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1984---DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	5	*	*	*	5
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	2	8	*	*	10
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	*	0	0	*	*	1
39. PAC. STAGHORN SCULPIN	*	*	*	*	0	*	*	*	0
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	*	0	*	*	*	0
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	0	1	*	*	1
69. STARRY FLOUNDER	*	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	8	9	0	0	18

TABLE 33. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH	BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	3	*	*	1	56	0	*	*	61
02. SPINY DOGFISH	1	*	*	1	0	0	*	*	1
03. SHARK, OTHER	1	0	*	10	126	0	*	*	129
04. STURGEONS	*	0	*	2	17	12	*	*	29
05. NORTHERN ANCHOVY	5	*	*	*	*	*	*	*	7
07. SURF SMELT	*	*	*	*	*	*	*	*	*
10. PACIFIC TOMODD	*	*	*	*	*	1	*	*	1
14. JACKSMELT	29	1	*	9	1	*	*	*	39
15. BLACK ROCKFISH	*	*	*	*	4	*	*	*	4
16. BLUE ROCKFISH	*	*	*	*	*	16	*	*	16
17. BROWN ROCKFISH	4	*	6	1	4	*	*	*	15
18. BOCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
25. GUILDBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. RUSTY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILLION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	19	*	*	3	32	17	*	*	71
34. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LINGCOD	0	*	*	*	1	2	*	*	4
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*	*
38. CABEZON	0	*	*	1	*	*	*	*	1
39. PAC. STAGHORN SCULPIN	377	2	1	36	181	65	*	*	663
40. SCULPINS, OTHER	9	*	*	*	2	*	*	*	11
44. STRIPED BASS	4	1	*	5	25	13	*	*	48
48. WHITE CROAKER	12	*	*	11	*	*	*	*	13
53. BARRED SURPERCH	*	*	*	1	*	*	*	*	1
54. BLACK PERCH	*	*	*	*	*	*	*	*	1
55. PILE PERCH	1	*	*	*	*	*	*	*	1
56. REDTAIL SURPERCH	*	*	*	0	*	*	*	*	0
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	25	1	*	34	*	*	*	*	28
59. SILVER SURPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	1	*	*	*	*	1
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	0	*	*	*	*	*	*	*	0
63. SURPERCHES, OTHER	40	2	*	12	13	*	*	*	46
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	1	10	8	*	*	19
70. CALIFORNIA HALIBUT	*	*	*	1	0	*	*	*	0
71. PACIFIC SANDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	*	*	*	1	4	*	*	5
74. SALMONIDS	*	*	*	1	*	*	*	*	1
75. OTHER FISH	36	1	*	8	58	16	*	*	119
TOTAL	568	9	7	89	568	155	0	0	1,395

TABLE 34. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	*
05. SHARK, OTHER	*	0	*	0	0	*	*	0
06. STURGEONS	*	0	*	*	*	*	*	0
06. NORTHERN ANCHOVY	5	*	*	2	*	*	*	7
07. SURF SMELT	*	*	*	*	*	*	*	*
14. JACKSMELT	4	*	*	*	*	*	*	4
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	16	*	16
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. GUILFBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	1	*	*	*	1	11	*	13
34. KELP GREENLING	*	*	*	*	1	2	*	2
35. LINGODD	*	*	*	*	*	*	*	*
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CANNON	0	*	*	1	*	*	*	1
39. PAC. STAGHORN SCULPIN	13	1	*	10	0	*	*	15
44. STRIPED BASS	*	*	*	*	*	*	*	0
48. WHITE CROAKER	4	1	*	2	*	*	*	8
53. BARRED SURFPERCH	*	*	*	1	*	*	*	1
54. BLACK PERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	12	*	*	*	*	*	*	12
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	0	*	*	10	1	*	*	0
63. SURFPERCHES, OTHER	11	*	*	*	*	*	*	21
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	1	*	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	1	*	*	*	*	*	*	1
74. SALMONIDS	*	*	*	1	*	*	*	1
75. OTHER FISH	*	0	*	*	3	7	*	10
TOTAL	52	3	0	18	6	36	0	113

TABLE 35. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	3	*	*	1	56	0	*	*
02. SPINY DOGFISH	1	*	*	0	126	0	*	1
03. SHARK, OTHER	1	*	*	1	17	12	*	128
04. STURGEONS	*	*	*	*	*	*	*	29*
05. NORTHERN ANCHOVY	*	*	*	0	*	*	*	*
10. PACIFIC TONNOID	*	*	*	*	*	1	*	1
14. JACKSHELT	25	1	*	9	1	*	*	35
15. BLACK ROCKFISH	*	*	*	*	4	*	*	4
17. BROWN ROCKFISH	4	*	6	1	4	*	*	15
33. ROCKFISHES, OTHER	18	*	*	3	31	6	*	58
35. LINGCOD	0	*	*	*	1	*	*	1
38. CABEZON	*	*	*	*	*	*	*	*
39. PAC. STAGHORN SCULPIN	364	2	1	36	181	65	*	668
40. SCULPINS, OTHER	9	*	*	*	2	*	*	11
44. STRIPED BASS	4	1	*	5	26	13	*	48
48. WHITE CROAKER	8	*	*	*	35	2	*	45
53. BARRED SURPERCH	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	1	*	*	*	1
55. PILE PERCH	1	*	*	*	*	*	*	1
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	13	1	*	3	*	*	*	16*
59. SILVER SURPERCH	*	*	*	*	*	*	*	*
60. STRIPED SURPERCH	*	*	*	1	*	*	*	1
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	29	2	*	2	12	*	*	45*
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	0	10	8	*	18
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	1	4	*	4
74. SALMONIDS	*	*	*	*	*	*	*	*
75. OTHER FISH	36	0	*	8	55	10	*	109
TOTAL	516	6	7	71	563	119	0	0
								1,282

TABLE 36. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1984--DEC 1984.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	0
02. SPINY DOGFISH	*	*	*	*	*	*	*
03. SHARK, OTHER	0	2	*	2	3	*	5
06. NORTHERN ANCHOVY	1	*	2	*	*	*	1
12. PACIFIC HAKE	*	*	*	*	3	*	3
14. JACKSMELT	1	1	*	3	1	*	6
15. BLACK ROCKFISH	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	43	*	48
17. BROWN ROCKFISH	2	*	*	*	13	*	15
18. DICACCIO	34	*	*	0	4	*	38
19. CANARY ROCKFISH	*	*	*	*	1	*	1
20. CHILIEPPER ROCKFISH	*	*	*	*	1	*	1
21. COPPER ROCKFISH	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	1	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	2	*	2
26. GULLBACK ROCKFISH	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	1	6	7
28. STARRY ROCKFISH	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	1	1	2
33. ROCKFISHES, OTHER	1	*	*	0	97	74	172
34. KELP GREENLING	*	*	*	*	0	*	0
35. LINGODD	0	*	*	*	5	1	5
36. GREENLINGS, OTHER	*	*	*	*	*	*	*
37. SAILEFISH	*	*	*	*	*	*	*
38. CABEZON	*	*	*	0	*	*	0
39. PAC. STAGHORN SCULPIN	64	98	*	18	8	*	188
43. KELP BASS	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	0	*	*	0
48. WHITE CROAKER	22	*	*	*	54	*	76
52. HALIBUT	*	*	*	*	*	*	*
53. BARRED SURPERCH	1	*	*	17	*	*	18
54. BLACK PERCH	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*
58. SHINER PERCH	8	*	*	*	*	*	8
59. SILVER SURPERCH	*	*	*	0	*	*	0
60. STRIPED SURPERCH	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	1	0	*	1	*	*	3
62. WHITE SURPERCH	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	27	1	*	17	*	*	46
65. PACIFIC BARRACUDA	*	*	*	0	*	*	0
66. PACIFIC BONITO	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	10	1	*	2	49	26	87
68. TUNAS	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*
71. PACIFIC SANDAB	1	*	*	*	8	*	9
72. ROCK SOLE	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	3	0	*	*	1	*	4
74. SALMONIDS	*	*	*	*	*	*	*
75. OTHER FISH	15	*	*	0	17	0	33
TOTAL	192	104	0	62	313	158	830

TABLE 37. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN LUIS OBISPO,  
JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	*	0	*	*	*	1
02. SPINY DOGFISH	*	*	*	*	4	00	*	*	5
03. SHARK, OTHER	*	*	*	*	1	00	*	*	1
12. PACIFIC HAKE	*	*	*	*	1*	*	*	*	*
14. JACKSMELT	3	*	*	0	8	*	*	*	11
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	11	40	*	*	15
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*	0
18. BOCACCIO	27	*	*	*	2	*	*	*	28
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	0	*	*	0
21. COPPER ROCKFISH	*	*	*	*	*	0	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	1	0	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	0	*	*	*	0
27. ROSY ROCKFISH	*	*	*	*	*	0	*	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	1	16	*	*	18
33. ROCKFISHES, OTHER	1	*	*	0	2*	2	*	*	20
34. KELP GREENLING	*	*	*	0	10	*	*	*	6
35. LINGCOD	23	*	6	*	*	*	*	*	38
36. CABEZON	*								
39. PAC. STAGHORN SCULPIN	38	4	*	0	1	*	*	*	43
40. SCULPINS, OTHER	*	1*	*	0*	*	*	*	*	*
41. BARRED SAND BASS	*	*	*	0	*	*	*	*	*
43. KELP BASS	2	6	*	*	*	*	*	*	8
48. WHITE CROAKER	10	*	*	*	22	*	*	*	14
49. QUEENFISH	*	*	*	*	*	*	*	*	*
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*
51. OPALEYE	*	*	*	*	*	*	*	*	*
53. BARRED SURPERCH	1	*	*	2	*	*	*	*	3
54. BLACK PERCH	*	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	3	*	*	*	*	*	*	*	3
59. SILVER SURPERCH	1	*	*	1	*	*	*	*	1
60. STRIPED SURPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	0	*	*	*	*	0
62. WHITE SURPERCH	*	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	14	*	*	1	*	*	*	*	15
65. PACIFIC BARACUDA	*	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	3	*	*	*	61	2*	*	*	96
68. TUNAS	*	*	*	*	*	*	*	*	*
69. STARRY FLounder	0	*	*	*	*	*	*	*	0
70. CALIFORNIA HALIBUT	2	*	*	*	12	0	*	*	14
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	*	0
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	1	*	*	*	*	*
75. OTHER FISH	4	*	*	1	31	*	*	*	36
TOTAL	132	17	0	7	218	54	0	0	428

TABLE 38. ESTIMATED THOUSANDS OF FISH CAUGHT BY TYPE, WAVE, AND COASTAL COUNTY DISTRICT, JAN 1984---DEC 1984.

WAVE	COASTAL COUNTY DISTRICT	CATCH TYPE A	CATCH TYPE B3	CATCH TYPE B4	TOTAL
JAN/FEB	DEL NORTE/HUMBOLDT	16	0	2	19
	MENDOCINO/SONOMA	75	55	25	77
	S. F. OCEAN	71	55	25	123
	S. F. BAY	151	19	158	269
	SANTA CRUZ/MONTEREY	131	19	42	216
	SAN LUIS OBISPO	131	19	42	193
	TOTAL	535	53	308	896
MAR/APR	DEL NORTE/HUMBOLDT	29	3	14	46
	MENDOCINO/SONOMA	20	1	12	33
	S. F. OCEAN	27	157	17	252
	S. F. BAY	217	147	318	622
	SANTA CRUZ/MONTEREY	215	14	22	251
	SAN LUIS OBISPO	91	12	16	118
	TOTAL	649	275	388	1,312
MAY/JUN	DEL NORTE/HUMBOLDT	226	2	6	235
	MENDOCINO/SONOMA	153	3	1	157
	S. F. OCEAN	83	20	7	91
	S. F. BAY	111	74	216	401
	SANTA CRUZ/MONTEREY	163	24	82	269
	SAN LUIS OBISPO	99	18	29	146
	TOTAL	836	141	342	1,319
JUL/AUG	DEL NORTE/HUMBOLDT	1,902	18	35	1,955
	MENDOCINO/SONOMA	765	126	30	895
	S. F. OCEAN	210	29	38	276
	S. F. BAY	162	73	276	531
	SANTA CRUZ/MONTEREY	283	378	453	1,698
	SAN LUIS OBISPO	242	52	149	433
	TOTAL	4,155	676	950	5,781
SEP/OCT	DEL NORTE/HUMBOLDT	170	5	11	186
	MENDOCINO/SONOMA	373	18	13	404
	S. F. OCEAN	130	23	24	177
	S. F. BAY	110	61	206	377
	SANTA CRUZ/MONTEREY	563	110	193	886
	SAN LUIS OBISPO	584	51	170	804
	TOTAL	1,950	267	617	2,834
NOV/DEC	DEL NORTE/HUMBOLDT	3	1	4	8
	MENDOCINO/SONOMA	65	3	8	75
	S. F. OCEAN	46	4	5	66
	S. F. BAY	139	6	73	97
	SANTA CRUZ/MONTEREY	128	43	37	205
	SAN LUIS OBISPO	63	14	23	121
	TOTAL	332	71	149	552
	GRAND TOTAL	8,457	1,483	2,753	12,695

TABLE 39. ESTIMATED THOUSANDS OF PARTICIPANTS IN MARINE RECREATIONAL FISHING BY COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

COASTAL COUNTY DISTRICT	COASTAL PARTICIPANTS	NON-COASTAL PARTICIPANTS	CUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT	30	20	23	73
STD ERR	39	24	12	77
MENDOCINO/SONOMA (NON-BOAT MODES)	28	10	1	39
STD ERR	30	13	8	51
MENDOCINO (BOAT MODES)	5	3	*	8
STD ERR	6	3	*	9
SONOMA (BOAT MODES)	7	2	*	9
STD ERR	8	2	*	10
SAN FRANCISCO	28	12	*	40
STD ERR	30	11	*	41
SANTA CRUZ/MONTEREY	28	15	6	119
STD ERR	28	13	7	119
SAN LUIS OBISPO	12	13	47	157
STD ERR	14	14	46	167
TOTAL	465	92	46	87
STD ERR	411	47		

TABLE 40. ESTIMATED THOUSANDS OF FISHING TRIPS BY COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

COASTAL COUNTY DISTRICT	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	128	50	59	236
STD ERR	82	28	150	192
MENDOCINO/SONOMA (NON-BOAT MODES)	92	28	122	114
STD ERR	63	44	72	78
MENDOCINO (BOAT MODES)	27	16	22	44
STD ERR	17	16	22	44
SONOMA (BOAT MODES)	26	2	1	28
STD ERR	20	1	1	21
SAN FRANCISCO	1,257	19	13	1,289
STD ERR	1,130	17	21	1,153
SANTA CRUZ/MONTEREY	421	30	11	552
STD ERR	51	21	14	57
SAN LUIS OBISPO	111	77	13	201
STD ERR	92	127	89	261
TOTAL	1,963	215	220	2,398
STD ERR	197	163	199	364

TABLE 41. ESTIMATED THOUSANDS OF FISHING TRIPS BY MODE AND COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

COASTAL COUNTY DISTRICT	MODE	COASTAL RESIDENTS	NON-COASTAL RESIDENTS	OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	PIER & DOCK	6	0	0	7
	STD ERR	6	0	0	6
	JETTY & BREAKWATER	7	11	14	11
	STD ERR	7	11	14	11
	BRIDGE & CAUSEWAY	9	0	0	9
	STD ERR	9	0	0	9
	B/B - H & L	3	18	0	21
	STD ERR	3	18	0	21
	P/R BOAT	0	*	0	0
	STD ERR	0	*	0	0
	SPEAR	0	*	0	0
	STD ERR	0	*	0	0
	TOTAL	128	50	59	236
	STD ERR	128	50	150	192
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	7	7	0	14
	STD ERR	5	14	0	14
	JETTY & BREAKWATER	7	14	0	14
	STD ERR	7	14	0	14
	B/B - H & L	6	0	0	6
	STD ERR	6	0	0	6
	SPEAR	7	4	0	7
	STD ERR	7	4	0	7
	TOTAL	5	20	2	114
	STD ERR	5	20	12	78
MENDOCINO (BOAT MODES)	P/R BOAT	22	6	2	30
	STD ERR	17	6	0	17
	CPFV	5	9	1	11
	STD ERR	5	9	1	11
	TOTAL	27	16	2	44
	STD ERR	27	16	2	44
SONOMA (BOAT MODES)	P/R BOAT	18	1	0	20
	STD ERR	10	1	0	10
	CPFV	8	1	1	10
	STD ERR	8	1	1	10
	TOTAL	26	2	1	30
	STD ERR	26	2	1	30
SAN FRANCISCO	PIER & DOCK	46	3	6	55
	STD ERR	46	3	6	55
	JETTY & BREAKWATER	104	*	17	121
	STD ERR	104	*	17	121
	BRIDGE & CAUSEWAY	55	*	0	55
	STD ERR	55	*	0	55
	B/B - H & L	21	*	0	21
	STD ERR	21	*	0	21
	P/R BOAT	45	*	4	49
	STD ERR	45	*	4	49
	CPFV	118	*	0	118
	STD ERR	118	*	0	118
	SPEAR	10	*	0	10
	STD ERR	10	*	0	10
	TOTAL	1,257	19	13	1,289
	STD ERR	1,257	17	13	1,289

(CONTINUED)

TABLE 41. (CONTINUED)

SANTA CRUZ/MONTEREY	PIER & DOCK	93	9	3	105
	STD ERR	27	13	7	31
	JETTY & BREAKWATER	15	10	0	16
	STD ERR	10	12	1	11
	B/B - H & L	68	44	1	64
	STD ERR	29	24	1	28
	P/R BOAT	91	44	22	88
	STD ERR	24	12	6	85
	CPFV	51	10	6	55
	STD ERR	15	9	0	53
	SPEAR	11	11	0	13
	STD ERR	5	1	0	5
	TOTAL	321	30	11	362
	STD ERR	51	21	14	57
SAN LUIS OBISPO	PIER & DOCK	36	35	46	117
	STD ERR	41	26	111	140
	JETTY & BREAKWATER	11	11	1	2
	STD ERR	11	13	5	6
	B/B - H & L	13	44	7	24
	STD ERR	7	26	12	16
	P/R BOAT	55	39	61	144
	STD ERR	23	29	175	219
	CPFV	8	9	18	34
	STD ERR	5	9	19	22
	TOTAL	111	77	132	321
	STD ERR	92	127	209	261
	GRAND TOTAL	1,963	215	220	2,398
	STD ERR	197	163	259	364

TABLE 42. ESTIMATES FROM INTERCEPT SURVEY DATA OF MEAN NUMBER OF HOURS FISHED BY COASTAL COUNTY DISTRICT AND MODE, JAN 1984--DEC 1984.

MODE	COASTAL COUNTY DISTRICT	MEAN	MEDIAN	STD DEV
PIER & DOCK	DEL NORTE/HUMBOLDT	2.4	2.0	1.409
	MENDOCINO/SONOMA	1.8	1.5	1.078
	SAN FRANCISCO	3.5	3.0	1.959
	SANTA CRUZ/MONTEREY	3.1	3.0	2.031
	SAN LUIS OBISPO	2.3	2.0	1.515
JETTY & BREAKWATER	DEL NORTE/HUMBOLDT	2.9	2.5	1.694
	MENDOCINO/SONOMA	2.5	2.0	1.404
	SAN FRANCISCO	3.6	3.3	2.014
	SANTA CRUZ/MONTEREY	2.5	2.0	1.580
	SAN LUIS OBISPO	2.9	1.5	3.544
HAN MADE	DEL NORTE/HUMBOLDT	2.0	1.8	1.140
	SAN FRANCISCO	2.4	2.0	1.882
	SAN LUIS OBISPO	2.3	1.8	1.558
B/B - H & L	DEL NORTE/HUMBOLDT	2.5	2.0	1.466
	MENDOCINO/SONOMA	2.5	2.0	1.486
	SAN FRANCISCO	3.1	3.0	1.921
	SANTA CRUZ/MONTEREY	3.1	3.0	1.600
	SAN LUIS OBISPO	2.2	2.0	1.322
P/R BOAT	DEL NORTE/HUMBOLDT	4.0	4.0	1.895
	MENDOCINO (BOAT MODES)	3.6	3.8	1.624
	SONOMA (BOAT MODES)	3.8	3.0	2.260
	SAN FRANCISCO	5.3	5.0	2.204
	SANTA CRUZ/MONTEREY	4.4	4.5	1.685
	SAN LUIS OBISPO	4.1	4.0	1.672
CPFV	MENDOCINO (BOAT MODES)	3.6	4.0	0.625
	SONOMA (BOAT MODES)	4.2	4.0	1.637
	SAN FRANCISCO	5.6	6.0	1.688
	SANTA CRUZ/MONTEREY	4.4	4.5	1.685
	SAN LUIS OBISPO	3.2	3.0	2.336
SPEAR	DEL NORTE/HUMBOLDT	1.3	1.5	0.258
	MENDOCINO/SONOMA	1.2	1.0	0.698
	SAN FRANCISCO	1.8	2.0	0.408
	SANTA CRUZ/MONTEREY	1.0	1.0	0.416
	SAN LUIS OBISPO	0.7	0.5	0.289

TABLE 43. TABULATION OF PRIMARY GROUP SOUGHT BY COASTAL COUNTY DISTRICT, JAN 1984--DEC 1984.

DEL NORTE/HUMBOLDT		SAN FRANCISCO			
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
NONE	569	26.28	NONE	893	30.10
75. OTHER FISH	316	15.71	44. STRIPED BASS	779	26.26
63. SURFPERCHES, OTHER	29	11.88	04. STURGEONS	450	16.68
35. LINGCOD	227	11.28	63. SURFPERCHES, OTHER	325	10.95
56. REDTAIL SURFPERCH	210	10.44	75. OTHER FISH	90	3.03
76. SALMONIDS	130	6.46	33. ROCKFISHES, OTHER	68	2.28
15. BLACK ROCKFISH	78	3.88	48. WHITE CROAKER	61	2.08
33. ROCKFISHES, OTHER	68	3.38	03. SHARK, OTHER	57	1.92
38. CABEZON	41	2.24	14. JACKSMELT	24	1.82
36. GREENLINGS, OTHER	38	1.89	70. CALIFORNIA HALIBUT	24	1.48
03. SHARK, OTHER	24	1.39	69. STARRY FLOUNDER	20	0.67
07. SURF SMELT	21	1.24	07. SURF SMELT	19	0.64
34. KELP GREENLING	12	0.60	39. PAC. STAGHORN SCULPIN	16	0.54
05. PACIFIC HERRING	11	0.55	74. SALMONIDS	12	0.40
60. STRIPED SEAPERCH	7	0.35	16. BLUE ROCKFISH	7	0.24
<b>MENDOCINO/SONOMA</b>					
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
NONE	662	57.92	NONE	980	46.36
75. OTHER FISH	98	8.66	33. ROCKFISHES, OTHER	351	17.50
07. SURF SMELT	88	7.92	63. SURFPERCHES, OTHER	261	12.01
63. SURFPERCHES, OTHER	63	5.51	35. LINGCOD	104	5.18
05. PACIFIC HERRING	56	4.90	44. STRIPED BASS	93	4.64
33. ROCKFISHES, OTHER	47	4.11	75. OTHER FISH	91	4.14
35. LINGCOD	34	2.97	67. PACIFIC MACKEREL	45	2.24
38. CABEZON	28	2.54	68. TUNAS	38	1.40
56. REDTAIL SURFPERCH	16	1.40	74. SALMONIDS	14	0.70
76. SALMONIDS	16	1.40	03. SHARK, OTHER	13	0.65
44. STRIPED BASS	11	0.96	70. CALIFORNIA HALIBUT	13	0.65
14. JACKSMELT	7	0.61	73. FLATFISHES, OTHER	11	0.56
73. FLATFISHES, OTHER	4	0.36	14. JACKSMELT	9	0.45
08. SMELTS, OTHER	3	0.26	53. BARRED SURFPERCH	9	0.45
16. BLUE ROCKFISH	3	0.26	71. PACIFIC SANDDAB	9	0.45
<b>MENDOCINO (BOAT MODES)</b>					
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	213	74.74	NONE	965	53.67
35. LINGCOD	37	12.98	33. ROCKFISHES, OTHER	192	10.68
NONE	34	11.93	63. SURFPERCHES, OTHER	168	9.34
33. ROCKFISHES, OTHER	1	0.36	75. OTHER FISH	144	8.01
<b>SONOMA (BOAT MODES)</b>					
SOUGHT	COUNT	PERCENT	70. CALIFORNIA HALIBUT		
33. ROCKFISHES, OTHER	53	40.15	74. SALMONIDS	54	3.50
35. LINGCOD	28	21.21	68. TUNAS	44	2.45
NONE	20	18.94	67. PACIFIC MACKEREL	41	2.88
75. OTHER FISH	16	12.12	66. PACIFIC BONITO	35	1.95
44. STRIPED BASS	7	5.30	18. BOCCACCIO	28	1.73
70. CALIFORNIA HALIBUT	2	1.52	35. LINGCOD	24	1.53
67. PACIFIC MACKEREL	1	0.76	14. JACKSMELT	19	1.28
			03. SHARK, OTHER	6	0.33
			17. BROWN ROCKFISH	5	0.33
			69. STARRY FLOUNDER	4	0.22

TABLE 44. FREQUENCY DISTRIBUTION OF NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT AND MODE, JAN 1984--DEC 1984. THE TOP NUMBER IN EACH CELL IS THE NUMBER OF FISHERS IN EACH CATCH SIZE, AND THE BOTTOM NUMBER IS THE PERCENTAGE OF THE DISTRICT TOTAL.

NUMBER CAUGHT	PIER & DOCK											TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25		
DEL NORTE/HUMBOLDT	121 53.54	22 9.73	13 5.75	25 11.06	12 5.31	15 6.64	4 1.77	5 2.21	4 1.77	5 2.21	226	226
MENDOCINO/SONOMA	29 38.16	1 1.32	1 1.32	2 2.63	3 3.95	13 17.11	2 2.63	9 11.84	5 6.58	11 14.47	76	76
SAN FRANCISCO	514 55.57	92 9.95	58 6.27	51 5.51	79 8.54	76 8.00	29 3.14	20 2.16	6 0.65	2 0.22	925	925
SANTA CRUZ/MONTEREY	175 44.08	48 12.09	30 7.56	20 5.04	40 10.08	36 9.07	32 8.06	6 1.51	3 0.76	7 1.76	397	397
SAN LUIS OBISPO	344 58.01	70 11.80	39 6.58	27 4.55	36 6.07	50 8.43	12 2.02	8 1.35	5 0.84	2 0.34	593	593
TOTAL	1183	233	141	125	170	188	79	48	25	27	2217	

NUMBER CAUGHT	JETTY & BREAKWATER											TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25		
DEL NORTE/HUMBOLDT	523 68.10	69 8.98	66 8.53	31 4.04	39 5.08	32 4.17	8 1.04	2 0.26	0 0.00	0 0.00	0 0.00	768
MENDOCINO/SONOMA	349 86.17	30 7.41	15 3.70	8 1.98	2 0.49	1 0.25	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	405
SAN FRANCISCO	83 74.11	7 6.25	8 7.14	8 7.14	5 4.46	1 0.89	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	112
SANTA CRUZ/MONTEREY	56 52.34	9 8.41	8 7.48	2 1.87	10 9.35	15 14.02	2 1.87	2 1.87	1 0.95	1 1.87	2 1.87	107
SAN LUIS OBISPO	1 25.00	2 50.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 25.00	1 4	4
TOTAL	1012	117	95	49	56	49	10	4	1	3	1396	

NUMBER CAUGHT	BRIDGE & CAUSEWAY											TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25		
DEL NORTE/HUMBOLDT	25 69.44	4 11.11	1 2.78	3 8.33	3 8.33	0 0.00	0 0	0 0	0 0	0 0	36	36
SAN FRANCISCO	4 66.67	1 16.67	0 0.00	0 0.00	1 16.67	1 0.00	0 0	0 0	0 0	0 0	6	6
SAN LUIS OBISPO	9 64.29	2 14.29	0 0.00	1 7.14	0 0.00	2 14.29	0 0	2 14.29	0 0	0 0	14	14
TOTAL	38	7	1	4	4	2	2	2	2	2	56	56

NUMBER CAUGHT	BEACH/BANK - HOOK & LINE											TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25		
DEL NORTE/HUMBOLDT	471 67.87	64 9.22	40 5.76	26 3.46	35 5.04	21 3.03	8 1.15	0 0.00	0 0.00	0 0.00	31 4.47	694
MENDOCINO/SONOMA	352 64.94	49 9.04	29 5.35	21 3.87	26 4.43	8 1.48	0 0.00	9 1.66	5 0.92	45 8.30	542	542
SAN FRANCISCO	513 67.32	88 11.55	45 5.91	34 4.46	27 3.54	23 3.02	12 1.57	12 1.57	0 0.00	0 0.00	8 1.05	762
SANTA CRUZ/MONTEREY	227 45.31	65 12.97	40 7.98	21 4.19	38 7.58	70 13.97	23 4.59	8 1.60	5 1.00	4 0.80	501	501
SAN LUIS OBISPO	186 59.55	37 11.97	21 6.80	16 5.18	16 5.18	22 7.12	8 2.59	1 0.32	0 0.00	4 1.29	309	309
TOTAL	1747	303	175	116	140	144	51	30	10	92	2808	

(CONTINUED)

TABLE 44. (CONTINUED)

NUMBER CAUGHT	P/R BOAT										TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	
DEL NORTE/ HUMBOLDT	57 31.99	12 4.41	14 5.15	40 14.71	25 9.19	43 15.81	35 12.87	5 1.84	6 2.21	5 1.84	272
MENDOCINO (BOAT MODES)	47 22.71	19 9.18	27 13.04	19 9.18	40 19.32	34 16.43	16 7.73	3 1.45	2 0.97	0 0.00	207
SONOMA (BOAT MODES)	25 34.72	7 9.72	2 2.78	12 16.67	10 13.89	5 6.94	10 13.89	0 0.00	1 1.39	0 0.00	72
SAN FRANCISCO	444 47.64	145 14.89	105 10.78	53 5.44	74 7.60	90 9.26	36 3.70	3 0.31	4 0.41	0 0.00	974
SANTA CRUZ/ MONTEREY	67 12.18	18 3.27	37 6.73	25 4.18	64 11.64	128 23.27	75 13.64	54 9.82	35 6.36	49 8.91	550
SAN LUIS OBISPO	152 21.29	53 8.55	32 5.16	31 5.00	79 12.74	121 19.52	95 15.32	58 9.35	8 1.29	11 1.77	620
TOTAL	822	254	217	178	292	421	267	123	56	65	2695
OPFV											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
MENDOCINO (BOAT MODES)	0 0.00	1 1.37	2 2.74	0 0.00	4 5.48	22 30.14	37 50.68	7 9.59	0 0.00	0 0.00	73
SONOMA (BOAT MODES)	7 11.67	4 6.67	1 1.67	0 0.00	0 0.00	9 15.00	22 36.67	14 23.33	2 3.33	1 1.67	60
SAN FRANCISCO	45 25.86	35 20.11	11 6.32	8 4.60	17 9.77	20 11.49	26 14.94	10 5.75	2 1.15	0 0.00	174
SANTA CRUZ/ MONTEREY	5 1.22	6 1.46	10 2.43	4 0.97	26 5.84	65 15.82	96 23.36	109 26.52	36 8.76	56 13.63	411
SAN LUIS OBISPO	18 6.64	19 7.01	10 3.69	16 5.90	25 9.25	85 31.37	40 14.76	42 15.50	6 2.21	10 3.69	271
TOTAL	75	65	34	28	70	201	221	182	46	67	989
BEACH/BANK - NET											
NUMBER CAUGHT	2	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL			
DEL NORTE/ HUMBOLDT	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	8 100.00	8			
MENDOCINO/SONOMA	2 5.13	2 5.13	0 0.00	4 10.26	3 7.69	1 2.56	27 69.23	39			
SAN FRANCISCO	0 0.00	0 0.00	1 16.67	0 0.00	3 50.00	0 0.00	2 33.33	6			
TOTAL	2	2	1	4	6	1	37	53			
SPEAR											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	16-20	TOTAL			
DEL NORTE/ HUMBOLDT	3 50.00	2 33.33	0 0.00	0 0.00	0 0.00	1 16.67	0 0.00	6			
MENDOCINO/SONOMA	43 49.43	8 9.20	12 13.79	4 4.60	12 13.79	7 8.05	1 1.15	87			
SAN FRANCISCO	5 85.33	0 0.00	1 16.67	0 0.00	0 0.00	0 0.00	0 0.00	6			
SANTA CRUZ/ MONTEREY	12 30.00	5 12.50	4 10.00	12 30.00	6 15.00	1 2.50	0 0.00	40			
SAN LUIS OBISPO	2 50.00	1 25.00	1 25.00	0 0.00	0 0.00	0 0.00	0 0.00	4			
TOTAL	65	16	18	16	18	9	1	143			

TABLE 45. AVERAGE NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1984---DEC 1984.

COASTAL COUNTY DISTRICT	MODE	MEAN CATCH
DEL NORTE/HUMBOLDT	PIER & DOCK	4.1
	JETTY & BREAKWATER	1.1
	BRIDGE & CAUSEWAY	1.0
	B/B - H & L	10.6
	P/R BOAT	5.1
	B/B - NET	167
	SPEAR	1.5
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	14.0
	JETTY & BREAKWATER	0.2
	B/B - H & L	19.4
	B/B - NET	86.6
	SPEAR	1.8
MENDOCINO (BOAT MODES)	P/R BOAT	4.0
	CPFV	11.6
SONOMA (BOAT MODES)	P/R BOAT	3.6
	CPFV	11.5
SAN FRANCISCO	PIER & DOCK	2.9
	JETTY & BREAKWATER	0.7
	BRIDGE & CAUSEWAY	1.7
	B/B - H & L	1.9
	P/R BOAT	2.2
	CPFV	5.5
	B/B - NET	33.0
	SPEAR	0.3
SANTA CRUZ/MONTEREY	PIER & DOCK	3.8
	JETTY & BREAKWATER	3.6
	B/B - H & L	6.2
	P/R BOAT	12.0
	CPFV	16.1
	SPEAR	2.0
SAN LUIS OBISPO	PIER & DOCK	2.1
	JETTY & BREAKWATER	9.3
	BRIDGE & CAUSEWAY	2.1
	B/B - H & L	2.0
	P/R BOAT	6.9
	CPFV	9.2
	SPEAR	0.8

TABLE 46. TABULATION OF LOCATION OF RESIDENCE OF FISHERS BY COASTAL COUNTY DISTRICT OF INTERCEPT SURVEY INTERVIEW, JAN 1984---DEC 1984.

COASTAL COUNTY DISTRICT	COASTAL AREA	REST OF STATE	OUT OF STATE	TOTAL
				PERCENT
DEL NORTE/HUMBOLDT	75.8	19.1	5.1	2012
MENDOCINO/SONOMA (NON-BOAT MODES)	76.8	18.5	4.6	1143
MENDOCINO (BOAT MODES)	68.1	30.5	1.4	285
SONOMA (BOAT MODES)	84.8	10.6	4.5	132
SAN FRANCISCO	97.5	1.7	0.8	2967
SANTA CRUZ/MONTEREY	89.4	8.9	1.7	2006
SAN LUIS OBISPO	38.9	59.0	2.1	1798
TOTAL NUMBER	8095	1986	267	10343

TABLE 47. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT,  
JAN 1984---DEC 1984.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*	*	*	*	*
2 SPINY DOGFISH	*	*	*	*	*	*	*
3 SHARK, OTHER	2	*	*	*	*	*	2
5 PACIFIC HERRING	1	0	*	*	*	*	1
6 NORTHERN ANCHOVY	0	*	*	*	*	*	0
7 SURF SMELT	*	0	*	*	*	*	0
8 SMELTS, OTHER	*	*	*	*	*	*	*
10 PACIFIC TONNOOD	*	0	0	*	*	*	0
13 SILVERSIDES	0	*	*	*	*	*	0
14 JACKSMELT	0	*	*	*	*	*	0
15 BLACK ROCKFISH	0	1	4	346	*	0	350
16 BLUE ROCKFISH	*	100	0	21	*	*	21
17 BROWN ROCKFISH	*	00	*	1	*	*	1
19 CANARY ROCKFISH	*	*	*	21	*	*	21
21 COPPER ROCKFISH	*	0	*	22	*	*	22
26 GUTTLEBACK ROCKFISH	*	*	*	8	*	*	8
27 ROSY ROCKFISH	*	*	*	1	*	*	1
29 VERNILION ROCKFISH	*	*	*	7	*	*	7
30 WIDOW ROCKFISH	*	*	*	0	*	*	0
31 YELLOWTAIL ROCKFISH	*	*	*	21	*	*	21
33 ROCKFISHES, OTHER	*	1	1	32	*	*	34
34 KELP GREENLING	*	1	1	9	*	0	11
35 LINGODD	*	20	1	95	*	*	98
36 GREENLINGS, OTHER	*	1	1	*	*	0	1
38 CABEZON	*	1	1	28	*	*	30
39 PAC. STAGHORN SCULPIN	0	*	0	*	*	*	0
40 SCULPINS, OTHER	*	0	*	0	*	*	0
55 PILE PERCH	0	00	0	*	*	*	2
56 REDTAIL SURPERCH	0	0	9	0	*	*	10
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURPERCH	0	0	1	0	*	*	1
60 STRIPED SEAPERCH	0	00	6	0	*	0	7
61 WALLEYE SURPERCH	0	00	*	*	*	*	1
62 WHITE SEAPERCH	0	0	0	0	*	*	1
63 SURPERCHES, OTHER	*	*	1	*	*	*	1
67 PACIFIC MACKEREL	*	*	*	*	*	*	*
69 STARRY FLUNDER	0	*	*	*	*	*	0
73 FLATFISHES, OTHER	*	*	*	*	*	*	0
74 SALMONIDS	*	2	1	20	*	*	5
75 OTHER FISH	*	0	1	*	*	*	1
TOTAL	5	10	27	617	0	1	660

TABLE 48. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	3	*	*	*	3
5 PACIFIC HERRING	5	*	*	*	*	*	5
7 SURF SMELT	0	*	*	*	*	*	0
8 SMELTS, OTHER	*	*	*	*	*	*	*
14 JACKSMELT	*	*	0	*	*	*	0
15 BLACK ROCKFISH	*	0	3	*	*	3	6
16 BLUE ROCKFISH	*	*	1	*	*	2	5
17 BROWN ROCKFISH	*	*	1	*	*	0	1
19 CANARY ROCKFISH	*	*	1	*	*	0	1
21 COPPER ROCKFISH	*	0	2	*	*	0	2
22 GOPHER ROCKFISH	*	0	*	*	*	*	0
25 OLIVE ROCKFISH	*	*	0	*	*	*	0
27 ROSY ROCKFISH	*	*	0	*	*	*	0
33 ROCKFISHES, OTHER	*	*	2	*	*	0	2
34 KELP GREENLING	*	0	3	*	*	1	3
35 LINGCOD	*	1	2	*	*	6	9
36 GREENLINGS, OTHER	*	0	2	*	*	2	7
38 CABEZON	*	1	3	*	*	3	7
39 PAC. STAGHORN SCULPIN	*	*	3	*	*	*	1
40 SCULPINS, OTHER	*	0	0	*	*	*	0
55 PILE PERCH	*	0	*	*	*	*	0
56 REDTAIL SURPERCH	0	0	1	*	*	*	1
57 RUBBERLIP SURPERCH	*	*	*	*	*	1	1
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURPERCH	*	*	0	*	*	*	0
60 STRIPED SURPERCH	*	0	5	*	*	1	7
62 WHITE SURPERCH	*	0	0	*	*	*	0
63 SURPERCHES, OTHER	*	0	1	*	*	0	1
69 STARRY FLUNDER	*	0	1	*	*	*	0
71 PACIFIC SANDAB	*	0	*	*	*	*	0
72 ROCK SOLE	*	0	*	*	*	*	0
73 FLATFISHES, OTHER	*	0	*	*	*	*	0
74 SALMONIDS	*	1	2	*	*	*	3
75 OTHER FISH	*	0	1	*	*	1	2
TOTAL	5	5	35	0	0	19	64

TABLE 49. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	3	*	3
12 PACIFIC HAKE	*	*	*	*	*	*	*
15 BLACK ROCKFISH	*	*	*	28	*	*	28
16 BLUE ROCKFISH	*	*	*	13	36	*	45
18 BOCACCO	*	*	*	*	25	*	25
19 CANARY ROCKFISH	*	*	*	8	24	*	32
21 COPPER ROCKFISH	*	*	*	6	1	*	7
22 GOPHER ROCKFISH	*	*	*	0	*	*	0
23 GREENSPOTTED ROCKFISH	*	*	*	*	28	*	28
24 GREENSTRIPED ROCKFISH	*	*	*	*	5	*	5
25 OLIVE ROCKFISH	*	*	*	1	*	*	1
26 GUILTBALD ROCKFISH	*	*	*	10	*	*	10
27 ROSY ROCKFISH	*	*	*	1	2	*	3
29 VERMILION ROCKFISH	*	*	*	7	1	*	8
30 WIDOW ROCKFISH	*	*	*	*	1	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	5	45	*	49
33 ROCKFISHES, OTHER	*	*	*	2	5	*	50
34 KELP GREENLING	*	*	*	1	*	*	1
35 LINGODD	*	*	*	46	5	*	51
36 GREENLINGS, OTHER	*	*	*	*	*	*	*
38 CABEZON	*	*	*	3	*	*	3
60 STRIPED SEAPERCH	*	*	*	*	*	*	*
63 SURFPERCHES, OTHER	*	*	*	0	*	*	0
67 PACIFIC MACKEREL	*	*	*	0	0	*	0
71 PACIFIC SANDDAB	*	*	*	0	*	*	0
73 FLATFISHES, OTHER	*	*	*	0	*	*	0
74 SALMONIDS	*	*	*	*	*	*	*
75 OTHER FISH	*	*	*	0	*	*	0
TOTAL	0	0	0	144	201	0	345

TABLE 50. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
15 BLACK ROCKFISH	*	*	*	9	32	*	41
16 BLUE ROCKFISH	*	*	*	6	1	*	6
17 BROWN ROCKFISH	*	*	*	2	4	*	7
18 BOCACCO	*	*	*	*	9	*	9
19 CANARY ROCKFISH	*	*	*	5	3	*	8
20 CHILILIPEPPER ROCKFISH	*	*	*	*	0	*	0
21 COPPER ROCKFISH	*	*	*	6	4	*	10
22 GOPHER ROCKFISH	*	*	*	0	*	*	0
23 GREENSPOTTED ROCKFISH	*	*	*	*	0	*	0
25 OLIVE ROCKFISH	*	*	*	1	1	*	1
26 GUILTBALD ROCKFISH	*	*	*	1	*	*	1
27 ROSY ROCKFISH	*	*	*	0	33	*	33
28 STARRY ROCKFISH	*	*	*	1	2	*	3
29 VERMILION ROCKFISH	*	*	*	7	7	*	7
30 WIDOW ROCKFISH	*	*	*	*	*	*	*
31 YELLOWTAIL ROCKFISH	*	*	*	8	72	*	79
33 ROCKFISHES, OTHER	*	*	*	9	6	*	15
34 KELP GREENLING	*	*	*	3	*	*	3
35 LINGODD	*	*	*	7	8	*	14
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*
40 SCULPINS, OTHER	*	*	*	0	*	*	0
44 STRIPED BASS	*	*	*	1	*	*	1
54 BLACK PERCH	*	*	*	0	*	*	0
67 PACIFIC MACKEREL	*	*	*	*	0	*	0
69 STARRY FLounder	*	*	*	1	*	*	1
71 PACIFIC SANDDAB	*	*	*	0	*	*	0
75 OTHER FISH	*	*	*	0	*	*	0
TOTAL	0	0	0	61	154	0	215

TABLE 51. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BEACH BANK	HOOK & LINE	P/R BOAT	CPPV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	2	*	*	*	2
3 SHARK, OTHER	*	*	*	*	*	*	*
4 STURGEONS	*	*	*	*	*	*	*
6 NORTHERN ANCHOVY	*	*	*	*	*	*	*
7 SURF SMELT	*	*	*	*	*	*	*
14 JACKSMELT	0	*	*	*	*	*	0
15 BLACK ROCKFISH	*	*	*	*	3	*	
16 BLUE ROCKFISH	*	*	*	5	131	*	
17 BROWN ROCKFISH	0	0	*	5	58	*	13
18 BOCACCIO	*	*	*	*	15	*	15
19 CANARY ROCKFISH	*	*	*	4	12	*	16
20 CHILIPePPER ROCKFISH	*	*	*	*	7	*	
21 COPPER ROCKFISH	*	*	*	1	30	*	31
22 GOPHER ROCKFISH	*	*	*	*	0	*	0
23 GREENSPOTTED ROCKFISH	*	*	*	*	0	*	0
25 OLIVE ROCKFISH	*	*	*	1	3	*	
26 GULLBACK ROCKFISH	*	*	*	*	2	*	
27 ROSY ROCKFISH	*	*	*	*	0	*	
28 STARRY ROCKFISH	*	*	*	*	0	*	
29 VERMILION ROCKFISH	*	*	*	*	13	*	13
30 WIDOW ROCKFISH	*	*	*	*	8	*	
31 YELLOWTAIL ROCKFISH	*	*	*	*	89	*	
33 ROCKFISHES, OTHER	*	0	*	41	29	*	
34 KELP GREENLING	*	0	0	2	*	*	
35 LINGCOD	*	*	*	1	20	*	21
36 GREENLINGS, OTHER	*	*	*	*	0	*	0
38 CABEZON	*	*	0	*	*	*	
39 PAC. STAGHORN SCULPIN	0	*	*	*	*	*	
44 STRIPED BASS	*	*	3	11	1	*	
48 WHITE CROAKER	3	0	0	*	0	*	4
53 BARRED SURPERCH	0	*	4	*	*	*	4
54 BLACK PERCH	*	*	0	*	*	*	0
55 PILE PERCH	*	*	*	1	*	*	1
56 REDTAIL SURPERCH	*	*	0	*	*	*	0
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURPERCH	0	*	0	*	*	*	0
60 STRIPED SEAPERCH	0	*	*	0	*	*	0
61 WALLEYE SURPERCH	0	0	0	*	*	*	1
62 WHITE SEAPERCH	0	*	0	*	*	*	1
63 SURPERCHES, OTHER	6	*	0	*	*	*	7
67 PACIFIC MACKEREL	*	*	*	0	2	*	
69 STARRY FLUNDER	*	0	*	*	4	*	
70 CALIFORNIA HALIBUT	*	0	0	*	12	*	
71 PACIFIC SANDDAB	0	*	*	0	0	*	0
73 FLATFISHES, OTHER	*	*	*	0	*	*	
74 SALMONIDS	5	*	1	1	3	*	10
75 OTHER FISH	*	*	1	*	*	*	1
TOTAL	17	2	13	73	430	0	536

**TABLE 52.** ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1984---DEC 1984.

GROUP	PIER & DOCK	JETTY & BEACH BANK & BREAKWATER HOOK & LINE	P/R BOAT	CPPV	SPEAR	ALL MODES
1 LEOPARD SHARK	11	*	9	53	*	*
2 SPINY DOGFISH	*	*	*	2	*	*
3 SHARK, OTHER	*	*	2	53	*	*
4 STURGEONS	*	*	*	308	91	*
6 NORTHERN ANCHOVY	0	*	*	*	*	0
10 PACIFIC TONNOOD	*	*	*	*	*	*
14 JACKSMELT	45	0	7	0	*	*
15 BLACK ROCKFISH	*	*	*	16	*	*
17 BROWN ROCKFISH	1	*	0	14	1	*
33 ROCKFISHES, OTHER	*	*	0	0	*	0
35 LINGCOD	0	*	*	1	*	*
38 CABEZON	*	*	0	4	*	*
39 PAC. STAGHORN SCULPIN	1	*	0	0	0	*
40 SCULPINS, OTHER	0	*	*	*	*	0
44 STRIPED BASS	8	*	2	68	24	*
48 WHITE CROAKER	11	1	*	11	*	*
53 BARRED SURPERCH	1	100	*	3	*	*
54 BLACK PERCH	2	0	1	0	*	*
55 PILE PERCH	7	*	1	9	*	*
56 REDTAIL SURPERCH	*	*	0	*	*	*
57 RUBBERLIP SEAPERCH	0	*	1	0	*	*
58 SHINER PERCH	2	*	0	*	*	*
59 SILVER SURPERCH	0	*	0	0	*	*
60 STRIPED SEAPERCH	1	*	0	*	*	*
61 WALLEYE SURPERCH	3	*	0	0	*	*
62 WHITE SEAPERCH	0	*	0	0	*	*
63 SURPERCHES, OTHER	3	*	0	1	*	*
66 PACIFIC BONITO	*	*	*	1	*	*
67 PACIFIC MACKEREL	*	*	*	10	*	*
69 STARRY FLUNDER	4	1	0	11	9	*
70 CALIFORNIA HALIBUT	*	*	*	13	18	*
71 PACIFIC SANDDAB	2	*	*	4	*	*
73 FLATFISHES, OTHER	0	*	*	0	8	*
74 SALMONIDS	1	*	*	*	4	*
75 OTHER FISH	11	14	7	1144	*	*
TOTAL	113	16	31	1714	156	0
						2029

TABLE 53. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY,  
JAN 1984---DEC 1984.

GROUP		PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	0	1	*	*	*	1
2 SPINY DOGFISH	*	*	*	2	*	*	*	2
3 SHARK, OTHER	*	*	*	31	*	*	*	31
6 NORTHERN ANCHOVY	*	*	*	4*	*	*	*	*
12 PACIFIC HAKE	*	*	*	2	42	*	*	44
14 JACKSMELT	10	0	4	0	0	*	*	15
15 BLACK ROCKFISH	*	*	*	5	0	0	0	5
16 BLUE ROCKFISH	0	*	*	2	0	0	0	2
17 BROWN ROCKFISH	*	*	*	2	0	1	*	2
18 BOCCACCIO	1	*	0	2	8	*	*	11
19 CANARY ROCKFISH	*	*	*	5	10	*	*	16
20 CHILIPePPER ROCKFISH	*	*	*	4	158	*	*	158
21 COPPER ROCKFISH	*	*	*	3	31	*	*	31
22 GOPHER ROCKFISH	*	*	*	17	0	0	*	17
23 GREENSPOTTED ROCKFISH	*	*	*	0	14	*	*	14
24 GREENSTRIPED ROCKFISH	*	*	*	0	7	*	*	7
25 OLIVE ROCKFISH	*	*	*	18	11	0	*	18
26 QUILLBACK ROCKFISH	*	*	*	0	5	*	*	5
27 ROSTY ROCKFISH	*	*	*	3	8	*	*	8
28 STARRY ROCKFISH	*	*	*	2	0	*	*	0
29 VERMILION ROCKFISH	*	*	*	7	9	*	*	16
30 WIDOW ROCKFISH	*	*	*	0	2	*	*	2
31 YELLOWTAIL ROCKFISH	*	*	*	10	2	*	*	10
33 ROCKFISHES, OTHER	1	*	0	31	1	2	1	33
34 KELP GREENLING	*	*	*	1	1	*	*	1
35 LINGODD	*	*	2	36	52	16	105	105
36 GREENLINGS, OTHER	*	*	2	*	*	*	*	2
37 SABLEFISH	*	*	*	0	11	*	*	11
38 CABEZON	*	0	1	3	*	4	*	7
39 PAC. STAGHORN SCULPIN	0	0	0	*	*	*	*	0
43 KELP BASS	*	*	*	0	*	*	1	1
44 STRIPED BASS	*	*	4	*	*	*	*	4
48 WHITE CROAKER	1	*	0	51	*	*	*	51
52 HALIBUT	*	*	*	*	*	*	*	0
53 BARRED SURPERCH	1	0	19	*	*	*	*	20
54 BLACK PERCH	0	0	0	0	*	*	0	0
55 PILE PERCH	0	*	0	*	*	*	*	1
56 REDTAIL SURPERCH	*	*	0	*	*	*	*	0
57 RUBBERLIP SURPERCH	2	0	*	*	*	*	*	0
58 SHINER PERCH	0	*	0	*	*	*	*	0
59 SILVER SURPERCH	0	*	1	*	*	*	*	1
60 STRIPED SURPERCH	0	*	0	0	*	*	0	0
61 WALLEYE SURPERCH	1	0	1	0	*	*	*	1
62 WHITE SURPERCH	0	0	0	0	*	*	*	0
63 SURPERCHES, OTHER	3	0	1	*	*	*	0	4
65 PACIFIC BARRACUDA	*	*	*	*	*	*	*	*
66 PACIFIC BONITO	*	*	*	1	2	*	*	2
67 PACIFIC MACKEREL	6	4	9	81	43	*	*	133
68 TUNAS	*	*	*	*	121	*	*	121
69 STARRY FLUNDER	1	*	1	3	*	*	*	4
70 CALIFORNIA HALIBUT	*	*	*	3	*	2	*	5
71 PACIFIC SANDAB	0	*	*	7	9	*	*	16
72 ROCK SOLE	*	*	*	2	1	*	*	3
73 FLATFISHES, OTHER	0	*	0	0	0	*	*	1
74 SALMONIDS	*	*	*	2	*	*	*	2
75 OTHER FISH	5	*	0	7	1	*	*	13
TOTAL	33	5	45	424	791	29	1327	

TABLE 54. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1984--DEC 1984.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	0	*	*	*	*	0
2 SPINY DOGFISH	*	*	*	1	*	1
3 SHARK, OTHER	*	*	*	*	*	1*
12 PACIFIC HAKE	*	*	*	*	*	1
14 JACKSMELT	4	0	0	1	0	5
15 BLACK ROCKFISH	*	*	*	21	1	22
16 BLUE ROCKFISH	*	*	*	46	20	66
17 BROWN ROCKFISH	*	*	*	17	3	20
18 BOCACCIO	2	0	*	1	1	4
19 CANARY ROCKFISH	*	*	*	4	4	7
20 CHILIPEPPER ROCKFISH	*	*	*	0	1	1
21 COPPER ROCKFISH	*	*	*	13	4	17
22 GOPHER ROCKFISH	*	*	*	52	13	66
23 GREENSPOTTED ROCKFISH	*	*	*	0	3	3
24 GREENSTRIPED ROCKFISH	*	*	*	*	0	0
25 OLIVE ROCKFISH	0	*	*	56	4	39
27 ROSY ROCKFISH	*	*	*	22	5	7
28 STARRY ROCKFISH	*	*	*	28	13	58
29 VERMILION ROCKFISH	*	*	*	0	6	41
30 WIDOW ROCKFISH	*	*	*	0	6	7
31 YELLOWTAIL ROCKFISH	*	*	*	8	16	24
33 ROCKFISHES, OTHER	*	*	1	38	17	55
34 KELP GREENLING	*	*	*	*	*	1
35 LINGCOD	2	*	*	16	3	21
38 CABEZON	*	*	1	3	1	6
39 PAC. STAGHORN SCULPIN	0	*	*	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*
41 BARRED SAND BASS	*	*	0	0	*	0
43 KELP BASS	*	*	0	*	*	1
48 WHITE CRONKER	2	0	*	7	0	10
49 QUEENFISH	0	*	*	*	*	0
50 CRONKERS, OTHER	*	*	*	8	*	8
51 OPALEYE	*	*	0	*	*	0
53 BARRED SURPERCH	1	*	3	*	*	4
54 BLACK PERCH	0	*	0	*	*	0
55 PILE PERCH	*	*	0	*	*	0
56 REDTAIL SURPERCH	*	*	0	*	*	0
57 RUBBERLIP SURPERCH	*	*	0	*	*	0
58 SHINER PERCH	1	*	0	*	*	1
59 SILVER SURPERCH	0	*	1	*	*	1
60 STRIPED SURPERCH	0	*	0	*	*	0
61 WALLEYE SURPERCH	0	*	1	*	*	1
62 WHITE SURPERCH	0	*	*	*	*	0
63 SURPERCHES, OTHER	1	*	0	*	*	1
65 PACIFIC BARRACUDA	*	*	*	*	*	*
66 PACIFIC BONITO	1	*	1	16	*	18
67 PACIFIC MACKEREL	9	*	*	51	14	74
68 TUNAS	*	*	*	*	18	18
69 STARRY FLUNDER	1	*	*	*	1	2
70 CALIFORNIA HALIBUT	2	*	*	15	*	17
71 PACIFIC SANDAB	*	*	*	0	0	0
72 ROCK SOLE	*	*	*	0	*	0
73 FLATFISHES, OTHER	0	*	*	0	*	2
74 SALMONIDS	*	*	1	4	*	4
75 OTHER FISH	2	*	0	12	*	14
TOTAL	28	0	10	407	153	599

TABLE 1. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL			
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	
61. LEOPARD SHARK	*	*	*	*	0	0	*	71	13	18	0	0	0	0	0	100	71	13	18
62. SPINY DOGFISH	*	*	*	0	0	100	152	15	15	0	2	28	51	45	45	8	31	31	18
63. SHARK, OTHER	*	*	*	0	0	100	0	0	100	0	0	0	12	12	12	160	16	16	16
64. STURGEONS	*	*	*	211	143	68	0	6	6	*	*	*	*	*	*	213	143	67	213
65. PACIFIC HERRING	2	3	170	211	143	68	0	0	100	0	0	0	0	0	0	213	143	67	213
66. NORTHERN ANCHOVY	13	10	74	*	*	*	8	4	47	0	0	0	0	0	0	22	10	47	22
67. SURF SMELT	309	318	103	301	181	60	203	220	47	133	42	42	149	0	0	813	47	152	813
68. SMELTS, OTHER	3	3	100	*	*	*	1	0	53	133	13	13	12	12	12	1	1	1	1
69. PACIFIC TOMCOD	0	0	78	*	*	*	6	3	53	0	0	0	0	0	0	139	42	58	139
70. PACIFIC HAKE	*	*	*	*	*	*	1	0	53	133	42	42	12	12	12	1	0	60	60
71. JACKSMELT	4	10	280	1	0	50	38	10	34	30	9	9	31	33	33	97	17	53	97
72. BLACK ROCKFISH	269	184	74	120	86	47	47	6	36	36	13	13	28	28	28	433	17	180	433
73. BLUE ROCKFISH	7	3	48	4	27	27	18	6	36	36	17	17	28	28	28	630	14	58	630
74. BROWN ROCKFISH	2	1	51	*	*	*	15	6	36	60	14	14	28	28	28	214	14	56	214
75. BOCCACCIO	*	*	*	*	*	*	15	6	36	60	14	14	28	28	28	197	14	59	197
76. CANARY ROCKFISH	25	22	85	31	19	15	50	48	38	36	14	14	17	17	17	158	14	166	158
77. CHILipePPER ROCKFISH	*	*	*	27	15	50	50	48	38	36	14	14	17	17	17	362	14	166	362
78. COPPER ROCKFISH	15	14	95	*	*	*	11	10	48	48	14	14	17	17	17	140	14	56	140
79. GOPHER ROCKFISH	*	*	*	20	19	50	50	48	38	36	14	14	17	17	17	113	14	56	113
80. GREENSPOTTED ROCKFISH	0	0	73	*	*	*	10	4	41	53	14	14	17	17	17	113	14	56	113
81. GREENSTRIPED ROCKFISH	*	*	*	15	10	50	50	48	38	36	14	14	17	17	17	44	14	59	44
82. OLIVE ROCKFISH	*	*	*	2	1	62	8	3	43	36	14	14	17	17	17	44	14	59	44
83. QUILLBACK ROCKFISH	5	4	108	*	*	*	12	1	62	53	14	14	17	17	17	44	14	59	44
84. ROSY ROCKFISH	*	*	*	15	10	50	12	1	62	53	14	14	17	17	17	44	14	59	44
85. STARRY ROCKFISH	*	*	*	2	1	62	12	1	62	53	14	14	17	17	17	44	14	59	44
86. VERMILION ROCKFISH	3	3	96	*	*	*	1	1	62	53	14	14	17	17	17	36	14	59	36
87. WIDOW ROCKFISH	*	*	*	2	1	62	8	3	43	36	14	14	17	17	17	513	14	59	513
88. YELLOWTAIL ROCKFISH	16	14	57	*	*	*	17	5	51	51	14	14	17	17	17	78	14	59	78
89. ROCKFISHES, OTHER	141	106	41	*	*	*	12	5	51	51	14	14	17	17	17	212	14	59	212
90. KELP GREENLING	12	12	5	*	*	*	12	5	51	51	14	14	17	17	17	212	14	59	212
91. LINGODD	49	35	71	*	*	*	27	7	7	27	7	7	27	27	27	15	11	43	15
92. GREENLINGS, OTHER	3	1	55	*	*	*	10	3	51	51	14	14	17	17	17	13	11	43	13
93. SABLEFISH	0	0	108	*	*	*	578	103	18	183	70	70	108	108	108	0	0	0	0
94. CABEZON	7	3	11	*	*	*	578	103	18	183	70	70	108	108	108	0	0	0	0
95. PAC. STAGHORN SCULPIN	1	1	1	*	*	*	578	103	18	183	70	70	108	108	108	98	131	15	98
96. SCULPINS, OTHER	12	15	133	*	*	*	0	0	100	0	0	0	100	100	100	16	15	88	16
97. BARRED SAND BASS	*	*	*	*	*	*	83	17	20	0	0	0	100	100	100	100	0	0	0
98. KELP BASS	*	*	*	*	*	*	83	17	20	0	0	0	100	100	100	100	0	0	0
99. STRIPED BASS	*	*	*	*	*	*	83	17	20	0	0	0	100	100	100	100	0	0	0
100. YELLOWTAIL	*	*	*	*	*	*	83	17	20	0	0	0	100	100	100	100	0	0	0
101. WHITE CROAKER	*	*	*	*	*	*	81	28	34	495	144	144	29	29	29	80	5	57	66
102. CROAKERS, OTHER	0	0	100	*	*	*	7	3	3	515	202	202	57	57	57	57	113	113	57
103. OPALEYE	*	*	*	*	*	*	8	3	3	515	202	202	57	57	57	57	113	113	57
104. BARRED SURFPERCH	*	*	*	*	*	*	8	3	3	515	202	202	57	57	57	57	113	113	57
105. BLACK PERCH	*	*	*	*	*	*	8	3	3	515	202	202	57	57	57	57	113	113	57
106. PILE PERCH	1	2	158	*	*	*	10	4	34	3	1	1	44	44	44	1	1	57	1
107. REDTAIL SURFPERCH	2	2	81	*	*	*	11	5	34	495	144	144	29	29	29	80	5	57	66
108. RUBBERLIP SURFPERCH	*	*	*	*	*	*	11	5	34	515	202	202	57	57	57	57	113	113	57
109. SHINER PERCH	1	0	70	*	*	*	12	6	34	515	202	202	57	57	57	57	113	113	57
110. SILVER SURFPERCH	56	166	294	*	*	*	12	6	34	515	202	202	57	57	57	57	113	113	57
111. STRIPED SEAPERCH	4	2	53	*	*	*	12	6	34	495	144	144	29	29	29	80	5	57	66
112. WALLEYE SURFPERCH	16	46	288	*	*	*	12	6	34	515	202	202	57	57	57	57	113	113	57
113. WHITE SEAPERCH	5	5	59	*	*	*	12	6	34	495	144	144	29	29	29	80	5	57	66
114. SURFPERCHES, OTHER	7	25	318	*	*	*	19	10	97	515	202	202	57	57	57	57	113	113	57
115. PACIFIC BARRACUDA	*	*	*	*	*	*	19	10	97	515	202	202	57	57	57	57	113	113	57
116. PACIFIC BONITO	*	*	*	*	*	*	10	8	80	0	0	0	100	100	100	100	0	0	0
117. PACIFIC MACKEREL	*	*	*	*	*	*	16	5	80	10	1	1	15	15	15	15	1	1	1
118. TUNAS	*	*	*	*	*	*	16	5	80	10	1	1	15	15	15	15	1	1	1
119. STARRY FLounder	0	0	83	*	*	*	16	5	80	10	1	1	15	15	15	15	1	1	1
120. CALIFORNIA HALIBUT	*	*	*	*	*	*	16	5	80	10	1	1	15	15	15	15	1	1	1
121. PACIFIC SANDDAB	17	15	89	*	*	*	51	28	54	4	2	2	216	46	46	2	1	56	290
122. ROCK SOLE	0	0	100	*	*	*	51	28	54	51	21	21	120	46	46	20	6	31	290
123. FLATFISHES, OTHER	5	4	68	*	*	*	51	28	54	51	21	21	120	46	46	20	6	31	290
124. SALMONIDS	4	2	68	*	*	*	51	28	54	51	21	21	120	46	46	20	6	31	290
125. OTHER FISH	2	1	68	*	*	*	51	28	54	51	21	21	120	46	46	20	6	31	290
TOTAL	1,091	480	44	1,264	244	19	2,486	262	11	2,806	210	7	1,525	225	15	9,172	681	7	

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 2. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	163	22	6	358	540	1	*	0
MENDOCINO/SONOMA (NON-BOAT MODES)	222	17	*	395	*	*	*	1,091
MENDOCINO (BOAT MODES)	*	*	*	*	133	138	*	650
SONOMA (BOAT MODES)	*	*	*	*	220	123	*	271
SAN FRANCISCO	318	55	*	639	812	677	*	343
SANTA CRUZ/MONTEREY	536	10	*	98	1,625	1,105	*	2,486
SAN LUIS OBISPO	248	1	*	100	324	622	*	2,806
TOTAL	1,472	106	6	1,588	3,283	2,667	0	9,172

TABLE 3. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	0	*	7	58	6	*	*	71
02. SPINY DOGFISH	*	*	*	*	6	6	*	*	8
03. SHARK, OTHER	1	1	*	6	*	*	*	*	16
04. STURGEONS	*	*	*	*	14	14	*	*	16
05. PACIFIC HERRING	211	*	2	0	0	*	*	*	213
06. NORTHERN ANCHOVY	18	0	3	0	*	*	*	*	23
07. SURF SMELT	35	*	*	*	808	*	*	*	93
08. SMELTS, OTHER	1	0	*	*	*	*	*	*	13
10. PACIFIC TONNOID	*	*	*	*	4	*	*	*	13
12. PACIFIC HAKE	*	1	*	*	4	135	*	*	139
14. JACKSMELT	62	6	0	20	9	*	*	*	97
15. BLACK ROCKFISH	50	11	*	11	341	78	*	*	63
16. BLUE ROCKFISH	15	2	*	24	274	34	*	*	60
17. BROWN ROCKFISH	63	0	*	*	113	101	*	*	214
18. BOCCACCIO	*	*	*	*	14	*	*	0	197
19. CANARY ROCKFISH	*	0	*	*	78	79	*	0	158
20. CHILIPePPER ROCKFISH	1	0	*	*	57	36	*	*	55
21. COPPER ROCKFISH	*	0	*	0	111	27	*	12	91
22. GOPHER ROCKFISH	*	*	*	1*	6	108	*	*	113
23. GREENSPOTTED ROCKFISH	0	*	*	*	6	*	*	*	44
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	43	*	*	44
25. OLIVE ROCKFISH	*	0	*	*	17	49	*	1*	44
26. QUILLBACK ROCKFISH	*	*	*	*	5	22	*	*	44
27. ROSE ROCKFISH	*	*	*	*	30	26	*	*	44
28. STARRY ROCKFISH	*	*	*	*	6	36	*	*	44
29. VERMILION ROCKFISH	*	0	*	*	17	19	*	0	44
30. WIDOW ROCKFISH	*	*	*	*	1	19	*	*	44
31. YELLOWTAIL ROCKFISH	0	0	*	13	58	25	*	*	44
32. ROCKFISHES, OTHER	10	0	0	17	449	21	*	*	513
34. KELP GREENLING	11	56	*	17	12	261	*	*	78
35. LINGODD	1	1	*	3	113	47	*	*	168
36. GREENLINGS, OTHER	1	2	*	16	0	0	*	*	168
37. SABLEFISH	*	*	*	*	1	24	*	*	168
38. CABEZON	4	2	*	17	10	0	*	1	168
39. PAC. STAGHORN SCULPIN	331	0	*	202	336	0	*	*	92
40. SCULPINS, OTHER	9	3	*	4	1	*	*	*	16
41. BARRED SAND BASS	0	*	*	0	*	*	*	*	0
43. KELP BASS	*	2	*	*	6	*	*	*	0
44. STRIPED BASS	12	*	*	*	76	0	*	*	0
46. YELLOWTAIL	*	*	*	*	0	*	*	*	0
48. WHITE CROAKER	16	3	*	3	479	7	*	*	66
50. CROAKERS, OTHER	*	*	*	5	0	*	*	*	66
51. OPAEYE	*	*	*	7	1	*	*	*	66
53. BARRED SURFPERCH	10	0	*	27	3	*	*	*	66
54. BLACK PERCH	6	0	*	7	3	*	*	0	17
55. PILE PERCH	5	0	*	4	6	*	*	0	16
56. REDTAIL SURFPERCH	0	0	*	45	1	*	*	*	16
57. RUBBERLIP SURFPERCH	1	0	*	101	0	*	*	1*	16
58. SHINER PERCH	41	9	*	17	1	*	*	*	16
59. SILVER SURFPERCH	53	8	*	48	1	*	*	*	110
60. STRIPED SURFPERCH	2	2	*	19	1	*	*	2*	28
61. WALLEYE SURFPERCH	56	1	1	7	1	*	*	*	28
62. WHITE SURFPERCH	53	1	*	2	1	*	*	1*	28
63. SURFPERCHES, OTHER	0	4	*	68	0	*	*	1*	28
65. PACIFIC BARACUDA	*	*	*	*	30	*	*	*	28
66. PACIFIC BONITO	*	*	*	0	*	0	*	*	0
67. PACIFIC MACKEREL	4	*	*	0	72	114	*	*	60
68. TUNAS	*	*	*	5	17	14	*	*	61
69. STARRY FLUNDER	1	0	*	11	11	0	*	*	7
70. CALIFORNIA HALIBUT	0	*	*	16	1	*	*	0	186
71. PACIFIC SANDDAB	56	0	*	0	164	69	*	0	290
72. ROCK SOLE	25	0	*	0	1	1	*	*	3
73. FLATFISHES, OTHER	0	0	*	12	38	15	*	*	61
74. SALMONIDS	68	13	*	51	86	19	*	*	186
75. OTHER FISH	*	*	*	*	*	*	*	*	*
TOTAL	1,472	106	6	1,588	3,283	2,667	0	49	9,172

TABLE 4. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
05. PACIFIC HERRING	*	*	2	*	0	*	*	*	2
06. NORTHERN ANCHOVY	10	0	3	*	*	*	*	*	13
07. SURF SHELL	5	*	*	304	*	*	*	*	309
08. SMELTS, OTHER	3	*	*	*	*	*	*	*	3
10. PACIFIC TONNOOD	*	0	*	0	*	*	*	*	0
14. JACKSMELT	4	*	0	*	*	*	*	*	4
15. BLACK ROCKFISH	0	4	*	0	245	0	*	*	249
16. BLUE ROCKFISH	*	1	*	*	6	*	*	*	7
17. BROWN ROCKFISH	*	*	*	0	1	*	*	*	2
19. CANARY ROCKFISH	*	*	*	*	5	*	*	*	5
21. COPPER ROCKFISH	*	0	*	0	15	*	*	*	15
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	0	*	*	0
26. GUILLYBACK ROCKFISH	*	*	*	*	25	*	*	*	25
27. ROSY ROCKFISH	*	*	*	*	0	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	16	*	*	*	16
33. ROCKFISHES, OTHER	1	4	0	1	16	0	*	*	14
34. KELP GREENLING	0	4	*	4	0	0	*	*	4
35. LINGCOD	*	0	*	1	4	0	*	*	4
36. GREENLINGS, OTHER	0	1	*	1	0	*	*	*	0
37. SABLEFISH	*	*	*	*	0	*	*	*	0
38. CABEZON	0	1	*	1	0	*	*	*	1
39. PAC. STAGHORN SCULPIN	0	*	*	0	0	*	*	*	0
40. SCULPINS, OTHER	8	2	*	1	1	*	*	*	11
50. CROAKERS, OTHER	*	*	*	*	0	*	*	*	0
55. PILE PERCH	0	0	*	1	*	*	*	*	1
56. REDTAIL SURPERCH	0	0	*	24	1	*	*	*	0
58. SHINER PERCH	1	*	*	9	*	*	*	*	1
59. SILVER SURPERCH	46	1	*	9	*	*	*	*	56
60. STRIPED SEAPERCH	0	1	*	3	1	*	*	*	4
61. WALLEYE SURPERCH	14	0	1	1	*	*	*	*	16
62. WHITE SEAPERCH	6	0	*	4	*	*	*	*	8
63. SURPERCHES, OTHER	6	1	*	4	0	*	*	*	7
69. STARRY FLounder	*	*	*	0	0	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	17	*	*	*	17
72. ROCK SOLE	*	*	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	1	0	*	0	4	*	*	*	4
74. SALMONIDS	0	0	*	0	22	*	*	*	22
75. OTHER FISH	*	0	*	0	1	*	*	*	1
TOTAL	163	22	6	358	540	1	0	0	1,091

TABLE 5. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1985---DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	0	*	*	*	*	*	0
05. PACIFIC HERRING	211	*	*	*	*	*	*	211
07. SURF SMELT	*	*	*	301	*	*	*	301
14. JACKSMELT	0	0	*	*	*	*	*	0
15. BLACK ROCKFISH	*	1	*	1	*	*	6	7
16. BLUE ROCKFISH	*	*	*	2	*	*	7	9
19. CANARY ROCKFISH	*	0	*	*	*	*	0	0
20. CHILIEPPER ROCKFISH	1	*	*	*	*	*	*	1
21. COPPER ROCKFISH	*	0	*	*	*	*	0	0
23. GREENSPOTTED ROCKFISH	0	*	*	*	*	*	*	0
29. VERMILION ROCKFISH	*	0	*	*	*	*	0	0
31. YELLOWTAIL ROCKFISH	0	*	*	*	*	*	0	0
33. ROCKFISHES, OTHER	*	0	*	2	*	*	2	4
34. KELP GREENLING	*	1	*	11	*	*	11	12
35. LINGCOD	0	0	*	1	*	*	2	3
36. GREENLINGS, OTHER	0	0	*	14	*	*	0	14
38. CABEZON	*	0	*	6	*	*	0	6
39. PAC. STAGHORN SCULPIN	2	8	*	6	*	*	*	6
40. SCULPINS, OTHER	*	1	*	22	*	*	*	4
44. STRIPED BASS	*	*	*	0	*	*	*	0
55. PILE PERCH	*	*	*	*	*	*	0	0
56. REDTAIL SURPERCH	*	0	*	14	*	*	0	14
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	0
58. SHINER PERCH	3	*	*	*	*	*	*	3
59. SILVER SURPERCH	*	0	*	3	*	*	*	3
60. STRIPED SURPERCH	*	2	*	8	*	*	2	11
61. WALLEYE SURPERCH	1	*	*	0	*	*	*	1
62. WHITE SURPERCH	1	0	*	*	*	*	*	1
63. SURPERCHES, OTHER	2	0	*	16	*	*	*	19
69. STARRY FLUNDER	*	0	*	*	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	0
75. OTHER FISH	0	1	*	5	*	*	*	7
TOTAL	222	17	0	393	0	0	19	650

TABLE 6. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	21	7	*	*	28
16. BLUE ROCKFISH	*	*	*	*	23	53	*	*	76
18. BOCCACCIO	*	*	*	*	*	13	6	*	1
19. CANARY ROCKFISH	*	*	*	*					20
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	1	*	*	1
21. COPPER ROCKFISH	*	*	*	*	8	0	*	*	9
22. GOPHER ROCKFISH	*	*	*	*	0*				0
25. GREENSPOTTED ROCKFISH	*	*	*	*	*	10	*	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	6	*	*	6
26. GUTTLEBACK ROCKFISH	*	*	*	*	*	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	2	0	*	*	5
29. VERMILION ROCKFISH	*	*	*	*	10	3	*	*	13
30. WIDOW ROCKFISH	*	*	*	*	3	14	*	*	17
31. YELLOWTAIL ROCKFISH	*	*	*	*					
33. ROCKFISHES, OTHER	*	*	*	*	11	3	*	*	14
34. KELP GREENLING	*	*	*	*	1	*	*	*	1
35. LINGODD	*	*	*	*	19	4	*	*	23
38. CABEZON	*	*	*	*	10	*	*	*	10
67. PACIFIC MACKEREL	*	*	*	*					
71. PACIFIC SANDDAB	*	*	*	*	27	24	*	*	51
72. ROCK SOLE	*	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	1	0	*	*	120
74. SALMONIDS	*	*	*	*	1	1	*	*	0
75. OTHER FISH	*	*	*	*	0	*	*	*	0
TOTAL	0	0	0	0	133	138	0	0	271

TABLE 7. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	0	*	*	0
04. STURGEONS	*	*	*	*	0	*	*	*	0
14. JACKSHELT	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	7	1	*	*	35
16. BLUE ROCKFISH	*	*	*	*	23	11	*	*	35
17. BROWN ROCKFISH	*	*	*	*	11	14	*	*	30
18. BOCCACCIO	*	*	*	*	*	3	6	*	11
19. CANARY ROCKFISH	*	*	*	*	*	16	3	*	18
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	16	3	*	18
21. COPPER ROCKFISH	*	*	*	*	16	3	*	*	18
22. GOPHER ROCKFISH	*	*	*	*	2	*	*	*	2
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	10	*	*	10
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	1	*	*	1
25. OLIVE ROCKFISH	*	*	*	*	0	1	*	*	1
26. GUTTLEBACK ROCKFISH	*	*	*	*	0	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	7	4	*	*	10
28. STARRY ROCKFISH	*	*	*	*	0	1	*	*	2
29. VERMILION ROCKFISH	*	*	*	*	*	0	*	*	0
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	7	38	*	*	45
33. ROCKFISHES, OTHER	*	*	*	*	33	7	*	*	40
34. KELP GREENLING	*	*	*	*	1	*	*	*	1
35. LINGODD	*	*	*	*	20	1	*	*	21
39. PAC. STAGHORN SCULPIN	*	*	*	*	7	9	*	*	7
44. STRIPED BASS	*	*	*	*	0	*	*	*	9
60. STRIPED SEAPERCH	*	*	*	*	1	*	*	*	1
67. PACIFIC MACKEREL	*	*	*	*	2	0	*	*	2
70. CALIFORNIA HALIBUT	*	*	*	*	0	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	0	0	*	*	0
74. SALMONIDS	*	*	*	*	0	0	*	*	0
75. OTHER FISH	*	*	*	*	0	0	*	*	0
TOTAL	0	0	0	0	220	123	0	0	343

TABLE 8. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY	BEACH BANK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	0	*	6	57	6	*	71
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	1	0	*	6	12	3	*	152
04. STURGEONS	0	*	*	*	14	1	*	15
05. PACIFIC HERRING	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	8	*	*	0	*	*	*	8
07. SURF SMELT	0	*	*	202	*	*	*	26
10. PACIFIC TONNOID	1	*	*	*	*	*	*	1
12. PACIFIC HAKE	*	1	*	*	0	5	*	*
14. JACKSMELT	24	1	*	4	1	*	*	36
15. BLACK ROCKFISH	*	*	*	*	13	66	*	73
16. BLUE ROCKFISH	*	0	*	*	35	36	*	18
17. BROWN ROCKFISH	9	0	*	23	*	14	*	15
18. BOCACCIO	*	0	*	*	6	3	*	6
19. CANARY ROCKFISH	*	*	*	*	*	*	*	13
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	23	*	23
21. COPPER ROCKFISH	*	0	*	*	1	*	*	1
22. GOPHER ROCKFISH	*	*	*	*	2	*	*	11
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	2	*	10
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	2
25. OLIVE ROCKFISH	*	0	*	*	*	13	*	13
26. QUILLBACK ROCKFISH	*	*	*	*	0	1	*	1
27. ROSY ROCKFISH	*	*	*	*	0	12	*	12
28. STARRY ROCKFISH	*	*	*	*	0	8	*	8
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	8
30. WIDOW ROCKFISH	*	*	*	*	*	7	*	7
31. YELLOWTAIL ROCKFISH	*	0	*	*	2	173	*	175
33. ROCKFISHES, OTHER	3	0	*	5	3	62	*	185
34. KELP GREENLING	0	1	*	2	8	16	*	5
35. LINGCOD	0	*	*	*	*	*	*	27
36. GREENLINGS, OTHER	1	*	*	1	*	*	*	1
38. CABEZON	1	1	*	6	*	*	*	10
39. PAC. STAGHORN SCULPIN	127	14	*	185	244	50	*	578
40. SCULPINS, OTHER	0	*	*	6	67	6	*	0
44. STRIPED BASS	2	2	*	6	*	*	*	6
48. WHITE CROAKER	29	2	*	2	45	4	*	81
53. BARRED SURPERCH	1	*	*	5	1	*	*	7
54. BLACK PERCH	4	0	*	1	3	*	*	8
55. PILE PERCH	3	*	*	7	6	*	*	7
56. REDTAIL SURPERCH	*	*	*	*	*	*	*	7
57. RUBBERLIP SURPERCH	1	0	*	*	0	*	*	1
58. SHINER PERCH	27	9	*	101	17	*	*	133
59. SILVER SURPERCH	7	6	*	5	1	*	*	5
60. STRIPED SURPERCH	1	*	*	4	*	*	*	5
61. WALLEYE SURPERCH	10	*	*	2	1	*	*	12
62. WHITE SURPERCH	3	*	*	*	*	*	*	3
63. SURPERCHES, OTHER	16	2	*	15	15	*	*	48
67. PACIFIC MACKEREL	1	*	*	1	10	8	*	16
69. STARRY FLUNDER	1	0	*	5	2	0	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	*	1	*	1
71. PACIFIC SANDDAB	3	0	*	*	*	1	*	4
72. ROCK SOLE	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	1	0	0	*	1
74. SALMONIDS	*	*	*	*	0	0	*	1
75. OTHER FISH	19	10	*	43	46	2	*	120
TOTAL	303	55	0	639	812	677	0	0
								2,486

TABLE 9. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	1	1	*	*
05. SHARK, OTHER	*	*	*	*	0	*	*
07. SURF SWEET	*	*	202	*	*	*	*
10. PACIFIC TONNOOD	0	*	*	*	*	*	*
12. PACIFIC HAKE	*	1	*	0	5	*	*
14. JACKSMELT	*	*	*	1	*	*	*
15. BLACK ROCKFISH	*	*	*	13	66	*	*
16. BLUE ROCKFISH	*	0	*	14	108	*	*
17. BROWN ROCKFISH	1	00	*	14	16	*	*
18. BOCACCIO	*	0	*	*	14	*	*
19. CANARY ROCKFISH	*	*	*	5	43	*	*
20. CHILIPePPER ROCKFISH	*	*	*	1	10	*	*
21. COPPER ROCKFISH	*	*	*	2	2	*	*
22. GOPHER ROCKFISH	*	*	*	2	2	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	1	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	2	*	*
25. OLIVE ROCKFISH	*	0	*	*	1	*	*
26. GULFBACK ROCKFISH	*	*	*	0	12	*	*
27. ROSY ROCKFISH	*	*	*	*	1	*	*
28. STARRY ROCKFISH	*	*	*	*	1	*	*
29. VERMILION ROCKFISH	*	*	*	0	8	*	*
30. WIDOW ROCKFISH	*	*	*	*	7	*	*
31. YELLOWTAIL ROCKFISH	*	0	*	2	173	*	*
33. ROCKFISHES, OTHER	*	20	*	1	67	*	*
34. KELP GREENLING	*	0	*	1	1	*	*
35. LINGOD	*	1	*	1	16	*	*
36. GREENLINGS, OTHER	*	*	*	6	*	*	*
38. CABEZON	*	1	*	*	3	*	*
39. PAC. STAGHORN SCULPIN	33	6	*	2	*	*	*
44. STRIPED BASS	*	*	4	16	0	*	*
48. WHITE CROAKER	23	2	*	15	3	*	*
53. BARRED SURFPERCH	1	*	4	*	*	*	*
56. REDTAIL SURFPERCH	*	*	7	*	*	*	*
58. SHINER PERCH	2	*	*	*	*	*	*
59. SILVER SURFPERCH	2	6	*	4	*	*	*
60. STRIPED SEAPERCH	0	*	*	4	*	*	*
61. WALLEYE SURFPERCH	1	*	*	1	*	*	*
63. SURFPERCHES, OTHER	4	0	*	8	3	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*
69. STARRY FLUNDER	0	*	*	0	0	*	*
70. CALIFORNIA HALIBUT	*	*	*	0	1	*	*
71. PACIFIC SANDDAB	2	0	*	*	1	*	*
72. ROCK SOLE	*	*	*	0	*	*	*
73. FLATFISHES, OTHER	*	0	*	*	0	*	*
74. SALMONIDS	*	*	*	0	0	*	*
75. OTHER FISH	0	5	*	8	2	*	*
TOTAL	69	26	0	242	135	653	0 0 1,126

TABLE 10. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1965--DEC 1965.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	0	*	5	56	6	*	69
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	1	0	*	6	142	2	*	151
04. STURGEONS	0	*	*	*	14	1	*	15
05. PACIFIC HERRING	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	8	*	*	0	*	*	*	8
07. SURF SMELT	0	*	*	*	*	*	*	0
10. PACIFIC TOMODD	0	*	*	*	*	*	*	0
14. JACKSMELT	24	1	*	3	1	*	*	29
16. BLUE ROCKFISH	*	*	*	*	0	*	*	0
17. BROWN ROCKFISH	8	1	*	23	24	*	*	56
19. CANARY ROCKFISH	*	*	*	*	0	*	*	0
22. GOLPER ROCKFISH	*	0	*	*	*	*	*	0
33. ROCKFISHES, OTHER	3	0	*	4	21	0	*	8
34. KELP GREENLING	0	*	*	1	*	*	*	1
35. LINGODD	0	*	*	0	1	*	*	2
36. GREENLINGS, OTHER	1	*	*	*	*	*	*	1
38. CABEZON	1	*	*	*	*	*	*	4
39. PAC. STAGHORN SCULPIN	83	8	*	186	243	7	*	537
40. SCULPINS, OTHER	0	*	*	*	*	*	*	0
44. STRIPED BASS	2	2	*	2	51	6	*	63
48. WHITE CROAKER	6	*	*	22	29	1	*	22
53. BARRED SURPERCH	*	*	*	1	1	*	*	0
54. BLACK PERCH	4	0	*	1	3	*	*	0
55. PILE PERCH	3	*	*	1	6	*	*	0
57. RUBBERLIP SURPERCH	1	0	*	*	0	*	*	1
58. SHINER PERCH	0	9	*	101	17	*	*	12
59. SILVER SURPERCH	5	*	*	1	1	*	*	7
60. STRIPED SURPERCH	1	*	*	*	*	*	*	1
61. WALLEYE SURPERCH	9	*	*	1	1	*	*	10
62. WHITE SURPERCH	3	*	*	*	*	*	*	3
63. SURPERCHES, OTHER	13	2	*	7	13	*	*	34
67. PACIFIC MACKEREL	1	*	*	*	1	*	*	2
69. STARRY FLUNDER	1	0	*	5	9	0	*	15
70. CALIFORNIA HALIBUT	*	*	*	*	1	0	*	1
71. PACIFIC SANDDAB	2	*	*	*	*	*	*	2
73. FLATFISHES, OTHER	0	*	*	1	*	*	*	0
75. OTHER FISH	19	6	*	43	38	1	*	106
TOTAL	233	29	0	397	676	24	0	1,360

TABLE 11. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY	BANK & BEACH	HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	0	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	20	*	*	*	44
03. SHARK, OTHER	0	*	*	0	0	*	*	*	0
06. NORTHERN ANCHOVY	0	*	*	*	130		*	*	130
12. PACIFIC HAKE	*	*	*	*	3		*	*	13
14. JACKSMELT	10	5	*	9	5	*	*	*	30
15. BLACK ROCKFISH	*	*	*	*	147	*	*	22	36
16. BLUE ROCKFISH	*	*	*	*	6	*	*	*	36
17. BROWN ROCKFISH	5	*	*	0	48	*	*	0	55
18. BOACCIO	1	*	*	*	10		*		8
19. CANARY ROCKFISH	*	*	*	*	20	16	*	*	36
20. CHILIPePPER ROCKFISH	*	*	*	*	205	*	*	1	27
21. COPPER ROCKFISH	*	*	*	*	5	*	*	2	14
22. GOPHER ROCKFISH	*	*	*	*	3	*	*	*	14
23. GREENSPOTTED ROCKFISH	*	*	*	*	6	*	*		14
24. GREENSTRIPED ROCKFISH	*	*	*	*	28	*	*	*	27
25. OLIVE ROCKFISH	*	*	*	*	22	*	*	1	28
26. GUILDBACK ROCKFISH	*	*	*	*	12	*	*	*	14
27. ROSY ROCKFISH	*	*	*	*	12	*	*	*	14
28. STARRY ROCKFISH	*	*	*	*	12	*	*	*	14
29. VERMILION ROCKFISH	*	*	*	*	4	*	*	*	8
30. WIDOW ROCKFISH	*	*	*	*	21	*	*	*	21
31. YELLOWTAIL ROCKFISH	*	*	*	*	24	*	*	*	108
33. ROCKFISHES, OTHER	6	0	*	1	107	*	*	16	108
34. KELP GREENLING	*	*	*	1	1	*	*	1	5
35. LINGODD	0	*	*	*	9	21	*	1	21
37. SABLEFISH	*	*	*	*	22	*	*	*	22
38. CABEZON	1	0	*	2	1	*	*	1	1
39. PAC. STAGHORN SCULPIN	162	*	*	9	12	*	*	*	187
40. SCULPINS, OTHER	1	*	*	*	*	*	*	*	1
44. STRIPED BASS	*	*	*	0	*	*	*	*	0
48. WHITE CROAKER	101	*	*	1	390	3	*	*	51
53. BARRED SURPERCH	*	0	*	2	*	*	*	*	51
54. BLACK PERCH	*	*	*	1	0	*	*	0	5
55. PILE PERCH	*	*	*	1	0	*	*	0	5
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	1	1
58. SHINER PERCH	9	*	*	*	*	*	*	*	9
59. SILVER SURPERCH	0	*	*	6	*	*	*	*	6
60. STRIPED SURPERCH	*	0	*	3	0	*	*	0	4
61. WALLEYE SURPERCH	33	1	*	3	0	*	*	*	37
62. WHITE SURPERCH	23	0	*	0	*	*	*	*	23
63. SURPERCHES, OTHER	74	1	*	15	6	*	*	1	85
66. PACIFIC BONITO	*	*	*	*	*	0	*	*	0
67. PACIFIC MACKEREL	1	*	*	*	19	8	*	*	26
68. TUNAS	*	*	*	*	9	14	*	*	26
69. STARRY FLounder	0	*	*	*	1	*	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0	1
71. PACIFIC SANDDAB	53	0	*	0	119	43	*	0	216
72. ROCK SOLE	*	*	*	*	1	2	*	*	1
73. FLATFISHES, OTHER	22	0	*	0	21	*	*	*	49
74. SALMONIDS	0	0	*	*	0	*	*	*	0
75. OTHER FISH	19	1	*	1	11	6	*	*	37
TOTAL	536	10	0	98	1,025	1,105	0	31	2,806

TABLE 12. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH	BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	3	0	*	*	1
03. SHARK, OTHER	*	0	*	*	2	*	*	*	1
06. NORTHERN ANCHOVY	0	*	*	*	0	0	*	*	1
12. PACIFIC HAKE	*	*	*	*	0	0	*	*	1
14. JACKSHELT	26	*	*	6	3	*	*	*	26
15. BLACK ROCKFISH	*	*	*	*	113	2	*	*	113
16. BLUE ROCKFISH	*	*	*	*	18	23	*	*	23
17. BROWN ROCKFISH	1	*	*	*	34	*	*	*	34
18. BODACCIO	81	*	*	*	3	2	*	*	81
19. CANARY ROCKFISH	*	*	*	*	12	6	*	*	17
20. CHILIEPPER ROCKFISH	*	*	*	*	9	113	*	*	113
21. COPPER ROCKFISH	*	*	*	*	2	5	*	*	14
22. GOPHER ROCKFISH	*	*	*	1	13	*	*	*	13
23. GREENSPOTTED ROCKFISH	*	*	*	*	13	*	*	*	15
26. GREENSTRIPED ROCKFISH	*	*	*	*	0	6	*	*	6
27. OLIVE ROCKFISH	*	*	*	*	2	4	*	*	4
28. GUILDBACK ROCKFISH	*	*	*	*	1	0	*	*	1
29. ROSY ROCKFISH	*	*	*	*	4	1	*	*	4
30. STARRY ROCKFISH	*	*	*	*	1	1	*	*	1
31. VERMILION ROCKFISH	*	*	*	*	8	7	*	*	15
32. WIDOW ROCKFISH	*	*	*	*	1	3	*	*	3
33. YELLOWTAIL ROCKFISH	*	*	*	5	17	5	*	*	22
34. ROCKFISHES, OTHER	*	*	*	0	110	97	*	*	21
34. KELP GREENLING	*	*	*	1	1	*	*	*	2
35. LINGCOD	0	*	*	0	8	6	*	*	13
36. GREENLINGS, OTHER	*	*	*	0	8	0	*	*	10
37. SABLEFISH	*	*	*	2	1	0	*	*	1
38. CABEZON	2	0	*	2	1	0	*	*	3
39. PAC. STAGHORN SCULPIN	46	*	*	1	1	*	*	*	46
41. BARRED SAND BASS	0	*	*	0	*	*	*	*	1
43. KELP BASS	*	*	*	0	*	*	*	*	0
44. STRIPED BASS	*	*	*	0	0	*	*	*	0
46. YELLOWTAIL	*	*	*	0	0	*	*	*	0
48. WHITE CROAKER	36	0	*	0	4	*	*	*	8000
51. OPALEYE	*	*	*	5	0	*	*	*	5
53. BARRED SURFPERCH	2	*	*	4	0	*	*	*	4
54. BLACK PERCH	*	*	*	1	*	*	*	*	1
55. PILE PERCH	*	*	*	1	*	*	*	*	1
57. RUBBERLIP SURFPERCH	*	*	*	1	*	*	*	*	1
58. SHINER PERCH	1	*	*	0	*	*	*	*	2
59. SILVER SURFPERCH	*	*	*	26	*	*	*	*	26
60. STRIPED SURFPERCH	*	*	*	2	*	*	*	*	4
61. WALLEYE SURFPERCH	*	*	*	1	*	*	*	*	4
63. SURFPERCHES, OTHER	WIND	*	*	19	1	*	*	*	23
65. PACIFIC BARRACUDA	0	*	*	*	0	*	*	*	1
66. PACIFIC BONITO	*	*	*	0	0	*	*	*	0
67. PACIFIC MACKEREL	43	*	*	0	52	88	*	*	135
68. TUNAS	*	*	*	*	7	1	*	*	8
69. STARRY FLUNDER	0	*	*	0	0	8	*	*	1
70. CALIFORNIA HALIBUT	0	*	*	1	12	*	*	*	13
71. PACIFIC SANDAB	*	*	*	*	1	1	*	*	2
72. ROCK SOLE	*	*	*	*	1	0	*	*	1
73. FLATFISHES, OTHER	2	*	*	1	1	1	*	*	4
75. OTHER FISH	10	*	*	8	1	1	*	*	15
TOTAL	248	1	0	100	554	622	0	0	1,525

TABLE 13. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	*	*	*	*	*	*	32	8	24	0	3	1	0	0	0	32	6	8
02. SPINY DOGFISH	*	*	*	0	0	100	0	0	180	0	0	22	2	1	51	6	22	38
03. SHARK, OTHER	*	*	*	0	0	100	4	3	35	1	1	2	1	1	92	6	2	35
04. STURGEONS	*	*	*	*	*	*	8	3	35	*	*	*	*	*	*	8	6	24
05. PACIFIC HERRING	2	3	172	211	143	68	*	*	*	*	*	*	*	*	*	213	143	62
06. NORTHERN ANCHOVY	4	4	97	*	*	*	2	2	85	0	0	0	0	0	0	7	4	63
07. SURF SMELT	309	318	103	301	181	60	203	220	108	0	0	0	149	0	0	813	427	52
10. PACIFIC TOMODD	0	0	78	*	*	*	2	0	71	2	1	37	0	0	0	0	0	0
12. PACIFIC HAKE	*	*	*	*	*	*	28	10	36	27	9	39	33	1	0	95	37	38
14. JACKSMELT	4	10	220	1	0	50	127	87	37	27	9	39	33	29	17	88	24	27
15. BLACK ROCKFISH	241	184	77	43	26	60	79	43	41	36	212	13	37	28	17	17	120	45
16. BLUE ROCKFISH	7	3	48	117	47	40	127	48	37	36	212	13	37	45	17	17	115	45
17. BROWN ROCKFISH	1	1	61	34	15	50	48	19	36	36	212	13	37	45	17	17	115	45
18. BOCCACCIO	*	*	*	31	15	50	48	14	36	36	212	13	37	45	17	17	115	45
19. CANARY ROCKFISH	25	22	85	31	15	50	48	14	36	36	212	13	37	45	17	17	115	45
20. CHILIPEPPER ROCKFISH	*	*	*	19	4	21	23	11	36	207	80	39	112	83	74	361	116	32
21. COPPER ROCKFISH	15	14	98	27	15	57	25	15	41	207	80	39	112	83	74	361	116	32
22. GOPHER ROCKFISH	*	*	*	20	5	41	25	10	45	207	80	39	112	83	74	361	116	32
23. GREENSPOTTED ROCKFISH	0	0	73	10	4	41	25	2	1	207	80	39	112	83	74	361	116	32
24. GREENSTRIPED ROCKFISH	*	*	*	10	4	41	25	2	1	207	80	39	112	83	74	361	116	32
25. OLIVE ROCKFISH	*	*	*	1	0	31	13	10	79	26	8	20	28	15	55	68	20	29
26. GUILLEBACK ROCKFISH	5	4	98	0	0	31	13	10	79	26	8	20	28	15	55	68	20	29
27. ROSY ROCKFISH	2	2	100	0	0	31	13	10	79	26	8	20	28	15	55	68	20	29
28. STARRY ROCKFISH	*	*	*	3	3	98	1	1	33	26	8	20	28	15	55	68	20	29
29. VERMILION ROCKFISH	3	3	98	0	0	31	13	10	79	26	8	20	28	15	55	68	20	29
30. WIDOW ROCKFISH	*	*	*	16	14	87	4	1	32	7	3	36	21	7	31	54	31	48
31. YELLOWTAIL ROCKFISH	16	14	87	4	1	32	175	51	29	107	16	27	21	30	39	513	162	48
33. ROCKFISHES, OTHER	10	10	80	4	2	25	45	19	47	107	16	27	21	30	39	513	162	48
34. KELP GREENLING	10	6	47	4	2	25	45	19	47	107	16	27	21	30	39	513	162	48
35. LINGCOD	49	56	72	45	20	45	21	7	33	28	5	27	21	30	39	513	162	48
36. GREENLINGS, OTHER	1	1	88	13	6	44	1	1	180	21	3	21	1	1	15	15	6	39
37. SABLEFISH	0	0	188	7	2	57	7	3	62	21	3	21	1	1	107	15	15	39
38. CABEZON	6	3	47	1	1	55	53	0	180	21	3	21	1	1	111	28	5	39
39. PAC. STAGHORN SCULPIN	1	0	78	2	1	55	53	0	180	21	3	21	1	1	111	28	5	39
40. SCULPINS, OTHER	1	0	59	2	1	55	53	0	180	21	3	21	1	1	111	28	5	39
41. BARRED SAND BASS	*	*	*	*	*	*	50	15	29	*	*	*	1	0	0	57	16	75
44. STRIPED BASS	*	*	*	*	*	*	65	27	42	379	136	36	1	0	0	48	16	75
46. YELLOWTAIL	*	*	*	*	*	*	65	27	42	379	136	36	1	0	0	48	16	75
48. WHITE CROAKER	*	*	*	*	*	*	65	27	42	379	136	36	1	0	0	48	16	75
50. CROAKERS, OTHER	0	0	100	*	*	*	65	27	42	379	136	36	1	0	0	48	16	75
51. OPALEYE	*	*	*	*	*	*	*	*	*	47	20	43	4	1	3	4	15	33
53. BARRED SURFPERCH	*	*	*	*	*	*	7	3	46	47	20	43	4	1	3	4	15	33
54. BLACK PERCH	*	*	*	*	*	*	10	4	46	47	20	43	4	1	3	4	15	33
55. PILE PERCH	1	2	169	0	0	56	10	7	46	47	20	43	4	1	3	4	15	33
56. REDTAIL SURFPERCH	20	19	95	13	7	56	10	7	46	47	20	43	4	1	3	4	15	33
57. RUBBERLIP SURFPERCH	*	*	*	0	0	22	133	17	58	1	0	0	1	0	0	2	1	37
58. SHINER PERCH	0	0	73	0	0	22	133	17	58	1	0	0	1	0	0	2	1	37
59. SILVER SURFPERCH	50	165	329	12	6	50	133	17	58	34	16	36	20	1	0	166	47	37
60. STRIPED SURFPERCH	4	2	53	-1	1	50	133	17	58	34	16	36	20	1	0	166	47	37
61. WALLEYE SURFPERCH	16	46	288	1	1	50	133	17	58	34	16	36	20	1	0	166	47	37
62. WHITE SURFPERCH	6	4	72	1	1	70	3	2	52	15	3	39	12	0	0	26	10	38
63. SURFPERCHES, OTHER	63	224	357	13	9	70	3	2	52	15	3	39	12	0	0	111	25	28
65. PACIFIC BARACUDA	*	*	*	*	*	*	*	*	*	0	0	100	76	0	0	100	0	100
66. PACIFIC BONITO	*	*	*	*	*	*	2	1	61	61	0	13	21	76	40	52	139	42
67. PACIFIC MACKEREL	*	*	*	0	0	92	2	1	61	61	0	13	21	76	40	52	139	42
68. TUNAS	*	*	*	*	*	*	*	*	*	23	6	27	27	17	1	52	50	18
69. STARRY FLOUNDER	0	0	88	0	0	92	6	2	33	10	0	0	10	1	1	62	12	36
70. CALIFORNIA HALIBUT	*	*	*	0	0	92	6	2	33	10	0	0	10	1	1	62	12	36
71. PACIFIC SANDDAB	17	15	88	0	0	92	6	2	33	10	0	0	10	1	1	62	12	36
72. ROCK SOLE	*	*	*	1	1	64	26	14	53	11	2	22	1	1	62	26	12	36
73. FLATFISHES, OTHER	4	2	66	1	1	65	2	1	57	11	2	22	1	1	62	19	4	20
74. SALMONIDS	3	2	62	1	1	64	26	14	53	8	2	22	1	1	62	19	4	20
75. OTHER FISH	0	0	112	1	1	64	26	14	53	8	2	22	1	1	62	19	4	20
TOTAL	1,021	479	47	1,112	241	22	1,412	258	18	2,070	186	9	1,269	217	17	6,885	660	10

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 14. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	134	15	6	341	523	1	*	0 1,021
MENDOCINO/SONOMA (NON-BOAT MODES)	218	6	*	372	*	*	*	614
MENDOCINO (BOAT MODES)	*	*	*	*	127	138	*	286
SONOMA (BOAT MODES)	*	*	*	*	110	122	*	222
SAN FRANCISCO	135	26	*	419	218	614	*	1,412
SANTA CRUZ/MONTEREY	252	7	*	69	760	972	*	2,070
SAN LUIS OBISPO	177	0	*	75	426	591	*	1,269
TOTAL	896	54	6	1,276	2,165	2,438	0 49	6,885

TABLE 15. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MDES
01. LEOPARD SHARK	1	*	*	1	103	5	*	32
02. SPINY DOGFISH	*	*	*	*	33	22	*	6
03. SHARK, OTHER	0	*	*	1	35	21	*	6
04. STURGEONS	*	*	*	0	70	*	*	8
05. PACIFIC HERRING	211	*	2	*	1	*	*	213
06. NORTHERN ANCHOVY	4	0	3	*	*	*	*	7
07. SURF SMELT	5	*	*	808	*	*	*	813
08. SMELTS, OTHER	*	*	*	*	*	*	*	*
10. PACIFIC TOMODD	1	0	*	0	*	*	*	1
12. PACIFIC HAKE	*	*	*	*	2	95	*	3
14. JACKSMELT	59	0	0	16	7	*	*	89
15. BLACK ROCKFISH	0	1	*	11	24	78	*	88
16. BLUE ROCKFISH	*	*	*	18	107	128	*	189
17. BROWN ROCKFISH	11	2	*	*	12	131	*	187
18. BOACCIO	74	0	*	*	6	106	0	158
19. CANARY ROCKFISH	*	0	*	*	78	79	*	158
20. CHILIPePPER ROCKFISH	1	*	*	*	1	59	*	361
21. COPPER ROCKFISH	*	0	*	0	57	25	*	151
22. GOFER ROCKFISH	*	0	*	*	109	25	12	138
23. GREENSPOTTED ROCKFISH	0	*	*	*	6	106	*	113
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	43	*	44
25. OLIVE ROCKFISH	*	0	*	*	17	49	*	86
26. CUTLBACK ROCKFISH	*	*	*	*	5	60	*	88
27. ROSY ROCKFISH	*	*	*	*	30	60	*	86
28. STARRY ROCKFISH	*	*	*	*	6	36	*	86
29. VERMILION ROCKFISH	*	0	*	*	16	19	*	0
30. WIDOW ROCKFISH	*	*	*	*	1	26	*	51
31. YELLOWTAIL ROCKFISH	0	0	*	*	58	192	*	482
33. ROCKFISHES, OTHER	2	5	0	9	266	1	18	4
34. KELP GREENLING	1	4	*	14	12	1	2	4
35. LINGODD	0	1	*	2	104	41	*	151
36. GREENLINGS, OTHER	0	1	*	13	0	21	*	23
37. SABLEFISH	*	*	*	*	1	3	*	1
38. CABEZON	1	2	*	12	9	*	*	88
39. PAC. STAGHORN SCULPIN	20	1	*	7	7	*	*	15
40. SCULPINS, OTHER	0	1	*	2	0	*	*	3
41. BARRED SAND BASS	0	*	*	0	*	*	*	1
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	2	2	*	5	44	4	*	57
46. YELLOWTAIL	*	*	*	*	0	*	*	0
48. WHITE CROAKER	145	1	*	2	341	4	*	483
50. CROAKERS, OTHER	*	*	*	*	0	*	*	0
51. OPALLEYE	*	*	*	4	0	*	*	4
53. BARRED SURFPERCH	8	0	*	6	1	*	*	17
54. BLACK PERCH	6	0	*	7	3	*	0	17
55. PILE PERCH	5	0	*	4	6	*	*	15
56. REDTAIL SURFPERCH	0	*	*	4	1	*	*	15
57. RUBBERLIP SEAPERCH	1	*	*	1	0	*	*	2
58. SHINER PERCH	36	9	*	39	2	*	*	2
59. SILVER SURFPERCH	52	8	*	35	1	*	*	2
60. STRIPED SEAPERCH	2	2	*	18	1	*	*	2
61. WALLEYE SURFPERCH	51	1	1	7	1	*	*	2
62. WHITE SEAPERCH	24	1	*	2	1	*	*	2
63. SURFPERCHES, OTHER	72	0	*	37	0	*	*	11
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	0
66. PACIFIC BONITO	*	*	*	*	*	*	*	10
67. PACIFIC MACKEREL	42	*	*	*	12	38	*	50
68. TUNAS	*	*	*	*	17	44	*	50
69. STARRY FLounder	1	*	*	1	6	1	*	0
70. CALIFORNIA HALIBUT	0	*	*	1	6	1	*	0
71. PACIFIC SANDAB	48	0	*	*	144	68	*	280
72. ROCK SOLE	*	0	*	*	1	1	*	280
73. FLATFISHES, OTHER	2	0	*	1	11	5	*	280
74. SALMONIDS	0	0	*	1	3	1	*	280
75. OTHER FISH	7	1	*	24	5	5	*	280
TOTAL	896	54	6	1,276	2,165	2,438	0	6,885

TABLE 16. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	OPFV	BEACH BANK NET	SPEAR	ALL MODES
05. PACIFIC HERRING	*	*	2	*	*	*	*	2
06. NORTHERN ANCHOVY	1	0	3	*	*	*	*	4
07. SURF SMELT	5	*	*	304	*	*	*	309
08. SMELTS, OTHER	*	*	*	0	*	*	*	*
10. PACIFIC TONNOID	*	0	*	*	*	*	*	0
11. JACKSMELT	4	*	0	*	*	*	*	4
15. BLACK ROCKFISH	0	3	*	0	257	0	*	241
16. BLUE ROCKFISH	*	1	*	*	6	*	*	7
17. BROWN ROCKFISH	*	0	*	0	2	*	*	1
19. CANARY ROCKFISH	*	*	*	*	*	*	*	2
21. COPPER ROCKFISH	*	0	*	0	15	*	*	15
23. GREENSPOTTED ROCKFISH	*	*	*	0	50	0	*	50
26. GUILFBACK ROCKFISH	*	*	*	*	25	*	*	25
27. ROSY ROCKFISH	*	*	*	0	20	*	*	20
29. VERMILION ROCKFISH	*	*	*	*	30	*	*	30
31. YELLOWTAIL ROCKFISH	*	*	*	*	16	*	*	16
33. ROCKFISHES, OTHER	0	2	0	0	13	0	*	13
34. KELP GREENLING	0	3	*	0	4	*	*	4
36. LINGCOD	*	0	*	0	0	*	*	0
36. GREENLINGS, OTHER	0	1	*	0	0	*	*	1
37. SABLEFISH	*	*	*	*	0	*	*	0
38. CABEZON	0	1	*	1	5000	*	*	6
39. PAC. STAGHORN SCULPIN	0	*	*	0	0	*	*	1
40. SCULPINS, OTHER	0	0	*	*	0	*	*	0
50. CROAKERS, OTHER	*	*	*	*	0	*	*	0
55. PILE PERCH	0	0	*	1	*	*	*	1
56. REDTAIL SURPERCH	0	0	*	20	1	*	*	20
58. SHIMER PERCH	0	*	*	3	*	*	*	1
59. SILVER SURPERCH	6	1	*	2	1	*	*	50
60. STRIPED SURPERCH	0	1	*	2	*	*	*	4
61. WALLEYE SURPERCH	14	0	1	1	*	*	*	16
62. WHITE SURPERCH	4	0	*	*	*	*	*	*
63. SURPERCHES, OTHER	59	*	*	0	*	*	*	63
66. STARRY FLAUNDR	*	*	*	0	0	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	17	*	*	17
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	0	*	*	4	*	*	4
74. SALMONIDS	0	0	*	1	2	*	*	0
75. OTHER FISH	*	0	*	0	0	*	*	0
TOTAL	134	15	6	341	523	1	0	1,021

TABLE 17. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1985---DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	OPPV	BANK NET	SPEAR	ALL MODES
05. SHARK, OTHER	*	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	211	*	*	*	*	*	*	*	211
07. SURF SMELT	*	*	*	301	*	*	*	*	301
14. JACKSMELT	0	0	*	*	*	*	*	*	0
15. BLACK ROCKFISH	*	1	*	1	*	*	*	6	7
16. BLUE ROCKFISH	*	*	*	1	*	*	*	*	7
19. CANARY ROCKFISH	*	0	*	*	*	*	*	*	0
20. CHILIPePPER ROCKFISH	1	*	*	*	*	*	*	*	1
21. COPPER ROCKFISH	*	0	*	*	*	*	*	*	0
23. GREENSPOTTED ROCKFISH	0	*	*	*	*	*	*	*	0
29. VERMILLION ROCKFISH	*	0	*	*	*	*	*	*	0
31. YELLOWTAIL ROCKFISH	0	*	*	*	*	*	*	*	0
33. ROCKFISHES, OTHER	*	0	*	1	*	*	*	2	3
34. KELP GREENLING	*	1	*	10	*	*	*	1	12
35. LINGODD	*	0	*	0	*	*	*	2	2
36. GREENLINGS, OTHER	*	0	*	12	*	*	*	*	13
38. CABEZON	*	0	*	5	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	0	1	*	*	*	*	*	*	1
40. SCULPINS, OTHER	*	0	*	2	*	*	*	*	2
44. STRIPED BASS	*	*	*	*	*	*	*	*	4
55. PILE PERCH	*	*	*	*	*	*	*	*	0
56. REDTAIL SURPERCH	*	*	*	13	*	*	*	*	13
57. RUBBERLIP SURPERCH	*	*	*	13	*	*	*	*	0
58. SHINER PERCH	3	*	*	*	*	*	*	*	*
59. SILVER SURPERCH	*	0	*	3	*	*	*	*	0
60. STRIPED SEAPERCH	*	2	*	8	*	*	*	2	11
61. WALLEYE SURPERCH	1	*	*	0	*	*	*	*	1
62. WHITE SEAPERCH	1	0	*	*	*	*	*	*	1
63. SURPERCHES, OTHER	1	0	*	13	*	*	*	*	13
69. STARRY FLounder	*	0	*	*	*	*	*	*	0
72. ROCK SOLE	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
75. OTHER FISH	0	*	*	*	*	*	*	*	0
TOTAL	218	6	0	372	0	0	0	18	614

TABLE 18. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1965--DEC 1965.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	21	7	*	*	28
16. BLUE ROCKFISH	*	*	*	*	22	53	*	*	35
18. BOACCIO	*	*	*	*	*	1	*	*	1
19. CANARY ROCKFISH	*	*	*	*	13	6	*	*	20
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	1	*	*	1
21. COPPER ROCKFISH	*	*	*	*	8	0	*	*	9
22. GOPHER ROCKFISH	*	*	*	*	0	*	*	*	0
25. GREENSPOTTED ROCKFISH	*	*	*	*	*	10	*	*	10
26. GREENSTRIPED ROCKFISH	*	*	*	*	*	8	*	*	8
26. GUILFBACK ROCKFISH	*	*	*	*	*	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	2	3	*	*	5
29. VERMILION ROCKFISH	*	*	*	*	0	4	*	*	4
30. WIDOW ROCKFISH	*	*	*	*	10	3	*	*	13
31. YELLOWTAIL ROCKFISH	*	*	*	*	3	14	*	*	17
33. ROCKFISHES, OTHER	*	*	*	*	9	3	*	*	12
34. KELP GREENLING	*	*	*	*	1	*	*	*	1
35. LINGCOD	*	*	*	*	18	4	*	*	22
36. CABEZON	*	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	*	*	*	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	25	24	*	*	49
72. ROCK SOLE	*	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	1	1	*	*	1
74. SALMONIDS	*	*	*	*	0	*	*	*	0
75. OTHER FISH	*	*	*	*	0	*	*	*	0
TOTAL	0	0	0	0	127	138	0	0	266

TABLE 19. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1965--DEC 1965.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	0	*	*	0
04. STURGEONS	*	*	*	*	0	*	*	*	0
14. JACKSMELT	*	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	7	1	*	*	8
16. BLUE ROCKFISH	*	*	*	*	23	11	*	*	35
17. BROWN ROCKFISH	*	*	*	*	11	14	*	*	31
18. BOACCIO	*	*	*	*	*	3	8	*	18
19. CANARY ROCKFISH	*	*	*	*	*	18	*	*	18
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	3	*	*	18
21. COPPER ROCKFISH	*	*	*	*	16	3	*	*	18
22. GOPHER ROCKFISH	*	*	*	*	2	*	*	*	2
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	10	*	*	10
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	1	*	*	1
25. OLIVE ROCKFISH	*	*	*	*	0	1	*	*	1
26. GUILFBACK ROCKFISH	*	*	*	*	0	0	*	*	0
27. ROSY ROCKFISH	*	*	*	*	7	3	*	*	10
28. STARRY ROCKFISH	*	*	*	*	0	0	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	*	1	*	*	1
30. WIDOW ROCKFISH	*	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	7	38	*	*	45
33. ROCKFISHES, OTHER	*	*	*	*	4	6	*	*	10
34. KELP GREENLING	*	*	*	*	20	1	*	*	21
35. LINGCOD	*	*	*	*	*	1	*	*	1
36. PAC. STAGHORN SCULPIN	*	*	*	*	*	1	*	*	1
44. STRIPED BASS	*	*	*	*	6	*	*	*	6
60. STRIPED SEAPERCH	*	*	*	*	1	*	*	*	1
67. PACIFIC MACKEREL	*	*	*	*	*	0	*	*	0
70. CALIFORNIA HALIBUT	*	*	*	*	2	0	*	*	2
71. PACIFIC SANDDAB	*	*	*	*	*	1	*	*	1
73. FLATFISHES, OTHER	*	*	*	*	*	0	*	*	0
74. SALMONIDS	*	*	*	*	0	0	*	*	0
75. OTHER FISH	*	*	*	*	*	0	*	*	0
TOTAL	0	0	0	0	110	122	0	0	232

TABLE 20. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	*	*	1	25	5	*	*	32
02. SPINY DOGFISH	*	*	*	*	0	*	*	*	4
03. SHARK, OTHER	0	*	*	1	17	1	*	*	3
04. STURGEONS	*	*	*	*	*	1	*	*	3
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	3
06. NORTHERN ANCHOVY	2	*	*	*	*	*	*	*	2
07. SURF SMELT	0	*	*	202	*	*	*	*	25
10. PACIFIC TOMCOD	1	*	*	*	*	*	*	*	1
12. PACIFIC HAKE	*	*	*	*	0	*	*	*	2
14. JACKSMELT	24	0	*	4	*	1*	*	*	28
15. BLACK ROCKFISH	*	*	*	*	13	66	*	*	2
16. BLUE ROCKFISH	*	0	*	18	182	108	*	*	127
17. BROWN ROCKFISH	9	10	*	8	*	36	*	*	87
18. BOCACCIO	*	0	*	*	6	14	*	*	15
19. CANARY ROCKFISH	*	*	*	*	*	43	*	*	48
20. CHILIEPPER ROCKFISH	*	*	*	*	*	23	*	*	23
21. COPPER ROCKFISH	*	*	*	*	12	102	*	*	11
22. GOPHER ROCKFISH	*	0	*	*	*	*	*	*	4
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	202	*	*	20
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	2
25. OLIVE ROCKFISH	*	0	*	*	*	13	*	*	13
26. GULFBACK ROCKFISH	*	*	*	*	0	1	*	*	1
27. ROSY ROCKFISH	*	*	*	*	0	8	*	*	8
28. STARRY ROCKFISH	*	*	*	*	0	1	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	8	*	*	*	8
30. WIDOW ROCKFISH	*	*	*	*	*	7	*	*	7
31. YELLOWTAIL ROCKFISH	*	0	*	*	22	173	*	*	173
32. ROCKFISHES, OTHER	0	0	*	20	4	37	*	*	47
33. KELP GREENLING	10	0	*	20	15	1	*	*	4
35. LINGODD	0	0	*	2	5	14	*	*	21
36. GREENLINGS, OTHER	*	*	*	15	*	*	*	*	1
38. CABEZON	0	10	*	35	*	3	*	*	3
39. PAC. STAGHORN SCULPIN	14	*	*	4	6	*	*	*	53
40. SCULPINS, OTHER	0	2	*	5	38	4	*	*	50
44. STRIPED BASS	2	2	*	*	*	*	*	*	50
48. WHITE CROAKER	25	1	*	25	34	3	*	*	65
53. BARRED SURFPERCH	14	*	*	11	13	*	*	*	78
54. BLACK PERCH	0	*	*	11	6	*	*	*	10
55. PILE PERCH	3	*	*	7	6*	*	*	*	7
56. REDTAIL SURFPERCH	*	*	*	*	*	*	*	*	*
57. RUBBERLIP SURFPERCH	1	*	*	*	0	*	*	*	1
58. SHINER PERCH	26	9	*	89	2	*	*	*	133
59. SILVER SURFPERCH	6	*	*	4	1	*	*	*	17
60. STRIPED SURFPERCH	1	*	*	4	1	*	*	*	5
61. WALLEYE SURFPERCH	10	*	*	2	1	*	*	*	12
62. WHITE SURFPERCH	3	*	*	*	*	*	*	*	3
63. SURFPERCHES, OTHER	11	*	*	8	*	*	*	*	9
67. PACIFIC MACKEREL	11	*	*	*	*	*	*	*	2
69. STARRY FLounder	1	0	*	0	4	10	*	*	6
70. CALIFORNIA HALIBUT	*	*	*	*	2	1	*	*	1
71. PACIFIC SANDAB	2	*	*	*	*	1	*	*	2
72. ROCK SOLE	*	*	*	*	0	*	*	*	2
73. FLATFISHES, OTHER	*	0	*	1	*	1	*	*	1
74. SALMONIDS	*	*	*	*	0	100	*	*	1
75. OTHER FISH	0	1	*	23	1	0	*	*	26
TOTAL	135	26	0	419	218	614	0	0	1,412

TABLE 21. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BEACH BANK CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	1	*	*	*
03. SHARK, OTHER	*	*	*	0	*	*	10
07. SURF SMELT	*	*	202	*	*	*	202
10. PACIFIC TOMODD	0	*	*	*	*	*	20
12. PACIFIC MAKE	*	*	*	0	1	*	2
14. JACKSMELT	*	*	1	*	*	*	1
15. BLACK ROCKFISH	*	*	13	166	*	*	13
16. BLUE ROCKFISH	*	0	18	168	*	*	127
17. BROWN ROCKFISH	1	*	13	136	*	*	51
18. BOCCACCIO	*	0	*	4	*	*	15
19. CANARY ROCKFISH	*	*	5	23	*	*	48
20. CHILIPePPER ROCKFISH	*	*	*	28	*	*	11
21. COPPER ROCKFISH	*	*	1	2	*	*	4
22. GOPHER ROCKFISH	*	*	2	0	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	0	*	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	2	*	*	2
25. OLIVE ROCKFISH	*	0	*	13	*	*	13
26. GULFBACK ROCKFISH	*	*	0	1	*	*	1
27. ROSY ROCKFISH	*	*	0	8	*	*	8
28. STARRY ROCKFISH	*	*	*	1	*	*	1
29. VERMILION ROCKFISH	*	*	0	8	*	*	8
30. WIDOW ROCKFISH	*	*	2	7	*	*	7
31. YELLOWTAIL ROCKFISH	0	*	2	173	*	*	173
32. ROCKFISHES, OTHER	0	*	0	37	*	*	41
34. KELP GREENLING	0	*	1	1	*	*	3
35. LINGCOD	*	0	1	4	14	*	19
36. GREENLINGS, OTHER	*	*	1	4	*	*	11
37. CABEZON	*	1	2	*	3	*	5
38. PAC. STAGHORN SCULPIN	1	*	4	14	0	*	18
39. STRIPED BASS	*	*	*	*	*	*	*
40. WHITE CROAKER	20	1	*	11	3	*	3
41. BARRED SURPERCH	1	*	4	*	*	*	*
42. REDTAIL SURPERCH	*	*	7	*	*	*	*
43. SHINER PERCH	2	*	*	*	*	*	*
44. SILVER SURPERCH	2	6	4	*	*	*	12
45. STRIPED SEAVERCH	0	*	4	*	*	*	4
46. WALLEYE SURPERCH	1	*	1	*	*	*	2
47. SURPERCHES, OTHER	*	*	8	*	*	*	8
48. PACIFIC MACKEREL	*	*	*	*	1	*	1
49. STARRY FLOUNDER	0	*	*	0	0	*	1
50. CALIFORNIA HALIBUT	*	*	*	0	1	*	1
51. PACIFIC SANDDAB	2	*	*	*	1	*	2
52. ROCK SOLE	*	*	*	*	*	*	0
53. FLATFISHES, OTHER	*	0	*	0	0	*	1
54. SALMONIDS	*	*	*	0	0	*	1
75. OTHER FISH	*	*	*	0	0	*	1
TOTAL	29	12	0	240	91	602	0
							975

TABLE 22. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1*	*	*	1	260	5	*	*	310
02. SPINY DOGFISH	0	*	*	1	17	1	*	*	48*
03. SHARK, OTHER	*	*	*	*	*	*	*	*	*
04. SURGEONS	*	*	*	*	*	*	*	*	*
05. PACIFIC HERRING	*	*	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	200	*	*	*	*	*	*	*	200
07. SURF SMELT	0	*	*	*	*	*	*	*	0
10. PACIFIC TONNOID	24*	0	*	3	0	*	*	*	270
14. JACKSHELT	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	7*	1	*	8	190	*	*	*	35
19. CANARY ROCKFISH	*	0	*	*	*	*	*	*	0
22. GOPHER ROCKFISH	0	0	*	2	3	*	*	*	60
23. ROCKFISHES, OTHER	10	*	*	2	*	*	*	*	0
24. KELP GREENLING	*	*	*	*	*	*	*	*	*
35. LIMOGOOD	0*	*	*	0	1	*	*	*	1*
36. GREENLINGS, OTHER	0	*	*	1	*	*	*	*	11
38. CABEZON	0	*	*	*	*	*	*	*	0
39. PAC. STAGHORN SCULPIN	120	0	*	33	6	*	*	*	510
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	2	2	*	1	262	4	*	*	288
48. WHITE CROAKER	6	*	*	12	211	*	*	*	260
53. BARRED SURPERCH	4	*	*	11	336	*	*	*	260
54. BLACK PERCH	4	0	*	1	*	*	*	*	0
55. PILE PERCH	3	*	*	1	*	*	*	*	0
57. RUBBERLIP SURPERCH	1	*	*	*	0	*	*	*	1
58. SHINER PERCH	22	9	*	9	221	*	*	*	125
59. SILVER SURPERCH	4	*	*	0	1*	*	*	*	11
60. STRIPED SURPERCH	1	*	*	*	*	*	*	*	0
61. WALLEYE SURPERCH	9	*	*	1	1	*	*	*	10
62. WHITE SURPERCH	3	*	*	*	*	*	*	*	4
63. SURPERCHES, OTHER	1	*	*	0	*	*	*	*	1
67. PACIFIC MACKEREL	1	*	*	*	*	*	*	*	1
69. STARRY FLUNDER	0	0	*	0	4	*	*	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	1	0	*	*	1
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	1	*	0	*	*	1
75. OTHER FISH	0	1	*	23	0	*	*	*	0
TOTAL	106	14	0	179	127	12	0	0	437

TABLE 23. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1965--DEC 1965.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	0	0	*	*	0
02. SPINY DOGFISH	*	*	*	2	*	*	2
03. SHARK, OTHER	*	*	*	0	*	*	0
06. NORTHERN ANCHOVY	0	*	*	2	*	*	2
12. PACIFIC MACKEREL	*	*	*	82	*	*	82
14. JACKSMELT	10	5	7	5	*	*	27
15. BLACK ROCKFISH	*	*	*	25	*	*	25
16. BLUE ROCKFISH	*	*	*	25	*	*	25
17. BROWN ROCKFISH	20	*	0	5	*	0	25
18. BOCACCIO	0	*	*	5	*	0	5
19. CANARY ROCKFISH	*	*	*	20	16	*	36
20. CHILIEPPER ROCKFISH	*	*	*	25	25	*	20
21. COPPER ROCKFISH	*	*	*	5	*	1	14
22. GOPHER ROCKFISH	*	*	*	5	*	2	5
23. GREENSPOTTED ROCKFISH	*	*	*	5	*	*	5
24. GREENSTRIPED ROCKFISH	*	*	*	1	*	*	2
25. OLIVE ROCKFISH	*	*	*	2	*	1	2
26. GUILFBACK ROCKFISH	*	*	*	2	*	1	2
27. ROSY ROCKFISH	*	*	*	2	*	*	2
28. STARRY ROCKFISH	*	*	*	2	*	*	2
29. VERMILION ROCKFISH	*	*	*	4	*	*	8
30. WIDOW ROCKFISH	*	*	*	4	*	*	8
31. YELLOWTAIL ROCKFISH	*	*	*	14	24	*	107
33. ROCKFISHES, OTHER	1	0	1	5	57	16	116
34. KELP GREENLING	*	*	1	3	*	1	5
35. LINGODD	0	*	*	7	*	1	8
37. SABLEFISH	*	*	*	100	*	1	100
38. CABEZON	0	0	1	*	*	1	1
39. PAC. STAGHORN SCULPIN	*	*	1	*	*	*	1
40. SCULPINS, OTHER	*	*	1	*	*	*	1
44. STRIPED BASS	*	*	0	*	*	*	0
48. WHITE CROAKER	91	0	41	287	0	*	379
52. BARRED SURPERCH	*	*	2	0	*	*	47
53. BLACK PERCH	*	*	1	*	*	*	5
55. PILE PERCH	*	*	1	*	*	0	5
57. RUBBERLIP SURPERCH	*	*	*	*	*	1	1
58. SHINER PERCH	90	*	6	*	*	*	90
59. SILVER SURPERCH	*	*	6	*	*	*	6
60. STRIPED SURPERCH	*	0	3	0	*	0	4
61. WALLEYE SURPERCH	26	1	3	*	*	*	30
62. WHITE SURPERCH	16	0	0	*	*	*	16
63. SURPERCHES, OTHER	10	*	3	1	*	1	15
66. PACIFIC BONITO	*	*	*	15	0	*	15
67. PACIFIC MACKEREL	0	*	*	9	14	*	20
68. TUNAS	*	*	*	*	*	*	20
69. STARRY FLounder	0	*	*	1	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	0	*	0	0
71. PACIFIC SANDDAB	46	*	*	101	42	*	182
72. ROCK SOLE	*	*	*	7	2	*	11
73. FLATFISHES, OTHER	2	*	*	*	*	*	11
74. SALMONIDS	0	0	*	0	*	*	0
75. OTHER FISH	2	0	*	1	4	*	8
TOTAL	232	7	0	69	760	972	2,070

TABLE 24. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	OPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	*	*	*	1	0	*	2
03. SHARK, OTHER	*	*	*	*	*	*	*	1
06. NORTHERN ANCHOVY	0	*	*	*	0	0	*	1
12. PACIFIC WAKE	*	*	*	*	*	*	*	*
14. JACKSMELT	21	*	*	6	2	*	*	*
15. BLACK ROCKFISH	*	*	*	*	24	2	*	2
16. BLUE ROCKFISH	*	*	*	*	18	5	*	3
17. BROWN ROCKFISH	0	*	*	*	2	4	*	10
18. BOCACCIO	74	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	12	6	*	17
20. CHILIPePPER ROCKFISH	*	*	*	*	9	11	*	12
21. COPPER ROCKFISH	*	*	*	*	9	5	*	11
22. GOPHER ROCKFISH	*	*	*	*	2	5	*	5
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	0	6	*	6
25. OLIVE ROCKFISH	*	*	*	*	4	2	*	1
26. GULLBACK ROCKFISH	*	*	*	*	6	0	*	0
27. ROSY ROCKFISH	*	*	*	*	4	2	*	4
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	7	7	*	15
30. WIDOW ROCKFISH	*	*	*	*	1	8	*	31
31. YELLOWTAIL ROCKFISH	*	*	*	*	17	15	*	2
33. ROCKFISHES, OTHER	*	*	*	40	1	1	*	12
34. KELP GREENLING	*	*	*	0	1	*	*	1
35. LINGOOD	0	*	*	*	6	2	*	8
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
37. SABLEFISH	*	*	*	*	*	*	*	*
38. CABEZON	0	*	*	10	3	0	*	5
39. PAC. STAGHORN SCULPIN	2	*	*	0	*	*	*	2
41. BARRED SAND BASS	0	*	*	0	*	*	*	1
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	*	*	*	*	*
46. YELLOWTAIL	*	*	*	*	0	*	*	0
48. WHITE CROAKER	29	0	*	0	20	*	*	59
51. OPALLEYE	*	*	*	4	*	*	*	4
53. BARRED SURFPERCH	1	*	*	28	0	*	*	2
54. BLACK PERCH	*	*	*	3	*	*	*	3
55. PILE PERCH	*	*	*	11	*	*	*	1
57. RUBBERLIP SEAPERCH	*	*	*	1	*	*	*	*
58. SHINER PERCH	1	*	*	*	*	*	*	1
59. SILVER SURFPERCH	*	*	*	28	*	*	*	18
60. STRIPED SEAPERCH	0	*	*	12	*	*	*	13
61. WALLEYE SURFPERCH	1	*	*	10	*	*	*	2
63. SURFPERCHES, OTHER	2	*	*	0	*	*	*	2
65. PACIFIC BARRACUDA	*	*	*	*	0	*	*	*
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	41	*	*	*	17	18	*	76
68. TUNAS	*	*	*	*	7	28	*	27
69. STARRY FLounder	0	*	*	0	0	*	*	1
70. CALIFORNIA HALIBUT	0	*	*	1	2	*	*	3
71. PACIFIC SANDDAB	*	*	*	1	1	1	*	2
72. ROCK SOLE	*	*	*	*	0	1	*	1
73. FLATFISHES, OTHER	*	*	*	0	3	1	*	8
75. OTHER FISH	4	*	*	0	3	1	*	1
TOTAL	177	0	0	75	426	591	0	1,269

TABLE 25. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1985--DEC 1985.

GROUP	DEL NORTE / HUMBOLDT EST. S.E. CV			MENDOCINO / SONOMA EST. S.E. CV			SAN FRANCISCO EST. S.E. CV			SANTA CRUZ / MONTEREY EST. S.E. CV			SAN LUIS OBISPO EST. S.E. CV			TOTAL EST. S.E. CV		
01. LEOPARD SHARK	*	*	*	*	*	*	30	8	25	0	0	100	*	*	*	30	5	8
02. SPINY DOGFISH	*	*	*	0	0	100	30	0	100	0	0	100	*	*	*	30	5	8
03. SHARK, OTHER	*	*	*	0	0	100	30	0	100	0	0	100	*	*	*	30	5	8
04. STURGEONS	*	*	*	105	99	95	30	8	25	0	0	100	*	*	*	30	5	8
05. PACIFIC HERRING	2	3	172	105	99	95	30	8	25	0	0	100	*	*	*	30	5	8
06. NORTHERN ANCHOVY	4	4	101	301	181	68	2	2	85	*	*	*	0	0	0	7	1	4
07. SURF SMELT	304	318	104	301	181	68	203	22	108	1	1	100	*	*	*	809	1	427
10. PACIFIC TONNO	0	0	*	*	*	*	1	0	10	0	0	100	*	*	*	78	1	35
12. PACIFIC HAKE	*	*	*	0	0	70	2	1	45	1	1	100	*	*	*	78	1	35
14. JACKSMELT	3	10	313	0	0	70	2	1	45	1	1	100	*	*	*	56	1	28
15. BLACK ROCKFISH	218	183	84	43	26	60	15	13	35	15	15	100	*	*	*	397	1	189
16. BLUE ROCKFISH	6	3	78	114	47	41	15	13	35	15	15	100	*	*	*	156	1	78
17. BROWN ROCKFISH	1	1	*	30	15	51	15	13	35	15	15	100	*	*	*	156	1	78
18. BOACCIO	*	*	*	30	15	51	15	13	35	15	15	100	*	*	*	156	1	78
19. CANARY ROCKFISH	24	22	98	30	15	51	15	13	35	15	15	100	*	*	*	156	1	78
20. CHILIPEPPER ROCKFISH	*	*	*	19	14	57	11	10	36	19	19	100	*	*	*	339	1	115
21. COPPER ROCKFISH	15	14	*	27	23	57	11	10	36	15	15	100	*	*	*	339	1	115
22. GOPHER ROCKFISH	*	*	*	20	15	57	11	10	36	15	15	100	*	*	*	339	1	115
23. GREENSPOTTED ROCKFISH	0	0	*	10	4	41	11	10	36	15	15	100	*	*	*	339	1	115
24. GREENSTRIPED ROCKFISH	*	*	*	20	15	57	11	10	36	15	15	100	*	*	*	339	1	115
25. OLIVE ROCKFISH	*	*	*	1	0	31	13	10	79	15	15	100	*	*	*	67	1	33
26. GUILLYBACK ROCKFISH	5	4	108	10	5	57	8	5	33	15	15	100	*	*	*	67	1	33
27. ROSY ROCKFISH	*	*	*	22	10	57	1	1	33	15	15	100	*	*	*	67	1	33
28. STARRY ROCKFISH	3	3	98	22	10	57	1	1	33	15	15	100	*	*	*	67	1	33
29. VERMILION ROCKFISH	*	*	*	22	10	57	1	1	33	15	15	100	*	*	*	67	1	33
30. WIDOW ROCKFISH	15	14	91	4	1	31	7	3	36	15	15	100	*	*	*	31	1	15
31. YELLOWTAIL ROCKFISH	15	14	91	61	55	45	175	51	17	15	15	100	*	*	*	31	1	15
33. ROCKFISHES, OTHER	*	*	*	65	55	45	19	17	17	15	15	100	*	*	*	31	1	15
35. KELP GREENLING	5	4	77	65	55	45	19	17	17	15	15	100	*	*	*	31	1	15
36. LINGCOD	*	*	*	65	55	45	19	17	17	15	15	100	*	*	*	31	1	15
36. GREENLINGS, OTHER	1	1	110	9	5	52	1	1	108	15	15	100	*	*	*	11	1	5
37. SABLEFISH	0	0	*	6	2	40	7	3	43	15	15	100	*	*	*	11	1	5
38. CABEZON	5	4	100	2	1	45	0	0	100	15	15	100	*	*	*	11	1	5
39. PAC. STAGHORN SCULPIN	1	0	*	2	1	45	0	0	100	15	15	100	*	*	*	11	1	5
40. SCULPINS, OTHER	1	0	100	2	1	45	0	0	100	15	15	100	*	*	*	11	1	5
41. BARRED SAND BASS	*	*	*	*	*	*	48	15	31	0	0	100	*	*	*	1	0	0
44. STRIPED BASS	*	*	*	6	5	79	63	27	43	360	136	38	*	*	*	49	0	130
46. YELLOWTAIL	*	*	*	6	5	79	63	27	43	360	136	38	*	*	*	49	0	130
48. WHITE CROAKER	*	*	*	6	5	79	63	27	43	360	136	38	*	*	*	49	0	130
50. CROAKERS, OTHER	0	0	100	6	5	79	63	27	43	360	136	38	*	*	*	49	0	130
51. OPALEYE	*	*	*	*	*	*	6	3	49	43	29	47	*	*	*	4	1	2
52. BARRED SURFPERCH	*	*	*	10	0	*	10	0	*	0	0	100	*	*	*	10	0	5
54. BLACK PERCH	*	*	*	10	0	*	10	0	*	0	0	100	*	*	*	10	0	5
55. PILE PERCH	*	*	*	10	0	*	10	0	*	0	0	100	*	*	*	10	0	5
56. REDTAIL SURFPERCH	18	19	185	13	0	74	10	7	46	34	21	44	*	*	*	85	1	44
57. RUBBERLIP SURFPERCH	*	*	*	10	0	*	10	0	*	0	0	100	*	*	*	10	0	5
58. SHINER PERCH	1	2	*	11	0	*	11	0	*	0	0	100	*	*	*	10	0	5
59. SILVER SURFPERCH	50	165	530	11	1	60	75	12	44	38	24	44	*	*	*	165	1	83
60. STRIPED SURFPERCH	3	6	268	11	1	60	75	12	44	38	24	44	*	*	*	165	1	83
61. WALLEYE SURFPERCH	16	46	269	11	1	60	75	12	44	38	24	44	*	*	*	165	1	83
62. WHITE SEAPERCH	6	4	78	1	1	71	3	2	52	15	5	92	*	*	*	7	1	4
63. SURFPERCHES, OTHER	6	4	78	11	1	71	3	2	52	15	5	92	*	*	*	7	1	4
65. PACIFIC BARRACUDA	*	*	*	0	0	*	0	2	52	0	0	100	*	*	*	0	0	0
66. PACIFIC BONITO	*	*	*	0	0	*	0	2	52	0	0	100	*	*	*	0	0	0
67. PACIFIC MACKEREL	*	*	*	0	0	*	0	2	52	0	0	100	*	*	*	0	0	0
68. TUNAS	*	*	*	*	*	*	*	*	*	18	1	61	*	*	*	15	1	7
69. STARRY FLUNDER	0	0	73	0	0	92	6	2	53	121	0	53	*	*	*	15	1	7
70. CALIFORNIA HALIBUT	*	*	*	0	0	92	0	2	53	121	0	53	*	*	*	15	1	7
71. PACIFIC SANDDAB	17	15	89	0	0	92	0	2	53	121	0	53	*	*	*	15	1	7
72. ROCK SOLE	*	*	*	0	0	92	0	2	53	121	0	53	*	*	*	15	1	7
73. FLATFISHES, OTHER	4	2	66	1	1	65	2	1	57	5	2	66	*	*	*	13	1	24
74. SALMONIDS	3	2	68	0	0	65	0	0	57	6	2	68	*	*	*	13	1	24
75. OTHER FISH	0	0	49	0	0	62	10	9	58	5	3	66	*	*	*	13	1	24
TOTAL	815	409	50	991	218	22	1,306	257	20	1,801	184	10	1000	188	19	5,913	592	10

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 26. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1985--DEC 1985.

GROUP	DEL NORTE / HUMBOLDT	MENDOCINO / SONOMA	SAN FRANCISCO OCEAN	BAY	SANTA CRUZ / MONTEREY	SAN LUIS OBISPO	TOTAL
01. LEOPARD SHARK	*	*	1	38	*	0	39
02. SPINY DOGFISH	*	0	*	148	5	2	155
03. SHARK, OTHER	*	*	*	8	*	1	9
04. STURGEONS	*	*	*	0	*	*	0
05. PACIFIC HERRING	0	*	*	*	*	*	0
06. NORTHERN ANCHOVY	9	*	*	6	*	*	15
08. SMELTS, OTHER	3	*	*	*	*	*	4
12. PACIFIC HAKE	*	*	4	*	40	*	44
14. JACKSMELT	*	*	*	1	3	4	8
15. BLACK ROCKFISH	9	*	*	*	*	*	9
16. BLUE ROCKFISH	0	3	50	*	23	11	2
17. BROWN ROCKFISH	0	*	*	21	33	0	28
18. BOCCACCIO	*	*	*	*	1	10	4
20. CHILILIPEPPER ROCKFISH	*	*	*	*	0	10	0
21. COPPER ROCKFISH	0	*	0	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	2	200
24. GREENSTRIPED ROCKFISH	*	*	*	*	0	*	4
25. OLIVE ROCKFISH	*	*	*	*	*	0	0
27. ROSY ROCKFISH	*	0	4	*	0	*	0
29. VERMILLION ROCKFISH	*	*	*	*	*	*	40
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	0
33. ROCKFISHES, OTHER	9	20	52	22	131	40	286
34. KELP GREENLING	2	2	5	1	0	0	4
35. LINGCOD	0	2	5	1	4	4	17
36. GREENLINGS, OTHER	1	2	*	1	*	0	4
37. SABLEFISH	*	*	*	*	2	*	2
38. CABEZON	1	1	0	2	2	3	9
39. PAC. STAGHORN SCULPIN	0	92	40	486	180	41	839
40. SCULPINS, OTHER	11	1	*	*	1	*	13
41. BARRED SAND BASS	*	*	*	*	*	0	0
43. KELP BASS	*	*	*	*	*	0	0
44. STRIPED BASS	*	3	2	30	*	*	36
48. WHITE CROAKER	*	*	8	8	116	31	164
51. OPALEYE	*	*	0	*	4	1	17
53. BARRED SURFPERCH	*	*	0	*	*	3	0
54. BLACK PERCH	*	*	*	*	*	0	0
55. PILE PERCH	0	*	*	0	*	*	0
56. REDTAIL SURFPERCH	4	1	*	*	*	*	5
57. RUBBERLIP SEAPERCH	*	*	*	0	*	*	0
58. SHINER PERCH	0	0	0	20	*	1	22
59. SILVER SURFPERCH	6	*	*	1	*	6	13
60. STRIPED SEAPERCH	1	0	*	*	*	*	1
61. WALLEYE SURFPERCH	*	*	0	*	7	1	8
62. WHITE SEAPERCH	2	*	*	*	8	1	9
63. SURFPERCHES, OTHER	8	6	7	33	83	11	147
65. PACIFIC BARRACUDA	*	*	*	*	*	0	0
66. PACIFIC BONITO	*	*	*	*	*	0	0
67. PACIFIC MACKEREL	*	*	7	1	26	57	91
69. STARRY FLounder	*	*	*	10	*	*	10
70. CALIFORNIA HALIBUT	*	*	*	*	0	10	10
71. PACIFIC SANDDAB	*	2	0	2	27	*	31
72. ROCK SOLE	0	*	*	*	38	*	43
73. FLATFISHES, OTHER	1	0	*	*	0	*	1
74. SALMONIDS	1	*	*	*	30	12	14
75. OTHER FISH	1	6	14	81	30	12	144
TOTAL	70	152	151	923	736	256	2,287

TABLE 27. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY COASTAL COUNTY DISTRICT AND MODE,  
JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	29	8	0	17	16	0	*	0	70
MENDOCINO/SONOMA (NON-BOAT MODES)	4	11	*	21	*	*	*	*	36
MENDOCINO (BOAT MODES)	*	*	*	*	5	0	*	*	5
SONOMA (BOAT MODES)	*	*	*	*	110	1	*	*	111
SAN FRANCISCO	167	29	*	220	594	123	*	0	1,074
SANTA CRUZ/MONTEREY	305	3	*	29	265	124	*	0	736
SAN LUIS OBISPO	71	1	*	25	128	31	*	*	26
TOTAL	576	52	0	312	1,118	230	0	0	2,287

TABLE 28. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	0	*	5	33	1	*	39
02. SPINY DOGFISH	*	*	*	2	0	*	*	3
03. SHARK, OTHER	1	1	*	5	146	0	*	154
04. STURGEONS	0	*	*	0	7	*	*	8
05. PACIFIC HERRING	*	*	*	0	0	*	*	0
06. NORTHERN ANCHOVY	14	0	*	0	*	*	*	15
07. SURF SMELT	*	*	*	*	*	*	*	*
08. SMELTS, OTHER	3	*	*	*	*	*	*	3
10. PACIFIC TOMCOD	*	*	*	*	*	*	*	4
12. PACIFIC HAKE	*	1	*	*	2	42	*	44
14. JACKSMELT	2	1	*	3	2	*	*	*
15. BLACK ROCKFISH	0	1	*	2	24	16	*	*
16. BLUE ROCKFISH	*	0	*	16	26	*	*	30
17. BROWN ROCKFISH	4	0	*	*	*	*	*	10
18. BOCACCO	9	*	*	16*	22	*	*	30
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPePPER ROCKFISH	*	*	*	*	*	10	*	10
21. COPPER ROCKFISH	*	0	*	1	1	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	0	0	*	0
26. QUILLBACK ROCKFISH	*	*	*	*	0	*	*	*
27. ROSTY ROCKFISH	*	*	*	*	0	4	*	4
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	0
30. WIDOW ROCKFISH	*	*	*	*	0	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	*	0
33. ROCKFISHES, OTHER	8	1	*	4	183	80	*	286
34. KELP GREENLING	0	1	*	3	1	*	0	4
35. LINGODD	0	0	*	1	10	6	*	17
36. GREENLINGS, OTHER	1	*	*	2	*	2	*	4
37. SABLEFISH	*	*	*	*	*	2	*	2
38. CABEZON	3	1	*	5	1	*	*	9
39. PAC. STAGHORN SCULPIN	311	24	*	168	329	8	*	839
40. SCULPINS, OTHER	8	3	*	1	0	*	*	13
41. BARRED SAND BASS	*	*	*	0	*	*	*	0
43. KELP BASS	*	*	*	0	*	*	*	0
44. STRIPED BASS	1	*	*	1	32	2	*	36
46. YELLOWTAIL	*	*	*	*	*	*	*	*
48. WHITE CROAKER	20	1	*	1	138	4	*	164
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*
51. OPALLEYE	*	*	*	1	*	*	*	1
53. BARRED SURPERCH	2	*	*	5	*	*	*	7
54. BLACK PERCH	*	*	*	0	*	*	*	0
55. PILE PERCH	0	*	*	0	0	*	*	1
56. REDTAIL SURPERCH	0	0	*	5	*	*	*	5
57. RUBBERLIP SURPERCH	*	0	*	*	*	*	*	*
58. SHINER PERCH	5	0	*	2	15	*	*	22
59. SILVER SURPERCH	0	*	*	13	*	*	*	13
60. STRIPED SURPERCH	*	0	*	1	0	*	*	1
61. WALLEYE SURPERCH	8	*	*	10	*	*	*	8
62. WHITE SURPERCH	9	*	*	4	22	*	*	9
63. SURPERCHES, OTHER	0	4	*	*	0	*	*	4
65. PACIFIC BARRACUDA	0	*	*	*	20	*	*	147
66. PACIFIC BONITO	*	*	*	0	*	*	*	0
67. PACIFIC MACKEREL	2	*	*	0	40	48	*	91
68. TUNAS	*	*	*	4	*	*	*	*
69. STARRY FLounder	0	*	*	6	10	*	*	10
70. CALIFORNIA HALIBUT	*	*	*	0	10	*	*	10
71. PACIFIC SANDAB	9	0	*	0	20	1	*	31
72. ROCK SOLE	*	*	*	0	*	1	*	0
73. FLATFISHES, OTHER	23	0	*	0	18	0	*	43
74. SALMONIDS	0	11	*	27	60	4	*	11
75. OTHER FISH	41	11	*	27	60	4	*	144
TOTAL	576	52	0	312	1,118	230	0	2,287

TABLE 29. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
05. PACIFIC HERRING	*	*	*	*	0	*	*	*
06. NORTHERN ANCHOVY	9	0	*	*	*	*	*	0
07. SURF SMELT	*	*	*	*	*	*	*	9*
08. SMELTS, OTHER	3	*	*	*	*	*	*	3*
10. PACIFIC TONNOOD	*	*	*	*	*	*	*	*
14. JACKSMELT	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	0	1	*	*	7	*	*	9
16. BLUE ROCKFISH	*	100	*	*	*	*	*	000
17. BROWN ROCKFISH	*	10	*	0	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	0	*	*	*	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
26. GUILLEBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	1	1	*	0	7	*	*	9
34. KELP GREENLING	0	1	*	1	00	*	*	20
35. LINGCOD	*	0	*	1	*	*	*	*
36. GREENLINGS, OTHER	0	1	*	1	*	*	*	1
37. SABLEFISH	*	*	*	*	*	*	*	*
38. CABEZON	*	0	*	1	*	*	*	*
39. PAC. STAGHORN SCULPIN	0	*	*	0	*	*	*	10
40. SCULPINS, OTHER	8	2	*	1*	0	*	*	61*
50. CROAKERS, OTHER	*	0	*	1	0	*	*	*
55. PILE PERCH	0	*	*	0	*	*	*	0
56. RETAIL SURFPERCH	00	*	*	4	*	*	*	40
58. SHINER PERCH	0	*	*	*	*	*	*	*
59. SILVER SURFPERCH	*	*	*	6	*	*	*	61
60. STRIPED SURFPERCH	*	0	*	1	0	*	*	*
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*
62. WHITE SURFPERCH	2	*	*	0	*	*	*	2
63. SURFPERCHES, OTHER	6	1	*	1	0	*	*	8
69. STARRY FLounder	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	1	0	*	00	*	*	*	1
74. SALMONIDS	*	00	*	00	0	*	*	1
75. OTHER FISH	*	0	*	0	1	*	*	1
TOTAL	29	8	0	17	16	0	0	70

TABLE 30. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	0	*	*	*	*	*	0
05. PACIFIC HERRING	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*
14. JACKSMELT	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	2	*	*	*	2
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	1	*	*	0	1
34. KELP GREENLING	*	*	*	0	*	*	*	0
35. LINGCOD	0	0	*	0	*	*	*	1
36. GREENLINGS, OTHER	0	0	*	2	*	*	*	2
38. CABEZON	*	0	*	1	*	*	*	1
39. PAC. STAGHORN SCULPIN	2	8	*	6	*	*	*	15
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
44. STRIPED BASS	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURPERCH	*	0	*	1	*	*	*	1
57. RUBBERLIP SURPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	*	*	*	*	0
59. SILVER SURPERCH	*	*	*	*	*	*	*	*
60. STRIPED SURPERCH	*	0	*	0	*	*	*	0
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*
82. WHITE SURPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	2	0	*	4	*	*	*	6
69. STARRY FLounder	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	0
75. OTHER FISH	*	1	*	5	*	*	*	6
TOTAL	4	11	0	21	0	0	0	36

TABLE 31. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	1	*	*	1
18. BOACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
26. GUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	1	*	*	1
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	*	*	*	*	1	*	*	1
38. CABEZON	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	2	*	*	2
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	*	*	*	*	*
TOTAL	0	0	0	0	5	0	0	5

TABLE 32. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*
04. STURGEONS	*	*	*	*	0	*	*	0
14. JACKSMELT	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. GUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	0	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	29	1	*	30
34. KELP GREENLING	*	*	*	*	0	*	*	0
35. LINGCOD	*	*	*	*	7	*	*	7
39. PAC. STAGHORN SCULPIN	*	*	*	*	3	*	*	3
44. STRIPED BASS	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	0	*	*	*
75. OTHER FISH	*	*	*	*	*	*	*	0
TOTAL	0	0	0	0	110	1	0	111

TABLE 33. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	5	33	1	*	39
02. SPINY DOGFISH	*	*	*	*	*	*	1
03. SHARK, OTHER	0	0	5	141	1	*	148
04. STURGEONS	0	*	*	7	0	*	8
05. PACIFIC HERRING	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	6	*	*	0	*	*	6
07. SURF SMELT	*	*	*	*	*	*	*
10. PACIFIC TOMCOD	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	1	*	*	4	*	4
14. JACKSMELT	0	1	*	1	*	*	1
15. BLACK ROCKFISH	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	5
17. BROWN ROCKFISH	0	*	*	15	6	1	22
18. BOCCACCIO	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	0	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	4	*	4
28. STARRY ROCKFISH	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	2	*	2	39	30	*	74
34. KELP GREENLING	*	*	1	*	*	*	6
35. LINGCOD	0	0	*	3	2	*	6
36. GREENLINGS, OTHER	1	*	*	*	*	*	1
38. CABEZON	0	*	*	*	*	*	3
39. PAC. STAGHORN SCULPIN	113	14	154	238	8	*	58*
40. SCULPINS, OTHER	*	*	*	*	*	*	*
44. STRIPED BASS	1	*	1	29	2	*	33
48. WHITE CROAKER	3	1	*	11	1	*	16
53. BARRED SURPERCH	0	*	*	*	*	*	0
54. BLACK PERCH	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	0	*	*	0
56. REDTAIL SURPERCH	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	0	*	*	*	*	0
58. SHINER PERCH	4	0	*	2	15	*	20
59. SILVER SURPERCH	0	*	*	1	*	*	1*
60. STRIPED SURPERCH	*	*	*	*	*	*	0
61. WALLEYE SURPERCH	0	*	*	*	*	*	0
62. WHITE SURPERCH	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	15	2	7	15	*	*	39
67. PACIFIC MACKEREL	*	*	*	*	*	*	*
69. STARRY FLounder	0	*	4	16	70	*	10*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	2	0	*	*	0	*	2
72. ROCK SOLE	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	*	*	*
75. OTHER FISH	18	9	20	45	2	*	94
TOTAL	167	29	0	220	594	63	0
							1,074

TABLE 34. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	1	*	*	*	1
03. SHARK, OTHER	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*
10. PACIFIC TOMCOD	*	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	1	*	*	4	*	*	4
14. JACKSMELT	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	30	1	*	50
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	0	*	0
22. COPIHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. GUILFBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	4	*	*	4
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	21*	30	*	*	52*
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGCOD	*	0	*	*	3	2	*	5
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	00	*	*	*	0
39. PAC. STAGHORN SCULPIN	12*	6	*	00	2	1	*	42
44. STRIPED BASS	*	*	*	*	*	*	*	*
48. WHITE CROAKER	3	1	*	*	4	*	*	8
53. BARRED SURFPERCH	30	*	*	*	*	*	*	30
56. REDTAIL SURFPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	*	*	*	*	0
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	0	*	*	*	*	*	*	0
63. SURFPERCHES, OTHER	4	0	*	0	3	7	*	7
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	0	*	*	*	0	*	0
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	*	*	*	*	*
75. OTHER FISH	0	5	*	*	7	1	*	14
TOTAL	40	14	0	2	45	51	0	151

TABLE 35. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	0	*	4	33	1	*	38
02. SPINY DOGFISH	*	*	*	*	1	*	*	1
03. SHARK, OTHER	0	0	*	5	141	1	*	148
04. STURGEONS	0	*	*	*	7	0	*	8
05. PACIFIC HERRING	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	6	*	*	0	*	*	*	6
07. SURF SMELT	*	*	*	*	*	*	*	*
10. PACIFIC TOMODD	*	*	*	*	*	*	*	*
14. JACKSMELT	0	1	*	*	1	*	*	1
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	0	*	*	15	6	*	*	21
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	2	*	*	2	18	0	*	22
34. KELP GREENLING	*	*	*	1	*	*	*	1
35. LINGCOD	0	*	*	*	0	*	*	1
36. GREENLINGS, OTHER	1	*	*	*	*	*	*	1
38. CABEZON	0	*	*	2	*	*	*	2
39. PAC. STAGHORN SCULPIN	81*	8	*	153	257*	7	*	486*
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
44. STRIPED BASS	1	*	*	1	27	2	*	30
48. WHITE CROAKER	0	*	*	*	7	1	*	8
53. BARRED SURPERCH	*	*	*	*	*	*	*	*
54. BLACK PERCH	*	*	*	*	0	*	*	0
55. PILE PERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SURPERCH	*	0	*	*	*	*	*	0
58. SHINER PERCH	3	0	*	2	15	*	*	20
59. SILVER SURPERCH	0	*	*	1	*	*	*	1
60. STRIPED SURPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	*	*	*	*	*	*	*
62. WHITE SURPERCH	*	*	*	*	*	*	*	*
63. SURPERCHES, OTHER	12	2	*	6	13	*	*	33
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	0	*	*	4	6	0	*	10
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	2	*	*	*	*	*	*	2
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
75. OTHER FISH	18	4	*	20	38	1	*	81
TOTAL	127	16	0	218	549	13	0	923

TABLE 36. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1985--DEC 1985.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	*	*	*	*
02. SPINY DOGFISH	*	*	*	0	0	*	*	0
03. SHARK, OTHER	0	*	*	4	0	*	*	5*
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	*	*	2	38	*	*	40
14. JACKSMELT	0	*	*	3	*	*	*	3
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	9	14	*	23*
17. BROWN ROCKFISH	3	*	*	*	*	*	*	3
18. BOCCACCIO	1	*	*	*	*	*	*	1
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPePPER ROCKFISH	*	*	*	*	*	0	*	0*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	0	*	0
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	0	0	*	0*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	0	*	0
33. ROCKFISHES, OTHER	5	*	*	0	76	49*	*	131
34. KELP GREENLING	*	*	*	0	*	*	*	0
35. LINGODD	0	*	*	*	2	2	*	4
37. SABLEFISH	*	*	*	*	*	*	*	*
38. CABEZON	1	*	*	18	0	*	*	2
39. PAC. STAGHORN SCULPIN	158	2	*	18	11	*	*	180
40. SCUPINS, OTHER	1	*	*	*	*	*	*	1
44. STRIPED BASS	*	*	*	*	*	*	*	*
48. WHITE CROAKER	10	*	*	1	103	3	*	116
53. BARRED SURFPERCH	2	*	*	2	*	*	*	4
54. BLACK PERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	*	*	*	*	*	*	*	*
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	7	*	*	0	*	*	*	7
62. WHITE SEAPERCH	8	*	*	*	*	*	*	8
63. SURFPERCHES, OTHER	64	1	*	12	6	*	*	83*
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	0	*	*	*	4	21*	*	26*
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	0	*	*	0
71. PACIFIC SANDDAB	7	0	*	0	19	1	*	27
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	20	0	*	0	18	0	*	38
74. SALMONIDS	0	*	*	*	*	1	*	0
75. OTHER FISH	16	0	*	1	10	1	*	30
TOTAL	305	3	0	29	265	134	0	736

TABLE 37. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN LUIS OBISPO,  
JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	1	0	*	*	2
03. SHARK, OTHER	*	0	*	*	1	*	*	*	1*
06. NORTHERN ANCHOVY	*	*	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	*	*	*	*	*	*	*	*
14. JACKSMELT	2	*	*	1	1	*	*	*	4
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	11	0	*	*	11
17. BROWN ROCKFISH	0	*	*	*	*	*	*	*	0
18. BOCCACCIO	8	*	*	*	2	*	*	*	10
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIEPPER ROCKFISH	*	*	*	*	*	0	*	*	0*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	1	1	*	*	*	2
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	0	0	*	*	0
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERNILION ROCKFISH	*	*	*	*	0	*	*	*	0*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	*	*	0
33. ROCKFISHES, OTHER	*	*	*	10	31	8	*	*	40
34. KELP GREENLING	*	*	*	0	0	*	*	*	0
35. LINGOD	*	*	*	0	3	2	*	*	4
36. GREENLINGS, OTHER	*	*	*	0	*	0	*	*	0
37. SABLEFISH	*	*	*	*	*	*	*	*	*
38. CABEZON	2	0	*	0	2	*	*	*	31
39. PAC. STAGHORN SCULPIN	38	*	*	*	*	*	*	*	41
41. BARRED SAND BASS	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	0	*	*	*	*	0
44. STRIPED BASS	*	*	*	*	*	*	*	*	*
46. YELLOWTAIL	*	*	*	*	*	*	*	*	*
48. WHITE CRONER	7	*	*	*	24	*	*	*	31
51. OPALLEYE	*	*	*	1	*	*	*	*	1
53. BARRED SURFPERCH	0	*	*	3	*	*	*	*	3
54. BLACK PERCH	*	*	*	00	*	*	*	*	00
55. PILE PERCH	*	*	*	0	*	*	*	*	*
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	0	*	*	*	*	1
59. SILVER SURFPERCH	*	*	*	6	*	*	*	*	6
60. STRIPED SEAPERCH	*	*	*	+	*	*	*	*	*
61. WALLEYE SURFPERCH	1	*	*	*	*	*	*	*	1
63. SURFPERCHES, OTHER	2	*	*	9	1	*	*	*	11
65. PACIFIC BARRACUDA	0	*	*	*	0	*	*	*	0
66. PACIFIC BONITO	*	*	*	0	*	*	*	*	0
67. PACIFIC MACKEREL	2	*	*	0	35	20	*	*	57
68. TUNAS	*	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	*	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	0	10	*	*	*	10
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	2	*	*	*	0	*	*	*	3
75. OTHER FISH	6	*	*	1	4	1	*	*	12
TOTAL	71	1	0	25	128	31	0	0	256

TABLE 38. ESTIMATED THOUSANDS OF FISH CAUGHT BY TYPE, WAVE, AND COASTAL COUNTY DISTRICT, JAN 1965--DEC 1965.

WAVE	COASTAL COUNTY DISTRICT	CATCH TYPE A	CATCH TYPE B3	CATCH TYPE B4	TOTAL
JAN/FEB	DEL NORTE/HUMBOLDT	48	5	12	65
	MENDOCINO/SONOMA	73	1	1	75
	S. F. OCEAN	74	*	19	93
	S. F. BAY	34	1	55	125
	SANTA CRUZ/MONTEREY	96	11	49	155
	SAN LUIS OBISPO	136	12	15	163
	TOTAL	461	30	192	683
MAR/APR	DEL NORTE/HUMBOLDT	10	2	4	17
	MENDOCINO/SONOMA	44	3	3	49
	S. F. OCEAN	52	7	33	95
	S. F. BAY	38	22	86	150
	SANTA CRUZ/MONTEREY	29	31	47	109
	SAN LUIS OBISPO	71		8	109
	TOTAL	453	66	141	659
MAY/JUN	DEL NORTE/HUMBOLDT	241	5	15	260
	MENDOCINO/SONOMA	180	107	9	436
	S. F. OCEAN	106	6	43	155
	S. F. BAY	68	13	230	311
	SANTA CRUZ/MONTEREY	495	95	227	817
	SAN LUIS OBISPO	187	41	25	203
	TOTAL	1,415	267	550	2,231
JUL/AUG	DEL NORTE/HUMBOLDT	488	190	35	713
	MENDOCINO/SONOMA	366	2	46	414
	S. F. OCEAN	398	1	32	431
	S. F. BAY	54	45	295	394
	SANTA CRUZ/MONTEREY	53	31	261	715
	SAN LUIS OBISPO	23	63	50	346
	TOTAL	1,963	332	719	3,014
SEP/OCT	DEL NORTE/HUMBOLDT	25	3	2	28
	MENDOCINO/SONOMA	169	8	14	191
	S. F. OCEAN	266	10	38	304
	S. F. BAY	41	21	86	147
	SANTA CRUZ/MONTEREY	289	35	97	422
	SAN LUIS OBISPO	282	76	112	470
	TOTAL	1,062	151	349	1,582
NOV/DEC	DEL NORTE/HUMBOLDT	5	1	1	7
	MENDOCINO/SONOMA	20	0	79	98
	S. F. OCEAN	72	1	15	88
	S. F. BAY	115	3	141	258
	SANTA CRUZ/MONTEREY	258	76	54	388
	SAN LUIS OBISPO	90	47	47	184
	TOTAL	560	127	336	1,024
	GRAND TOTAL	5,913	971	2,287	9,172

TABLE 39. ESTIMATED THOUSANDS OF PARTICIPANTS IN MARINE RECREATIONAL FISHING, BY COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	COASTAL PARTICIPANTS	NON-COASTAL PARTICIPANTS	CUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT	23	10	12	45
STD ERR	28	9	20	45
MENDOCINO/SONOMA (NON-BOAT MODES)	47	15	*	62
STD ERR	51	14	*	62
MENDOCINO (BOAT MODES)	6	10	3	19
STD ERR	7	*	12	14
SONOMA (BOAT MODES)	34	1	*	35
STD ERR	32	1	*	33
SAN FRANCISCO	319	4	*	323
STD ERR	417	6	*	417
SANTA CRUZ/MONTEREY	89	21	9	119
STD ERR	105	15	9	107
SAN LUIS OBISPO	21	22	37	80
STD ERR	27	20	36	49
GRAND	540	83		
STD ERR	436	31		

TABLE 40. ESTIMATED THOUSANDS OF FISHING TRIPS BY COASTAL COUNTY DISTRICT, JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY CUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	110	41	28	179
STD ERR	87	48	28	128
MENDOCINO/SONOMA (NON-BOAT MODES)	160	33	10	178
STD ERR	44	33	10	53
MENDOCINO (BOAT MODES)	38	23	13	53
STD ERR	28	23	13	33
SONOMA (BOAT MODES)	37	22	10	77
STD ERR	30	20	10	70
SAN FRANCISCO	1,135	16	14	1,165
STD ERR	1,163	16	14	1,147
SANTA CRUZ/MONTEREY	290	13	13	328
STD ERR	242	16	13	249
SAN LUIS OBISPO	51	51	37	220
STD ERR	51	51	37	79
TOTAL	1,860	189	151	2,200
STD ERR	182	84	102	225

TABLE 41. ESTIMATED THOUSANDS OF FISHING, TRIPS BY MODE AND COASTAL COUNTY DISTRICT, JAN 1985---DEC 1985.

COASTAL COUNTY DISTRICT	MODE	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	PIER & DOCK	20	2	4	27
	STD ERR	22	30	53	83
	JETTY & BREAKWATER	15	3	7	28
	STD ERR	15	11	7	30
	BRIDGE & CAUSEWAY	0	*	0	0
	STD ERR	0	*	0	0
	B/B - H & L	1	7	1	31
	STD ERR	1	7	1	41
	P/R BOAT	36	19	21	100
	STD ERR	34	47	48	75
	CPFV	0	1	0	1
	STD ERR	0	1	0	1
	SPEAR	0	*	0	0
	STD ERR	1	0	*	1
	TOTAL	110	41	28	179
	STD ERR	87	60	72	128
MENTOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	18	3	0	21
	STD ERR	11	1	1	14
	JETTY & BREAKWATER	15	7	11	23
	STD ERR	15	9	3	13
	B/B - H & L	9	3	4	18
	STD ERR	10	9	9	49
	SPEAR	41	0	0	8
	STD ERR	41	0	1	4
	TOTAL	140	33	5	178
	STD ERR	44	28	10	53
MENTOCINO (BOAT MODES)	P/R BOAT	23	11	3	37
	STD ERR	28	22	12	53
	CPFV	6	4	1	16
	STD ERR	2	4	1	5
	TOTAL	30	20	3	53
	STD ERR	28	23	12	53
SONOMA (BOAT MODES)	P/R BOAT	65	0	0	65
	STD ERR	60	0	*	60
	CPFV	10	1	0	12
	STD ERR	10	0	0	0
	TOTAL	75	2	0	77
	STD ERR	70	0	0	70
SAN FRANCISCO	PIER & DOCK	163	0	1	165
	STD ERR	155	0	5	155
	JETTY & BREAKWATER	37	10	15	37
	STD ERR	37	11	16	39
	B/B - H & L	9	2	1	9
	STD ERR	9	2	1	9
	P/R BOAT	313	16	28	322
	STD ERR	313	16	28	322
	CPFV	107	8	16	112
	STD ERR	107	8	16	112
	STD ERR	518	18	24	539
	STD ERR	518	18	24	539
	STD ERR	102	5	7	113
	STD ERR	102	5	7	113
	TOTAL	1,135	16	24	1,165
	STD ERR	143	24	28	147

(CONTINUED)

TABLE 41. (CONTINUED)

SANTA CRUZ/MONTEREY	PIER & DOCK	106	1	16	109
	STD ERR	28	4	0	29
	JETTY & BREAKWATER	3	*	0	3
	STD ERR	1	*	0	1
	B/B - H & L	45	0	0	45
	STD ERR	18	3	22	18
	P/R BOAT	76	6	27	85
	STD ERR	28	12	79	29
	OPFV	48	16	74	74
	STD ERR	10	10	80	17
	SPEAR	11	1	1	12
	STD ERR	7			7
	TOTAL	290	25	13	328
	STD ERR	44	16	13	49
SAN LUIS OBISPO	PIER & DOCK	16	13	18	47
	STD ERR	12	20	30	38
	JETTY & BREAKWATER	1	*	0	1
	STD ERR	1	*	1	2
	B/B - H & L	18	14	11	43
	STD ERR	11	17	19	38
	P/R BOAT	29	11	26	88
	STD ERR	25	21	38	49
	OPFV	18	13	33	34
	STD ERR	11	15	36	40
	TOTAL	82	51	87	220
	STD ERR	31	37	63	79
	GRAND TOTAL	1,860	189	151	2,200
	STD ERR	182	84	102	225

TABLE 42. ESTIMATES FROM INTERCEPT SURVEY DATA OF MEAN NUMBER OF HOURS FISHED, BY COASTAL COUNTY DISTRICT AND MODE, JAN 1985--DEC 1985.

MODE	COASTAL COUNTY DISTRICT	MEAN	MEDIAN	STD DEV
PIER & DOCK	DEL NORTE/HUMBOLDT	2.3	2.0	1.370
	MENDOCINO/SONOMA	2.2	1.5	1.573
	SAN FRANCISCO	3.4	3.0	2.173
	SANTA CRUZ/MONTEREY	3.1	2.5	2.229
	SAN LUIS OBISPO	2.7	2.0	1.758
JETTY & BREAKWATER	DEL NORTE/HUMBOLDT	2.6	2.3	1.608
	MENDOCINO/SONOMA	2.6	2.0	1.583
	SAN FRANCISCO	3.2	2.5	2.260
	SANTA CRUZ/MONTEREY	2.7	2.0	2.250
	SAN LUIS OBISPO	3.2	3.0	1.551
BRIDGE & CAUSEWAY	DEL NORTE/HUMBOLDT	3.3	3.0	2.528
	SAN LUIS OBISPO	2.8	2.0	2.000
B/B - H & L	DEL NORTE/HUMBOLDT	2.6	2.0	1.593
	MENDOCINO/SONOMA	2.7	2.0	1.993
	SAN FRANCISCO	3.5	3.0	1.924
	SANTA CRUZ/MONTEREY	3.3	3.0	1.965
	SAN LUIS OBISPO	2.4	2.0	1.365
P/R BOAT	DEL NORTE/HUMBOLDT	3.7	3.5	1.917
	MENDOCINO (BOAT MODES)	4.0	4.0	1.872
	SONOMA (BOAT MODES)	4.7	4.0	1.733
	SAN FRANCISCO	5.0	5.0	2.010
	SANTA CRUZ/MONTEREY	4.4	4.5	2.005
	SAN LUIS OBISPO	3.9	4.0	1.712
OPFV	DEL NORTE/HUMBOLDT	5.2	5.0	1.167
	MENDOCINO (BOAT MODES)	3.9	4.0	0.582
	SONOMA (BOAT MODES)	4.1	4.0	1.259
	SAN FRANCISCO	4.9	5.0	1.868
	SANTA CRUZ/MONTEREY	4.3	4.0	1.642
	SAN LUIS OBISPO	3.9	3.5	2.223
B/B - NET	SAN FRANCISCO	3.0	3.0	0.000
SPEAR	DEL NORTE/HUMBOLDT	3.0	2.0	2.366
	MENDOCINO/SONOMA	1.0	0.5	0.979
	SANTA CRUZ/MONTEREY	1.0	1.0	0.439
	SAN LUIS OBISPO	0.5	0.5	0.000

TABLE 43. TABULATION OF PRIMARY GROUP SOUGHT BY COASTAL COUNTY DISTRICT, JAN 1965--DEC 1965.

DEL NORTE/HUMBOLDT			SAN FRANCISCO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
NONE	516	26.72	44. STRIPED BASS	1274	35.80
33. ROCKFISHES, OTHER	362	18.75	NONE	820	23.04
75. OTHER FISH	229	11.86	33. ROCKFISHES, OTHER	397	11.15
35. LINGCOD	222	11.50	04. STURGEONS	346	9.72
63. SURPERCHES, OTHER	197	10.20	63. SURPERCHES, OTHER	306	8.60
56. REDTAIL SURPERCH	135	6.99	03. SHARK, OTHER	87	2.44
76. SALMONIDS	83	4.30	75. OTHER FISH	62	1.74
15. BLACK ROCKFISH	77	3.99	48. WHITE CROAKER	54	1.52
36. GREENLINGS, OTHER	52	1.86	70. CALIFORNIA HALIBUT	42	1.18
07. SURF SMELT	28	1.45	35. LINGCOD	41	1.15
34. KELP GREENLING	18	0.93	14. JACKSMELT	36	1.01
38. CABEZON	13	0.67	69. STARRY FLOUNDER	31	0.87
14. JACKSMELT	10	0.52	58. SHINER PERCH	16	0.45
06. NORTHERN ANCHOVY	2	0.10	07. SURF SMELT	15	0.43
60. STRIPED SEAPERCH	2	0.10	06. NORTHERN ANCHOVY	8	0.22

MENDOCINO/SONOMA			SANTA CRUZ/MONTEREY		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
NONE	757	63.19	NONE	1056	46.93
05. PACIFIC HERRING	82	6.84	33. ROCKFISHES, OTHER	399	17.73
63. SURPERCHES, OTHER	82	6.84	63. SURPERCHES, OTHER	257	11.42
35. LINGCOD	59	4.17	35. LINGCOD	131	5.82
33. ROCKFISHES, OTHER	45	3.76	68. TUNAS	127	5.64
38. CABEZON	44	3.67	75. OTHER FISH	122	2.31
75. OTHER FISH	37	3.09	44. STRIPED BASS	50	2.22
07. SURF SMELT	30	2.50	71. PACIFIC SANDDAB	31	1.38
74. SALMONIDS	22	1.84	48. WHITE CROAKER	20	1.11
14. JACKSMELT	8	0.67	03. SHARK, OTHER	19	1.02
16. BLUE ROCKFISH	8	0.67	67. PACIFIC MACKEREL	21	0.93
56. REDTAIL SURPERCH	8	0.67	70. CALIFORNIA HALIBUT	19	0.84
36. GREENLINGS, OTHER	5	0.42	74. SALMONIDS	16	0.71
44. STRIPED BASS	5	0.42	14. JACKSMELT	13	0.58
69. STARRY FLOUNDER	4	0.33	53. BARRED SURPERCH	11	0.49

MENDOCINO (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	358	84.43	NONE	1085	63.01
35. LINGCOD	44	10.38	63. SURPERCHES, OTHER	133	7.72
74. SALMONIDS	14	3.30	33. ROCKFISHES, OTHER	128	7.43
NONE	6	1.42	75. OTHER FISH	109	6.33
33. ROCKFISHES, OTHER	2	0.47	68. TUNAS	90	5.23

SONOMA (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
33. ROCKFISHES, OTHER	171	61.07	NONE	1085	63.01
NONE	29	10.36	63. SURPERCHES, OTHER	133	7.72
44. STRIPED BASS	28	10.00	33. ROCKFISHES, OTHER	128	7.43
75. OTHER FISH	20	8.93	75. OTHER FISH	109	6.33
35. LINGCOD	13	4.64	68. TUNAS	90	5.23
04. STURGEONS	11	3.93	70. CALIFORNIA HALIBUT	70	4.07
03. SHARK, OTHER	3	1.07	35. LINGCOD	34	1.97
			67. PACIFIC MACKEREL	20	1.16
			18. BOCACIO	17	0.99
			38. CABEZON	16	0.55
			16. BLUE ROCKFISH	16	0.29
			53. BARRED SURPERCH	15	0.29
			48. WHITE CROAKER	14	0.23
			74. SALMONIDS	12	0.17
			25. OLIVE ROCKFISH	2	0.12

**TABLE 44.** FREQUENCY DISTRIBUTION OF NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1985---DEC 1985. THE TOP NUMBER IN EACH CELL IS THE NUMBER OF FISHERS IN EACH CATCH SIZE, AND THE BOTTOM NUMBER IS THE PERCENTAGE OF THE DISTRICT TOTAL.

PIER & DOCK											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	67 39.18	22 12.87	23 13.45	4 2.34	11 6.43	22 12.87	11 6.43	3 1.75	2 1.17	6 3.51	171
MENDOCINO/SONOMA	56 41.18	16 11.76	7 5.15	2 1.47	11 8.09	17 12.50	7 5.15	4 2.94	2 1.47	14 10.29	136
SAN FRANCISCO	496 55.36	98 10.94	83 9.26	53 5.92	59 6.58	76 8.48	16 1.79	10 1.12	3 0.33	2 0.22	896
SANTA CRUZ/MONTEREY	189 44.37	47 11.03	38 8.92	25 5.87	26 5.63	50 11.74	17 3.99	12 2.82	8 1.88	16 3.76	426
SAN LUIS OBISPO	154 38.02	45 11.11	35 8.64	37 9.14	31 7.65	55 13.58	22 5.43	6 1.48	6 1.48	14 3.46	405
TOTAL	962	228	186	121	136	220	73	35	21	52	2034

JETTY & BREAKWATER											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	463 62.23	73 9.81	85 11.42	37 4.97	36 4.84	38 5.11	8 1.08	2 0.27	2 0.27	0 0.00	744
MENDOCINO/SONOMA	336 75.34	32 7.17	23 5.16	14 3.14	24 5.38	9 2.02	7 1.57	0 0.00	1 0.22	0 0.00	446
SAN FRANCISCO	113 65.70	15 8.72	12 6.98	8 4.65	8 4.65	13 7.56	3 1.74	0 0.00	0 0.00	0 0.00	172
SANTA CRUZ/MONTEREY	32 54.24	6 10.17	2 3.39	6 10.17	2 3.39	7 11.86	1 1.69	1 1.69	1 1.69	1 1.69	59
SAN LUIS OBISPO	3 42.86	2 28.57	2 28.57	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	7
TOTAL	947	128	124	65	70	67	19	3	4	1	1428

BRIDGE & CAUSEWAY											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	7 53.85	0 0.00	1 7.69	1 7.69	0 0.00	2 15.38	2 15.38	2 15.38	2 15.38	2 15.38	13
SAN LUIS OBISPO	2 22.22	1 11.11	2 22.22	0 0.00	1 11.11	1 33.33	3 0.00	0 0.00	0 0.00	0 0.00	9
TOTAL	9	1	3	1	1	5	2	2	2	2	22

BEACH/BANK - HOOK & LINE											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/HUMBOLDT	280 60.48	56 12.10	29 6.26	26 5.62	16 3.46	23 4.97	11 2.38	9 1.94	1 0.22	12 2.59	463
MENDOCINO/SONOMA	345 70.84	44 9.03	49 10.06	16 3.29	9 1.85	7 1.44	2 0.41	0 0.00	1 0.21	14 2.87	487
SAN FRANCISCO	434 66.67	71 10.91	42 6.45	29 4.45	16 5.68	21 3.23	3 0.46	10 1.54	0 0.00	4 0.61	651
SANTA CRUZ/MONTEREY	177 44.03	57 14.18	46 11.44	27 6.72	43 10.70	34 8.46	9 2.24	5 1.24	0 0.00	4 1.00	402
SAN LUIS OBISPO	182 51.27	49 13.80	21 5.92	23 6.48	29 8.17	25 7.04	16 4.51	6 1.69	1 0.28	3 0.85	355
TOTAL	1418	277	187	121	134	110	41	30	3	37	2558

(CONTINUED)

TABLE 44. (CONTINUED)

NUMBER CAUGHT	P/R BOAT										TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	
DEL NORTE/ HUMBOLDT	136 27.70	43 8.76	50 10.18	60 12.22	64 13.03	56 11.41	58 11.81	18 3.67	2 0.41	4 0.81	491
MENDOCINO (BOAT MODES)	87 26.93	36 11.15	27 8.36	31 9.60	57 17.65	61 18.89	16 4.95	5 1.55	3 0.93	0 0.00	323
SONOMA (BOAT MODES)	31 36.47	5 5.88	7 8.24	11 12.94	6 7.06	11 12.94	12 14.12	2 2.35	0 0.00	0 0.00	85
SAN FRANCISCO	758 57.86	181 13.82	101 7.71	71 5.42	107 8.17	66 5.04	14 1.07	8 0.61	0 0.00	4 0.31	1310
SANTA CRUZ/ MONTEREY	70 11.25	34 5.47	48 7.72	45 7.23	58 9.32	145 23.31	96 15.43	55 8.84	23 3.70	48 7.72	622
SAN LUIS OBISPO	85 14.91	32 5.61	41 7.19	22 3.86	66 11.58	129 22.63	105 18.42	60 10.53	21 3.68	9 1.58	570
TOTAL	1167	331	274	260	358	468	301	148	49	65	3401

NUMBER CAUGHT	OPFV										TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	
DEL NORTE/ HUMBOLDT	12 57.14	3 14.29	2 9.52	2 9.52	2 9.52	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	21
MENDOCINO (BOAT MODES)	4 3.88	1 0.97	2 1.94	1 0.97	9 8.74	37 35.92	40 38.83	6 5.83	3 2.91	0 0.00	103
SONOMA (BOAT MODES)	7 3.66	4 2.09	3 1.57	3 1.57	4 2.09	54 28.27	95 48.69	20 10.47	2 1.05	1 0.52	191
SAN FRANCISCO	75 13.89	53 9.81	48 8.89	43 7.96	83 15.37	110 20.37	103 19.07	22 4.07	2 0.37	1 0.19	540
SANTA CRUZ/ MONTEREY	25 3.34	22 3.20	21 3.05	15 2.18	38 5.52	142 20.64	139 20.20	136 19.77	78 11.34	74 10.76	688
SAN LUIS OBISPO	7 1.77	13 3.29	13 3.29	13 3.29	61 15.44	103 26.08	104 26.33	53 13.42	17 4.30	11 2.78	395
TOTAL	128	96	89	77	197	446	479	257	102	87	1938

BEACH/BANK - NET											
NUMBER CAUGHT	NUMBER CAUGHT										
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL
SAN FRANCISCO	2 100.00										2
TOTAL											2

NUMBER CAUGHT	SPEAR										TOTAL
	0	1	2	3	4-5	6-10	11-15	16-20	21-25	OVER 25	
DEL NORTE/ HUMBOLDT	2 28.57	1 14.29	0 0.00	3 42.86	0 0.00	1 14.29	0 0.00				7
MENDOCINO/ SONOMA	62 48.44	14 10.94	19 14.84	10 7.81	9 7.03	9 7.03	5 3.91				128
SANTA CRUZ/ MONTEREY	12 24.00	8 16.00	5 10.00	5 10.00	3 6.00	13 26.00	4 8.00				50
SAN LUIS OBISPO	3 50.00	1 16.67	1 16.67	0 0.00	0 0.00	1 16.67	0 0.00				6
TOTAL	79	24	25	18	12	24	9				191

TABLE 45. AVERAGE NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	MODE	MEAN CATCH
DEL NORTE/HUMBOLDT	PIER & DOCK	5.2
	JETTY & BREAKWATER	1.3
	BRIDGE & CAUSEWAY	9.3
	B/B - H & L	6.6
	P/R BOAT	4.5
	CPFV	1.0
	SPEAR	2.6
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	9.0
	JETTY & BREAKWATER	1.0
	B/B - H & L	2.5
	SPEAR	2.1
MENDOCINO (BOAT MODES)	P/R BOAT	3.8
	CPFV	10.0
SONOMA (BOAT MODES)	P/R BOAT	3.8
	CPFV	11.5
SAN FRANCISCO	PIER & DOCK	2.0
	JETTY & BREAKWATER	1.3
	B/B - H & L	1.6
	P/R BOAT	1.5
	CPFV	6.0
	B/B - NET	0.0
SANTA CRUZ/MONTEREY	PIER & DOCK	5.7
	JETTY & BREAKWATER	3.0
	B/B - H & L	2.5
	P/R BOAT	11.1
	CPFV	14.6
	SPEAR	3.6
SAN LUIS OBISPO	PIER & DOCK	4.4
	JETTY & BREAKWATER	0.9
	BRIDGE & CAUSEWAY	5.4
	B/B - H & L	2.5
	P/R BOAT	8.1
	CPFV	10.6
	SPEAR	2.0

TABLE 46. TABULATION OF LOCATION OF RESIDENCE OF FISHERS BY COASTAL COUNTY DISTRICT OF INTERCEPT SURVEY INTERVIEW, JAN 1985--DEC 1985.

COASTAL COUNTY DISTRICT	COASTAL AREA	REST OF STATE	OUT OF STATE	TOTAL
				PERCENT
DEL NORTE/HUMBOLDT	73.1	21.8	5.2	1951
MENDOCINO/SONOMA (NON-BOAT MODES)	74.0	24.3	1.8	1198
MENDOCINO (BOAT MODES)	68.6	27.8	3.5	424
SONOMA (BOAT MODES)	85.0	12.9	2.1	280
SAN FRANCISCO	97.3	1.7	1.0	3559
SANTA CRUZ/MONTEREY	86.6	9.8	3.6	2250
SAN LUIS OBISPO	58.7	58.9	2.4	1722
TOTAL NUMBER	8904	2159	301	11364

TABLE 47. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BEACH BANK	BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
5 PACIFIC HERRING	*	*	*	0	*	*	0
6 NORTHERN ANCHOVY	0	0		*	*	*	0
7 SURF SMELT	0	*	12	*	*	*	12
8 SMELTS, OTHER	*	*	*	*	*	*	*
10 PACIFIC TUNAOD	*	0	0	*	*	*	0
14 JACKSMELT	1	*	*	*	*	*	1
15 BLACK ROCKFISH	1	0	21	1	*	*	24
16 BLUE ROCKFISH	*	0	4	*	*	*	4
17 BROWN ROCKFISH	*	0	1	*	*	*	1
19 CANARY ROCKFISH	*	*	23	*	*	*	23
21 COPPER ROCKFISH	*	0	38	*	*	*	38
23 GREENSPOTTED ROCKFISH	*	*	0	1	*	*	1
26 GUILLBACK ROCKFISH	*	*	8	*	*	*	8
27 ROSY ROCKFISH	*	*	1	*	*	*	1
29 VERMILION ROCKFISH	*	*	5	*	*	*	5
31 YELLOWTAIL ROCKFISH	*	*	8	*	*	*	8
33 ROCKFISHES, OTHER	0	1	175	1	*	*	176
34 KELP GREENLING	0	1	3	0	*	*	3
35 LINGCOD	*	2	2	*	*	*	2
36 GREENLINGS, OTHER	0	0	1	*	*	*	2
37 SABLEFISH	*	*	1	*	*	*	1
38 CABEZON	0	1	11	*	*	*	12
39 PAC. STAGHORN SCULPIN	0	*	0	*	*	*	0
40 SCULPINS, OTHER	0	0	1	*	*	*	1
50 CROAKERS, OTHER	*	*	0	*	*	*	0
55 PILE PERCH	0	0	1	*	*	*	1
56 REDTAIL SURFPERCH	0	0	7	1	*	*	8
58 SHINER PERCH	0	*	0	*	*	*	0
59 SILVER SURFPERCH	6	0	0	*	*	*	7
60 STRIPED SEAPERCH	0	0	1	0	*	*	2
61 WALLEYE SURFPERCH	2	0	0	*	*	*	2
62 WHITE SEAPERCH	1	0	1	*	*	*	2
63 SURFPERCHES, OTHER	13	0	1	*	*	*	14
69 STARRY FLUNDER	*	*	0	1	*	*	1
71 PACIFIC SANDDAB	*	0	*	2	*	*	2
72 ROCK SOLE	*	*	*	*	*	*	*
73 FLATFISHES, OTHER	*	0	*	1	*	*	1
74 SALMONIDS	2	3	1	*	*	*	9
75 OTHER FISH	*	11	0	*	*	*	11
TOTAL	28	22	28	813	3	0	894

TABLE 48. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1985---DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*	*
5 PACIFIC HERRING	21	*	*	*	*	*	21
7 SURF SMELT	*	*	*	*	*	*	*
14 JACKSMELT	0	0	*	*	*	*	0
15 BLACK ROCKFISH	*	1	1	*	*	6	7
16 BLUE ROCKFISH	*	*	0	*	*	5	5
19 CANARY ROCKFISH	*	0	*	*	*	0	0
20 CHILIPEPPER ROCKFISH	1	*	*	*	*	*	1
21 COPPER ROCKFISH	*	1	*	*	*	1	1
23 GREENSPOTTED ROCKFISH	0	*	*	*	*	*	0
29 VERMILION ROCKFISH	*	1	*	*	*	1	2
31 YELLOWTAIL ROCKFISH	1	*	*	*	*	0	1
33 ROCKFISHES, OTHER	*	1	1	*	*	2	4
34 KELP GREENLING	*	0	5	*	*	1	6
35 LINGCOD	*	1	1	*	*	6	8
36 GREENLINGS, OTHER	*	0	4	*	*	0	5
38 CABEZON	*	00	5	*	*	0	0
39 PAC. STAGHORN SCULPIN	0	00	*	*	*	*	0
40 SCULPINS, OTHER	*	0	1	*	*	*	1
44 STRIPED BASS	*	*	*	*	*	*	*
55 PILE PERCH	*	*	*	*	*	0	0
56 REDTAIL SURFPERCH	*	*	4	*	*	*	4
57 RUBBERLIP SURFPERCH	*	*	*	*	*	1	1
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURFPERCH	*	0	0	*	*	*	1
60 STRIPED SURFPERCH	*	1	4	*	*	1	6
61 WALLEYE SURFPERCH	0	*	0	*	*	*	0
62 WHITE SURFPERCH	00	00	*	*	*	*	0
63 SURFPERCHES, OTHER	00	00	2	*	*	*	3
69 STARRY FLOUNDER	*	0	*	*	*	*	0
72 ROCK SOLE	*	0	*	*	*	*	0
73 FLATFISHES, OTHER	*	0	*	*	*	*	0
75 OTHER FISH	0	*	*	*	*	*	0
TOTAL	24	8	28	0	0	23	83

TABLE 49. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	OPFV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	*	*	1	*	*	1
15 BLACK ROCKFISH	*	*	*	19	7	*	27
16 BLUE ROCKFISH	*	*	*	13	35	*	48
18 BOCACCIO	*	*	*	*	3	*	3
19 CANARY ROCKFISH	*	*	*	8	4	*	12
20 CHILIPePPER ROCKFISH	*	*	*	*	1	*	1
21 COPPER ROCKFISH	*	*	*	15	1	*	16
22 GOPHER ROCKFISH	*	*	*	0	*	*	0
23 GREENSPOTTED ROCKFISH	*	*	*	*	8	*	8
24 GREENSTRIPED ROCKFISH	*	*	*	*	2	*	2
26 GUILBACK ROCKFISH	*	*	*	*	1	*	1
27 ROSY ROCKFISH	*	*	*	1	1	*	2
29 VERMILION ROCKFISH	*	*	*	2	*	*	2
30 WIDOW ROCKFISH	*	*	*	0	1	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	1	12	*	14
33 ROCKFISHES, OTHER	*	*	*	12	4	*	17
34 KELP GREENLING	*	*	*	1	*	*	1
35 LINGOD	*	*	*	7	21	*	21
38 CABEZON	*	*	*	2	*	*	2
67 PACIFIC MACKEREL	*	*	*	0	*	*	0
71 PACIFIC SANDAB	*	*	*	4	4	*	7
72 ROCK SOLE	*	*	*	0	0	*	1
73 FLATFISHES, OTHER	*	*	*	0	0	*	1
74 SALMONIDS	*	*	*	1	3	*	5
75 OTHER FISH	*	*	*	8	*	*	8
TOTAL	0	0	0	161	109	0	270

TABLE 50. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	OPFV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	15	*	15
4 STURGEONS	*	*	*	*	*	*	*
14 JACKSMELT	*	*	*	*	*	*	*
15 BLACK ROCKFISH	*	*	*	7	1	*	8
16 BLUE ROCKFISH	*	*	*	12	7	*	19
17 BROWN ROCKFISH	*	*	*	7	13	*	20
18 BOCACCIO	*	*	*	*	7	*	7
19 CANARY ROCKFISH	*	*	*	2	8	*	9
20 CHILIPePPER ROCKFISH	*	*	*	*	20	*	20
21 COPPER ROCKFISH	*	*	*	21	6	*	27
22 GOPHER ROCKFISH	*	*	*	1	*	*	1
23 GREENSPOTTED ROCKFISH	*	*	*	*	9	*	9
24 GREENSTRIPED ROCKFISH	*	*	*	*	0	*	0
25 OLIVE ROCKFISH	*	*	*	0	1	*	1
26 GUILBACK ROCKFISH	*	*	*	0	1	*	1
27 ROSY ROCKFISH	*	*	*	2	1	*	3
28 STARRY ROCKFISH	*	*	*	0	1	*	1
29 VERMILION ROCKFISH	*	*	*	*	2	*	2
30 WIDOW ROCKFISH	*	*	*	*	1	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	6	39	*	45
33 ROCKFISHES, OTHER	*	*	*	4	11	*	16
34 KELP GREENLING	*	*	*	6	*	*	1
35 LINGOD	*	*	*	6	4	*	70
39 PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*
44 STRIPED BASS	*	*	*	5	*	*	5
60 STRIPED SEAPERCH	*	*	*	1	*	*	1
67 PACIFIC MACKEREL	*	*	*	*	0	*	0
70 CALIFORNIA HALIBUT	*	*	*	14	0	*	14
71 PACIFIC SANDAB	*	*	*	*	0	*	0
73 FLATFISHES, OTHER	*	*	*	*	0	*	0
74 SALMONIDS	*	*	*	1	2	*	3
75 OTHER FISH	*	*	*	*	*	*	*
TOTAL	0	0	0	150	147	0	297

TABLE 51. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BEACH BANK	BANK & BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*	*	6	*	*	6
3 SHARK, OTHER	*	*	*	*	*	3	*	3
7 SURF SMELT	*	*	*	*	*	*	*	0
10 PACIFIC TOMCOD	0	*	*	*	*	*	*	0
12 PACIFIC HAKE	*	*	*	*	1	1	*	1
14 JACKSMELT	*	*	0	*	*	*	*	0
15 BLACK ROCKFISH	*	*	0	0	7	39	*	6
16 BLUE ROCKFISH	*	0	0	*	6	24	*	6
17 BROWN ROCKFISH	0	0	*	*	8	28	*	8
18 BOCCACCIO	*	0	*	*	*	28	*	8
19 CANARY ROCKFISH	*	*	*	*	3	24	*	26
20 CHILIPePPER ROCKFISH	*	*	*	*	*	13	*	13
21 COPPER ROCKFISH	*	*	*	*	1	16	*	16
22 GOPHER ROCKFISH	*	*	*	*	1	1	*	2
23 GREENSPOTTED ROCKFISH	*	*	*	*	*	13	*	13
24 GREENSTRIPED ROCKFISH	*	*	*	*	*	1	*	1
25 OLIVE ROCKFISH	*	0	*	*	*	6	*	6
26 QUILLBACK ROCKFISH	*	*	*	*	0	2	*	2
27 ROSY ROCKFISH	*	*	*	*	0	2	*	2
28 STARRY ROCKFISH	*	*	*	*	*	1	*	1
29 VERMILION ROCKFISH	*	*	*	*	1	6	*	7
30 WIDOW ROCKFISH	*	*	*	*	*	3	*	3
31 YELLOWTAIL ROCKFISH	*	0	*	2	2	16	*	16
33 ROCKFISHES, OTHER	*	1	0	1	1	1	*	1
34 KELP GREENLING	*	0	0	1	0	0	*	0
35 LINGCOD	*	2	0	0	15	50	*	57
36 GREENLINGS, OTHER	*	2	0	0	*	5	*	6
38 CABEZON	*	0	0	*	*	*	*	0
39 PAC. STAGHORN SCULPIN	0	*	*	8	2	1	*	9
44 STRIPED BASS	*	*	*	8	2	1	*	10
48 WHITE CROAKER	4	0	*	1	3	1	*	9
53 BARRED SURFPERCH	0	*	1	*	*	*	*	1
56 RETAIL SURFPERCH	*	*	1	*	*	*	*	1
58 SHINER PERCH	0	*	1	*	*	*	*	0
59 SILVER SURFPERCH	0	0	0	*	*	*	*	1
60 STRIPED SEAPERCH	0	*	1	*	*	*	*	1
61 WALLEYE SURFPERCH	0	*	1	*	*	*	*	1
63 SURFPERCHES, OTHER	*	*	2	*	*	*	*	2
67 PACIFIC MACKEREL	*	*	*	*	*	1	*	1
69 STARRY FLUNDER	0	*	*	*	0	1	*	1
70 CALIFORNIA HALIBUT	*	*	*	*	2	7	*	9
71 PACIFIC SANDDAB	0	*	*	*	*	0	*	0
72 ROCK SOLE	*	*	*	*	0	*	*	0
73 FLATFISHES, OTHER	*	0	*	*	*	0	*	0
74 SALMONIDS	*	*	*	1	2	*	*	2
75 OTHER FISH	*	*	*	8	2	*	10	
TOTAL	6	5	13	91	480	0	595	

TABLE 52. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1985--DEC 1985.

GROUP		PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	6	*	5	115	85	*	211
2 SPINY DOGFISH	*	*	*	1	*	*	1
3 SHARK, OTHER	1	*	5	4	6	*	16
4 STURGEONS	*	*	*	129	13	*	142
5 PACIFIC HERRING	*	*	*	*	*	*	*
6 NORTHERN ANCHOVY	0	*	*	*	*	*	0
7 SURF SMELT	0	*	*	*	*	*	0
10 PACIFIC TOMODD	0	*	*	*	*	*	0
14 JACKSMELT	5	0	1	0	*	*	6
16 BLUE ROCKFISH	*	*	*	*	*	*	0
17 BROWN ROCKFISH	1	0	1	5	*	*	7
19 CANARY ROCKFISH	*	*	*	50	*	*	70
22 GOPHER ROCKFISH	*	0	*	*	*	*	0
33 ROCKFISHES, OTHER	0	*	0	*	*	*	10
34 KELP GREENLING	0	*	*	1	*	*	0
35 LINGCOD	0	*	1	3	*	*	4
36 GREENLINGS, OTHER	*	*	*	*	*	*	*
38 CABEZON	0	*	0	*	*	*	0
39 PAC. STAGHORN SCULPIN	0	0	1	*	*	*	1
40 SCULPINS, OTHER	0	*	*	*	*	*	0
44 STRIPED BASS	3	2	1	39	7	*	51
48 WHITE CROAKER	1	*	10	6	*	*	8
53 BARRED SURFPERCH	*	*	0	1	*	*	1
54 BLACK PERCH	1	0	0	*	*	*	2
55 PILE PERCH	1	*	0	5	*	*	6
57 RUBBERLIP SEAPERCH	1	*	*	1	*	*	1
58 SHINER PERCH	1	0	4	100	*	*	152
59 SILVER SURFPERCH	1	*	0	0	*	*	0
60 STRIPED SEAPERCH	0	*	*	*	*	*	0
61 WALLEYE SURFPERCH	1	*	0	0	*	*	1
62 WHITE SEAPERCH	0	*	*	*	*	*	0
63 SURFPERCHES, OTHER	0	*	0	*	*	*	0
67 PACIFIC MACKEREL	0	*	*	*	*	*	0
69 STARRY FLounder	0	0	1	2	*	*	4
70 CALIFORNIA HALIBUT	*	*	*	7	15	*	23
71 PACIFIC SANDDAB	*	*	*	*	*	*	*
73 FLATFISHES, OTHER	*	*	0	*	0	*	0
75 OTHER FISH	3	0	1	5	*	*	9
TOTAL	26	3	23	327	125	0	504

TABLE 53. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY,  
JAN 1965--DEC 1965.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK HOOK & LINE	P/R BOAT	OPV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	3	1	*	*	4
2 SPINY DOGFISH	*	*	*	4	2	*	6
3 SHARK, OTHER	*	*	*	27	0	*	27
6 NORTHERN ANCHOVY	0	*	*	*	*	*	0
12 PACIFIC HAKE	*	*	*	2	93	*	95
14 JACKSMELT	2	1	2	0	*	*	6
15 BLACK ROCKFISH	*	*	*	15	1	1	16
16 BLUE ROCKFISH	*	*	*	22	47	1	88
17 BROWN ROCKFISH	0	*	0	19	6	*	30
18 BOCCACCIO	0	*	*	3	2	0	4
19 CANARY ROCKFISH	*	*	*	7	11	*	18
20 CHILIEPEPPER ROCKFISH	*	*	*	0	150	*	151
21 COPPER ROCKFISH	*	*	*	4	6	1	11
22 GOPHER ROCKFISH	*	*	*	13	1	1	14
23 GREENSPOTTED ROCKFISH	*	*	*	5	32	*	35
24 GREENSTRIPED ROCKFISH	*	*	*	0	7	*	7
25 OLIVE ROCKFISH	*	*	*	2	17	1	19
26 QUILLBACK ROCKFISH	*	*	*	20	0	*	20
27 ROSY ROCKFISH	*	*	*	2	5	*	8
28 STARRY ROCKFISH	*	*	*	1	6	*	7
29 VERMILION ROCKFISH	*	*	*	4	6	*	10
30 WIDOW ROCKFISH	*	*	*	4	9	*	9
31 YELLOWTAIL ROCKFISH	*	*	*	0	52	*	56
33 ROCKFISHES, OTHER	0	0	0	15	2	6	22
34 KELP GREENLING	*	*	0	1	*	0	2
35 LINGOD	2	*	*	20	74	3	98
37 SABLEFISH	*	*	*	0	20	*	20
38 CABEZON	1	0	1	0	*	1	1
39 PAC. STAGHORN SCULPIN	0	0	0	0	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*	*
44 STRIPED BASS	*	*	1	*	*	*	1
48 WHITE CROAKER	15	*	0	8	0	*	15
53 BARRED SURPERCH	1	0	9	*	*	*	10
54 BLACK PERCH	1	*	1	0	*	0	2
55 PILE PERCH	1	*	1	*	*	0	2
57 RUBBERLIP SEAPERCH	*	*	*	*	*	1	1
58 SHINER PERCH	0	*	*	*	*	*	1
59 SILVER SURPERCH	0	*	1	*	*	*	1
60 STRIPED SEAPERCH	*	0	1	*	*	0	1
61 WALLEYE SURPERCH	3	0	0	0	*	*	3
62 WHITE SEAPERCH	3	0	0	*	*	*	3
63 SURPERCHES, OTHER	1	*	1	*	*	1	2
66 PACIFIC BONITO	*	*	*	*	2	*	2
67 PACIFIC MACKEREL	0	*	*	7	22	*	29
68 TUNAS	*	*	*	70	158	*	208
69 STARRY FLUNDER	0	*	*	2	*	*	2
70 CALIFORNIA HALIBUT	*	*	*	22	*	5	27
71 PACIFIC SANDDAB	2	*	*	14	7	0	23
72 ROCK SOLE	*	*	*	1	1	*	2
73 FLATFISHES, OTHER	0	*	*	3	2	*	4
74 SALMONIDS	0	1	*	3	*	*	5
75 OTHER FISH	0	5	*	8	6	*	19
TOTAL	32	8	22	340	778	22	1202

TABLE 54. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1985--DEC 1985.

GROUP	PIER & DOCK	JETTY & BEACH BANK	BANK BREAKWATER	HOOK & LINE	P/R BOAT	OPV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*	*	*	*	*	*
2 SPINY DOGFISH	*	*	*	2	1	*	*	2
3 SHARK, OTHER	*	*	*	10	*	*	*	10
6 NORTHERN ANCHOVY	0	*	*	*	1	*	*	0
12 PACIFIC HAKE	*	*	*	1	1	*	*	1
14 JACKSMELT	5	*	2	1	*	*	*	8
15 BLACK ROCKFISH	*	*	*	12	1	*	*	12
16 BLUE ROCKFISH	*	*	*	*	8	*	*	37
17 BROWN ROCKFISH	0	*	*	13	3	*	*	16
18 BOCCACCIO	1	*	*	1	22	*	*	24
19 CANARY ROCKFISH	*	*	*	6	4	*	*	9
20 CHILipePPER ROCKFISH	*	*	*	*	112	*	*	112
21 COPPER ROCKFISH	*	*	*	7	6	*	*	13
22 GOPHER ROCKFISH	*	*	*	22	8	*	*	30
23 GREENSPOTTED ROCKFISH	*	*	*	1	7	*	*	8
24 GREENSTRIPED ROCKFISH	*	*	*	0	1	*	*	2
25 OLIVE ROCKFISH	*	*	*	6	8	*	*	14
26 GUILDBACK ROCKFISH	*	*	*	*	0	*	*	0
27 ROSY ROCKFISH	*	*	*	2	5	*	*	6
28 STARRY ROCKFISH	*	*	*	11	*	*	*	13
29 VERMILION ROCKFISH	*	*	*	7	11	*	*	18
30 WIDOW ROCKFISH	*	*	*	0	13	*	*	13
31 YELLOWTAIL ROCKFISH	*	*	*	5	51	*	*	57
33 ROCKFISHES, OTHER	*	*	3	40	55	*	*	99
34 KELP GREENLING	*	*	0	1	*	*	*	1
35 LINGCOD	0	*	*	16	5	*	*	22
36 GREENLINGS, OTHER	*	*	*	*	*	*	*	*
37 SABLEFISH	*	*	*	*	0	*	*	0
38 CABEZON	0	*	1	3	1	*	*	5
39 PAC. STAGHORN SCULPIN	0	*	0	*	*	*	*	0
41 BARRED SAND BASS	0	*	0	*	*	*	*	0
43 KELP BASS	*	*	*	*	*	*	*	*
44 STRIPED BASS	*	*	2	*	*	*	*	2
46 YELLOWTAIL	*	*	2	0	*	*	*	0
48 WHITE CROAKER	4	0	0	4	*	*	*	9
51 OPALEYE	*	*	1	*	*	*	*	1
53 BARRED SURFPERCH	0	*	5	0	*	*	*	6
54 BLACK PERCH	*	*	1	*	*	*	*	1
55 PILE PERCH	*	*	1	*	*	*	*	1
57 RUBBERLIP SEAPERCH	*	*	1	*	*	*	*	1
58 SHINER PERCH	0	*	*	*	*	*	*	0
59 SILVER SURFPERCH	*	*	2	*	*	*	*	2
60 STRIPED SEAPERCH	0	*	0	*	*	*	*	1
61 WALLEYE SURFPERCH	0	*	0	*	*	*	*	0
63 SURFPERCHES, OTHER	0	*	2	*	*	*	*	2
65 PACIFIC BARRACUDA	*	*	*	0	*	*	*	0
66 PACIFIC BONITO	*	*	*	*	*	*	*	*
67 PACIFIC MACKEREL	19	*	*	9	10	*	*	38
68 TUNAS	*	*	*	76	233	*	*	308
69 STARRY FLounder	0	*	1	1	*	*	*	3
70 CALIFORNIA HALIBUT	1	*	1	6	*	*	*	9
71 PACIFIC SANDAB	*	*	*	0	0	*	*	0
72 ROCK SOLE	*	*	*	*	0	*	*	0
73 FLATFISHES, OTHER	*	*	*	1	1	*	*	2
75 OTHER FISH	1	*	0	9	1	*	*	11
TOTAL	34	0	25	292	580	0	931	

TABLE 1. ESTIMATED THOUSANDS OF FISH CAUGHT CAUGHT (CATCH TYPE A + B) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL			
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	
01. LEOPARD SHARK	0	0	98	*	*	*	131	22	17	0	0	71	*	*	*	131	22	17	
02. SPINY DOGFISH	*	*	*	0	0	90	592	8	3	1	1	51	2	1	47	12	603	144	
03. SHARK, OTHER	0	0	73	0	0	100	86	144	24	6	2	33	4	2	54	603	144	24	
04. STURGEONS	*	*	*	*	*	*	16	19	*	*	*	*	*	*	*	16	19	*	
05. PACIFIC HERRING	10	13	132	36	17	49	*	*	*	*	*	*	*	*	*	45	22	47	
06. NORTHERN ANCHOVY	*	*	*	*	*	*	41	19	46	*	*	*	*	*	*	41	19	46	
07. SURF SMELT	4	3	87	19	33	173	1	1	100	*	*	*	*	*	*	23	33	147	
10. PACIFIC TOMODD	*	*	*	*	*	*	2	1	48	23	29	52	2	2	110	1	100	31	
12. PACIFIC HAKE	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	96	30	31	
13. SILVERSIDES	*	*	*	*	*	*	2	1	48	*	*	*	*	*	*	2	1	48	
14. JACKSMELT	4	4	93	0	0	61	95	32	34	18	7	38	32	16	50	150	37	25	
15. BLACK ROCKFISH	193	179	93	38	15	40	11	33	31	18	7	41	101	6	50	266	180	68	
16. BLUE ROCKFISH	12	20	203	21	8	31	130	36	44	104	39	48	21	14	51	325	135	22	
17. BROWN ROCKFISH	22	2	111	4	1	28	14	4	31	185	73	40	147	86	58	350	113	32	
18. BOACCIO	0	0	71	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
19. CANARY ROCKFISH	16	25	155	54	16	31	59	15	28	42	15	36	29	16	53	200	40	20	
20. CHILipePPER ROCKFISH	*	*	*	77	13	17	16	5	28	261	84	28	51	57	111	405	163	20	
21. COPPER ROCKFISH	7	10	140	17	7	41	15	4	43	46	17	37	85	8	51	135	23	45	
22. GOPHER ROCKFISH	*	*	*	2	1	47	27	9	34	74	25	34	16	48	86	118	28	24	
23. GREENSPOTTED ROCKFISH	*	*	*	14	7	51	*	*	*	*	*	*	*	*	*	*	*	*	
24. GREENSTRIPED ROCKFISH	1	1	100	1	1	50	3	2	52	38	15	38	2	1	66	46	15	33	
25. OLIVE ROCKFISH	*	*	*	1	1	47	31	11	55	56	18	33	16	7	66	104	23	29	
26. QUILLBACK ROCKFISH	3	4	139	1	1	60	40	9	23	39	12	32	24	12	48	113	20	18	
27. ROSY ROCKFISH	1	1	88	8	5	58	12	4	28	19	8	43	16	57	50	113	20	18	
28. STARRY ROCKFISH	*	*	*	2	1	34	*	*	*	*	*	*	*	*	*	*	*	*	
29. VERMILION ROCKFISH	1	1	100	5	2	41	3	1	48	13	4	31	23	13	56	45	14	30	
30. WIDOW ROCKFISH	*	*	*	1	0	20	13	7	48	114	38	34	29	57	84	381	61	25	
31. YELLOWTAIL ROCKFISH	8	9	124	37	8	21	12	40	29	412	88	21	113	57	84	748	240	78	
32. ROCKFISHES, OTHER	108	219	203	52	12	30	9	18	43	4	1	29	2	1	43	25	21	25	
34. KELP GREENLING	9	5	52	15	4	30	*	*	*	*	*	*	36	52	147	1,024	133	13	
35. LINGCOD	27	30	111	28	7	25	35	9	27	97	24	25	32	13	41	219	42	19	
36. GREENLINGS, OTHER	7	2	32	28	12	43	*	*	*	46	17	37	0	0	73	35	47	57	
37. SABLEFISH	*	*	*	*	*	*	*	*	*	12	3	28	9	5	53	71	14	20	
38. CABEZON	7	3	48	26	11	41	18	6	32	174	39	23	36	52	147	1,024	133	13	
39. PAC. STAGHORN SCULPIN	1	1	209	1	1	90	813	115	14	174	39	23	36	52	147	1,024	133	13	
40. SCULPINS, OTHER	20	13	66	2	1	51	0	0	100	1	0	72	0	0	100	22	13	58	
41. BARRED SAND BASS	*	*	*	*	*	*	*	*	*	1	1	100	1	0	81	0	0	100	
42. SPOTTED SAND BASS	*	*	*	*	*	*	112	19	17	3	3	104	0	0	104	115	19	66	
43. KELP BASS	*	*	*	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	
44. STRIPED BASS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
48. WHITE CROAKER	*	*	*	*	*	*	117	23	20	624	336	54	154	93	79	51	896	346	39
49. QUEENFISH	*	*	*	*	*	*	1	1	100	*	*	*	1	1	81	1	1	81	
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	0	0	184	0	0	184	
51. OPALEYE	*	*	*	*	*	*	8	3	38	178	69	39	107	50	47	295	86	29	
53. BARRED SURFPERCH	0	0	174	0	0	100	*	*	*	*	*	*	*	*	*	*	*	*	
54. BLACK PERCH	*	*	*	*	*	*	44	12	28	5	3	47	1	0	63	50	20	25	
55. PILE PERCH	1	1	73	0	0	63	278	201	27	7	4	48	3	2	67	28	12	44	
56. REDTAIL SURFPERCH	24	12	50	4	1	78	115	120	89	1	1	57	15	13	88	117	15	45	
57. RUBBERLIP SURFPERCH	*	*	*	1	1	72	367	90	20	1	1	56	*	*	*	415	92	23	
58. SHINER PERCH	4	4	87	28	24	84	*	*	*	2	1	56	*	*	*	*	*	*	
59. SILVER SURFPERCH	3	3	95	1	0	72	46	41	90	8	3	40	19	8	44	76	21	56	
60. STRIPED SURFPERCH	52	52	61	7	3	39	26	4	48	12	4	32	23	16	57	127	21	53	
61. WALLEYE SURFPERCH	4	9	215	0	0	100	116	93	22	17	8	44	88	78	100	127	341	93	
62. WHITE SURFPERCH	1	1	80	2	2	39	150	92	17	94	20	22	88	78	99	127	341	93	
63. SURFPERCHES, OTHER	23	44	191	7	2	39	*	*	*	2	1	34	23	16	57	88	21	53	
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*	*	*	*	13	16	125	13	16	125	
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	1	1	77	17	8	46	97	26	27	
67. PACIFIC MACKEREL	*	*	*	*	*	*	32	21	65	49	13	28	11	14	36	34	15	42	
68. TUNAS	*	*	*	*	*	*	*	*	*	11	4	34	24	0	100	32	15	42	
69. STARRY FLounder	0	0	81	0	0	83	29	6	20	2	1	34	15	13	92	32	6	18	
70. CALIFORNIA HALIBUT	*	*	*	1	1	71	6	3	43	141	49	35	27	13	49	39	14	35	
71. PACIFIC SANDDAB	0	0	71	9	4	43	22	1	100	53	1	51	2	1	68	154	49	35	
72. ROCK SOLE	*	*	*	0	0	61	1	1	100	53	12	23	15	13	92	86	13	28	
73. FLATFISHES, OTHER	1	1	77	7	4	47	4	2	45	4	2	58	15	13	92	86	13	28	
74. SALMONIDS	56	106	190	7	6	44	4	2	41	4	2	58	15	13	92	86	13	28	
75. OTHER FISH	0	0	80	14	7	47	353	56	16	45	12	27	30	13	41	442	59	13	
TOTAL	612	312	51	604	59	10	4,308	340	8	3,241	387	12	1,557	234	15	10,322	649	6	

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 2. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	36	31	5	98	442	*	*	0
MENDOCINO/SONOMA (NON-BOAT MODES)	75	25	*	75	*	*	*	612
MENDOCINO (BOAT MODES)	*	*	*	*	43	64	*	205
SONOMA (BOAT MODES)	*	*	*	*	162	130	*	107
SAN FRANCISCO	1,028	56	*	689	1,903	633	*	291
SANTA CRUZ/MONTEREY	255	16	*	344	1,260	1,326	*	4,308
SAN LUIS OBISPO	487	*	*	102	500	468	*	3,241
TOTAL	1,881	128	5	1,308	4,310	2,621	0	10,322

TABLE 3. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	1	*	4	125	0	*	*	131
02. SPINY DOGFISH	*	*	*	*	10	*	*	*	12
03. SHARK, OTHER	7	1	*	34	559	*	*	*	63
04. STURGEONS	*	*	*	*	81	*	*	*	86
05. PACIFIC HERRING	36	8	*	2	0	*	*	*	45
06. NORTHERN ANCHOVY	14	*	*	11	15	*	*	*	41
07. SURF SMELT	*	23	*	*	*	*	*	*	31
10. PACIFIC TONNOID	*	*	*	*	1	*	*	*	1
12. PACIFIC HAKE	*	*	*	*	7	89	*	*	26
13. SILVERSIDES	2	*	*	*	*	*	*	*	2
14. JACKSMELT	109	1	*	13	27	*	*	*	150
15. BLACK ROCKFISH	0	2	*	0	228	26	*	9	286
16. BLUE ROCKFISH	0	4	*	2	174	135	*	10	250
17. BROWN ROCKFISH	9	1	*	17	167	89	*	*	24
18. BOCCACCIO	61	*	*	*	2	287	*	*	30
19. CANARY ROCKFISH	*	*	*	*	92	108	*	0	208
20. CHILIPePPER ROCKFISH	*	*	*	*	5	45	*	*	65
21. COPPER ROCKFISH	1	0	*	0	34	35	*	1	25
22. GOPHER ROCKFISH	0	*	*	0	116	18	*	10	135
23. GREENSPOTTED ROCKFISH	*	*	*	*	14	124	*	*	118
24. GREENSTRIPED ROCKFISH	*	*	*	*	3	43	*	*	46
25. OLIVE ROCKFISH	*	*	*	*	22	39	*	4	104
26. QUILLBACK ROCKFISH	*	*	*	*	4	4	*	*	7
27. ROSY ROCKFISH	0	*	*	*	22	91	*	*	113
28. STARRY ROCKFISH	*	*	*	*	9	41	*	*	50
29. VERMILION ROCKFISH	*	*	*	1	24	20	*	0	45
30. WIDOW ROCKFISH	*	*	*	*	4	101	*	1	165
31. YELLOWTAIL ROCKFISH	0	*	*	13	35	45	*	1	381
33. ROCKFISHES, OTHER	9	5	*	13	419	292	*	10	78
34. KELP GREENLING	0	4	0	11	17	5	*	3	38
35. LINGODD	4	2	*	3	112	86	*	12	219
36. GREENLINGS, OTHER	1	*	*	28	15	42	*	1	55
37. SABLEFISH	*	*	*	*	30	20	*	7	47
38. CABEZON	5	2	*	221	466	12	*	0	71
39. PAC. STAGHORN SCULPIN	317	26	*	221	466	12	*	1,024	
40. SCULPINS, OTHER	4	1	1	14	2	0	*	*	22
41. BARRED SAND BASS	*	*	*	1*	10	*	*	*	35
42. SPOTTED SAND BASS	*	*	*	0	1	*	*	*	20
43. KELP BASS	*	*	*	10	89	11	*	0	115
44. STRIPED BASS	5	*	*	10	89	11	*	*	
48. WHITE CROAKER	171	3	*	7	713	3	*	*	896
49. GLEENFISH	93	*	*	1	0	*	*	*	93
50. CROAKERS, OTHER	*	*	*	0	1	*	*	*	1
51. OPALEYE	*	*	*	0	1	*	*	*	0
53. BARRED SURFPERCH	37	1	*	23	2	*	*	*	293
54. BLACK PERCH	15	2	*	21	11	*	*	1	50
55. PILE PERCH	186	0	1	78	12	*	*	3	288
56. RETAIL SURFPERCH	1	1	0	88	106	*	*	1	117
57. RUBBERLIP SEAPERCH	3	1	*	88	10	*	*	*	415
58. SHINER PERCH	320	4	1	88	*	*	*	*	
59. SILVER SURFPERCH	17	2	*	55	1	*	*	*	76
60. STRIPED SEAPERCH	1	5	0	88	2	*	*	4	71
61. WALLEYE SURFPERCH	49	1	0	11	5	*	*	*	68
62. WHITE SEAPERCH	22	0	0	7	88	*	*	*	127
63. SURFPERCHES, OTHER	174	17	0	117	33	*	*	1	341
65. PACIFIC BARRACUDA	*	*	*	*	13	*	*	*	13
66. PACIFIC BONITO	*	*	*	*	31	1	*	*	97
67. PACIFIC MACKEREL	4	*	*	*	14	12	*	*	94
68. TUNAS	*	*	*	*	14	12	*	*	94
69. STARRY FLUNDER	12	0	*	2	17	1	*	*	42
70. CALIFORNIA HALIBUT	3	*	*	0	34	1	*	1	39
71. PACIFIC SANDDAB	*	1	*	1	87	65	*	*	42
72. ROCK SOLE	19	2	0	7	33	25	*	*	86
73. FLATFISHES, OTHER	6	0	*	3	33	25	*	*	42
74. SALMONIDS	*	*	*	*	33	25	*	*	
75. OTHER FISH	151	6	*	156	117	11	*	1	42
TOTAL	1,881	128	5	1,308	4,310	2,621	0	69	10,322

TABLE 4. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	0	*	0	*	*	*	0
03. SHARK, OTHER	*	0	*	0	*	*	*	0
05. PACIFIC HERRING	0	8	*	2	0	*	*	10
07. SURF SMELT	*	4	*	*	*	*	*	4
12. PACIFIC HAKE	*	*	*	0	*	*	*	0
14. JACKSMELT	4	0	*	0	0	*	*	4
15. BLACK ROCKFISH	0	20	*	0	191	*	*	193
16. BLUE ROCKFISH	*	00	*	0	12	*	*	12
17. BROWN ROCKFISH	*	0	*	*	*	*	*	0
18. BOCCACCIO	*	*	*	0	*	*	*	0
19. CANARY ROCKFISH	*	*	*	*	16	*	*	16
21. COPPER ROCKFISH	*	0	*	*	7	*	*	7
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	*	*	1
26. GUTTLBACK ROCKFISH	*	*	*	*	3	*	*	3
27. ROSY ROCKFISH	*	*	*	*	1	*	*	1
29. VERMILION ROCKFISH	*	*	*	*	1	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	8	*	*	8
33. ROCKFISHES, OTHER	0	1	*	0	106	*	*	108
34. KELP GREENLING	0	4	0	1	3	*	*	9
35. LINGCOD	*	0	*	*	28	*	*	27
36. GREENLINGS, OTHER	0	3	*	3	1	*	*	7
38. CABEZON	1	1	*	1	4	*	*	7
39. PAC. STAGHORN SCULPIN	0	0	*	10	1	*	*	1
40. SCULPINS, OTHER	4	0	1	14	1	*	*	20
53. BARRED SURFPERCH	*	*	*	0	*	*	*	0
55. PILE PERCH	0	0	1	0	*	*	*	1
56. REDTAIL SURFPERCH	1	1	0	0	0	*	*	2
58. SHINER PERCH	3	*	1*	1	*	*	*	4
59. SILVER SURFPERCH	0	2	0	49	*	*	*	3
60. STRIPED SURFPERCH	1	2	0	49	*	*	*	52
61. WALLEYE SURFPERCH	4	0	0	0	0	*	*	4
62. WHITE SURFPERCH	0	00	0	0	*	*	*	1
63. SURFPERCHES, OTHER	16	20	*	5*	0	*	*	23
69. STARRY FLUNDER	0	0	*	*	0	*	*	0
71. PACIFIC SANDDAB	*	*	*	*	0	*	*	0
73. FLATFISHES, OTHER	0	*	0	0	1	*	*	1
74. SALMONIDS	*	*	*	1	55	*	*	56
75. OTHER FISH	*	0	*	0	*	*	*	0
TOTAL	36	31	5	98	442	0	0	612

TABLE 5. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
05. PACIFIC HERRING	36	*	*	*	*	*	*	*	36
07. SURF SMELT	*	19	*	*	*	*	*	*	19
14. JACKSMELT	0	*	*	*	*	*	*	*	0
15. BLACK ROCKFISH	*	0	*	*	*	*	*	8	8
16. BLUE ROCKFISH	*	*	*	2	*	*	*	9	11
19. CANARY ROCKFISH	*	*	*	*	*	*	*	0	0
21. COPPER ROCKFISH	*	*	*	0	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	0	0
29. VERMILION ROCKFISH	*	*	*	1	*	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	0	0
33. ROCKFISHES, OTHER	*	0	*	3	*	*	*	1	4
34. KELP GREENLING	*	0	*	6	*	*	*	2	8
35. LINGCOD	*	0	*	1	*	*	*	2	4
36. GREENLINGS, OTHER	1	0	*	28	*	*	*	1	27
38. CABEZON	1	0	*	16	*	*	*	3	21
39. PAC. STAGHORN SCULPIN	0	0	*	0	*	*	*	0	1
40. SCULPINS, OTHER	*	0	*	0	*	*	*	*	1
53. BARRED SURFPERCH	*	*	*	0	*	*	*	*	0
55. PILE PERCH	*	0	*	4	*	*	*	0	0
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	4
57. RUBBERLIP SURFPERCH	*	0	*	1	*	*	*	0	1
58. SHINER PERCH	28	*	*	100	*	*	*	*	28
59. SILVER SURFPERCH	*	0	*	0	*	*	*	*	1
60. STRIPED SURFPERCH	*	24	*	0	*	*	*	2	70
61. WALLEYE SURFPERCH	*	*	*	0	*	*	*	*	0
62. WHITE SURFPERCH	0	0	*	2	*	*	*	*	2
63. SURFPERCHES, OTHER	1	1	*	0	*	*	*	1	0
69. STARRY FLUNDER	*	0	*	0	*	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	0
74. SALMONIDS	5	0	*	0	*	*	*	*	5
75. OTHER FISH	5	0	*	3	*	*	*	*	8
TOTAL	75	25	0	75	0	0	0	29	205

TABLE 6. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	*	*	*
15. BLACK ROCKFISH	*	*	*	4	13	*	*	0
16. BLUE ROCKFISH	*	*	*	5	6	*	*	11
17. BROWN ROCKFISH	*	*	*	1	*	*	*	0
18. BOCCACCIO	*	*	*	0	0	*	*	0
19. CANARY ROCKFISH	*	*	*	10	11	*	*	22
20. CHILIEPPER ROCKFISH	*	*	*	0	*	*	*	8
21. COPPER ROCKFISH	*	*	*	3	5	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	1	*	*	8
24. GREENSTRIPED ROCKFISH	*	*	*	0	0	*	*	0
26. GUILFBACK ROCKFISH	*	*	*	0	0	*	*	1
27. ROSY ROCKFISH	*	*	*	2	4	*	*	5
29. VERMILION ROCKFISH	*	*	*	1	0	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	2	6	*	*	8
33. ROCKFISHES, OTHER	*	*	*	6	11	*	*	17
34. KELP GREENLING	*	*	*	1	*	*	*	1
35. LINGODD	*	*	*	4	*	*	*	7
36. GREENLINGS, OTHER	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	0	*	*	*	0
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
44. STRIPED BASS	*	*	*	0	*	*	*	0
60. STRIPED SEAPERCH	*	*	*	0	*	*	*	0
63. SURFPERCHES, OTHER	*	*	*	0	*	*	*	0
69. STARRY FLounder	*	*	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	4	1	*	*	5
72. ROCK SOLE	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	0	0	*	*	0
74. SALMONIDS	*	*	*	0	2	*	*	2
75. OTHER FISH	*	*	*	0	*	*	*	0
TOTAL	0	0	0	0	43	64	0	107

TABLE 7. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	0	*	0
15. BLACK ROCKFISH	*	*	*	13	0	*	*	13
16. BLUE ROCKFISH	*	*	*	2	1	*	*	3
17. BROWN ROCKFISH	*	*	*	20	1	*	*	20
18. BOCCACCIO	*	*	*	1	3	*	*	4
19. CANARY ROCKFISH	*	*	*	29	3	*	*	32
20. CHILIEPPER ROCKFISH	*	*	*	*	77	*	*	77
21. COPPER ROCKFISH	*	*	*	9	0	*	*	9
22. GOPHER ROCKFISH	*	*	*	2	*	*	*	2
23. GREENSPOTTED ROCKFISH	*	*	*	7	6	*	*	13
24. GREENSTRIPED ROCKFISH	*	*	*	0	1	*	*	1
25. OLIVE ROCKFISH	*	*	*	0	1	*	*	1
26. GUILFBACK ROCKFISH	*	*	*	1	*	*	*	1
27. ROSY ROCKFISH	*	*	*	1	2	*	*	3
28. STARRY ROCKFISH	*	*	*	1	2	*	*	2
29. VERMILION ROCKFISH	*	*	*	3	0	*	*	3
30. WIDOW ROCKFISH	*	*	*	1	0	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	5	24	*	*	29
33. ROCKFISHES, OTHER	*	*	*	22	9	*	*	30
34. KELP GREENLING	*	*	*	5	*	*	*	5
35. LINGODD	*	*	*	17	0	*	*	17
36. GREENLINGS, OTHER	*	*	*	1	*	*	*	1
38. CABEZON	*	*	*	6	*	*	*	6
40. SCULPINS, OTHER	*	*	*	1	*	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	1	*	*	*	1
71. PACIFIC SANDDAB	*	*	*	4	*	*	*	4
73. FLATFISHES, OTHER	*	*	*	6	0	*	*	6
75. OTHER FISH	*	*	*	6	0	*	*	6
TOTAL	0	0	0	0	162	130	0	291

TABLE 8. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	1	*	4	125	0	*	*	131
02. SPINY DOGFISH	*	*	*	*	8	*	*	*	8
03. SHARK, OTHER	6	0	*	33	553	0	*	*	592
04. STURGEONS	*	*	*	*	81	5	*	*	86
06. NORTHERN ANCHOVY	14	*	*	11	15	*	*	*	41
10. PACIFIC TONNOID	*	*	*	*	1	*	*	*	1
13. SILVERSIDES	2	*	*	*	*	*	*	*	2
14. JACKSMELT	76	1	*	9	10	9	*	*	95
15. BLACK ROCKFISH	*	*	*	*	2	*	*	*	11
16. BLUE ROCKFISH	*	3	*	*	11	68	*	*	83
17. BROWN ROCKFISH	9	1	*	16	59	46	*	*	130
18. BOCACCIO	*	*	*	*	*	14	*	*	14
19. CANARY ROCKFISH	*	*	*	*	5	54	*	*	59
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	16	*	*	16
21. COPPER ROCKFISH	*	*	*	*	1	13	*	*	15
22. GOPHER ROCKFISH	*	*	*	*	0	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	27	*	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	31	*	*	33
25. OLIVE ROCKFISH	*	*	*	*	*	3	*	*	31
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	3
27. ROSY ROCKFISH	*	*	*	*	*	40	*	*	40
28. STARRY ROCKFISH	*	*	*	*	*	12	*	*	12
29. VERMILION ROCKFISH	*	*	*	*	0	12	*	*	13
30. WIDOW ROCKFISH	*	*	*	*	*	13	*	*	13
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	14	*	*	154
33. ROCKFISHES, OTHER	4	3	*	4	22	29	*	*	62
34. KELP GREENLING	*	*	*	2	4	3	*	*	9
35. LINGODD	2	1	*	1	10	21	*	*	35
38. CABEZON	0	1	*	10	1	6	*	*	18
39. PAC. STAGHORN SCULPIN	200	17	*	143	441	12	*	*	813
40. SCULPINS, OTHER	*	*	*	*	*	0	*	*	0
43. KELP BASS	*	*	*	*	*	*	*	*	1
44. STRIPED BASS	5	*	*	10	86	11	*	*	112
48. WHITE CROAKER	25	3	*	2	87	10	*	*	117
50. CROAKERS, OTHER	*	*	*	*	1	*	*	*	1
53. BARRED SURPERCH	1	1	*	4	2	*	*	*	8
54. BLACK PERCH	14	1	*	18	11	*	*	*	44
55. PILE PERCH	190	*	*	77	12	*	*	*	278
56. REDTAIL SURPERCH	*	*	*	1	*	*	*	*	*
57. RUBBERLIP SEAPERCH	3	*	*	7	165	*	*	*	115
58. SHINER PERCH	273	4	*	79	10	*	*	*	367
59. SILVER SURPERCH	2	*	*	42	1	*	*	*	46
60. STRIPED SEAPERCH	*	*	*	6	2	*	*	*	8
61. WALLEYE SURPERCH	18	0	*	4	4	*	*	*	26
62. WHITE SEAPERCH	14	0	*	4	88	*	*	*	116
63. SURPERCHES, OTHER	39	13	*	48	30	*	*	*	130
67. PACIFIC MACKEREL	*	*	*	*	*	32	*	*	38
69. STARRY FLOUNDER	11	*	*	1	16	1	*	*	6
70. CALIFORNIA HALIBUT	*	*	*	0	5	1	*	*	2
71. PACIFIC SANDDAB	*	*	*	1	1	0	*	*	4
72. ROCK SOLE	*	*	*	*	1	*	*	*	1
73. FLATFISHES, OTHER	0	*	*	0	3	0	*	*	4
74. SALMONIDS	*	*	*	*	0	0	*	*	4
75. OTHER FISH	119	5	*	150	76	3	*	*	353
TOTAL	1,028	56	0	689	1,903	633	0	0	4,308

TABLE 9. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK & LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	11	*	*	11	15	*	*	*	38
14. JACKSMELT	1	*	*	*	1	*	*	*	1
15. BLACK ROCKFISH	*	*	*	*	2	*	*	*	10
16. BLUE ROCKFISH	*	3	*	*	10	68	*	*	82
17. BROWN ROCKFISH	*	1	*	*	18	46	*	*	65
18. BOCCACCIO	*	*	*	*	*	14	*	*	14
19. CANARY ROCKFISH	*	*	*	*	4	34	*	*	58
20. CHILipePPER ROCKFISH	*	*	*	*	*	16	*	*	16
21. COPPER ROCKFISH	*	*	*	*	1	13	*	*	14
22. GOPHER ROCKFISH	*	*	*	*	0	1	*	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	27	*	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	3	*	*	3
25. OLIVE ROCKFISH	*	*	*	*	*	31	*	*	31
26. QUILLBACK ROCKFISH	*	*	*	*	*	3	*	*	3
27. ROSY ROCKFISH	*	*	*	*	*	40	*	*	60
28. STARRY ROCKFISH	*	*	*	*	*	12	*	*	12
29. VERMILION ROCKFISH	*	*	*	*	0	13	*	*	13
30. WIDOW ROCKFISH	*	*	*	*	*	15	*	*	15
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	4	*	*	14
33. ROCKFISHES, OTHER	*	3	*	0	15	29	*	*	47
34. KELP GREENLING	*	*	*	1	2	*	*	*	5
35. LINGCOD	*	*	*	0	7	21	*	*	28
38. CABEZON	*	1	*	4	0	6	*	*	12
39. PAC. STAGHORN SCULPIN	7	1	*	*	1	0	*	*	8
44. STRIPED BASS	*	*	*	5	6	*	*	*	10
48. WHITE CROAKER	11	1	*	*	8	*	*	*	19
53. BARRED SURFPERCH	1	1	*	2	*	*	*	*	3
55. PILE PERCH	*	*	*	7	*	*	*	*	7
56. REDTAIL SURFPERCH	*	*	*	1	*	*	*	*	1
58. SHINER PERCH	0	*	*	*	*	*	*	*	0
59. SILVER SURFPERCH	0	*	*	42	*	*	*	*	42
60. STRIPED SEAPERCH	*	*	*	2	*	*	*	*	2
61. WALLEYE SURFPERCH	1	*	*	1	*	*	*	*	1
62. WHITE SEAPERCH	*	0	*	1	*	*	*	*	1
63. SURFPERCHES, OTHER	5	2	*	1	0	*	*	*	8
67. PACIFIC MACKEREL	*	*	*	*	*	0	*	*	2
70. CALIFORNIA HALIBUT	*	*	*	*	2	0	*	*	2
71. PACIFIC SANDDAB	*	*	*	1	*	0	*	*	1
73. FLATFISHES, OTHER	0	*	*	*	*	0	*	*	1
74. SALMONIDS	*	*	*	2	*	1	*	*	3
75. OTHER FISH	0	1	*	6	*	2	*	*	9
TOTAL	37	13	0	152	92	601	0	0	895

TABLE 10. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	1	1	*	4	125	0	*	*
02. SPINY DOGFISH	*	*	*	*	8	*	*	8
03. SHARK, OTHER	6	0	*	33	553	0	*	592
04. STURGEONS	*	*	*	*	81	5	*	86
05. NORTHERN ANCHOVY	3	*	*	*	*	*	*	3
10. PACIFIC TOMODD	*	*	*	*	1	*	*	1
13. SILVERSIDES	2	*	*	*	*	*	*	2
14. JACKSMELT	75	1	*	9	9	*	*	9
15. BLACK ROCKFISH	*	*	*	*	11	*	*	11
16. BLUE ROCKFISH	*	*	*	*	1	*	*	1
17. BROWN ROCKFISH	9	*	*	16	40	*	*	65
19. CANARY ROCKFISH	*	*	*	*	1	*	*	1
21. COPPER ROCKFISH	*	*	*	*	1	*	*	1
33. ROCKFISHES, OTHER	4	*	*	4	7	0	*	15
34. KELP GREENLING	*	*	*	1	3	*	*	4
35. LINGODD	2	1	*	0	3	*	*	7
38. CABEZON	0	*	*	*	1	*	*	7
39. PAC. STAGHORN SCULPIN	193	17	*	143	440	12	*	805
40. SCULPINS, OTHER	*	*	*	*	*	0	*	0
43. KELP BASS	*	*	*	*	1	*	*	1
44. STRIPED BASS	5	*	*	5	81	11	*	102
48. WHITE CROAKER	14	2	*	2	29	0	*	98
50. CROAKERS, OTHER	*	*	*	*	1	*	*	1
53. BARRED SURFPERCH	0	*	*	2	2	*	*	4
54. BLACK PERCH	14	1	*	18	11	*	*	44
55. PILE PERCH	190	*	*	6	12	*	*	207
57. RUBBERLIP SEAPERCH	3	*	*	7	105	*	*	115
58. SHINER PERCH	273	4	*	79	10	*	*	366
59. SILVER SURFPERCH	2	*	*	*	1	*	*	3
60. STRIPED SEAPERCH	*	*	*	4	2	*	*	6
61. WALLEYE SURFPERCH	17	0	*	3	4	*	*	25
62. WHITE SEAPERCH	14	*	*	2	98	*	*	114
63. SURFPERCHES, OTHER	34	11	*	47	30	*	*	122
69. STARRY FLUNDER	11	*	*	1	16	1	*	29
70. CALIFORNIA HALIBUT	*	*	*	0	4	0	*	4
71. PACIFIC SANDDAB	*	*	*	*	1	*	*	1
72. ROCK SOLE	*	*	*	*	1	*	*	1
73. FLATFISHES, OTHER	*	*	*	0	3	*	*	3
74. SALMONIDS	*	*	*	*	0	*	*	0
75. OTHER FISH	119	4	*	144	76	1	*	344
TOTAL	991	42	0	536	1,811	32	0	3,413

TABLE 11. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	1	1	*	*	1
03. SHARK, OTHER	*	*	*	1	2	3	*	*	6
12. PACIFIC HAKE	*	*	*	*	6	87	*	*	16
14. JACKNELT	7	*	*	0	11	*	*	*	95
15. BLACK ROCKFISH	0	*	*	*	12	4	*	1	18
16. BLUE ROCKFISH	*	0	*	*	64	38	*	1	104
17. BROWN ROCKFISH	1	0	*	*	69	12	*	*	81
18. BOCCACCIO	3	*	*	*	0	181	*	*	185
19. CANARY ROCKFISH	*	*	*	*	12	30	*	*	43
20. CHILIPEPPER ROCKFISH	*	*	*	*	4	27	*	*	261
21. COPPER ROCKFISH	1	*	*	*	6	9	*	1	16
22. GOMPHUS ROCKFISH	*	*	*	*	57	8	*	0	46
23. GREENSPOTTED ROCKFISH	*	*	*	*	7	67	*	*	74
24. GREENSTRIPED ROCKFISH	*	*	*	*	2	37	*	*	38
25. OLIVE ROCKFISH	*	*	*	*	10	42	*	4	56
27. ROSY ROCKFISH	*	*	*	*	9	30	*	*	39
28. STARRY ROCKFISH	*	*	*	*	3	17	*	*	19
29. VERMILION ROCKFISH	*	*	*	*	6	*	*	0	13
30. WIDOW ROCKFISH	*	*	*	*	3	8	*	*	11
31. YELLOWTAIL ROCKFISH	*	*	*	*	12	101	*	1	114
33. ROCKFISHES, OTHER	5	1	*	1	214	183	*	8	412
34. KELP GREENLING	0	0	*	1	2	*	*	9	4
35. LINGCOD	1	*	*	1	30	55	*	9	97
37. SABLEFISH	*	*	*	*	5	41	*	*	46
38. CABEZON	*	0	*	0	6	1	*	4	12
39. PAC. STAGHORN SCULPIN	85	8	*	78	55	*	*	*	174
40. SCULPINS, OTHER	0	0	*	*	0	*	*	*	1
43. KELP BASS	*	*	*	*	0	*	*	0	1
44. STRIPED BASS	*	*	*	*	3	*	*	*	3
48. WHITE CROAKER	62	0	*	5	555	2	*	*	624
53. BARRED SURFPERCH	0	*	*	177	0	*	*	*	178
54. BLACK PERCH	0	*	*	3	*	*	*	*	5
55. PILE PERCH	4	0	*	30	0	*	*	2	7
57. RUBBERLIP SEAPERCH	*	1	*	0	0	*	*	1	1
58. SHINER PERCH	1	0	*	0	*	*	*	*	1
59. SILVER SURFPERCH	*	*	*	8	*	*	*	*	8
60. STRIPED SEAPERCH	*	0	*	1	0	*	*	2	4
61. WALLEYE SURFPERCH	5	0	*	6	1	*	*	*	12
62. WHITE SEAPERCH	7	0	*	1	*	*	*	*	6
63. SURFPERCHES, OTHER	37	1	*	52	3	*	*	*	96
66. PACIFIC BONITO	*	*	*	*	*	1	*	*	1
67. PACIFIC MACKEREL	4	*	*	*	17	27	*	*	49
68. TUNAS	*	*	*	*	4	6	*	*	11
69. STARRY FLUNDER	1	0	*	0	1	*	*	*	2
70. CALIFORNIA HALIBUT	0	*	*	*	4	*	*	1	5
71. PACIFIC SANDDAB	1	0	*	*	76	64	*	*	141
72. ROCK SOLE	*	*	*	*	1	1	*	*	3
73. FLATFISHES, OTHER	19	2	*	6	20	2	*	*	53
74. SALMONIDS	1	*	*	*	3	0	*	*	4
75. OTHER FISH	10	1	*	2	24	7	*	1	45
TOTAL	255	16	0	344	1,260	1,326	0	40	3,241

TABLE 12. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
62. SPINY DOGFISH	*	*	*	1	1	*	*
63. SHARK, OTHER	1	*	*	3	*	*	*
12. PACIFIC HAKE	*	*	*	2	*	*	2
14. JACKSMELT	23	*	4	6	*	*	23
15. BLACK ROCKFISH	*	*	*	6	*	*	6
16. BLUE ROCKFISH	0	*	*	79	22	*	101
17. BROWN ROCKFISH	*	*	1	18	*	*	21
18. BOCCACCIO	58	*	*	1	88	*	147
19. CANARY ROCKFISH	*	*	*	19	10	*	39
20. CHILipePPER ROCKFISH	*	*	*	0	51	*	51
21. COPPER ROCKFISH	*	*	*	8	8	*	16
22. GOPHER ROCKFISH	0	*	*	76	4	*	85
23. GREENSPOTTED ROCKFISH	*	*	*	0	*	*	4
24. GREENSTRIPED ROCKFISH	*	*	*	*	2	*	2
25. OLIVE ROCKFISH	*	*	*	11	5	*	16
27. ROSY ROCKFISH	0	*	*	9	16	*	24
28. STARRY ROCKFISH	*	*	*	5	11	*	16
29. VERMILION ROCKFISH	*	*	*	11	12	*	23
30. WIDOW ROCKFISH	*	*	*	0	*	*	23
31. YELLOWTAIL ROCKFISH	0	*	*	8	80	*	89
33. ROCKFISHES, OTHER	*	*	4	49	60	*	113
34. KELP GREENLING	*	*	1	1	*	*	2
35. LINGCOD	1	*	*	2	6	*	2
37. SABLEFISH	*	*	*	0	0	*	0
38. CABEZON	3	*	4	2	0	*	9
39. PAC. STAGHORN SCULPIN	35	*	1	0	*	*	36
40. SCULPINS, OTHER	0	*	*	*	*	*	0
41. BARRED SAND BASS	*	*	1	1	*	*	3
42. SPOTTED SAND BASS	*	*	*	0	*	*	0
43. KELP BASS	*	*	*	*	*	*	0
48. WHITE CROAKER	83	*	0	70	0	*	154
49. QUEENFISH	93	*	*	0	*	*	93
50. CROAKERS, OTHER	*	*	1	0	*	*	1
51. OPALEYE	*	*	0	*	*	*	0
53. BARRED SURFPERCH	36	*	71	0	*	*	107
54. BLACK PERCH	0	*	0	0	*	*	1
55. PILE PERCH	2	*	0	*	*	*	3
58. SHINER PERCH	14	*	0	*	*	*	15
59. SILVER SURFPERCH	14	*	4	*	*	*	19
60. STRIPED SURFPERCH	*	*	1	0	*	*	1
61. WALLEYE SURFPERCH	22	*	1	*	*	*	23
62. WHITE SURFPERCH	1	*	*	*	*	*	1
63. SURFPERCHES, OTHER	81	*	6	*	*	*	88
65. PACIFIC BARRAOLDA	*	*	*	13	*	*	13
67. PACIFIC MACKEREL	*	*	*	13	3	*	17
68. TUNAS	*	*	*	10	14	*	24
69. STARRY FLOUNDER	*	*	*	0	*	*	0
70. CALIFORNIA HALIBUT	3	*	*	26	*	*	27
71. PACIFIC SANDDAB	*	*	*	2	0	*	2
72. ROCK SOLE	*	*	*	0	0	*	0
74. SALMONIDS	0	*	*	14	0	*	15
75. OTHER FISH	17	*	1	11	2	*	30
TOTAL	487	0	0	102	500	468	0
							1,557

TABLE 13. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL		
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV
01. LEOPARD SHARK	0	0	100	*	*	*	25	5	21	0	0	100	*	*	*	25	5	21
02. SPINY DOGFISH	*	*	*	0	0	90	2	1	55	1	1	51	1	1	70	4	1	35
03. SHARK, OTHER	0	0	89	*	*	*	19	4	20	1	1	47	*	*	*	21	4	18
04. STURGEONS	*	*	*	*	*	*	28	6	23	*	*	*	*	*	*	26	6	23
05. PACIFIC HERRING	10	13	132	35	17	50	*	*	*	*	*	*	*	*	*	45	6	68
06. NORTHERN ANCHOVY	*	*	*	*	*	*	16	11	67	*	*	*	*	*	*	16	1	67
07. SURF SMELT	4	3	87	19	33	173	*	*	*	78	29	37	2	2	117	8	0	36
12. PACIFIC HAKE	*	*	*	*	*	*	1	0	40	15	7	45	15	11	77	114	1	31
13. SILVERSIDES	*	*	*	*	*	*	80	32	40	*	*	*	*	*	*	81	0	30
14. JACKSMELT	4	4	98	0	0	69	*	*	*	15	7	45	*	*	*	114	5	31
15. BLACK ROCKFISH	180	179	180	38	15	40	11	3	31	18	7	41	6	6	99	252	18	71
16. BLUE ROCKFISH	12	2	23	24	8	31	78	24	46	181	24	41	51	51	97	205	14	72
17. BROWN ROCKFISH	0	0	12	21	4	11	92	24	31	181	24	41	14	14	80	215	16	48
18. BOCCACCIO	0	0	71	21	4	16	28	14	31	181	24	41	16	16	83	208	10	40
19. CANARY ROCKFISH	16	0	155	54	16	31	59	15	86	181	24	41	29	29	89	209	15	56
20. CHILipePPER ROCKFISH	*	*	*	77	13	17	16	5	32	261	16	84	51	57	111	405	16	103
21. COPPER ROCKFISH	7	10	140	17	2	47	15	4	33	261	16	84	16	16	61	127	14	103
22. GOPHER ROCKFISH	*	*	*	14	7	51	27	1	32	74	15	32	14	14	96	118	6	86
23. GREENSPOTTED ROCKFISH	*	*	*	1	1	50	2	2	32	74	15	32	14	14	86	118	6	86
24. GREENSTRIPED ROCKFISH	1	1	100	*	*	*	*	*	*	38	15	88	*	*	*	15	15	88
25. OLIVE ROCKFISH	*	*	*	1	1	47	31	11	35	56	18	33	14	14	50	103	7	23
26. QUILLBACK ROCKFISH	3	4	139	1	1	88	3	9	47	39	12	33	24	24	49	107	5	24
27. ROSE ROCKFISH	*	*	*	2	5	41	12	4	48	19	13	31	13	13	58	13	13	58
28. STARRY ROCKFISH	*	*	*	1	1	100	*	*	*	*	*	*	*	*	*	13	13	56
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	14	14	56
30. WIDOW ROCKFISH	*	*	*	1	1	47	31	11	35	56	18	33	14	14	50	103	7	23
31. YELLOWTAIL ROCKFISH	8	9	124	37	8	20	13	4	35	9	4	38	60	57	76	56	61	59
32. ROCKFISHES, OTHER	100	219	220	31	9	28	44	18	26	112	24	38	57	57	46	516	7	23
33. KELP GREENLING	8	4	57	10	3	31	8	4	33	62	21	20	52	52	47	146	8	38
35. LINCOOD	24	29	122	17	6	34	27	9	33	52	21	20	14	14	8	146	7	38
36. GREENLINGS, OTHER	3	2	43	21	11	54	*	*	*	*	*	*	*	*	*	26	11	47
37. SABLEFISH	*	*	*	24	11	45	12	4	30	46	17	33	11	11	84	46	12	38
38. CABEZON	5	3	68	0	0	68	*	*	*	36	16	30	1	1	78	1	12	51
39. PAC. STAGHORN SCULPIN	0	0	75	0	0	68	*	*	*	36	16	30	1	1	78	1	12	51
40. SCULPINS, OTHER	0	0	78	0	0	68	*	*	*	36	16	30	1	1	78	1	12	51
41. BARRED SAND BASS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20	2	20
43. KELP BASS	*	*	*	*	*	*	0	0	100	86	11	100	506	506	81	70	0	20
44. STRIPED BASS	*	*	*	*	*	*	*	*	*	19	27	29	*	*	*	100	*	11
48. WHITE CROAKER	*	*	*	*	*	*	*	*	*	5	0	0	332	332	68	58	131	131
49. QUEENFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	50	7	50
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	80	1	81
51. OPALEYE	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	48	57	57
53. BARRED SURFPERCH	0	0	174	0	0	100	7	3	40	169	55	69	52	52	81	261	8	201
54. BLACK PERCH	*	*	*	*	*	*	43	21	21	5	3	3	5	5	57	63	67	
55. PILE PERCH	1	1	76	0	0	63	278	12	72	41	4	48	1	1	67	288	13	131
56. REDTAIL SURFPERCH	21	12	55	4	3	83	0	0	100	*	*	*	*	*	*	12	1	55
57. RUBBERLIP SURFPERCH	*	*	*	27	24	88	113	18	80	100	1	1	57	15	13	72	72	55
58. SHINER PERCH	4	1	80	1	3	63	46	41	48	169	55	69	52	52	88	175	7	55
59. SILVER SURFPERCH	3	1	62	7	3	63	8	4	48	84	3	3	5	5	57	72	7	55
60. STRIPED SURFPERCH	51	12	62	*	*	*	*	*	*	160	11	100	1	1	57	175	7	55
61. WALLEYE SURFPERCH	4	9	216	0	0	100	26	9	37	12	6	4	2	2	16	73	1	53
62. WHITE SURFPERCH	6	9	169	6	3	47	46	13	35	30	9	39	1	1	101	113	2	41
63. SURFPERCHES, OTHER	*	*	*	*	*	*	*	*	*	1	1	77	1	1	41	141	*	*
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10	1	10
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	149	5	53
67. PACIFIC MACKEREL	*	*	*	*	*	*	13	11	85	40	11	13	9	9	54	61	17	28
68. TUNAS	*	*	*	*	*	*	26	6	24	13	4	12	4	4	55	27	15	27
69. STARRY FLounder	0	0	81	0	0	83	5	2	7	140	3	3	51	13	101	10	14	61
70. CALIFORNIA HALIBUT	*	*	*	5	3	6	104	1	29	13	1	3	51	13	11	101	11	31
71. PACIFIC SANDDAB	0	0	7	0	0	59	104	1	27	13	1	3	51	13	11	84	14	24
72. ROCK SOLE	*	*	*	0	0	61	1	1	100	3	1	51	0	0	73	4	2	38
73. FLATFISHES, OTHER	3	3	104	6	2	55	1	1	48	14	2	13	13	13	101	14	14	61
74. SALMONIDS	0	0	168	0	0	59	104	1	27	13	1	3	51	13	11	84	14	31
75. OTHER FISH	*	*	*	*	*	*	*	*	*	13	1	3	51	13	11	84	14	31
TOTAL	485	290	60	528	58	11	1,928	267	14	2,588	376	15	1,143	195	17	6,672	581	9

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 14. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY COASTAL COUNTY DISTRICT AND MODE, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	16	26	3	77	363	*	0
MENDOCINO/SONOMA (NON-BOAT MODES)	64	24	*	60	*	*	29
MENDOCINO (BOAT MODES)	*	*	*	*	42	64	106
SONOMA (BOAT MODES)	*	*	*	*	116	128	*
SAN FRANCISCO	549	24	*	280	510	566	245
SANTA CRUZ/MONTEREY	93	4	*	230	984	1,257	40
SAN LUIS OBISPO	278	*	*	76	334	455	1,928
TOTAL	1,000	78	3	722	2,349	2,451	0
							6,672

TABLE 15. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	0	*	1	5	*	*	*
02. SPINY DOGFISH	*	*	*	*	19	1	*	*
03. SHARK, OTHER	1	0	*	0	0	*	*	*
04. STURGEONS	*	*	*	*	0	1	*	*
05. PACIFIC HERRING	36	8	*	2	0	*	*	42
06. NORTHERN ANCHOVY	11	*	*	0	5	*	*	16
07. SURF SMELT	*	23	*	*	*	*	*	*
10. PACIFIC TOMCOD	*	*	*	*	6	75	*	80
12. PACIFIC HAKE	*	*	*	*	*	*	*	1
13. SILVERSIDES	1	*	*	*	*	*	*	*
14. JACKSMELT	91	0	*	8	15	*	*	114
15. BLACK ROCKFISH	0	42	*	0	215	*	*	262
16. BLUE ROCKFISH	0	40	*	0	153	*	*	301
17. BROWN ROCKFISH	4	*	*	8	143	*	*	215
18. BOACCIO	39	*	*	*	2	86	*	288
19. CANARY ROCKFISH	*	*	*	*	92	108	*	200
20. CHILipePPER ROCKFISH	*	*	*	*	92	108	*	406
21. COPPER ROCKFISH	1	0	*	0	14	14	*	46
22. GOPHER ROCKFISH	0	*	*	*	14	14	*	47
23. GREENSPOTTED ROCKFISH	*	*	*	*	14	14	*	118
24. GREENSTRIPED ROCKFISH	*	*	*	*	3	3	*	46
25. OLIVE ROCKFISH	*	*	*	*	28	3	*	163
26. GULLBACK ROCKFISH	*	*	*	*	24	24	*	107
27. ROSY ROCKFISH	0	*	*	*	9	41	*	50
28. STARRY ROCKFISH	*	*	*	*	9	41	*	107
29. VERMILION ROCKFISH	*	*	*	1	24	28	*	45
30. WIDOW ROCKFISH	*	*	*	*	2	101	*	163
31. YELLOWTAIL ROCKFISH	0	*	*	*	2	101	*	379
33. ROCKFISHES, OTHER	34	43	0	8	23	3	*	516
34. KELP GREENLING	0	3	0	10	13	3	*	32
35. LINGODD	1	0	*	1	68	63	*	146
36. GREENLINGS, OTHER	1	2	*	21	0	*	*	146
37. SABLEFISH	*	*	*	*	4	41	*	46
38. CABEZON	*	*	*	18	18	*	*	46
39. PAC. STAGHORN SCULPIN	25	0	*	27	9	*	70	82
40. SCULPINS, OTHER	1	0	*	0	0	*	*	12
41. BARRED SAND BASS	*	*	*	1	1	*	*	12
42. SPOTTED SAND BASS	*	*	*	*	1	*	*	12
43. KELP BASS	*	*	*	7	33	1	*	62
44. STRIPED BASS	3	*	*	7	33	1	*	62
48. WHITE CROAKER	98	0	*	6	518	0	*	623
49. QUEENFISH	71	*	*	*	0	*	*	1
50. CROAKERS, OTHER	*	*	*	1	0	*	*	1
51. OPALEYE	*	*	*	0	*	*	*	1
53. BARRED SURFPERCH	28	1	*	231	2	*	*	261
54. BLACK PERCH	14	2	*	21	11	*	*	49
55. PILE PERCH	19	0	1	78	12	*	*	288
56. RETAIL SURFPERCH	11	1	0	23	0	*	*	116
57. RUBBERLIP SURFPERCH	2	1	*	7	10	*	*	116
58. SHINER PERCH	14	2	1	10	2	*	*	179
59. SILVER SURFPERCH	14	2	*	55	1	*	*	72
60. STRIPED SURFPERCH	11	0	0	59	2	*	*	44
61. WALLEYE SURFPERCH	6	0	0	11	2	*	*	44
62. WHITE SURFPERCH	28	10	0	45	4	*	*	128
63. SURFPERCHES, OTHER	49	13	*	45	4	*	1	113
65. PACIFIC BARRACUDA	*	*	*	*	2	*	*	2
66. PACIFIC BONITO	*	*	*	*	2	1	*	1
67. PACIFIC MACKEREL	*	*	*	*	2	1	*	61
68. TUNAS	*	*	*	*	2	1	*	34
69. STARRY FLounder	12	0	*	2	13	1	*	27
70. CALIFORNIA HALIBUT	1	*	*	0	15	0	*	18
71. PACIFIC SANDDAB	1	1	*	1	81	0	*	149
72. ROCK SOLE	*	*	*	*	2	2	*	44
73. FLATFISHES, OTHER	2	0	0	2	18	3	*	24
74. SALMONIDS	1	0	*	2	16	3	*	23
75. OTHER FISH	63	1	*	48	9	8	1	130
TOTAL	1,000	78	3	722	2,349	2,451	0	6,672

TABLE 16. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	0	*	*	*	*	*
03. SHARK, OTHER	*	0	*	0	*	*	*
05. PACIFIC HERRING	8	4	*	2	*	*	100
07. SURF SMELT	*	*	*	*	*	*	4
12. PACIFIC HAKE	*	*	*	*	*	*	*
14. JACKSMELT	4	0	*	0	*	*	4
15. BLACK ROCKFISH	0	2	*	0	178	*	180
16. BLUE ROCKFISH	*	0	*	0	12	*	120
17. BROWN ROCKFISH	*	0	*	*	11	*	110
18. BOACCIO	*	*	*	*	0	*	0
19. CANARY ROCKFISH	*	*	*	*	16	*	16
21. COPPER ROCKFISH	*	0	*	*	7	*	7
24. GREENSTRIPED ROCKFISH	*	*	*	*	1	*	1
26. QUILLBACK ROCKFISH	*	*	*	*	3	*	3
27. ROSY ROCKFISH	*	*	*	*	1	*	1
29. VERMILION ROCKFISH	*	*	*	*	1	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	8	*	8
33. ROCKFISHES, OTHER	*	1	*	0	38	*	38
34. KELP GREENLING	0	3	0	1	3	*	3
35. LINGCOD	*	0	*	*	24	*	24
36. GREENLINGS, OTHER	0	2	*	1	0	*	0
38. CABEZON	0	1	*	0	4	*	4
39. PAC. STAGHORN SCULPIN	0	0	*	*	0	*	0
40. SCULPINS, OTHER	0	0	*	0	0	*	0
53. BARRED SURPERCH	*	*	*	0	*	*	0
55. PILE PERCH	0	0	1	0	*	*	1
56. REDTAIL SURPERCH	1	1	0	19	0	*	21
58. SHINER PERCH	3	*	1	*	*	*	4
59. SILVER SURPERCH	0	2	*	1	*	*	3
60. STRIPED SEAPERCH	1	2	0	49	*	*	51
61. WALLEYE SURPERCH	4	0	0	0	0	*	4
62. WHITE SEAPERCH	0	0	0	*	*	*	1
63. SURPERCHES, OTHER	3	0	*	2	*	*	6
69. STARRY FLUNDER	0	0	*	*	0	*	0
71. PACIFIC SANDDAB	*	*	*	*	0	*	0
73. FLATFISHES, OTHER	0	*	0	0	1	*	1
74. SALMONIDS	*	*	*	1	2	*	0
75. OTHER FISH	*	0	*	0	*	*	0
TOTAL	16	26	3	77	363	0	485

TABLE 17. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE,  
MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH NET	BANK NET	SPEAR	ALL MODES
05. PACIFIC HERRING	35	*	*	*	*	*	*	*	*	35
07. SURF SMELT	*	19	*	*	*	*	*	*	*	19
14. JACKSMELT	0	*	*	*	*	*	*	*	*	0
15. BLACK ROCKFISH	*	0	*	*	*	*	*	*	8	8
16. BLUE ROCKFISH	*	*	*	2	*	*	*	*	9	11
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	0	0
21. COPPER ROCKFISH	*	*	*	0	*	*	*	*	0	0
22. GOPHER ROCKFISH	*	*	*	1	*	*	*	*	0	0
29. VERMILLION ROCKFISH	*	*	*	*	*	*	*	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*	0	0
33. ROCKFISHES, OTHER	*	0	*	1	*	*	*	*	1	3
34. KELP GREENLING	*	0	*	6	*	*	*	*	2	3
35. LINGODD	*	0	*	1	*	*	*	*	2	3
36. GREENLINGS, OTHER	1	0	*	19	*	*	*	*	1	21
38. CABEZON	0	0	*	14	*	*	*	*	3	17
39. PAC. STAGHORN SCULPIN	0	0	*	*	*	*	*	*	0	0
40. SCULPINS, OTHER	*	0	*	*	*	*	*	*	*	0
53. BARRED SURFPERCH	*	*	*	0	*	*	*	*	*	0
55. PILE PERCH	*	0	*	4	*	*	*	*	0	4
56. REDTAIL SURFPERCH	*	*	*	4	*	*	*	*	*	4
57. RUBBERLIP SEAPERCH	*	0	*	1	*	*	*	*	0	1
58. SHINER PERCH	27	*	*	100	*	*	*	*	*	27
59. SILVER SURFPERCH	*	0	*	20	*	*	*	*	*	17
60. STRIPED SEAPERCH	*	*	*	20	*	*	*	*	2	20
61. WALLEYE SURFPERCH	*	*	*	0	*	*	*	*	*	0
62. WHITE SEAPERCH	0	0	*	250	*	*	*	*	*	260
63. SURFPERCHES, OTHER	*	0	*	50	*	*	*	*	1	50
69. STARRY FLUNDER	*	0	*	*	*	*	*	*	*	0
71. PACIFIC SANDDAB	*	0	*	*	*	*	*	*	*	0
73. FLATFISHES, OTHER	*	0	*	*	*	*	*	*	*	0
74. SALMONIDS	0	0	*	0	*	*	*	*	*	0
75. OTHER FISH	*	0	*	*	*	*	*	*	*	0
TOTAL	64	24	0	60	0	0	0	0	29	177

TABLE 18. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	0	*	*	*	0
15. BLACK ROCKFISH	*	*	*	4	13	*	*	17
16. BLUE ROCKFISH	*	*	*	5	6	*	*	10
17. BROWN ROCKFISH	*	*	*	1	*	*	*	1
18. BOCACCTO	*	*	*	0	0	*	*	0
19. CANARY ROCKFISH	*	*	*	10	11	*	*	22
20. CHILIEPPER ROCKFISH	*	*	*	0	3	5	*	8
21. COPPER ROCKFISH	*	*	*	0	*	1	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	0	*	10
24. GREENSTRIPED ROCKFISH	*	*	*	0	0	*	*	0
26. QUILLBACK ROCKFISH	*	*	*	0	0	*	*	1
27. ROSY ROCKFISH	*	*	*	2	4	*	*	5
29. VERMILION ROCKFISH	*	*	*	1	0	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	2	6	*	*	8
33. ROCKFISHES, OTHER	*	*	*	5	11	*	*	16
34. KELP GREENLING	*	*	*	1	*	*	*	1
35. LINGCOD	*	*	*	3	4	*	*	7
36. GREENLINGS, OTHER	*	*	*	0	*	*	*	0
38. CABEZON	*	*	*	0	*	*	*	0
40. SCULPINS, OTHER	*	*	*	0	*	*	*	0
44. STRIPED BASS	*	*	*	0	*	*	*	0
60. STRIPED SEAPERCH	*	*	*	0	*	*	*	0
63. SURFPERCHES, OTHER	*	*	*	0	*	*	*	0
69. STARRY FLUNDER	*	*	*	0	*	*	*	0
71. PACIFIC SANDDAB	*	*	*	4	1	*	*	5
72. ROCK SOLE	*	*	*	0	0	*	*	0
73. FLATFISHES, OTHER	*	*	*	0	0	*	*	0
74. SALMONIDS	*	*	*	0	2	*	*	0
75. OTHER FISH	*	*	*	0	*	*	*	0
TOTAL	0	0	0	42	64	0	0	106

TABLE 19. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	13	0	*	13
16. BLUE ROCKFISH	*	*	*	*	2	1	*	3
17. BROWN ROCKFISH	*	*	*	*	20	11	*	20
18. BOCACCTO	*	*	*	1	3	*	*	4
19. CANARY ROCKFISH	*	*	*	29	3	*	*	32
20. CHILIEPPER ROCKFISH	*	*	*	*	77	0	*	77
21. COPPER ROCKFISH	*	*	*	*	9	0	*	9
22. GOPHER ROCKFISH	*	*	*	*	2	*	*	2
23. GREENSPOTTED ROCKFISH	*	*	*	7	6	*	*	13
24. GREENSTRIPED ROCKFISH	*	*	*	0	1	*	*	1
25. OLIVE ROCKFISH	*	*	*	0	*	*	*	0
26. QUILLBACK ROCKFISH	*	*	*	1	*	*	*	1
27. ROSY ROCKFISH	*	*	*	1	1	*	*	2
28. STARRY ROCKFISH	*	*	*	1	2	*	*	2
29. VERMILION ROCKFISH	*	*	*	3	0	*	*	3
30. WIDOW ROCKFISH	*	*	*	0	0	*	*	1
31. YELLOWTAIL ROCKFISH	*	*	*	15	24	*	*	29
33. ROCKFISHES, OTHER	*	*	*	3	8	*	*	12
34. KELP GREENLING	*	*	*	1	*	*	*	1
35. LINGCOD	*	*	*	6	0	*	*	7
36. GREENLINGS, OTHER	*	*	*	*	*	*	*	*
38. CABEZON	*	*	*	6	*	*	*	6
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	0	*	*	*	0
73. FLATFISHES, OTHER	*	*	*	5	0	*	*	5
75. OTHER FISH	*	*	*	*	0	*	*	0
TOTAL	0	0	0	116	128	0	0	245

TABLE 20. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BRIDGE & BEACH BANK	CAUSEWAY HOOK & LINE	P/R BOAT	CPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	1	24	*	*	*
02. SPINY DOGFISH	*	*	*	2	*	*	*	2
03. SHARK, OTHER	0	*	*	*	19	*	*	*
04. STURGEONS	*	*	*	5	1	*	*	6
05. NORTHERN ANCHOVY	11	*	*	0	5	*	*	16
10. PACIFIC TOMODD	*	*	*	*	*	*	*	*
13. SILVERSIDES	1	*	*	*	*	*	*	1
14. JACKSHELT	88	0	*	7	5	*	*	88
15. BLACK ROCKFISH	*	*	*	2	9	*	*	11
16. BLUE ROCKFISH	*	3	*	*	6	*	*	78
17. BROWN ROCKFISH	3	0	*	7	36	46	*	92
18. BOCACCIO	*	*	*	*	5	14	*	59
19. CANARY ROCKFISH	*	*	*	*	5	16	*	56
20. CHILIPePPER ROCKFISH	*	*	*	*	1	13	*	16
21. COPPER ROCKFISH	*	*	*	*	*	*	*	15
22. GOPHER ROCKFISH	*	*	*	*	0	1	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	7
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	2
25. OLIVE ROCKFISH	*	*	*	*	*	31	*	35
26. QUILLBACK ROCKFISH	*	*	*	*	*	3	*	3
27. ROSY ROCKFISH	*	*	*	*	*	35	*	*
28. STARRY ROCKFISH	*	*	*	*	*	12	*	*
29. VERMILION ROCKFISH	*	*	*	*	0	22	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	17	*	15
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	4	*	14
33. ROCKFISHES, OTHER	2	3	*	3	14	23	*	44
34. KELP GREENLING	*	*	*	1	4	*	*	7
35. LINGCOD	0	0	*	0	8	18	*	27
38. CABEZON	0	0	*	4	1	6	*	12
39. PAC. STAGHORN SCULPIN	6	0	*	11	8	*	*	6
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
43. KELP BASS	*	*	*	*	1	*	*	1
44. STRIPED BASS	3	*	*	6	3	*	*	6
48. WHITE CROAKER	21	0	*	2	42	*	*	86
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	1	1	*	4	1	*	*	7
54. BLACK PERCH	13	1	*	18	11	*	*	43
55. PILE PERCH	190	*	*	77	12	*	*	278
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
57. RUBBERLIP SEAPERCH	2	*	*	6	105	*	*	113
58. SHINER PERCH	118	2	*	9	2	*	*	131
59. SILVER SURFPERCH	2	*	*	6	2	*	*	46
60. STRIPED SEAPERCH	*	*	*	4	4	*	*	8
61. WALLEYE SURFPERCH	17	0	*	4	8	*	*	26
62. WHITE SEAPERCH	14	0	*	4	8	*	*	16
63. SURFPERCHES, OTHER	14	12	*	17	4	*	*	46
67. PACIFIC MACKEREL	*	*	*	*	1	13	*	13
69. STARRY FLUNDER	11	*	*	0	11	*	*	24
70. CALIFORNIA HALIBUT	*	*	*	1	4	0	*	5
71. PACIFIC SANDDAB	*	*	*	1	1	0	*	2
72. ROCK SOLE	*	*	*	*	1	*	*	1
73. FLATFISHES, OTHER	0	*	*	0	2	0	*	3
74. SALMONIDS	*	*	*	47	5	1	*	104
75. OTHER FISH	51	1	*	47	5	0	*	
TOTAL	549	24	0	280	510	566	0	1,928

TABLE 21. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	*	*	*
06. NORTHERN ANCHOVY	9	*	*	0	5	*	*	15
14. JACKSMELT	*	*	*	*	1	*	*	1
15. BLACK ROCKFISH	*	*	*	*	2	9	*	10
16. BLUE ROCKFISH	*	3	*	*	8	65	*	77
17. BROWN ROCKFISH	*	0	*	*	17	46	*	63
18. BOCCACCIO	*	*	*	*	*	14	*	14
19. CANARY ROCKFISH	*	*	*	*	4	54	*	58
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	16	*	16
21. COPPER ROCKFISH	*	*	*	*	1	13	*	14
22. GOPHER ROCKFISH	*	*	*	*	0	1	*	1
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	27	*	27
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	3	*	3
25. OLIVE ROCKFISH	*	*	*	*	*	31	*	31
26. QUILLBACK ROCKFISH	*	*	*	*	*	3	*	3
27. ROSY ROCKFISH	*	*	*	*	*	35	*	35
28. STARRY ROCKFISH	*	*	*	*	0	12	*	12
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	12
30. WIDOW ROCKFISH	*	*	*	*	*	13	*	13
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	14	*	154
33. ROCKFISHES, OTHER	*	3	*	0	13	23	*	38
34. KELP GREENLING	*	*	*	1*	2	18	*	25
35. LINGODD	*	*	*	1*	7	*	*	0
38. CABEZON	*	0	*	3	0	6	*	10
39. PAC. STAGHORN SCULPIN	*	0	*	*	*	*	*	0
44. STRIPED BASS	*	*	*	5	6	*	*	10
48. WHITE CROAKER	9	0	*	*	8	*	*	*
53. BARRED SURFPERCH	1	1	*	2	*	*	*	17
55. PILE PERCH	*	*	*	7	*	*	*	3
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	*	*	*	*	*	*	*	*
59. SILVER SURFPERCH	0	*	*	2	*	*	*	2
60. STRIPED SEAPERCH	*	*	*	2	*	*	*	2
61. WALLEYE SURFPERCH	1	*	*	1	*	*	*	1
62. WHITE SEAPERCH	*	0	*	1	*	*	*	1
63. SURFPERCHES, OTHER	1	2	*	1	*	*	*	4
67. PACIFIC MACKEREL	*	*	*	*	*	13	*	13
70. CALIFORNIA HALIBUT	*	*	*	*	2	0	*	2
71. PACIFIC SANDDAB	*	*	*	1	*	0	*	1
73. FLATFISHES, OTHER	0	*	*	*	*	0	*	1
74. SALMONIDS	*	*	*	1	*	1	*	2
75. OTHER FISH	0	0	*	0	*	0	*	1
TOTAL	22	10	0	132	75	563	0	803

TABLE 22. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	*	*	1	26	*	*	*	21
02. SPINY DOGFISH	*	*	*	*	2	*	*	*	2
03. SHARK, OTHER	0	*	*	*	19	*	*	*	19
04. STURGEONS	*	*	*	*	5	1	*	*	5
06. NORTHERN ANCHOVY	2	*	*	*	*	*	*	*	2
10. PACIFIC TOMCOD	*	*	*	*	*	*	*	*	*
13. SILVERSIDES	*	*	*	*	*	*	*	*	1
14. JACKSHELT	67	0	*	7	4	*	*	*	79
15. BLACK ROCKFISH	*	*	*	*	1	*	*	*	1
16. BLUE ROCKFISH	*	*	*	*	1	*	*	*	1
17. BROWN ROCKFISH	3	*	*	7	19	*	*	*	29
19. CANARY ROCKFISH	*	*	*	*	1	*	*	*	1
21. COPPER ROCKFISH	*	*	*	*	1	*	*	*	1
33. ROCKFISHES, OTHER	2	*	*	3	1	*	*	*	3
34. KELP GREENLING	*	*	*	*	3	*	*	*	*
35. LINGODD	0	*	*	0	1	*	*	*	2
38. CABEZON	00	*	*	00	1	*	*	*	2
39. PAC. STAGHORN SCULPIN	6	*	*	11	8	*	*	*	30
40. SCULPINS, OTHER	*	*	*	*	1	*	*	*	*
43. KELP BASS	*	*	*	*	*	*	*	*	1
44. STRIPED BASS	3	*	*	2	27	1	*	*	33
48. WHITE CROAKER	12	*	*	2	55	*	*	*	48
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	0	*	*	2	1	*	*	*	4
54. BLACK PERCH	13	1	*	18	11	*	*	*	43
55. PILE PERCH	190	*	*	6	12	*	*	*	207
57. RUBBERLIP SURFPERCH	2	*	*	6	105	*	*	*	113
58. SHINER PERCH	118	2	*	9	2	*	*	*	131
59. SILVER SURFPERCH	2	*	*	4	2	*	*	*	6
60. STRIPED SURFPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	16	0	*	3	4	*	*	*	26
62. WHITE SURFPERCH	14	*	*	2	98	*	*	*	114
63. SURFPERCHES, OTHER	13	10	*	16	4	*	*	*	24
69. STARRY FLUNDER	11	*	*	1	11	1	*	*	23
70. CALIFORNIA HALIBUT	*	*	*	0	2	*	*	*	*
71. PACIFIC SANDAB	*	*	*	*	1	*	*	*	1
72. ROCK SOLE	*	*	*	*	1	*	*	*	1
73. FLATFISHES, OTHER	*	*	*	0	2	*	*	*	2
74. SALMONIDS	*	*	*	*	0	*	*	*	0
75. OTHER FISH	51	0	*	46	5	0	*	*	103
TOTAL	527	14	0	147	435	3	0	0	1,126

TABLE 23. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH	BANK CAUSEWAY	HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	*	*	0
02. SPINY DOGFISH	*	*	*	*	1	1	1	*	*	1
03. SHARK, OTHER	*	*	*	*	0	73	1	*	*	1
12. PACIFIC HAKE	*	*	*	0	6	*	*	*	*	78
14. JACKSMELT	7	*	*	0	8	*	*	*	*	15
15. BLACK ROCKFISH	0	*	*	*	12	4	*	1	18	
16. BLUE ROCKFISH	*	0	*	*	60	38	*	1	99	
17. BROWN ROCKFISH	1	0	*	*	88	12	*	*	181	
18. BOCACCO	*	*	*	*	0	181	*	*	181	
19. CANARY ROCKFISH	*	*	*	*	12	30	*	*	42	
20. CHILIPEPPER ROCKFISH	*	*	*	*	4	257	*	*	261	
21. COPPER ROCKFISH	1	*	*	*	6	9	*	1	16	
22. GOPHER ROCKFISH	*	*	*	*	37	68	*	0	74	
23. GREENSPOTTED ROCKFISH	*	*	*	*	7	67	*	*	88	
24. GREENSTRIPED ROCKFISH	*	*	*	*	2	37	*	*	38	
25. OLIVE ROCKFISH	*	*	*	*	10	42	*	4	56	
27. ROSY ROCKFISH	*	*	*	*	9	30	*	*	39	
28. STARRY ROCKFISH	*	*	*	*	3	17	*	*	19	
29. VERMILION ROCKFISH	*	*	*	*	7	6	*	0	13	
30. WIDOW ROCKFISH	*	*	*	*	1	8	*	*	9	
31. YELLOWTAIL ROCKFISH	*	*	*	*	10	101	*	1	112	
33. ROCKFISHES, OTHER	1	0	*	1	107	137	*	8	24	
34. KELP GREENLING	*	*	*	1	2	*	*	*	4	
35. LINGCOD	1	*	*	1	16	37	*	9	63	
37. SABLEFISH	*	*	*	*	4	41	*	*	46	
38. CABEZON	*	0	*	0	5	1	*	4	10	
39. PAC. STAGHORN SCULPIN	18	*	*	16	1*	*	*	*	36	
40. SCULPINS, OTHER	0	0	*	*	0	*	*	*	1	
43. KELP BASS	*	*	*	*	0	*	*	*	0	
44. STRIPED BASS	*	*	*	0	*	*	*	*	0	
48. WHITE CROAKER	32	0	*	4	470	0	*	*	506	
53. BARRED SURPERCH	0	*	*	168	0	*	*	*	168	
54. BLACK PERCH	1	0	*	3	0	*	*	*	5	
55. PILE PERCH	2	0	*	30	0	*	*	*	5	
57. RUBBERLIP SEAPERCH	*	1	*	*	0	*	*	*	1	
58. SHINER PERCH	1	0	*	0	*	*	*	*	1	
59. SILVER SURPERCH	*	*	*	8	*	*	*	*	8	
60. STRIPED SEAPERCH	*	0	*	1	0	*	*	*	4	
61. WALLEYE SURPERCH	5	0	*	6	1	*	*	*	12	
62. WHITE SEAPERCH	5	0	*	1	*	*	*	*	6	
63. SURPERCHES, OTHER	12	0	*	17	1	*	*	*	30	
66. PACIFIC BONITO	*	*	*	*	*	1	*	*	1	
67. PACIFIC MACKEREL	*	*	*	*	16	24	*	*	40	
68. TUNAS	*	*	*	*	4	6	*	*	11	
69. STARRY FLounder	1	0	*	0	1	*	*	*	2	
70. CALIFORNIA HALIBUT	0	*	*	*	2	*	*	1	3	
71. PACIFIC SANDDAB	1	0	*	*	75	64	*	*	140	
72. ROCK SOLE	*	*	*	*	1	1	*	*	3	
73. FLATFISHES, OTHER	1	0	*	2	10	1	*	*	14	
74. SALMONIDS	1	*	*	*	1	0	*	*	2	
75. OTHER FISH	2	0	*	1	2	5	*	1	13	
TOTAL	95	4	0	230	984	1,257	0	40	2,588	

TABLE 24. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS  
OBISPO, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	OPV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	1	*	*	*
03. SHARK, OTHER	1	*	*	*	*	*	*	1
12. PACIFIC HAKE	*	*	*	*	*	*	*	2
14. JACKSMELT	12	*	*	0	3	2	*	15
15. BLACK ROCKFISH	*	*	*	*	6	*	*	6
16. BLUE ROCKFISH	0	*	*	*	66	22	*	88
17. BROWN ROCKFISH	*	*	*	1	17	22	*	39
18. BOCCACCIO	39	*	*	*	1	88	*	88
19. CANARY ROCKFISH	*	*	*	*	19	10	*	29
20. CHILIEPEPPER ROCKFISH	*	*	*	*	0	51	*	60
21. COPPER ROCKFISH	*	*	*	*	8	8	*	16
22. GOPHER ROCKFISH	0	*	*	*	74	9	*	85
23. GREENSPOTTED ROCKFISH	*	*	*	*	0	4	*	4
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	2	*	6
25. OLIVE ROCKFISH	*	*	*	*	10	5	*	15
27. ROSY ROCKFISH	0	*	*	*	9	16	*	25
28. STARRY ROCKFISH	*	*	*	*	5	11	*	16
29. VERMILION ROCKFISH	*	*	*	*	11	12	*	23
30. WIDOW ROCKFISH	*	*	*	*	0	29	*	29
31. YELLOWTAIL ROCKFISH	0	*	*	*	8	68	*	88
33. ROCKFISHES, OTHER	*	*	*	20	33	52	*	87
34. KELP GREENLING	*	*	*	*	1	*	*	1
35. LINGCOD	*	*	*	*	10	4	*	14
37. SABLEFISH	*	*	*	*	*	0	*	0
38. CABEZON	1	*	*	0	2	0	*	2
39. PAC. STAGHORN SCULPIN	1	*	*	*	*	*	*	1
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
41. BARRED SAND BASS	*	*	*	1	1	*	*	2
42. SPOTTED SAND BASS	*	*	*	*	*	*	*	0
43. KELP BASS	*	*	*	0	*	*	*	0
48. WHITE CROAKER	46	*	*	0	5	*	*	50
49. QUEENFISH	71	*	*	*	000	*	*	71
50. CROAKERS, OTHER	*	*	*	1	*	*	*	1
51. OPALEYE	*	*	*	*	*	*	*	0
53. BARRED SURFPERCH	27	*	*	58	0	*	*	80
54. BLACK PERCH	0	*	*	0	0	*	*	1
55. PILE PERCH	2	*	*	000	*	*	*	2
58. SHINER PERCH	14	*	*	4	*	*	*	14
59. SILVER SURFPERCH	11	*	*	1	0	*	*	11
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	0
61. WALLEYE SURFPERCH	21	*	*	1	*	*	*	21
62. WHITE SEAPERCH	1	*	*	*	*	*	*	1
63. SURFPERCHES, OTHER	22	*	*	4	*	*	*	22
65. PACIFIC BARBACUDA	*	*	*	*	2	*	*	2
67. PACIFIC MACKEREL	*	*	*	*	6	3	*	9
68. TUNAS	*	*	*	*	10	14	*	24
69. STARRY FLOUNDER	*	*	*	*	0	*	*	0
70. CALIFORNIA HALIBUT	1	*	*	*	9	*	*	10
71. PACIFIC SANDDAB	*	*	*	*	1	0	*	1
72. ROCK SOLE	*	*	*	*	0	*	*	0
74. SALMONIDS	0	*	*	*	13	0	*	13
75. OTHER FISH	9	*	*	0	1	2	*	13
TOTAL	278	0	0	76	334	455	0	1,143

TABLE 25. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE A) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1986--DEC 1986.

GROUP	DEL NORTE / HUMBOLDT			MENDOCINO / SONOMA			SAN FRANCISCO			SANTA CRUZ / MONTEREY			SAN LUIS OBISPO			TOTAL			
	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	EST.	S.E.	CV	
01. LEOPARD SHARK	0	0	100	*	*	*	13	5	35	0	0	100	*	*	*	13	5	34	
02. SPINY DOGFISH	*	*	*	0	*	90	26	5	11	1	51	*	*	1	1	1	25		
03. SHARK, OTHER	0	0	100	*	*	*	5	1	6	0	0	59	*	*	*	1	1	26	
04. STURGEONS	*	*	*	*	*	*	51	4	24	*	*	*	*	*	*	*	*	24	
05. PACIFIC HERRING	9	13	138	35	17	50	26	5	11	*	*	*	*	*	*	26	5	59	
07. SURF SMELT	4	3	87	19	33	178	*	*	*	*	*	*	*	*	*	22	33	150	
12. PACIFIC HAKE	*	*	*	0	0	100	68	10	32	*	*	*	*	*	*	77	29	157	
14. JACKSMELT	2	2	99	15	15	41	10	3	32	11	11	36	18	8	8	89	33	177	
15. BLACK ROCKFISH	158	176	112	27	22	33	33	3	32	18	24	45	24	6	6	229	70	248	
16. BLUE ROCKFISH	11	21	222	7	7	33	65	97	97	24	24	65	84	50	50	88	70	24	
17. BROWN ROCKFISH	1	2	125	19	8	39	78	22	28	79	39	49	19	14	71	196	47	24	
18. BOACCIO	0	20	71	4	16	31	58	15	21	41	29	53	118	53	57	289	91	31	
19. CANARY ROCKFISH	16	20	155	77	13	17	16	15	4	26	15	36	50	16	16	198	60	140	
20. CHILipePPER ROCKFISH	*	*	*	17	7	41	31	11	1	38	18	32	14	7	51	98	7	33	
21. COPPER ROCKFISH	7	10	141	1	1	60	31	1	47	52	*	38	14	4	61	131	53	41	
22. GOPHER ROCKFISH	*	*	*	2	1	47	1	1	43	45	17	37	82	51	51	131	44	53	
23. GREENSPOTTED ROCKFISH	*	*	*	14	7	51	27	1	43	74	17	37	24	4	61	98	7	41	
24. GREENSTRIPED ROCKFISH	1	1	100	1	1	50	31	3	32	38	15	38	14	2	1	67	46	31	
25. OLIVE ROCKFISH	*	*	*	1	1	47	31	1	47	52	*	38	14	7	51	98	7	33	
26. QUILLBACK ROCKFISH	3	4	147	1	1	60	31	1	47	52	*	38	14	4	61	131	53	41	
27. ROSY ROCKFISH	1	1	88	7	5	66	35	9	26	39	12	32	24	12	12	106	20	19	
28. STARRY ROCKFISH	*	*	*	5	2	41	12	1	43	19	8	32	16	9	9	48	20	13	
29. VERMILION ROCKFISH	1	1	128	36	8	68	15	4	40	26	9	32	68	13	13	124	14	51	
30. WIDOW ROCKFISH	*	*	*	36	8	68	15	4	40	102	37	37	68	13	13	124	14	51	
31. YELLOWTAIL ROCKFISH	8	9	124	*	*	*	26	8	32	39	12	32	24	12	12	106	20	19	
33. ROCKFISHES, OTHER	8	11	129	20	5	24	28	5	17	75	19	25	23	6	6	155	24	15	
34. KELP GREENLING	7	4	64	10	3	24	26	4	14	53	19	25	21	1	1	129	31	31	
35. LINGCOD	15	20	127	17	6	35	26	4	14	53	20	37	21	4	8	129	31	31	
36. GREENLINGS, OTHER	*	*	*	19	11	57	*	*	*	45	17	38	0	0	0	84	11	17	
37. SABLEFISH	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	45	17	38	
38. CABEZON	4	3	75	23	11	46	11	3	32	6	2	29	3	2	2	47	12	12	
39. PAC. STAGHORN SCULPIN	0	0	93	0	0	68	59	19	32	49	31	74	2	1	1	40	12	12	
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2	2	70	
41. BARRED SAND BASS	*	*	*	*	*	*	1	1	100	1	0	81	2	0	0	2	1	59	
43. KELP BASS	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2	0	100	
44. STRIPED BASS	*	*	*	0	0	100	40	11	28	449	0	100	*	*	*	41	11	28	
45. WHITE CROAKER	*	*	*	*	*	*	59	19	32	331	0	74	29	20	20	537	332	332	
46. QUEENFISH	*	*	*	*	*	*	*	*	*	449	*	74	59	92	92	59	1	1	1
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	1	1	1	
53. BARRED SURFPERCH	0	0	174	0	0	100	7	3	43	169	69	41	75	48	64	251	84	133	
54. BLACK PERCH	*	*	*	*	*	*	36	12	34	52	*	*	1	0	63	42	12	12	
55. PILE PERCH	1	1	76	0	0	63	277	201	233	449	331	0	100	29	20	20	537	332	332
56. REDTAIL SURFPERCH	21	12	56	4	3	63	113	18	41	449	331	0	74	59	92	92	59	1	1
57. RUBBERLIP SURFPERCH	*	*	*	0	0	86	115	18	41	169	69	41	75	48	64	251	84	133	
58. SHINER PERCH	3	3	100	27	24	86	115	18	41	169	69	41	75	48	64	116	55	84	
59. SILVER SURFPERCH	3	3	107	1	0	72	46	41	48	118	3	60	12	6	51	69	83	61	
60. STRIPED SURFPERCH	48	32	65	7	2	63	116	9	51	115	5	61	22	1	67	66	83	48	
61. WALLEYE SURFPERCH	3	5	208	0	0	180	110	9	48	115	5	61	22	1	67	66	83	48	
62. WHITE SURFPERCH	1	1	88	2	1	61	116	9	48	115	5	61	22	1	67	66	83	48	
63. SURFPERCHES, OTHER	2	1	68	2	1	61	116	9	48	115	5	61	22	1	67	66	83	48	
65. PACIFIC BARRACUDA	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2	3	179	
67. PACIFIC MACKEREL	*	*	*	*	*	*	12	11	88	34	13	37	12	12	12	12	12	179	
68. TUNAS	*	*	*	*	*	*	23	6	26	34	13	37	12	12	12	12	12	179	
69. STARRY FLounder	0	0	81	0	0	83	23	2	1	45	13	37	12	12	12	12	12	179	
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	2	1	45	13	37	12	12	12	12	12	12	179	
71. PACIFIC SANDDAB	0	0	71	5	3	64	2	1	70	68	27	40	10	16	12	12	12	179	
72. ROCK SOLE	*	*	*	0	0	61	1	1	100	1	1	51	10	8	8	14	4	179	
73. FLATFISHES, OTHER	1	1	91	2	2	55	3	3	1	48	1	55	12	13	13	108	14	14	
74. SALMONIDS	3	3	104	0	0	59	4	1	57	14	2	81	12	5	54	21	14	36	
75. OTHER FISH	0	0	180	0	0	59	4	1	57	14	2	81	12	5	54	21	14	36	
TOTAL	345	186	54	502	57	11	1,633	263	16	2,156	368	17	940	176	19	5,576	523	9	

NOTE: EST. = ESTIMATE, S.E. = STANDARD ERROR OF ESTIMATE, CV = COEFFICIENT OF VARIATION

TABLE 26. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND COASTAL COUNTY DISTRICT,  
JAN 1986--DEC 1986.

GROUP	DEL NORTE / HUMBOLDT	MENDOCINO / SONOMA	SAN OCEAN	SAN FRANCISCO BAY	SANTA CRUZ / MONTEREY	SAN LUIS OBISPO	TOTAL
01. LEOPARD SHARK	0	*	*	105	0	*	106
02. SPINY DOGFISH	*	*	*	7	5	3	8
03. SHARK, OTHER	0	0	0	573	5	*	562
04. SURGEONS	*	*	*	60	*	*	60
05. PACIFIC HERRING	*	1	*	*	*	*	1
06. NORTHERN ANCHOVY	*	*	25	1	*	*	26
10. PACIFIC TOMCOD	*	*	*	*	15	0	15
12. PACIFIC HAKE	0	*	*	2	15	*	15
13. SILVERSIDES	*	*	*	15	4	17	36
14. JACKSMELT	0	0	*	15	4	17	36
15. BLACK ROCKFISH	14	0	*	*	*	*	14
16. BLUE ROCKFISH	*	0	5	*	5	13	13
17. BROWN ROCKFISH	0	*	2	36	1	0	36
18. BOCCACCIO	*	*	2	*	4	18	20
19. CANARY ROCKFISH	*	0	*	*	*	*	0
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	0
21. COPPER ROCKFISH	*	*	*	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	2
23. OLIVE ROCKFISH	*	*	*	*	*	*	1
27. ROSY ROCKFISH	*	1	5	*	*	*	6
28. STARRY ROCKFISH	*	*	*	*	*	*	0
29. VERMILION ROCKFISH	*	0	*	*	*	*	0
30. WIDOW ROCKFISH	*	*	*	*	2	*	2
31. YELLOWTAIL ROCKFISH	*	*	0	*	2	0	2
33. ROCKFISHES, OTHER	8	21	9	10	158	26	232
34. KELP GREENLING	1	4	*	0	*	0	6
35. LINGCOD	3	11	3	5	35	18	73
36. GREENLINGS, OTHER	4	7	*	*	*	*	10
37. SABLEFISH	*	*	*	*	1	0	1
38. CABEZON	2	3	2	5	2	6	18
39. PAC. STAGHORN SCULPIN	1	1	8	780	138	35	962
40. SCULPINS, OTHER	19	2	*	0	*	0	21
41. BARRED SAND BASS	*	*	*	*	*	0	0
42. SPOTTED SAND BASS	*	*	*	*	*	0	0
43. KELP BASS	*	*	*	*	*	0	0
44. STRIPED BASS	*	*	0	70	3	*	72
48. WHITE CROAKER	*	*	2	50	118	104	273
49. QUEENFISH	*	*	*	*	*	*	22
50. CROAKERS, OTHER	*	*	*	1	*	*	22
53. BARRED SURFPERCH	*	*	*	0	9	22	32
54. BLACK PERCH	*	*	*	1	*	*	1
55. PILE PERCH	0	*	*	*	2	*	2
56. REDTAIL SURFPERCH	0	0	0	*	*	*	0
57. RUBBERLIP SURFPERCH	*	*	*	1	*	*	1
58. SHINER PERCH	0	1	0	25	*	0	236
59. SILVER SURFPERCH	0	*	*	*	*	*	4
60. STRIPED SURFPERCH	1	0	*	*	*	*	1
61. HALLEYE SURFPERCH	0	*	*	1	0	2	3
62. WHITE SURFPERCH	*	*	*	*	2	*	2
63. SURFPERCHES, OTHER	18	1	4	80	64	62	229
65. PACIFIC BARRACUDA	*	*	*	*	*	11	11
67. PACIFIC MACKEREL	*	*	19	*	9	7	35
69. STARRY FLounder	*	*	*	5	*	*	5
70. CALIFORNIA HALIBUT	*	*	*	1	2	17	21
71. PACIFIC SANDDAB	*	4	*	1	1	1	6
73. FLATFISHES, OTHER	0	1	*	1	39	*	41
74. SALMONIDS	53	15	1	*	2	2	63
75. OTHER FISH	0	14	8	241	12	18	313
TOTAL	127	76	95	2,287	653	414	3,649

TABLE 27. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY COASTAL COUNTY DISTRICT AND MODE,  
JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
DEL NORTE/HUMBOLDT	20	5	2	21	79	*	*	127
MENDOCINO/SONOMA (NON-BOAT MODES)	11	1	*	15	*	*	*	28
MENDOCINO (BOAT MODES)	*	*	*	*	1	0	*	1
SONOMA (BOAT MODES)	*	*	*	*	45	1	*	47
SAN FRANCISCO	479	32	*	409	1,393	67	*	2,380
SANTA CRUZ/MONTEREY	162	12	*	114	276	89	*	653
SAN LUIS OBISPO	209	*	*	27	165	13	*	414
TOTAL	881	50	2	586	1,960	170	0	3,649

TABLE 28. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, ALL COASTAL COUNTY DISTRICTS COMBINED, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	BANK & LINE	P/R BOAT	CPFV	BEACH NET	BANK	SPEAR	ALL MODES
01. LEOPARD SHARK	0	1	*	4	101	0	*	*	*	106
02. SPINY DOGFISH	*	*	*	*	7	1	*	*	*	8
03. SHARK, OTHER	6	0	*	33	540	3	*	*	*	583
04. STURGEONS	*	*	*	*	56	4	*	*	*	60
05. PACIFIC HERRING	1	*	*	*	*	*	*	*	*	1
06. NORTHERN ANCHOVY	3	*	*	11	10	*	*	*	*	24
07. SURF SMELT	*	*	*	*	*	*	*	*	*	*
10. PACIFIC TOMOD	*	*	*	*	1	*	*	*	*	1
12. PACIFIC HAKE	*	*	*	*	1	14	*	*	*	15
13. SILVERSIDES	2	*	*	*	*	*	*	*	*	2
14. JACKSMELT	19	0	*	6	11	*	*	*	*	36
15. BLACK ROCKFISH	*	1	*	*	13	*	*	*	*	14
16. BLUE ROCKFISH	*	*	*	9	28	3	*	*	*	33
17. BROWN ROCKFISH	6	1	*	*	*	0	*	*	*	22
18. BOCACCO	22	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	0	0	*	*	*	0
20. CHILIPePPER ROCKFISH	*	*	*	*	*	0	*	*	*	0
21. COPPER ROCKFISH	*	*	*	*	*	0	*	*	*	0
22. GOPHER ROCKFISH	*	*	*	0	2	0	*	*	*	0
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*	0
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*	0
25. OLIVE ROCKFISH	*	*	*	*	1	*	*	*	*	1
26. QUILLBACK ROCKFISH	*	*	*	*	*	6	*	*	*	6
27. ROSY ROCKFISH	*	*	*	*	*	0	*	*	*	0
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*	0
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	*	*	0
30. WIDOW ROCKFISH	*	*	*	*	0	*	*	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	*	*	*	0
33. ROCKFISHES, OTHER	7	2	*	5	157	61	*	*	0	235
34. KELP GREENLING	*	1	*	1	4	*	*	*	*	6
35. LINGCOD	3	1	*	1	44	23	*	*	*	73
36. GREENLINGS, OTHER	0	1	*	8	1	*	*	*	*	10
37. SABLEFISH	*	*	*	*	1	0	*	*	*	1
38. CABEZON	4	1	*	11	2	0	*	*	*	18
39. PAC. STAGHORN SCULPIN	292	26	*	195	437	12	*	*	*	962
40. SCULPINS, OTHER	4	1	1	14	2	0	*	*	*	21
41. BARRED SAND BASS	*	*	*	*	0	*	*	*	*	0
42. SPOTTED SAND BASS	*	*	*	*	0	*	*	*	*	0
43. KELP BASS	*	*	*	*	0	*	*	*	*	0
44. STRIPED BASS	2	*	*	4	56	10	*	*	*	72
48. WHITE CROAKER	72	2	*	2	195	2	*	*	*	273
49. QUEENFISH	22	*	*	*	*	*	*	*	*	22
50. CROAKERS, OTHER	*	*	*	*	1	*	*	*	*	1
51. OPALEYE	*	*	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	9	*	*	22	0	*	*	*	*	32
54. BLACK PERCH	1	*	*	*	*	*	*	*	*	1
55. PILE PERCH	1	0	*	*	*	*	*	*	*	2
56. REDTAIL SURFPERCH	*	*	*	3	0	*	*	*	*	1
57. RUBBERLIP SURFPERCH	1	*	*	0	8	*	*	*	*	1
58. SHINER PERCH	156	2	*	7	*	*	*	*	*	236
59. SILVER SURFPERCH	3	0	*	0	*	*	*	*	*	4
60. STRIPED SURFPERCH	0	0	*	1	*	*	*	*	*	3
61. WALLEYE SURFPERCH	2	*	*	0	*	*	*	*	*	2
62. WHITE SURFPERCH	2	*	*	*	*	*	*	*	*	2
63. SURFPERCHES, OTHER	124	4	0	72	29	*	*	*	*	229
65. PACIFIC BARRACUDA	*	*	*	*	11	*	*	*	*	11
66. PACIFIC BONITO	*	*	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	4	*	*	*	9	23	*	*	*	35
68. TUNAS	*	*	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	0	*	*	*	4	1	*	*	*	5
70. CALIFORNIA HALIBUT	2	*	*	*	19	0	*	*	*	21
71. PACIFIC SANDDAB	*	0	*	*	6	*	*	*	*	6
72. ROCK SOLE	*	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	18	1	0	5	16	1	*	*	*	41
74. SALMONIDS	5	*	*	1	57	*	*	*	*	63
75. OTHER FISH	89	5	*	108	108	3	*	*	*	313
TOTAL	881	50	2	586	1,960	170	0	0	0	3,649

TABLE 29. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	0	*	*	*	*
03. SHARK, OTHER	*	0	*	*	*	*	*	0
05. PACIFIC HERRING	*	*	*	*	*	*	*	*
07. SURF SMELT	*	*	*	*	*	*	*	*
12. PACIFIC HAKE	*	*	*	0	*	*	*	0
14. JACKSMELT	0	*	*	*	0	*	*	0
15. BLACK ROCKFISH	*	1	*	*	13	*	*	14
16. BLUE ROCKFISH	*	*	*	*	*	*	*	0
17. BROWN ROCKFISH	*	0	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSE ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	0	1	*	0	7	*	*	8
34. KELP GREENLING	*	1	*	0	03	*	*	1
35. LINGODD	*	0	*	*	*	*	*	0
36. GREENLINGS, OTHER	0	1	*	2	1	*	*	4
38. CABEZON	1	0	*	200	10	*	*	2
39. PAC. STAGHORN SCULPIN	*	*	*	*	*	*	*	1
40. SCULPINS, OTHER	4	0	1	1	*	*	*	10
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	0	*	*	*	*	*	0
56. REDTAIL SURFPERCH	*	0	*	3	*	*	*	0
58. SHINER PERCH	0	*	*	*	*	*	*	0
59. SILVER SURFPERCH	*	0	*	*	*	*	*	0
60. STRIPED SURFPERCH	0	0	*	0	*	*	*	0
61. WALLEYE SURFPERCH	*	*	*	0	*	*	*	0
62. WHITE SURFPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	14	1	0	2	0	*	*	18
69. STARRY FLUNDER	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	0	0	*	*	*	0
74. SALMONIDS	*	*	*	00	53	*	*	53
75. OTHER FISH	*	*	*	0	*	*	*	0
TOTAL	20	5	2	21	79	0	0	127

TABLE 30. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
05. PACIFIC HERRING	1	*	*	*	*	*	*	1
07. SURF SMELT	*	*	*	*	*	*	*	*
14. JACKSMELT	0	*	*	*	*	*	*	0
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	0	*	2	*	*	0	2
34. KELP GREENLING	*	*	*	20	*	*	*	20
35. LINGCOD	*	0	*	6	*	*	*	6
36. GREENLINGS, OTHER	*	0	*	2	*	*	*	3
38. CABEZON	0	0	*	0	*	*	*	0
39. PAC. STAGHORN SCULPIN	*	0	*	00	*	*	*	1
40. SCULPINS, OTHER	*	0	*	0	*	*	*	0
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
57. RUBBERLIP SURFPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	0	*	*	0	*	*	*	1
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*
60. STRIPED SURFPERCH	*	*	*	0	*	*	*	0
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*
62. WHITE SURFPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	1	0	*	1	*	*	*	1
69. STARRY FLounder	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	5	*	*	*	*	*	*	5
75. OTHER FISH	5	0	*	3	*	*	*	8
TOTAL	11	1	0	15	0	0	0	28

TABLE 31. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	0	*	*	0
16. BLUE ROCKFISH	*	*	*	*	0	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	0	*	*	0
20. CHILIPePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	0	*	*	0
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	0	*	*	0
34. KELP GREENLING	*	*	*	*	0	*	*	0
35. LINGCOD	*	*	*	*	0	*	*	0
36. GREENLINGS, OTHER	*	*	*	*	0	*	*	0
38. CABEZON	*	*	*	*	*	*	*	*
40. SCULPINS, OTHER	*	*	*	*	0	*	*	0
44. STRIPED BASS	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	*	*	*	*	*	*	*	*
69. STARRY FLounder	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
75. OTHER FISH	*	*	*	*	0	*	*	0
TOTAL	0	0	0	0	1	0	0	1

TABLE 32. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	*	*	0	*	0
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	*	*	*	*	*	*	*	*
18. BOCCACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOLPER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	1	*	1
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	*	*	*	*	18	0	*	18
34. KELP GREENLING	*	*	*	*	4	*	*	4
35. LINGCOD	*	*	*	*	10	*	*	10
36. GREENLINGS, OTHER	*	*	*	*	1	*	*	1
38. CABEZON	*	*	*	*	*	*	*	*
40. SCULPINS, OTHER	*	*	*	*	1	*	*	1
70. CALIFORNIA HALIBUT	*	*	*	*	1	*	*	1
71. PACIFIC SANDDAB	*	*	*	*	4	*	*	4
73. FLATFISHES, OTHER	*	*	*	*	1	*	*	1
75. OTHER FISH	*	*	*	*	6	*	*	6
TOTAL	0	0	0	0	45	1	0	47

TABLE 33. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BRIDGE & CAUSEWAY	BANK LINE	P/R BOAT	CPPV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	1	*	3	101	0	*	*	105
02. SPINY DOGFISH	*	*	*	*	7	*	*	*	7
03. SHARK, OTHER	5	0	*	33	55	0	*	*	573
04. STURGEONS	*	*	*	*	56	4	*	*	60
05. NORTHERN ANCHOVY	3	*	*	11	10	*	*	*	24
10. PACIFIC TOMCOD	*	*	*	*	1	*	*	*	1
13. SILVERSIDES	2	*	*	*	*	*	*	*	2
14. JACKSMELT	8	0	*	2	5	*	*	*	15*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*	5
16. BLUE ROCKFISH	*	*	*	*	2	3	*	*	5
17. BROWN ROCKFISH	6	1	*	9	22	0	*	*	38
18. BOCACCIO	*	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*	*
20. CHILIEPEPPER ROCKFISH	*	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	0	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	5	*	*	5
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	*	0	*	*	0
33. ROCKFISHES, OTHER	2	1	*	1	8	6	*	*	18
34. KELP GREENLING	*	*	*	100	2	2	*	*	0
35. LINGCOD	2	1	*	6	*	*	*	*	6
36. CABEZON	*	1	*	*	*	*	*	*	7
39. PAC. STAGHORN SCULPIN	19	17	*	132	433	12	*	*	788
40. SCULPINS, OTHER	*	*	*	*	*	0	*	*	0
43. KELP BASS	*	*	*	*	*	*	*	*	*
44. STRIPED BASS	2	*	*	4	54	10	*	*	70
48. WHITE CROAKER	2	2	*	0	5	0	*	*	2
50. CROAKERS, OTHER	*	*	*	*	1	*	*	*	1
53. BARRED SURFPERCH	*	*	*	*	0	*	*	*	0
54. BLACK PERCH	1	*	*	*	*	*	*	*	1
55. PILE PERCH	*	*	*	0	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	*	0
57. RUBBERLIP SURFPERCH	1	*	*	0	0	*	*	*	1
58. SHINER PERCH	155	2	*	70	8	*	*	*	235
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*	*
60. STRIPED SURFPERCH	*	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	1	*	*	*	*	*	*	*	1
62. WHITE SURFPERCH	*	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	25	1	*	32	26	*	*	*	84
67. PACIFIC MACKEREL	*	*	*	*	*	19	*	*	19
69. STARRY FLUNDER	0	*	*	*	4	1	*	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	1	0	*	*	1
71. PACIFIC SANDDAB	*	*	*	*	1	*	*	*	1
72. ROCK SOLE	*	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*	1
74. SALMONIDS	*	*	*	1	*	*	*	*	1
75. OTHER FISH	69	4	*	103	71	2	*	*	249
TOTAL	479	32	0	409	1,393	67	0	0	2,380

TABLE 34. ESTIMATED THOUSAND OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
03. SHARK, OTHER	*	*	*	0	*	*	*	0
06. NORTHERN ANCHOVY	2	*	*	11	10	*	*	23*
14. JACKSHELT	*	*	*	*	*	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	2	3	*	*	5
17. BROWN ROCKFISH	*	1	*	*	1	0	*	2
18. BOACCIO	*	*	*	*	*	*	*	*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILipePPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	0	*	*	0
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
26. QUILLBACK ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	5	*	5
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	*	*	0
33. ROCKFISHES, OTHER	*	1	*	2	6	*	*	9*
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGOD	*	*	*	0	0	2	*	3
38. CABEZON	*	1	*	1	*	*	*	2
39. PAC. STAGHORN SCULPIN	7	0	*	1	0	*	*	6
44. STRIPED BASS	*	*	*	0	*	*	*	0
48. WHITE CROAKER	2	0	*	*	*	*	*	*
53. BARRED SURFPERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
56. REDTAIL SURFPERCH	*	*	*	0	*	*	*	0
58. SHINER PERCH	0	*	*	*	*	*	*	0
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	*	*	*	*	*	*	*	*
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	4	*	*	0	0	*	*	4
67. PACIFIC MACKEREL	*	*	*	*	*	19	*	19
70. CALIFORNIA HALIBUT	*	*	*	*	*	*	*	*
71. PACIFIC SANDDAB	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	1	*	*	*	1
75. OTHER FISH	0	1	*	6	*	1	*	8
TOTAL	14	3	0	20	17	38	0	95

TABLE 35. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY &	BRIDGE & BEACH BANK CAUSEWAY HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	0	1	*	3	101	0	*	★ 105
02. SPINY DOGFISH	*	*	*	*	7	*	*	7
03. SHARK, OTHER	5	0	*	33	534	0	*	★ 573
04. STURGEONS	*	*	*	*	56	4	*	★ 60
06. NORTHERN ANCHOVY	1	*	*	*	*	*	*	1
10. PACIFIC TOMCOD	*	*	*	*	1	*	*	1
13. SILVERSIDES	2	*	*	*	*	*	*	2
14. JACKSMELT	8*	0	*	2	5	*	*	15*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	*	*	*	*
17. BROWN ROCKFISH	6	*	*	9	21	*	*	36*
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
33. ROCKFISHES, OTHER	2	*	*	10	6	0	*	100
34. KELP GREENLING	*	*	*	*	*	*	*	*
35. LINGODD	2	1	*	*	1	*	*	5
36. CABEZON	*	*	*	*	*	*	*	5
39. PAC. STAGHORN SCULPIN	187	17	*	12	432	120	*	780
40. SCULPINS, OTHER	*	*	*	*	*	*	*	0*
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	2	*	*	4	54	10	*	70
48. WHITE CROAKER	2	2	*	0	45	0	*	50
50. CROAKERS, OTHER	*	*	*	*	1	*	*	*
53. BARRED SURFPERCH	*	*	*	*	10	*	*	10
54. BLACK PERCH	1	*	*	*	*	*	*	1
55. PILE PERCH	*	*	*	*	*	*	*	*
57. RUBBERLIP SEAPERCH	1	*	*	0	0	*	*	1
58. SHINER PERCH	154	2	*	70	8*	*	*	235*
59. SILVER SURFPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	1	*	*	*	*	*	*	1
62. WHITE SEAPERCH	*	*	*	*	*	*	*	*
63. SURFPERCHES, OTHER	22	1	*	31	26	*	*	80
69. STARRY FLUNDER	0	*	*	*	4	1	*	5
70. CALIFORNIA HALIBUT	*	*	*	*	1	0	*	1
71. PACIFIC SANDDAB	*	*	*	*	1	*	*	1*
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	*	*	*	*	1	*	*	1*
74. SALMONIDS	*	*	*	*	*	*	*	1*
75. OTHER FISH	68	4	*	97	71	1	*	241
TOTAL	464	29	0	389	1,376	29	0	0 2,287

TABLE 36. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SANTA CRUZ/MONTEREY, JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY HOOK & LINE	BRIDGE & BEACH BANK	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
01. LEOPARD SHARK	*	*	*	*	0	*	*	0
02. SPINY DOGFISH	*	*	*	*	*	*	*	5
03. SHARK, OTHER	*	*	*	1	2	2	*	15
12. PACIFIC HAKE	*	*	*	*	1	*	*	4
14. JACKS/ELT	*	*	*	*	4	*	*	*
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	5	0	*	5
17. BROWN ROCKFISH	*	*	*	*	1	*	*	1
18. BOACCIO	3	*	*	*	*	0	*	4
19. CANARY ROCKFISH	*	*	*	*	*	*	*	*
20. CHILIPEPPER ROCKFISH	*	*	*	*	*	*	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	*	*	*	*	*
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	*	*	*	*
27. ROSY ROCKFISH	*	*	*	*	*	*	*	*
28. STARRY ROCKFISH	*	*	*	*	*	*	*	*
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	2	*	*	*	2
31. YELLOWTAIL ROCKFISH	*	*	*	2	*	*	*	2
33. ROCKFISHES, OTHER	4	1	0	107	46	*	*	158
34. KELP GREENLING	*	*	0	*	*	*	*	*
35. LINGCOD	0	*	1	14	19	*	*	35
37. SABLEFISH	*	*	1	0	*	*	*	1
38. CABEZON	*	*	*	2	0	*	*	2
39. PAC. STAGHORN SCULPIN	64	8	62	23	0	*	*	138
40. SCULPINS, OTHER	*	*	*	*	*	*	*	*
43. KELP BASS	*	*	*	*	*	*	*	*
44. STRIPED BASS	*	*	*	3	*	*	*	3
48. WHITE CROAKER	31	*	1	85	2	*	*	118
53. BARRED SURPERCH	*	*	9	*	*	*	*	9
54. BLACK PERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	2	*	*	*	*	*	*	2
57. RUBBERLIP SEAPERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	*	*	*	*	*	*	*	*
59. SILVER SURPERCH	*	*	*	*	*	*	*	*
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURPERCH	*	0	*	*	*	*	*	0
62. WHITE SEAPERCH	2	*	*	*	*	*	*	2
63. SURPERCHES, OTHER	25	1	35	3	*	*	*	64
66. PACIFIC BONITO	*	*	*	*	*	*	*	*
67. PACIFIC MACKEREL	4	*	*	1	4	*	*	9
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLUNDER	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	*	*	*	2	*	*	*	2
71. PACIFIC SANDAB	*	0	*	1	*	*	*	1
72. ROCK SOLE	*	*	*	*	*	*	*	*
73. FLATFISHES, OTHER	18	1	5	14	1	*	*	39
74. SALMONIDS	*	*	*	2	*	*	*	2
75. OTHER FISH	8	1	1	22	1	*	*	32
TOTAL	162	12	0	114	276	89	0	653

TABLE 37. ESTIMATED THOUSANDS OF FISH CAUGHT (CATCH TYPE B4) BY GROUP AND MODE, SAN LUIS OBISPO,  
JAN 1986--DEC 1986.

GROUP	PIER & DOCK BREAKWATER	JETTY & CAUSEWAY	BRIDGE & BEACH BANK HOOK & LINE	P/R BOAT	CPFV	BEACH BANK NET	SPEAR	ALL MODES
02. SPINY DOGFISH	*	*	*	*	0	1	*	*
03. SHARK, OTHER	1	*	*	0	3	0	*	3
12. PACIFIC HAKE	*	*	*	*	*	*	*	0
14. JACKSMELT	11	*	*	4	3	*	*	17
15. BLACK ROCKFISH	*	*	*	*	*	*	*	*
16. BLUE ROCKFISH	*	*	*	*	13	0	*	13
17. BROWN ROCKFISH	*	*	*	*	0	*	*	0
18. BOCCACCIO	18	*	*	*	*	0	*	18
19. CANARY ROCKFISH	*	*	*	*	*	0	*	0
20. CHILipePPER ROCKFISH	*	*	*	*	*	0	*	*
21. COPPER ROCKFISH	*	*	*	*	*	*	*	*
22. GOPHER ROCKFISH	*	*	*	0	2	0	*	2
23. GREENSPOTTED ROCKFISH	*	*	*	*	*	*	*	*
24. GREENSTRIPED ROCKFISH	*	*	*	*	*	*	*	*
25. OLIVE ROCKFISH	*	*	*	*	1	*	*	1
27. ROSY ROCKFISH	*	*	*	*	*	0	*	0
28. STARRY ROCKFISH	*	*	*	*	*	0	*	0
29. VERMILION ROCKFISH	*	*	*	*	*	*	*	*
30. WIDOW ROCKFISH	*	*	*	*	*	*	*	*
31. YELLOWTAIL ROCKFISH	*	*	*	*	0	0	*	0
33. ROCKFISHES, OTHER	*	*	*	1	16	9	*	26
34. KELP GREENLING	*	*	*	10	*	*	*	0
35. LINGCOD	1	*	*	*	15	20	*	18
37. SABLEFISH	*	*	*	*	*	*	*	*
38. CABEZON	2	*	*	3	0	*	*	6
39. PAC. STAGHORN SCULPIN	34	*	*	1	0	*	*	38
40. SCULPINS, OTHER	0	*	*	*	*	*	*	0
41. BARRED SAND BASS	*	*	*	*	0	*	*	*
42. SPOTTED SAND BASS	*	*	*	*	0	*	*	*
43. KELP BASS	*	*	*	0	*	*	*	0
48. WHITE CROAKER	37	*	*	0	66	0	*	104
49. GLEENFISH	22	*	*	*	*	*	*	22
50. CROAKERS, OTHER	*	*	*	*	*	*	*	*
51. OPALEYE	*	*	*	*	*	*	*	*
53. BARRED SURFPERCH	9	*	*	14	*	*	*	22
54. BLACK PERCH	*	*	*	*	*	*	*	*
55. PILE PERCH	*	*	*	*	*	*	*	*
58. SHINER PERCH	*	*	*	0	*	*	*	0
59. SILVER SURFPERCH	3	*	*	0	*	*	*	4
60. STRIPED SEAPERCH	*	*	*	*	*	*	*	*
61. WALLEYE SURFPERCH	2	*	*	0	*	*	*	2
62. WHITE SEAPERCH	*	*	*	2	*	*	*	2
63. SURFPERCHES, OTHER	60	*	*	*	11	*	*	62
65. PACIFIC BARRACUDA	*	*	*	*	7	0	*	11
67. PACIFIC MACKEREL	*	*	*	*	*	*	*	7
68. TUNAS	*	*	*	*	*	*	*	*
69. STARRY FLOUNDER	*	*	*	*	*	*	*	*
70. CALIFORNIA HALIBUT	2	*	*	*	14	*	*	17
71. PACIFIC SANDDAB	*	*	*	*	1	*	*	1
72. ROCK SOLE	*	*	*	*	*	*	*	*
74. SALMONIDS	*	*	*	0	2	*	*	2
75. OTHER FISH	8	*	*	0	9	0	*	18
TOTAL	209	0	0	27	165	13	0	414

**TABLE 38.** ESTIMATED THOUSANDS OF FISH CAUGHT BY TYPE, WAVE, AND COASTAL COUNTY DISTRICT, JAN 1985--DEC 1986.

COASTAL COUNTY DISTRICT	CATCH TYPE A	CATCH TYPE B3	CATCH TYPE B4	TOTAL
JAN/FEB				
DEL NORTE/HUMBOLDT	18	1	6	25
MENDOCINO/SONOMA	18	10	12	31
S. F. OCEAN	76	4	23	103
S. F. BAY	63	3	28	28
SANTA CRUZ/MONTEREY	61	3	24	85
SAN LUIS OBISPO	140	28	24	182
TOTAL	376	41	315	733
MAR/APR				
DEL NORTE/HUMBOLDT	4	1	4	9
MENDOCINO/SONOMA	61	1	7	69
S. F. OCEAN	245	6	7	258
S. F. BAY	558	15	155	728
SANTA CRUZ/MONTEREY	87	8	21	116
SAN LUIS OBISPO	82	15	34	131
TOTAL	1,037	47	229	1,312
MAY/JUN				
DEL NORTE/HUMBOLDT	115	16	27	159
MENDOCINO/SONOMA	58	13	12	73
S. F. OCEAN	65	10	15	90
S. F. BAY	106	4	62	152
SANTA CRUZ/MONTEREY	637	20	21	908
SAN LUIS OBISPO	159	22	82	312
TOTAL	1,139	208	753	2,100
JUL/AUG				
DEL NORTE/HUMBOLDT	138	32	28	197
MENDOCINO/SONOMA	106	8	4	117
S. F. OCEAN	198	31	37	266
S. F. BAY	71	33	319	424
SANTA CRUZ/MONTEREY	613	93	257	962
SAN LUIS OBISPO	454	71	203	728
TOTAL	1,579	267	828	2,674
SEP/OCT				
DEL NORTE/HUMBOLDT	69	6	9	84
MENDOCINO/SONOMA	224	16	40	267
S. F. OCEAN	156	11	11	171
S. F. BAY	31	1	502	587
SANTA CRUZ/MONTEREY	539	17	151	852
SAN LUIS OBISPO	48	8	26	82
TOTAL	1,068	235	739	2,042
NOV/DEC				
DEL NORTE/HUMBOLDT	1	83	54	138
MENDOCINO/SONOMA	35	1	0	37
S. F. OCEAN	17	1	3	21
S. F. BAY	47	102	659	807
SANTA CRUZ/MONTEREY	219	104	23	346
SAN LUIS OBISPO	58	8	46	11
TOTAL	376	298	785	1,460
GRAND TOTAL	5,576	1,097	3,649	10,322

TABLE 39. ESTIMATED THOUSANDS OF PARTICIPANTS IN MARINE RECREATIONAL FISHING BY COASTAL COUNTY DISTRICT FOR NORTHERN AND CENTRAL CALIFORNIA, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	COASTAL PARTICIPANTS	NON-COASTAL PARTICIPANTS	CUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT	33	12	10	55
STD ERR	18	17	27	57
MENDOCINO/SONOMA (NON-BOAT MODES)	22	*	*	22
STD ERR	28	*	*	28
MENDOCINO (BOAT MODES)	2	1	*	4
STD ERR	3	1	*	3
SONOMA (BOAT MODES)	7	2	*	9
STD ERR	11	2	*	11
SAN FRANCISCO	241	11	12	264
STD ERR	374	12	12	374
SANTA CRUZ/MONTEREY	109	28	12	148
STD ERR	143	22	12	155
SAN LUIS OBISPO	31	6	50	127
STD ERR	46	5	51	82
TOTAL	445	98		
STD ERR	404	54		

TABLE 40. ESTIMATED THOUSANDS OF FISHING TRIPS BY COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY CUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	154	28	24	206
STD ERR	193	68	102	224
MENDOCINO/SONOMA (NON-BOAT MODES)	103	68	6	147
STD ERR	26	12	12	38
MENDOCINO (BOAT MODES)	14	12	1	27
STD ERR	7	12	4	13
SONOMA (BOAT MODES)	46	6	2	54
STD ERR	0	6	1	6
SAN FRANCISCO	1,270	23	24	1,317
STD ERR	125	23	24	130
SANTA CRUZ/MONTEREY	378	38	16	432
STD ERR	80	38	15	87
SAN LUIS OBISPO	140	113	121	375
STD ERR	60	104	133	179
TOTAL	2,105	258	194	2,558
STD ERR	252	124	171	329

TABLE 41. ESTIMATED THOUSANDS OF FISHING TRIPS BY MODE AND COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	MODE	TRIPS BY COASTAL RESIDENTS	TRIPS BY NON-COASTAL RESIDENTS	TRIPS BY OUT OF STATE RESIDENTS	ALL TRIPS
DEL NORTE/HUMBOLDT	PIER & DOCK	11	1	2	13
	STD ERR	25	10	20	55
	JETTY & BREAKWATER	10	5	20	35
	STD ERR	8	5	20	33
	BRIDGE & CAUSEWAY	8	4	20	32
	STD ERR	8	4	20	32
	B/B - H & L	31	6	20	57
	STD ERR	16	11	20	47
	P/R BOAT	97	19	18	134
	STD ERR	180	*	180	350
	CPFV	0	*	0	0
	STD ERR	0	*	0	0
	SPEAR	11	*	0	11
	STD ERR	2	*	0	2
	TOTAL	154	28	24	206
	STD ERR	193	48	102	224
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	16	3	0	18
	STD ERR	8	7	0	10
	JETTY & BREAKWATER	9	4	1	13
	STD ERR	6	6	1	9
	B/B - H & L	6	27	16	99
	STD ERR	15	22	11	48
	SPEAR	5	5	0	17
	STD ERR	5	*	0	7
	TOTAL	103	38	6	147
	STD ERR	28	35	12	38
MENDOCINO (BOAT MODES)	P/R BOAT	8	3	0	11
	STD ERR	5	5	2	8
	CPFV	6	9	1	16
	STD ERR	4	9	4	11
	TOTAL	14	12	1	27
	STD ERR	7	10	4	13
SONOMA (BOAT MODES)	P/R BOAT	36	6	1	44
	STD ERR	0	6	1	6
	CPFV	10	0	0	10
	STD ERR	0	0	0	0
	TOTAL	46	6	2	54
	STD ERR	0	6	1	6
SAN FRANCISCO	PIER & DOCK	288	2	2	292
	STD ERR	57	4	6	58
	JETTY & BREAKWATER	24	*	1	25
	STD ERR	8	*	1	8
	B/B - H & L	352	8	18	368
	STD ERR	62	16	16	88
	P/R BOAT	526	9	6	532
	STD ERR	91	18	15	128
	CPFV	79	4	6	85
	STD ERR	13	5	6	15
	TOTAL	1,270	35	24	1,317
	STD ERR	125	35	24	130

(CONTINUED)

TABLE 41. (CONTINUED)

SANTA CRUZ/MONTEREY	PIER & DOCK STD ERR	80 29	5 11	3 36	88 85
	JETTY & BREAKWATER STD ERR	6 4	0 2	0 1	6 4
	B/B - H & L STD ERR	31 35	4 17	27 10	37 35
	P/R BOAT STD ERR	118 62	6 15	11 10	13 12
	CPFV STD ERR	68 27	3 * *	0 0	13 13
	SPEAR STD ERR	13 5	* *	0 0	5 5
	TOTAL STD ERR	378 80	38 30	16 15	432 87
SAN LUIS OBISPO	PIER & DOCK STD ERR	54 40	61 92	48 114	162 152
	JETTY & BREAKWATER STD ERR	1 1	* *	0 0	1 1
	B/B - H & L STD ERR	35 32	17 32	10 28	62 53
	P/R BOAT STD ERR	41 30	18 30	45 49	93 85
	CPFV STD ERR	11 8	17 19	29 41	57 46
	TOTAL STD ERR	140 60	113 104	121 133	375 359
	GRAND TOTAL STD ERR	2,105 252	258 124	194 171	2,558 2,529

TABLE 42. ESTIMATES FROM INTERCEPT SURVEY DATA OF MEAN NUMBER OF HOURS FISHED BY COASTAL COUNTY DISTRICT AND MODE, JAN 1986--DEC 1986.

MODE	COASTAL COUNTY DISTRICT	MEAN	MEDIAN	STD DEV
PIER & DOCK	DEL NORTE/HUMBOLDT	2.7	3.0	1.640
	MENDOCINO/SONOMA	2.6	2.5	1.457
	SAN FRANCISCO	3.4	3.0	1.930
	SANTA CRUZ/MONTEREY	3.7	3.0	2.399
	SAN LUIS OBISPO	2.5	2.0	1.483
JETTY & BREAKWATER	DEL NORTE/HUMBOLDT	3.0	3.0	1.702
	MENDOCINO/SONOMA	3.0	2.5	1.908
	SAN FRANCISCO	3.0	2.5	2.370
	SANTA CRUZ/MONTEREY	3.0	2.5	1.935
	SAN LUIS OBISPO	2.0	2.0	*
BRIDGE & CAUSEWAY	DEL NORTE/HUMBOLDT	2.1	2.0	1.341
	SAN LUIS OBISPO	2.0	1.5	1.639
B/B - H & L	DEL NORTE/HUMBOLDT	2.5	2.0	1.576
	MENDOCINO/SONOMA	2.8	2.5	1.695
	SAN FRANCISCO	3.0	2.5	1.739
	SANTA CRUZ/MONTEREY	3.6	3.5	2.031
	SAN LUIS OBISPO	2.3	2.0	1.496
P/R BOAT	DEL NORTE/HUMBOLDT	3.3	3.0	1.834
	MENDOCINO (BOAT MODES)	3.7	4.0	1.678
	SONOMA (BOAT MODES)	4.0	4.0	1.596
	SAN FRANCISCO	5.0	5.0	2.119
	SANTA CRUZ/MONTEREY	4.3	4.0	1.964
	SAN LUIS OBISPO	4.3	4.0	1.821
CPFV	DEL NORTE/HUMBOLDT	0.5	0.5	*
	MENDOCINO (BOAT MODES)	3.9	4.0	0.519
	SONOMA (BOAT MODES)	4.0	4.0	0.890
	SAN FRANCISCO	5.1	5.0	1.398
	SANTA CRUZ/MONTEREY	4.3	4.0	1.533
	SAN LUIS OBISPO	3.4	3.0	1.993
B/B - NET	DEL NORTE/HUMBOLDT	1.7	2.0	0.963
	MENDOCINO/SONOMA	2.1	1.5	1.548
SPEAR	DEL NORTE/HUMBOLDT	0.9	0.8	0.443
	MENDOCINO/SONOMA	0.9	0.5	0.580
	SANTA CRUZ/MONTEREY	1.0	1.0	0.602
	SAN LUIS OBISPO	1.0	1.0	0.000

TABLE 43. TABULATION OF PRIMARY GROUP SOUGHT BY COASTAL COUNTY DISTRICT, JAN 1986--DEC 1986.

DEL NORTE/HUMBOLDT			SAN FRANCISCO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
NONE	477	25.95	75. OTHER FISH	1043	27.81
75. OTHER FISH	359	21.16	04. STURGEONS	724	19.31
63. SURFPERCHES, OTHER	297	16.16	NONE	655	16.93
35. LINGCOD	175	9.52	63. SURFPERCHES, OTHER	448	11.95
33. ROCKFISHES, OTHER	133	7.24	33. ROCKFISHES, OTHER	407	10.85
74. SALMONIDS	115	6.26	03. SHARK, OTHER	157	4.19
56. REDTAIL SURFPERCH	82	4.46	14. JACKSMELT	80	2.13
15. BLACK ROCKFISH	43	2.34	70. CALIFORNIA HALIBUT	80	2.13
36. GREENLINGS, OTHER	45	2.18	48. WHITE CROAKER	73	1.95
07. SURF SMELT	22	1.23	69. STARRY FLounder	22	0.58
38. CABEZON	18	0.98	01. LEOPARD SHARK	12	0.33
03. SHARK, OTHER	17	0.92	35. LINGCOD	12	0.33
14. JACKSMELT	13	0.71	39. PAC. STAGHORN SCULPIN	12	0.33
60. STRIPED SEAPERCH	6	0.33	58. SHINER PERCH	11	0.33
34. KELP GREENLING	5	0.27	38. CABEZON	6	0.16

MENDOCINO/SONOMA			SANTA CRUZ/MONTEREY		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
NONE	627	54.76	NONE	914	47.19
05. PACIFIC HERRING	104	9.08	33. ROCKFISHES, OTHER	393	20.29
63. SURFPERCHES, OTHER	91	7.95	63. SURFPERCHES, OTHER	226	11.67
75. OTHER FISH	79	6.90	35. LINGCOD	114	5.89
07. SURF SMELT	73	6.38	75. OTHER FISH	80	4.13
35. LINGCOD	69	6.03	48. WHITE CROAKER	53	2.74
38. CABEZON	29	2.53	70. CALIFORNIA HALIBUT	58	1.96
33. ROCKFISHES, OTHER	27	2.36	68. TUNAS	57	1.91
58. SHINER PERCH	8	0.70	74. SALMONIDS	26	1.34
70. CALIFORNIA HALIBUT	8	0.70	03. SHARK, OTHER	24	1.14
14. JACKSMELT	7	0.61	73. FLATFISHES, OTHER	24	0.46
56. REDTAIL SURFPERCH	7	0.61	67. PACIFIC MACKEREL	20	0.41
74. SALMONIDS	6	0.52	71. PACIFIC SANDAB	15	0.26
08. SMELTS, OTHER	5	0.26	53. BARRED SURFPERCH	15	0.15
16. BLUE ROCKFISH	3	0.26	38. CABEZON	12	0.10

MENDOCINO (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
75. OTHER FISH	456	86.20	NONE	1163	63.31
74. SALMONIDS	33	6.24	75. OTHER FISH	234	12.74
35. LINGCOD	20	4.73	63. SURFPERCHES, OTHER	117	6.57
NONE	8	1.51	68. TUNAS	96	5.23
63. SURFPERCHES, OTHER	4	0.76	70. CALIFORNIA HALIBUT	72	3.92
71. PACIFIC SANDAB	2	0.38	33. ROCKFISHES, OTHER	61	3.27
33. ROCKFISHES, OTHER	1	0.19	35. LINGCOD	49	2.67

SONOMA (BOAT MODES)			SAN LUIS OBISPO		
SOUGHT	COUNT	PERCENT	SOUGHT	COUNT	PERCENT
33. ROCKFISHES, OTHER	195	82.63	NONE	1163	63.31
75. OTHER FISH	16	6.78	75. OTHER FISH	234	12.74
35. LINGCOD	13	5.51	63. SURFPERCHES, OTHER	117	6.57
NONE	10	4.24	68. TUNAS	96	5.23
34. KELP GREENLING	2	0.85	70. CALIFORNIA HALIBUT	72	3.92

TABLE 44. FREQUENCY DISTRIBUTION OF NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT AND MODE, JAN 1986--DEC 1986. THE TOP NUMBER IN EACH CELL IS THE NUMBER OF FISHERS IN EACH CATCH SIZE, AND THE BOTTOM NUMBER IS THE PERCENTAGE OF THE DISTRICT TOTAL.

NUMBER CAUGHT	PIER & DOCK											TOTAL
	0	1	2	3	4-5	6-10	10-15	16-20	21-25	OVER 25		
DEL NORTE/ HUMBOLDT	111 62.01	11 6.15	11 6.15	6 3.35	9 5.03	16 8.94	8 4.47	4 2.23	1 0.56	2 1.12		179
MENDOCINO/ SONOMA	67 39.18	8 4.68	6 3.51	14 8.19	8 4.68	31 18.13	6 3.51	18 10.53	4 2.34	9 5.26		171
SAN FRANCISCO	418 47.88	95 10.88	87 9.97	76 8.71	60 6.87	81 9.28	28 3.21	10 1.15	0 0.00	18 2.06		873
SANTA CRUZ/ MONTEREY	127 51.63	23 9.35	22 8.94	13 5.28	19 7.72	24 9.76	6 2.44	9 3.66	0 0.00	3 1.22		246
SAN LUIS OBISPO	192 46.60	60 14.56	29 7.04	16 3.88	44 10.68	37 8.98	18 4.37	8 1.94	3 0.73	5 1.21		412
TOTAL	915	197	155	125	140	189	66	49	8	37		1881

NUMBER CAUGHT	JETTY & BREAKWATER											TOTAL
	0	1	2	3	4-5	6-10	10-15	16-20	21-25	OVER 25		
DEL NORTE/ HUMBOLDT	329 55.02	66 11.04	62 10.37	36 6.02	58 9.70	26 4.35	11 1.84	4 0.67	1 0.17	5 0.84		598
MENDOCINO/ SONOMA	348 79.45	42 9.59	19 4.34	4 0.91	8 1.83	9 2.05	1 0.23	0 0.00	0 0.00	0 1.60		438
SAN FRANCISCO	44 51.16	12 13.95	5 5.81	8 9.30	8 9.30	4 4.65	4 4.65	0 0.00	0 0.00	0 1.16		86
SANTA CRUZ/ MONTEREY	41 50.62	13 16.05	3 3.70	8 9.88	5 6.17	4 4.94	4 4.94	0 0.00	3 3.70	0 0.00		81
SAN LUIS OBISPO	2 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00		2
TOTAL	764	133	89	56	79	43	20	4	4	13		1205

NUMBER CAUGHT	BRIDGE & CAUSEWAY											TOTAL
	0	1	2	3	4-5	6-10	11-15					
DEL NORTE/ HUMBOLDT	12 57.14	2 9.52	4 19.05	2 9.52	1 4.76							21
SAN LUIS OBISPO	12 48.00	5 20.00	3 12.00	5 20.00	0 0.00							25
TOTAL	24	7	7	7	1							46

NUMBER CAUGHT	BEACH/BANK - HOOK & LINE											TOTAL
	0	1	2	3	4-5	6-10	10-15	16-20	21-25	OVER 25		
DEL NORTE/ HUMBOLDT	314 58.80	60 11.24	41 7.68	38 7.12	35 6.55	31 5.81	9 1.69	3 0.56	1 0.19	2 0.37		534
MENDOCINO/ SONOMA	225 69.44	40 12.35	25 7.72	12 3.70	17 5.25	5 1.54	0 0.00	0 0.00	0 0.00	0 0.00		324
SAN FRANCISCO	476 63.05	77 10.20	68 9.01	56 7.15	44 5.83	26 3.18	6 0.79	1 0.13	3 0.40	2 0.26		755
SANTA CRUZ/ MONTEREY	150 39.58	41 10.82	33 8.71	32 8.44	52 13.72	42 11.08	10 2.64	12 3.17	4 1.06	3 0.79		379
SAN LUIS OBISPO	179 54.08	48 14.50	31 9.37	13 3.93	16 4.23	31 9.57	9 2.72	4 1.21	2 0.60	0 0.00		331
TOTAL	1344	266	198	149	162	133	34	20	10	7		2523

(CONTINUED)

TABLE 44. (CONTINUED)

BEACH/BANK - NET											
NUMBER CAUGHT	0	1	3	4-5	6-10	11-15	16-20	21-25	OVER 25	TOTAL	
DEL NORTE/ HUMBOLDT	4 20.00	0 0.00	0 0.00	1 5.00	0 0.00	0 0.00	0 0.00	0 0.00	15 75.00	20	
MENDOCINO/ SONOMA	23 34.05	1 1.52	1 1.52	12 18.18	9 13.64	3 4.55	0 0.00	1 1.52	16 24.24	66	
TOTAL	27	1	1	13	9	3	0	1	31	86	

P/R BOAT											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	10-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	150 31.51	35 7.35	61 8.61	52 10.92	53 11.13	83 17.44	42 8.82	13 2.73	1 0.21	6 1.26	476
MENDOCINO (BOAT MODES)	116 25.95	26 5.37	43 9.52	61 13.65	89 19.91	86 18.79	28 6.26	2 0.45	0 0.00	0 0.00	447
SONOMA (BOAT MODES)	15 17.86	9 10.71	4 4.76	4 4.76	20 23.81	26 28.57	3 3.57	3 3.57	2 2.38	0 0.00	84
SAN FRANCISCO	527 34.72	242 15.94	191 12.58	133 8.76	155 10.21	182 11.99	43 2.83	28 1.84	9 0.59	8 0.53	1518
SANTA CRUZ/ MONTEREY	89 14.74	61 10.10	35 5.79	39 6.46	101 16.72	135 22.35	61 10.10	27 4.47	19 3.15	37 6.13	604
SAN LUIS OBISPO	101 16.95	50 8.39	62 10.40	53 8.89	75 12.58	145 24.33	59 9.90	35 5.87	13 2.18	3 0.50	596
TOTAL	998	421	376	342	493	653	236	108	44	54	3725

CPFV											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	10-15	16-20	21-25	OVER 25	TOTAL
DEL NORTE/ HUMBOLDT	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
MENDOCINO (BOAT MODES)	18 23.08	6 5.13	5 6.41	11 14.10	15 19.23	16 20.51	8 10.26	1 1.28	0 0.00	0 0.00	78
SONOMA (BOAT MODES)	7 4.64	3 1.99	4 2.65	7 4.64	12 7.95	29 19.21	77 50.99	11 7.28	0 0.00	1 0.66	151
SAN FRANCISCO	109 20.92	48 9.21	518 5.18	27 4.61	24 9.98	52 22.07	15 20.73	108 4.99	26 1.54	8 0.77	41521
SANTA CRUZ/ MONTEREY	11 1.84	8 1.34	17 2.84	5 0.84	31 5.18	129 21.57	164 27.42	124 20.74	61 10.20	48 8.03	598
SAN LUIS OBISPO	16 3.40	23 4.89	25 5.32	40 8.51	79 16.81	121 25.74	111 23.62	37 7.87	12 2.55	6 1.28	470
TOTAL	162	86	78	87	189	410	468	199	81	59	1819

SPEAR											
NUMBER CAUGHT	0	1	2	3	4-5	6-10	11-15	TOTAL			
DEL NORTE/ HUMBOLDT	5 62.50	1 12.50	0 0.00	1 12.50	1 12.50	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	8
MENDOCINO/ SONOMA	52 35.57	21 14.29	26 17.69	23 15.65	14 9.52	9 6.12	2 1.36	2 1.36	2 1.36	2 1.36	147
SANTA CRUZ/ MONTEREY	17 39.53	9 20.93	0 0.00	5 11.63	5 11.63	5 11.63	5 11.63	2 4.65	2 4.65	2 4.65	43
SAN LUIS OBISPO	50 50.00	1 50.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
TOTAL	75	32	26	29	20	14	4	200			

TABLE 45. AVERAGE NUMBER OF FISH CAUGHT PER TRIP BY COASTAL COUNTY DISTRICT FOR EACH MODE, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	MODE	MEAN CATCH
DEL NORTE/HUMBOLDT	PIER & DOCK	2.5
	JETTY & BREAKWATER	2.6
	BRIDGE & CAUSEWAY	2.0
	B/B - H & L	1.7
	P/R BOAT	4.4
	CPFV	0.0
	B/B - NET	117
	SPEAR	1.1
MENDOCINO/SONOMA (NON-BOAT MODES)	PIER & DOCK	6.5
	JETTY & BREAKWATER	3.3
	B/B - H & L	0.7
	B/B - NET	48.8
	SPEAR	1.9
MENDOCINO (BOAT MODES)	P/R BOAT	3.6
	CPFV	4.5
SONOMA (BOAT MODES)	P/R BOAT	5.0
	CPFV	10.8
SAN FRANCISCO	PIER & DOCK	3.2
	JETTY & BREAKWATER	2.4
	B/B - H & L	2.0
	P/R BOAT	3.6
	CPFV	6.7
	B/B - NET	0.0
SANTA CRUZ/MONTEREY	PIER & DOCK	3.0
	JETTY & BREAKWATER	2.8
	B/B - H & L	3.4
	P/R BOAT	8.8
	CPFV	14.1
	SPEAR	2.4
SAN LUIS OBISPO	PIER & DOCK	3.1
	JETTY & BREAKWATER	0.0
	BRIDGE & CAUSEWAY	1.9
	B/B - H & L	2.0
	P/R BOAT	5.8
	CPFV	8.5
	SPEAR	0.5

TABLE 46. TABULATION OF LOCATION OF RESIDENCE OF FISHERS BY COASTAL COUNTY DISTRICT OF INTERCEPT SURVEY INTERVIEW, JAN 1986--DEC 1986.

COASTAL COUNTY DISTRICT	COASTAL AREA	REST OF STATE	CUT OF STATE	TOTAL
DEL NORTE/HUMBOLDT	76.2	19.9	3.9	1838
MENDOCINO/SONOMA (NON-BOAT MODES)	74.6	23.8	1.6	1145
MENDOCINO (BOAT MODES)	65.6	31.9	2.5	529
SONOMA (BOAT MODES)	90.7	5.9	3.4	236
SAN FRANCISCO	95.9	2.4	1.7	3750
SANTA CRUZ/MONTEREY	85.7	10.1	4.2	1937
SAN LUIS OBISPO	37.6	59.2	3.2	1837
TOTAL	8761	2197	314	11272

TABLE 47. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, DEL NORTE/HUMBOLDT, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	13	*	*	*	*	13
3 SHARK, OTHER	*	2	3	*	*	*	5
5 PACIFIC HERRING	0	1	0	0	*	*	2
7 SURF SMELT	*	*	*	*	*	*	*
12 PACIFIC HAKE	*	*	*	*	*	*	*
14 JACKSMELT	1	0	0	*	*	*	1
15 BLACK ROCKFISH	0	1	0	176	*	*	177
16 BLUE ROCKFISH	*	0	0	8	*	*	8
17 BROWN ROCKFISH	*	0	*	2	*	*	2
18 BOCCACCIO	*	*	*	1	*	*	1
19 CANARY ROCKFISH	*	*	*	17	*	*	17
21 COPPER ROCKFISH	*	0	*	14	*	*	14
26 GREENSTRIPED ROCKFISH	*	*	*	1	*	*	1
26 GUILLEMOT ROCKFISH	*	*	*	4	*	*	4
27 ROSY ROCKFISH	*	*	*	0	*	*	0
29 VERMILION ROCKFISH	*	*	*	1	*	*	1
31 YELLOWTAIL ROCKFISH	*	*	*	7	*	*	7
33 ROCKFISHES, OTHER	*	1	0	114	*	*	115
34 KELP GREENLING	0	1	0	2	*	*	4
35 LINGOD	*	2	*	128	*	*	128
36 GREENLINGS, OTHER	0	1	0	2	*	*	3
38 CABEZON	0	0	*	8	*	*	10
39 PAC. STAGHORN SCULPIN	0	0	*	*	*	*	0
40 SCULPINS, OTHER	0	0	0	0	*	*	0
53 BARRED SURFPERCH	*	*	0	*	*	*	0
55 PILE PERCH	0	0	0	*	*	*	1
56 REDTAIL SURFPERCH	0	0	7	0	*	*	8
58 SHINER PERCH	0	*	*	*	*	*	0
59 SILVER SURFPERCH	0	0	0	*	*	*	1
60 STRIPED SEAPERCH	0	1	22	*	*	*	23
61 WALLEYE SURFPERCH	1	0	0	0	*	*	1
62 WHITE SEAPERCH	0	0	0	*	*	*	0
63 SURFPERCHES, OTHER	1	0	1	*	*	*	1
69 STARRY FLUNDER	0	0	*	10	*	*	10
71 PACIFIC SANDAB	*	*	*	0	*	*	0
73 FLATFISHES, OTHER	0	*	0	0	*	*	1
74 SALMONIDS	*	*	1	3	*	*	5
75 OTHER FISH	*	1	0	*	*	*	1
TOTAL	4	26	38	489	0	0	557

TABLE 48. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO/SONOMA (NON-BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	BANK HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
5 PACIFIC HERRING	4	*	*	*	*	*	4
7 SURF SMELT	*	*	*	*	*	*	*
14 JACKSMELT	0	*	*	*	*	*	0
15 BLACK ROCKFISH	*	0	*	*	*	9	9
16 BLUE ROCKFISH	*	*	2	*	*	6	8
19 CANARY ROCKFISH	*	*	*	*	*	0	0
21 COPPER ROCKFISH	*	*	1	*	*	*	1
22 GOPHER ROCKFISH	*	*	*	*	*	0	0
29 VERMILION ROCKFISH	*	*	2	*	*	*	2
31 YELLOWTAIL ROCKFISH	*	*	*	*	*	0	0
33 ROCKFISHES, OTHER	*	0	1	*	*	1	2
34 KELP GREENLING	*	0	3	*	*	1	4
35 LINGCOD	*	1	4	*	*	6	10
36 GREENLINGS, OTHER	1	0	7	*	*	2	10
38 CABEZON	1	1	14	*	*	4	20
39 PAC. STAGHORN SCULPIN	0	0	*	*	*	0	0
40 SCULPINS, OTHER	*	0	*	*	*	*	0
53 BARRED SURFPERCH	*	*	0	*	*	*	0
55 PILE PERCH	*	0	*	*	*	1	1
56 REDTAIL SURFPERCH	*	*	2	*	*	*	2
57 RUBBERLIP SURFPERCH	*	0	1	*	*	0	1
58 SHINER PERCH	1	*	0	*	*	*	1
59 SILVER SURFPERCH	*	0	0	*	*	*	0
60 STRIPED SURFPERCH	*	1	1	*	*	1	0
61 WALLEYE SURFPERCH	*	*	0	*	*	*	0
62 WHITE SURFPERCH	0	0	0	*	*	*	1
63 SURFPERCHES, OTHER	*	0	1	*	*	0	0
69 STARRY FLOUNDER	*	2	0	*	*	*	0
71 PACIFIC SANDDAB	*	0	*	*	*	*	0
73 FLATFISHES, OTHER	*	0	*	*	*	*	0
74 SALMONIDS	0	1	2	*	*	*	4
75 OTHER FISH	*	0	*	*	*	*	0
TOTAL	6	8	41	0	0	33	88

TABLE 49. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, MENDOCINO (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	*	*	1	*	*
15 BLACK ROCKFISH	*	*	*	4	14	*
16 BLUE ROCKFISH	*	*	*	2	4	6
17 BROWN ROCKFISH	*	*	*	1	*	1
18 BOCCACCIO	*	*	*	0	1	*
19 CANARY ROCKFISH	*	*	*	5	7	*
20 CHILIPPER ROCKFISH	*	*	*	0	*	0
21 COPPER ROCKFISH	*	*	*	2	8	*
23 GREENSPOTTED ROCKFISH	*	*	*	1	*	1
24 GREENSTRIPED ROCKFISH	*	*	*	0	0	*
26 QUILLBACK ROCKFISH	*	*	*	1	0	*
27 ROSY ROCKFISH	*	*	*	1	1	*
29 VERMILION ROCKFISH	*	*	*	2	1	*
31 YELLOWTAIL ROCKFISH	*	*	*	1	6	*
33 ROCKFISHES, OTHER	*	*	*	4	14	*
34 KELP GREENLING	*	*	*	1	*	*
35 LINGCOD	*	*	*	12	19	*
36 GREENLINGS, OTHER	*	*	*	0	*	*
38 CABEZON	*	*	*	1	*	*
40 SCULPINS, OTHER	*	*	*	1	*	*
44 STRIPED BASS	*	*	*	1	*	*
60 STRIPED SEAPERCH	*	*	*	0	*	*
63 SURFPERCHES, OTHER	*	*	*	0	*	0
69 STARRY FLounder	*	*	*	1	*	*
71 PACIFIC SANDDAB	*	*	*	1	0	*
72 ROCK SOLE	*	*	*	0	1	*
73 FLATFISHES, OTHER	*	*	*	0	0	*
74 SALMONIDS	*	*	*	2	9	*
75 OTHER FISH	*	*	*	6	*	*
TOTAL	0	0	0	52	87	0
						139

TABLE 50. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SONOMA (BOAT MODES), JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*
15 BLACK ROCKFISH	*	*	*	16	0	*
16 BLUE ROCKFISH	*	*	*	1	0	*
17 BROWN ROCKFISH	*	*	*	14	1	*
18 BOCCACCIO	*	*	*	2	7	10
19 CANARY ROCKFISH	*	*	*	18	5	*
20 CHILIPPER ROCKFISH	*	*	*	*	84	*
21 COPPER ROCKFISH	*	*	*	15	0	*
22 GOPHER ROCKFISH	*	*	*	1	*	*
23 GREENSPOTTED ROCKFISH	*	*	*	7	5	*
24 GREENSTRIPED ROCKFISH	*	*	*	0	0	*
25 OLIVE ROCKFISH	*	*	*	0	1	*
26 QUILLBACK ROCKFISH	*	*	*	1	*	*
27 ROSY ROCKFISH	*	*	*	0	0	*
28 STARRY ROCKFISH	*	*	*	1	2	*
29 VERMILION ROCKFISH	*	*	*	8	1	*
30 WIDOW ROCKFISH	*	*	*	1	1	*
31 YELLOWTAIL ROCKFISH	*	*	*	4	28	*
33 ROCKFISHES, OTHER	*	*	*	3	12	*
34 KELP GREENLING	*	*	*	1	*	1
35 LINGCOD	*	*	*	19	3	*
36 GREENLINGS, OTHER	*	*	*	*	*	22
38 CABEZON	*	*	*	11	*	*
40 SCULPINS, OTHER	*	*	*	*	*	11
70 CALIFORNIA HALIBUT	*	*	*	*	*	*
71 PACIFIC SANDDAB	*	*	*	0	*	0
73 FLATFISHES, OTHER	*	*	*	1	0	*
75 OTHER FISH	*	*	*	*	0	0
TOTAL	0	0	0	123	152	0
						275

TABLE 51. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - OCEAN, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
3 SHARK, OTHER	*	*	*	*	*	*	*
6 NORTHERN ANCHOVY	0	*	0	0	*	*	0
14 JACKSMELT	0	*	*	0	*	*	1
15 BLACK ROCKFISH	*	*	*	1	8	*	9
16 BLUE ROCKFISH	*	0	*	4	34	*	38
17 BROWN ROCKFISH	*	0	*	8	32	*	40
18 BOCCACCIO	*	*	*	*	28	*	28
19 CANARY ROCKFISH	*	*	*	2	34	*	36
20 CHILIPePPER ROCKFISH	*	*	*	*	14	*	14
21 COPPER ROCKFISH	*	*	*	1	17	*	18
22 GOPHER ROCKFISH	*	*	*	0	0	*	1
23 GREENSPOTTED ROCKFISH	*	*	*	*	17	*	17
24 GREENSTRIPED ROCKFISH	*	*	*	*	1	*	1
25 OLIVE ROCKFISH	*	*	*	*	20	*	20
26 QUILLBACK ROCKFISH	*	*	*	*	2	*	2
27 ROSY ROCKFISH	*	*	*	*	9	*	9
28 STARRY ROCKFISH	*	*	*	*	9	*	9
29 VERMILION ROCKFISH	*	*	*	1	1	*	1
30 WIDOW ROCKFISH	*	*	*	*	100	*	100
31 YELLOWTAIL ROCKFISH	*	*	*	*	100	*	100
33 ROCKFISHES, OTHER	*	1	0	13	26	*	41
34 KELP GREENLING	*	0	0	2	3	*	6
35 LINGCOD	*	*	*	20	63	*	84
38 CABEZON	*	0	1	0	13	*	15
39 PAC. STAGHORN SCULPIN	*	0	*	*	*	*	0
44 STRIPED BASS	*	*	11	15	*	*	26
48 WHITE CROAKER	2	0	1	2	*	*	4
53 BARRED SURFPERCH	0	0	1	*	*	*	1
55 PILE PERCH	*	*	55	*	*	*	55
56 REDTAIL SURFPERCH	*	*	0	*	*	*	0
58 SHINER PERCH	*	*	*	*	*	*	*
59 SILVER SURFPERCH	0	*	14	*	*	*	14
60 STRIPED SURFPERCH	*	*	1	*	*	*	1
61 WALLEYE SURFPERCH	0	*	0	*	*	*	0
62 WHITE SURFPERCH	*	0	0	*	*	*	0
63 SURFPERCHES, OTHER	0	0	0	*	*	*	1
67 PACIFIC MACKEREL	*	*	*	*	9	*	9
70 CALIFORNIA HALIBUT	*	*	*	8	3	*	11
71 PACIFIC SANDDAB	*	*	0	*	0	*	0
73 FLATFISHES, OTHER	0	*	*	*	*	*	0
76 SALMONIDS	*	*	4	*	2	*	7
75 OTHER FISH	*	0	0	*	0	*	1
TOTAL	3	3	89	78	455	0	628

TABLE 52. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN FRANCISCO COASTAL COUNTY DISTRICT - BAY, JAN 1986--DEC 1986.

GROUP		PIER & DOCK	JETTY & BEACH BANK BREAKWATER HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	2	*	1	209	*	*	212
2 SPINY DOGFISH	*	*	*	5	*	*	5
3 SHARK, OTHER	1	*	*	102	*	*	103
4 STURGEONS	*	*	*	578	13	*	391
6 NORTHERN ANCHOVY	0	*	*	*	*	*	0
10 PACIFIC TOMCOD	*	*	*	*	*	*	*
13 SILVERSIDES	0	*	*	*	*	*	0
14 JACKSMELT	9	0	2	1	*	*	13
15 BLACK ROCKFISH	*	*	*	0	*	*	0
16 BLUE ROCKFISH	*	*	*	0	*	*	0
17 BROWN ROCKFISH	0	*	1	5	*	*	6
19 CANARY ROCKFISH	*	*	*	1	*	*	1
21 COPPER ROCKFISH	*	*	*	1	*	*	1
33 ROCKFISHES, OTHER	0	*	1	0	*	*	1
34 KELP GREENLING	*	*	0	0	*	*	1
35 LINGODD	0	*	1	2	*	*	2
38 CABEZON	0	*	0	1	*	*	1
39 PAC. STAGHORN SCULPIN	0	*	0	0	*	*	1
40 SCULPINS, OTHER	*	*	*	*	*	*	1
43 KELP BASS	*	*	*	0	*	*	0
44 STRIPED BASS	5	*	2	49	1	*	56
48 WHITE CROAKER	2	*	0	12	*	*	15
50 CROWKERS, OTHER	*	*	*	*	*	*	*
53 BARRED SURFPERCH	0	*	1	0	*	*	1
54 BLACK PERCH	2	0	3	3	*	*	7
55 PILE PERCH	87	*	3	6	*	*	86
57 RUBBERLIP SEAPERCH	1	*	1	80	*	*	82
58 SHINER PERCH	5	0	0	0	*	*	5
59 SILVER SURFPERCH	0	*	*	0	*	*	1
60 STRIPED SEAPERCH	*	*	1	1	*	*	1
61 WALLEYE SURFPERCH	4	1	0	1	*	*	6
62 WHITE SEAPERCH	2	*	1	27	*	*	30
63 SURFPERCHES, OTHER	3	4	3	*	*	*	11
69 STARRY FLounder	4	*	0	10	1	*	14
70 CALIFORNIA HALIBUT	*	*	1	16	*	*	17
71 PACIFIC SANDDAB	*	*	*	0	*	*	0
72 ROCK SOLE	*	*	*	2	*	*	2
73 FLATFISHES, OTHER	*	*	0	2	*	*	2
74 SALMONIDS	*	*	*	1	*	*	1
75 OTHER FISH	52	0	13	92	*	*	157
TOTAL	180	5	36	1009	15	0	1244

TABLE 53. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SANTA CRUZ/MONTEREY,  
JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BREAKWATER	BANK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
1 LEOPARD SHARK	*	*	*	5	*	*	5
2 SPINY DOGFISH	*	*	*	2	2	*	4
3 SHARK, OTHER	*	*	*	6	2	*	7
12 PACIFIC HAKE	*	*	*	6	4	*	6
14 JACKSMELT	2	*	0	2	4*	*	5
15 BLACK ROCKFISH	0	*	*	5	2	1	8
16 BLUE ROCKFISH	*	0	*	16	15	0*	31
17 BROWN ROCKFISH	0	*	*	1	10	*	17
18 BOCCACCIO	*	*	*	119	119	*	121
19 CANARY ROCKFISH	*	*	*	4	21	*	20
20 CHILIPEPPER ROCKFISH	*	*	*	1	149	*	150
21 COPPER ROCKFISH	1	*	*	13	13	10*	18
22 COGNER ROCKFISH	*	*	*	13	13	*	15
23 GREENSPOTTED ROCKFISH	*	*	*	10	11	*	12
24 GREENSTRIPED ROCKFISH	*	*	*	0	11	*	12
25 OLIVE ROCKFISH	*	*	*	6	33	2	41
27 ROSY ROCKFISH	*	*	*	2	6	*	8
28 STARRY ROCKFISH	*	*	*	2	8	*	10
29 VERMILION ROCKFISH	*	*	*	40	22	1	16
30 WIDOW ROCKFISH	*	*	*	0	5	*	5
31 YELLOWTAIL ROCKFISH	*	*	*	34	59	1	63
33 ROCKFISHES, OTHER	0	0	0	11	82*	3	151
34 KELP GREENLING	*	0	*	1	10	*	2
35 LINGCOD	1	*	*	42	148	19*	200
37 SABLEFISH	*	*	*	1	29	*	30
38 CABEZON	*	0	1	7	1	4	13
39 PAC. STAGHORN SCULPIN	1	0	1*	0	*	*	2
40 SCULPINS, OTHER	0	0	*	1	*	*	1
43 KELP BASS	*	*	*	1	*	*	1
44 STRIPED BASS	*	*	0	1*	*	*	10
48 WHITE CROAKER	3	0	1	4	0	*	8
53 BARRED SURPERCH	0	*	5	0	*	*	1
54 BLACK PERCH	0	0	10	0	*	*	2
55 PILE PERCH	1	0	*	0	*	1	1
57 RUBBERLIP SEAPERCH	*	1	*	0	*	*	2
58 SHINER PERCH	0	0	0	*	*	*	0
59 SILVER SURPERCH	*	*	10	*	*	*	2
60 STRIPED SEAPERCH	*	0	0	0	*	1	1
61 WALLEYE SURPERCH	1	0	1	0	*	*	1
62 WHITE SEAPERCH	1	0	0	*	*	*	1
63 SURPERCHES, OTHER	2	0	5	0	*	*	7
66 PACIFIC BONITO	*	*	*	8	2	*	22
67 PACIFIC MACKEREL	*	*	*	49	14	*	63
68 TUNAS	*	*	*	1	57	*	106
69 STARRY FLounder	2	0	0	1	*	*	3
70 CALIFORNIA HALIBUT	2	*	*	11	*	6	19
71 PACIFIC SANDAB	0	0	*	9	13	*	22
72 ROCK SOLE	*	*	*	1	1	*	1
73 FLATFISHES, OTHER	0	0	*	2	1	*	7
74 SALMONIDS	2	*	*	3	2	*	7
75 OTHER FISH	1	0	0	3	2	7	13
TOTAL	20	3	66	402	928	49	1469

TABLE 54. ESTIMATED THOUSANDS OF KILOGRAMS OF FISH CAUGHT (CATCH TYPE A + B3) BY GROUP AND MODE, SAN LUIS OBISPO, JAN 1986--DEC 1986.

GROUP	PIER & DOCK	JETTY & BEACH BANK BREAKWATER	HOOK & LINE	P/R BOAT	CPFV	SPEAR	ALL MODES
2 SPINY DOGFISH	*	*	*	3	*	*	3
3 SHARK, OTHER	3	*	*	*	*	*	3
12 PACIFIC HAKE	*	*	*	*	1	*	1
14 JACKSMELT	4	*	0	1	*	*	5
15 BLACK ROCKFISH	*	*	*	3	*	*	3
16 BLUE ROCKFISH	0	*	*	19	7	*	27
17 BROWN ROCKFISH	*	*	1	13	1	*	15
18 BOACCIOS	7	*	*	1	50	*	58
19 CANARY ROCKFISH	*	*	*	9	4	*	13
20 CHILIPePPER ROCKFISH	*	*	*	0	36	*	36
21 COPPER ROCKFISH	*	*	*	6	8	*	15
22 GOPHER ROCKFISH	0	*	*	0	3	*	28
23 GREENSPOTTED ROCKFISH	*	*	*	0	2	*	2
24 GREENSTRIPED ROCKFISH	*	*	*	4	1	*	1
25 OLIVE ROCKFISH	*	*	*	5	3	*	7
27 ROSY ROCKFISH	0	*	*	2	3	*	5
28 STARRY ROCKFISH	*	*	*	1	6	*	9
29 VERMILION ROCKFISH	*	*	*	11	16	*	27
30 WIDOW ROCKFISH	*	*	*	0	0	*	0
31 YELLOWTAIL ROCKFISH	0	*	*	3	24	*	27
33 ROCKFISHES, OTHER	*	*	1	17	29	*	46
34 KELP GREENLING	*	*	0	1	*	*	1
35 LINGOOD	*	*	0	23	11	*	34
37 SABLEFISH	*	*	1	0	0	*	0
38 CABEZON	0	*	1	3	0	*	4
39 PAC. STAGHORN SCULPIN	0	*	*	*	*	*	0
40 SCULPINS, OTHER	*	*	*	*	*	*	*
41 BARRED SAND BASS	*	*	0	1	*	*	1
42 SPOTTED SAND BASS	*	*	0	*	*	*	*
43 KELP BASS	*	*	0	*	*	*	0
48 WHITE CROAKER	6	*	0	1	*	*	8
49 QUEENFISH	7	*	0	0	*	*	7
50 CROAKERS, OTHER	*	*	2	4	*	*	5
51 OPALEYE	*	*	0	0	*	*	0
53 BARRED SURFPERCH	4	*	28	0	*	*	30
54 BLACK PERCH	0	*	0	0	*	*	1
55 PILE PERCH	1	*	0	*	*	*	1
58 SHINER PERCH	0	*	0	*	*	*	0
59 SILVER SURFPERCH	1	*	0	0	*	*	1
60 STRIPED SURFPERCH	*	*	0	0	*	*	0
61 WALLEYE SURFPERCH	2	*	0	*	*	*	3
62 WHITE SURFPERCH	0	*	0	*	*	*	0
63 SURFPERCHES, OTHER	3	*	1	*	*	*	4
65 PACIFIC BARRACUDA	*	*	*	3	*	*	3
67 PACIFIC MACKEREL	*	*	*	1	*	*	5
68 TUNAS	*	*	*	117	169	*	286
69 STARRY FLounder	*	*	*	2	*	*	2
70 CALIFORNIA HALIBUT	3	*	*	27	*	*	30
71 PACIFIC SANDDAB	*	*	*	0	0	*	0
72 ROCK SOLE	*	*	*	0	0	*	1
74 SALMONIDS	0	*	2	61	3	*	64
75 OTHER FISH	2	*	2	18	1	*	22
TOTAL	46	0	30	385	406	0	857

#### REFERENCES CITED

Echeverria, T. and W.H. Lenarz. 1984. Conversion between total, fork, and standard lengths in 35 species of Sebastes from California. Fish. Bull. 82(1): 249-251.

Karpov, K.A. 1986. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 23, January to March 1985. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 86-4. 226 p.

Karpov, K.A. 1987a. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 20, April to June 1984. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-7. 226 p.

----- 1987b. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 21, July to September 1984. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-5. 338 p.

----- 1987c. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 22, October to December 1984. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-6. 285 p.

----- 1987d. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 24, April to June 1985. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-1. 283 p.

----- 1987e. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 25, July to September 1985. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-2. 332 p.

----- 1987f. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 26, October to December 1985. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-3. 285 p.

----- 1987g. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 27, January to March 1986. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-11. 230 p.

----- 1987h. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 28, April to June 1986. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-10. 290 p.

-----. 1987i. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 29, July to September 1986. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-8. 359 p.

-----. 1987j. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 30, October to December 1986. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-9. 270 p.

Karpov, K.A. 1988a. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 14, October to December 1982. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-14. 234 p.

-----. 1988b. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 15, January to March 1983. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-15. 188 p.

-----. 1988c. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 16, April to June 1983. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-16. 314 p.

-----. 1988d. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 17, July to September 1983. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-17. 347 p.

-----. 1988e. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 18, October to December 1983. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-18. 239 p.

Karpov, K.A. and G.S. Kwiecien. 1987a. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 3, January to March 1980. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-17. 342 p.

-----. 1987b. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 4, April to June 1980. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-18. 328 p.

Karpov, K.A. and G.S. Kwiecien. 1988a. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 7, January to March 1981. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-2. 218 p.

-----. 1988b. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 8, April to June 1981. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-3. 231 p.

-----. 1988c. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 9, July to September 1981. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-4. 292 p.

-----. 1988d. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 10, October to December 1981. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-10. 223 p.

-----. 1988e. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 11, January to March 1982. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-11. 216 p.

-----. 1988f. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 12, April to June 1982. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-12. 258 p.

-----. 1988g. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 13, July to September 1982. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-13. 288 p.

-----. 1988h. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 19, January to March 1984. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-19. 281 p.

-----. 1988i. Conversions Between Total, Fork, and Standard Lengths for 41 Species in 15 Families of Fish from California using Preserved and Fresh Specimens. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-9. 14 p.

Karpov, K.A., G.S. Kwiecien, and J.J. Mello. 1987a. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 1, July to September 1979. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-14. 323 p.

-----. 1987b. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 2, October to December 1979. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-16. 313 p.

----- 1987c. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 5, July to September 1980. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 87-19. 391 p.

Karpov, K.A., G.S. Kwiecien, and J.J. Mello. 1988. Marine Recreational Fisheries Statistics Survey for Northern and Central California. Quarterly Report No. 6, October to December 1980. Calif. Dep. Fish Game, Mar. Resour. Admin. Rep. 88-1. 291 p.

Mathews, S.B. and M. LaRiviere. 1987. Movement of tagged lingcod, Ophiodon elongatus in the Pacific northwest. Fish. Bull. 85(1): 153-159.

Miller, D.J. and J.J. Geibel. 1973. Summary of Blue Rockfish and Lingcod Life Histories; A Reef Ecology Study; and Giant Kelp, Macrocystis pyrifera, Experiments in Monterey Bay, California. Calif. Dep. Fish Game, Fish Bull. 158. 137 p.

Miller, D.J. and D. Gotshall. 1965. Ocean Sportfish Catch and Effort from Oregon to Point Arguello, California, July 1, 1957-June 30, 1961. Calif. Dep. Fish Game, Fish Bull. 130. 135 p.

Miller, D.J. and R.N. Lea. 1972. Guide to the Coastal Marine Fishes of California. Calif. Dep. Fish Game, Fish Bull. 157. 249 p.

U.S. Department of Commerce. 1984a. Marine Recreational Fishery Statistics Survey, Pacific Coast, 1979-1980. Current Fishery Statistics No. 8321. 224 p.

U.S. Department of Commerce. 1984b. Marine Recreational Fishery Statistics Survey, Pacific Coast, 1981-1982. Current Fishery Statistics No. 8323. 203 p.

U.S. Department of Commerce. 1985. Marine Recreational Fishery Statistics Survey, Pacific Coast, 1983-1984. Current Fishery Statistics No. 8325. 189 p.

U.S. Department of Commerce. 1986. Marine Recreational Fishery Statistics Survey, Pacific Coast, 1985. Current Fishery Statistics No. 8328. 109 p.

U.S. Department of Commerce. 1987. Marine Recreational Fishery Statistics Survey, Pacific Coast, 1986. Current Fishery Statistics No. 8393. 114 p.

Van Hyning, J.M. 1951. The ocean salmon troll fishery of Oregon. Pac. Mar. Fish. Comm. Bull. 2: 43-76.

## APPENDIX I

GROUPS, COMMON NAMES AND SCIENTIFIC NAMES OF FISHES IDENTIFIED IN  
MARINE RECREATIONAL FISHERIES FIELD SURVEYS IN NORTHERN AND CENTRAL CALIFORNIA, 1981-86.

<u>GROUP</u>	<u>COMMON NAME</u>	<u>SCIENTIFIC NAME</u>
1. LEOPARD SHARK	Shark, Leopard	<i>Triakis semifasciata</i>
2. SPINY DOGFISH	Spiny Dogfish	<i>Squalus acanthias</i>
3. SHARK, OTHER	Sharks Shark, Horn Shark, Sixgill Shark, Sevengill Sharks, Mackerel Thresher, Common Shark, Soupfin Smoothhounds Smoothhound, Gray Smoothhound, Brown Shark, Blue Sharks, Angel Shark, Pacific Angel	<i>Chondrichthyes</i> <i>Heterodontus francisci</i> <i>Hexanchus griseus</i> <i>Notorynchus maculatus</i> <i>Lamnidae</i> <i>Alopias vulpinus</i> <i>Galeorhinus zyopterus</i> <i>Mustelus spp.</i> <i>Mustelus californicus</i> <i>Mustelus henlei</i> <i>Prionace glauca</i> <i>Squatiniidae</i> <i>Squatina californica</i>
4. STURGEONS	Sturgeons (unidentified) Sturgeon, Green Sturgeon, White	<i>Acipenseridae</i> <i>Acipenser medirostris</i> <i>Acipenser transmontanus</i>
5. PACIFIC HERRING	Herring, Pacific	<i>Clupea harengus pallasii</i>
6. NORTHERN ANCHOVY	Anchovies Anchovy, Northern	<i>Engraulidae</i> <i>Engraulis mordax</i>
7. SURF SMELT	Smelt, Surf	<i>Hypomesus pretiosus</i>
8. SMELETS, OTHER	Smelts Smelts (General) Smelt, Night	<i>Osmeridae</i> <i>Hypomesus spp.</i> <i>Spirinchus starksii</i>
9. PACIFIC COD	Cod, Pacific	<i>Gadus macrocephalus</i>
10. PACIFIC TOMCOD	Tomcod, Pacific	<i>Microgadus proximus</i>
12. PACIFIC HAKE	Hake, Pacific	<i>Merluccius productus</i>
13. SILVERSIDES	Silversides Topsmelt	<i>Atherinidae</i> <i>Atherinops affinis</i>
14. JACKSMELT	Jacksmelt	<i>Atherinopsis californiensis</i>
15. BLACK ROCKFISH	Rockfish, Black	<i>Sebastes melanops</i>
16. BLUE ROCKFISH	Rockfish, Blue	<i>Sebastes mystinus</i>
17. BROWN ROCKFISH	Rockfish, Brown	<i>Sebastes auriculatus</i>
18. BOACCIO	Bocaccio	<i>Sebastes paucispinis</i>
19. CANARY ROCKFISH	Rockfish, Canary	<i>Sebastes pinniger</i>
20. CHILIPEPPER ROCKFISH	Chili pepper	<i>Sebastes goodei</i>
21. COPPER ROCKFISH	Rockfish, Copper	<i>Sebastes caurinus</i>
22. GOPHER ROCKFISH	Rockfish, Gopher	<i>Sebastes carnatus</i>
23. GREENSPOTTED ROCKFISH	Rockfish, Greenspotted	<i>Sebastes chlorostictus</i>
24. GREENSTRIPED ROCKFISH	Rockfish, Greenstriped	<i>Sebastes elongatus</i>

## APPENDIX I. (CONTINUED)

SPECIES GROUP	COMMON NAME	SCIENTIFIC NAME
25. OLIVE ROCKFISH	Rockfish, Olive	<i>Sebastodes serranoides</i>
26. QUILLBACK ROCKFISH	Rockfish, Quillback	<i>Sebastodes maliger</i>
27. ROSY ROCKFISH	Rockfish, Rosy	<i>Sebastodes rosaceus</i>
28. STARRY ROCKFISH	Rockfish, Starry	<i>Sebastodes constellatus</i>
29. VERMILION ROCKFISH	Rockfish, Vermilion	<i>Sebastodes miniatus</i>
30. WIDOW ROCKFISH	Rockfish, Widow	<i>Sebastodes entomelas</i>
31. YELLOWTAIL ROCKFISH	Rockfish, Yellowtail	<i>Sebastodes flavidus</i>
33. ROCKFISHES, OTHER	Rockfishes (unidentified) Rockfish, Rougheye Pacific Ocean Perch Rockfish, Aurora Rockfish, Redbanded Rockfish, Silvergray Rockfish, Splitnose Rockfish, Rosethorn Rockfish, Shortbelly Rockfish, China Rockfish, Tiger Rockfish, Yelloweye Rockfish, Stripetail Rockfish, Sharpchin Rockfish, Black-and-yellow Rockfish, Kelp Rockfish, Calico Rockfish, Squarespot Cowcod Rockfish, Speckled Rockfish, Grass Rockfish, Flag Rockfish, Bank Treefish Rockfish, Greenblotched Rockfishes, (general) Thornyheads (general) Thornyhead, Shortspine	<i>Scorpaenidae</i> <i>Sebastodes aleutianus</i> <i>Sebastodes alutus</i> <i>Sebastodes aurora</i> <i>Sebastodes babcocki</i> <i>Sebastodes brevispinis</i> <i>Sebastodes diploproa</i> <i>Sebastodes helvomaculatus</i> <i>Sebastodes jordani</i> <i>Sebastodes nebulosus</i> <i>Sebastodes nigroinctus</i> <i>Sebastodes ruberrimus</i> <i>Sebastodes saxicola</i> <i>Sebastodes zacentrus</i> <i>Sebastodes chrysomelas</i> <i>Sebastodes atrovirens</i> <i>Sebastodes dalli</i> <i>Sebastodes hopkinsi</i> <i>Sebastodes levis</i> <i>Sebastodes ovalis</i> <i>Sebastodes rastrelliger</i> <i>Sebastodes rubrivinctus</i> <i>Sebastodes rufus</i> <i>Sebastodes serriceps</i> <i>Sebastodes rosenblatti</i> <i>Sebastodes spp.</i> <i>Sebastolobus spp.</i> <i>Sebastolobus alascanus</i>
34. KELP GREENLING	Greenling, Kelp	<i>Hexagrammos decagrammus</i>
35. LINGCOD	Lingcod	<i>Ophiodon elongatus</i>
36. GREENLINGS, OTHER	Greenlings (unidentified) Greenling, Rock	<i>Hexagrammidae</i> <i>Hexagrammos lagocephalus</i>
37. SABLEFISH	Sablefish	<i>Anoplopoma fimbria</i>
38. CABEZON	Cabezon	<i>Scorpaenichthys marmoratus</i>
39. PAC. STAGHORN SCULPIN	Sculpin, Pacific Staghorn	<i>Leptocottus armatus</i>
40. SCULPINS, OTHER	Sculpins Sculpin, Coastrange Sculpin, Buffalo Irish Lord, Red Irish Lord, Brown	<i>Cottidae</i> <i>Cottus aleuticus</i> <i>Enophrys bison</i> <i>Hemilepidotus hemilepidotus</i> <i>Hemilepidotus spinosus</i>
41. BARRED SAND BASS	Sand bass, Barred	<i>Paralabrax nebulifer</i>
43. KELP BASS	Bass, Kelp	<i>Paralabrax clathratus</i>

**APPENDIX I. (CONTINUED)**

<u>SPECIES GROUP</u>	<u>COMMON NAME</u>	<u>SCIENTIFIC NAME</u>
44. STRIPED BASS	Bass, Striped	<i>Morone saxatilis</i>
46. YELLOWTAIL	Yellowtail	<i>Seriola lalandei</i>
48. WHITE CROAKER	Croaker, White	<i>Genyonemus lineatus</i>
49. QUEENFISH	Queenfish	<i>Seriphis politus</i>
50. CROAKERS, OTHER	Seabass, White Croaker, Spotfin	<i>Atractoscion nobilis</i> <i>Roncador stearnsi</i>
51. OPALEYE	Opaleye	<i>Girella nigricans</i>
52. HALFMOON	Halfmoon	<i>Medialuna californiensis</i>
53. BARRED SURFPERCH	Surfperch, Barred	<i>Amphistichus argenteus</i>
54. BLACK PERCH	Perch, Black	<i>Embiotoca jacksoni</i>
55. PILE PERCH	Perch, Pile	<i>Rhacochilus vacca</i>
56. REDTAIL SURFPERCH	Surfperch, Redtail	<i>Amphistichus rhodoterus</i>
57. RUBBERLIP SEAPERCH	Seaperch, Rubberlip	<i>Rhacochilus toxotes</i>
58. SHINER PERCH	Perch, Shiner	<i>Cymatogaster aggregata</i>
59. SILVER SURFPERCH	Surfperch, Silver	<i>Hyperprosopon ellipticum</i>
60. STRIPED SEAPERCH	Seaperch, Striped	<i>Embiotoca lateralis</i>
61. WALLEYE SURFPERCH	Surfperch, Walleye	<i>Hyperprosopon argenteum</i>
62. WHITE SEAPERCH	Seaperch, White	<i>Phanerodon furcatus</i>
63. SURFPERCHES, OTHER	Surfperches Perch, Kelp Surfperch, Spotfin Seaperch, Sharpnose Surfperch, Calico Seaperch, Rainbow Perch, Reef Perch, Dwarf	<i>Embiotocidae</i> <i>Brachyistius frenatus</i> <i>Hyperprosopon analis</i> <i>Phanerodon aries</i> <i>Amphistichus koelzi</i> <i>Hypsurus caryi</i> <i>Micrometrus aurora</i> <i>Micrometrus minimus</i>
65. PACIFIC BARRACUDA	Barracuda, Pacific	<i>Sphyraena argentea</i>
66. PACIFIC BONITO	Bonito, Pacific	<i>Sarda chiliensis</i>
67. PACIFIC MACKEREL	Mackerel, Pacific (Chub)	<i>Scomber japonicus</i>
68. TUNAS	Mackerels and Tunas Tuna, Skipjack Tuna, Albacore Tuna, Bluefin	<i>Scombridae</i> <i>Euthynnus pelamis</i> <i>Thunnus alalunga</i> <i>Thunnus thynnus</i>
69. STARRY FLOUNDER	Flounder, Starry	<i>Platichthys stellatus</i>
70. CALIFORNIA HALIBUT	Halibut, California	<i>Paralichthys californicus</i>
71. PACIFIC SANDDAB	Sanddab, Pacific	<i>Citharichthys sordidus</i>
72. ROCK SOLE	Sole, Rock	<i>Lepidopsetta bilineata</i>

## APPENDIX I. (CONTINUED)

SPECIES GROUP	COMMON NAME	SCIENTIFIC NAME
73. FLATFISHES, OTHER	Flatfishes Flounders, Lefteye Sandabs Sanddab, Speckled Sanddab, Longfin Sole, Fantail Flounders, Righteye Flounder, Arrowtooth Sole, Petrale Sole, Rex Sole, Butter Sole, Dover Sole, English Turbot, Hornyhead Sole, Sand Halibut, Greenland Halibut, Pacific	Pleuronectiformes Bothidae <i>Citharichthys</i> spp. <i>Citharichthys stigmatus</i> <i>Citharichthys xanthostigma</i> <i>Xystreurus liolepis</i> Pleuronectidae Atheresthes stomias <i>Eopsetta jordani</i> <i>Glyptocephalus zachirus</i> <i>Isopsetta isolepis</i> <i>Microstomus pacificus</i> <i>Parophrys vetulus</i> Pleuronichthys verticalis <i>Psettichthys melanostictus</i> Reinhardtius hippoglossoides <i>Hippoglossus stenolepis</i>
74. SALMONIDS	Trouts Salmon Salmon, Pink Salmon, Coho (Silver) Salmon, Chinook (King) Trout, Cutthroat Trout, Rainbow	Salmonidae <i>Oncorhynchus</i> spp. <i>Oncorhynchus gorbuscha</i> <i>Oncorhynchus kisutch</i> <i>Oncorhynchus tshawytscha</i> <i>Salmo clarkii</i> <i>Salmo gairdnerii</i>
75. OTHER FISH	Unidentified Fishes Bottomfishes (Groundfishes) Smoothhound, Sicklefin Guitarfish, Shovelnose Thornback Electric Ray, Pacific Skates Skate, Big Skate, California Skate, Longnose Stingrays Stingray, Diamond Eagle Rays Ray, Bat Spotted Ratfish Sardine, Pacific Lizardfish, California Midshipman, Plainfin Codfishes Cusk-eels Eelpouts Opan Rockfish, Shortraker Rockfish, Darkblotched Rockfish, Whitebelly Thornyhead, Longspine Sculpin, Rosylip Grouper, Gulf Whitefish, Ocean Jack Mackerel Perch, Zebra Garibaldi Barracudas Senorita Sandfish, Pacific Blenny, Bay Wolf-eel Kelpfish, Striped Fringehead, Sarcastic	Unidentified Pisces Bottom Pisces (Groundfishes) <i>Mustelus lunulatus</i> <i>Rhinobatos productus</i> <i>Platyrhinoidis triseriata</i> <i>Torpedo californica</i> Rajidae <i>Raja binoculata</i> <i>Raja inornata</i> <i>Raja rhina</i> Dasyatidae <i>Dasyatis dipterura</i> Myliobatidae <i>Myliobatis californica</i> <i>Hydrolagus colliei</i> <i>Sardinops sagax</i> <i>Synodus lucioceps</i> <i>Porichthys notatus</i> Gadidae Ophidiidae Zoarcidae <i>Lampris guttatus</i> <i>Sebastes borealis</i> <i>Sebastes crameri</i> <i>Sebastes vexillaris</i> <i>Sebastolobus altivelis</i> <i>Ascelichthys rhodus</i> <i>Mycteroperca jordani</i> <i>Caulolatilus princeps</i> <i>Trachurus symmetricus</i> <i>Hermosilla azures</i> <i>Hypsipops rubicundus</i> Sphyraenidae <i>Oxyjulis californica</i> <i>Trichodon trichodon</i> <i>Hypsoblennius gentilis</i> <i>Anarrhichthys ocellatus</i> <i>Gibbonsia metzi</i> <i>Neoclinus blanchardi</i>

**APPENDIX I. (CONTINUED)**

<u>SPECIES GROUP</u>	<u>COMMON NAME</u>	<u>SCIENTIFIC NAME</u>
	Fringehead, Onespot	<i>Neoclinus uninotatus</i>
	Kelpfish, Giant	<i>Heterostichus rostratus</i>
	Pricklebacks	<i>Stichaeidae</i>
	Prickleback, Rock	<i>Xiphister mucosus</i>
	Prickleback, Monkeyface	<i>Cebidichthys violaceus</i>
	Sandlance, Pacific	<i>Ammodytes hexapterus</i>
	Gobies	<i>Gobiidae</i>
	Goby, Blackeye	<i>Coryphopterus nicholsi</i>
	Goby, Yellowfin	<i>Acanthogobius flavimanus</i>
	Sierra, Gulf	<i>Scomberomorus concolor</i>
	Pacific Pompano	<i>Peprilus simillimus</i>
	Molas	<i>Moridae</i>
	Sunfish, Ocean	<i>Mola mola</i>