

STATE OF FLORIDA
STATE BOARD OF CONSERVATION
Ernest Mitts, Director

FLORIDA GEOLOGICAL SURVEY
Robert O. Vernon, Director

INFORMATION CIRCULAR NO. 22

RECORD OF WELLS IN THE
RUSKIN AREA OF
HILLSBOROUGH COUNTY, FLORIDA

By
Harry M. Peek, Geologist
U. S. Geological Survey

Prepared by the U. S. Geological Survey
in cooperation with the Florida Geological Survey and the
Board of County Commissioners of Hillsborough County

Tallahassee, Florida
1959

400.9
F 636 2

AGRI-
CULTURAL
LIBRARY

TABLE OF CONTENTS

Introduction.....	Page 1
-------------------	-----------

ILLUSTRATIONS

Figure

1	Map of the peninsula of Florida showing location of Hillsborough County and the Ruskin area.....	3
---	--	---

Plate

1	Map of the Ruskin area showing location of wells.....	In pocket
---	---	-----------

Table

1	Records of wells in the Ruskin area.....	5
2	Location description of wells in the Ruskin area.....	49

RECORD OF WELLS IN THE RUSKIN AREA OF HILLSBOROUGH COUNTY, FLORIDA

By
Harry M. Peek

INTRODUCTION

A detailed study of the geology and ground-water resources of the Ruskin area (fig. 1) was made during the period from 1950 to 1955, by the U. S. Geological Survey in cooperation with the Florida Geological Survey and the Board of County Commissioners of Hillsborough County. The results of this study are given in a report by Harry M. Peek entitled "The artesian water of the Ruskin area of Hillsborough County, Florida" and published by the Florida Geological Survey as Report of Investigations No. 21.

This report contains tables of well records that were compiled from data collected during that investigation. The well-numbering system used in the tables is based on latitude and longitude. The Ruskin area, which lies between 27° and 28° north latitude and 82° and 83° west longitude (fig. 1), has been divided into quadrangles by a grid of 1-minute parallels of latitude and 1-minute meridians of longitude, as shown on plate 1. The wells have been assigned numbers according to their location within this grid. Each well number consists of three parts: the first part is the latitude, in minutes, of the south side of the 1-minute quadrangle in which the well is located; the second part is the longitude, in minutes, of the east side of the same 1-minute quadrangle; and the third part is the number of the well within the quadrangle. For example, the number 43-25-4 designates the fourth well in the quadrangle bounded by latitude 43' on the south and longitude 25' on the east. The degree of latitude

and longitude are not included as a part of the well number, as they are the same for all wells used in this report. Well locations are described in table 2 and are shown on the map, plate 1.




Figure 1. Map of the peninsula of Florida showing the location of Hillsborough County and the Ruskin area.

TABLE 1.--RECORDS OF WELLS IN THE RUSKIN AREA.

Well no.: See text for explanation of well numbering system.

Location: See plate 1. Distances measured from post office or principal road intersection.

Depth of well: Reported unless noted; m, measured.

Principal water-bearing formations: A, Avon Park limestone; H, Hawthorn formation; O, Ocala group; P, Pliocene and Pleistocene undifferentiated deposits; S, Suwannee limestone; T, Tampa formation.

Use: D, domestic; I_n, industrial; Ir, irrigation; O, observation; OT, oil test; P, public supply; S, stock; U, unused.

Remarks: C, cuttings on file with Fla. Geol. Survey; E, electric log available.

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point	Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks			
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)		Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)				Date of measurement	Gallons per minute	Parts per million
38-31-4	Reader Farms, Palmetto, Fla.	J. P. Adams, Sarasota, Fla.	1947	600 [±]	50	8	T, S	Top 8-inch tee	1.0	11.43	12.5	12-18-50	125	25	10-27-50	78	Ir	
													25	12-19-50				
													30	4-24-53				
38-31-5	Harlee Farms, Palmetto	do	----	600	--	8	T, S	do	.6	9.80	8.5	2-20-53	150	25	2-20-52	78	Ir	
38-31-6	do	do	----	600	--	8	T, S	-----	--	--	--	-----	200	35	12-29-52	78	Ir	
													30					
38-31-7	do	do	----	600	--	6	T, S	-----	--	--	--	-----	300	30	12-30-52	78	Ir	
38-31-8	Reader Farms	do	1947	600 [±]	--	8	T, S	Top of flange on 8-inch elbow	.5	10.45	12.9	10-22-52	250	25	3-27-51	78.5	Ir	
38-31-9	do	do	1947	600 [±]	--	8	T, S	-----	--	--	--	-----	200	--	-----	78	Ir	
38-31-10	Harlee Farms	do	----	600 [±]	--	8	T, S	-----	--	--	--	-----	200	25	2-20-52	--	Ir	
38-31-11	Reader Farms	do	1947	600 [±]	--	6	T, S	-----	--	--	--	-----	250	--	-----	--	Ir	
38-32-12	Harlee Farms	do	----	600 [±]	--	8	T	-----	--	--	--	-----	300	30	12-30-52	78	Ir	
38-32-13	do	do	1948	600	--	8	T, S	-----	--	--	--	-----	300	65	12-30-52	78	Ir	
38-32-14	do	do	1948	600	--	8	T, S	-----	--	--	--	-----	--	30	12-30-52	--	Ir	
38-32-15	do	do	1948	200 m	--	8	T	Top 4-inch elbow	1.5	----	8.1	12-30-52	40	35	12-30-52	77	Ir	
													35	4-21-53				
39-18-1	J. B. Saffold, Wimauma	E. E. Boyetta, Ruskin	----	510	--	8	T, S	Top 8-inch tee	1.0	38.18	10.3	5- 3-51 7- 2-52	300	20	7- 2-52	82	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point				Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute		Parts per million	Date sample collected			
39-24-1	J. Raymer, Wimauma	-----	1930	500	--	8	T, S	Top 6-inch tee	1.0	----	7.4	5-11-51	125	20	5-11-51	--	Ir		
39-26-1	James Stevens, Ruskin	H. Morrill, Ruskin	1948	456	50	6	T, S	Top 6-inch casing	-1.5	22.68	1.5	12- 5-50	---	--	-----	--	Ir		
39-26-2	do	do	1950	600	--	8	T, S	Top 8-inch casing	.0	21.34	1.0	12- 6-50	---	--	-----	--	Ir		
											1.6	9- 7-51							
											4.28	5-13-52							
											3.4	10-10-52							
39-26-3	do	do	1950	600	--	8	T, S	Top 8-inch coupling	-3.0	20.35	3.1	12- 6-50	---	--	-----	--	Ir	E	
											-2.6	3-28-51							
											2.2	9- 7-51							
39-27-1	do	do	1950	600	--	6	T, S	-----	---	---	---	-----	---	--	-----	--	Ir		
39-27-2	do	do	1952	600	58	8	T, S	-----	---	---	---	-----	---	--	-----	--	Ir		
39-28-1	do	do	1949	600	--	6	T, S	Top 6-inch casing	.0	----	-1.1	11-14-52	---	--	-----	--	Ir		
39-29-1	Villemaire Farms, Ruskin	do	1951	600	65	8	T, S	Top 8-inch casing	.0	21.38	-4.85	9- 8-51	---	--	-----	--	Ir		
39-30-1	Canada Corp.	-----	---	270	50	8	T	Top 8-inch coupling	1.0	21.87	-3.0	1-18-51	---	25	12-19-50	--	U	E	
39-30-2	W. E. Tyler, Palmetto	J. F. Adams, Sarasota	1949	600	--	6	--	Top 6-inch tee	1.0	14.60	2.05	9- 7-51	100	--	-----	--	Ir		
39-30-3	Reader Farms, Palmetto	do	1947	600	--	8	---	-----	---	---	---	-----	---	25	12-19-50	--	Ir		
39-30-4	W. E. Tyler	do	1949	638	--	8	T, S	Top 8-inch tee	2.0	----	4.2	2-14-51	---	--	-----	78	Ir		
39-30-5	do	do	1949	612	--	8	T, S	do	1.0	8.81	8.9	2-14-51	125	--	-----	78.3	Ir		
											8.1	9- 7-51							
											4.98	5-13-52							
											13.3	10-13-52							

9

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point		Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)		Date of measurement	Parts per million			
39-30-6	Reeder Farms Palmetto	J. P. Adams Sarasota	1948	600	--	8 T,S	Top 8-inch tee	-1.0	----	17.1	12-19-50	200	25	12-19-50	--	Ir	
39-30-7	W. E. Tyler Palmetto	do	1950	595	--	8 T,S	do	2.0	15.01	4.3 - .5 5.4	2-14-51 5-13-52 10-13-52	---	25	2-14-51	78	Ir	
39-30-8	do	do	1948	615	--	8 T,S	-----	---	----	-----	-----	---	--	-----	--	Ir	
39-30-9	Council Farms, Ruskin	H. Morrill Ruskin	1948	550	--	6 T,S	Top 6-inch tee	1.0	----	11.1	12- 5-50	300	30	12- 5-50	--	Ir	
39-30-10	do	do	1948	550	--	6 T,S	do	- .5	----	13.2	12- 5-50	---	25	12- 5-50	78	Ir	
39-30-11	do	do	1948	550	--	6 T,S	do	1.0	----	12.7	12- 5-50	---	25	12- 5-50	78	Ir	
39-30-12	do	do	1948	530	--	6 T,S	do	1.0	----	14.7	12- 5-50	200	25	12- 5-50	--	--	
39-30-13	do	do	1946	558	55	6 T,S	do	1.0	----	14.8	12- 5-50	---	25	12- 5-50 2- 9-53	78	Ir	
39-30-14	do	do	----	550	--	6 T,S	-----	---	----	-----	-----	---	25	2- 9-53	78	Ir	
39-30-15	do	E. E. Boyette, Ruskin	1950	550	62	8 T,S	Top 8-inch tee	1.0	----	13.1 5.2	12- 5-50 9- 7-51	250	25	12- 5-50	78	Ir	
39-31-1	Reeder Farms	J. P. Adams	1948	600	--	8 T,S	-----	---	----	-----	-----	---	--	-----	--	Ir	
39-31-2	do	do	1947	600	--	8 T,S	-----	---	----	-----	-----	200	--	-----	78	Ir	
39-31-3	do	do	1947	600	--	8 T,S	Top 8-inch tee	1.0	6.99	16.1	12-19-50 9- 7-51	200	25	12-19-50	77.5	Ir	
39-31-4	do	do	1947	600	--	8 T,S	-----	---	----	-----	-----	---	--	-----	--	Ir	
39-31-5	do	do	1947	600	--	8 T,S	Top 8-inch cross	1.0	5.61	11.8 10.7 10.6 8.6	2- 1-51 3-28-51 9- 7-51 5-13-52	---	30	12-19-50	--	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point Description	Water level				Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measure- ment		Parts per million	Date sample collected			
40-20-1	Palmore	-----	----	700	--	6 T, S†	Top 6-inch casing	-4.0	54.44	-22.2	1-17-51	---	---	---	U		
40-24-1	J. B. Saffold, Winsuma	-----	----	500	--	6 T,S	Top 6-inch cross	.0	1.51	24.2	2-15-51	300	25	2-26-51	78	U	
40-26-1	James Stevens, Ruskin	H. Morrill, Ruskin	1950	600	--	8 T,S	-----	---	---	---	---	---	---	---	Ir		
40-26-2	do	do	----	600	--	6 T,S	-----	---	---	---	---	---	---	---	U		
40-27-1	do	do	1951	600	--	8 T,S	-----	---	---	---	---	---	---	---	Ir		
40-27-2	do	do	1948	600	--	6 T,S	-----	---	---	---	---	---	---	---	U		
40-27-3	do	do	1948	600	42	8 T,S	Top 6-inch sl	1.5	21.79	---	---	---	25	2- 2-53	78.5	Ir	
40-27-4	do	do	1948	625	--	8 T,S	Top 8-inch tea	.5	22.92	.2	9- 7-51	---	---	---	78.5	U	
40-27-5	Claproad Farms, Ruskin	do	1950	700	--	8 T,S O	Top 8-inch coupling	.0	25.21	---	---	---	---	---	Ir		
40-27-6	do	do	1953	770	65	8 T,S O	Top 8-inch casing	.0	----	- 5.6	11-19-53	650	25	8-19-55	79.6	Ir	
40-27-7	do	do	1950	700 m	65	8 T,S O	do	.0	24.14	- 1.81	8-17-53	---	---	---	Ir	E	
40-28-1	do	do	1950	640	70	8 T,S O	-----	---	---	---	---	---	---	---	Ir	C	
40-28-2	do	do	1950	642	70	6 T,S O	Top 6-inch coupling	.0	----	- 8.7	11-15-50	450	25	7-23-52	80	Ir	C
40-28-3	do	-----	----	---	--	4 T	Top 4-inch tee	1.0	19.40	-.91	9- 7-51	---	---	---	Ir		
40-28-4	do	-----	----	---	--	3 T	Top flange on 3- inch sl	2.0	14.06	3.8	9- 7-51	---	---	---	Ir		
40-29-1	Villemaire Farms, Ruskin	E. Morrill, Ruskin	1951	600	60	8 T,S	-----	---	---	---	---	300	---	---	Ir		

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point	Water level			Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)	Principal water-bearing formations		Description	Height above land surface (feet)	Altitude above mean sea level (feet)		Above or below (-) measuring point (feet)	Date of measurement				Gallons per minute
40-29-2	Council Farms, Ruskin	E. E. Boyette, Ruskin	1951	550	75	8	T, S	Top 8-inch tee	0.0	14.20	3.7 .1	4- 4-52 5-13-52	500	25	11- 3-52	78	Ir	E
40-29-3	do	do	1951	570	66	8	T, S	-----	---	----	----	----	300	25	11- 3-52 4-21-53	78	Ir	
40-29-4	do	do	1950	575?	62	8	T	Top 8-inch tee	.0	8.06	12.7 4.5 9- 7-51 6.3 5-13-52	12- 5-50 5-13-52	200	25	11- 3-52 12-29-52 4-21-53	77	Ir	
40-29-5	do	do	1951	270	65	8	T	do	.3	----	13.2	11-28-51	325	25	11- 3-52	76	Ir	E
40-29-6	do	do	1951	575	70	8	T, S	do	.5	----	11.5	11-28-51	320	25	11- 3-52	77.5	Ir	E
40-29-7	do	do	1951	533 =	62	8	T, S	do	.5	----	14.0	11-28-51	400	25	11- 3-52 4-21-53	78	Ir	E
40-30-1	do	do	1950	517 =	65	8	T, S	do	.0	5.10	14.9	12- 5-50	250	--	-----	78	Ir	E
41-23-1	J. Richards, Beaumont, Texas	-----	----	575m	145	6	T, S	Top 6-inch cross	1.0	25.44	.4	2-15-51	200	--	-----	--	U	E
41-23-2	do	-----	----	600	--	6	T, S	Top 6-inch tee	1.5	28.74	-2.6	2-15-51	---	--	-----	--	U	
41-24-1	James Barnes, Ruskin	D. Fritchard, Ruskin	1929	400	200	4	T, S	Top 4-inch casing	.0	38.90	-1.1	2-15-51	---	--	-----	--	U	
41-24-2	Beaudette Farms, Ruskin	H. Morrill, Ruskin	1952	605	56	8	T, S	-----	---	----	----	----	350	--	-----	78	Ir	C
41-24-3	do	do	1952	590	50	6	T, S	-----	---	----	----	----	---	--	-----	78	Ir	
41-25-1	Dickman Farms, Ruskin	Dickman Farms	1952	485	42	8	T, S	-----	---	----	----	----	---	--	-----	--	Ir	S
41-25-2	do	do	1952	485	50	6	T, S	Top 6-inch cross	1.0	22.18	1.79 .1 .0	4- 7-52 6-24-52 8-25-52	100	20	6-24-52	77	Ir	C
41-25-3	Paul Green, Ruskin	H. Morrill	---	500	--	6	T, S	-----	---	----	----	----	---	--	-----	--	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point				Water level		Yield			Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (Inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Facts per million	Date sample collected						
41-25-4	W. M. Williams, Ruskin	E. E. Boyette	1949	515 m	42	6	T, B	Top 6-inch tee	1.0	21.49	1.8 3.6 3.2	3- 2-51 9- 6-51 10-13-52	100	--	-----	--	Ir	N			
41-25-3	Beaudette Farms	-----	1948	530	--	6	T, B	-----	---	---	---	---	150	--	-----	--	Ir				
41-26-1	Paul Green	H. Morrill	1952	500	40	8	T, B	-----	---	---	---	---	---	---	-----	--	Ir				
41-26-2	Beaudette Farms	E. Morrill, Ruskin	1949	516	38	6	T, B	Top 6-inch tee	.0	20.36	3.0 3.2	5- 2-51 9- 6-51	---	--	-----	--	Ir				
41-26-3	Paul Green	H. Morrill	1953	550	40	6	T, B	-----	---	---	---	---	---	---	-----	--	Ir				
41-26-4	H. J. Tucker, Ruskin	H. J. Tucker	1952	217	40	3	T	-----	---	---	---	---	---	---	-----	--	Ir				
41-26-5	Beaudette Farms	-----	----	600	--	6	T, B	Top 6-inch tee	1.0	----	3.5	11- 3-52	300	25	11- 3-52	78	Ir				
41-27-1	John Borako, Ruskin	H. Morrill	1952	717	75	6	T, B O	Top 6-inch casing	.0	----	-1.5	6-24-52	100	17	5-15-53	79	Ir				
41-27-2	do	-----	----	500	--	8	T	Top 6-inch tee	1.0	----	4.2	9-20-51	---	25	9-20-51	77	Ir S				
41-27-3	do	-----	----	---	--	6	T	-----	---	----	---	---	150	25	2-28-52	76	Ir S				
41-28-1	Cleproad Farms	H. Morrill	1950	600	70	6	T, B	-----	---	----	---	---	300	25	12-29-52	--	Ir				
41-28-2	do	do	1950	600	70	6	T, B	-----	---	----	---	---	---	--	-----	--	Ir				
41-28-3	do	do	1950	592m	70	6	T, B	Top 6-inch casing	.0	----	-6.6	4- 9-52	---	--	-----	--	Ir	S			
41-28-4	do	do	----	300	--	6	T, B	Top 6-inch cross	.0	12.31	2.5	9- 7-51	---	--	-----	--	Ir				
41-29-1	do	-----	----	---	--	6	T	Top 6-inch coupling	1.5	9.10	4.2 -2.0 5.5 5.75	9- 7-51 5-13-52 10-10-52 6- 8-55	---	--	-----	76	Ir				

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Feet per million	Date sample collected				
41-29-2	Claproad Farms	-----	---	178	--	6 T	Top 6-inch cross	0.5	8.02	5.3	9- 7-51	---	--	-----	--	Ir			
41-29-3	do	-----	---	---	--	6 T	Top concrete well housing	.5	---	11.4	11-17-50	---	25	4-24-53	77.5	Ir			
41-29-4	do	-----	---	---	--	6 T	do	1.0	7.49	8.7	11-17-50	---	--	-----	77	Ir			
41-29-5	do	-----	---	---	--	6 T, S	-----	---	---	---	---	---	30	11-25-51	--	Ir			
41-29-6	do	-----	---	---	--	6 T, S	-----	---	---	---	---	---	25	4-17-53	--	Ir			
41-29-7	do	-----	---	500	--	6 T, S	-----	---	---	---	---	---	25	4-17-53	--	Ir D			
41-29-8	do	-----	---	---	--	6 T	Top concrete housing	.0	7.26	11.6	2- 7-51	---	--	-----	76	Ir			
41-29-9	do	-----	---	500	--	6 T, S	Top 6-inch cross	.0	---	5.2	11-17-50	---	--	-----	--	Ir			
41-29-10	do	-----	---	500	--	6 T, S	Top 8-inch cross	1.0	---	4.6	11-17-50	---	25	11-17-50	77.5	Ir			
41-29-11	do	-----	---	---	--	6 T	Top concrete housing	.0	---	9.4	2- 7-51	---	--	-----	76	Ir			
41-29-12	do	-----	1950	550	--	8 T, S	Top 6-inch sl	.0	---	4.4	11-17-50	300	25 25	11-17-50 2- 5-53	79	Ir			
41-29-13	Leisay Farms, Ruskin	-----	---	---	--	8 T	Top 8-inch sl	.0	---	4.6	2-14-51	200	--	-----	77	Ir			
41-29-14	Claproad Farms	-----	---	---	--	6 T	-----	---	---	---	---	200	25	11-17-50	--	Ir			
41-29-15	Leisay Farms	-----	---	---	--	6 T	Top 6-inch cross	.0	---	1.0	2-14-51	---	--	-----	--	Ir			
41-29-16	do	-----	---	---	--	6 T	-----	---	---	---	---	---	--	-----	--	Ir			
41-29-17	do	-----	1950	500	--	8 T, S	Top 8-inch cross	1.0	10.13	---	---	---	250 500	---	78	Ir			
41-29-18	do	-----	---	---	--	8 T	Top 8-inch tee	.0	---	5.2	2-14-51	---	--	-----	77	Ir			

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Perfecting water-bearing formations	Measuring point		Water level		Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Feet per million	Date sample collected			
41-29-19	Leisay Farms	-----	---	---	--	8	T	Top 8-inch cross	0.0	----	6.8	2- 7-51	---	--	-----	--	Ir	
41-29-20	do	-----	---	---	--	8	T	Top 8-inch tea	.0	----	5.4	2-14-51	---	--	-----	77	Ir	
41-29-21	do	-----	---	---	--	8	T	Top 8-inch cross	.0	----	4.9	2-14-51	---	--	-----	77	Ir	
41-29-22	Fowell Farms, Ruskin	H. Morrill, Ruskin	1949	605	35	6	T	Top 6-inch tea	.0	10.77	9.4	10-19-50	150	25	10-19-50	77.5	Ir	
41-29-23	do	do	1949	345	38	6	T,S	do	.0	10.99	8.9	10-19-50	150	20	10-19-50		Ir	
41-29-24	Leisay Farms	-----	1948	300	--	8	T,S	Top 8-inch cross	1.0	----	8.5	10-19-50	150	30	10-19-50	78	Ir	
41-29-25	do	-----	---	---	--	6	T	Top 4-inch el	1.0	9.8	1.3	9- 7-51	250	25	5-19-52	77	Ir	
41-29-26	do	-----	---	---	--	6	T	Top 6-inch tea	.0	----	8.9	5-13-52	---	25	2- 7-51	76.5	Ir	
41-30-1	Claproad Farms, Sun City	-----	---	---	--	6	T	Top concrete housing	1.0	----	11.0	11-16-50	---	--	-----	--	Ir	
41-30-2	do	-----	---	---	--	6	T	-----	---	----	---	-----	200	--	-----	--	Ir	
41-30-3	do	-----	---	500	--	6	T,S	Top concrete housing	1.0	----	9.4	11-16-50	---	30	12-29-52	78.1	Ir	
41-30-4	do	-----	---	500	--	8	T,S	do	1.5	----	11.2	11-16-50	---	30	12-29-52	78	Ir	
41-30-5	do	-----	---	348 m	30	8	T	Top 8-inch coupling	.0	6.82	10.7	11-16-50	250	30	10-16-50	76.5	Ir	B
41-30-6	do	-----	---	---	--	8	T	do	1.0	6.74	10.5	11-16-50	350	25	11-16-50	76.5	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point			Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Gallons per minute	Parts per million				Data sample collected
41-30-7	Claproad Farms, Sun City	-----	---	---	--	6	T	Top concrete housing	1.0	7.91	6.8 8.5 4.6	11-16-50 9- 7-51 5-18-53	200	--	-----	76	Ir	
41-30-8	do	-----	---	---	--	6	T	do	.0	----	8.7 9.8	11-16-50 9- 7-51	200	25	5- 5-53	76	Ir	
41-30-9	do	-----	---	---	--	6	T, S	Top 6-inch cross	.0	----	10.2	11-16-50	200	30	11-16-50	77.5	Ir	
41-30-10	do	-----	---	---	--	6	T, S	Top 6-inch tee	.0	----	10.9	11-16-50	300	30	6-26-52	78	Ir	
41-30-11	do	-----	---	---	--	6	T	Top concrete housing	.0	----	11.4	2-27-51	---	--	-----	76	Ir	
41-30-12	do	-----	---	---	--	6	T	do	1.0	----	11.7	2- 7-51	---	--	-----	76	Ir	
41-30-13	Lelsey Farms, Ruskin	-----	---	500	--	6	T, S	Top 6-inch tee	.0	8.27	8.3	11-16-50	200	30 25	10- 2-52 12-29-52	77.5	Ir	
41-30-14	Claproad Farms	-----	---	550	--	8	T, S	-----	---	----	-----	-----	350	40	4-30-53	79	Ir	
41-30-15	Lelsey Farms	-----	---	---	--	4	T	-----	---	----	-----	-----	---	--	-----	--	Ir	
41-30-16	do	-----	---	---	--	6	T	Top 6-inch tee	.0	7.24	12.6 4.6 11.1	2- 7-51 5-13-52 10-10-52	200	25	12-29-52	76	Ir	
42-19-1	Paul Carter, Wimauma	-----	---	318	97	6	T	Top 6-inch casing	.0	87.85	-53.53	5-21-53	---	--	-----	--	O	E
42-23-1	E. Spencer, Ruskin	H. Morrill, Ruskin	1952	485	60	6	T, S	Top 6-inch casing	.0	----	18.1	6-25-52	200	--	-----	--	Ir	C
42-24-1	Beaudette Farms, Ruskin	do	1948	550	60	6	T, S	Top 6-inch tee	1.0	----	2.3	1-17-51	100	25	8-26-52	77.5	Ir	
42-24-2	do	do	----	550	60	8	T, S	Top 8-inch tee	.0	19.92	5.5 .2 5.5	1-17-51 2- 1-51 9- 6-51	50	--	-----	--	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point			Water level		Chloride content			Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Parts per million	Date sample collected			
42-24-3	Beaudette Farms, Ruskin	H. Morrill, Ruskin	1946 ⁷	550	60	6	T, S	Top 6-inch tee	1.5	24.21	----	----	----	----	----	Ir	
42-24-4	W. H. Willis, Ruskin	-----	----	----	--	6	--	-----	----	----	----	----	----	----	----	Ir	
42-24-5	R. Deal, Ruskin	-----	----	----	--	6	--	Top 6-inch tee	.0	17.57	3.0 -3.6	9- 6-51 5-16-52	----	----	----	Ir	
42-24-6	W. H. Willis	-----	----	500	--	4	T, S	Top 4-inch tee	1.0	----	8.2	10-24-52	100	----	78	Ir	
42-24-7	H. Sims, Ruskin	E. E. Boyetta Ruskin	1952	450	40	6	T, S	-----	----	----	----	----	300	----	----	Ir	C
42-25-1	Beaudette Farms	H. Morrill	1952	550	--	6	T, S	-----	----	----	----	----	350	----	----	Ir	
42-25-2	do	do	1947 ⁷	550	60	6	T, S	Top 6-inch tee	.0	----	1.2	1-18-51	----	----	----	Ir	
42-25-3	do	do	1952	550	60	8	T, S	-----	----	----	----	----	350	----	----	Ir	
42-25-4	H. Sims	E. E. Boyette	----	510	30	6	T, S	Top 6-inch tee	1.0	17.98	3.9 4.7	5- 2-51 9- 7-51	200	----	----	Iv	
42-25-5	Beaudette Farms	-----	1945	560	60	6	T, S	do	.0	----	3.4	1-18-50	----	25	1-18-51	77.5	Ir
42-25-6	do	H. Morrill	----	550 ⁺	60	6	T, S	Top 6-inch tee	.0	----	1.2 3.3 1.8	1-18-50 2- 1-51 3-28-51	----	----	----	78	Ir
42-25-7	do	-----	----	----	--	4	T	Top 4-inch tee	.0	----	2.0	5- 2-51	----	----	----	Ir	
42-25-8	H. Sims	E. E. Boyette	1948	280	--	6	T	Top 6-inch tee	1.0	17.46	3.3	5- 2-51	100	----	78	Ir	
42-25-9	Beaudette Farms	-----	----	550 ⁺	--	6	T, S	do	1.0	17.69	8.9 7.0 7.7	10-25-50 9- 6-51 10-22-52	300	30	10-25-50	78	Ir
42-25-10	do	-----	----	550 ⁺	--	8	T, S	Top 8-inch tee	.5	----	2.1	2-16-51	----	25	3-23-51	--	D Ir

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point	Water level			Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations		Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Feet per million	Date sample collected			
42-25-11	Beaudette Farms, Ruskin	-----	---	534	140	8	T, S	Top 8-inch coupling	0.0	17.62	9.1 1.3 .1 5.0	10-25-50 2- 1-51 3-20-51 9- 6-51	300	20	10-25-50	78	Ir	M
42-25-12	do	-----	---	550 ⁺	--	6	T, S	-----	---	---	---	---	---	---	---	---	Ir	
42-25-13	do	-----	---	550 ⁺	--	6	T, S	Top 6-inch tee	.0	15.71	5.1	10-31-50	300 50	25	10-31-50	78	Ir	
42-25-14	do	-----	---	550 ⁺	--	6	T, S	do	.0	---	3.6	2-16-51	---	---	---	79	Ir	
42-25-15	do	-----	---	550 ⁺	--	6	T, S	-----	---	---	---	---	25	10- 9-52	---	Ir		
42-25-16	do	-----	---	550 ⁺	--	8	T, S	Top 8-inch cross	1.0	---	6.5	10- 1-52	---	---	---	Ir		
42-25-17	do	-----	---	---	--	6	T	Top 6-inch tee	.0	---	4.9	2-16-51	---	---	---	77	Ir	
42-25-18	do	-----	---	---	--	4	T	-----	---	---	---	---	---	---	---	---	D Ir	
42-25-19	do	-----	---	500 ⁺	--	6	T, S	Top 6-inch cross	.0	---	7.2	2-16-51	---	---	---	---	Ir	
42-25-20	do	-----	---	---	--	6	T	Top 6-inch tee	1.0	---	6.7	2-16-51	---	---	---	---	Ir	
42-25-21	do	-----	---	---	--	6	T	-----	---	---	---	---	---	---	---	---	Ir D	
42-25-22	W. H. Willis, Ruskin	-----	---	500 ⁺	--	6	T, S	-----	---	---	---	---	---	---	---	---	Ir	
42-26-1	Mary Barco, Ruskin	E. E. Boyette, Ruskin	1948	700	--	6	T, S	-----	---	---	---	---	---	---	---	---	Ir	
42-26-2	H. J. Tucker, Ruskin	H. J. Tucker	1952	215	40	3	T	-----	---	---	---	---	---	---	---	---	D Ir	
42-26-3	O. B. Denny, Ruskin	E. E. Boyette	1947	208	40	6	T	Top 6-inch cross	1.0	15.38	5.3 5.1 5.3 -1.9	2- 5-51 9- 6-51 10-10-52 5-18-53	50	30	7-23-52	78	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Feet per million	Date sample collected				
42-26-4	H. Sims	E. E. Boyette	1952	350	44	6	T, B	Top 6-inch coupling	0.0	----	1.5	10-21-52	50	25	11- 6-52	--	Ir		
42-26-5	do	-----	----	200	--	4	T, H	-----	---	----	----	----	30	--	-----	--	D Ir		
42-26-6	A. Keen, Ruskin	E. E. Boyette	1947	350	--	5	T, B	-----	---	----	----	----	--	--	-----	--	Ir		
42-26-7	C. M. Taylor, Ruskin	-----	----	300	--	6	T, B	Top 6-inch cross	.0	12.18	7.6	9- 6-51	---	--	-----	--	Ir		
42-26-8	O. S. Denny	H. Morrill, Ruskin	----	250	40	4	T	Top 4-inch tee	1.0	7.28	9.9	3-28-51 12.5 9- 6-51 5.6 5-15-52	100	--	-----	--	D Ir		
42-26-9	W. J. Simmons, Ruskin	-----	----	500 [±]	--	6	T, B	Top 6-inch tee	1.0	----	3.8	4- 9-52	300	25	4- 9-52	78	Ir		
42-26-10	D. Lanier, Ruskin	W. Simmons, Ruskin	1952	175	36	3	T	Top 3-inch casing	.5	----	5.2	8-29-52	---	25	8-29-52	76	Ir		
42-26-11	W. Rice	-----	----	500 [±]	--	6	T, B	-----	---	----	----	----	---	--	-----	78	Ir		
42-26-12	Dickman Farms, Ruskin	Dickman Farms	----	---	--	6	T, B	Top 6-inch tee	.0	8.97	9.3	3-22-51	150	25	10-31-52	77.5	Ir		
42-26-13	do	do	----	---	--	4	--	-----	---	----	----	----	---	--	-----	--	Ir		
42-26-14	do	do	----	500 [±]	--	6	T, B	Top 6-inch tee	1.0	----	10.0	3-22-51	---	--	-----	--	Ir		
42-26-15	W. Corruthers, Ruskin	-----	----	500 [±]	--	6	T, B	Top 4-inch tee	1.0	----	10.3	3-22-51	---	--	-----	--	Ir		
42-25-16	do	-----	----	---	--	6	--	-----	---	----	----	----	---	--	-----	--	Ir		
42-26-17	do	-----	----	---	--	6	--	Top 6-inch tee	1.0	----	8.8	3-22-51	---	25	3-22-51	--	Ir		
42-27-1	John Boraiko, Ruskin	-----	----	---	--	6	--	-----	---	----	----	----	---	--	-----	--	Ir		

TABLE 1. --continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Parts per million	Date sample collected				
42-27-2	John Borsiko, Ruskin	W. Hall, Ruskin	1947	550	--	8	T, S	-----	---	---	---	---	100	---	-----	79.7	Ir S		
42-27-3	do	-----	----	500 ⁺	--	6	T, S	Top of flange on 6-inch sl	1.0	12.09	5.8 2.9 6.5	9- 7-51 4- 9-52 10-13-52	---	25	3-23-52	78	Ir		
42-27-4	James Stevens, Ruskin	-----	----	500 ⁺	35	6	T, S	Top 4-inch coupling	.0	-----	2.9	4- 9-52	---	25	7-23-52	79	Ir		
42-27-5	R. H. Courson, Ruskin	-----	1944	500	--	6	T, S	-----	---	---	---	-----	200	--	-----	78	Ir		
42-27-6	H. Rosenberg, Ruskin	E. E. Boyette	1952	210	--	4	T	-----	---	---	---	-----	25	--	-----	--	D		
42-27-7	Mrs. M. Richardson, Ruskin	Johnson (deceased)	1928	305	--	6	T	-----	---	---	---	-----	35	--	-----	--	D Ir		
42-27-8	James Stevens	-----	----	---	--	6	--	Top 6-inch tee	1.0	9.60	7.5	9- 6-51	100	--	-----	--	Ir		
42-27-9	Hugh Culbreath, Tampa	-----	----	---	--	6	--	do	1.0	---	12.5	10-23-50	--	20	10-23-50	--	Ir D		
42-28-1	A. Burnett, Ruskin	-----	----	500 ⁺	--	6	T, S	-----	---	---	---	-----	---	--	-----	--	Ir		
42-28-2	J. E. McLean, Ruskin	-----	----	450 ⁺	--	6	T	Top 6-inch tee	1.0	---	5.2	1-29-51	---	---	-----	77	Ir S		
42-28-3	do	-----	----	450 ⁺	--	6	T	do	1.0	---	4.4	1-29-51	---	---	-----	77	Ir S		
42-28-4	do	-----	----	---	--	6	T	do	.0	---	8.8	2- 7-51	---	---	-----	76.5	Ir		
42-28-5	do	-----	----	---	--	4	T	Top 3-inch tee	1.0	---	6.6	1-29-51	---	---	-----	77	Ir		
42-28-6	Henry Willis, Ruskin	-----	1949	500	--	6	T, S	Top 6-inch tee	1.0	---	7.8	10-27-50	200	25	10-27-50	79	Ir		

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formation	Measuring point				Water level		Chloride content			Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Parts per million	Date sample collected				
42-28-7	Henry Willis, Ruskin	-----	1949	603	70	6	T,S	Top 6-inch tee	1.0	----	5.2	10-27-50	---	20	10-27-50	80	Ir		
42-28-8	H. Morrill, Ruskin	H. Morrill	----	260	--	6	T	Top 6-inch tee	.0	----	10.2	2- 7-51	75	--	-----	77	Ir		
42-28-9	do	do	----	337	--	6	T,S	do	.0	9.38	7.2	1-29-51	200	25	1-29-51 3-27-51 25 4- 7-55 25 10-25-55	78.5	Ir	N	
42-28-10	do	do	----	300	--	6	T,S	Top 6-inch sl	.0	9.12	7.5	1-24-51	200	25	1-24-51	78	Ir		
42-28-11	Henry Willis	-----	----	300 [±]	--	6	T,S	Top 6-inch tee	.0	8.73	10.5	10-27-50 8.1 9- 6-51 9.5 10-10-52	150	--	-----	--	Ir D		
42-28-12	E. E. Boyette, Ruskin	E. E. Boyette	----	200	--	6	T	do	.0	----	7.5	1-29-51	---	25	1-29-50	--	D Ir		
42-28-13	Henry Willis	-----	----	300 [±]	--	6	T,S	Top 6-inch cross	.0	----	13.5	10-27-50	---	--	-----	--	Ir		
42-28-14	do	-----	----	---	--	6	T	Top 6-inch tee	1.5	----	10.8	10-27-50	---	25	10-27-50	77	Ir		
42-28-15	do	-----	----	300 [±]	--	6	T,S	do	2.0	----	9.9	10-27-50	---	25	10-27-50	78	Ir		
42-28-16	do	-----	----	300 [±]	--	8	T,S	Top 8-inch casing	1.0	----	12.7	10-27-50	---	25	10-27-50	78	Ir		
42-28-17	do	-----	----	300 [±]	--	6	T,S	Top 6-inch tee	.5	----	11.5	10-27-50	---	20	10-27-50	77.5	Ir		
42-28-18	H. Morrill	H. Morrill	1947	435	--	6	T,S	Top 6-inch cross	.0	----	8.2	1-24-51	---	25	1-24-51	--	Ir		
42-29-1	Powell Farms, Ruskin	do	1949	537	44	6	T,S	Top 6-inch tee	.0	----	9.1	10- 9-50	---	30	10- 9-50	77.5	Ir		
42-29-2	Leisey Farms, Ruskin	-----	----	---	--	6	T	do	.5	----	9.9	2- 7-51	150	--	-----	76	Ir		
42-29-3	Powell Farms	H. Morrill, Ruskin	1949	539	36	6	T,S	Top 6-inch tee	.0	10.08	9.9	10- 9-50	150	15	10-19-50	78	Ir		
42-29-4	Leisey Farms	-----	----	300 [±]	--	8	T,S	-----	---	----	---	-----	---	--	-----	--	Ir		

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point				Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute		Parts per million	Date sample collected			
42-29-5	Leisey Farms	-----	-----	350 ⁺	--	6	T	-----	---	---	-----	---	25	11-18-52	77	Ir		
42-29-6	W. Simmons, Ruskin	-----	1948	350	--	6	T	-----	---	---	-----	---	--	-----	--	Ir		
42-29-7	Powell Farms	H. Morrill	1949	546	36	6	T	Top 6-inch tee	1.0	----	11.2	10-19-50	---	25	10-19-50	76.5	Ir	
42-29-8	Henry Willis, Ruskin	-----	----	450 ⁺	--	6	T	Top 6-inch cross	1.0	----	12.4	10-19-50	200	25	10-19-50	--	Ir	
													30	3-28-51				
													25	2- 4-52				
													25	5-19-52				
42-29-9	Morgan, Ruskin	-----	----	500 ⁺	--	6	T, S	Top 6-inch casing	.0	----	11.9	10-27-50	200	25	10-27-50	78	U	
43-23-1	Dickman Farms, Ruskin	Dickman Farms	1952	450	--	8	T, S	Top 8-inch coupling	.0	----	-14.2	8-27-52	---	25	10- 6-52	--	Ir	
43-23-2	do	do	1952	360	--	8	T, S	Top 8-inch casing	.0	----	-8.2	7-25-52	---	--	-----	--	Ir	
43-24-1	do	do	1953	450	--	6	T, S	-----	---	----	-----	---	---	---	---	--	Ir	
43-24-2	W. H. Willis, Ruskin	-----	----	---	--	6	--	-----	---	----	-----	---	---	---	---	--	Ir	
43-24-3	do	-----	----	---	--	3	T	-----	---	----	-----	---	---	---	---	--	Ir	
43-24-4	Dickman Farms, Ruskin	Dickman Farms	1953	450	40	6	T, S	-----	---	----	-----	---	---	---	---	--	Ir	
43-24-5	Leisey Farms, Ruskin	H. Morrill	1952	500	40	8	T, S	-----	---	----	-----	---	350	--	-----	77.5	Ir	
43-24-6	Arthur Vasquez, Ruskin	-----	----	500	--	6	T, S	Top 6-inch cross	.0	14.06	5.5	10-31-50	75	30	10-31-50	78	Ir	
43-24-7	Dickman Farms	Dickman Farms	1952	450	30	6	T, S	Top 6-inch coupling	.0	----	-9.05	5-14-53	---	--	-----	--	Ir	
43-24-8	Arthur Vasquez	-----	----	200	--	4	T	Top 4-inch tee	.0	----	1.2	2-16-51	---	--	-----	--	Ir D	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point				Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Parts per million		Date sample collected				
43-24-9	Arthur Vasquez, Ruskin	-----	---	206	--	6	-----	---	---	---	---	40	22	4-14-55	76	Ir		
43-24-10	Dickman Farms, Ruskin	Dickman Farms, Ruskin	1952	450 [±]	--	6	T, S	-----	---	---	---	250	25	5-14-53	77.5	Ir		
43-24-11	do	do	1952	448 m	46	6	T, S	-----	---	---	---	---	---	---	---	Ir	N	
43-24-12	Villemaire Farms, Ruskin	-----	---	104 m	--	8	T	-----	---	---	---	---	---	---	---	Ir		
43-24-13	do	H. Morrill	1950	430 [±]	--	6	T, S	Top 6-inch cross	0.0	----	4.6	2-16-51	---	---	---	Ir		
43-24-14	Dickman Farms	Dickman Farms	1952	450 [±]	--	6	T, S	-----	---	---	---	250	---	---	---	Ir		
43-24-15	Villemaire Farms	-----	---	500 [±]	--	6	T, S	Top 6-inch cross	1.0	----	9.5	4-30-51	---	---	---	Ir		
43-24-16	H. Sims, Ruskin	F. E. Boyette, Ruskin	1952	450	40	6	T, S	-----	---	---	---	---	---	---	---	Ir		
43-24-17	Dickman Farms	Dickman Farms	1948	301	30	6	T, S ¹	Top 6-inch tea	.0	15.80	3.4	12- 4-50	100	30	2-19-51	--	Ir	E
43-24-18	do	do	1949	---	--	6	T	do	.0	----	7.0	4-25-51	200	---	---	Ir		
43-24-19	do	do	1948	---	--	6	T, S ¹	do	.0	----	10.1	4-25-51	100	30	11- 4-52	--	Ir	
43-24-20	Villemaire Farms	-----	---	500 [±]	--	6	T, S	do	.0	----	8.4	4-30-51	250	---	---	78	Ir	
43-24-21	do	-----	---	500 [±]	--	6	T, S	Top 6-inch cross	1.0	----	8.3	4-30-51	---	---	---	77.5	Ir	
43-25-1	R. F. Strickland, Ruskin	H. Morrill	1949	224	28	6	T	-----	---	---	---	---	---	---	---	77	Ir	
43-25-2	James Simmons, Ruskin	-----	---	---	--	6	T	Top 6-inch tea	1.0	5.81	5.8 1.3	9- 6-51 5-14-52	150	---	---	---	Ir	
43-25-3	W. Corruthers, Ruskin	-----	---	450 [±]	--	6	T, S	do	.5	9.07	10.2	4-20-51	---	25	11- 6-52	---	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level	Yield	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)			Above or below (-) measuring point (feet)	Date of measurement			
43-25-4	James Simmons, Ruskin	-----	---	---	6	--	Top 6-inch tee	1.0	---	3.3	5-11-51	---	---	---	Ir		
43-25-5	William Spencer, Ruskin	-----	---	---	3	T	Top 3-inch tee	.0	---	4.8	10-31-50	---	25	10-31-50	77	Ir	
43-25-6	James Simmons	-----	---	350 [±]	6	T, S	-----	---	---	---	---	200	---	---	---	Ir	
43-25-7	Arthur Vasquez, Ruskin	-----	---	205	6	T	Top 6-inch tee	.0	---	4.2	2-16-51	---	---	---	---	Ir	
43-25-8	William Spencer	-----	---	---	6	---	-----	---	---	---	---	---	---	---	---	Ir	
43-25-9	James Simmons	-----	---	500 [±]	6	T, S	Top 6-inch tee	.0	8.09	9.0	9- 6-51	---	---	---	---	Ir	
43-25-10	John Powell, Ruskin	-----	---	---	6	T	-----	---	---	---	---	---	---	---	---	Ir	
43-25-11	Mrs. Frances Powell Ruskin	-----	---	500 [±]	6	T, S	Top 6-inch tee	1.0	---	12.4	4-20-51	250	---	---	---	Ir D	
43-25-12	Villemaire Farms	H. Morrill	---	500 [±]	6	T, S	-----	---	---	---	---	200	---	---	78	Ir	
43-25-13	Julius Glisson, Ruskin	E. E. Boyette, Ruskin	1952	448	6	T, S	-----	---	---	---	---	150	25	10- 6-52	78	Ir	
43-25-14	Joe Willis, Ruskin	-----	---	450 [±]	6	T, S	-----	---	---	---	---	300	---	---	---	Ir	
43-25-15	Villemaire Farms	-----	---	430 [±]	6	T, S	Top 6-inch tee	.0	11.12	9.9 7.2	10-25-50 9- 6-51	---	25	10-25-50	77	Ir	
43-25-16	Paul Green, Ruskin	H. Morrill	---	---	6	---	-----	---	---	---	---	250	---	---	---	Ir	
43-25-17	Joe Willis	-----	---	430 [±]	6	T, S	Top 6-inch cross	1.0	---	10.9	4-20-51	---	25	4-20-51	---	Ir	
43-25-18	Villemaire Farms	-----	---	500 [±]	6	T, S	Top 6-inch tee	.5	9.68	8.8	10-25-50	250	25	10-25-50	78	Ir	
43-25-19	do	-----	---	550 [±]	6	T, S	Top 6-inch cross	1.0	---	8.2	4-30-51	200	---	---	---	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point				Water level		Yield		Florida content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Feet per million	Date sample collected					
43-25-20	W. H. Willis	-----	---	400?	30 ⁺	6	T, B	-----	---	---	---	---	---	---	---	---	---	---	Ir	
43-25-21	do	-----	---	---	--	4	T	-----	---	---	---	---	150	--	-----	--	---	Ir		
43-25-22	Dickman Farms, Ruskin	Dickman Farms	----	450 ⁺	40 ⁺	6	T, B	Top 6-inch tee	1.0	---	13.4	4-24-51	---	--	-----	--	---	Ir		
43-26-1	Coffee Cup Restaurant	-----	----	600	--	8	T, B	-----	---	---	---	---	---	21	8-17-53	--	---	Ir O		
43-26-2	Dickman Farms	Dickman Farms	----	479	29	6	T, B	Top 6-inch cross	1.0	6.84	13.6	10-24-50	250	25	10-24-50	78	---	Ir		
43-26-3	do	do	----	475	30	6	T, B	Top 6-inch tee	.0	----	7.3	4-30-51	---	--	-----	77.5	---	Ir		
43-26-4	do	H. J. Tucker, Ruskin	1951	512 m	34	6	T, B	do	2.0	6.28	10.4	4-30-51	300	25	12-13-51	79.5	---	Ir	E, C	
											8.5	9-7-51		25	9-30-52					
														30	11-12-52					
43-26-5	do	Dickman Farms	----	450 ⁺	30 ⁺	6	T, B	Top 6-inch cross	1.0	----	6.0	4-30-51	---	--	-----	77.5	---	Ir		
43-26-6	do	do	----	450 ⁺	--	6	T, B	Top 3-inch reducer	1.0	----	12.0	4-30-51	150	25	10-28-52	--	---	Ir		
43-26-7	do	H. J. Tucker	1950	477 m	33	6	T, B	Top 6-inch cross	.0	5.52	13.4	2-9-51	300	75	7-25-52	78	---	Ir	E	
														85	1-8-53					
43-26-8	W. H. Willis	-----	----	---	--	6	--	-----	---	---	---	---	---	200	30	11-6-54	--	---	Ir	
43-26-9	do	-----	----	---	--	4	--	-----	---	---	---	---	---	---	--	-----	--	---	Ir	
43-26-10	do	-----	----	---	--	6	T, B	Top 6-inch tee	.0	----	11.9	10-24-50	250	25	10-24-50	78	---	Ir		
43-26-11	do	-----	----	345m	--	6	T, B	-----	---	---	---	---	300	125	7-23-52	80.1	---	Ir		
43-26-12	do	H. Morrill	----	540 m	25	6	T, B	Top 6-inch tee	1.0	5.54	8.5	9-8-51	300	75	7-25-52	78	---	Ir	E	
43-26-13	do	do	----	350 ⁺	--	6	T	-----	---	---	---	---	125	25	11-12-52	77	---	Ir		
														45	1-14-54					

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Gallons per minute	Parts per million			
43-26-14	W. H. Willis Ruskin	-----	---	---	--	3	T	Top 3-inch tee	0.0	6.69	11.8 5.9 2	10-24-50 9- 6-51 5-15-52	100	20	10-20-50	77	Ir	
43-26-15	do	-----	---	---	--	6	T?	Top 6-inch tee	.0	---	7.2	7- 8-52	---	20	7- 8-52	77.5	Ir	
43-26-16	do	-----	---	---	--	6	T	Top 6-inch cross	.0	---	5.5	7-25-52	150	35	7-25-52	77	Ir	
43-26-17	do	-----	---	---	--	6	T	-----	---	---	---	---	---	40	7-25-52	77	Ir	
43-26-18	do	-----	---	---	--	6	T	-----	---	---	---	---	---	30	11- 6-52	--	--	
43-26-19	do	-----	---	---	--	6	T	-----	---	---	---	---	---	30	11- 6-52	--	Ir	
43-26-20	do	-----	---	---	--	6	--	-----	---	---	---	---	---	20	7-25-52	--	Ir	
43-26-21	Spencer	-----	---	---	--	6	T	Top 6-inch tee	1.0	---	7.5	1-30-51	125	20	1-30-51	75	Ir	
43-26-22	Lelsey Farms, Ruskin	-----	---	---	--	6	T?	-----	---	---	---	---	---	25	1-12-53	--	Ir	
43-26-23	Troy Allman	-----	1949	500 [±]	30 [±]	6	T, S	Top 6-inch tee	1.0	----	5.6	5-11-51	---	25	8-27-52	--	Ir	
43-26-24	W. H. Willis	-----	---	539 #	30 #	8 6	T, S	Top 6-inch cross	.5	4.52	11.0 7.6	9- 6-51 5-15-52	150	25 25 30 25	12-13-50 7-15-52 4- 3-53 4- 9-53	80	Ir	E
43-26-25	do	-----	---	450 [±]	--	6	T, S	Top 6-inch tee	1.0	----	8.5	7- 8-52	---	15	7- 8-52	78	Ir	
43-26-26	Dickman Farms	Harvey Tucker	1951	500	34	6	T, S	Top 6-inch cross	.5	5.09	8.1	2- 1-51	400	240	2- 9-53	80	Ir	E
43-26-27	W. H. Willis	-----	---	---	--	6	T, S ?	Top 2-inch tee	.5	---	9.5	1-14-54	---	--	-----	--	Ir D	
43-27-1	Hugh Culbreath, Tampa	-----	---	---	--	2	T	Top 2-inch ei	.0	----	14.1	10-23-50	---	20	10-23-50	--	Ir	
43-27-2	do	-----	---	225	--	3	T	Top 3-inch ei	1.0	----	12.8 8.7	10-23-50 2- 1-51	---	20	10-23-50	--	Ir	

TABLE 1,--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point				Water level		Yield Gallons per minute	Florida content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measure- ment	Feet per million		Date sample collected				
																Date of measure- ment			
44-24-2	Dickman Farms, Ruskin	Dickman Farms	1951	225 #	30	6	--	Top 6-inch tee	1.0	12.41	6.7 3.7 6.0 -4.2	12- 4-50 3-16-51 3-26-51 5-14-52	150	--	-----	--	Ir	E	
44-24-3	do	do	----	103 #	27	6	T	do	1.0	11.03	6.9 7.6 -2.7	12- 4-50 9- 6-51 12-22-52	---	--	-----	75	Ir	E.	
44-24-4	do	do	1948	465 #	72	6	T, S	do	1.0	9.24	3.1 8.2 -.85	11-29-50 9- 6-51 5-14-52	150	25	11-29-50 10- 6-52	76.5	Ir B	E	
44-24-5	Leissey Farms	-----	1949	450 ⁺	--	6	T, S	Top 6-inch tee	1.0	----	8.5	4-17-51	---	--	-----	--	Ir		
44-24-6	do	-----	1949	450 ⁺	--	6	T, S	-----	---	----	-----	-----	---	--	-----	--	Ir		
44-24-7	do	H. Morrill	1949	450 ⁺	--	6	T, S	Top 6-inch tee	1.0	----	12.9	4-18-51	---	--	-----	--	Ir		
44-24-8	Dickman Farms	Dickman Farms	1948	450 ⁺	--	6	T, S	do	1.0	9.72	1.8 8.2 -.8	11-29-50 9- 6-51 5-13-52	125	25	11-29-50	--	Ir		
44-24-9	do	do	1948	460 ⁺	--	6	T, S	do	.0	7.84	4.5 9.7	11-29-50 9- 6-51	125	--	-----	--	Ir		
44-24-10	do	do	1948	475 ⁺	--	6	T, S	do	1.0	9.23	4.1 4.9 4.4	11-29-50 2- 1-51 3-27-51	150	--	-----	--	Ir		
44-24-11	Leissey Farms	H. Morrill	1948	450 ⁺	--	6	T, S	do	1.0	----	11.9	4-18-51	---	20	11-30-50	--	Ir		
44-24-12	Dickman Farms	Dickman Farms	1948	388	45	6	T, S	Top 6-inch cross	.0	8.38	4.6 10.2	11-30-50 9- 6-51	---	20	11-30-50	--	Ir	E	
44-24-13	do	do	1948	467 #	60	8	T, S	Top 8-inch casing	1.0	8.43	----	-----	---	--	-----	77	Ir	E	
44-24-14	do	do	1948	450	--	6	T, S	Top 6-inch coupling	.0	8.66	5.8	11-30-50	125	25	11-30-50	77	Ir		

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point		Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)		Date of measurement	Galons per minute				Parts per million
43-27-3	Troy Allman, Ruskin	-----	---	---	--	3	T	Top 3-inch el	0.0	3.98	10.5 10.5 7.3	11-28-50 9-6-51 5-15-52	---	15	11-28-50	--	Ir	
43-27-4	Norman Tillot	-----	---	---	--	8	T	Top 8-inch tes	1.0	6.68	13.8	10-24-50	---	20 30	10-24-50 11-4-52	77	Ir	
43-27-5	Chase Investment Co., Orlando	-----	---	500 ⁺	--	6	T,S	Top 6-inch cross	.5	6.86	9.8 8.5	2-19-51 6-23-52	250	25 30	1-22-52 12-29-52	--	Ir	
43-27-6	do	-----	---	500 ⁺	--	6	T,S	do	1.0	6.52	10.9	2-1-51	125	35 25	2-26-51 3-16-51	78	Ir	
43-27-7	Norman Tillot	-----	---	450 ⁺	--	8	T,S	Top 8-inch cross	2.0	---	13.1	10-24-50	---	30	10-24-50	78	Ir	
43-27-8	do	-----	---	450 ⁺	--	6	T,S	Top 6-inch cross	2.0	---	12.4	10-24-50	---	30	10-24-50	--	Ir	
43-27-9	do	-----	---	---	--	8	T	Top 8-inch cross	2.0	---	12.3	10-24-50	---	25	10-24-50	77	Ir	
43-27-10	Troy Allman	-----	---	---	--	4	T?	-----	---	---	---	---	---	25	1-22-52	--	Ir	
43-27-11	do	-----	---	1949	---	6	T	Top 6-inch tes	.0	3.79	11.1	11-28-50	125	20 20	11-28-50 7-25-52	77	Ir	
43-28-1	Hugh Culbreath, Tampa	-----	---	---	--	6	T?	do	1.0	---	12.9	1-23-50	---	20	10-23-50	--	Ir	
43-28-2	do	-----	---	---	--	2	T?	Top 2-inch el	.0	---	13.5	10-23-50	---	20	10-23-50	--	Ir	
43-28-3	do	-----	---	---	--	3	T?	Top 3-inch tee	.0	4.72	10.4 11.5	2-19-51 9-6-51	125	--	-----	--	Ir	
43-28-4	do	-----	---	---	--	8	T,S	Top 8-inch casing	1.0	---	13.8	10-23-50	300	20	10-23-50	77	Ir	
43-28-5	Shell Point Recreation Center	-----	---	---	--	8	T,S	Top 8-inch valve	1.0	---	10.9	2-21-51	---	30	1-15-54	--	P	
44-24-1	Lelsey Farms, Ruskin	H. Morrill Ruskin	1950	450 ⁺	--	6	T	Top 8-inch tes	1.0	17.42	6.1	4-18-51	100 250	25	10-6-52	76.5	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point	Water level			Yield	Chloride content		Temperature (°F)	Use	Remarks		
					Depth (feet)	Diameter (inches)	Principal water-bearing formations		Height above land surface (feet)	Altitude above mean sea level (feet)	Altogether or below (-) measuring point (feet)		Date of measurement	Gallons per minute				Parts per million	Date sample collected
44-24-15	Dickman Farms	Dickman Farms	1948	531m	45	6	T, S	Top 6-inch tee	0.5	10.13	2.2	11-30-50	50	--	-----	78.8	Ir	E	
44-24-16	do	do	1948	475	--	6	T, S	do	1.5	----	2.3	11-30-50	---	--	-----	--	Ir		
44-24-17	do	do	1948	400m	45	6	T, S	Top 6-inch cross	1.0	10.43	1.2	11-30-50	125	--	-----	76.5	Ir	E	
44-24-18	do	do	1947	400 ⁺	--	6	T, S	do	1.0	9.63	2.2	11-30-50	150	25	11-30-50	77.5	Ir		
44-24-19	do	do	1947	236m	45	6	T	do	1.0	8.96	9.1	9- 6-51	200	--	-----	77	Ir		
44-24-20	do	do	1947	176m	35	6	T	do	.0	7.92	3.2	11-30-50	17 ⁺	25	11-30-50	73.5	Ir		
44-24-21	do	do	1946	---	--	6	T	do	2.0	----	11.1	12-14-50	---	25	12-14-50	--	Ir		
44-24-22	do	do	1947	---	--	6	T?	Top 6-inch tee	1.0	----	9.1	12-14-50	125	25	12-14-50	--	Ir		
44-24-23	do	do	1947	---	--	6	T?	-----	---	----	-----	-----	---	25	12-14-50 25 3-23-51	--	Ir		
44-24-24	do	do	1947	---	--	6	T	Top 6-inch tee	1.0	----	9.3	12-14-50	---	25	12-14-50	--	Ir		
44-24-25	do	do	1946	---	--	6	T	Top 6-inch cross	1.0	----	11.0	12-14-50	---	25	12-14-50	--	Ir		
44-24-26	do	do	1946	---	--	6	T	do	2.0	1.65	10.9	12-14-50	250	25	12-14-50	75.5	Ir		
											9.5	9- 5-51							
											5.0	10-10-52							
44-24-27	do	do	1946	---	--	6	T?	-----	---	----	-----	-----	---	--	-----	--	Ir		
44-24-28	do	do	----	---	--	8	T, S	Top 8-inch casing	.0	7.50	. 8	5-16-52	200	25	3-11-52 20 7-23-52 25 11-13-52	77	Ir		
44-24-29	Council Farms, Ruskin	H. Merrill Ruskin	1945	472	45	6	T, S	Top 6-inch tee	.5	10.66	1.6	11-27-50	200	--	-----	--	Ir		
											3.7	2- 1-51							
											3.4	3-27-51							
											7.8	9- 5-51							
44-24-30	do	do	1945	453 n	45	6	T, S	do	1.0	10.01	3.4	11-27-50	200	--	-----	--	Ir		
											7.5	9- 5-51							

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point				Water level	Yield	Chloride content		Temperature (°F)	Use	Remarks		
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)			Date of measurement	Gallons per minute				Parts per million	Date sample collected
44-25-15	Dickman Farms Ruskin	Dickman Farms	----	450 [±]	--	6	T, S	Top 6-inch cross	1.0	6.33	6.9	12- 1-50	125	35	12- 1-50	78	Ir			
44-25-16	do	do	----	---	--	8	--	-----	---	----	-----	-----	250	25	7-10-52	--	Ir			
44-25-17	do	do	----	---	--	6	T, S	Top 6-inch cross	.0	5.95	6.8 9.1	12- 1-50 9- 5-51	---	45	5- 8-53	80	Ir			
44-25-18	do	do	----	500 [±]	--	6	T, S	do	.0	----	7.5	11-21-51	275	25	3-11-52	80.5	Ir			
44-25-19	do	do	----	---	--	6	--	-----	---	----	-----	-----	---	--	-----	--	Ir			
44-25-20	do	do	----	500 [±]	--	6	T, S	Top 6-inch cross	.0	----	5.2	12- 1-50	---	40	12- 1-50	79	Ir			
44-25-21	do	do	----	---	--	6	--	Top 6-inch tee	1.0	----	6.4	12- 1-50	---	25	12- 1-50	---	--			
44-25-22	do	do	----	---	--	6	--	Top 6-inch cross	.0	----	5.2	12- 1-50	---	30	12- 1-50	---	Ir			
44-25-23	do	do	----	500 [±]	--	6	T, S	-----	---	----	-----	-----	---	25	2-16-51 55 4-30-53	79	Ir			
44-25-24	do	do	----	---	--	6	T, S ?	Top 6-inch cross	.0	7.31	4.2 10.9	11-20-50 9- 5-51	220	20	11-28-50 35 10-23-52	--	Ir			
44-25-25	do	do	----	---	--	6	T	-----	---	----	-----	-----	---	30	11-28-50	--	Ir			
44-25-26	do	do	----	---	--	6	T, S	Top 6-inch cross	.0	----	5.8	12- 1-50	200	40	12- 1-50	--	Ir			
44-25-27	do	do	----	500 [±]	--	6	T, S	do	.0	5.97	7.5 11.1	12- 1-50 9- 5-51	150	30	12- 1-50 30 7-25-52 23 4- 8-55	78.5	Ir			
44-25-28	do	do	----	383	33	6	T, S	do	1.0	----	7.2 8.2 4.7	12- 1-50 2- 1-51 3-27-51	125	65	12- 1-50 90 12-14-51 123 2- 6-53 105 6- 2-53	80	Ir			
44-25-29	do	do	----	---	--	8	--	Top 8-inch coupling	.5	----	11.7	3-23-51	---	25	3-23-51	--	Ir			

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point			Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Parts per million	Date sample collected			
44-24-31	Council Farms, Ruskin	H. Morrill Ruskin	1945	450	--	6	T, S	Top 6-inch tee	1.0	---	3.8	11-27-50	200	--	-----	--	Ir	
44-24-32	Dickman Farms	Dickman Farms	1948	405	43	6	T, S	Top 6-inch cross	1.0	---	10.1	12-14-50	---	25	12-14-50	--	Ir	
44-25-1	do	do	1948	461	44	6	T, S	Top 6-inch tee	.0	7.58	5.1	11-29-50	150	25	11-29-50	76.5	Ir	S
44-25-2	Council Farms	-----	---	---	--	8	T, S	Top 8-inch cross	1.0	8.08	10.1	4-25-51	200	--	-----	--	Ir	S
44-25-3	do	H. Morrill	----	500±	--	6	T, S	-----	---	-----	-----	-----	---	--	-----	--	Ir	S
44-25-4	Dickman Farms	Dickman Farms	----	---	--	6	--	Top 6-inch cross	1.0	-----	8.9	3-23-51	---	--	-----	--	Ir	
44-25-5	do	H. J. Tucker	1951	298 m	20	8	T, S	Top 6-inch tee	.0	6.51	13.1	4-24-51	250	25	5-19-52 4- 3-53	77	Ir	S
44-25-6	do	Dickman Farms	----	---	--	6	--	Top 6-inch cross	.0	---	11.6	3-23-51	---	--	-----	--	Ir	D
44-25-7	Council Farms	H. Morrill	1947	500±	--	6	T, S	-----	---	-----	-----	-----	250	--	-----	--	Ir	S
44-25-8	do	E. E. Boyette Ruskin	----	500±	--	6	T, S	-----	---	-----	-----	-----	300	--	-----	77.5	Ir	
44-25-9	Sam Hindman Ruskin	-----	----	450±	--	8	T, S	Top 6-inch cross	1.0	6.96	9.9	12- 4-50	---	25	12- 4-50 7-15-52	77.5	Ir	
44-25-10	Dickman Farms	Dickman Farms	1947	450±	--	6	T, S	do	1.0	----	4.5	10-31-50	---	25	10-31-50	78	Ir	
44-25-11	do	do	----	---	--	6	T, S	-----	---	-----	-----	-----	---	--	-----	78	Ir	D
44-25-12	do	do	----	450±	--	6	T, S	Top 6-inch cross	1.0	7.23	----	-----	---	--	-----	--	Ir	
44-25-13	do	do	----	---	--	6	--	do	1.0	8.06	6.4 9.9	2- 1-51 9- 5-51	200	25	7-25-52	--	Ir	
44-25-14	do	do	----	500±	--	6	T, S	do	1.0	----	6.9	12- 1-50	---	115	5- 8-53	79	Ir	D

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point			Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Gallons per minute	Parts per million				Date sample collected
44-25-30	Dickman Farms Ruskin	Dickman Farms	----	---	--	6	--	Top 6-inch coupling	1.0	----	6.8	11-28-50	---	25 11-28-50 25 11-13-52	--	Ir			
44-25-31	do	do	----	---	--	6	T, S	Top 6-inch tee	.5	----	8.8	11-17-50	150	235 11-17-50 40 11-31-52 40 2-9-53	78.5	Ir			
44-25-32	Jo	do	----	455	34	6	T, S	do	.0	6.60	8.1 11.0 6.2	11-17-50 9-5-51 2-9-53	125	345 11-17-50 340 12-13-51 310 10-31-52 390 2-9-53	81	Ir			
44-25-33	do	do	----	---	--	6	T, S	-----	---	----	-----	-----	---	30 12-1-50	77.5	Ir			
44-25-34	do	do	1948	500 ⁺	--	6	T, S	Top 6-inch cross	.0	----	11.5	3-23-51	---	90 3-11-52 40 7-23-52	79	Ir			
44-25-35	Council Farms	H. Morrill	1943	450	45	6	T, S	Top 6-inch tee	1.0	----	6.2	11-27-50	125	85 11-27-50 125 4-9-53	79	Ir			
44-25-36	Dickman Farms	Dickman Farms	----	---	--	6	T	Top 6-inch cross	1.0	----	4.9	11-22-50	200	25 11-28-50 30 11-13-52	76	Ir			
44-25-37	do	do	1949	105 m	--	6	T	Top 6-inch tee	1.0	7.19	5.9 6.6 10.6	11-28-50 2-1-51 9-5-51	200	30 11-28-50 45 12-13-51	77	Ir			
44-25-38	do	do	----	450?	55	8	T, S	Top 8-inch cross	1.0	6.08	6.7	11-17-50	300	55 11-17-50	79	Ir	E		
44-25-39	Council Farms	H. Morrill	1944	500	34	6	T, S	Top 6-inch cross	1.0	6.82	7.5	2-28-52	---	500 11-21-50 570 2-28-52	82	O			
44-25-40	Dickman Farms	Dickman Farms	1949	466	39	6	T, S	do	.5	4.93	9.5 11.2	12-1-50 9-5-51	---	55 12-1-50 100 5-10-51 115 3-18-52	79	Ir			
44-25-41	do	do	----	---	--	6	T, S	do	1.0	5.37	7.3 9.9	11-30-50 9-6-51	200	40 5-10-51 50 11-7-52	77.3	Ir			

TABLE 1. --Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Principal water-bearing formations	Measuring point				Water level	Yield	Chloride content			Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)	T, S		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)			Date of measurement	Gallons per minute	Parts per million				Date sample collected
44-25-42	Dickman Farms Ruskin	Dickman Farms	----	425 m	28	8	T, S	Top 8-inch coupling	0.0	5.78	7.2 9.5	11-30-50 9- 6-51	260	130 90 95 110	11-30-50 12-13-51 3-11-52 11- 7-52	78	Ir				
44-25-43	do	H. J. Tucker	1950	215	25	6	T	-----	---	----	-----	-----	250	25	2- 3-51	--	In				
44-26-1	James Simmons Ruskin	-----	----	---	--	6	T, S	Top 6-inch tee	1.0	6.76	6.8 . 2	2- 4-52 5-16-52	150	25	10-28-52	78	Ir				
44-26-2	Troy Allman Ruskin	-----	----	500 [±]	--	6	T, S	-----	---	----	-----	-----	200	--	-----	--	Ir				
44-26-3	W. H. Willis Ruskin	-----	----	---	--	5	T	Top 5-inch tee	. 0	4.67	9.1	10-24-50	---	25 40	10-24-50 11- 7-52	--	Ir				
44-26-4	Sam Hindman Ruskin	H. Morrill	----	524 m	26	8	T, S	Top 8-inch tee	. 0	6.23	7.1 5.1 6.9	11- 1-50 3-27-51 9- 6-51	200	25 30 25 25	11- 1-50 7-15-52 4- 3-53 8-17-53	78	Ir	E			
44-26-5	Don Hollaway Ruskin	-----	----	200 [±]	--	3	T	-----	---	----	-----	-----	---	25	12-19-50	--	O				
44-26-6	Sam Hindman	-----	----	---	--	8	T	-----	---	----	-----	-----	---	--	-----	77	Ir				
44-26-7	Don Hollaway	-----	----	---	--	6	T	-----	---	----	-----	-----	---	--	-----	--	Ir				
44-26-8	Troy Allman	E. E. Boyette	1948	448	22	6	T, S	-----	---	----	-----	-----	---	35	2- 5-53	77.5	Ir				
44-26-9	do	do	1949	600 [±]	--	6	T, S	Top 6-inch cross	1.0	5.17	14.4	12-13-50	---	50 85	12-13-50 9-30-52	79	Ir	D			
44-26-10	Dickman Farms	Dickman Farms	----	450	25	6	T, S	Top 6-inch tee	1.0	6.31	7.8 7.6 6.9	11- 1-50 9- 5-51 5-15-50	125	40 55 75	11- 1-50 7-15-52 4- 3-53	78	Ir				
44-26-11	do	do	----	---	--	6	T, S	Top 6-inch cross	. 0	----	9.9	11- 1-50	---	25 30 25	11- 1-50 10-30-52 4- 6-53	78	Ir				

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point		Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Date of measurement		Gallons per minute	Parts per million				Date sample collected
44-26-12	Dickman Farms	Dickman Farms	---	---	--	6	T	-----	---	---	---	---	35	10-30-52	76	Ir		
44-26-13	do	do	---	---	--	6	T,S	-----	---	---	---	125	95	5- 8-53	79.2	Ir S		
44-26-14	do	do	---	355?	26	6	T,S	Top 6-inch cross	0.5	3.99	9.8 11.5	5-10-51 9- 8-51	---	25	5-10-51	--	Ir	
44-26-15	do	do	---	320	23	6	T,S	Top 6-inch tee	1.0	---	9.9	5-10-51	---	--	-----	--	Ir	
44-26-16	do	do	---	450	--	6	T,S	Top 6-inch cross	.0	5.42	8.9 7.9 6.5 8.4	11- 1-50 2- 1-51 3-27-51 9- 6-51	---	30	11- 1-50 25 10-28-52	78	Ir	
44-26-17	do	do	---	---	--	6	T,S	-----	---	---	---	---	---	25	12- 6-50	--	Ir	
44-26-18	do	do	---	160 m	25	6	T	Top 6-inch cross	1.0	---	11.5	12- 6-50	---	25 30	12- 6-50 5-10-51	--	Ir	E
44-26-19	do	do	---	---	---	6	T	-----	---	---	---	---	---	25	12- 6-50	--	Ir	
44-26-20	do	do	---	---	---	6	T	Top 6-inch tee	1.0	---	13.6	12- 6-50	---	25	12- 6-50	--	Ir	
44-26-21	do	do	---	---	---	6	T	Top 6-inch cross	2.0	---	11.7 8.7	12- 6-50 9- 6-51	---	30	12- 6-50	--	Ir	
44-26-22	do	do	---	174m	24	6	T	-----	---	---	---	---	---	---	---	--	Ir	E
44-26-23	do	do	---	---	---	6	T	Top 6-inch cross	2.0	---	14.3	12- 6-50	---	30	12- 6-50	--	Ir	
44-26-24	do	do	---	---	---	6	T	do	.0	---	6.9	5-10-51	---	25	5-10-51	--	Ir	
44-26-25	do	do	---	---	---	6	T	do	1.0	5.62	6.9 9.4 7.5	12- 1-50 9- 6-51 10-13-52	150	30 25 30	12- 1-50 11- 7-52 7-27-55	77	Ir	
44-26-26	do	do	---	---	---	6	T,S	Top 6-inch tee	1.0	---	11.8	3-22-51	---	25 30	3-22-51 4-30-53	78	Ir	

TABLE 1. --Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Parts per million	Date sample collected			
45-24-3	Council Farms, Ruskin	-----	----	---	6	T, S	Top 6-inch tea	0.0	8.38	9.1 10.1 11.1	10-25-50 9- 5-51 7-23-52	---	25 25	10-25-50 7-23-52	77.5	Ir		
45-24-4	do	H. Morrill	----	450 ⁺	6	T, S	-----	---	----	-----	-----	---	25 25	12-14-50 3-23-51	--	Ir		
45-24-5	Leisey Farms	-----	----	450 ⁺	6	T, S	Top 6-inch tea	.0	7.45	5.9 4.5 10.2 6.5	1-31-51 3-27-51 9- 6-51 10- 9-52	200	30 35 60	11-27-50 7-17-52 4- 9-53	77.5	Ir		
45-24-6	Council Farms	H. Morrill	1945	307	22	6	T, S	Top 6-inch cross	.0	7.57	5.2	11-27-50	150	55 60 70	11-17-50 12-13-51 10- 4-52	78	Ir	E
45-24-7	do	do	1945	538 ⁺	46	6	T, S	Top 6-inch tea	.0	10.79	1.8 4.4 8.0 3.9	11-27-50 1-31-51 9- 5-51 3-24-52	150	25 25	4-30-52 7-27-55	78.1	Ir	E
45-24-8	do	do	1945	452	45	6	T, S	-----	---	----	-----	-----	250	25 25	11- 6-52 4-30-53	78.8	Ir	
45-24-9	Leisey Farms	-----	----	---	6	T	-----	---	----	-----	-----	---	25	11-17-50	--	Ir		
45-24-10	do	-----	----	---	8	T, S	Top 8-inch tea	1.0	----	10.1	4-25-51	---	--	-----	--	Ir	S	
45-24-11	do	-----	----	---	6	T, S	do	.0	----	7.2	4-25-51	150	--	-----	--	Ir		
45-24-12	Council Farms	E. E. Boyette	1951	442	35	8	T, S	do	.0	8.50	3.4 6.0 9.4	8-25-52 9-29-52 5-12-53	100	20	1-23-50	77.5	Ir	
45-24-13	do	do	1951	490	35	8	T, S	do	.0	----	3.0	1-23-51	200	40 50	6-30-52 11- 6-52	79	Ir	
45-24-14	do	do	1949	510	--	6	T, S	Top 6-inch tea	.0	7.52	6.8 10.5 4.5	1-31-51 9- 5-51 4- 7-53	300	25 30	6-26-52 4- 7-53	79	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Description	Measuring point			Water level		Yield Gallons per minute	Chloride content Parts per million		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Date sample collected						
44-26-27	Dickman Farms Ruskin	Dickman Farms	---	450 [±]	--	6	T, S	-----	---	---	---	---	25 30	3-22-51 2-12-52	78	Ir		
44-26-28	do	do	---	---	--	6	T	-----	---	---	---	---	30 25	3-22-51 2-12-52	76	Ir		
44-26-29	do	do	---	---	--	6	T	Top 6-inch tee	0.0	---	14.9 11.8 11.8	12- 6-50 2- 1-51 3-27-51	25	12- 6-50	--	Ir		
44-26-30	do	do	---	---	--	6	T, S	Top 6-inch cross	1.0	---	8.5	12- 1-50	55 100 85	12- 1-50 5- 4-51 2-12-52	79	Ir		
44-26-31	do	do	---	427 n	48	6	T, S	Top 6-inch tee	2.0	5.69	7.5	11-30-50	300	245	11-30-50	80	Ir	B
44-26-32	do	do	---	---	--	6	T	Top 6-inch cross	1.0	---	13.1	3-22-51	200	25 25	3-22-51 2-12-52	78	Ir	
44-26-33	do	do	---	---	--	6	T	-----	---	---	---	---	150	---	75.5	Ir		
45-23-1	Laisey Farms, Ruskin	H. Morrill, Ruskin	1952	380	50	8	T, S	-----	---	---	---	---	50	30	7-21-52	--	Ir	
45-23-2	Willard Miller, Ruskin	-----	---	---	--	6	T	-----	---	---	---	---	---	25	7- 8-52	76.5	Ir	
45-23-3	do	-----	---	---	--	6	T	Top 6-inch cross	1.5	10.61	8.4	10-17-50	---	25 30	10-17-50 1- 9-53	76	Ir S	
45-23-4	Dickman Farms	Dickman Farms	1951	275	36	6	T, S	Top 6-inch tee	.0	---	6.1	4- 2-52	250	20	10- 6-52	77	Ir	
45-24-1	Council Farms, Ruskin	H. Morrill	1945	450 [±]	--	6	T, S	do	.0	10.82	2.3	11-27-50	150	20	7-23-52	--	Ir	
45-24-2	do	do	1945	450 [±]	--	6	T, S	do	.0	9.68	4.5 8.9 -2.4	11-27-50 9- 5-51 5-13-52	200	20	7-23-52	77	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point	Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks		
					Depth (feet)	Diameter (inches)			Height above land surface (feet)	Altitude above mean sea level (feet)		Above or below (-) measuring point (feet)	Date of measurement				Gallons per minute	Parts per million
45-24-15	Council Farms	E. E. Boyette	1949	525	45	6	T, S	Top 6-inch tee	0.0	----	7.5	11-24-50	200	75	10-28-52	80	Ir	
45-24-16	do	G. L. Pritchard Ruskin	1949	520 m	--	6	T, S	do	.0	9.28	6.5 9.3 9.3 3-13-52 5-21-53	1-31-51 9- 3-51	150 25 30	25 30	1-23-52 4- 7-53	80	Ir	
45-24-17	do	E. E. Boyette, Ruskin	1949	508 m	45	6	T, S	do	1.0	----	10.9	4-27-51	150	25 35 35	6-30-52 2- 4-53 4- 7-53	78.5	Ir	
45-24-18	do	H. Morrill	1948	510	52	6	T, S	-----	---	----	-----	-----	125	95	6-25-52	80.2	Ir	
45-24-19	do	-----	----	---	--	8	T, S	Top 8-inch coupling	.0	8.39	6.1 9.1	11-24-50 9- 5-51	300	25	1-23-52	77	Yr	
45-24-20	do	H. Morrill	----	500 ⁺	--	8	T, S	do	.0	----	5.1	11-24-50	300	20 25	11-24-50 10-28-52	--	Ir	
45-24-21	do	E. E. Boyette	----	500 ⁺	--	6	T, S	Top 6-inch cross	1.0	7.32	7.2 9.6 7.5	11-24-50 9- 5-51 10-15-52	300	25 30 30	11-24-50 7-15-52 12-31-52	77.5	Ir	
45-24-22	do	do	1949	525 m	--	6	T, S	-----	---	----	-----	-----	125	25 30 30	1-23-52 10-28-52 4- 7-53	78.8	Ir	
45-24-23	do	G. L. Pritchard	1949	525	--	6	T, S	Top 6-inch tee	.0	----	7.2 6.9 3.2	1-31-51 3-27-51 4- 7-53	200	30	1-23-52	79	Ir	
45-24-24	do	H. Morrill	----	500 ⁺	--	6	T, S	do	2.0	----	4.3	11-24-50	300	25	6-30-52	77.5	Ir	
45-24-25	Pauline McHargue Ruskin	-----	1938	350 ⁺	--	6	T, S	Top 6-inch cross	2.0	8.67	10.2	10-13-50	250	35 25	10-13-50 4-17-53	76.5	Ir	
45-24-26	Willard Miller	-----	----	---	--	6	T	do	1.0	9.66	9.4 4.4	10-17-50 9- 5-51	125	25 20 25 25	10-17-50 2-11-52 7-17-52 10-16-52	77	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point		Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Dye	Remarks		
					Depth (feet)	Diameter (inches)	Feet of surface bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)		Date of measure- ment	Gallons per minute				Facts per million	Date sample collected
45-24-27	Willard Miller	-----	----	350?	--	6	T, S	Top 6-inch cross	0.0	----	3.8	11-15-50	---	25	11-15-50	--	Ir		
45-24-28	do	-----	----	---	--	6	T, S	do	1.0	----	4.3	11-15-50	---	35	11-15-50	80	Ir		
											5.2	1-31-51	---	45	7-17-52				
45-24-29	Dickman Farms	-----	----	315 n	--	6	T, S	do	1.0	5.75	6.2	11-15-50	340	50	11-15-50	79.8	Ir		
											8.7	9- 5-51		30	12-12-51				
														65	10- 4-52				
														75	4-17-53				
45-25-1	Council Farms	H. Morrill	1943	440 n	--	8	T, S	Top 8-inch coupling	1.0	----	6.3	11-27-50	200	70	11-27-50	78.5	Ir		
														70	12-13-51				
														60	10-30-52				
														100	4- 9-53				
45-25-2	do	do	1941	550	45	6	T, S	Top 6-inch cross	.0	5.71	9.9	8-15-50	200	30	8-15-50	78	Ir		
											10.6	9- 6-51		35	7- 7-52				
														35	10-30-52				
45-25-3	Dickman Farms	Dickman Farms	----	214 n	5b	6	T	do	1.0	----	7.2	12- 1-50	350	30	12- 1-50	78.3	Ir	E	
														30	5-10-51				
														35	11-12-52				
														30	4- 8-55				
45-25-4	do	do	----	275 n	35	6	T, S	Top 6-inch tee	1.0	5.26	7.5	11-27-50	300	25	11-27-50	78	Ir	E	
											9.0	9- 6-51		25	5-10-51				
											1.5	5-15-52							
											7.8	2-24-53							
45-25-5	Leisay Farms	-----	----	---	--	6	T, S	-----	---	----	-----	-----	200	50	12-18-50	--	Ir		
45-25-6	do	H. Morrill	----	---	--	6	T, S	-----	---	----	-----	-----	---	25	11-27-50	77	Ir		
45-25-7	Dickman Farms	Dickman Farms	1949	345?	35	6	T, S	Top 6-inch cross	1.0	3.72	9.7	11-27-50	150	30	10-30-52	77.5	Ir		
											9.0	3-26-51		30	1- 3-53				
											11.1	9- 6-51		25	4-30-53				
45-25-8	Council Farms	E. E. Boyette	1951	454	68	8	T, S	Top 8-inch tee	1.0	6.16	5.2	7- 7-52	600	45	1-17-52	77.8	Ir	E	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Elevation above land surface (feet)	Elevation above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Feet per million	Date sample collected			
45-25-9	Dickman Farms	H. J. Tucker	1951	472	22	6	T, S	Top 6-inch tee	0.0	5.16	6.1	6-12-51	250	25 1-22-52 25 7-17-52	77	Ir		
45-25-10	do	do	1951	450	23	6	T, S	Top 6-inch cross	.0	5.45	8.3	7-11-51	250	30 7-11-51 30 5-15-52 25 7-10-52	77.5	Ir	E	
45-25-11	Leissy Farms	H. Morrill	1945	---	--	6	T	-----	---	---	---	-----	200	--	---	--	Ir	
45-25-12	Dickman Farms	Dickman Farms	1951	279	30	6	T	-----	---	---	---	-----	250	25 1-22-52	--	Ir		
45-25-13	do	do	1952	400?	30	6	T, S ?	Top 6-inch tee	.0	---	8.0	1-22-52	---	30 1-22-52 30 7-18-52 30 11-6-52	--	Ir		
45-25-14	Pauline McHargue	-----	1938	400?	--	6	T, S	do	.0	---	5.1	11- 1-50	200	35 10-17-50 30 11- 3-52	77	Ir		
45-25-15	do	-----	1938	345 m	30	6	T, S	Top 6-inch cross	1.0	6.53	10.8	10-13-50	250	25 10-13-50 25 7-15-52	--	Ir	E	
45-25-16	do	-----	---	350	30	6	T, S	do	1.0	---	11.8	10-13-50	200	25 10-13-50 25 10- 4-52	--	Ir		
45-25-17	Dickman Farms	H. J. Tucker	1951	275	22	6	T	-----	---	---	---	-----	300	30 7-18-52 25 11- 3-52 25 4-21-53	76.5	Ir		
45-25-18	do	do	1950	250	22	6	T	Top 6-inch cross	.0	4.85	8.8	11- 1-50	300	40 11- 1-50 40 6-12-51 45 10- 4-52	77	Ir		
45-25-19	Pauline McHargue	-----	---	300 [±]	30	6	T	do	.0	---	12.2	10-13-50	250	25 10-13-50	76.5	Ir		
45-25-20	Dickman Farms	H. J. Tucker	1951	275	26	6	T, S	-----	---	---	---	-----	200	35 11- 3-52	76.5	Ir	C, E	
45-25-21	do	Dickman Farms	1951	300 [±]	25	6	T, S ?	Top 6-inch tee	.0	---	5.6	4-24-52	200	30 7-18-52 40 11- 3-52	77	Ir		
45-25-22	Council Farms	E. E. Boyette	1951	450	--	8	T, S ?	Top 8-inch tee	.0	---	5.4	12-30-50	300	30 12-30-52	77	Ir		

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point				Water level	Yield	Chloride content		Temperature (°F)	Use	Remarks		
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)			Date of measurement	Gallons per minute				Feet per millim	Date sample collected
45-26-1	Dickman Farms	Dickman Farms	----	400*	--	8	T, S	Top 8-inch coupling	0.0	5.14	9.6 9.8 7.5 10.8	11-30-50 2-1-51 3-26-51 9-6-51	250	60 80 55	11-30-50 3-10-51 10-30-52	78	Ir			
45-26-2	do	do	----	605m	55	6	T, S	Top 6-inch cross	.0	----	8.3	7-11-51	125	140	1-17-52	79	Ir			
45-26-3	do	do	----	430	--	8	T, S	Top 8-inch coupling	.0	----	11.6	3-22-51	250	45 45	3-22-51 11-7-52	78	Ir			
46-23-1	D. Wilbanks	H. Morrill	----	--	--	6	T	Top 6-inch coupling	.5	----	6.6	12-14-50	100	20 20	12-14-50 3-23-51	--	Ir			
46-23-2	Dickman Farms	Dickman Farms	----	340	23	6	T, S	Top 6-inch cross	2.0	10.29	4.9	10-31-50	150	20 25	10-31-50 10-16-52	78	Ir	E		
46-23-3	Bennett Ellsberry Ruskin	-----	----	150	22	6	T	Top 6-inch tee	.5	8.83	6.5 7.8 6.6 7.1	10-26-50 9-5-51 10-10-52 10-21-52	200	25 25	10-26-50 6-2-53	77.5	Ir	E		
46-23-4	do	-----	----	150	22	6	T	do	.0	8.42	7.1 8.6	10-26-50 9-5-51	250	25	10-26-50	78	Ir			
46-23-5	Dickman Farms	Dickman Farms	1952	275	32	6	T	do	.0	----	4.5	2-6-52	---	--	-----	76.5	Ir	C		
46-23-6	Bennett Ellsberry Ruskin	E. E. Boyette	----	500	26	6	T	do	1.0	6.85	10.5	4-24-51	---	25	4-27-53	76.3	Ir			
46-23-7	Dickman Farms	Dickman Farms	----	---	--	6	T, S	do	1.0	10.78	6.8 7.1	3-27-51 9-5-51	130	25	10-28-52	--	Ir			
46-23-8	do	do	1952	350	30	6	T	-----	---	---	---	---	150	25	2-26-52	--	--	C		
46-24-1	Willard Miller Ruskin	-----	----	---	--	6	T	-----	---	---	---	---	200	25	7-17-52	--	Ir			
46-24-2	do	-----	----	---	--	6	T, S	Top 6-inch tee	1.0	7.39	6.3	11-15-50	175	40	7-17-52	78	Ir			
46-24-3	do	-----	----	450*	--	6	T, S	Top 6-inch cross	.0	5.81	7.8 9.2	11-15-50 9-5-51	---	185 155 205	11-15-50 7-17-52 2-5-53	78	Ir			

TABLE 1, --Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level	Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)			Above or below (-) measuring point (feet)	Date of measurement				Cells per minute
46-24-4	Dickman Farms	Dickman Farms	1955	300 n	--	6	T, B	Top 6-inch cross	1.0	5.45	13.0	10- 5-50	300	205	10- 5-50	79	Ir	
46-24-5	do	do	1956	387	--	6	T, B	do	.0	----	11.1	11-17-50	250	35	11-17-50 40 12-12-51 35 10- 4-52	77	Ir	
46-24-6	Willard Miller	-----	----	---	--	6	T	-----	---	----	-----	-----	200	30	2- 5-53	76.5	Ir	
46-24-7	Dickman Farms	Dickman Farms	1950	432 m	22	6	T, B	Top 6-inch cross	.0	5.94	8.5	11-15-50	200	25	1-17-52 30 7-17-52 25 11-17-52 25 12-28-54	79.8	Ir	E
46-24-8	do	do	1950	466 n	38	6	T, B	do	.5	5.90	7.2 7.2	11-15-50 9- 5-51	250	30	11-15-50 25 10- 1-52 25 11-17-52	78	Ir	E
46-24-9	do	H. J. Tucker Ruskin	1950	329 m	33	6	T, B	do	.0	5.03	9.5	10-31-50	250	35	10-31-50 35 7-15-52 40 11-17-52	77.5	Tr	E
46-24-10	do	do	1950	479	37	6	T, B	Top 6-inch tee	.5	----	8.5	11-15-50	300	40	10- 5-50 35 12-12-51 35 6- 3-53	77.5	Ir	C E
46-24-11	Dickman Farms	H. J. Tucker	1950	430	30	6	T, B	-----	---	----	----	-----	390	25	11-17-50 15 7-15-52	--	Ir	
46-24-12	do	do	1950	242 m	33	6	T, B	Top 6-inch tee	1.0	3.89	3.2	11-15-50	200	30	11-17-50 20 7-15-52	77	Ir	E
46-24-13	Bennett Ellsberry	E. E. Boyette	----	510	30	6	T, B	-----	---	----	----	-----	---	--	-----	--	Ir	
46-24-14	do	do	----	510	30	6	T, B	Top 6-inch cross	.0	----	11.5	4-24-51	---	--	-----	--	Ir	
46-24-15	Dickman Farms	Dickman Farms	1949	281	32	6	T, B	do	.0	5.25	6.1	10-31-50	240	25	10-31-50 30 12-29-52	77	Ir	E
46-24-16	do	do	1949	284 m	33	6	T, B	do	1.0	4.44	8.8	10-31-50	250	25	10-31-50	77	Ir	E

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point			Water level		Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Parts per million	Date sample collected				
46-24-17	Dickman Farms	Dickman Farms	1949	377	34	6	T, S	Top 6-inch cross	0.0	4.14	7.4	10-31-50	250	25	10-31-50 30 10-24-52 25 4-29-53	78	Ir		
46-24-18	Bennett Ellsberry	-----	1948	475 #	22	6	T, S	Top 6-inch tee	1.0	6.99	10.1 11.4	11-17-50 9-5-51	200	20	11-17-50 7-15-52	77.5	Ir	E	
46-24-19	Ellsberry Farms	-----	---	---	---	4	H?	-----	---	---	-----	---	15	8-26-52	75	Ir			
47-20-1	Simmons	E. E. Boyette	1951	520	58	8	T, S	Top 8-inch casing	.0	59.28	-26.0	5-7-51	500	15	3-6-53	--	Ir	C	
47-22-1	Ellsberry Farms	-----	---	350±	30±	6	T	Top 6-inch tee	1.0	---	5.0	10-12-50	150	25	10-12-50	77	Ir		
47-22-2	do	-----	---	350±	30±	6	T	do	1.0	12.75	4.9	10-12-50	150	20	10-12-50	76.5	Ir		
47-22-3	do	-----	---	350±	30±	6	T	Top 6-inch cross	1.0	---	5.1	10-12-50	150	20	10-12-50	76	Ir		
47-22-4	do	-----	---	350±	30±	6	T	Top 6-inch tee	1.0	---	5.0	10-12-50	---	25	10-12-50	75	Ir		
47-22-5	do	-----	---	350±	30±	6	T, S	do	.0	---	5.5	10-12-50	---	20	10-12-50	76.5	Ir		
47-22-6	John Kushmer, Adamsville	E. E. Boyette	1949	361 #	145	8	T, S	Top 8-inch coupling	.0	21.26	-2.75	10-12-50	---	15	10-12-50	--	Ir	E	
47-22-7	do	-----	---	70	--	2	T	Bottom 2-inch valve	.5	---	4.5	10-12-50	---	25	10-12-50	74.5	Ir		
47-22-8	Ellsberry Farms	-----	---	---	--	8	T	Top 8-inch tee	.0	---	5.8	10-12-50	---	20	10-12-50	76	In		
47-22-9	do	-----	---	350±	--	6	T, S	-----	---	---	-----	---	---	---	---	--	In		
47-22-10	John Kushmer	E. E. Boyette	1949	400	--	8	T, S	Top 8-inch casing	1.0	---	-1.3	10-12-50	---	20	10-12-50	--	Ir		
47-22-11	Powell Farms	-----	---	382	31	6	T, S	Top 6-inch tee	.0	---	6.3	10-17-50	---	25	10-17-50	76.5	Ir		
47-22-12	do	-----	---	375	33	6	T, S	do	.5	11.05	7.2	10-17-50	---	25	10-17-50	76	--		
47-22-13	Ellsberry Farms	-----	---	350±	30±	8	T, S	Top 8-inch cross	1.0	---	3.5	11-21-50	---	--	-----	--	In		

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Measuring point			Water level		Yield		Florida content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Facts per million	Date sample collected				
47-22-14	Ellisberry Farms	-----	---	350±	30*	6	T, B	-----	---	---	---	---	---	---	---	---	In	
47-22-15	do	-----	---	350±	--	6	T, B	-----	---	---	---	---	---	---	---	---	In	
47-22-16	do	-----	---	350±	--	6	T, B	-----	---	---	---	---	---	---	---	---	In	
47-22-17	Powell Farms, Ruskin	-----	---	383	32	6	T	Top 6-inch tee	1.0	---	3.9	10-16-50	---	25	10-16-50	75.5	Ir	
47-22-18	do	-----	---	123	36	6	T	do	.5	11.16	6.3	10-16-50	100	25 30 25	10-16-50 2-26-51 3-16-51	76	Ir	
47-22-19	Ellisberry Farms	-----	---	350±	30*	6	T	-----	---	---	---	---	---	25	11-21-50	--	In	
47-22-20	do	E. E. Boyetta	1951	350	40	6	T, B	-----	---	---	---	---	400	--	-----	--	In	
47-22-21	do	-----	---	350±	30	8	T, B	Top 8-inch cross	2.0	---	4.5	11-21-50	---	25	11-21-50	--	Ir	
47-22-22	do	-----	---	350	30*	8	T, B	do	2.0	---	5.1	11-21-50	---	25	11-21-50	--	Ir	
47-22-23	John Kushmer, Adamsville	E. E. Boyetta	---	400	--	8	T, B	-----	---	---	---	---	---	--	-----	--	Ir	
47-22-24	Powell Farms	-----	---	395	34	6	T, B	Top 6-inch cross	.0	12.21	5.0	10-16-50	---	30	10-16-50	--	Ir	
47-22-25	do	-----	---	382	28	6	T, B	Top 6-inch tee	.0	----	6.2	10-16-50	---	30	10-16-50	--	Ir	
47-22-26	Bennett Ellisberry, Ruskin	-----	---	350±	--	6	T, B	Top 6-inch cross	2.0	----	2.2	1-31-51	---	--	-----	--	Ir	
47-23-1	Dickman Farms	Dickman Farms	1952	340	31	6	T, B	Top 6-inch tee	1.0	----	4.6	3-21-52	---	20	2-11-52	76.5	Ir S	C
47-23-2	Ellisberry Farms	-----	---	350±	--	8	T, B	Top 8-inch tee	1.0	----	4.5	11-21-50	---	--	-----	--	Ir D	
47-23-3	do	E. E. Boyetta	1950	390 m	25	8	T, B	do	.0	----	7.1	11-21-50	300	25 25	1-22-52 4-30-53	79.2	Ir E	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point	Water level			Yield	Chloride content		Temperature (°F)	Use	Remarks	
					Depth (feet)	Diameter (inches)	Principal water-bearing formations		Description	Height above land surface (feet)	Altitude above mean sea level (feet)		Above or below (-) measuring point (feet)	Date of measurement				Gallons per minute
47-23-4	Ellsberry Farms	E. E. Boyette	---	350 [±]	30	8	T, S	Top 8-inch tee	0.0	9.43	5.5 5.4 7.0 8.0	11-21-50 1-31-51 3-27-51 9- 5-51	250	--	-----	78	Ir	
47-23-5	do	-----	---	375	25	6	T, S	Top 6-inch tee	.0	7.44	4.5 4.8	11-21-50 6- 3-53	250	25 20	1-22-52 4-21-53	79	Ir	
47-23-6	do	-----	---	350 [±]	30	8	T, S	Top 8-inch tee	.3	6.58	5.6 8.1 9.8 8.2	11-21-50 3-27-51 9- 5-51 10-10-52	300	25 25	11-21-50 5-15-52	77.5	Ir	
47-23-7	do	-----	---	350 [±]	30 [±]	8	T, S	-----	---	---	---	---	250	25	1-22-52	--	Ir	
47-23-8	do	-----	---	363	32	8	T, S	Top 8-inch tee	.0	8.94	5.2 8.1 7.0 1.4	11-21-50 9- 5-51 10-10-52 5-21-53	200	25	1-22-52	78	Ir	B
47-23-9	do	-----	---	350 [±]	30 [±]	8	T, S	do	1.0	----	4.9 1.9	11-21-50 5-15-52	200	25	1-22-52	77.5	Ir	
47-23-10	do	E. E. Boyette	1952	398 n	40	8	T, S	-----	---	---	---	-----	250	25 25	10-28-52 4- 9-53	--	Ir	B
47-23-11	do	-----	---	350 [±]	30 [±]	8	T, S	Top 8-inch tee	1.0	9.38	3.9 6.1 6.6 .3	1-31-51 3-27-51 9- 5-51 5-15-52	250	25	5-15-52	77	Ir	B
47-23-12	do	-----	---	350 [±]	30 [±]	8	T, S	do	2.0	----	8.7	4-18-51	250	--	-----	--	Ir	
47-23-13	do	E. E. Boyette	----	400 [±]	25 [±]	8	T, S	Top 8-inch cross	1.0	----	7.3	4-18-51	---	25	1-22-52	79	Ir	D
47-23-14	do	-----	---	350 [±]	30 [±]	8	T, S	Top 6-inch tee	2.0	9.74	4.9	11- 1-50	200	25	10-28-52	77	Ir	
47-23-15	do	-----	---	400 [±]	30 [±]	8	T, S	Top 8-inch cross	2.0	8.66	5.6	11- 1-50	150	25	10-28-52	79	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point	Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks		
					Depth (feet)	Diameter (inches)	Principal water-bearing formations		Height above land surface (feet)	Altitude above mean sea level (feet)		Above or below (-) measuring point (feet)	Date of measurement				Gallons per minute	Ferri per million
47-23-16	Elisberry Farms, Ruskin	E. E. Boyetta	----	350±	30±	8	T, S	Top 8-inch tee	2.0	----	6.1	11- 1-50	150	30	10-28-52	77.5	Ir	
47-23-17	do	do	----	400±	30±	8	T, S	Top 8-inch cross	1.5	----	3.2	11-21-50	250	25	11-21-50 10-28-52	78	Ir	
47-23-18	do	do	1952	395	30	8	T, S	Top 8-inch tee	1.0	----	8.5	10-16-52	300	40	10-16-52 45 1- 2-53	78	Ir	
47-23-19	do	-----	----	350±	30±	8	T, S	do	.0	9.37	7.6	4-18-51	---	30	4- 6-51	77	Ir	
47-23-20	do	-----	----	350±	30±	8	T, S	Top 8-inch cross	1.0	----	8.2	4-18-51	---	--	-----	--	Ir	
47-23-21	do	E. E. Boyetta	----	375	30	8	T, S	do	1.0	7.52	5.4	11- 1-50	200	25	10-28-52 12-22-52	78	Ir	
47-23-22	do	do	1952	374 n	35	8	T, S	Top 8-inch tee	1.0	6.22	8.3	10-16-52	350	75	11-12-52	77.5	Ir	E
47-23-23	do	-----	----	375±	30±	8	T, S	do	2.0	----	5.0	3-27-51	---	20	10-28-52	78	Ir	D
47-23-24	do	-----	----	350±	30±	8	T, S	-----	---	----	---	---	---	--	-----	--	Ir	
47-23-25	do	-----	----	350±	30±	8	T, S	Top 8-inch tee	1.5	----	8.0	4-18-51	---	--	-----	--	Ir	
47-23-26	do	-----	----	350±	30±	8	T, S	-----	---	----	---	---	---	--	-----	--	Ir	
47-23-27	do	-----	----	350±	30±	8	T, S	-----	---	----	---	---	---	--	-----	--	Ir	
47-23-28	do	-----	----	350±	30±	8	T, S	-----	---	----	---	---	---	--	-----	--	Ir	
47-23-29	do	-----	----	150	20	8	T	-----	---	----	---	---	---	--	-----	--	Ir	
47-23-30	do	-----	----	350±	30±	6	T, S	-----	---	----	---	---	---	--	-----	--	Ir	
47-23-31	do	-----	----	350±	30±	6	T, S	Top 6-inch cross	1.0	6.61	5.9	11- 2-50	200	20	11- 2-50	--	Ir	
48-22-1	Fovell Farms, Ruskin	-----	1949	325	29	8	T, S	Top 8-inch casing	2.0	----	7.8	10-16-50	---	25	10-16-50	--	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point	Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks		
					Depth (feet)	Diameter (inches)	Principal water-bearing formations		Height above land surface (feet)	Altitude above mean sea level (feet)		Above or below (-) measuring point (feet)	Date of measurement				Gallons per minute	Parts per million
48-22-2	Powell Farms, Ruskin	-----	1949	370	33	8	T, S	Top 6-inch cross	0.0	-----	6.4	10-16-50	---	20	10-16-50	--	Ir	
48-22-3	Ellsberry Farms	-----	----	400±	30±	8	T, S	Top 6-inch tee	.0	9.49	6.4	11-20-50	---	30	11-20-50	--	Ir	
48-22-4	do	E. E. Boyette	1951	330	--	6	T, S	do	.0	-----	6.6	11-13-52	---	30	11-13-52	--	Ir	
48-22-5	Powell Farms	do	1949	354 m	26	8	T, S	Top 8-inch cross	1.0	12.55	5.2	10-17-50	125	25 25 25 25	11-17-50 10-29-52 8-17-53 7-27-55	75	Ir	R
48-22-6	do	do	1949	340	31	8	T, S	do	.0	-----	6.4	10-16-50	---	25	10-16-50	75	Ir	
48-22-7	A. J. Forster Adamsville	-----	----	350±	--	6	T, S ?	-----	---	-----	-----	-----	---	25 30	10- 6-52 7-27-55	77	Ir	
48-22-8	Joe Fernandez, Adamsville	-----	----	300±	--	4	T, S ?	Top 4-inch tee	.5	-----	4.8	11-20-50	---	25	11-20-50	--	Ir	
48-22-9	do	-----	----	300±	--	6	T, S	-----	---	-----	-----	-----	---	20	11-20-50	--	Ir	
48-22-10	John Kushmer, Adamsville	-----	----	250?	--	6	T, S	Top 6-inch tee	.0	9.13	5.3 3.4 4.9	12-15-50 1-31-51 9- 5-51	100	40 35	12-15-50 1- 1-52	--	Ir	
48-22-11	Wolf Fish Farm, Adamsville	H. Morrill, Ruskin	----	500±	--	6	T, S	-----	---	-----	-----	-----	---	1,090	12- 4-50	--	In	
48-22-12	do	do	----	325±	--	6	T, S	-----	---	-----	-----	-----	---	65	12- 4-50	--	In	
48-22-13	do	do	----	300±	--	6	T, S	-----	---	-----	-----	-----	---	50	12- 4-50	--	In	
48-22-14	do	do	----	300±	--	6	T, S	-----	---	-----	-----	-----	---	--	-----	--	In	
48-22-15	do	do	----	350±	--	6	T, S	-----	---	-----	-----	-----	---	--	-----	--	In	
48-22-16	do	do	----	350±	--	6	T, S	-----	---	-----	-----	-----	---	165	12-13-50	--	In	
48-22-17	do	do	----	300±	--	6	T, S	-----	---	-----	-----	-----	---	145	12-13-50	--	In	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point				Water level	Yield	Chloride content		Temperature (°F)	Dye	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)			Date of measurement	Galton per minute			
48-22-18	Wolf Fish Farm, Adamsville	H. Morrill, Ruskin	1952	325	36	6	T, S											In
48-22-19	do	do	1952	325	30	6	T, S											In
48-22-20	do	do	1950	300 ⁺	30	6	T, S											In
48-22-21	do	do	1950	300 ⁺	30	6	T, S							25	12- 4-50			In
48-22-22	do	do	1944	300 ⁺	30	6	T, S							170	12- 4-50			In
48-22-23	do	do	1944	384 _m	310	8	S	Top 6-inch cross	1.0		0.2	12- 4-50		1,710	12- 4-50			In
48-22-24	do	do	1944	300 ⁺	--	6	T, S							165	12-13-50			In
48-22-25	do	do	1944	165	--	5	T							80	12-13-50			In
48-22-26	L. R. Cooper, Adamsville					6	T, S							190 165	7-21-52 10- 6-52			Ir
48-23-1	Ellisberry Farms			350 ⁺	30 ⁺	8	T, S											Ir
48-23-2	do			350 ⁺	30 ⁺	8	T, S	Top 8-inch tee	1.0	5.96	8.6 7.4 7.0	4-18-51 9- 5-51 10-10-52		30 35 30	4- 6-51 10-29-52 5- 5-53		78	Ir
48-23-3	do			350 ⁺	30 ⁺	8	T, S											Ir
48-23-4	do			400 ⁺	30 ⁺	6	T, S											Ir
48-23-5	John Kushmer	Morrill				6	T	Top 6-inch tee	-2.0	7.44	8.9 6.1 7.8	10-11-50 1-31-51 9- 5-51		25 20	10-11-50 7-15-52		76	Ir
48-23-6	Joe Fernandez, Adamsville			300 ⁺	--	6	T, S											Ir D
48-23-7	John Kushmer	E. E. Boyette		3.5 ⁺	51	6	T, S	Top 6-inch tee	1.0		5.6	11-26-51		50 80 70	11-26-51 10- 1-52 5- 5-53		77	--

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point			Water level		Yield	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Calions per minute	Parts per million			
48-23-8	John Kushmer, Adamsville	-----	---	340 n	31	6	T, S	Top 6-inch tee	0.0	6.69	8.5	10-11-50 9- 5-51 10-10-52 8-17-53	250	200 255 210 175	10-11-50 10- 1-52 9- 6-53 7-27-55	80	Ir	F
48-23-9	Ellsberry Farms	-----	---	---	--	8	T	do	1.0	---	8.5	4-18-51	---	30 30 30	4- 6-51 10- 1-52 5- 5-53	76.2	Ir	
48-23-10	John Kushmer	-----	---	300	--	6	T, S	do	.5	6.54	7.5	10-11-50	200	90 95 90	10-11-50 10- 1-52 2- 6-53	77.8	Ir	
48-23-11	Michel Marchesotto, Adamsville	-----	---	300 ⁺	--	6	T, S	-----	---	---	---	-----	150	30	10- 6-52	--	Ir D	
48-23-12	John Kushmer	-----	---	---	--	6	T	Top 6-inch tee	.0	----	4.0	7- 8-52	---	45	7- 8-52	75?	Ir	
48-23-13	do	-----	---	---	--	6	T, S ?	Top 8-inch tee	.0	----	6.5	10-11-50	---	140 140	10-11-50 10- 1-52	76.5	Ir	
48-23-14	do	-----	---	---	--	6	T, S ?	Top 6-inch tee	1.0	----	7.5	10-11-50	---	215 145	10-11-50 10- 1-52	76.5	Ir	
48-23-15	do	-----	---	320 n	--	6	T, S	do	.5	----	9.2 6.3	10-11-50 4- 8-53	250	75 75	10-11-50 4- 2-53	78	Ir	
48-23-16	do	E. E. Boyette	1952 (suspended)	364	--	4	T, S	Top 4-inch tee	1.0	7.52	6.1 1.9 3.8 4.5	10- 9-50 1-31-51 7- 5-51 2-18-52	---	70 60 75	10- 9-50 2-18-52 10- 1-52	78	In	
48-23-17	do	-----	---	400 ⁺	40 ⁺	6	T, S	Top 6-inch tee	1.0	----	7.0	10- 9-50	200	135	10- 9-50	78	Ir	
48-23-18	Jack Youngman, Adamsville	H. Morrill	----	276	--	5	T, S	Top 5-inch casing	.6	----	8.1	10- 7-50	---	--	-----	77	Ir D	
48-23-19	John Kushmer	E. E. Boyette	----	145	--	6	T	Top 6-inch tee	.5	5.49	9.0	10- 9-50	300	120	10- 9-50	77	Ir	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield Gallons per minute	Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement		Parts per million	Date sample collected			
48-23-20	-----	-----	---	---	--	4	T	Top 4-inch coupling	0.0	---	5.6	11-20-50	---	70	11-20-50	--	Ir	
48-23-21	Wolf Fish Farm, Adamsville	H. Morrill	1950	300 ⁺	--	6	T, B	-----	---	---	---	---	---	---	---	--	In	
48-23-22	G. Kushmer, Adamsville	-----	---	---	--	4	T	-----	---	---	---	---	---	---	---	--	Ir	
48-23-23	W. J. Moore, Adamsville	-----	---	---	--	5	T, B	Top 5-inch tee	.0	---	4.6	11-20-50	---	155	11-20-50	--	Ir	
48-23-24	Jack Youngman	-----	---	300 ⁺	270	6	T, B	Top 6-inch tee	1.0	---	7.5	10- 9-50	200	270 200	10- 9-50 10- 1-52	77	Ir	
48-23-25	Wolf Fish Farm	H. Morrill	1944	100 ⁺	--	3	T	-----	---	---	---	---	---	95	2-20-51	--	In	
48-23-26	Roy Adams, Adamsville	-----	---	400	--	6	T, B	Top 6-inch tee	1.0	---	2.3	2- 4-52	100	200	2- 4-52	--	Ir	
48-23-27	E. Kushmer, Adamsville	E. E. Boyette Ruskin	---	---	--	6	T, B	-----	---	---	---	---	---	85	11-20-50	--	In	
48-23-28	John Kushmer	E. E. Boyette	1952	130	67	4	T	Top 4-inch nipple	.0	----	2.3	2-13-52	30	105	2-13-52	--	D	
49-22-1	Joe Fernandez	H. Morrill	1950	328	--	8	T, B	Top 8-inch el	1.0	13.89	.5	1-31-51	30 125	25 40 30 37	12-13-50 2-26-51 10- 6-52 4-24-53	--	Ir	
49-22-2	George Guisay, Adamsville	-----	---	---	--	6	T, B	Top 6-inch tee	2.5	9.08	1.5 -.7	7- 9-51 5-13-52	---	110 115	7- 9-51 10- 6-52	--	Ir	
49-22-3	Lawrence Hill, Wimauma	E. E. Boyette	1952	330	75 125	6 4	T, B	Top 6-inch casing	.0	----	.8	1-22-52	---	---	-----	--	Ir D	C
49-22-4	-----	-----	1945	235	--	6	T, B	Top 6-inch cross	.0	----	3.1	9-20-51	---	210	9-20-51	--	In	
49-22-5	J. F. Seegar, Wimauma	-----	1945	115	--	6	T	do	.0	----	3.0	9-20-51	---	270	9-20-51	--	Ir D	

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing		Principal water-bearing formations	Measuring point			Water level		Yield		Chloride content		Temperature (°F)	Use	Remarks
					Depth (feet)	Diameter (inches)		Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Parts per million	Date sample collected				
50-22-1	Nistal Park Court, Gibsonton	May Brothers, Tampa	1952	250 ⁺	--	4	T, S	-----	---	---	-----	200	210	5- 9-52	--	Ir D			
50-22-2	Claude Tanner, Gibsonton	do	1953	197	127	4	T, S	-----	---	---	-----	125	220	1-12-54	--	In			
50-22-3	do	do	1953	85	45	3	T	-----	---	---	-----	--	--	-----	--	In			
50-22-4	do	do	1953	210	45	6	T, S	-----	---	---	-----	--	--	-----	--	In			
50-22-5	do	do	1953	287	45	6	T, S	-----	---	---	-----	--	--	-----	--	In			
51-18-1	M. E. Keena, Riverview	-----	---	---	--	10	T, S	Top concrete pump-house floor	1.0	---	-43.6 -41.9 -40.9	6-28-54 8-23-54 9-30-54	---	---	---	--	Ir		
51-20-1	U.S. Phosphoric Products, East Tampa	-----	---	200 ⁺	--	4	T, S	Top 4-inch coupling	.3	---	-6.3	2-20-51	---	--	-----	--	U		
51-20-2	do	-----	---	200 ⁺	--	10	T, S	Top 10-inch casing	1.0	19.95	-8.0	2-20-51	---	--	-----	--	U		
51-20-3	do	-----	---	865	--	12	T, S	Top 12-inch casing	1.0	---	-4.9	2-20-51	---	--	-----	--	U		
51-23-1	do	May Brothers	1951	1,146	70	18	T, S	Top 18-inch casing	.0	7 ⁺	-13.0 ⁺	-19-51	2,000	18,500	1-26-54	82	In		
31-23-2	do	do	1951	850	64	30	T, S	-----	---	---	-----	2,500	---	-----	--	--			
52-20-1	do	-----	---	830	30	16	T, S	Top 16-inch casing	.0	23.19	-10.85	1-21-53	---	--	-----	--	U	E	
52-22-1	Hendry Ranch, Tampa	May Brothers	1948	300	--	6	T, S	Top 6-inch coupling	.0	----	-3.2	2- 2-54	---	--	-----	--	--	S	
52-22-2	Davey Oaslager, Limona	Zeta Pump Co., Tampa	1953	105	25	5	T	-----	---	---	-----	---	20	12-28-53	75	Ir			

TABLE 1.--Continued

Well No.	Owner	Driller	Year completed	Depth of well (feet)	Casing			Measuring point			Water level		Yield		Chloride content		Temperature (°F)	Date	Remarks
					Depth (feet)	Diameter (inches)	Principal water-bearing formations	Description	Height above land surface (feet)	Altitude above mean sea level (feet)	Above or below (-) measuring point (feet)	Date of measurement	Gallons per minute	Parts per million	Date sample collected				
52-23-1	Hendry's Ranch, Tampa	May Brothers Tampa	1947	86	-	2	T	-----	---	---	---	---	---	240	2-	2-54	--	nd	
53-23-1	E. H. Forrester, Tampa	H. Morrill Ruskin	1950	300	--	6	T, S	-----	---	---	---	---	200	800	1-11-54	--	In		
53-23-2	do	do	1945	85	--	4	T	-----	---	---	---	---	200	540	1-11-54	--	In		
54-23-1	H. E. Parker, Tampa	G. Moulton	1948	69	--	2	T	-----	---	---	---	---	45	2-	1-54	--	D		
55-22-1	M. E. Keene, Riverview	E. E. Boyette	1952	130	32	6	T, S	Top 6-inch casing	0.0	----	-5.1	2-	4-52	---	50	2-	4-52	--	Ir
55-23-1	T. A. Gower, Tampa	-----	1950	300	--	6	T, S	-----	---	---	---	---	---	--	-----	--	Ir		
55-23-2	do	-----	---	72	--	2	T, S	-----	---	---	---	---	125	1-12-54	--	D			
55-24-1	T. E. Shaffer, Tampa	-----	---	60	--	2	T	-----	---	---	---	---	960	2-	2-54	--	D		

TABLE 2.

Location: Distances measured from post office or principal intersection

Well No.	Location
38-31-4	Sun City, about 3.6 miles southwest, 0.1 mile north of Manatee County, 100 feet west of U. S. Hwy. 41, 25 feet west of a railroad, 25 feet north of a dirt road at a pumphouse. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-5	Sun City, about 3.75 miles southwest, 0.05 mile north of Manatee County, 0.23 mile west of U. S. Hwy. 41, 0.1 mile west of a tenant house, 15 feet north of a dirt road and a ditch at a pumphouse. SW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-6	Sun City, about 3.8 miles southwest, in a field, 0.35 mile west of U. S. Hwy. 41, 0.12 mile southwest of well 38-31-5, 15 feet north of a dirt road and a ditch on the west side of a ditch at a pumphouse. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-7	Sun City, about 3.85 miles southwest, in a field, 0.25 mile west of U. S. Hwy. 41, 0.12 mile southwest of well 38-31-6, 15 feet north of a dirt road along the Manatee County line, on the west side of a ditch at a pumphouse. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-8	Sun City, about 3.25 miles southwest, in a field, 400 feet northwest of U. S. Hwy. 41, 0.3 mile northeast of well 38-31-4, 100 feet west of a railroad on west side of a ditch. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-9	Sun City, about 3.5 miles southwest in a field, 0.2 mile northwest of U. S. Hwy. 41 and well 38-31-4, 0.25 mile west of well 38-31-8, 300 feet west of a field road at a pumphouse. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-10	Sun City, about 3.75 miles southwest, in a field, 0.35 mile northwest of U. S. Hwy. 41 and well 38-31-4, 0.15 mile northwest of well 38-31-5, 20 feet north of a ditch, about 0.2 mile north of well 38-31-6. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-31-11	Sun City, about 3.25 miles southwest, in a field, 0.3 mile northwest of U. S. Hwy. 41, 0.15 mile northwest of a railroad, 0.15 mile north of well 38-31-8, 0.35 mile northeast of well 38-31-4 on west side of a ditch. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-32-12	Sun City, about 4.1 miles southwest, in a field, 0.35 mile northwest of U. S. Hwy. 41, 0.6 mile west of well 38-31-4, 10 feet north of a dirt road along the Manatee County line, 0.12 mile east of a bridge, 0.15 mile west of well 38-31-7. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
38-32-13	Sun City, about 4.25 miles southwest, 0.4 mile northwest of U. S. Hwy. 41, 0.75 mile west of well 38-31-4, 150 feet west of a bridge on north side of a road along the Manatee County line. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 32 S., R. 18 E.
38-32-14	Sun City, about 4.4 miles southwest, in a field, 1.0 mile west of well 38-31-4, 0.25 mile northwest of well 38-32-13, 0.1 mile north of a road along the Manatee County line, on north side of a barn. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 32 S., R. 18 E.
38-32-15	Sun City, about 4.7 miles southwest, in a field, about 1.25 miles west of well 38-31-4, 0.5 mile west of well 38-32-13, 0.15 mile east of a canal, 10 feet north of a road along the Manatee County line. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 32 S., R. 18 E.
39-18-1	Wimauma, about 4.0 miles south, in a grove, 2.5 miles southeast of U. S. Hwy. 301, 0.25 mile southeast of Dug Creek road, 0.2 mile southwest of a barn, 400 feet northwest of the Little Manatee River. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 20 E.
39-24-1	Wimauma, about 5.5 miles southwest in a field, 1.0 mile northwest of U. S. Hwy. 301, 0.35 mile south of a dirt road, 0.75 mile south of owner's residence, 0.3 mile north of Manatee County, 0.5 mile south of the Little Manatee River, 0.1 mile south of a pond, 50 feet east of a field road. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 32 S., R. 19 E.
39-26-1	Sun City, about 2.8 miles southeast in a field, 0.5 mile southwest of the Little Manatee River, 0.5 mile southeast of a barn, 300 feet east of a field road and pond, 0.2 mile south of a large pond on the north side of a ditch. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 32 S., R. 19 E.
39-26-2	Sun City, about 2.5 miles southeast in a pasture, 0.2 mile east of a barn and a gate, 0.1 mile west of a field road, 15 feet south of a field road, 0.35 mile northwest of well 39-26-1, 0.2 mile southeast of well 39-26-3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
39-26-3	Sun City, about 2.25 miles southeast in a field, 0.15 mile northeast of a barn, 0.12 mile north of a road and fence in a ditch, 0.2 mile northwest of well 39-26-2. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 32 S., R. 19 E.
39-27-1	Sun City, about 2.5 miles southeast in a field, 0.4 mile southwest of a barn, 0.5 mile southwest of well 39-26-2, 0.1 mile southeast of a pond. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 31, T. 32 S., R. 19 E.
39-27-2	Sun City, about 1.5 miles southeast in a field, 0.5 mile west of a dirt road on the south side of a ditch, 0.4 mile southwest of well 40-27-Y, 0.5 mile south of a road and cattle pens, 0.3 mile northeast of well 39-28-1, 0.1 mile north of a pond. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 25, T. 32 S., R. 18 E.
39-28-1	Sun City, about 1.3 miles southeast in a field, 0.3 mile southwest of well 39-27-2, 0.2 mile west of a pond, 0.15 mile south of a ditch, on the west side of a fence. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
39-29-1	Sun City, about 1.25 miles south in a field, 0.1 mile southeast of U. S. Hwy. 41, 0.15 mile west of a pond, 0.3 mile southwest of well 40-29-1 on west side of a ditch. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
39-30-1	Sun City, about 2.4 miles southwest in a field, 0.2 mile southeast of U. S. Hwy. 41, 0.3 mile east of a residence, 20 feet west of a fence and ditch. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-2	Sun City, about 2.65 miles southwest in a field, 0.1 mile west of U. S. Hwy. 41 and a residence, 30 feet west of a railroad, 0.15 mile south of a field road. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-3	Sun City, about 2.75 miles southwest in a field, 0.15 mile west of well 39-30-1, 0.25 mile northwest of U. S. Hwy. 41, 0.1 mile northwest of a railroad, on west side of a fence and ditch. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-4	Sun City, about 2.35 miles southwest in a field, 400 feet west of U. S. Hwy. 41, 20 feet west of a railroad, on the west side of a fence, 1.0 mile north of a field road, on the east side of a field road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-5	Sun City, about 2.5 miles southwest in a field, 0.35 mile west of U. S. Hwy. 41, on east side of a barn, 0.3 mile west of well 39-30-4. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-6	Sun City, about 2.55 miles southwest in a field, 0.2 mile west of well 39-30-5 on the west side of a fence and canal. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-7	Sun City, about 2.1 miles southwest in a field, 250 feet west of U. S. Hwy. 41, 30 feet west of railroad, on the west side of a fence, 0.25 mile northeast of well 39-30-4. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-8	Sun City, about 2.3 miles southwest in a field, 0.35 mile west of well 39-30-7, 0.25 mile north of well 39-30-5 at a ditch. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-30-9	Sun City, about 2.0 miles southwest in a field, 0.2 mile northwest of well 30-39-7, on the north side of a pond at a fence, 0.25 mile south of a barn at end of a row of pines. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.
39-30-10	Sun City, about 1.9 miles southwest in a field, 0.25 mile northwest of U. S. Hwy. 41, 0.12 mile north of well 39-30-9, 0.15 mile south of a barn, 0.1 mile south of a pond at a ditch intersection. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.
39-30-11	Sun City, about 2.0 miles southwest in a field, about 0.2 mile west of well 39-30-10, 0.25 mile southwest of a barn on north side of a fence and ditch, 200 feet west of a ditch, 0.15 mile east of bay. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.
39-30-12	Sun City, about 2.0 miles southwest in a field, 0.25 mile southwest of a barn, 300 feet northwest of well 39-30-11 on the north side of a ditch and fence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
39-30-13	Sun City, about 1.9 miles southwest in a field, 0.15 mile west of a barn, 400 feet northeast of well 39-30-11 on east side of a field road at a ditch. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.
39-30-14	Sun City, about 1.8 miles southwest in a pasture, 150 feet northeast of a barn, 100 feet north of a pond at curve in road, 0.4 mile northwest of U. S. Hwy. 41, 0.15 mile north of well 39-30-10. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.
39-30-15	Sun City, about 1.6 miles southwest in a field, 0.2 mile northwest of U. S. Hwy. 41, and a railroad, 0.1 mile north of a field road, on the west side of a ditch, on east side of a field road, 0.4 mile west of well 39-29-1. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
39-31-1	Sun City, about 2.9 miles southwest in a field, 0.15 mile northwest of U. S. Hwy. 41, 100 feet west of railroad, 0.5 mile northeast of well 38-31-1, 0.3 mile northeast of well 38-31-5. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-31-2	Sun City, about 2.9 miles southwest in a field, 0.1 mile west of well 39-31-1 on the north side of a pond, 0.15 mile northeast of well 38-31-8. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
39-31-3	Sun City, about 3.3 miles southwest in a field, 0.4 mile north of U. S. Hwy. 41, and well 38-31-1 at a ditch intersection, 0.2 mile northeast of well 38-31-6, 0.2 mile northwest of well 38-31-8. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
39-31-4	Sun City, about 2.8 miles southwest in a field, 0.3 mile northwest of U. S. Hwy. 41, 0.15 mile north of railroad and well 39-31-1, 0.1 mile west of well 39-30-3, 0.1 mile east of a shed. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 32 S., R. 18 E.
39-31-5	Sun City, about 2.75 miles southwest on south side of grove, 0.5 mile north of well 38-31-1, 0.2 mile northwest of well 39-31-3, 0.5 mile west of well 39-31-4, 15 feet north of a ditch and fence, 300 feet west of a road. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
40-20-1	Wimauga, about 4.0 miles southwest, 0.45 mile north of the Little Manatee River, 0.2 mile west of U. S. Hwy. 301 in a pasture, 0.15 mile west of a residence, 200 feet south of a road and fence. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 19, T. 32 S., R. 20 E.
40-24-1	Ruskin, about 1.9 miles east and 2.6 miles south, 2.1 miles south of State Hwy. 674, 0.12 mile west of a road at south end of a pond, 500 feet northwest of a canal intersection. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 32 S., R. 19 E.
40-26-1	Sun City, about 2.35 miles southeast in a field, 0.25 mile northeast of well 39-26-3, 0.2 mile north of a road on west side of a ditch, 0.4 mile northeast of a barn, 0.25 mile southwest of Little Manatee River. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 30, T. 32 S., R. 19 E.
40-26-2	Sun City, about 1.5 miles southeast in a field, 0.4 mile northeast of well 40-27-3, 0.15 mile east of a fence at a shed, 0.2 mile northwest of a creek, 0.2 mile southeast of a creek. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
40-27-1	Sun City, about 1.2 miles southeast in a field, 0.12 mile south of a road, 0.3 mile southwest of well 40-27-3, on east side of a ditch, on west side of a field road, 0.2 mile southeast of cattle pens. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 32 S., R. 18 E.
40-27-2	Sun City, about 1.5 miles southeast, 0.1 mile north of a road on east side of a fence, 0.25 mile northeast of well 40-27-3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 30, T. 32 S., R. 19 E.
40-27-3	Sun City, about 1.25 miles southeast at southeast corner of a road intersection at a shed, 0.35 mile east of cattle pens. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 32 S., R. 19 E.
40-27-4	Sun City, about 1.25 miles southwest in a field, 250 feet north of a road and well 40-27-3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 32 S., R. 18 E.
40-27-5	Sun City, about 0.75 mile southeast, 0.5 mile southeast of a school, 0.35 mile south of a turn in road, 15 feet west of a road, 0.2 mile northwest of a creek, 0.3 mile south of well 40-27-7. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 24, T. 32 S., R. 18 E.
40-27-6	Sun City, about 0.6 mile east in a field, 0.35 mile southeast of a school, 0.12 mile southeast of well 40-27-7, 0.1 mile east of a road on west side of a ditch. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 24, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
40-27-7	Sun City, about 0.5 mile east, 0.25 mile south of a school on west side of a road, 0.12 mile northwest of well 40-27-6, 0.3 mile north of well 40-27-5. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 24, T. 32 S., R. 18 E.
40-28-1	Sun City, about 300 feet east of Post Office in field behind residence, 0.2 mile southwest of well 40-28-2. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
40-28-2	Sun City, about 0.2 mile northeast in a field, 15 feet east of U. S. Hwy. 41. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
40-28-3	Sun City, about 0.2 mile northwest, 0.15 mile northwest of railroad, 0.1 mile west of a row of tenant houses, on north side of a road, 0.1 mile southeast of a barn. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
40-28-4	Sun City, about 0.35 mile northwest, 0.3 mile south of Cockroach Bay Rd., 350 feet northwest of a barn, on west side of a road. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
40-29-1	Sun City, about 1.0 mile southwest, 400 feet east of U. S. Hwy. 41 in a field, 0.35 mile northeast of well 40-29-2. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-29-2	Sun City, about 1.2 miles southwest, 150 feet west of U. S. Hwy. 41, 30 feet west of a railroad, 50 feet north of a field road and gate. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-29-3	Sun City, about 1.35 miles southwest, 0.15 mile west of U. S. Hwy. 41, 0.15 mile southwest of well 40-29-2, on west side of a swamp at a barn. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-29-4	Sun City, about 1.45 miles southwest, 0.2 mile west of U. S. Hwy. 41, 0.15 mile northeast of well 39-30-15, 0.12 mile southwest of well 40-29-3 on west side of a ditch southeast of a field road intersection. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-29-5	Sun City, about 1.35 miles southwest, 0.35 mile northwest of U. S. Hwy. 41 and railroad, 0.3 mile northwest of well 40-29-2, 0.2 mile north of well 40-29-4, 100 feet north of a field road on east side of a field road. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-29-6	Sun City, about 1.1 miles southwest, 0.25 mile northwest of U. S. Hwy. 41 and 0.2 mile northwest of railroad, 0.25 mile north of well 40-29-2, 0.3 mile northeast of well 49-29-5. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-29-7	Sun City, about 1.1 miles southwest, 0.35 miles northwest of well 40-29-2, 0.12 mile northwest of well 40-29-6, on south side of a field road in a ditch. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 32 S., R. 18 E.
40-30-1	Sun City, about 1.55 miles southwest, 0.45 mile northwest of U. S. Hwy. 41, 0.5 mile west of well 40-29-2, 0.25 mile southwest of well 40-29-5 at north end of a pond on a ditch. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 32 S., R. 18 E.
41-23-1	Ruskin, about 2.25 miles east and 2.25 miles south, 1.75 miles south of State Hwy. 674, 0.35 mile east of a dirt road, 200 feet south of a shack in a field, 0.1 mile southeast of well 41-23-2. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 19 E.
41-23-2	Ruskin, about 2.25 miles east and 2.2 miles south, 0.35 mile southeast of well 41-24-1, 0.1 mile northwest of well 41-23-1. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 19 E.
41-24-1	Ruskin, about 2.25 miles east and 1.9 miles south, 1.4 miles south of State Hwy. 674, 450 feet west of a road and fence, 0.15 mile northeast of owner's residence, 200 feet south of a fence. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 19 E.
41-24-2	Ruskin, about 1.75 miles south and 1.4 miles east, 0.25 mile east of a road intersection on north side of road, 0.25 mile southeast of well 41-24-3, 0.1 mile northeast of a pond. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
41-24-3	Ruskin, about 1.6 miles south and 1.15 miles east, 1.0 mile south of State Hwy. 674, 0.2 mile north of a road intersection, 0.25 mile northwest of well 41-24-1, 0.3 mile south of well 42-24-1, 10 feet east of a road. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
41-25-1	Ruskin, about 2.5 miles south in a pasture, 0.4 mile southeast of a cemetery, 0.2 mile northeast of river, 0.1 mile northwest of a small creek, 0.5 mile southeast of well 41-25-2. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 20, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
41-25-2	Ruskin, about 2.0 miles south, 0.3 mile east of a road, 0.25 mile south of a road on southeast side of a pond, 0.4 mile northeast of a cemetery, 0.5 mile northwest of well 41-25-1. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 20, T. 32 S., R. 19 E.
41-25-3	Ruskin, about 1.75 miles south and 0.55 mile east, 0.55 mile east of a road, 0.4 mile northeast of well 41-25-1, 0.2 mile northeast of a pond, 0.1 mile east of a road intersection, 100 feet north of a road. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
41-25-4	Ruskin, about 1.5 miles south and 0.75 mile east, 0.5 mile south of a paved road, 0.25 mile east of a road intersection and residence, 0.3 mile northeast of well 41-25-3, 0.1 mile east of a pond on north side of a road. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
41-25-5	Ruskin, about 1.4 miles south, 0.35 mile east of a road, 0.15 mile south of a canal, 0.25 mile northwest of a residence, 0.35 mile northwest of well 41-25-4, 0.1 mile northeast of a residence. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
41-26-1	Ruskin, about 1.9 miles south, 0.15 mile west of a road, 0.35 mile northwest of a cemetery, 0.4 mile northwest of well 41-25-2, 0.25 mile southwest of well 41-26-2, 150 feet east of a pond on south side of a ditch. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
41-26-2	Ruskin, about 1.75 miles south, 200 feet west of a road, 200 feet north of a road, 0.4 mile northwest of well 41-25-2, 0.25 mile northeast of well 41-26-1. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
41-26-3	Ruskin, about 1.9 miles south, 0.35 mile west of a road, 0.25 mile west of well 41-26-1, 0.25 mile east of river, 0.2 mile south of a pond, 0.15 mile southwest of well 41-26-4. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
41-26-4	Ruskin, about 1.8 miles south, 0.25 mile west of a road, 0.2 mile northwest of well 41-26-1, 0.15 mile northeast of well 41-26-3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 32 S., R. 18 E.
41-26-5	Ruskin, about 1.5 miles south and 0.45 mile west, 0.4 mile south of U. S. Hwy. 41, 0.25 mile south of a canal, 250 feet west of a road, 100 feet north of a ditch, 0.15 mile south of a residence. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
41-27-1	Ruskin, about 2.6 miles southwest, 1.25 miles southwest of bridge, 0.75 mile southwest of a road intersection and store, 0.2 mile northwest of U. S. Hwy. 41 and railroad, 0.1 mile north of a creek in a field. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
41-27-2	Ruskin, about 2.3 miles southwest, 0.4 mile southwest of a road intersection and store, 300 feet northwest of U. S. Hwy. 41, 0.15 mile south of a pond, 0.35 mile northeast of well 41-27-1. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
41-27-3	Ruskin, about 2.1 miles southwest, 0.25 mile southwest of a road intersection and store, 300 feet northwest of U. S. Hwy. 41, 0.1 mile east of a pond, 0.2 mile northeast of well 41-27-2. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
41-28-1	Sun City, about 0.45 mile northeast, 0.1 mile northwest of U. S. Hwy. 41 and railroad, 0.1 mile south of Cockroach Bay Rd., 250 feet west of a packing house at a pump shed. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
41-28-2	Sun City, about 0.7 mile northeast, 0.2 mile north of Cockroach Bay Rd. and packing houses, 0.25 mile northeast of well 41-28-1. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
41-28-3	Sun City, about 0.7 mile northeast, 0.25 mile north of well 41-28-1, 0.12 mile west of well 41-28-2 on south side of a ditch, 0.2 mile north of road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
41-28-4	Sun City, about 0.6 mile northwest, 0.65 mile west of U. S. Hwy. 41 and packing house, 500 feet north of Cockroach Bay Rd., and a gate, at a shed and concrete trough. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
41-29-1	Sun City, about 0.75 mile northwest, 1.0 mile west of U. S. Hwy. 41, 0.4 mile west of well 41-28-4, 10 feet south of paved road on south side of a hedge, 0.3 mile east of a tenant house. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-2	Sun City, about 1.0 mile northwest, 1.3 miles west of U. S. Hwy. 41 in corner of a field, 50 feet northwest of a tenant house, 10 feet south of paved road, 0.3 mile west of well 41-29-2. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
41-29-3	Sun City, about 1.25 miles northwest, 1.6 miles west of U. S. Hwy. 41, 0.12 mile north of Cockroach Bay, 0.3 mile west of well 41-29-2, 0.3 miles southeast of a paved road intersection, 0.12 mile south of well 41-29-4. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-4	Sun City, about 1.25 miles northwest, 200 feet south of paved road, 400 feet east of a tenant house, 0.12 mile north of well 41-29-3. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-5	Sun City, about 0.7 mile northwest, 0.8 mile west of U. S. Hwy. 41, 0.15 mile north of paved road, 0.2 mile west of well 41-28-4, on east side of a shed in a field. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 23, T. 32 S., R. 18 E.
41-29-6	Sun City, about 1.2 miles northwest in a field, 0.15 mile northwest of well 41-29-2, 400 feet north of Cockroach Bay Rd., 250 feet east of a tenant house, 0.1 mile west of a road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-7	Sun City, about 1.25 miles northwest, 350 feet west of well 41-29-6, 150 feet west of tenant house. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-8	Sun City, about 1.35 miles northwest, 0.12 mile southwest of well 41-29-7, 0.1 mile north-east of well 41-29-4, 250 feet north of paved road on west side of row of pines, 0.25 mile east of paved road intersection. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-9	Sun City, about 1.25 miles northwest, 0.1 mile north of well 41-29-6, 0.25 mile northwest of well 41-29-2. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-10	Sun City, about 1.3 miles northwest, 0.1 mile north of well 41-29-7, 350 feet west of well 41-29-9, 0.1 mile south of a row of pines. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-11	Sun City, about 1.4 miles northwest, 1.6 miles west of U. S. Hwy. 41, 0.2 mile north of Cockroach Bay Rd., 0.25 mile east of a paved road, 0.15 mile southeast of a barn, on west side of a row of pines, 0.12 mile northwest of well 41-29-10, 0.15 mile north of well 41-29-8. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-12	Sun City, about 1.05 miles northwest, 1.25 miles west of U. S. Hwy. 41, 0.25 mile north of Cockroach Bay Rd. on south side of a ditch, 0.2 mile southwest of a tenant house, 0.3 mile northwest of well 41-29-1, 0.15 mile east of a road, 0.25 mile northeast of well 41-29-2. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-13	Sun City, about 1.45 miles northwest, 250 feet north of well 41-29-12 at a ditch intersection on north side of a row of pines, 0.15 mile east of a barn. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-14	Sun City, about 1.5 miles northwest on east side of a barn, 0.12 mile west of well 41-29-13. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 22, T. 32 S., R. 18 E.
41-29-15	Sun City, about 1.35 miles northwest, 0.15 mile north of well 41-29-9, 0.2 mile northeast of well 41-29-13, on west side of a pond, 300 feet north of a row of pines. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-16	Sun City, about 1.15 miles northwest, 0.15 mile northeast of well 41-29-12, 30 feet south of a tenant house on north side of a ditch, 0.2 mile east of a road. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-17	Sun City, about 1.3 miles northwest, 0.25 mile northwest of well 41-29-12, 0.45 mile north of well 41-29-2, 200 feet northeast of a pond, on west side of a road and row of pines, 0.1 mile south of a tenant house. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-18	Sun City, about 1.5 miles northwest, 0.12 mile north of well 41-29-13, 0.25 mile east of a row of tenant houses and paved road, 0.25 mile west of well 41-29-17. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-19	Sun City, about 1.3 miles northwest, 0.2 mile north of well 41-29-16 at southwest corner of a pond, 200 feet east of a row of pines, 0.15 mile south of a paved road, 0.25 mile north-east of well 41-29-17. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-20	Sun City, about 1.5 miles northwest in a field on west side of a pond, 0.25 mile east of a paved road, 0.12 mile north of well 41-29-18, 0.2 mile south of a paved road. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-21	Sun City, about 1.6 miles northwest, 0.1 mile north of well 41-29-20, 0.1 mile northwest of a residence, 0.12 mile south of a paved road, 0.25 mile east of a paved road at east end of a row of pines. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
41-29-22	Sun City, about 1.3 miles northwest, on southeast side of a turn in paved road, 100 feet south of a tenant house, 200 feet east of a barn. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-23	Sun City, about 1.3 miles northwest, 0.12 mile west of well 41-29-22, 100 feet west of a barn, 10 feet north of paved road in row of pines. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-24	Sun City, about 1.35 miles northwest, 0.12 mile northwest of well 41-29-23, 300 feet north of paved road in a field road, 0.12 mile east of a row of pines. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-25	Sun City, about 1.5 miles northwest, 0.25 mile west of well 41-29-24, 250 feet north of paved road on west side of a field road, 0.8 mile north of well 41-29-2. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
41-29-26	Sun City, about 1.55 miles northwest, 250 feet north of well 41-29-25. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 32 S., R. 19 E.
41-30-1	Sun City, about 1.6 miles northwest, 2.0 miles west of U. S. Hwy. 41, 0.2 mile south of paved road, 0.1 mile north of Cockroach Bay, 150 feet northeast of a residence. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-2	Sun City, about 1.6 miles northwest, 1.9 miles west of U. S. Hwy. 41, 0.1 mile southwest of paved road intersection, 250 feet south of paved road, 0.15 mile northeast of well 41-30-1. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-3	Sun City, about 1.8 miles northwest, 2.15 miles west of U. S. Hwy. 41, 0.12 mile south of paved road, 0.2 mile northwest of well 41-30-1 in center of field, 0.25 mile west of well 41-30-2. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-4	Sun City, about 2.25 miles northwest, 0.15 mile west of well 41-30-3, 0.12 mile south of paved road in center of field. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-5	Sun City, about 1.9 miles northwest, 2.05 miles west of U. S. Hwy. 41, 300 feet south of end of paved road, on west side of road and ditch, 0.1 mile northwest of well 41-30-4. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-6	Sun City, about 1.95 miles northwest, 2.05 miles west of U. S. Hwy. 41, 350 feet north of well 41-30-5, 10 feet northwest of a canal intersection, 25 feet north of end of paved road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-7	Sun City, about 1.55 miles northwest, 0.1 mile northwest of paved road intersection, 300 feet west of paved road and on south side of a ditch, 0.15 mile north of well 41-30-2. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-8	Sun City, about 1.65 miles northwest, 0.12 mile west of well 41-30-7, 400 feet north of paved road. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-9	Sun City, about 1.8 miles northwest, 0.15 mile northwest of well 41-30-8, 0.25 mile northeast of well 41-30-6, 0.12 mile north of paved road, 50 feet south of a row of pines. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-10	Sun City, about 1.95 miles northwest, 0.15 mile west of well 41-30-9, 0.15 mile northeast of well 41-30-6 in center of field, 0.12 mile north of paved road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-11	Sun City, about 1.65 miles northwest, 0.12 mile north of well 41-30-7, 350 feet west of a paved road on north side of a ditch. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-12	Sun City, about 1.75 miles northwest, 0.12 mile west of well 41-30-11, 0.12 mile north of well 41-30-8 on north side of a ditch. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 21, T. 32 S., R. 18 E.
41-30-13	Sun City, about 1.65 miles northwest, 0.1 mile northeast of well 41-30-11, 0.3 mile north of paved road, on west side of paved road on south side of a tenant house. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 16, T. 32 S., R. 18 E.
41-30-14	Sun City, about 1.8 miles northwest, 400 feet northwest of well 41-30-12, 0.25 mile west of well 41-30-13 in southeast corner of a field, on west side of a ditch. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 16, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
41-30-15	Sun City, about 1.75 miles northwest, 0.2 mile north of well 41-30-13, 10 feet west of paved road, 200 feet northwest of a barn. SE $\frac{1}{2}$ SE $\frac{1}{4}$ sec. 16, T. 32 S., R. 18 E.
41-30-16	Sun City, about 1.8 miles northwest, 0.25 mile north of well 41-30-13, 400 feet north of well 41-30-15, 10 feet west of paved road, 150 feet north of a row of pines. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 16, T. 32 S., R. 18 E.
42-19-1	Wimauma, about 1.25 miles west, 200 feet south of State Hwy. 674, 125 feet east of a road, 100 feet south of a barn, 1.0 mile east of U. S. Hwy. 301. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 32 S., R. 20 E.
42-23-1	Ruskin, about 0.5 mile south and 3.0 miles east on west side of a residence, about 40 feet south of State Hwy. 674. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 32 S., R. 19 E.
42-24-1	Ruskin, about 1.25 miles east and 1.25 miles south, 0.75 mile south of State Hwy. 674, 0.25 mile south of a paved road, 15 feet east of a road at a shed, 0.15 mile north of a residence. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
42-24-2	Ruskin, about 1.5 miles east and 1.2 miles south, 0.25 mile northeast of well 42-24-1 on southeast side of a canal, 0.2 mile south of a road, 0.2 mile southwest of a residence. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
42-24-3	Ruskin, about 1.5 miles east and 1.05 miles south, 0.25 mile west of a road, 200 feet south of a road, on west side of a field road, 300 feet southwest of a residence, 0.12 mile north of well 42-24-2. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
42-24-4	Ruskin, about 1.25 miles east and 0.8 mile south, 0.3 mile south of State Hwy. 674, 200 feet east of paved road and fence, 300 feet east of a residence. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E.
42-24-5	Ruskin, about 0.5 mile south and 1.3 miles east, 0.1 mile east of a street intersection, 150 feet north of State Hwy. 674 on west side of a residence. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E.
42-24-6	Ruskin, about 1.2 miles east and 0.5 mile south, 300 feet north of State Hwy. 674 on west side of a street, 0.12 mile west of well 42-24-5, 0.1 mile south of a tenant house. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E.
42-24-7	Ruskin, about 1.3 miles east and 0.25 mile south, 0.12 mile east of a street on west side of a ditch, 0.25 mile north of State Hwy. 674, about 50 feet south of a road. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E.
42-25-1	Ruskin, about 1.35 miles south and 0.85 mile east, 0.35 mile south of Agriculture Center Rd., 0.4 mile southwest of well 42-24-1, 0.2 mile northeast of well 41-25-4, 0.1 mile northwest of a pond, 0.35 mile east of a road on west side of a ditch. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
42-25-2	Ruskin, about 1.25 miles south and 1.0 mile east, 0.25 mile west of a road and well 42-24-1, 0.15 mile northeast of well 42-25-1, 0.1 mile north of a pond, 0.25 mile south of Agriculture Center Rd. and well 42-25-9. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
42-25-3	Ruskin, about 1.25 miles south and 0.85 mile east, 0.12 mile west of well 42-25-2, 0.12 mile north of well 42-25-1, 50 feet north of a canal. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
42-25-4	Ruskin, about 1.25 miles south, 0.25 mile south of Agriculture Center, 0.2 mile east of a road, 15 feet north of a canal, 0.65 mile west of well 42-25-3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
42-25-5	Ruskin, about 1.15 miles south and 1.0 mile east, 0.12 mile south of Agriculture Center Rd. and well 42-25-9, 0.12 mile north of well 42-25-2. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 32 S., R. 19 E.
42-25-6	Ruskin, about 1.15 miles south and 0.9 mile east, 0.12 mile south of Agriculture Center Rd., 0.1 mile west of well 42-25-5, 0.12 mile northeast of well 42-25-3. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
42-25-7	Ruskin, about 1.15 miles south and 0.75 mile east, 0.15 mile west of well 42-25-6, 0.1 mile south of a residence. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
42-25-8	Ruskin, about 1.1 miles south and 0.35 mile east, 0.2 mile southeast of the Agriculture Center, 0.1 mile south of road, on west side of a ditch, 0.25 mile northeast of well 42-25-4. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 32 S., R. 19 E.
42-25-9	Ruskin, about 1.0 mile south and 1.0 mile east, 0.5 mile south of State Hwy. 674, 0.25 mile west of a road intersection, 20 feet north of Agriculture Center Rd., 0.12 mile north of well 42-25-5, 350 feet east of a residence and well 42-25-10. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E..
42-25-10	Ruskin, about 1.0 mile south and 0.95 mile east, 350 feet west of well 42-25-9 at a residence, 10 feet north of road. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-11	Ruskin, about 1.0 mile south and 0.6 mile east, 0.1 mile east of a street intersection, 0.3 mile west of well 42-25-10, 10 feet north of Agriculture Center Rd., 125 feet northeast of a residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-12	Ruskin, about 1.0 mile south and 0.5 mile east, 0.1 mile west of well 42-25-11, on west side of street, 100 feet north of an intersection, 0.2 mile northeast of well 42-25-8, 0.35 mile east of Agriculture Center. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-13	Ruskin, about 1.0 mile south and 0.35 mile east, 0.2 mile east of Agriculture Center, 10 feet north of street, about 0.1 mile west of intersection. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-14	Ruskin, about 0.9 mile south and 0.8 mile east, 0.35 mile south of State Hwy. 674, 0.15 mile north of Agriculture Center Rd., 0.15 mile northwest of well 42-25-10, 0.1 mile north of a residence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-15	Ruskin, about 0.9 mile south and 0.6 mile east, 0.35 mile south of State Hwy. 674, 0.25 mile west of well 42-25-14, 0.15 mile north of well 42-25-11, 300 feet east of a street and a row of tenant houses. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-16	Ruskin, about 0.9 mile south, 0.35 mile south of State Hwy. 674, 0.35 mile east of U. S. Hwy. 41, 0.12 mile north of well 42-25-13, 0.12 mile south of a barn, 0.12 mile west of a street and row of tenant houses. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-17	Ruskin, 0.75 mile south, 0.7 mile east of U. S. Hwy. 41, 0.25 mile south of State Hwy. 674, 0.25 mile east of barns and street, 0.12 mile east of a tenant house, 0.1 mile west of tenant houses, on north side of field road. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 17 E.
42-25-18	Ruskin, 0.7 mile south, 0.8 mile east of U. S. Hwy. 41, 0.25 mile south of State Hwy. 674, 0.35 mile east of barns and street on north side of a row of tenant houses, 0.1 mile east of well 42-25-17. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-19	Ruskin, 0.7 mile south, 0.8 mile east of U. S. Hwy. 41, 200 feet north of well 42-25-14. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-20	Ruskin, 0.65 mile south, 0.8 mile east of U. S. Hwy. 41, 0.12 mile south of State Hwy. 674 on west side of a row of pines, 0.1 mile south of a residence, 0.1 mile northwest of well 42-25-19. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-21	Ruskin, 0.6 mile south, 0.8 mile east of U. S. Hwy. 41, 300 feet south of State Hwy. 674, 100 feet southwest of a residence, 400 feet north of well 42-25-20. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-25-22	Ruskin, 0.75 mile southeast, 0.9 mile east of U. S. Hwy. 41, 0.15 mile north of State Hwy. 674, 0.25 mile northwest of well 42-24-6, on west side of a road in a pasture, 0.1 mile northeast of a creek. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
42-26-1	Ruskin, about 1.25 miles south, 0.2 mile south of U. S. Hwy. 41, 0.15 mile west of a street, 0.1 mile east of a street on south side of a canal, 200 feet east of a residence, 300 feet southwest of wells 42-26-4 and 42-26-5. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-2	Ruskin, 1.4 miles southeast, 0.3 mile south of U. S. Hwy. 41, 0.1 mile south of a canal, 0.1 mile east of a street on east side of owner's residence, 0.15 mile north of well 41-26-5. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
42-26-3	Ruskin, about 1.5 miles southwest, 0.25 mile south of U. S. Hwy. 41, 300 feet east of river, 0.1 mile south of a canal, 200 feet east of a street, 0.25 mile west of well 42-26-2. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-4	Ruskin, about 1.25 miles south, 0.25 mile south of 14th Ave. S.E., 0.1 mile west of street, 50 feet north of a tenant house, 150 feet north of a canal. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-5	Ruskin, about 1.25 miles south, 100 feet west of well 42-26-4. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-6	Ruskin, about 1.2 miles southwest, 0.12 mile south of U. S. Hwy. 41, 150 feet west of a street, 200 feet north of a residence, 0.1 mile north of a canal. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-7	Ruskin, 1.25 miles southwest, 150 feet south of U. S. Hwy. 41, on west side of a residence, 0.25 mile east of bridge, 250 feet east of a street, 0.15 mile north of a canal. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-8	Ruskin, about 1.7 miles southwest, 0.1 mile south of U. S. Hwy. 41, 250 feet east of river, 50 feet west of a street in yard at a motel. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 18, T. 32 S., R. 19 E.
42-26-9	Ruskin, about 1.0 mile south and 0.3 mile west, 250 feet north of U. S. Hwy. 41, 200 feet northwest of a residence at a barn. 0.25 mile northeast of well 42-26-7, 0.2 mile north of well 42-26-6. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-10	Ruskin, about 1.25 miles southwest, 0.15 mile north of U. S. Hwy. 41, 0.15 mile east of river, 100 feet west of a street, 200 feet south of railroad, 0.25 mile north of well 42-26-8. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-11	Ruskin, about 1.25 miles southwest, 30 feet north of railroad, 0.5 mile west of station, 250 feet northwest of well 42-26-10. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-12	Ruskin, about 0.75 mile south, 0.2 mile west of U. S. Hwy. 41, 150 feet north of railroad, 250 feet west of station in row of pines. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-13	Ruskin, about 0.65 mile south, 0.1 mile north of railroad station, 150 feet west of street, 0.1 mile south of street in field, 0.12 mile northeast of well 42-26-12. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-14	Ruskin, about 0.65 mile south, 0.1 mile north of well 42-26-12, 250 feet southwest of well 42-26-13, 200 feet east of a row of pines. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-15	Ruskin, about 0.65 mile south and 0.25 mile west, 0.2 mile northwest of railroad station, 0.12 mile west of well 42-26-14, 0.12 mile south of a street, 0.1 mile southwest of a residence. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-16	Ruskin, about 0.65 mile south and 0.4 mile west, 0.15 mile west of well 42-26-15, 0.15 mile south of a street, 250 feet southeast of a barn, 200 feet east of well 42-26-17. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-26-17	Ruskin, about 0.65 mile south and 0.45 mile west, 200 feet west of well 42-26-16, 0.15 mile south of a street, 0.1 mile south of a residence on south side of a ditch. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 32 S., R. 19 E.
42-27-1	Ruskin, about 2.0 miles southwest, 0.25 mile northwest of Little Manatee River, 0.2 mile northwest of U. S. Hwy. 41, 200 feet southwest of State Hwy. 674, 0.2 mile north of well 41-27-3. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-27-2	Ruskin, about 2.25 miles southwest, 0.25 mile west of well 42-27-1, 0.12 mile south of State Hwy. 674 at northwest corner of a pond, 0.3 mile northwest of well 41-27-2. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-27-3	Ruskin, about 2.0 miles southwest, 0.15 mile southwest of river, 0.25 mile northwest of U. S. Hwy. 41, 150 feet northeast of State Hwy. 674, 350 feet northeast of well 42-27-1. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-27-4	Ruskin, about 2.2 miles southwest, 0.12 mile north of well 42-27-2 on north side of State Hwy. 674, 150 feet west of a residence. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
42-27-5	Ruskin, about 2.25 miles southwest, 0.2 mile west of well 42-27-4, 300 feet west of State Hwy. 674, 300 feet southwest of owner's residence. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-27-6	Ruskin, about 1.9 miles southwest, 200 feet south of river, 100 feet south of street, 100 feet west of street at back of owner's residence, 0.25 mile north of State Hwy. 674. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-27-7	Ruskin, about 1.9 miles southwest, 150 feet west of well 42-27-6, 100 feet south of street, 50 feet north of owner's residence. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-27-8	Ruskin, about 2.15 miles southwest, 0.25 mile north of well 42-27-5, 0.25 mile west of well 42-27-7, 0.1 mile south of river, 40 feet north of State Hwy. 674. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 12, T. 32 S., R. 18 E.
42-27-9	Ruskin, about 1.9 miles west, 0.25 mile south of Shell Point Rd., 150 feet north of river, 50 feet north of residence in yard. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 32 S., R. 18 E.
42-28-1	Ruskin, about 2.3 miles southwest, 0.25 mile northwest of well 42-27-5, 0.2 mile southeast of well 42-27-8, 250 feet south of State Hwy. 674 and residence. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 32 S., R. 18 E.
42-28-2	Sun City, about 1.2 miles north about 0.4 mile southwest of well 42-28-1, 0.3 mile south of State Hwy. 674, 300 feet north of a creek, 250 feet east of well 42-28-3, 0.1 mile southeast of well 42-28-4. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-28-3	Sun City, about 1.2 miles north in a pasture, 0.3 mile south of State Hwy. 674, 0.2 mile southeast of a pond, 250 feet west of well 42-28-2. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-28-4	Sun City, about 1.25 miles north, 0.25 mile south of State Hwy. 674, 0.2 mile east of a pond, 0.3 mile southeast of a tenant house, 350 feet north of well 42-28-3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-28-5	Sun City, about 1.35 miles north, 2.6 miles southwest of Ruskin, 0.3 mile west of well 42-28-1, 0.15 mile northeast of well 42-28-2, 0.12 mile south of State Hwy. 674, 0.1 mile west of a creek. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-28-6	Sun City, about 1.6 miles north, 0.1 mile south of State Hwy. 674, 0.12 mile northwest of a pond, 0.12 mile northeast of a tenant house, 0.15 mile southeast of a tenant house, and well 42-28-11, 0.3 mile east of State Hwy. 674. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-28-7	Sun City, about 1.5 miles north, 0.1 mile south of well 42-28-6, 200 feet west of a pond, 0.2 mile south of State Hwy. 674. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-28-8	Sun City, about 1.75 miles north, 0.5 mile west of a turn in State Hwy. 674, 0.15 mile west of a creek, 10 feet north of road on west side of a drive in field corner, 0.1 mile south of a residence, 200 feet east of well 42-28-9. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-9	Sun City, about 1.75 miles north, 2.5 miles southwest of Ruskin, 200 feet west of well 42-28-8 on west side of drive to owner's residence, 15 feet north of State Hwy. 674. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-10	Sun City, about 1.75 miles north, 250 feet west of well 42-28-9 on west side of a field road. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 32 S., R. 18 E.
42-28-11	Sun City, about 1.75 miles north, 0.4 mile west of well 42-28-10, 20 feet north of State Hwy. 674 at southwest corner of a residence, 0.2 mile east of a turn in State Hwy. 674, 0.15 mile northwest of well 42-28-6. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-12	Sun City, about 1.85 miles north, 0.12 mile north of State Hwy. 674 and well 42-28-8 at northwest corner of owner's residence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-13	Sun City, about 1.8 miles north, 0.3 mile west of well 42-28-10, 350 feet north of State Hwy. 674, 450 feet northwest of a tenant house, 0.25 mile northeast of well 42-28-11. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
42-28-14	Sun City, about 1.8 miles north, 0.15 mile west of well 42-28-13, 350 feet north of State Hwy. 674 and a row of pines, 0.12 mile northeast of well 42-28-11, 400 feet east of a row of pines. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-15	Sun City, about 1.8 miles north, 0.1 mile north of State Hwy. 674 and well 42-28-11 at a barn on west side of a row of pines. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-16	Sun City, about 1.85 miles north, 300 feet north of well 42-28-13, 0.15 mile north of State Hwy. 674. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-17	Sun City, about 1.85 miles north, 0.12 mile north of State Hwy. 674, 0.15 mile west of well 42-28-16, 250 feet north of well 42-28-14, 350 feet northwest of well 42-28-15. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-28-18	Sun City, about 2.0 miles north, 0.25 mile north of well 42-28-9 and State Hwy. 674, 200 feet south of owner's residence at turn in drive. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-29-1	Sun City, about 1.5 miles northwest, 350 feet west of State Hwy. 674, 0.2 mile north of well 41-29-22, 0.1 mile south of well 42-29-3 at a ditch. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
42-29-2	Sun City, about 1.6 miles northwest, 0.15 mile north of State Hwy. 674, on west side of a field road, 0.12 mile north of well 41-29-25, 200 feet north of well 41-29-26. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
42-29-3	Sun City, about 1.6 miles northwest, 0.1 mile north of well 42-29-1, 300 feet west of State Hwy. 674, 0.1 mile south of well 42-29-7. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
42-29-4	Sun City, about 1.7 miles northwest, 0.25 mile west of well 42-29-3, 0.3 mile north of State Hwy. 674, 300 feet north of a row of pines, 400 feet northwest of well 42-29-5. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
42-29-5	Sun City, about 1.65 miles northwest, 0.25 mile north of State Hwy. 674, 0.4 mile west of State Hwy. 674, 0.15 mile northeast of well 42-29-2, 0.12 mile east of a tenant house. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
42-29-6	Sun City, about 1.6 miles northwest, 0.12 mile south of State Hwy. 674, 350 feet east of State Hwy. 674, 0.15 mile southeast of well 42-29-7, 0.13 mile northeast of well 42-29-3, 300 feet west of a tenant house. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 14, T. 32 S., R. 18 E.
42-29-7	Sun City, about 1.65 miles northwest, 250 feet east of State Hwy. 674, 0.15 mile northwest of well 42-29-6, 0.1 mile north of well 42-29-3. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 32 S., R. 18 E.
42-29-8	Sun City, about 1.75 miles north, 0.15 mile west of well 42-28-11, 50 feet north of State Hwy. 674, 0.15 mile north of well 42-29-6. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
42-29-9	Sun City, about 1.75 miles north, 400 feet west of well 42-29-8 on north side of a gate on east side of a ditch, 100 feet northwest of a turn in State Hwy. 674, 0.1 mile northeast of well 42-29-7. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 32 S., R. 18 E.
43-23-1	Ruskin, about 2.2 miles east and 0.5 mile north, 0.1 mile east of railroad, 1.0 mile north of State Hwy. 674, 0.1 mile west of a creek, 0.3 mile east of well 43-24-14, 0.1 mile southeast of a spring. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 32 S., R. 19 E.
43-23-2	Ruskin, about 2.25 miles east and 0.75 mile north, 0.9 mile west of railroad, 0.25 mile east of a canal, 0.1 mile west of a creek, 0.1 mile south of a ditch and fence, 0.3 mile north of well 43-23-1. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 32 S., R. 18 E.
43-24-1	Ruskin, about 2.0 miles east, 0.4 mile north of State Hwy. 674, 0.25 mile east of a street, 0.6 mile northeast of well 42-24-7, 0.2 mile southeast of well 43-24-4. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 10, T. 32 S., R. 19 E.
43-24-2	Ruskin, about 0.9 mile east, 0.2 mile south of Shell Point Rd., 300 feet west of 15th St. and row of tenant houses, 0.3 mile north of State Hwy. 674, 0.2 mile northwest of well 42-24-7. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
43-24-3	Ruskin, about 0.95 mile east, 0.1 mile northeast of well 43-24-2, 50 feet west of 15th St., 0.4 mile north of State Hwy. 674, 0.1 mile south of Shell Point Rd., 300 feet north of a tenant house. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 32 S., R. 19 E.
43-24-4	Ruskin, about 1.8 miles east, 0.6 mile east of 15th St., 0.12 mile east of a street, 30 feet north of a fence at a field road intersection, 0.3 mile east of well 43-24-5, 0.15 mile southeast of a pond. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-5	Ruskin, about 1.5 miles east, 0.3 mile east of 15th St., 0.2 mile east of a pond, 10 feet north of Shell Point Rd., 0.5 mile north of State Hwy. 674. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-6	Ruskin, about 1.2 miles east, 0.35 mile east of railroad, 300 feet north of Shell Point Rd., 10 feet west of 15th St., 0.1 mile southwest of owner's residence. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-7	Ruskin, about 1.8 miles east, 0.6 mile east of 15th St., 0.12 mile north of well 43-24-4 on west side of a canal. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-8	Ruskin, about 1.3 miles east, 0.12 mile north of Shell Point Rd., 0.1 mile east of 15th St., at back of owner's residence, 0.12 mile northeast of well 43-24-6. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-9	Ruskin, about 1.3 miles east, 0.2 mile north of Shell Point Rd., 0.12 mile north of well 43-24-6, 0.1 mile northwest of owner's residence, 20 feet west of 15th St. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-10	Ruskin, about 2.0 miles east and 0.25 mile north, 0.3 mile northeast of well 43-24-4, 0.2 mile east of a canal and well 43-24-11 on north side of a ditch, 0.3 mile north of well 43-24-1. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 3, T. 32 S., R. 19 E.
43-24-11	Ruskin, about 1.8 miles east and 0.25 mile north, 0.6 mile east of 15th St., 0.25 mile north of well 43-24-4, 0.1 mile north of well 43-24-7, on west side of a canal. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-12	Ruskin, about 1.4 miles east and 0.25 mile north, 0.25 mile north of Shell Point Rd. and 0.1 mile east of 15th St., on southwest side of a pond, 0.12 mile north of well 43-24-8, 0.15 mile northeast of well 43-24-9. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-13	Ruskin, about 1.3 miles east and 0.35 mile north, 0.35 mile north of Shell Point Rd., on west side of 15th St. at end of a ditch and row of pines, 0.2 mile north of well 43-24-9, 0.15 mile northwest of well 43-24-12. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-14	Ruskin, about 1.8 miles east and 0.5 mile north, 0.75 mile east of railroad on north side of a canal at southwest end of a pond, 0.25 mile north of well 43-24-11, 0.3 mile west of well 43-23-1. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-15	Ruskin, about 0.5 mile north and 1.1 miles east, 100 feet west of railroad, about 100 feet northeast of a pond, 0.15 mile southeast of owner's residence, 0.15 mile east of street and well 43-25-18. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-16	Ruskin, about 0.8 mile north and 1.8 miles east, 0.6 mile east of railroad, 0.2 mile south of a road, 450 feet south of well 43-24-17, 0.3 mile north of well 43-24-14 on west side of a canal on north side of a swamp. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-17	Ruskin, about 0.85 mile north and 1.8 miles east, 0.5 mile east of railroad, 0.12 mile south of a road on north side of a ditch and row of pines, 450 feet north of well 43-24-16, 0.4 miles west of well 43-23-2, 400 feet east of well 43-24-18. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-18	Ruskin, about 0.85 mile north and 1.75 miles east, 0.45 mile east of railroad, 0.12 mile south of road, 400 feet west of well 43-24-17, 0.35 mile east of well 43-24-19, 0.2 mile southeast of well 44-24-2. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-19	Ruskin, about 0.85 mile north and 1.4 miles east, 0.12 mile west of a canal and railroad, 0.12 mile south of a road and well 44-24-3, 150 feet west of a pond, 0.15 mile north of a residence, 0.35 mile west of well 43-24-18. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
43-24-20	Ruskin, about 0.75 mile north and 1.2 miles east, 0.2 mile northeast of well 43-24-15, 30 feet west of railroad, 0.25 mile east of street, 0.3 mile northeast of owner's residence, 0.15 mile southeast of well 43-25-19. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-24-21	Ruskin, about 0.85 mile north and 1.2 miles east, 0.12 mile north of well 43-24-17, 0.1 mile west of railroad, 0.2 mile south of Council Rd., 0.25 mile east of street on south side of a ditch. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-25-1	Ruskin, about 0.7 mile east, 400 feet south of Shell Point Rd., 0.1 mile northeast of railroad, 150 feet east of owner's residence, 300 feet southwest of well 43-25-3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
43-25-2	Ruskin, about 0.3 mile east, 200 feet south of Shell Point Rd. in field, 150 feet east of a residence, 0.4 mile west of well 43-25-1. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
43-25-3	Ruskin, about 0.7 mile east in a yard on south side of Shell Point Rd., 0.1 mile west of railroad, 100 feet west of a street intersection. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
43-25-4	Ruskin, about 0.6 mile east, 250 feet north of Shell Point Rd. in a field, 250 feet northeast of a residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-5	Ruskin, about 0.8 mile east, 300 feet north of Shell Point Rd., 200 feet northwest of street, 250 feet northwest of railroad in a field, 0.1 mile northeast of well 43-25-3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-6	Ruskin, about 0.5 mile east, 0.1 mile north of Shell Point Rd., 200 feet south of a residence on west side of a drive and row of pines, 0.15 mile northwest of well 43-25-4. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-7	Ruskin, about 1.1 miles east, 0.2 mile north of Shell Point Rd., 0.12 mile west of 15th St. and well 43-24-9, 0.15 mile east of railroad. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-25-8	Ruskin, about 0.8 mile east, 0.12 mile north of Shell Point Rd., 300 feet north of well 43-25-5, 0.1 mile northwest of a street, 0.12 mile east of owner's residence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-9	Ruskin, about 0.55 mile east, 0.12 mile north of Shell Point Rd., 300 feet west of a residence, 0.15 mile northwest of well 43-25-4, 400 feet northeast of well 43-25-6. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-10	Ruskin, about 0.35 mile northwest in a field, 0.35 mile east of U. S. Hwy. 41, 250 feet south of a street, 0.12 mile east of a canal and well 43-25-11. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-11	Ruskin, about 0.2 mile north and 0.15 mile east in a yard, about 10 feet south of a street on west bank of a canal, 0.12 mile northwest of well 43-25-10. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-12	Ruskin, about 0.25 mile north and 0.9 mile east, 200 feet north of a street, on west side of 12th St. W. E., 0.1 mile northeast of well 43-25-13, 250 feet northwest of railroad. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-13	Ruskin, about 0.25 mile north and 0.8 mile east, 0.1 mile southwest of well 43-25-12 on north side of a street, 0.12 mile west of a street, 0.12 mile north of well 43-25-8. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-14	Ruskin, about 0.3 mile north, 0.1 mile east of U. S. Hwy. 41, 350 feet north of a street, 400 feet east of packing house, 0.1 mile northwest of well 43-25-11. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-15	Ruskin, about 0.4 mile north and 0.9 mile east, 0.1 mile northeast of well 43-25-12, 150 feet east of 12th St., 250 feet northwest of railroad, 0.12 mile south of a street. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-25-16	Ruskin, about 0.4 mile north, 0.2 mile east of U. S. Hwy. 41, 300 feet south of 7th Ave., 300 feet east of a street, 0.1 mile northwest of a residence, 0.15 mile northeast of well 43-25-14. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
43-25-17	Ruskin, about 0.4 mile north, 0.1 mile east of U. S. Hwy. 41, 0.12 mile north of well 43-25-14, 0.12 mile east of well 43-25-16, 250 feet south of a residence. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-18	Ruskin, about 0.5 mile north and 0.9 mile east, 150 feet north of 7th Ave., 15 feet east of 12th St., 250 feet south of owner's residence, 0.15 mile north of well 43-25-15. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-25-19	Ruskin, about 0.75 mile north and 1.2 miles east, 0.1 mile east of 12th St., 0.1 mile northwest of railroad, 0.15 mile northeast at owner's residence, 0.25 mile northeast of well 43-25-18. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
43-25-20	Ruskin, about 0.75 mile north and 0.4 mile east of a street, 0.2 mile east of well 43-25-21, 0.25 mile south of Council Road, 0.35 mile northeast of well 43-25-16, on west side of a canal. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-21	Ruskin, about 0.75 mile north and 0.2 mile east, 0.2 mile west of well 43-25-20, 250 feet east of a street, 0.25 mile south of Council Rd., 100 feet south of a tenant house on south side of a ditch. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-25-22	Ruskin, about 0.8 miles north, 250 feet east of U. S. Hwy. 41, 150 feet north of a pond and a tenant house, 0.2 mile south of Council Rd., NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
43-26-1	Ruskin, about 300 feet south of Post Office on east side of restaurant, 75 feet south of Shell Point Rd., 125 feet east of U. S. Hwy. 41, 200 feet north of creek. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 8, T. 32 S., R. 19 E.
43-26-2	Ruskin, about 0.3 mile west, 0.12 mile north of Shell Point Rd., 25 feet west of 4th St. N.W. in a field. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-3	Ruskin, about 0.4 mile west, 0.12 mile north of Shell Point Rd., 0.15 mile west of well 43-26-2 and 4th St. N.W., 300 feet east of a pond on south side of a ditch, 0.1 mile east of a row of tenant houses and a street. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-4	Ruskin, 0.9 mile west, 0.12 mile north of Shell Point Rd. on south side of a ditch, 400 feet west of a canal, 230 feet northwest of a pond in a lemon grove. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-5	Ruskin, about 0.4 mile west and 0.25 mile north, 0.2 mile north of well 43-26-3, 0.15 mile west of 4th St. on south side of a row of pines, 0.1 mile west of a swamp. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-6	Ruskin, about 0.65 mile west in a grove, 0.25 mile north of Shell Point Rd., 0.12 mile west of a street on south side of a ditch in a row of pines, 0.1 mile east of a pond, 0.25 mile west of well 43-26-5. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-7	Ruskin, about 0.9 mile west, 0.25 mile north of Shell Point Rd., in a lemon grove, 0.12 mile north of well 43-26-4, 20 feet north of a canal, 0.12 mile east of a canal and street, 0.25 mile south of 7th Ave., 0.12 mile south of well 43-26-26. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-8	Ruskin, about 0.4 mile north and 0.35 mile west, 0.45 mile north of Shell Point Rd., 350 feet west of 4th St., 400 feet south of 7th Ave., 250 feet north of a row of pines, 0.15 mile northwest of well 43-26-27. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-9	Ruskin, about 0.5 mile west and 0.45 mile north in a pasture, 0.15 mile west of 4th St., 300 feet south of 7th Ave., 0.1 mile west of well 43-26-8. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-10	Ruskin, about 0.5 mile north and 0.55 mile west, 0.25 mile west of 4th St., 10 feet north of 7th Ave. on east side of a canal, northeast of a road intersection and a grove, 0.12 mile northwest of well 43-26-9. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-11	Ruskin, about 0.5 mile north and 0.8 mile west, 0.25 mile west of well 43-26-10, 10 feet north of 7th Ave. in fence corner northeast of road intersection, north of a grove. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.

TABLE 2--Continued

Well No.	Location
43-26-12	Ruskin, about 0.5 mile north and 1.0 mile west, 0.15 mile west of well 43-26-11, 10 feet north of 7th Ave. on north side of a fence, 0.1 mile east of a street, 0.5 mile north of Shell Point Rd., 0.12 mile northwest of well 43-26-26. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-13	Ruskin, about 0.5 mile north and 0.6 mile west, 150 feet north of 7th Ave. on west side of a ditch, 400 feet west of well 43-26-10, 300 feet southwest of well 43-26-16. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-14	Ruskin, about 0.3 mile west and 0.6 mile north, 0.12 mile north of 7th Ave., 30 feet west of 4th St., 300 feet north of a residence on south side of a canal. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-15	Ruskin, about 0.5 mile north and 0.4 mile west, 0.12 mile southwest of well 43-26-14, 0.15 mile northeast of well 43-26-10, 200 feet north of 7th Ave., 0.12 mile west of 4th St. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-16	Ruskin, about 0.5 mile north and 0.55 mile west, 350 feet north of 7th Ave., at a shed on west side of a canal and row of pines, 350 feet northwest of well 43-26-10, 300 feet northeast of well 43-26-13. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-17	Ruskin, about 0.6 mile north and 0.6 mile west, 0.1 mile north of well 43-26-13 northeast of a ditch intersection, 400 feet northwest of well 43-26-16, 0.12 mile north of 7th Ave. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-18	Ruskin, about 0.65 mile west and 0.6 mile north, 0.35 mile west of 4th St., and 0.12 mile north of 7th Ave., 250 feet west of well 43-26-17, 0.1 mile northwest of well 43-26-13. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-19	Ruskin, about 0.7 mile west and 0.6 mile north, 0.15 mile northeast of well 43-26-11, 300 feet west of well 43-26-18, northeast of a ditch intersection, 300 feet east of a road and canal. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-20	Ruskin, about 0.85 mile west and 0.65 mile north, 0.2 mile northwest of well 43-26-11, 350 feet west of a road, 250 feet northeast of a pond, 0.1 mile south of a shell pit, 0.2 mile northeast of well 43-26-12. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-21	Ruskin, about 0.65 mile north, 0.1 mile west of U. S. Hwy. 41, 0.1 mile south of a street, 150 feet north of a street, 0.25 mile east of well 43-26-14. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-22	Ruskin, about 0.75 mile north and 0.35 mile west, 0.12 mile north of well 43-26-14, 250 feet east of corner of 4th St., 20 feet north of a canal. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-23	Ruskin, about 0.8 mile north and 0.7 mile west, 0.2 mile north of well 43-26-19, 250 feet north of a canal and row of pines, 350 feet east of a road and well 43-26-24, 0.2 mile south of a road and large canal. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-24	Ruskin, about 0.8 mile north and 0.8 mile west, 0.3 mile north of 7th Ave. and well 43-26-11 on west side of a road and fence, 100 feet east of a shell pit, 350 feet west of well 43-26-23. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-25	Ruskin, about 0.35 mile north, 0.15 mile west of U. S. Hwy. 41, 300 feet west of a street on south side of a ditch by field road, 0.1 mile east of barn and well 43-26-27. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-26	Ruskin, about 0.95 mile west, 0.35 mile north of Shell Point Rd., 0.12 mile south of 7th Ave., 0.12 mile east of a canal and street on north side of a ditch, 0.15 mile north of well 43-26-7. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-26-27	Ruskin, about 0.35 mile north and 0.25 mile west, 0.1 mile west of well 43-26-25 at barn, 350 feet east of 4th St., 0.35 mile north of Shell Point Rd. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
43-27-1	Ruskin, about 1.8 miles west, 0.2 mile south of Shell Point Rd., 200 feet north of river, 0.12 mile northeast of well 42-27-9 and tenant house at end of field, 0.12 mile southeast of well 43-27-2. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 12, T. 32 S., R. 18 E.

TABLE 2.--Continued

Well No.	Location
43-27-2	Ruskin, about 1.85 mile west, 0.15 mile south of Shell Point Rd., 300 feet east of drive, 0.1 mile north of well 42-27-9, 0.1 mile southeast of well 43-28-2. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 12, T. 32 S., R. 18 E.
43-27-3	Ruskin, about 1.15 miles west, 0.7 mile north of Shell Point Rd., 250 feet west of a road, 100 feet northeast of a pond, 350 feet northwest of well 43-26-10, 0.3 mile northwest of well 43-26-12. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-4	Ruskin, about 1.35 miles west, 250 feet north of Shell Point Rd., 150 feet northwest of a residence, 100 feet west of a field road, 300 feet northeast of a residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-5	Ruskin, about 1.85 miles west, about 10 feet north of Shell Point Rd., 300 feet west of a drive, 0.35 mile west of well 43-27-4. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-6	Ruskin, about 1.85 miles west, 0.12 mile north of Shell Point Rd. and well 43-27-5, 200 feet southwest of a pond, 150 feet northeast of a pond, on south side of a ditch. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-7	Ruskin, about 1.3 miles west, 0.25 mile north of Shell Point Rd., 0.2 mile northeast of well 43-27-4, at a ditch intersection on north side of a field road. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-8	Ruskin, about 2.2 miles west, 0.3 mile north of Shell Point Rd., 300 feet west of a street and canal, 250 feet east of a field road, 0.15 mile northeast of well 43-27-7, 0.12 mile southeast of well 43-27-9 and tenant houses. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-9	Ruskin, about 2.25 miles west, 0.4 mile north of Shell Point Rd., 0.12 mile northwest of well 43-27-8, 0.2 mile northeast of well 43-27-7 at tenant house and barn. NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 1, T. 32 S., R. 19 E.
43-27-10	Ruskin, about 1.1 miles west, 0.65 mile north of Shell Point Rd., 150 feet west of a road, 0.2 mile northwest of well 43-26-12, 350 feet southeast of well 43-27-3, 200 feet north of a pond. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-27-11	Ruskin, about 1.35 miles west, 0.65 mile north of Shell Point Rd., 0.25 mile west of a road, 0.2 mile west of well 43-27-3, on south side of a ditch, 0.15 mile west of a pond. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-28-1	Ruskin, about 2.0 miles west, 0.15 mile south of Shell Point Rd. and well 43-28-3, 200 feet southwest of well 43-28-2, 50 feet south of a shed. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 32 S., R. 18 E.
43-28-2	Ruskin, about 2.0 miles west, 0.12 mile south of Shell Point Rd., 50 feet west of a drive, 150 feet northwest of a barn, 200 feet northeast of well 43-28-1, 0.12 mile southeast of 43-28-3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 32 S., R. 18 E.
43-28-3	Ruskin, about 2.0 miles west, 0.35 mile west of well 43-27-5, 15 feet north of Shell Point Rd., 0.12 mile northeast of well 43-28-2. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 32 S., R. 18 E.
43-28-4	Ruskin, about 2.15 miles west, 0.2 mile south of Shell Point Rd., 400 feet east of a fish camp, 200 feet southeast of a barn. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
43-28-5	Ruskin, about 2.4 miles west of Shell Point Recreation Center, on west side of barracks, on east side of swimming pool, 50 feet north of road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 32 S., R. 18 E.
44-24-1	Ruskin, about 2.0 miles east and 1.0 mile north, 1.0 mile east of 12th St., 0.6 mile east of railroad, 20 feet north of end of road, 100 feet east of a pond, 200 feet east of a gate, 0.4 mile east of well 44-24-2. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 31 S., R. 18 E.
44-24-2	Ruskin, about 1.6 miles east and 1.0 mile north, 0.4 mile west of well 44-24-1, 0.2 mile east of railroad, on south side of road and ditch, 150 feet west of pond, 0.15 mile east of well 44-24-3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-24-3	Ruskin, about 1.45 miles west and 1.0 mile north, 0.1 mile east of railroad on south side of road and ditch, 0.15 mile west of well 44-24-2, 0.1 mile northeast of well 43-24-2, 0.1 mile northeast of well 43-24-19. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 32 S., R. 19 E.
44-24-4	Ruskin, about 1.0 mile north and 1.3 miles east, 0.35 mile east of 12th St., 300 feet west of railroad, 50 feet north of road, 0.1 mile east of a pond. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-5	Ruskin, about 2.0 miles northeast, 0.5 mile east of railroad, 0.2 mile northwest of well 44-24-1, 0.1 mile south of well 44-24-6, 400 feet southeast of a pond. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-6	Ruskin, about 2.1 miles northeast, 0.1 mile north of well 44-24-5, 100 feet northeast of a pond. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-7	Ruskin, about 2.0 miles northeast, 0.12 mile west of well 44-24-6, 0.2 mile north of road, 0.25 mile southeast of railroad, 150 feet northwest of a pond at a ditch intersection. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-8	Ruskin, about 1.1 miles north and 1.5 miles east, 0.1 mile northeast of well 44-24-4, 50 feet west of railroad on west side of a fence, 400 feet north of road. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-9	Ruskin, about 1.1 miles north and 1.2 miles east, 0.1 mile north of road, 0.25 mile east of 12th St., 0.15 mile northwest of well 44-24-4. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-10	Ruskin, about 1.25 miles north and 1.5 miles east, 50 feet west of railroad, 0.1 mile northeast of well 44-24-8, 200 feet southeast of a canal. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 18 E.
44-24-11	Ruskin, about 2.25 miles northwest, 0.25 mile north of well 44-24-6, 0.45 mile north of a road, 0.15 mile east of railroad, 0.15 mile west of a pond. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-12	Ruskin, about 1.35 miles north and 0.6 miles east, 0.6 mile east of 12th St., 50 feet west of railroad, 0.1 mile north of a canal, 0.35 mile east of a field road, 0.2 mile northeast of well 44-24-13, 0.1 mile southwest of well 44-24-15. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-13	Ruskin, about 1.8 miles northeast, 0.35 mile east of 12th St., 0.12 mile east of a field road, 0.15 mile west of railroad on north side of a canal, 0.2 mile southwest of well 44-24-12, 0.12 mile east of well 44-24-14. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-14	Ruskin, about 1.8 miles northeast, 0.25 mile east of 12th St., on east side of a field road, 0.25 mile west of railroad on north side of canal, 0.12 mile west of well 44-24-13, 0.25 mile north of well 44-24-9. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-15	Ruskin, about 2.0 miles northeast, 0.8 mile east of intersection at Dickman Rd. and U. S. Hwy. 41, 0.65 mile east of 12th St., 100 feet west of railroad on south side of a row of pines, 0.1 mile northeast of well 44-24-12. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 32 S., R. 19 E.
44-24-16	Ruskin, about 2.0 miles northeast, 0.12 mile east of well 44-24-15, on south side of canal, 0.25 mile west of a field road, 0.5 mile west of 12th St. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-17	Ruskin, about 2.1 miles northeast, 0.1 mile north of well 44-24-15, 300 feet west of railroad in a ditch on north side of a row of pines, 0.65 mile east of U. S. Hwy. 41, 0.2 mile east of a tenant house and well 44-24-18. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-18	Ruskin, about 2.0 miles northeast, 0.5 mile east of U. S. Hwy. 41 and 12th St., 0.15 mile west of well 44-24-17 at a tenant house, on north side of a field road. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-19	Ruskin, about 1.95 miles northeast, 0.4 mile west of U. S. Hwy. 41 and 12th St., on north side of a row of pines, 0.1 mile west of well 44-24-18, 0.15 mile east of well 44-24-20. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-24-20	Ruskin, about 1.95 miles northeast, 0.25 mile east of U. S. Hwy. 41, 0.15 mile west of well 44-24-19, 0.2 mile east of well 44-25-10, on north side of row of pines. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-21	Ruskin, about 2.0 miles northeast, 0.15 mile north of well 44-24-20, 200 feet southeast of U. S. Hwy. 41, 250 feet north of a canal, 0.1 mile south of a field road. NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-22	Ruskin, about 2.4 miles northeast, 0.3 mile northeast of well 44-24-17 in a grove, 100 feet west of a canal, 150 feet west of railroad, 0.5 mile east of U. S. Hwy. 41, 0.15 mile west of well 44-24-23, 200 feet south of a canal. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-23	Ruskin, about 2.35 miles northeast, 0.35 mile east of U. S. Hwy. 41, 0.25 mile north of well 44-24-17, 0.15 mile west of well 44-24-22, 100 feet north of a pond, 0.12 mile southeast of well 44-24-24. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-24	Ruskin, about 2.35 miles northwest, 0.12 mile northwest of well 44-24-23, 125 feet north of a pond in a grove, 200 feet east of a canal, 150 feet south of a canal, 0.15 mile east of group of tenant houses. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-25	Ruskin, about 2.2 miles northeast, 0.15 mile east of U. S. Hwy. 41, at a group of tenant houses, 0.1 mile north of a canal, 0.2 mile northeast of well 44-24-21, 0.12 mile east of well 44-24-26. NE $\frac{1}{4}$ NW sec. 33, T. 31 S., R. 19 E.
44-24-26	Ruskin, about 2.2 miles northeast, 0.12 mile west of well 44-24-25, 250 feet east of U. S. Hwy. 41, 0.1 mile northeast of well 44-24-21 on north side of a field road and fence. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-27	Ruskin, about 2.25 miles northeast, 0.25 mile east of U. S. Hwy. 41, 0.35 mile south of Leisey Rd., 0.12 mile northeast of a group of tenant houses and well 44-24-25, 250 feet north of a field road, 100 feet west of a canal. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-28	Ruskin, about 2.25 miles northeast, 100 feet west of U. S. Hwy. 41, 0.5 mile southeast of Leisey Rd., 100 feet southwest of a residence, 400 feet northwest of well 44-24-26. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-24-29	Ruskin, about 2.55 miles northeast in a pasture, 200 feet west of railroad on north side of a canal, 200 feet east of a row of pines, and ditch, 0.5 mile east of U. S. Hwy. 41, 0.15 mile east of well 44-24-30. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
44-24-30	Ruskin, about 2.5 miles northwest in a pasture, 0.35 mile east of U. S. Hwy. 41, on north side of a canal, 0.12 mile east of well 44-24-31, 0.3 mile southeast of Leisey Rd., 0.1 mile south of a canal. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
44-24-31	Ruskin, about 2.45 miles northeast, 0.25 mile south of Leisey Rd. in a pasture, 0.25 mile east of U. S. Hwy. 41 on north side of a canal, 0.2 mile northeast of well 44-24-27, 125 feet east of well 44-24-32. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
44-24-32	Ruskin, about 2.45 miles northeast, 0.12 mile west of a canal, 0.1 mile north of a canal, 125 feet west of well 44-24-31. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
44-25-1	Ruskin, about 1.0 mile north and 1.0 mile east, 200 feet east of 12th St., on north side of road in a pasture, 100 feet north of a tenant house. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-25-2	Ruskin, about 1.0 mile north and 0.95 mile east, in a fence corner, southwest of 12th St., and Council Rd. intersection, 250 feet west of well 44-25-1. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
44-25-3	Ruskin, about 1.0 mile north and 0.9 mile east, 0.1 mile west of 12th St. on north side of Council Rd. at tenant house. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-4	Ruskin, about 1.0 mile north and 0.4 mile east, 0.2 mile east of U. S. Hwy. 41, 300 feet south of Council Rd. in a row of pines, 0.1 mile southwest of well 44-25-5, 350 feet southeast of a tenant house. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-25-5	Ruskin, about 0.1 mile north and 0.45 mile east, 0.25 mile east of U. S. Hwy. 41, 50 feet south of Council Rd., 20 feet west of a row of pines, 0.12 mile east of a tenant house. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
44-25-6	Ruskin, about 1.0 mile north and 0.3 mile east, 0.1 mile east of U. S. Hwy. 41, and a residence, 30 feet south of road, 0.2 mile west of well 44-25-5, 350 feet west of a tenant house. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 5, T. 32 S., R. 19 E.
44-25-7	Ruskin, about 1.0 mile north and 0.9 mile west, 0.1 mile north of well 44-25-3 in a pasture, 0.12 mile west of 12th St. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-8	Ruskin, about 1.0 mile east and 1.25 miles north, 0.25 mile north of Council Rd. and well 44-25-2, 200 feet west of 12th St. on south side of a swamp, 0.15 mile northeast of well 44-25-7. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32 T. 31 S., R. 19 E.
44-25-9	Ruskin, about 1.2 miles north, 0.2 mile northeast of Council Rd., 250 feet west of U. S. Hwy. 41, on north side of a row of pines and field road, 0.15 mile north of well 44-25-6. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-10	Ruskin, about 1.0 mile east and 1.6 miles north, 150 feet east of 12th St., 200 feet southeast of U. S. Hwy. 41, on north side of a field road and a row of pines. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-25-11	Ruskin, about 1.0 mile east and 1.4 miles north, on west side of 12th St., 0.25 mile south of U. S. Hwy. 41, 0.12 mile north of a canal at a tenant house, 150 feet north of a swamp. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-12	Ruskin, about 1.5 miles north and 0.55 mile east, 0.2 mile west of U. S. Hwy. 41, on north side of Dickman Rd. at shop and barns, across road from packing house. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-13	Ruskin, about 1.5 miles north and 0.45 mile east, 0.25 mile west of U. S. Hwy. 41, 250 feet west of Dickman packing house on south side of street, 300 feet east of a tenant house, 0.1 mile west of well 44-25-12. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-14	Ruskin, about 1.5 miles north and 0.3 mile east, 0.4 mile west of U. S. Hwy. 41, 0.15 mile west of well 44-25-13, on north side of road opposite a row of tenant houses, 0.1 mile west of a road intersection. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-15	Ruskin, about 1.5 miles north, 0.5 mile west of U. S. Hwy. 41, 0.1 mile west of well 44-25-14, on north side of road in a row of pines. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-16	Ruskin, about 1.5 miles north, 0.6 mile west of U. S. Hwy. 41, 0.1 mile west of well 44-25-15, on south side of road on west side of a ditch, 0.25 mile east of a bridge. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-17	Ruskin, about 1.5 miles north, 0.7 mile west of U. S. Hwy. 41, 0.1 mile west of well 44-25-16 on north side of road in row of pines, 0.15 mile east of a bridge. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-18	Ruskin, about 1.55 miles north and 0.8 mile east, 0.1 mile northeast of Dickman Rd., 25 feet west of U. S. Hwy. 41, 300 feet southwest of a bridge on west side of a row of pines. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-19	Ruskin, about 1.55 miles north and 0.7 mile east, 0.12 mile northwest of U. S. Hwy. 41 and well 44-25-18, 400 feet north of Dickman Rd., 0.1 mile northeast of well 44-25-12, 100 feet north of a swamp. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-20	Ruskin, about 1.6 miles north and 0.5 mile east, 0.12 mile north of road and Dickman packing house, 0.15 mile northwest of well 44-25-19, on north side of a ditch, on west side of a pond, 0.1 mile west of a road and row of pines. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-21	Ruskin, about 1.6 miles north and 0.3 mile east, 0.15 mile west of well 44-25-20, 0.12 mile north of Dickman Rd. and well 44-25-14, on north side of a ditch on east side of a row of pines. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-25-22	Ruskin, about 1.6 miles north, 0.5 mile east of U. S. Hwy. 41, 0.12 mile north of Dickman Rd. and well 44-25-15, 0.15 mile west of well 44-25-21, on north side of a ditch on east side of a row of pines. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-23	Ruskin, about 1.6 miles north, 0.12 mile north of Dickman Rd. and well 44-25-17, 0.2 mile west of well 44-25-22, 0.15 mile northeast of a creek, 0.12 mile east of a field road. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 32 S., R. 19 E.
44-25-24	Ruskin, about 1.65 miles north, 0.1 mile north of well 44-25-18, 400 feet west of U. S. Hwy. 41, 15 feet northeast of a canal at end of a row of pines, 0.1 mile west of a residence. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-25	Ruskin, about 1.7 miles north and 0.9 mile east, 350 feet northeast of well 44-25-24, 0.1 mile northwest of intersection of U. S. Hwy. 41 and 12th St., 50 feet northwest of a row of pines, 0.12 mile southwest of a canal and well 44-25-29. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-26	Ruskin, about 1.7 miles north and 0.6 mile east, 0.2 mile north of Dickman packing house, 0.1 mile east of a road, 300 feet northeast of well 44-25-20 at north end of a pond, 50 feet east of a canal, 0.3 mile northwest of U. S. Hwy. 41. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-27	Ruskin, about 1.75 miles north, 0.15 mile northwest of well 44-25-26, 10 feet west of road and fence, 25 feet northeast of a canal, 0.12 mile northeast of well 44-25-21. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-28	Ruskin, about 1.75 miles north, 0.25 mile north of Dickman Rd. and well 44-25-16, 0.2 mile east of a field road and well 44-26-25 on south side of a field road in a row of pines, 150 feet south of a pond, 0.12 mile northeast of well 44-25-23. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-29	Ruskin, about 2.0 miles northeast on northeast side of a canal, 0.12 mile northeast of well 44-25-25, 300 feet northwest of U. S. Hwy. 41, 0.25 mile southwest of well 44-25-28. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-25-30	Ruskin, about 1.8 miles north and 0.85 mile east, 0.12 mile northwest of well 44-25-25, 0.15 mile northwest of well 44-25-24, 250 feet northeast of a canal on east side of a row of pines, 0.2 mile northwest of U. S. Hwy. 41. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-31	Ruskin, about 1.8 miles north and 0.75 mile east, 0.1 mile northwest of well 44-25-30, 0.2 mile northeast of well 44-25-26, 0.25 mile east of a road, 0.15 mile east of well 44-25-32, 30 feet west of a canal. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-32	Ruskin, about 1.8 miles north and 0.6 mile east, 0.1 mile west of a road on south side of a ditch and row of pines, 0.35 mile north of Dickman packing house, 0.12 mile southeast of well 44-25-38; 0.15 mile northeast of well 44-25-27. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-33	Ruskin, about 1.9 miles north, 0.35 mile north of Dickman Rd., 0.2 mile east of a field road on west side of a pond on south side of a ditch, 0.35 mile west of well 44-25-38, 0.2 mile northeast of well 44-25-28. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-34	Ruskin, about 2.1 miles northeast, 0.15 mile northwest of U. S. Hwy. 41, well 44-24-28 and a residence, 0.2 mile north of well 44-25-29, on south side of a canal, 150 feet east of a row of pines, 0.1 mile east of a pond. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 31 S., R. 19 E.
44-25-35	Ruskin, about 2.1 miles northeast, 200 feet west of well 44-25-34 on north side of a canal and row of pines, 0.1 mile southeast of well 45-25-1, 0.1 mile east of a swamp, 0.25 mile south of Leisey Rd., 0.1 mile southwest of a swamp. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
44-25-36	Ruskin, about 1.9 miles north and 0.75 mile east, 0.25 mile northwest of U. S. Hwy. 41, 0.12 mile northeast of a canal, 300 feet southwest of a pond, 0.1 mile north of well 44-25-30, 300 feet south of well 44-25-37, 0.12 mile northeast of well 44-25-31. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-25-37	Ruskin, about 1.95 miles north, 300 feet north of well 44-25-36, on south side of a canal, 200 feet east of a pond, 0.12 mile southeast of well 44-25-39, 0.15 mile northeast of well 44-25-31, 0.3 mile northwest of U. S. Hwy. 41. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-38	Ruskin, about 1.95 miles north and 0.45 mile east, 0.45 mile north of Dickman Rd. on east side of a road, 0.15 mile north of well 44-25-27, 0.1 mile northwest of well 44-25-32, 0.1 mile southeast of well 44-25-40, 0.12 mile south of a swamp. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-39	Ruskin, about 2.0 miles north and 0.65 mile east, 0.4 mile northwest of U. S. Hwy. 41, 0.25 mile south of Leisey Rd. on north side of a swamp, 30 feet north of a fence and row of pines, 200 feet east of a canal, 0.12 mile south of well 45-25-2, 0.25 mile northeast of well 44-25-38. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-40	Ruskin, about 2.0 miles north and 0.4 mile east, 0.5 mile north of Dickman Rd., 300 feet west of a road, 0.1 mile northwest of well 44-25-38, 0.12 mile south of well 45-25-3, 0.3 mile west of well 44-25-39. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
44-25-41	Ruskin, about 2.0 miles north, 0.5 mile north of Dickman Rd., 0.15 mile east of a gate at end of a field road, on south side of a ditch and row of pines, 200 feet west of a swamp, 300 feet south of well 44-25-42, 0.15 mile northwest of well 44-25-33. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-25-42	Ruskin, about 2.05 miles north, 300 feet north of well 44-25-41 at east end of a ditch and row of pines, on west side of a swamp, 0.25 mile east of well 44-26-31, 0.2 mile southeast of a gate and bridge over a canal, 0.1 mile southeast of well 45-26-2. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
44-25-43	Ruskin, about 1.5 miles north and 0.5 mile east of Dickman packing house, 0.2 mile west of U. S. Hwy. 41 on south side of road. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-26-1	Ruskin, about 0.9 mile north, 0.15 mile west of turn in U. S. Hwy. 41, 10 feet west of street, 0.12 mile north of a street intersection, 0.1 mile south of well 44-26-4 and a street intersection, across street from a residence. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
44-26-2	Ruskin, about 1.0 mile north and 0.6 mile west on south side of street, 100 feet east of residence, 0.5 mile west of well 44-26-4. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
44-26-3	Ruskin, about 1.0 mile north and 0.85 mile west, 0.25 mile west of well 44-26-2, on south side of a canal and row of pines, southwest of a bridge and road intersection, 0.2 mile north of well 43-26-24. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 6, T. 32 S., R. 19 E.
44-26-4	Ruskin, about 1.0 mile north, 0.25 mile west of U. S. Hwy. 41, 25 feet north of a road, 10 feet west of a road, 100 feet north of a residence, 0.1 mile north of well 44-26-1. SE corner, sec. 31, T. 31 S., R. 19 E.
44-26-5	Ruskin, about 1.0 mile north and 0.35 mile west, 0.25 mile west of well 44-26-4, on north side of road in a yard. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-6	Ruskin, about 1.1 miles north, 0.1 mile northeast of well 44-26-4, at a tenant house, on north side of a row of pines, 400 feet west of a road, 0.2 mile northwest of U. S. Hwy. 41. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.
44-26-7	Ruskin, about 1.15 miles north, 0.15 mile north of a road, 0.15 mile west of a road, 0.15 mile northwest of well 44-26-4, 0.1 mile south of a row of pines and well 44-26-11. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-8	Ruskin, about 1.15 miles north and 0.65 mile west, 0.15 mile northwest of well 44-26-2, 0.12 mile north of road on south side of a ditch, 0.15 mile east of a tenant house and well 44-26-9, 300 feet east of a fence. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-9	Ruskin, about 1.15 miles north and 0.75 mile west, 0.15 mile west of well 44-26-8 at a tenant house, 0.12 mile north of street, 0.15 mile northeast of well 44-26-3, 0.12 mile southeast of well 44-26-15. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-26-10	Ruskin, about 1.25 miles north, 0.25 mile north of well 44-26-4, 250 feet west of road, 10 feet north of a fence and row of pines, 0.15 mile east of well 44-26-11, 0.12 mile south of well 44-26-16, 0.25 mile south of bridge at end of Dickman Rd. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-11	Ruskin, about 1.25 miles north and 0.25 mile west, 0.1 mile west of well 44-26-10 on north side of a ditch, 0.1 mile east of well 44-26-33. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-12	Ruskin, about 1.25 miles north and 0.45 mile west, 0.1 mile west of well 44-26-11 at ditch intersection, 100 feet east of a pond, 0.25 mile north of a road. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-13	Ruskin, about 1.25 miles north and 0.55 mile west, 0.1 mile west of well 44-26-12, 0.25 mile north of a road, 100 feet west of a pond, on west side of a row of pines. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-14	Ruskin, about 1.25 miles north and 0.6 mile west, 400 feet west of well 44-26-13 in southeast corner of a field, 0.12 mile northeast of well 44-26-8, 0.25 mile north of road. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-15	Ruskin, about 1.25 miles north and 0.8 mile west, 0.25 mile west of well 44-26-14, 0.12 mile northwest of well 44-26-9, 0.25 mile north of road in corner of field. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-16	Ruskin, about 1.35 miles north, 0.35 mile north of well 44-26-4, 0.12 mile north of well 44-26-10, 200 feet west of road, 0.12 mile southwest of bridge at end of Dickman Rd., 0.6 mile southwest of packing house. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-17	Ruskin, about 1.5 miles north and 0.35 mile west, 0.25 mile northwest of a bridge, 100 feet south of a creek, 0.25 mile northwest of well 44-26-16, 400 feet north of well 44-26-18, 0.85 mile west of packing house. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-18	Ruskin, about 1.45 miles north and 0.35 mile west, 0.25 mile west of a bridge and gate, 400 feet southwest of well 44-26-17 on north side of a row of pines and a field road. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-19	Ruskin, about 1.45 miles north and 0.45 mile west, 0.1 mile west of well 44-26-18, 0.25 mile north of well 44-26-12 at a ditch intersection, 0.25 mile south of creek. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-20	Ruskin, about 1.45 miles north and 0.5 mile west, 400 feet west of well 44-26-19, 0.25 mile north of well 44-26-13, 0.25 mile southwest of creek at a ditch intersection. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-21	Ruskin, about 1.45 miles north and 0.6 mile west, 0.12 mile west of well 44-26-20, 0.5 mile west of bridge and gate, 200 feet east of a gate, 0.1 mile north of a pond, at a ditch intersection. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-22	Ruskin, about 1.45 miles north and 0.65 mile west, 300 feet west of well 44-26-21, 250 feet west of a gate on north side of a fence and row of pines, 0.25 mile north of well 44-26-14. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-23	Ruskin, about 1.45 miles north and 0.75 mile west, 0.1 mile west of well 44-26-22, 0.5 mile north of a road, 0.65 mile west of bridge and gate. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-24	Ruskin, about 1.65 miles north, 0.2 mile northwest of bridge at end of Dickman Rd., 0.1 mile west of a field road on north side of a swamp, 50 feet northeast of a canal, 0.1 mile northeast of well 44-25-23, 0.25 mile west of well 44-26-17. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-25	Ruskin, about 1.75 miles north, 0.25 mile north of Dickman Rd. and creek, 0.15 mile north of cattle pens at field road intersection and group of gates, 0.2 mile west of well 44-25-28, 0.15 mile northwest of well 44-26-17. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
44-26-26	Ruskin, about 1.75 miles north and 0.3 mile west, 0.2 mile west of well 44-26-25 and gate, on north side of a ditch, on west side of a pond, 0.15 mile northwest of well 44-26-24. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-27	Ruskin, about 1.85 miles north and 0.15 mile west, 0.12 mile northwest of well 44-26-25 at a ditch intersection, 250 feet west of road, 0.15 mile northeast of well 44-26-26, 0.25 mile west of well 44-25-33. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-28	Ruskin, about 1.9 miles north and 0.35 mile west, on east side of a field road on canal about 50 feet west of swamp, 150 feet north of a ditch intersection, 0.2 mile west of well 44-26-27, 0.2 mile northwest of well 44-26-26, 0.3 mile west of road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-29	Ruskin, about 1.85 miles north and 0.6 mile west, 0.6 mile northwest of bridge at end of Dickman Rd., 200 feet north of a canal, 50 feet west of tidal marsh, 0.2 mile east of bay, 0.4 mile north of well 44-26-21, 0.2 mile west of well 44-26-28. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-30	Ruskin, about 2.0 miles north and 0.15 mile west, 300 feet west of road and gate, 50 feet southwest of a gate on south side of a canal, 0.12 mile north of well 44-26-27, 250 feet southwest of well 44-26-31, 0.2 mile west of well 44-25-41. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
44-26-31	Ruskin, about 2.05 miles north and 0.15 mile west on east side of a fence and ditch, 300 feet northwest of a gate, 250 feet north of a gate and well 44-26-30, 0.25 mile west of well 44-25-42. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 30, T. 31 S., R. 19 E.
44-26-32	Ruskin, about 2.1 miles north and 0.4 mile west, 30 feet east of dike and tidal marsh, 0.2 mile northwest of well 44-26-28, 0.3 mile west of well 44-26-31, 0.2 mile southwest of well 45-26-3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 30, T. 31 S., R. 19 E.
44-26-33	Ruskin, about 1.25 miles north and 0.35 mile west, 0.25 mile north of road, 0.25 mile west of road on north side of ditch and fence, 0.12 mile west of well 44-26-11, 0.1 mile north of well 44-26-7. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 31 S., R. 19 E.
45-23-1	Ruskin, about 3.3 miles northeast, 0.3 mile southwest of Ruskin Coop. packing house, 0.12 mile east of U. S. Hwy. 41, 50 feet west of railroad, 200 feet east of a pond, 150 feet south of a swamp. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 31 S., R. 19 E.
45-23-2	Ruskin, about 3.75 miles northeast, 0.15 mile northwest of Coop. packing house, 0.12 mile northwest of U. S. Hwy. 41, 0.1 mile north of Miller Rd. on west side of a fence and ditch. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 31 S., R. 19 E.
45-23-3	Ruskin, about 3.7 miles northeast, 0.2 mile west of U. S. Hwy. 41 and Coop. packing house, 100 feet north of Miller Rd., 0.12 mile east of a road. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 31 S., R. 19 E.
45-23-4	Ruskin, about 4.0 miles northeast, 0.35 mile northeast of Coop. packing house, 25 feet west of U. S. Hwy. 41 on west side of fence, 0.4 mile southwest of North Ruskin Station. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 31 S., R. 19 E.
45-24-1	Ruskin, about 2.75 miles northeast, 0.35 mile east of U. S. Hwy. 41 and Leisey packing house, 300 feet northwest of railroad on south side of a ditch and row of pines, 0.1 mile southwest of well 45-24-7, 0.2 mile east of well 45-24-2. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-2	Ruskin, about 2.7 miles northeast, 0.15 mile east of U. S. Hwy. 41 and Leisey packing house, 0.2 mile west of well 45-24-1, on south side of a ditch and row of pines. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-3	Ruskin, about 2.5 miles northeast, 0.15 mile south of Leisey Rd. and packing house, 20 feet west of U. S. Hwy. 41, 0.12 mile northeast of a row of pines and a residence, 0.15 mile east of well 45-24-4. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-4	Ruskin, about 2.4 miles northeast, 0.12 mile south of Leisey Rd., 0.25 mile southwest of packing house, 0.15 mile west of well 45-24-3, 0.1 mile northwest of U. S. Hwy. 41, 300 feet northeast of a residence, on southwest side of a ditch and row of pines. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
45-24-5	Ruskin, about 2.5 miles northeast, 0.3 mile west of U. S. Hwy. 41 and Leisey packing house, 15 feet north of Leisey Rd., 300 feet west of a tenant house, 200 feet northeast of well 45-24-6. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-6	Ruskin, about 2.5 miles northeast, 0.35 mile west of U. S. Hwy. 41 and packing house, 200 feet southwest of well 45-24-5, 10 feet south of road. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-7	Ruskin, about 2.8 miles northeast, 0.4 mile east of Leisey packing house and U. S. Hwy. 41, 50 feet west of railroad on west side of a ditch, 0.1 mile northeast of well 45-24-1, 0.12 mile east of well 45-24-8. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-8	Ruskin, about 2.8 miles northeast, 0.12 mile west of well 45-24-7, 0.1 mile northwest of well 45-24-1, on west side of a ditch, 0.12 mile southeast of a pond, 0.25 mile east of U. S. Hwy. 41. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-9	Ruskin, about 2.6 miles northeast, 0.45 mile west of U. S. Hwy. 41, 0.12 mile north of Leisey Rd., 0.15 mile northwest of well 44-24-5, 0.1 mile east of a canal and road at a tenant house. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-10	Ruskin, about 2.8 miles northeast, 0.25 mile northeast of Leisey packing house, 300 feet west of U. S. Hwy. 41, 200 feet west of a residence, 350 feet south of a canal, 0.1 mile south of well 45-24-13. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-11	Ruskin, about 1.65 miles northeast, 0.3 mile west of well 45-24-10, 0.25 mile northwest of U. S. Hwy. 41 and Leisey packing house, 0.2 mile north of road at a shed, 200 feet north of a row of pines. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-12	Ruskin, about 3.0 miles northwest, 0.4 mile northeast of Leisey packing house, 100 feet west of U. S. Hwy. 41, on west side of a canal, 250 feet northeast of a gate, 0.2 mile east of well 45-24-13. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-13	Ruskin, about 2.9 miles northeast, 0.2 mile west of U. S. Hwy. 41 and well 45-24-12, 0.1 mile north of well 45-24-10, 200 feet north of a canal, 350 feet south of a canal. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-14	Ruskin, about 0.3 mile northeast, 0.1 mile northwest of U. S. Hwy. 41 and well 45-24-12, 20 feet north of a canal on north side of a field road, 0.12 mile west of a gate. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-15	Ruskin, about 3.0 miles northeast, 0.2 mile west of well 45-24-14, 0.12 mile northwest of well 45-24-13, 0.3 mile northwest of U. S. Hwy. 41, 0.1 mile west of a road in north side of a canal. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-16	Ruskin, about 3.3 miles northeast, 0.3 mile northeast of well 45-24-12, 0.25 mile northeast of a gate, 25 feet west of U. S. Hwy. 41 on west side of a ditch, 0.4 mile southwest of Coop. packing house, 0.1 mile south of a canal. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 31 S., R. 19 E.
45-24-17	Ruskin, about 3.2 miles northeast, 0.1 mile northwest of U. S. Hwy. 41, 0.15 mile west of well 45-24-16, 0.15 mile northeast of well 45-24-14, 0.12 mile north of a gate. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R.
45-24-18	Ruskin, about 3.1 miles northeast, 0.25 mile west of well 45-24-17, 0.3 mile northwest of U. S. Hwy. 41, 0.25 mile south of Miller Rd., 0.2 mile northwest of well 45-24-14, 0.15 mile northeast of well 45-24-15 on west side of a road and ditch. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-19	Ruskin, about 3.1 miles northeast, 0.15 mile west of well 45-24-18, 0.15 mile northwest of well 45-24-15, 0.25 mile south of Miller Rd. on east side of a ditch, 300 feet south of well 45-24-20. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-20	Ruskin, about 3.15 miles northeast, 300 feet north of well 45-24-19, on west side of a ditch. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-21	Ruskin, about 2.95 miles northeast, 0.6 mile northwest of U. S. Hwy. 41, 0.25 mile south of Miller Rd., 0.25 mile west of well 45-24-19, 200 feet north of a canal at a shed. Center of NW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
45-24-22	Ruskin, about 3.4 miles northeast, 0.1 mile northwest of well 45-24-16, 200 feet south-west of a swamp, 0.15 mile northeast of well 45-24-17, 0.1 mile east of well 45-24-23, 0.15 mile south of Miller Rd. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-23	Ruskin, about 3.4 miles northeast, 0.12 mile south of Miller Rd., 0.25 mile northwest of U. S. Hwy. 41, and well 45-24-16, 0.1 mile west of well 45-24-22, 0.15 mile north of well 45-24-17 on west side of a ditch. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-24	Ruskin, about 3.3 miles northeast, 0.6 mile west of U. S. Hwy. 41, and Coop. packing house, 0.12 mile south of Miller Rd., 0.25 mile west of well 45-24-23, 0.12 mile north of well 45-24-18 on west side of a ditch. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-25	Ruskin, about 3.15 miles northeast, about 1.1 miles west of U. S. Hwy. 41 and Coop. packing house, 0.1 mile south of Miller Rd., 0.15 mile northwest of well 44-24-21, 300 feet northeast of a tenant house. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-24-26	Ruskin, about 3.6 miles northeast, 0.35 mile west of U. S. Hwy. 41 and Coop. packing house, 250 feet north of Miller Rd., 10 feet west of a road on west side of a row of pines, 0.12 mile west of well 45-23-3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 31 S., R. 19 E.
45-24-27	Ruskin, about 3.5 miles northeast, 0.45 mile west of U. S. Hwy. 41, 400 feet north of Miller Rd., 0.12 mile west of well 45-24-26 on north side of a swamp on west side of a ditch and row of pines. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 31 S., R. 19 E.
45-24-28	Ruskin, about 3.5 miles northeast, 0.6 mile west of U. S. Hwy. 41 and Coop. packing house, 0.1 mile north of Miller Rd., 100 feet north of a swamp, 0.12 mile west of well 45-24-27, on west side of a ditch and row of pines. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 31 S., R. 19 E.
45-24-29	Ruskin, about 3.4 miles northeast, 0.95 mile west of U. S. Hwy. 41 and Coop. packing house, 0.12 mile north of Miller Rd., 0.15 mile northwest of a tenant house on west side of a ditch, 0.12 mile south of well 46-24-4. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 21, T. 31 S., R. 19 E.
45-25-1	Ruskin, about 2.2 miles northeast, 0.3 mile northwest of U. S. Hwy. 41, 0.1 mile northwest of well 44-25-35, 0.15 mile south of Leisey Rd., 0.2 mile east of well 45-25-2, 250 feet northeast of a pond, 200 feet south of a swamp. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-2	Ruskin, about 2.15 miles northeast, 0.85 mile west of Leisey packing house and U. S. Hwy. 41, 0.12 mile south of Leisey Rd., 0.2 mile west of well 45-25-1, 100 feet north of a pond at end of a row of pines, 0.12 mile north of well 44-25-39. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-3	Ruskin, about 2.1 miles northeast, 0.65 mile north of Dickman Rd., 200 feet west of a road, 0.1 mile southwest of a canal at end of Leisey Rd., 0.15 mile north of well 44-25-40, 50 feet west of a pond. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-4	Ruskin, about 2.15 miles northeast, 0.15 mile west of a bridge at end of Leisey Rd., 0.1 mile southwest of a canal, 0.12 mile northwest of well 45-25-3 on north side of a ditch and row of pines. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-5	Ruskin, about 2.5 miles northeast, 0.55 mile west of U. S. Hwy. 41 and Leisey packing house, 0.1 mile north of Leisey Rd., on west side of a road at a tenant house, 0.1 mile southwest of well 45-24-9. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-6	Ruskin, about 1.3 miles northeast, 1.1 miles west of U. S. Hwy. 41 and Leisey packing house, 0.12 mile north of bridge at end of Leisey Rd. at a shed, 0.1 mile northeast of a canal at end of a row of pines, 0.8 mile north of Dickman Rd. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-7	Ruskin, about 2.3 miles north, 0.3 mile northwest of a bridge, 0.12 mile northwest of well 45-25-4, 200 feet southwest of a canal on west side of a ditch. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-8	Ruskin, about 2.5 miles northeast, 0.75 mile west of Leisey packing house and U. S. Hwy. 41, 0.25 mile north of Leisey Rd., 0.15 mile west of a road, 20 feet north of a field road at south end of a ditch, 0.25 mile northwest of well 45-25-5. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
45-25-9	Ruskin, about 2.45 miles northeast, 0.1 mile west of well 45-25-8 on south side of a ditch, 0.25 mile north of Leisey Rd. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-10	Ruskin, about 2.4 miles northeast, 1.1 miles west of U. S. Hwy. 41 and Leisey packing house, 0.25 mile north of Leisey Rd., 1.0 mile north of Dickman Rd., 0.25 mile west of well 45-25-9, 0.1 mile northeast of well 45-25-11, 50 feet northeast of a canal. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-11	Ruskin, about 2.35 miles northeast, 0.1 mile southwest of well 45-25-10, 350 feet north of well 45-25-6, 200 feet west of a ditch. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-12	Ruskin, about 2.25 miles northeast, 1.1 miles west of U. S. Hwy. 41, 0.1 mile north of Leisey Rd., 0.15 mile south of well 45-25-10, on south side of a pond, east side of a road and canal. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-13	Ruskin, about 2.5 miles northeast, 0.15 mile northwest of well 45-25-10, 20 feet north of a canal, 0.25 mile northeast of well 45-25-7, 0.2 mile northwest of well 45-25-11. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-14	Ruskin, about 2.9 miles northeast, 0.15 mile southeast of a bridge at end of Miller Rd., 0.1 mile south of a swamp, 300 feet east of a road, 300 feet west of a tenant house, 0.15 mile southwest of well 45-24-25, 0.6 mile north of Leisey Rd. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 31 S., R. 19 E.
45-25-15	Ruskin, about 2.85 miles northeast, 0.55 mile north of Leisey Rd., 0.45 mile north of well 45-25-5, 0.1 mile southwest of well 45-25-14, 100 feet west of road and fence, 0.12 mile north of a canal. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-16	Ruskin, about 2.85 miles northwest, 300 feet northwest of well 45-25-15, 150 feet south of a shed and fence, 350 feet west of road. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-17	Ruskin, about 2.7 miles northeast, 0.5 mile north of Leisey Rd., 0.25 mile northeast of well 45-25-10, 0.15 mile west of a canal, 0.1 mile east of a field road, on south side of a field road, 0.2 mile northwest of well 45-25-22. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-18	Ruskin, about 3.2 miles northeast, 1.25 miles west of U. S. Hwy. 41 and Coop. packing house, 50 feet north of Miller Rd., 200 feet east of a bridge. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 21, T. 31 S., R. 19 E.
45-25-19	Ruskin, about 3.1 miles northeast, 1.4 miles west of U. S. Hwy. 41, 0.15 mile west of well 45-25-18, 0.1 mile west of bridge, 200 feet northwest of a swamp, 0.15 mile north of well 45-25-16. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-20	Ruskin, about 3.0 miles northeast, 0.6 mile north of Leisey Rd., 0.15 mile northeast of well 45-25-17, 0.2 mile east of well 45-25-21, 20 feet west of a canal at end of a ditch. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-21	Ruskin, about 3.0 miles north, 0.6 mile north of Leisey Rd., 0.35 mile north of well 45-25-10, 0.15 mile northwest of well 45-25-17, 0.2 mile west of well 45-25-20, 100 feet west of a field road on north side of a ditch. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-25-22	Ruskin, about 2.5 miles northeast, 0.35 mile north of Leisey Rd., 0.2 mile northeast of well 45-25-10, 0.12 mile north of well 45-25-9, 0.15 mile northwest of well 45-25-8 on west side of a ditch. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-26-1	Ruskin, about 2.2 miles north, 0.65 mile north of Dickman Rd., 0.15 mile northwest of well 44-25-42, 350 feet northeast of well 45-26-2, 50 feet west of a canal, 200 feet south of a bridge and gate. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-26-2	Ruskin, about 2.15 miles north, 0.6 mile north of Dickman Rd., 0.1 mile northwest of well 44-25-42, 350 feet southwest of well 45-26-1, 0.12 mile south of a bridge over a canal, on north side of a row of pines, SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 31 S., R. 19 E.
45-26-3	Ruskin, about 2.1 miles northwest, 0.3 mile southwest of well 45-26-1, 0.25 mile west of well 45-26-2, 0.15 mile northwest of well 44-26-31, on east side of a row of pines, 200 feet south of a dike. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 30, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
47-22-6	Adamsville, about 1.5 miles south and 0.8 mile east, 0.3 mile east of railroad, 10 feet north of Big Bend Rd., on north side of a fence, 200 feet north of a residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-7	Adamsville, about 1.5 miles south and 0.5 mile east, 100 feet east of railroad on east side of a canal, 50 feet north of Big Bend Rd. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-8	Adamsville, about 1.5 miles south, 0.25 mile east, on west side of a canal, 20 feet north of Big Bend Rd., 0.25 mile west of railroad. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-9	Adamsville, about 1.45 miles south, 400 feet east of U. S. Hwy. 41 at a fish farm, 250 feet north of Big Bend Rd., 0.2 mile west of well 47-22-8, 0.1 mile southeast of a residence. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-10	Adamsville, about 1.5 miles southeast, 0.8 mile east of U. S. Hwy. 41, 0.15 mile north of Big Bend Rd., and well 47-22-6, 0.3 mile east of railroad. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-11	Adamsville, about 1.4 miles southeast, 0.5 mile east of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd., 150 feet west of railroad on north side of a ditch and row of pines, 0.2 mile east of a canal. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-12	Adamsville, about 1.35 miles southeast, 0.35 mile east of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd., 0.1 mile east of a canal, 0.12 mile west of well 47-22-11. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-13	Adamsville, about 1.35 miles south of a fish farm, 0.25 mile east of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd. and well 47-22-8, southeast of hatchery building, 0.2 mile east of well 47-22-14, on west side of a canal. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-14	Adamsville, about 1.35 miles south of a fish farm, 400 feet east of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd., 0.1 mile southeast of a residence, 0.2 mile west of well 47-22-13. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-15	Adamsville, about 1.3 miles south of a fish farm, 0.2 mile east of U. S. Hwy. 41, 0.2 mile north of Big Bend Rd., 0.1 mile northwest of well 47-22-13, 0.12 mile east of well 47-22-16. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-16	Adamsville, 1.3 mile south of a fish farm, 400 feet east of U. S. Hwy. 41, and a residence, 0.2 mile north of Big Bend Rd., 250 feet north of well 47-22-14, 0.12 mile west of well 47-22-15. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-17	Adamsville, about 1.35 miles southeast, 0.45 mile east of U. S. Hwy. 41, 0.25 mile north of Big Bend Rd., 400 feet west of railroad, 0.12 mile north of well 47-22-11, 0.2 mile east of a canal on north side of a ditch. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-18	Adamsville, about 1.35 miles southeast, 0.35 mile east of U. S. Hwy. 41, 0.25 mile north of Big Bend Rd., 0.1 mile west of well 47-22-17, 0.12 mile north of well 47-22-12. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-19	Adamsville, 1.25 miles south, 0.2 mile east of U. S. Hwy. 41, 300 feet north of well 47-22-15, 0.1 mile east of a canal, 400 feet northwest of fish hatchery. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-20	Adamsville, 1.25 miles south at a fish farm, 0.25 mile north of Big Bend Rd., 0.1 mile east of U. S. Hwy. 41, 50 feet south of a canal, 250 feet northeast of well 47-22-16. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-21	Adamsville, about 1.2 miles south, 0.2 mile east of U. S. Hwy. 41, 0.1 mile east of well 47-22-22, 0.1 mile west of a canal, 350 feet south of a ditch and row of pines, 300 feet north of well 47-22-19, 0.3 mile north of Big Bend Rd. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-22	Adamsville, 1.2 miles south, 0.1 mile west of U. S. Hwy. 41, 0.3 mile north of Big Bend Rd., 0.1 mile west of well 47-22-21, 350 feet south of a ditch, 250 feet north of a ditch. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
47-22-23	Adamsville, about 1.3 miles southeast, 0.75 mile east of U. S. Hwy. 41, 0.4 mile north of Big Bend Rd. and well 47-22-6, 0.2 mile east of railroad on west side of a pond, 0.25 mile north of well 47-22-10. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-24	Adamsville, about 1.2 miles southeast, 0.4 mile east of U. S. Hwy. 41, 0.1 mile east of railroad on southwest side of a swamp, 0.12 mile north of well 47-22-17, 0.1 mile west of well 47-22-25, 0.35 mile south of a road. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-25	Adamsville, about 1.2 miles southeast, 0.3 mile east of U. S. Hwy. 41, 350 feet east of a canal, 0.35 mile south of a road, 0.1 mile west of well 47-22-24, 0.12 mile north-west of well 47-22-18, 200 feet northeast of a pond. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-22-26	Adamsville, about 1.15 miles south, 0.25 mile east of U. S. Hwy. 41, 0.35 mile north of Big Bend Rd., 30 feet west of a canal on north side of a pond, 0.1 mile west of well 47-22-25, 0.1 mile northeast of well 47-22-21. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
47-23-1	Adamsville, 2.0 miles south, 0.5 mile south of Big Bend Rd., 30 feet west of U. S. Hwy. 41, 0.2 mile northwest of a residence, 0.25 mile north of Ellsberry packing house, 0.15 mile west of well 47-22-1. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-2	Adamsville, about 2.0 miles south, 0.5 mile south of Big Bend Rd., 0.25 mile west of well 47-23-1, on east side of a tenant house, on west side of a ditch and fence, 0.12 mile south of well 47-23-4. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-3	Adamsville, about 2.0 miles southwest, 0.5 mile south of Big Bend Rd., 0.5 mile west of well 47-23-1, 0.25 mile west of well 47-23-2, 0.12 mile south of well 47-23-5, 0.25 mile south of a road and well 47-23-9, on west side of a ditch. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-4	Adamsville, about 1.9 miles southwest, 0.25 mile west of U. S. Hwy. 41, 0.35 mile south of Big Bend Rd., 0.12 mile north of well 47-23-2, 0.12 mile south of a road and well 47-23-8 on north side of a ditch. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 31 S., R. 19 E.
47-23-5	Adamsville, about 1.95 miles southwest, 0.35 mile south of Big Bend Rd., 0.5 mile west of U. S. Hwy. 41, 0.25 mile west of well 47-23-4, 0.12 mile south of well 47-23-9 and a field road. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-6	Adamsville, about 2.0 miles southwest, 0.35 mile south of Big Bend Rd., 0.75 mile west of U. S. Hwy. 41, 0.12 mile south of a field road and ditch and well 47-23-10 at a ditch intersection, 0.25 mile west of well 47-23-5, 0.25 mile east of a road. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-7	Adamsville, 1.75 miles south, 0.25 mile south of Big Bend Rd. on west side of U. S. Hwy. 41, on north side of a ditch, 0.25 mile north of well 47-23-1. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-8	Adamsville, about 1.8 miles southwest, 0.25 mile west of well 47-23-7 and U. S. Hwy. 41, 0.25 mile south of well 47-23-14 and Big Bend Rd., 0.1 mile south of well 47-23-11 and a canal, at a road intersection, at end of a ditch. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-9	Adamsville, about 1.8 miles southwest, 0.5 mile west of well 47-23-7 and U. S. Hwy. 41, 0.25 mile west of well 47-23-8, 0.25 mile south of Big Bend Rd. and well 47-23-16, 0.1 mile south of a pond, on north side of a field road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-10	Adamsville, about 1.9 miles southwest, 0.25 mile south of Big Bend Rd. and well 47-23-18, 0.15 mile south of a canal, northwest of a ditch intersection, 0.25 mile west of well 47-23-9, 0.75 mile west of U. S. Hwy. 41. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-11	Adamsville, about 1.65 miles south, 0.25 mile west of U. S. Hwy. 41 on north side of a canal, 0.15 mile south of Big Bend Rd. and well 47-23-14, 0.1 mile north of well 47-23-8 on west side of field road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 31 S., R. 19 E.
47-23-12	Adamsville, about 1.75 miles southwest, 0.6 mile west of U. S. Hwy. 41, 0.1 mile south of Big Bend Rd. at west end of a pond, on north side of a canal, 0.12 mile southwest of a residence, 0.12 mile southeast of well 47-23-17. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
47-23-13	Adamsville, about 1.5 miles south, 300 feet west of U. S. Hwy. 41, 200 feet north of Big Bend Rd. at back of residence, 100 feet northeast of barn. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-14	Adamsville, 1.5 miles south, 0.25 mile west of U. S. Hwy. 41, 15 feet north of Big Bend Rd., in corner of field at southeast corner of a yard, 0.15 mile north of well 47-23-11. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-15	Adamsville, about 1.55 miles southwest, 0.35 mile west of U. S. Hwy. 41, 0.12 mile west of well 47-23-14 and a residence, on north side of Big Bend Rd. in a row of pines, on north side of a fence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-16	Adamsville, about 1.55 miles southwest, 0.5 mile west of U. S. Hwy. 41, 0.25 mile west of a residence and well 47-23-14, 0.12 mile west of well 47-23-15, 200 feet northeast of a residence, 10 feet north of Big Bend Rd., 25 feet east of a road. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-17	Adamsville, about 1.6 miles southwest, 0.65 mile west of U. S. Hwy. 41, 0.12 mile west of well 47-23-16, and a road intersection, 15 feet north of Big Bend Rd. on north side of a ditch and fence, 0.12 mile east of a road and well 47-23-18. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-18	Adamsville, about 1.65 miles southwest, 0.75 mile west of U. S. Hwy. 41, 0.25 mile west of a residence, road intersection and well 47-23-16, 30 feet north of Big Bend Rd., 15 feet west of a road, 0.12 mile west of well 47-23-17. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-19	Adamsville, 1.4 miles south, 0.1 mile north of Big Bend Rd., 250 feet north of a residence, on north side of a canal, 50 feet west of U. S. Hwy. 41, 30 feet west of a fence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-20	Adamsville, about 1.45 miles southwest, 0.35 mile west of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd. and well 47-23-15, 0.12 mile east of a road and well 47-23-21 on north side of a ditch and row of pines. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-21	Adamsville, about 1.45 miles southwest, 0.5 mile west of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd. and well 47-23-16, 10 feet west of a road, on north side of a ditch, 0.12 mile south of a group of tenant houses and well 47-23-28. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-22	Adamsville, about 1.6 miles southwest, 0.75 mile west of U. S. Hwy. 41, 0.12 mile north of Big Bend Rd. and well 47-23-18, 0.25 mile west of well 47-23-21, on west side of a road, on north side of a ditch in corner of field. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-23	Adamsville, 1.2 miles south, 0.3 mile north of Big Bend Rd., 0.2 mile north of well 47-23-19, 40 feet west of U. S. Hwy. 41, on south side of a canal at a tenant house, 200 feet north of a row of pines. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-24	Adamsville, 1.2 miles south, 0.3 mile north of Big Bend Rd., 0.1 mile west of U. S. Hwy. 41, 0.1 mile northwest of well 47-23-23 on south side of a canal. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-25	Adamsville, about 1.25 miles southwest, 0.3 mile west of U. S. Hwy. 41, 0.3 mile north of Big Bend Rd., 0.2 mile west of well 47-23-24, 150 feet west of a canal, 200 feet south of a canal, 0.12 mile south of a barn. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-26	Adamsville, about 1.25 miles southwest, 0.35 mile west of U. S. Hwy. 41, 350 feet west of well 47-23-25, 250 feet south of a canal and well 47-23-29, 0.1 mile east of well 47-23-27, 0.15 mile east of a group of tenant houses and well 47-23-28. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-27	Adamsville, about 1.3 miles southwest, 0.3 mile north of Big Bend Rd., 0.45 mile west of U. S. Hwy. 41, 0.1 mile west of well 47-23-26, 0.1 mile northeast of a group of tenant houses and well 47-23-28, 200 feet east of a canal. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
47-23-28	Adamsville, about 1.35 miles southwest, 0.5 mile west of U. S. Hwy. 41, 0.25 mile north of Big Bend Rd. and well 47-23-16, 0.12 mile north of well 47-23-21, 100 feet north of a road on north side of a tenant house. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-29	Adamsville, about 1.2 miles southwest, 0.35 mile west of U. S. Hwy. 41, 0.35 mile north of Big Bend Rd. on north side of a canal and row of pines, 0.1 mile southwest of a barn and group of tenant houses, 0.1 mile west of a canal. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-30	Adamsville, about 1.05 miles south, 0.1 mile west of U. S. Hwy. 41, 0.45 mile north of Big Bend Rd., 250 feet south of a road and row of pines and well 48-23-1, 0.15 mile east of a group of tenant houses, 0.12 mile north of well 47-23-24. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
47-23-31	Adamsville, about 1.05 miles southwest, 0.25 mile west of U. S. Hwy. 41, 0.5 mile north of Big Bend Rd., 50 feet north of a tenant house, at a field road intersection, 125 feet south of well 48-23-2. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-22-1	Adamsville, about 1.05 miles southeast, 0.4 mile east of U. S. Hwy. 41, 0.25 mile south of a road, 100 feet southwest of a swamp, 0.15 mile east of a canal, 0.1 mile east of well 48-22-2 on north side of a ditch. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-2	Adamsville, about 1.05 miles southeast, 0.3 mile east of U. S. Hwy. 41, 250 feet east of a canal on north side of a ditch, 0.1 mile west of well 48-22-1, 0.25 mile south of a road, 0.12 mile north of well 47-22-25. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-3	Adamsville, about 1.0 mile south, 0.12 mile west of U. S. Hwy. 41, 0.5 mile north of Big Bend Rd., 0.12 mile east of a canal and barn on north side of a canal and row of pines, 0.25 mile south of a road, 0.15 mile southwest of well 48-22-4. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-4	Adamsville, about 0.95 mile southeast, 0.25 mile east of U. S. Hwy. 41, 0.15 mile south of a road on north side of a row of pines, 20 feet west of a canal, 0.1 mile north of a barn, 0.15 mile northeast of well 48-22-3. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-5	Adamsville, about 1.0 mile southeast, 0.5 mile east of U. S. Hwy. 41, 0.12 mile south of a road in a row of pines, 100 feet east of a barn, 100 feet west of a canal, 150 feet west of a railroad, 200 feet north of a pond. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-6	Adamsville, about 0.95 mile southeast, 0.35 mile east of U. S. Hwy. 41, 0.12 mile south of a road, 0.1 mile east of a canal, 0.12 mile west of well 48-22-5 on north side of a ditch, 250 feet west of a tenant house. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-7	Adamsville, about 0.9 mile southeast, 0.5 mile east of U. S. Hwy. 41, 0.25 mile east of a bridge, 200 feet east of railroad, 0.12 mile north of well 48-22-5, 20 feet north of road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-8	Adamsville, about 0.7 mile southeast, 0.25 mile east of U. S. Hwy. 41, 0.12 mile north of a road at a tenant house, 20 feet west of a canal, 0.12 mile east of well 48-22-9. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-9	Adamsville, about 0.65 mile southeast, 0.12 mile east of U. S. Hwy. 41, 0.1 mile east of barn and well 48-23-6, 0.12 mile north of a road. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-22-10	Adamsville, 0.5 mile south, 0.25 mile east of U. S. Hwy. 41, on west side of a canal, 0.2 mile northeast of well 48-23-11, 0.15 mile south of a fish farm and well 48-22-11. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-11	Adamsville, 0.25 mile south, 0.25 mile east of U. S. Hwy. 41 at fish farm, 100 feet east of a canal at a pump shed, 0.1 mile east of well 48-22-12. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-12	Adamsville, 0.25 mile south, 0.15 mile east of U. S. Hwy. 41, and well 48-23-21, 0.1 mile west of well 48-22-11 at east end of a pond. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
48-22-13	Adamsville, 0.25 mile south, 0.2 mile east of U. S. Hwy. 41, 300 feet west of a canal, 400 feet northwest of well 48-22-11, 350 feet northeast of well 48-22-12 on south side of a road. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-14	Adamsville, 0.2 mile south and 0.3 mile east, 150 feet east of a canal, 200 feet south of well 48-22-20, 400 feet northeast of well 48-22-15, 0.12 mile west of hatchery. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-15	Adamsville, 0.2 mile south, 0.2 mile east of U. S. Hwy. 41, 150 feet west of a canal, 125 feet northeast of well 48-22-13, 400 feet southeast of hatchery, 0.12 mile east of well 48-22-17. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-16	Adamsville, 0.12 mile south, 0.12 mile east of U. S. Hwy. 41, at hatchery building, 400 feet southeast of residence and office, 250 feet northeast of well 48-22-17. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-17	Adamsville, 0.15 mile south, 400 feet east of U. S. Hwy. 41 at northeast end of a pond, 0.1 mile northwest of well 48-22-12, 350 feet south of office, 300 feet southwest of hatchery and well 48-22-16. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-18	Adamsville, 0.35 mile east, 0.3 mile east of a canal and well 48-22-21, 100 feet west of railroad, 0.3 mile southeast of a residence, 0.1 mile north of well 48-22-19. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-19	Adamsville, 0.55 mile southeast, 0.3 mile east of a canal, 0.25 mile east of well 48-22-14, 100 feet west of railroad and a pond, 0.1 mile south of well 48-22-18. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-20	Adamsville, 0.3 mile west of U. S. Hwy. 41, 150 feet east of canal, 200 feet south of well 48-22-21, 0.15 mile east of hatchery building. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-21	Adamsville, 0.3 mile east, 150 feet east of a canal, 200 feet north of well 48-22-20, 0.1 mile south of a residence, 0.12 mile southeast of well 48-22-26, 0.12 mile west of well 48-22-22. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-22	Adamsville, 0.1 mile south, 0.2 mile east of U. S. Hwy. 41, 0.1 mile south of a road, 400 feet west of a canal, 200 feet east of well 48-22-23, 0.1 mile west of well 48-22-24, on north side of road. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-23	Adamsville, 0.1 mile south, 0.15 mile east of U. S. Hwy. 41, 350 feet east of well 48-22-24, 200 feet west of well 48-22-22, 0.1 mile east of residence and office, 0.1 mile south of a road, 300 feet northeast of hatchery building. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-24	Adamsville, 0.1 mile south, 0.1 mile east of U. S. Hwy. 41, 400 feet northeast of office and hatchery, 350 feet west of well 48-22-23, 0.1 mile south of a road, 200 feet north of a canal. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-25	Adamsville, 0.1 mile southeast of store and Post Office, 400 feet south of a road, 400 feet east of U. S. Hwy. 41 on north side of ditch, 300 feet southwest of a residence, 300 feet northwest of well 48-22-24. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-22-26	Adamsville, 0.2 mile east, on north side of road, 50 feet west of an intersection, 300 feet west of a residence, 0.3 mile south of a bridge. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-23-1	Adamsville, 1.0 mile south, 0.12 mile west of U. S. Hwy. 41, on north side of road in row of pines, 0.12 mile east of a group of tenant houses and well 48-23-2, 400 feet north of well 47-23-30. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-2	Adamsville, about 1.0 mile southwest, 0.25 mile west of U. S. Hwy. 41, 150 feet northeast of a group of tenant houses, 150 feet north of well 47-23-31 on north side of a ditch and fence. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-3	Adamsville, about 0.85 mile south, 0.15 mile west of U. S. Hwy. 41, 0.12 mile southwest of well 48-23-4, 300 feet north of a canal. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
48-23-4	Adamsville, 0.8 mile south, 100 feet west of U. S. Hwy. 41, 300 feet south of a road and well 48-23-5, 0.7 mile north of Big Bend Rd. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-5	Adamsville, 0.75 mile south, 150 feet west of U. S. Hwy. 41, at an intersection, on south side of a field road in a ditch, on north side of a fence, 0.75 mile north of Big Bend Rd. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-6	Adamsville, 0.65 mile south, 200 feet east of U. S. Hwy. 41, 100 feet northeast of residence, on north side of barn, 0.15 mile northeast of well 48-23-5. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 31 S., R. 19 E.
48-23-7	Adamsville, 0.6 mile south, 0.15 mile west of U. S. Hwy. 41, northeast of a field road intersection, 200 feet south of a bridge over a canal, 350 feet south of a group of tenant houses, 0.15 mile northwest of well 48-23-5. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-8	Adamsville, 0.7 mile southwest, 0.3 mile west of U. S. Hwy. 41, on northwest side of a pond, on south side of a field road in a ditch, 0.15 mile southwest of well 48-23-7, 0.25 mile northwest of well 48-23-5. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-9	Adamsville, 0.9 mile southwest, 0.6 mile west of U. S. Hwy. 41, 0.35 mile west of well 48-23-8, 0.1 mile south of a pond, on west side of a plot of woods in a field, 0.1 mile north of a creek, 0.25 mile southwest of well 48-23-15. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-10	Adamsville, 0.65 mile southwest, 0.35 mile west of U. S. Hwy. 41, 0.2 mile west of well 48-23-7, 0.15 mile northwest of well 48-23-8, 300 feet south of a canal, 350 feet southwest of well 48-23-13. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 31 S., R. 19 E.
48-23-11	Adamsville, 0.5 mile south, 250 feet east of U. S. Hwy. 41, 100 feet east of a residence, 50 feet north of a fence and ditch, 0.2 mile southwest of well 48-22-10. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-23-12	Adamsville, 0.45 mile south, 300 feet west of U. S. Hwy. 41 on west side of a ditch, 0.1 mile northeast of a group of tenant houses, 300 feet south of a tenant house and ditch, 0.12 mile east of well 48-23-13. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-13	Adamsville, 0.5 mile southwest, 0.2 mile west of U. S. Hwy. 41, 0.12 mile west of well 48-23-12, 350 feet north of a group of tenant houses, 0.2 mile south of a street, 0.15 mile south of well 48-23-17. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-14	Adamsville, 0.6 mile southwest, 0.3 mile west of U. S. Hwy. 41, 40 feet north of a canal, 350 feet northeast of well 48-23-10, 0.15 mile southwest of well 48-23-13, 0.25 mile south of a street and well 48-23-18. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-15	Adamsville, 0.7 mile southwest, 0.5 mile west of U. S. Hwy. 41, 0.2 mile west of well 48-23-14, 0.25 mile southwest of well 48-23-19, at corner of woods, northwest of a canal, 0.1 mile north of a popd. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-16	Adamsville, 0.3 mile south, 0.12 mile west of U. S. Hwy. 41, and a garage, 200 feet south of a street, 100 feet south of a residence at fish ponds. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-17	Adamsville, 0.35 mile southwest, 0.2 mile west of a garage and U. S. Hwy. 41, 350 feet south of a street on west side of a ditch, 400 feet southwest of well 48-23-16, 0.15 mile north of well 48-23-13. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-18	Adamsville, 0.25 mile south of store and Post Office, 0.3 mile west of U. S. Hwy. 41, on south side of street in owner's yard, 0.15 mile northwest of well 48-23-17, 250 feet south of well 48-23-24. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-19	Adamsville, 0.25 mile south, 0.45 mile west of U. S. Hwy. 41, south side of a street intersection on west side of a ditch, 0.15 mile west of well 48-23-18. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-20	Adamsville, 0.25 mile south and 0.45 mile west of U. S. Hwy. 41, 50 feet northwest of well 48-23-19, northwest of intersection in corner of field. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
48-23-21	Adamsville, 0.25 mile south, 10 feet east of U. S. Hwy. 41, 100 feet southeast of a garage, on east side of a field road. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-23-22	Adamsville, 0.25 mile south of store and Post Office, 0.1 mile west of U. S. Hwy. 41 and a garage, 150 feet north of a street at northwest corner of a barn. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-23	Adamsville, 0.25 mile south, 0.2 mile west of U. S. Hwy. 41, 400 feet northwest of well 48-23-17, 40 feet north of street on west side of residence. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-24	Adamsville, 0.25 mile south, 0.35 mile west of U. S. Hwy. 41, 0.1 mile west of well 48-23-23, 250 feet north of residence and well 48-23-18, 100 feet north of street. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-25	Adamsville, 0.12 mile south, 200 feet east of U. S. Hwy. 41, at a residence, 75 feet southeast of hatchery, 250 feet northwest of well 48-22-17. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
48-23-26	Adamsville, 0.1 mile south of Post Office and store, 150 feet west of U. S. Hwy. 41, across from fish farm. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-27	Adamsville, 0.12 mile west of store and Post Office and U. S. Hwy. 41, 100 feet north of street, northwest of a residence. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
48-23-28	Adamsville, 0.45 mile west of U. S. Hwy. 41 and store, on bay at a cottage, 150 feet north of a street, 200 feet north of a residence. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 3, T. 31 S., R. 19 E.
49-22-1	Adamsville, about 1.0 mile northeast, 0.75 mile east of U. S. Hwy. 41, 0.35 mile east of railroad, 1.0 mile south of a road, 300 feet west of end of a dirt road and a pond, 0.5 mile southeast of a residence, 15 feet north of a fence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 35, T. 30 S., R. 19 E.
49-22-2	Adamsville, about 0.5 mile northeast, 0.1 mile east of U. S. Hwy. 41 and a motel, 150 feet south of a street, 100 feet southwest of a residence, 200 feet west of a street, 0.5 mile north of well 48-22-26. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 2, T. 31 S., R. 19 E.
49-22-3	Adamsville, about 1.25 miles northeast, 0.75 mile east of U. S. Hwy. 41, 0.5 mile north of well 49-22-1, southwest of a residence, 0.12 mile west of a road, 0.5 mile south of a road, 200 feet south of a pond. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 35, T. 30 S., R. 19 E.
49-22-4	Adamsville, about 0.85 mile north, 0.55 mile south of Gardenville at a service station, 20 feet east of U. S. Hwy. 41 at a tree. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 35, T. 30 S., R. 19 E.
49-22-5	Adamsville, about 0.9 mile north, about 300 feet north of well 49-22-4, 50 feet east of U. S. Hwy. 41 on north side of owner's residence, 0.5 mile south of Gardenville. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 35, T. 30 S., R. 19 E.
50-22-1	Gibsonton, about 1 mile south, 0.15 mile south of bridge over Bullfrog Creek in a grove at a motel, 125 feet north of a road, 200 feet east of U. S. Hwy. 41, 300 feet northwest of a school. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 26, T. 30 S., R. 19 E.
50-22-2	Gibsonton, 0.25 mile south, 0.3 mile east of U. S. Hwy. 41, 0.25 mile east of railroad at a fish farm, 30 feet south of a street at southeast corner of hatchery building. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 30 S., R. 19 E.
50-22-3	Gibsonton, 0.5 mile southeast, 450 feet southeast of well 50-22-2, 150 feet northeast of well 50-22-4, 400 feet south of street, 200 feet southeast of well 50-22-5. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 30 S., R. 19 E.
50-22-4	Gibsonton, about 0.5 mile southeast, 0.3 mile east of U. S. Hwy. 41, 0.1 mile south of a street and well 50-22-2, 150 feet southwest of well 50-22-3, 200 feet south of well 50-22-5, on west side of a ditch. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 30 S., R. 19 E.
50-22-5	Gibsonton, about 0.5 mile southeast, 0.3 mile east of U. S. Hwy. 41, 250 feet southeast of well 50-22-2, 200 feet north of well 50-22-4, on west side of a ditch. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 30 S., R. 19 E.

TABLE 2.--Continued

Well No.	Location
51-18-1	Riverview, about 1.5 miles southeast on Balm Rd., 200 feet south of a paved road intersection in a pumphouse in a grove, 50 feet west of Balm Rd. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 21, T. 30 S., R. 20 E.
51-20-1	Riverview, about 0.8 mile southwest, 0.1 mile north of river, 0.25 mile south of road, 100 feet south of a tenant house, 4 feet east of well 51-20-2. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 30 S., R. 20 E.
51-20-2	Riverview, about 0.8 mile southwest, 4 feet west of well 51-20-1. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 30 S., R. 20 E.
51-20-3	Riverview, about 0.85 mile southwest, 0.1 mile west of well 51-20-2 at old water plant, 0.1 mile north of Alafia River, on south side of a grove. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 30 S., R. 20 E.
51-23-1	East Tampa, at U. S. Phosphoric Products plant, about 0.5 mile southwest of office at condensation tanks. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 30 S., R. 19 E.
51-23-2	East Tampa, at U. S. Phosphoric Products plant, 0.5 mile west of U. S. Hwy. 41. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 30 S., R. 19 E.
52-20-1	Riverview, 0.75 mile west, 30 feet southwest of curve in road at an intersection, 150 feet south of a residence, 0.5 mile north of the Alafia River. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 30 S., R. 20 E.
52-22-1	East Tampa, about 1.0 mile northeast, 75 miles east of a highway, 0.5 mile northeast of owner's residence in a pasture, 0.15 mile west of a pond, 100 feet southeast of a pond, 100 feet southwest of a pond, 0.2 mile southeast of a canal. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 30 S., R. 19 E.
52-22-2	East Tampa, 1.25 miles east and 0.75 mile north, 200 feet west of road, 50 feet southwest of a barn at owner's residence. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 30 S., R. 19 E.
52-23-1	East Tampa, about 0.75 mile northeast, 0.25 mile east of a highway at owner's residence, on west side of a creek, 100 feet north of a field road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 14, T. 30 S., R. 19 E.
53-23-1	East Tampa, about 2.0 miles north, 1.0 mile north of well 52-23-1 at a fish farm, 250 feet south of a canal at a pump shed, on north side of a road and hatchery buildings, 0.1 mile northwest of a highway. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 30 S., R. 19 E.
53-23-2	East Tampa, about 2.0 miles north, 150 feet south of well 53-23-1 at southeast end of hatchery building in a pump shed. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 30 S., R. 19 E.
54-23-1	Tampa, about 7.0 miles southeast, 0.7 mile south of Causeway Blvd., 0.5 mile east of U. S. Hwy. 41, 0.25 mile east of a railroad, 0.15 mile south of a street, 50 feet west of a street at a residence. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 29 S., R. 19 E.
55-22-1	Tampa, about 6.0 miles southeast, 1.5 miles west of U. S. Hwy. 41, 0.4 mile south of Causeway Blvd., 0.12 mile south of a street, 0.12 mile north of a street, 100 feet west of 70th St., in a pasture. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 35, T. 29 S., R. 19 E.
55-23-1	Tampa, about 5.0 miles southeast, 0.25 mile south of Causeway Blvd., 0.85 mile east of U. S. Hwy. 41, 0.6 mile east of railroad, 200 feet east of a house in a shed, 275 feet west of street. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 29 S., R. 19 E.
55-23-2	Tampa, about 5.5 miles southeast, 0.8 mile east of U. S. Hwy. 41, 0.15 mile south of Causeway Blvd., 500 feet northwest of well 55-23-1, at wash house, west of owner's residence. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 29 S., R. 19 E.
55-24-1	Tampa, about 5.0 miles southeast, 0.35 mile south of Causeway Blvd., 50 feet west of U. S. Hwy. 41, 30 feet north of a street in owner's yard, 0.1 mile north of a creek. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 29 S., R. 19 E.

