

Sensory nerve	Amplitude µV
Right median	Absent
Right ulnar	Absent
Right radial	Absent
Right sural	Absent
Right superficial peroneal	Absent
Left sural	Absent

Motor nerve	DML ms	CV m/s	MAP mV	F wave latency/ms
Right median	6.2	37	2.4	42.5
Right ulnar (ADM)	4.1	42	8.3	33.5
Right common peroneal (EDB)	NR	NR	NR	NR
Right posterior	7.0	-	0.4	61.7

Supplementary table 1. The nerve conduction parameters of a patient with autosomal recessive spastic ataxia of Charlevoix Saguenay (ARSACS). DML = distal motor latency; CV = conduction velocity; MAP = motor action potential; ADM = abductor digiti minimi, EDB = extensor digitorum brevis.

Sensory nerve	Amplitude µV
Right median	Absent
Right ulnar	Absent
Right radial	Absent
Right sural	Absent
Right superficial peroneal	Absent

Motor nerve	DML ms	CV m/s	MAP mV	F wave latency/ms
Right median	6.8	37	5.7	43
Right ulnar (ADM)	6.6	32	4.4	53
Right common peroneal (EDB)	13.4	32	1.8	-
Right posterior tibial	7.3	26	1.4	77

Supplementary table 2. The nerve conduction parameters of a patient with a demyelinating neuropathy that is sometimes seen with familial amyloid polyneuropathy due to autosomal dominant mutations in *TTR*. DML = distal motor latency; CV = conduction velocity; MAP = motor action potential; ADM = abductor digiti minimi, EDB = extensor digitorum brevis.

References continued

- 61 Akizu N, Cantagrel V, Schroth J, et al. AMPD2 regulates GTP synthesis and is mutated in a potentially treatable neurodegenerative brainstem disorder. *Cell* 2013;154:505–17.
doi:10.1016/j.cell.2013.07.005
- 62 Marsh APL, Lukic V, Pope K, et al. Complete callosal agenesis, pontocerebellar hypoplasia, and axonal neuropathy due to AMPD2 loss. *Neurol Genet* 2015;1:e16.
doi:10.1212/NXG.0000000000000014
- 63 Bandettini di Poggio M, Nesti C, Bruno C, et al. Dopamine-agonist responsive Parkinsonism in a patient with the SANDO syndrome caused by POLG mutation. *BMC Med Genet* 2013;14:105. doi:10.1186/1471-2350-14-105
- 64 Walker RH. Untangling the Thorns: Advances in the Neuroacanthocytosis Syndromes. *J Mov Disord* 2015;8:41–54. doi:10.14802/jmd.15009
- 65 Aerts MB, Weterman MAJ, Quadri M, et al. A LRSAM1 mutation links Charcot-Marie-Tooth type 2 to Parkinson’s disease. *Ann Clin Transl Neurol* 2016;3:146–9.
doi:10.1002/acn3.281
- 66 Frasquet M, Chumillas MJ, Vílchez JJ, et al. Phenotype and natural history of inherited neuropathies caused by HSJ1 c.352+1G>A mutation. *J Neurol Neurosurg Psychiatry* 2016;87:1265–8. doi:10.1136/jnnp-2015-312890
- 67 Chalmers RM, Bird AC, Harding AE. Autosomal dominant optic atrophy with asymptomatic peripheral neuropathy. *J Neurol Neurosurg Psychiatry* 1996;60:195–6.
- 68 Bonifert T, Karle KN, Tonagel F, et al. Pure and syndromic optic atrophy explained by deep intronic OPA1 mutations and an intralocus modifier. *Brain* 2014;137:2164–77.
doi:10.1093/brain/awu165

- 69 Züchner S, De Jonghe P, Jordanova A, et al. Axonal neuropathy with optic atrophy is caused by mutations in mitofusin 2. *Ann Neurol* 2006;59:276–81. doi:10.1002/ana.20797
- 70 Holt IJ, Harding AE, Petty RK, et al. A new mitochondrial disease associated with mitochondrial DNA heteroplasmy. *Am J Hum Genet* 1990;46:428–33.
- 71 Frattini D, Fusco C, Ucchino V, et al. Early Onset Methylmalonic Aciduria and Homocystinuria cblC Type With Demyelinating Neuropathy. 2010. doi:10.1016/j.pediatrneurol.2010.04.007
- 72 Rossor AM, Tomaselli PJ, Reilly MM. Recent advances in the genetic neuropathies. *Curr Opin Neurol* 2016;:1. doi:10.1097/WCO.0000000000000373
- 73 Kennedy WR, Alter M, Sung JH. Progressive proximal spinal and bulbar muscular atrophy of late onset. A sex-linked recessive trait. *Neurology* 1968;18:671–80.
- 74 Foley AR, Menezes MP, Pandraud A, et al. Treatable childhood neuronopathy caused by mutations in riboflavin transporter RFVT2. *Brain* 2014;137:44–56. doi:10.1093/brain/awt315
- 75 Jaeger B, Bosch AM. Clinical presentation and outcome of riboflavin transporter deficiency: mini review after five years of experience. *J Inherit Metab Dis* 2016;39:559–64. doi:10.1007/s10545-016-9924-2
- 76 Horga A, Pitceathly RDS, Blake JC, et al. Peripheral neuropathy predicts nuclear gene defect in patients with mitochondrial ophthalmoplegia. *Brain* 2014;137:3200–12. doi:10.1093/brain/awu279
- 77 Chew S, Balasubramanian R, Chan W-M, et al. A novel syndrome caused by the E410K amino acid substitution in the neuronal β-tubulin isotype 3. *Brain* 2013;136:522–35. doi:10.1093/brain/aws345

78 Choi B-O, Kang SH, Hyun YS, et al. A complex phenotype of peripheral neuropathy, myopathy, hoarseness, and hearing loss is linked to an autosomal dominant mutation in MYH14. *Hum Mutat* 2011;32:669–77. doi:10.1002/humu.21488

79 Baets J, Duan X, Wu Y, et al. Defects of mutant DNMT1 are linked to a spectrum of neurological disorders. *Brain* 2015;138:845–61. doi:10.1093/brain/awv010

80 Houlden H, Smith S, De Carvalho M, et al. Clinical and genetic characterization of families with triple A (Allgrove) syndrome. *Brain* 2002;125:2681–90.

81 Sugie K, Futamura N, Suzumura A, et al. Hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity. *Ann Neurol* 2002;51:385–8.

82 Shorer Z, Philpot J, Muntoni F, et al. Demyelinating peripheral neuropathy in merosin-deficient congenital muscular dystrophy. *J Child Neurol* 1995;10:472–5.

83 Jaffer F, Murphy SM, Scoto M, et al. BAG3 mutations: Another cause of giant axonal neuropathy. *J Peripher Nerv Syst* 2012;17. doi:10.1111/j.1529-8027.2012.00409.x

84 Walter MC, Witt TN, Weigel BS, et al. Deletion of the LMNA initiator codon leading to a neurogenic variant of autosomal dominant Emery-Dreifuss muscular dystrophy. *Neuromuscul Disord* 2005;15:40–4. doi:10.1016/j.nmd.2004.09.007

85 Wang Z, Hong D, Zhang W, et al. Severe sensory neuropathy in patients with adult-onset multiple acyl-CoA dehydrogenase deficiency. *Neuromuscul Disord* 2016;26:170–5. doi:10.1016/j.nmd.2015.12.002

86 Lewis-Smith DJ, Duff J, Pyle A, et al. Novel HSPB1 mutation causes both motor neuronopathy and distal myopathy. *Neurol Genet* 2016;2:e110. doi:10.1212/NXG.0000000000000110

- 87 Ghaoui R, Palmio J, Brewer J, et al. Mutations in HSPB8 causing a new phenotype of distal myopathy and motor neuropathy. *Neurology* 2016;86:391–8.
doi:10.1212/WNL.0000000000002324
- 88 Dubrey S, Ackermann E, Gillmore J. The transthyretin amyloidoses: advances in therapy. *Postgrad Med J* 2015;91:439–48. doi:10.1136/postgradmedj-2014-133224
- 89 El-Hattab AW, Scaglia F. Mitochondrial DNA Depletion Syndromes: Review and Updates of Genetic Basis, Manifestations, and Therapeutic Options. *Neurotherapeutics* 2013;10:186–98. doi:10.1007/s13311-013-0177-6
- 90 Schmidt WM, Rutledge SL, Schüle R, et al. Disruptive SCYL1 Mutations Underlie a Syndrome Characterized by Recurrent Episodes of Liver Failure, Peripheral Neuropathy, Cerebellar Atrophy, and Ataxia. *Am J Hum Genet* 2015;97:855–61.
doi:10.1016/j.ajhg.2015.10.011
- 91 Inoue K, Shilo K, Boerkoel CF, et al. Congenital hypomyelinating neuropathy, central dysmyelination, and Waardenburg-Hirschsprung disease: phenotypes linked by SOX10 mutation. *Ann Neurol* 2002;52:836–42. doi:10.1002/ana.10404
- 92 Dafsari HS, Byrne S, Lin J-P, et al. Goldberg-Shprintzen megacolon syndrome with associated sensory motor axonal neuropathy. *Am J Med Genet A* 2015;167:1300–4.
doi:10.1002/ajmg.a.36873
- 93 Bedlack RS, Vu T, Hammans S, et al. MNGIE neuropathy: five cases mimicking chronic inflammatory demyelinating polyneuropathy. *Muscle Nerve* 2004;29:364–8.
doi:10.1002/mus.10546
- 94 De Giorgio R, Pironi L, Rinaldi R, et al. Liver transplantation for mitochondrial neurogastrointestinal encephalomyopathy. *Ann Neurol* 2016;80:448–55.
doi:10.1002/ana.24724

- 95 Mead S, Gandhi S, Beck J, et al. A novel prion disease associated with diarrhea and autonomic neuropathy. *N Engl J Med* 2013;369:1904–14. doi:10.1056/NEJMoa1214747
- 96 Boyer O, Nevo F, Plaisier E, et al. INF2 mutations in Charcot-Marie-Tooth disease with glomerulopathy. *N Engl J Med* 2011;365:2377–88. doi:10.1056/NEJMoa1109122
- 97 Dibbens L, Schwake M, Saftig P, et al. SCARB2/LIMP2 deficiency in action myoclonus-renal failure syndrome. *Epileptic Disord* Published Online First: 1 September 2016. doi:10.1684/epd.2016.0843
- 98 Haliloglu G, Maluenda J, Sayinbatur B, et al. Early-onset chronic axonal neuropathy, strokes, and hemolysis: inherited CD59 deficiency. *Neurology* 2015;84:1220–4. doi:10.1212/WNL.0000000000001391
- 99 Lehky TJ, Groden C, Lear B, et al. Peripheral nervous system (PNS) manifestations of Chediak-Higashi Disease (CHD). *Muscle Nerve* Published Online First: 18 July 2016. doi:10.1002/mus.25259
- 100 Tachi N, Sasaki K, Kusano T, et al. Peripheral neuropathy in four cases of group A xeroderma pigmentosum. *J Child Neurol* 1988;3:114–9.
- 101 Voermans NC, Bönnemann CG, Lammens M, et al. Myopathy and polyneuropathy in an adolescent with the kyphoscoliotic type of Ehlers-Danlos syndrome. *Am J Med Genet Part A* 2009;149A:2311–6. doi:10.1002/ajmg.a.32997
- 102 Capuano A, Bucciotti F, Farwell KD, et al. Diagnostic Exome Sequencing Identifies a Novel Gene, EMILIN1, Associated with Autosomal-Dominant Hereditary Connective Tissue Disease. *Hum Mutat* 2016;37:84–97. doi:10.1002/humu.22920
- 103 Tracy JA, Dyck PJB. Porphyria and its neurologic manifestations. *Handb Clin Neurol* 2014;120:839–49. doi:10.1016/B978-0-7020-4087-0.00056-5

104 Schlump J-U, Perot C, Ketteler K, et al. Severe neurological crisis in a patient with hereditary tyrosinaemia type I after interruption of NTBC treatment. *J Inherit Metab Dis* 2008;31 Suppl 2:S223-5. doi:10.1007/s10545-008-0807-z

105 Kleopa KA, Raizen DM, Friedrich CA, et al. Acute axonal neuropathy in maple syrup urine disease. *Muscle Nerve* 2001;24:284–7.

106 Spiegel R, Shaag A, Edvardson S, et al. SLC25A19 mutation as a cause of neuropathy and bilateral striatal necrosis. *Ann Neurol* 2009;66:419–24. doi:10.1002/ana.21752