Technical University of Denmark



Supercapacitive bioelectrochemical solar cells using thylakoid membranes and carbon nanotubes

Pankratov, Dmitrii; Pankratova, G. ; Åkerlund, H.-E. ; Chi, Qijin; Gorton, L.

Publication date: 2017

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA):

Pankratov, D., Pankratova, G., Åkerlund, H-E., Chi, Q., & Gorton, L. (2017). Supercapacitive bioelectrochemical solar cells using thylakoid membranes and carbon nanotubes. Abstract from 2nd Gerischer-Kolb Symposium, Günzburg/Donau, Germany.

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Supercapacitive bioelectrochemical solar cells using thylakoid membranes and carbon nanotubes

D. Pankratov¹, G. Pankratova², H.-E. Åkerlund², Q. Chi¹, and L. Gorton²

¹ Technical University of Denmark, Kongens Lyngby, Denmark ² Lund University, Lund, Sweden E-mail: dmpp@kemi.dtu.dk

Utilization of photosynthetic cell components for light energy harnessing is a perspective tool to achieve a high efficiency of "green" light energy conversion using fully recyclable biomaterials. Inspired by the advantages of recently disclosed concept of simultaneous light energy conversion and storage in the form of electric charge within a singular contrivance [1, 2], we have developed and investigated supercapacitive photo-bioanodes based on the carboxilized and amidized multi-walled carbon nanotubes (MWCNTs) in direct electron transfer (DET) communication with adsorbed thylakoid membranes.

Employment of the amidized MWCNTs results in higher photo-bioelectrocatalytic current output, lower charge transfer resistance and open circuit potential and higher operational stability compared to the photo-bioanodes based on the carboxilized MWCNTs.

The average power density achieved for the optimized supercapacitive photobioelectrochemical cell in a pulse mode was *ca*. 250 times higher compared to the recent report about the DET-based photo-biosupercapacitor coupled with significantly higher stability and simple design [3].

The findings reported herein disclose new patterns of interactions between the biomaterial and charged surface and may facilitate the development of more efficient, eco-friendly and renewable biological power sources for various application perspective.

The work was financially supported by the European Union's Horizon 2020 research and innovation programme under the Marie Sklodowska-Curie grant agreement no. 713683 (COFUNDfellowsDTU), the European Commission ("Bioenergy" PEOPLE-2013-ITN-607793), the Swedish Research Council (Project No. 2014-5908).

References

- [1] Sun, H., et al. Angew. Chem., Int. Ed. **2014**, 53 (26), 6664–6668.
- [2] Pankratova, G., et al. Adv. Energy Mater., 2017, 7, 1602285.
- [3] Gonzalez-Arribas, E., et al. *Electrochem. Commun.*, **2017**, 74, 9-13.